

**SUMMARY REPORT
39 BIRCH DRIVE (FORMERLY 113 BIRCH DRIVE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC**

**Revision: 0
Prepared for:**

**Department of the Navy
Naval Facilities Engineering Command, Mid-Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095**

and



**Naval Facilities Engineering Command Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095**

JUNE 2021

**SUMMARY REPORT
39 BIRCH DRIVE (FORMERLY 113 BIRCH DRIVE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC**

**Revision: 0
Prepared for:**

**Department of the Navy
Naval Facilities Engineering Command, Mid- Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095**

and



Naval Facilities Engineering Command Atlantic

**9324 Virginia Avenue
Norfolk, Virginia 23511-3095**

Prepared by:

CDM - AECOM
Multimedia Joint Venture

**CDM - AECOM Multimedia Joint Venture
10560 Arrowhead Drive, Suite 500
Fairfax, Virginia 22030**

**Contract Number: N62470-14-D-9016
CTO WE52
JUNE 2021**

Table of Contents

1.0	INTRODUCTION	1
1.1	BACKGROUND INFORMATION.....	1
1.2	UST REMOVAL AND ASSESSMENT PROCESS.....	2
2.0	SAMPLING ACTIVITIES AND RESULTS	3
2.1	UST REMOVAL AND SOIL SAMPLING	3
2.2	SOIL ANALYTICAL RESULTS.....	4
2.3	GROUNDWATER SAMPLING.....	4
2.4	GROUNDWATER ANALYTICAL RESULTS	5
3.0	PROPERTY STATUS.....	5
4.0	REFERENCES	5

Tables

Table 1	Laboratory Analytical Results - Soil
Table 2	Laboratory Analytical Results - Groundwater

Appendices

Appendix A	Multi-Media Selection Process for LBMH
Appendix B	UST Assessment Report
Appendix C	Laboratory Analytical Report - Groundwater
Appendix D	Regulatory Correspondence

List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
ft	feet
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level

1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 39 Birch Drive (Formerly 113 Birch Drive). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*

Division (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 39 Birch Drive (Formerly 113 Birch Drive). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 113 Birch Drive* (MCAS Beaufort, 2016). The UST Assessment Report is provided in Appendix B. Details regarding the IGWA sampling activities at this site are provided in the *Initial Groundwater Investigation Report – February and March 2017* (Resolution Consultants, 2017). The laboratory report that includes the pertinent IGWA analytical results for this site is presented in Appendix C.

2.1 UST Removal and Soil Sampling

On February 11, 2009, a single 280 gallon heating oil UST was removed from the front landscaped bed area adjacent to the driveway at 39 Birch Drive (Formerly 113 Birch Drive). The former UST location is indicated on Figures 1 and 2 of the UST Assessment Report (Appendix B). The UST was removed, cleaned, and shipped offsite for recycling. There was no

visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 5'8" bgs and a single soil sample was collected from that depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 39 Birch Drive (Formerly 113 Birch Drive) were greater than the SCDHEC RBSLs, which indicated further investigation was required. In a letter dated December 14, 2016, SCDHEC requested an IGWA for 39 Birch Drive (Formerly 113 Birch Drive) to determine if the groundwater was impacted by petroleum COPCs. SCDHEC's request letter is provided in Appendix D.

2.3 Groundwater Sampling

On March 3, 2017, a temporary monitoring well was installed at 39 Birch Drive (Formerly 113 Birch Drive), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the monitoring well was placed in the same general location as the former heating oil UST. The former UST location is indicated on Figures 1 and 2 of the UST Assessment Report (Appendix B). Further details are provided in the *Initial Groundwater Investigation Report – February and March 2017* (Resolution Consultants, 2017).

The sampling strategy for this phase of the investigation required a one-time sampling event of the temporarily installed monitoring well. Following well installation and development, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of groundwater sampling, the temporary well was abandoned in accordance with the South Carolina Well Standards and Regulations R.61-71 (SCDHEC, 2016). Field forms are provided in the *Initial Groundwater Investigation Report – February and March 2017* (Resolution Consultants, 2017).

2.4 Groundwater Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 2. A copy of the laboratory analytical data report is included in Appendix C.

The groundwater results collected from 39 Birch Drive (Formerly 113 Birch Drive) were less than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 2), which indicated that the groundwater was not impacted by COPCs associated with the former UST at concentrations that present a potential risk to human health and the environment.

3.0 PROPERTY STATUS

Based on the analytical results for groundwater, SCDHEC made the determination that NFA was required for 39 Birch Drive (Formerly 113 Birch Drive). This NFA determination was obtained in a letter dated July 27, 2017. SCDHEC's NFA letter is provided in Appendix D.

4.0 REFERENCES

Marine Corps Air Station Beaufort, 2016. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 113 Birch Drive, Laurel Bay Military Housing Area, September 2016.*

Resolution Consultants, 2017. *Initial Groundwater Investigation Report – February and March 2017 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina, June 2017.*

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0, April 2013.*

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

South Carolina Department of Health and Environmental Control Bureau of Water, 2016. *R.61-71, Well Standards*, June 2016.

Tables

Table 1
Laboratory Analytical Results - Soil
39 Birch Drive (Formerly 113 Birch Drive)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾	Results Sample Collected 02/11/09
Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)		
Benzene	0.007	ND
Ethylbenzene	1.15	0.0171
Naphthalene	0.036	0.128
Toluene	1.45	ND
Xylenes, Total	14.5	0.0182
Semivolatile Organic Compounds Analyzed by EPA Method 8270C (mg/kg)		
Benzo(a)anthracene	0.066	2.48
Benzo(b)fluoranthene	0.066	1.55
Benzo(k)fluoranthene	0.066	0.817
Chrysene	0.066	2.41
Dibenz(a,h)anthracene	0.066	0.181

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, February 2016).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligrams per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The soil laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

**Table 2
Laboratory Analytical Results - Groundwater
39 Birch Drive (Formerly 113 Birch Drive)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina**

Constituent	SCDHEC RBSLs ⁽¹⁾	Site-Specific Groundwater VISLs (µg/L) ⁽²⁾	Results Sample Collected 03/03/17
Volatile Organic Compounds Analyzed by EPA Method 8260B (µg/L)			
Benzene	5	16.24	ND
Ethylbenzene	700	45.95	2.9
Naphthalene	25	29.33	11
Toluene	1,000	105,445	ND
Xylenes, Total	10,000	2,133	2.4
Semivolatile Organic Compounds Analyzed by EPA Method 8270D (µg/L)			
Benzo(a)anthracene	10	NA	ND
Benzo(b)fluoranthene	10	NA	ND
Benzo(k)fluoranthene	10	NA	ND
Chrysene	10	NA	ND
Dibenz(a,h)anthracene	10	NA	ND

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, February 2016).

⁽²⁾ Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of 1×10^{-6} , a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - Not Applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix C.


RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

µg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

Appendix A
Multi-Media Selection Process for LBMH



Appendix A - Multi-Media Selection Process for LBMH

Appendix B
UST Assessment Report

South Carolina Department of Health and Environmental Control (SCDHEC)
Underground Storage Tank (UST) Assessment Report

<p>Date Received</p> <p>State Use Only</p>

Submit Completed Form To:
UST Program
SCDHEC
2600 Bull Street
Columbia, South Carolina 29201
Telephone (803) 896-7957

I. OWNERSHIP OF UST (S)

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)		
Owner Name (Corporation, Individual, Public Agency, Other)		
P.O. Box 55001		
Mailing Address		
Beaufort,	South Carolina	29904-5001
City	State	Zip Code
843	228-7317	Craig Ehde
Area Code	Telephone Number	Contact Person

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #	
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC	
Facility Name or Company Site Identifier	
113 Birch Street, Laurel Bay Military Housing Area	
Street Address or State Road (as applicable)	
Beaufort,	Beaufort
City	County

III. INSURANCE INFORMATION

Insurance Statement

The petroleum release reported to DHEC on _____ at Permit ID Number _____ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? **YES**____ **NO**____ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: _____
The policy deductible is: _____
The policy limit is: _____

If you have this type of insurance, please include a copy of the policy with this report.

IV. REQUEST FOR SUPERB FUNDING

I **DO** / **DO NOT** wish to participate in the SUPERB Program. (Circle one.)

V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

To be completed by Notary Public:

Sworn before me this _____ day of _____, 20____

(Name)

Notary Public for the state of _____.
Please affix State seal if you are commissioned outside South Carolina

VI. UST INFORMATION

Tank 1	Tank 2	Tank 3	Tank 4	Tank 5	Tank 6
113 Birch					
heating oil					
280 gal					
Late 1950's					
steel					
Mid 1980's					
5'8"					
No					
No					
Removed					
2/11/09					
Yes					
Yes					

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity..(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material..(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....

M. Method of disposal for any USTs removed from the ground (attach disposal manifests)
 Tank was removed from the ground, cleaned, cut up
 and the steel re-cycled.

N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)
 Waste water was pumped out and disposed of by MCAS.

O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST
 Pitting and corrosion were found over the entire surface of the tank.
 Cleaning revealed seven 1/4 inch holes on the fill end, four near top, three on the bottom seam.

VII. PIPING INFORMATION

	Tank 1	Tank 2	Tank 3	Tank 4	Tank 5	Tank 6
	Tank 1 113 Birch					
A. Construction Material..(ex. Steel, FRP).....	Steel/ Copper					
B. Distance from UST to Dispenser.....	N/A					
C. Number of Dispensers.....	N/A					
D. Type of System Pressure or Suction.....	Suction					
E. Was Piping Removed from the Ground? Y/N	No*					
F. Visible Corrosion or Pitting Y/N.....	No					
G. Visible Holes Y/N.....	No					
H. Age.....	Early 1950's					

I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.
No corrosion, pitting or holes were found.

VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

*Piping was cut & capped at the edge of the excavation.

IX. SITE CONDITIONS

	Yes	No	Unk
<p>A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate depth and location on the site map.</p>		x	
<p>B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate location on site map and describe the odor (strong, mild, etc.)</p>		x	
<p>C. Was water present in the UST excavation, soil borings, or trenches?</p> <p>If yes, how far below land surface (indicate location and depth)?</p>		x	
<p>D. Did contaminated soils remain stockpiled on site after closure?</p> <p>If yes, indicate the stockpile location on the site map.</p> <p>Name of DHEC representative authorizing soil removal:</p>		x	
<p>E. Was a petroleum sheen or free product detected on any excavation or boring waters?</p> <p>If yes, indicate location and thickness.</p>		x	

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 96012001

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
113 Birch							
1	Excav at fill end	Soil	Clay	5'8"	2/11/09 1115 hrs	S. Pratt	
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

* = Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.

XII. RECEPTORS


	Yes	No
<p>A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?</p> <p>If yes, indicate type of receptor, distance, and direction on site map.</p>	X	
<p>B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?</p> <p>If yes, indicate type of well, distance, and direction on site map.</p>		X
<p>C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?</p> <p>If yes, indicate type of structure, distance, and direction on site map.</p>		X
<p>D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? *Sewer, water, electricity, cable, fiber optic</p> <p>If yes, indicate the type of utility, distance, and direction on the site map.</p>	X*	
<p>E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?</p> <p>If yes, indicate the area of contaminated soil on the site map.</p>		X

XIII. SITE MAP


You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)

BROAD RIVER
820'



113 BIRCH ST.
LAUREL BAY MILITARY HOUSING
MCAS BEAUFORT, SC



PORCH

UST

SIDEWALK

DRIVEWAY

UTILITIES

WASTE WATER

POWER POLE



GRAPHIC SCALE

0 5' 10' 20'

SBG

10179 HWY 78
LADSON, SC 29456

ph. (843) 879-0400


FIGURE 1 UST LOCATION
113 BIRCH ST., LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE FEB 2009

BROAD RIVER
820'

113 BIRCH ST.
LAUREL BAY MILITARY HOUSING
MCAS BEAUFORT, SC



FUEL OIL LINES

VENT

PORCH

F.O. LINES CUT
& CAPPED

280 GALLON
UST

FILL


SAMPLE LOCATION
113BIRCH

EXCAVATION

ASPHALT
DRIVEWAY

SIDEWALK

TOP OF TANK WAS 32"
BELOW GRADE



GRASS

SBG

10179 HWY 78
LADSON, SC 29456

ph. (843) 879-0400

FIGURE 2 UST SAMPLE LOCATION
113 BIRCH ST., LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE FEB 2009



Picture 1: 113 Birch St. site prior to tank removal.



Picture 2: 113 Birch St. UST during excavation.



Picture 3: Demolition of tank in process.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

113BIRCH

CoC	SB-1	SB-2	SB-3	SB-4	SB-5	SB-6	SB-7	SB-8
Benzene	ND							
Toluene	ND							
Ethylbenzene	0.0171	mg/kg						
Xylenes	0.0182	mg/kg						
Naphthalene	0.128	mg/kg						
Benzo (a) anthracene	2.48	mg/kg						
Benzo (b) fluoranthene	1.55	mg/kg						
Benzo (k) fluoranthene	0.817	mg/kg						
Chrysene	2.41	mg/kg						
Dibenz (a, h) anthracene	0.181	mg/kg						
TPH (EPA 3550)								

CoC	SB-9	SB-10	SB-11	SB-12	SB-13	SB-14	SB-15	SB-16
Benzene								
Toluene								
Ethylbenzene								
Xylenes								
Naphthalene								
Benzo (a) anthracene								
Benzo (b) fluoranthene								
Benzo (k) fluoranthene								
Chrysene								
Dibenz (a, h) anthracene								
TPH (EPA 3550)								

SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here)

(Please see Form #4)

February 25, 2009 2:49:19PM

Client: EEG - Env. Enterprise Group (2449)
10179 Highway 78
Ladson, SC 29456
Attn: Tom McElwee

Work Order: NSB1157
Project Name: EEG - Env. Enterprise Group
Project Nbr: Laurel Bay Housing Project
P/O Nbr: 08087
Date Received: 02/13/09

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
113 Birch	NSB1157-01	02/11/09 11:15
115 Banyan-1	NSB1157-02	02/12/09 13:40

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

South Carolina Certification Number: 84009001

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.


These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.

This report has been electronically signed.

Report Approved By:



Roxanne Connor

Program Manager - Conventional Accounts

Client EEG - Env. Enterprise Group (2449)
 10179 Highway 78
 Ladson, SC 29456
 Attn Tom McElwec

Work Order: NSB1157
 Project Name: EEG - Env. Enterprise Group
 Project Number: Laurel Bay Housing Project
 Received: 02/13/09 08:10

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSB1157-01 (113 Birch - Soil) Sampled: 02/11/09 11:15								
General Chemistry Parameters								
% Dry Solids	82.4		%	0.500	1	02/24/09 08:10	SW-846	9022955
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00212	1	02/16/09 18:52	SW846 8260B	9021837
Ethylbenzene	0.0171		mg/kg dry	0.00212	1	02/16/09 18:52	SW846 8260B	9021837
Naphthalene	0.128		mg/kg dry	0.00529	1	02/16/09 18:52	SW846 8260B	9021837
Toluene	ND		mg/kg dry	0.00212	1	02/16/09 18:52	SW846 8260B	9021837
Xylenes, total	0.0182		mg/kg dry	0.00529	1	02/16/09 18:52	SW846 8260B	9021837
Surr: 1,2-Dichloroethane-d4 (41-150%)	100 %					02/16/09 18:52	SW846 8260B	9021837
Surr: Dibromofluoromethane (55-139%)	100 %					02/16/09 18:52	SW846 8260B	9021837
Surr: Toluene-d8 (57-148%)	119 %					02/16/09 18:52	SW846 8260B	9021837
Surr: 4-Bromofluorobenzene (58-150%)	172 %	ZX				02/16/09 18:52	SW846 8260B	9021837
Polyaromatic Hydrocarbons by EPA 8270C								
Acenaphthene	0.384		mg/kg dry	0.0809	1	02/23/09 01:47	SW846 8270C	9022346
Acenaphthylene	ND		mg/kg dry	0.0809	1	02/23/09 01:47	SW846 8270C	9022346
Anthracene	1.10		mg/kg dry	0.0809	1	02/23/09 01:47	SW846 8270C	9022346
Benzo (a) anthracene	2.48		mg/kg dry	0.0809	1	02/23/09 01:47	SW846 8270C	9022346
Benzo (a) pyrene	1.12		mg/kg dry	0.0809	1	02/23/09 01:47	SW846 8270C	9022346
Benzo (b) fluoranthene	1.55		mg/kg dry	0.0809	1	02/23/09 01:47	SW846 8270C	9022346
Benzo (g,h,i) perylene	0.316		mg/kg dry	0.0809	1	02/23/09 01:47	SW846 8270C	9022346
Benzo (k) fluoranthene	0.817		mg/kg dry	0.0809	1	02/23/09 01:47	SW846 8270C	9022346
Chrysene	2.41		mg/kg dry	0.0809	1	02/23/09 01:47	SW846 8270C	9022346
Dibenz (a,h) anthracene	0.181		mg/kg dry	0.0809	1	02/23/09 01:47	SW846 8270C	9022346
Fluoranthene	8.31		mg/kg dry	0.405	5	02/23/09 02:08	SW846 8270C	9022346
Fluorene	1.01		mg/kg dry	0.0809	1	02/23/09 01:47	SW846 8270C	9022346
Indeno (1,2,3-cd) pyrene	0.342		mg/kg dry	0.0809	1	02/23/09 01:47	SW846 8270C	9022346
Naphthalene	ND		mg/kg dry	0.0809	1	02/23/09 01:47	SW846 8270C	9022346
Phenanthrene	3.43		mg/kg dry	0.0809	1	02/23/09 01:47	SW846 8270C	9022346
Pyrene	4.03		mg/kg dry	0.0809	1	02/23/09 01:47	SW846 8270C	9022346
Surr: Terphenyl-d14 (26-128%)	58 %					02/23/09 01:47	SW846 8270C	9022346
Surr: 2-Fluorobiphenyl (19-109%)	57 %					02/23/09 01:47	SW846 8270C	9022346
Surr: Nitrobenzene-d5 (22-104%)	67 %					02/23/09 01:47	SW846 8270C	9022346

Client EEG - Env. Enterprise Group (2449)
 10179 Highway 78
 Ladson, SC 29456
 Attn Tom McElwce

Work Order: NSBI 157
 Project Name: EEG - Env. Enterprise Group
 Project Number: Laurel Bay Housing Project
 Received: 02/13/09 08:10

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSBI157-02 (115 Banyan-1 - Soil) Sampled: 02/12/09 13:40								
General Chemistry Parameters								
% Dry Solids	78.3		%	0.500	1	02/24/09 08:10	SW-846	9022955
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00262	1	02/16/09 19:22	SW846 8260B	9021837
Ethylbenzene	ND		mg/kg dry	0.00262	1	02/16/09 19:22	SW846 8260B	9021837
Naphthalene	ND		mg/kg dry	0.00656	1	02/16/09 19:22	SW846 8260B	9021837
Toluene	ND		mg/kg dry	0.00262	1	02/16/09 19:22	SW846 8260B	9021837
Xylenes, total	ND		mg/kg dry	0.00656	1	02/16/09 19:22	SW846 8260B	9021837
Surr: 1,2-Dichloroethane-d4 (41-150%)	98 %					02/16/09 19:22	SW846 8260B	9021837
Surr: Dibromofluoromethane (55-139%)	99 %					02/16/09 19:22	SW846 8260B	9021837
Surr: Toluene-d8 (57-148%)	104 %					02/16/09 19:22	SW846 8260B	9021837
Surr: 4-Bromofluorobenzene (58-150%)	112 %					02/16/09 19:22	SW846 8260B	9021837
Polyaromatic Hydrocarbons by EPA 8270C								
Acenaphthene	ND		mg/kg dry	0.0844	1	02/23/09 02:29	SW846 8270C	9022346
Acenaphthylene	ND		mg/kg dry	0.0844	1	02/23/09 02:29	SW846 8270C	9022346
Anthracene	0.339		mg/kg dry	0.0844	1	02/23/09 02:29	SW846 8270C	9022346
Benzo (a) anthracene	1.14		mg/kg dry	0.0844	1	02/23/09 02:29	SW846 8270C	9022346
Benzo (a) pyrene	0.447		mg/kg dry	0.0844	1	02/23/09 02:29	SW846 8270C	9022346
Benzo (b) fluoranthene	0.643		mg/kg dry	0.0844	1	02/23/09 02:29	SW846 8270C	9022346
Benzo (g,h,i) perylene	0.130		mg/kg dry	0.0844	1	02/23/09 02:29	SW846 8270C	9022346
Benzo (k) fluoranthene	0.337		mg/kg dry	0.0844	1	02/23/09 02:29	SW846 8270C	9022346
Chrysene	1.04		mg/kg dry	0.0844	1	02/23/09 02:29	SW846 8270C	9022346
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0844	1	02/23/09 02:29	SW846 8270C	9022346
Fluoranthene	3.25		mg/kg dry	0.0844	1	02/23/09 02:29	SW846 8270C	9022346
Fluorene	0.430		mg/kg dry	0.0844	1	02/23/09 02:29	SW846 8270C	9022346
Indeno (1,2,3-cd) pyrene	0.141		mg/kg dry	0.0844	1	02/23/09 02:29	SW846 8270C	9022346
Naphthalene	ND		mg/kg dry	0.0844	1	02/23/09 02:29	SW846 8270C	9022346
Phenanthrene	1.47		mg/kg dry	0.0844	1	02/23/09 02:29	SW846 8270C	9022346
Pyrene	2.10		mg/kg dry	0.0844	1	02/23/09 02:29	SW846 8270C	9022346
Surr: Terphenyl-d14 (26-128%)	61 %					02/23/09 02:29	SW846 8270C	9022346
Surr: 2-Fluorobiphenyl (19-109%)	62 %					02/23/09 02:29	SW846 8270C	9022346
Surr: Nitrobenzene-d5 (22-104%)	66 %					02/23/09 02:29	SW846 8270C	9022346

Client EEG - Env. Enterprise Group (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSB1157
Project Name: EEG - Env. Enterprise Group
Project Number: Laurel Bay Housing Project
Received: 02/13/09 08:10

SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
Polyaromatic Hydrocarbons by EPA 8270C							
SW846 8270C	9022346	NSB1157-01	30.14	1.00	02/19/09 08:35	BJM	EPA 3550B
SW846 8270C	9022346	NSB1157-01RE1	30.14	1.00	02/19/09 08:35	BJM	EPA 3550B
SW846 8270C	9022346	NSB1157-02	30.40	1.00	02/19/09 08:35	BJM	EPA 3550B
Selected Volatile Organic Compounds by EPA Method 8260B							
SW846 8260B	9021837	NSB1157-01	5.73	5.00	02/11/09 11:15	JRL	EPA 5035
SW846 8260B	9021837	NSB1157-02	4.87	5.00	02/12/09 13:40	JRL	EPA 5035
SW846 8260B	9021837	NSB1157-02RE1	5.54	5.00	02/12/09 13:40	JRL	EPA 5035

Client EEG - Env. Enterprise Group (2449)
 10179 Highway 78
 Ladson, SC 29456
 Attn Tom McElwec

Work Order: NSB1157
 Project Name: EEG - Env. Enterprise Group
 Project Number: Laurel Bay Housing Project
 Received: 02/13/09 08:10

PROJECT QUALITY CONTROL DATA
Blank

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
Selected Volatile Organic Compounds by EPA Method 8260B						
9021837-BLK1						
Benzene	<0.000670		mg/kg wet	9021837	9021837-BLK1	02/16/09 15:10
Ethylbenzene	<0.000670		mg/kg wet	9021837	9021837-BLK1	02/16/09 15:10
Naphthalene	<0.00151		mg/kg wet	9021837	9021837-BLK1	02/16/09 15:10
Toluene	<0.000670		mg/kg wet	9021837	9021837-BLK1	02/16/09 15:10
Xylenes, total	<0.00172		mg/kg wet	9021837	9021837-BLK1	02/16/09 15:10
Surrogate: 1,2-Dichloroethane-d4	104%			9021837	9021837-BLK1	02/16/09 15:10
Surrogate: Dibromo fluoromethane	105%			9021837	9021837-BLK1	02/16/09 15:10
Surrogate: Toluene-d8	97%			9021837	9021837-BLK1	02/16/09 15:10
Surrogate: 4-Bromofluorobenzene	98%			9021837	9021837-BLK1	02/16/09 15:10

Polyaromatic Hydrocarbons by EPA 8270C

9022346-BLK1						
Acenaphthene	<0.0310		mg/kg wet	9022346	9022346-BLK1	02/20/09 16:19
Acenaphthylene	<0.0320		mg/kg wet	9022346	9022346-BLK1	02/20/09 16:19
Anthracene	<0.0330		mg/kg wet	9022346	9022346-BLK1	02/20/09 16:19
Benzo (a) anthracene	<0.0380		mg/kg wet	9022346	9022346-BLK1	02/20/09 16:19
Benzo (a) pyrene	<0.0290		mg/kg wet	9022346	9022346-BLK1	02/20/09 16:19
Benzo (b) fluoranthene	<0.0320		mg/kg wet	9022346	9022346-BLK1	02/20/09 16:19
Benzo (g,h,i) perylene	<0.0290		mg/kg wet	9022346	9022346-BLK1	02/20/09 16:19
Benzo (k) fluoranthene	<0.0290		mg/kg wet	9022346	9022346-BLK1	02/20/09 16:19
Chrysene	<0.0390		mg/kg wet	9022346	9022346-BLK1	02/20/09 16:19
Dibenz (a,h) anthracene	<0.0310		mg/kg wet	9022346	9022346-BLK1	02/20/09 16:19
Fluoranthene	<0.0340		mg/kg wet	9022346	9022346-BLK1	02/20/09 16:19
Fluorene	<0.0390		mg/kg wet	9022346	9022346-BLK1	02/20/09 16:19
Indeno (1,2,3-cd) pyrene	<0.0310		mg/kg wet	9022346	9022346-BLK1	02/20/09 16:19
Naphthalene	<0.0410		mg/kg wet	9022346	9022346-BLK1	02/20/09 16:19
Phenanthrene	<0.0340		mg/kg wet	9022346	9022346-BLK1	02/20/09 16:19
Pyrene	<0.0410		mg/kg wet	9022346	9022346-BLK1	02/20/09 16:19
Surrogate: Terphenyl-d14	51%			9022346	9022346-BLK1	02/20/09 16:19
Surrogate: 2-Fluorobiphenyl	53%			9022346	9022346-BLK1	02/20/09 16:19
Surrogate: Nitrobenzene-d5	57%			9022346	9022346-BLK1	02/20/09 16:19

Client EEG - Env. Enterprise Group (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwec

Work Order: NSB1157
Project Name: EEG - Env. Enterprise Group
Project Number: Laurel Bay Housing Project
Received: 02/13/09 08:10

PROJECT QUALITY CONTROL DATA
Duplicate

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
General Chemistry Parameters									
9022955-DUP1									
% Dry Solids	69.8	71.0		%	2	20	9022955	NSB1126-09	02/24/09 08:10

Client EEG - Env. Enterprise Group (2449)
 10179 Highway 78
 Ladson, SC 29456
 Attn Tom McElwee

Work Order: NSB1157
 Project Name: EEG - Env. Enterprise Group
 Project Number: Laurel Bay Housing Project
 Received: 02/13/09 08:10

PROJECT QUALITY CONTROL DATA
LCS

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Selected Volatile Organic Compounds by EPA Method 8260B								
9021837-BS1								
Benzene	50.0	56.8		ug/kg	114%	76 - 130	9021837	02/16/09 13:10
Ethylbenzene	50.0	54.4		ug/kg	109%	80 - 128	9021837	02/16/09 13:10
Naphthalene	50.0	61.3		ug/kg	123%	63 - 144	9021837	02/16/09 13:10
Toluene	50.0	52.9		ug/kg	106%	80 - 125	9021837	02/16/09 13:10
Xylenes, total	150	163		ug/kg	109%	79 - 130	9021837	02/16/09 13:10
Surrogate: 1,2-Dichloroethane-d4	50.0	51.8			104%	41 - 150	9021837	02/16/09 13:10
Surrogate: Dibromofluoromethane	50.0	52.4			105%	55 - 139	9021837	02/16/09 13:10
Surrogate: Toluene-d8	50.0	49.4			99%	57 - 148	9021837	02/16/09 13:10
Surrogate: 4-Bromofluorobenzene	50.0	50.3			101%	58 - 150	9021837	02/16/09 13:10
Polyaromatic Hydrocarbons by EPA 8270C								
9022346-BS1								
Acenaphthene	1.67	1.26		mg/kg wet	76%	52 - 106	9022346	02/20/09 16:39
Acenaphthylene	1.67	1.35		mg/kg wet	81%	53 - 109	9022346	02/20/09 16:39
Anthracene	1.67	1.49		mg/kg wet	90%	54 - 124	9022346	02/20/09 16:39
Benzo (a) anthracene	1.67	1.34		mg/kg wet	80%	53 - 111	9022346	02/20/09 16:39
Benzo (a) pyrene	1.67	1.40		mg/kg wet	84%	52 - 122	9022346	02/20/09 16:39
Benzo (b) fluoranthene	1.67	1.40		mg/kg wet	84%	48 - 115	9022346	02/20/09 16:39
Benzo (g,h,i) perylene	1.67	1.20		mg/kg wet	72%	46 - 114	9022346	02/20/09 16:39
Benzo (k) fluoranthene	1.67	1.34		mg/kg wet	80%	41 - 121	9022346	02/20/09 16:39
Chrysene	1.67	1.31		mg/kg wet	78%	49 - 113	9022346	02/20/09 16:39
Dibenz (a,h) anthracene	1.67	1.25		mg/kg wet	75%	47 - 117	9022346	02/20/09 16:39
Fluoranthene	1.67	1.48		mg/kg wet	89%	52 - 113	9022346	02/20/09 16:39
Fluorene	1.67	1.32		mg/kg wet	79%	54 - 107	9022346	02/20/09 16:39
Indeno (1,2,3-cd) pyrene	1.67	1.26		mg/kg wet	76%	47 - 115	9022346	02/20/09 16:39
Naphthalene	1.67	1.20		mg/kg wet	72%	34 - 107	9022346	02/20/09 16:39
Phenanthrene	1.67	1.35		mg/kg wet	81%	53 - 108	9022346	02/20/09 16:39
Pyrene	1.67	1.25		mg/kg wet	75%	54 - 113	9022346	02/20/09 16:39
Surrogate: Terphenyl-d14	1.67	0.974			58%	26 - 128	9022346	02/20/09 16:39
Surrogate: 2-Fluorobiphenyl	1.67	1.15			69%	19 - 109	9022346	02/20/09 16:39
Surrogate: Nitrobenzene-d5	1.67	1.06			64%	22 - 104	9022346	02/20/09 16:39

Client EEG - Env. Enterprise Group (2449)
 10179 Highway 78
 Ladson, SC 29456
 Attn Tom McElwee

Work Order: NSB1157
 Project Name: EEG - Env. Enterprise Group
 Project Number: Laurel Bay Housing Project
 Received: 02/13/09 08:10

PROJECT QUALITY CONTROL DATA
LCS Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Selected Volatile Organic Compounds by EPA Method 8260B												
9021837-BSD1												
Benzene		57.4		ug/kg	50.0	115%	76 - 130	1	43	9021837		02/16/09 13:40
Ethylbenzene		54.4		ug/kg	50.0	109%	80 - 128	0.07	48	9021837		02/16/09 13:40
Naphthalene		59.2		ug/kg	50.0	118%	63 - 144	4	50	9021837		02/16/09 13:40
Toluene		53.2		ug/kg	50.0	106%	80 - 125	0.7	44	9021837		02/16/09 13:40
Xylenes, total		163		ug/kg	150	109%	79 - 130	0.1	48	9021837		02/16/09 13:40
Surrogate: 1,2-Dichloroethane-d4		52.2		ug/kg	50.0	104%	41 - 150			9021837		02/16/09 13:40
Surrogate: Dibromofluoromethane		52.6		ug/kg	50.0	105%	55 - 139			9021837		02/16/09 13:40
Surrogate: Toluene-d8		50.1		ug/kg	50.0	100%	57 - 148			9021837		02/16/09 13:40
Surrogate: 4-Bromofluorobenzene		49.9		ug/kg	50.0	100%	58 - 150			9021837		02/16/09 13:40

Client EEG - Env. Enterprise Group (2449)
 10179 Highway 78
 Ladson, SC 29456
 Attn Tom McElwec

Work Order: NSB1157
 Project Name: EEG - Env. Enterprise Group
 Project Number: Laurel Bay Housing Project
 Received: 02/13/09 08:10

PROJECT QUALITY CONTROL DATA
Matrix Spike

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Selected Volatile Organic Compounds by EPA Method 8260B										
9021837-MS1										
Benzene	ND	2.65		mg/kg dry	2.88	92%	33 - 146	9021837	NSB1157-02RE	02/16/09 20:22
Ethylbenzene	ND	2.63		mg/kg dry	2.88	91%	16 - 160	9021837	NSB1157-02RE	02/16/09 20:22
Naphthalene	ND	2.70		mg/kg dry	2.88	94%	10 - 151	9021837	NSB1157-02RE	02/16/09 20:22
Toluene	ND	2.53		mg/kg dry	2.88	88%	30 - 145	9021837	NSB1157-02RE	02/16/09 20:22
Xylenes, total	ND	7.84		mg/kg dry	8.64	91%	16 - 159	9021837	NSB1157-02RE	02/16/09 20:22
<i>Surrogate: 1,2-Dichloroethane-d4</i>		49.0		ug/kg	50.0	98%	41 - 150	9021837	NSB1157-02RE	02/16/09 20:22
<i>Surrogate: Dibromofluoromethane</i>		49.8		ug/kg	50.0	100%	55 - 139	9021837	NSB1157-02RE	02/16/09 20:22
<i>Surrogate: Toluene-d8</i>		48.7		ug/kg	50.0	97%	57 - 148	9021837	NSB1157-02RE	02/16/09 20:22
<i>Surrogate: 4-Bromofluorobenzene</i>		50.4		ug/kg	50.0	101%	58 - 150	9021837	NSB1157-02RE	02/16/09 20:22

Polyaromatic Hydrocarbons by EPA 8270C

9022346-MS1

Acenaphthene	ND	1.06		mg/kg wet	1.63	65%	28 - 117	9022346	NSB0964-05	02/20/09 17:00
Acenaphthylene	ND	1.11		mg/kg wet	1.63	68%	33 - 113	9022346	NSB0964-05	02/20/09 17:00
Anthracene	ND	1.25		mg/kg wet	1.63	77%	31 - 131	9022346	NSB0964-05	02/20/09 17:00
Benzo (a) anthracene	ND	1.16		mg/kg wet	1.63	71%	29 - 124	9022346	NSB0964-05	02/20/09 17:00
Benzo (a) pyrene	0.0529	1.15		mg/kg wet	1.63	67%	30 - 127	9022346	NSB0964-05	02/20/09 17:00
Benzo (b) fluoranthene	0.0804	1.26		mg/kg wet	1.63	73%	26 - 128	9022346	NSB0964-05	02/20/09 17:00
Benzo (g,h,i) perylene	0.0496	1.03		mg/kg wet	1.63	60%	21 - 122	9022346	NSB0964-05	02/20/09 17:00
Benzo (k) fluoranthene	0.0463	1.11		mg/kg wet	1.63	65%	20 - 130	9022346	NSB0964-05	02/20/09 17:00
Chrysene	0.0556	1.14		mg/kg wet	1.63	67%	30 - 119	9022346	NSB0964-05	02/20/09 17:00
Dibenz (a,h) anthracene	ND	1.03		mg/kg wet	1.63	63%	27 - 122	9022346	NSB0964-05	02/20/09 17:00
Fluoranthene	0.0718	1.34		mg/kg wet	1.63	78%	23 - 132	9022346	NSB0964-05	02/20/09 17:00
Fluorene	ND	1.13		mg/kg wet	1.63	69%	38 - 110	9022346	NSB0964-05	02/20/09 17:00
Indeno (1,2,3-cd) pyrene	0.0443	1.07		mg/kg wet	1.63	63%	24 - 122	9022346	NSB0964-05	02/20/09 17:00
Naphthalene	ND	0.974		mg/kg wet	1.63	60%	14 - 117	9022346	NSB0964-05	02/20/09 17:00
Phenanthrene	ND	1.15		mg/kg wet	1.63	71%	21 - 130	9022346	NSB0964-05	02/20/09 17:00
Pyrene	0.0688	1.18		mg/kg wet	1.63	68%	24 - 133	9022346	NSB0964-05	02/20/09 17:00
<i>Surrogate: Terphenyl-d14</i>		0.824		mg/kg wet	1.63	51%	26 - 128	9022346	NSB0964-05	02/20/09 17:00
<i>Surrogate: 2-Fluorobiphenyl</i>		0.839		mg/kg wet	1.63	52%	19 - 109	9022346	NSB0964-05	02/20/09 17:00
<i>Surrogate: Nitrobenzene-d5</i>		0.816		mg/kg wet	1.63	50%	22 - 104	9022346	NSB0964-05	02/20/09 17:00

Client EEG - Env. Enterprise Group (2449)
 10179 Highway 78
 Ladson, SC 29456
 Attn Tom McElwcc

Work Order: NSB1157
 Project Name: EEG - Env. Enterprise Group
 Project Number: Laurel Bay Housing Project
 Received: 02/13/09 08:10

PROJECT QUALITY CONTROL DATA
Matrix Spike Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Selected Volatile Organic Compounds by EPA Method 8260B												
9021837-MSD1												
Benzene	ND	2.68		mg/kg dry	2.88	93%	33 - 146	1	43	9021837	NSB1157-02RE	02/16/09 20:52
Ethylbenzene	ND	2.56		mg/kg dry	2.88	89%	16 - 160	3	48	9021837	NSB1157-02RE	02/16/09 20:52
Naphthalene	ND	2.78		mg/kg dry	2.88	97%	10 - 151	3	50	9021837	NSB1157-02RE	02/16/09 20:52
Toluene	ND	2.44		mg/kg dry	2.88	85%	30 - 145	4	44	9021837	NSB1157-02RE	02/16/09 20:52
Xylenes, total	ND	7.67		mg/kg dry	8.64	89%	16 - 159	2	48	9021837	NSB1157-02RE	02/16/09 20:52
Surrogate: 1,2-Dichloroethane-d4		49.9		ug/kg	50.0	100%	41 - 150			9021837	NSB1157-02RE	02/16/09 20:52
Surrogate: Dibromofluoromethane		50.8		ug/kg	50.0	102%	55 - 139			9021837	NSB1157-02RE	02/16/09 20:52
Surrogate: Toluene-d8		48.8		ug/kg	50.0	98%	57 - 148			9021837	NSB1157-02RE	02/16/09 20:52
Surrogate: 4-Bromofluorobenzene		50.4		ug/kg	50.0	101%	58 - 150			9021837	NSB1157-02RE	02/16/09 20:52
Polyaromatic Hydrocarbons by EPA 8270C												
9022346-MSD1												
Acenaphthene	ND	1.22		mg/kg wet	1.64	74%	28 - 117	13	33	9022346	NSB0964-05	02/20/09 17:21
Acenaphthylene	ND	1.28		mg/kg wet	1.64	78%	33 - 113	14	38	9022346	NSB0964-05	02/20/09 17:21
Anthracene	ND	1.42		mg/kg wet	1.64	86%	31 - 131	13	32	9022346	NSB0964-05	02/20/09 17:21
Benzo (a) anthracene	ND	1.30		mg/kg wet	1.64	79%	29 - 124	11	26	9022346	NSB0964-05	02/20/09 17:21
Benzo (a) pyrene	0.0529	1.29		mg/kg wet	1.64	75%	30 - 127	11	31	9022346	NSB0964-05	02/20/09 17:21
Benzo (b) fluoranthene	0.0804	1.32		mg/kg wet	1.64	76%	26 - 128	5	37	9022346	NSB0964-05	02/20/09 17:21
Benzo (g,h,i) perylene	0.0496	1.15		mg/kg wet	1.64	67%	21 - 122	11	28	9022346	NSB0964-05	02/20/09 17:21
Benzo (k) fluoranthene	0.0463	1.37		mg/kg wet	1.64	81%	20 - 130	21	35	9022346	NSB0964-05	02/20/09 17:21
Chrysene	0.0556	1.30		mg/kg wet	1.64	76%	30 - 119	13	31	9022346	NSB0964-05	02/20/09 17:21
Dibenz (a,h) anthracene	ND	1.16		mg/kg wet	1.64	71%	27 - 122	12	32	9022346	NSB0964-05	02/20/09 17:21
Fluoranthene	0.0718	1.46		mg/kg wet	1.64	85%	23 - 132	9	36	9022346	NSB0964-05	02/20/09 17:21
Fluorene	ND	1.32		mg/kg wet	1.64	81%	38 - 110	16	35	9022346	NSB0964-05	02/20/09 17:21
Indeno (1,2,3-cd) pyrene	0.0443	1.19		mg/kg wet	1.64	70%	24 - 122	11	28	9022346	NSB0964-05	02/20/09 17:21
Naphthalene	ND	1.09		mg/kg wet	1.64	66%	14 - 117	11	34	9022346	NSB0964-05	02/20/09 17:21
Phenanthrene	ND	1.28		mg/kg wet	1.64	78%	21 - 130	11	33	9022346	NSB0964-05	02/20/09 17:21
Pyrene	0.0688	1.34		mg/kg wet	1.64	77%	24 - 133	13	36	9022346	NSB0964-05	02/20/09 17:21
Surrogate: Terphenyl-d14		0.959		mg/kg wet	1.64	58%	26 - 128			9022346	NSB0964-05	02/20/09 17:21
Surrogate: 2-Fluorobiphenyl		1.01		mg/kg wet	1.64	61%	19 - 109			9022346	NSB0964-05	02/20/09 17:21
Surrogate: Nitrobenzene-d5		0.909		mg/kg wet	1.64	55%	22 - 104			9022346	NSB0964-05	02/20/09 17:21

Client EEG - Env. Enterprise Group (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSB1157
Project Name: EEG - Env. Enterprise Group
Project Number: Laurel Bay Housing Project
Received: 02/13/09 08:10

CERTIFICATION SUMMARY

TestAmerica Nashville

Method	Matrix	AIHA	Nelac	South Carolina
SW846 8260B	Soil	N/A	X	X
SW846 8270C	Soil	N/A	X	X
SW-846	Soil			

Client EEG - Env. Enterprise Group (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwec

Work Order: NSB1157
Project Name: EEG - Env. Enterprise Group
Project Number: Laurel Bay Housing Project
Received: 02/13/09 08:10

DATA QUALIFIERS AND DEFINITIONS

ZX Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.
ND Not detected at the reporting limit (or method detection limit if shown)

METHOD MODIFICATION NOTES

ATTACHMENT A

UST Certificate of Disposal

CONTRACTOR

Small Business Group, Inc.
10179 Highway 78
Ladson, SC 29456

TEL (843) 879-0403
FAX (843) 879-0401

TANK ID & LOCATION

UST 113 Birch, 113 Birch St, Laurel Bay Housing Area,
MCAS Beaufort, S.C.

DISPOSAL LOCATION

Coastal Auto Salvage Co., Inc.
130 Laurel Bay Road
Beaufort, S.C. 29906

TYPE OF TANK

Steel

SIZE (GAL)


280

CLEANING/DISPOSAL METHOD

The tank and piping were unearthed, cut open, cleaned with a pressure washer, cut into sections, and recycled.

DISPOSAL CERTIFICATION

I certify that the above tank, piping and equipment has been properly cleaned and disposed of.



(Name) 12/27/09 (Date)

Appendix C
Laboratory Analytical Report - Groundwater

Volatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants	Laboratory ID: SC04007-006
Description: BEALB113TW01WG20170303	Matrix: Aqueous
Date Sampled: 03/03/2017 1440	
Date Received: 03/04/2017	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	03/07/2017 1614	PMV		36403

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzene	71-43-2	8260B	0.80	U	1.0	0.80	0.40	ug/L	1
Ethylbenzene	100-41-4	8260B	2.9		1.0	0.80	0.40	ug/L	1
Naphthalene	91-20-3	8260B	11		1.0	0.80	0.40	ug/L	1
Toluene	108-88-3	8260B	0.80	U	1.0	0.80	0.40	ug/L	1
Xylenes (total)	1330-20-7	8260B	2.4		1.0	0.80	0.40	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Bromofluorobenzene		113	85-114
Dibromofluoromethane		110	80-119
1,2-Dichloroethane-d4		102	81-118
Toluene-d8		99	89-112

PQL = Practical quantitation limit B = Detected in the method blank E = Quantitation of compound exceeded the calibration range H = Out of holding time Q = Surrogate failure
 ND = Not detected at or above the MDL J = Estimated result < PQL and ≥ MDL P = The RPD between two GC columns exceeds 40% N = Recovery is out of criteria L = LCS/LCSD failure
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W" S = MS/MSD failure

Semivolatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants	Laboratory ID: SC04007-006
Description: BEALB113TW01WG20170303	Matrix: Aqueous
Date Sampled: 03/03/2017 1440	
Date Received: 03/04/2017	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3520C	8270D	1	03/15/2017 1532	RBH	03/07/2017 1304	36374

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzo(a)anthracene	56-55-3	8270D	0.10	U	0.20	0.10	0.040	ug/L	1
Benzo(b)fluoranthene	205-99-2	8270D	0.10	U	0.20	0.10	0.040	ug/L	1
Benzo(k)fluoranthene	207-08-9	8270D	0.10	U	0.20	0.10	0.040	ug/L	1
Chrysene	218-01-9	8270D	0.10	U	0.20	0.10	0.040	ug/L	1
Dibenzo(a,h)anthracene	53-70-3	8270D	0.10	U	0.20	0.10	0.040	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Nitrobenzene-d5		60	44-120
2-Fluorobiphenyl		54	44-119
Terphenyl-d14		80	50-134

PQL = Practical quantitation limit B = Detected in the method blank E = Quantitation of compound exceeded the calibration range H = Out of holding time Q = Surrogate failure
 ND = Not detected at or above the MDL J = Estimated result < PQL and ≥ MDL P = The RPD between two GC columns exceeds 40% N = Recovery is out of criteria L = LCS/LCSD failure
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W" S = MS/MSD failure

Shealy Environmental Services, Inc.
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Appendix D
Regulatory Correspondence



December 14, 2016

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: IGWA
Laurel Bay Underground Tank Assessment Reports

Dear Mr. Drawdy:

The South Carolina Department of Health and Environmental Control (the Department) received the Underground Storage Tanks (USTs) Assessment Reports for the addresses listed in the attachment. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

The Department has reviewed the referenced reports. The submitted analytical results indicate that petroleum constituents are above established Risk-Based Screening Levels and additional investigation is warranted. Specifically, the Department requests that a groundwater sampling proposal be generated to determine if there has been an impact to groundwater at these sites.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at petruslb@dhec.sc.gov or 803-898-0294.

Sincerely,

A handwritten signature in black ink, appearing to read "Laurel Petrus", is written below the word "Sincerely,".

Laurel Petrus, Environmental Engineer Associate
RCRA Federal Facilities Section

Cc: Russell Berry, EQC Region 8 (via email)
Shawn Dolan, Resolution Consultants (via email)
Bryan Beck, NAVFAC MIDATLANTIC (via email)
Craig Ehde (via email)

Attachment to: Petrus to Drawdy, December 14, 2016
Subject: IGWA, Laurel Bay Underground Tank Assessment Reports

Draft Final Initial Groundwater Investigation Report for (41 addresses)

Monitoring Well Investigation Recommendation	
113 Birch	279 Birch
274 Birch	268 Beech



July 27, 2017

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: Draft Final Initial Groundwater Investigation Report, February and March 2017

Dear Mr. Drawdy:

The South Carolina Department of Health and Environmental Control (DHEC) received groundwater data from temporary monitoring well installations in the Draft Final Groundwater Investigation Report, Laurel Bay Military Housing Area for the fifty two (52) addresses shown in the attachment. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

Per DHEC's request, groundwater samples were collected from the attached referenced addresses. DHEC reviewed the groundwater data and previous investigations and it agrees with the conclusions and recommendations included in the document. To further assess the impact to groundwater, permanent groundwater monitoring wells should be installed at the three (3) stated addresses. For the remaining forty nine (49) addresses, there is no indication of contamination on the property and therefore no further investigation is required at this time.

Please note that DHEC's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, DHEC retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at petruslb@dhec.sc.gov or 803-898-0294.

Sincerely,

Laurel Petrus, Environmental Engineer Associate
Bureau of Land and Waste Management

Cc: Russell Berry, EQC Region 8
Shawn Dolan, Resolution Consultants
Bryan Beck, NAVFAC MIDLANT

Attachment to: Petrus to Drawdy Dated July 27, 2017

Draft Final Initial Groundwater Investigation Report for (52 addresses)

Permanent Well Installation recommendation (3 Addresses):

- 254 Beech Street (110 ug/L)
- 268 Beech Street (28 ug/L)
- 774 Althea Street (35 ug/L)

No Further Action recommendation (49 addresses):

- 113 Birch Drive
- 121 Banyan Drive
- 122 Banyan Drive
- 159 Cypress Street
- 221 Cypress Street
- 274 Birch Drive
- 279 Birch Drive
- 283 Birch Drive
- 328 Ash Street
- 346 Ash Street
- 359 Aspen Street
- 370 Aspen Street
- 377 Aspen Street
- 409 Elderberry Drive
- 465 Dogwood Drive
- 480 Laurel Bay Boulevard
- 486 Laurel Bay Boulevard
- 515 Laurel Bay Boulevard
- 542 Laurel Bay Boulevard
- 593 Aster Street
- 630 Dahlia Drive
- 641 Dahlia Drive
- 693 Camelia Drive
- 723 Bluebell Lane
- 860 Dolphin Street
- 873 Cobia Drive
- 883 Cobia Drive
- 905 Barracuda Drive
- 921 Barracuda Drive
- 935 Albacore Street
- 946 Albacore Street
- 1037 Iris Lane
- 1039 Iris Lane
- 1110 Iris Lane
- 1134 Iris Lane
- 1143 Iris Lane
- 1177 Bobwhite Drive
- 1202 Cardinal Lane
- 1212 Cardinal Lane
- 1222 Cardinal Lane
- 1224 Cardinal Lane
- 1226 Dove Lane
- 1236 Dove Lane
- 1245 Dove Lane
- 1247 Dove Lane
- 1274 Albatross Drive
- 1319 Albatross Drive
- 1337 Albatross Drive
- 1346 Cardinal Lane