

SUMMARY REPORT  
15 WEST CYPRESS STREET (FORMERLY 158 WEST CYPRESS STREET)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC

Revision: 0  
Prepared for:

Department of the Navy  
Naval Facilities Engineering Command, Mid-Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT  
15 WEST CYPRESS STREET (FORMERLY 158 WEST CYPRESS STREET)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC

Revision: 0  
Prepared for:

Department of the Navy  
Naval Facilities Engineering Command, Mid- Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture  
10560 Arrowhead Drive, Suite 500  
Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016  
CTO WE52  
JUNE 2021

## Table of Contents

1.0	INTRODUCTION.....	1
1.1	BACKGROUND INFORMATION.....	1
1.2	UST REMOVAL AND ASSESSMENT PROCESS.....	2
2.0	SAMPLING ACTIVITIES AND RESULTS.....	3
2.1	UST REMOVAL AND SOIL SAMPLING.....	3
2.2	SOIL ANALYTICAL RESULTS.....	4
3.0	PROPERTY STATUS.....	4
4.0	REFERENCES.....	4

## Table

Table 1	Laboratory Analytical Results - Soil
---------	--------------------------------------

## Appendices

Appendix A	Multi-Media Selection Process for LBMH
Appendix B	UST Assesment Report
Appendix C	Regulatory Correspondence

### List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level

## 1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 15 West Cypress Street (Formerly 158 West Cypress Street). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

### 1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

---

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

## 1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*

---

*Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

## 2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 15 West Cypress Street (Formerly 158 West Cypress Street). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 158 West Cypress Street* (MCAS Beaufort, 2015). The UST Assessment Report is provided in Appendix B.

### 2.1 UST Removal and Soil Sampling

On July 14, 2015, a single 280 gallon heating oil UST was removed from the landscaped area adjacent to the driveway at 15 West Cypress Street (Formerly 158 West Cypress Street). The former UST location is indicated on Figures 1 and 2 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 6'0" bgs and a single soil sample was collected from that

depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

## 2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 15 West Cypress Street (Formerly 158 West Cypress Street) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment.

## 3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 15 West Cypress Street (Formerly 158 West Cypress Street). This NFA determination was obtained in a letter dated August 3, 2016. SCDHEC's NFA letter is provided in Appendix C.

## 4.0 REFERENCES

Marine Corps Air Station Beaufort, 2015. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 158 West Cypress Street, Laurel Bay Military Housing Area*, November 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.



South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

## Table

**Table 1**  
**Laboratory Analytical Results - Soil**  
**15 West Cypress Street (Formerly 158 West Cypress Street)**  
**Laurel Bay Military Housing Area**  
**Marine Corps Air Station Beaufort**  
**Beaufort, South Carolina**

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Results Sample Collected 07/14/15
<b>Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)</b>		
Benzene	0.003	ND
Ethylbenzene	1.15	<b>0.0143</b>
Naphthalene	0.036	<b>0.0243</b>
Toluene	0.627	<b>0.00180</b>
Xylenes, Total	13.01	<b>0.0235</b>
<b>Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)</b>		
Benzo(a)anthracene	0.66	ND
Benzo(b)fluoranthene	0.66	ND
Benzo(k)fluoranthene	0.66	ND
Chrysene	0.66	ND
Dibenz(a,h)anthracene	0.66	ND

**Notes:**

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0 and 3.1 (SCDHEC, May 2015 and SCDHEC, February 2016) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency


mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

**Appendix A**  
**Multi-Media Selection Process for LBMH**



Appendix A - Multi-Media Selection Process for LBMH

**Appendix B**  
**UST Assessment Report**

South Carolina Department of Health and Environmental Control (SCDHEC)  
**Underground Storage Tank (UST) Assessment Report**

Date Received
State Use Only

Submit Completed Form To:  
UST Program  
SCDHEC  
2600 Bull Street  
Columbia, South Carolina 29201  
Telephone (803) 896-7957

**I. OWNERSHIP OF UST (S)**

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)		
Owner Name (Corporation, Individual, Public Agency, Other)		
P.O. Box 55001		
Mailing Address		
Beaufort,	South Carolina	29904-5001
City	State	Zip Code
843	228-7317	Craig Ehde
Area Code	Telephone Number	Contact Person

**II. SITE IDENTIFICATION AND LOCATION**

Permit I.D. #	
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC	
Facility Name or Company Site Identifier	
158 Cypress Street, Laurel Bay Military Housing Area	
Street Address or State Road (as applicable)	
Beaufort,	Beaufort
City	County

### III. INSURANCE INFORMATION

#### Insurance Statement

The petroleum release reported to DHEC on \_\_\_\_\_ at Permit ID Number \_\_\_\_\_ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES \_\_\_ NO \_\_\_ (check one)

If you answered YES to the above question, please complete the following information:

My policy provider is: \_\_\_\_\_

The policy deductible is: \_\_\_\_\_

The policy limit is: \_\_\_\_\_

If you have this type of insurance, please include a copy of the policy with this report.

### IV. REQUEST FOR SUPERB FUNDING

I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)

### V. CERTIFICATION (To be signed by the UST owner)

**I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.**

\_\_\_\_\_  
Name (Type or print.)

\_\_\_\_\_  
Signature

#### To be completed by Notary Public:

Sworn before me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_

\_\_\_\_\_  
(Name)

Notary Public for the state of \_\_\_\_\_  
*Please affix State seal if you are commissioned outside South Carolina*



**VI. UST INFORMATION**

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity..(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material..(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....

158Cypress		
Heating oil		
280 gal		
Late 1950s		
Steel		
Mid 80s		
6'		
No		
No		
Removed		
7/14/2015		
Yes		
Yes		

M. Method of disposal for any USTs removed from the ground (attach disposal manifests)  
UST 158Cypress was removed from the ground, cleaned and recycled.

See Attachment "A".

N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)  
Contaminated water was pumped from UST 158Cypress and disposed by MCAS.

O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST  
Corrosion, pitting and holes were found throughout the tank.

## VII. PIPING INFORMATION

- A. Construction Material..(ex. Steel, FRP).....
- B. Distance from UST to Dispenser.....
- C. Number of Dispensers.....
- D. Type of System Pressure or Suction.....
- E. Was Piping Removed from the Ground? Y/N
- F. Visible Corrosion or Pitting Y/N.....
- G. Visible Holes Y/N.....
- H. Age.....
- I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

158Cypress		
Steel & Copper		
N/A		
N/A		
Suction		
No		
Yes		
No		
Late 1950s		

Steel vent piping was corroded and pitted.

Copper supply and return piping was sound.

## VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

## IX. SITE CONDITIONS

	Yes	No	Unk
<p>A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate depth and location on the site map.</p>		X	
<p>B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate location on site map and describe the odor (strong, mild, etc.)</p>		X	
<p>C. Was water present in the UST excavation, soil borings, or trenches?</p> <p>If yes, how far below land surface (indicate location and depth)?</p>		X	
<p>D. Did contaminated soils remain stockpiled on site after closure?</p> <p>If yes, indicate the stockpile location on the site map.</p> <p>Name of DHEC representative authorizing soil removal:</p>		X	
<p>E. Was a petroleum sheen or free product detected on any excavation or boring waters?</p> <p>If yes, indicate location and thickness.</p>		X	

## X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
158 Cyress	Excav at fill end	Soil	Sandy	6'	7/14/15 1415 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

\* = Depth Below the Surrounding Land Surface

## XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.

---

---

---

---

---

---

---

---

---

---


## XII. RECEPTORS



	Yes	No
<p>A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?</p> <p style="text-align: right;">*Broad River</p> <p>If yes, indicate type of receptor, distance, and direction on site map.</p>	*X	
<p>B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?</p> <p>If yes, indicate type of well, distance, and direction on site map.</p>		X
<p>C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?</p> <p>If yes, indicate type of structure, distance, and direction on site map.</p>		X
<p>D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination?</p> <p style="text-align: right;">*Sewer, water, electricity, cable &amp; fiber optic</p> <p>If yes, indicate the type of utility, distance, and direction on the site map.</p>	*X	
<p>E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?</p> <p>If yes, indicate the area of contaminated soil on the site map.</p>		X

### XIII. SITE MAP

**You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.**

(Attach Site Map Here)

BROAD RIVER ≈ 800' 



**SBG-EEG**

10179 HWY 78  
LADSON, SC  
29456

FIGURE 1 SITE MAP  
158 CYPRESS ST., LAUREL BAY  
MCAS BEAUFORT SC

SCALE: GRAPHIC      DWG DATE AUG 2015



158 CYPRESS STREET

\*EXCAVATION


FILL END

UST 158CYPRESS

SOIL SAMPLE  
158 CYPRESS

\*A PORTION OF THE CONCRETE PORCH  
WAS REMOVED TO FACILITATE TANK  
REMOVAL.

DEPTH BELOW GRADE:  
158CYPRESS = 36"



**SBG-EEG**

10179 HWY 78  
LADSON, SC  
29456

FIGURE 2 UST SAMPLE LOCATIONS  
158 CYPRESS ST., LAUREL BAY  
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE AUG 2015



Picture 1: Location of UST 158Cypress.



Picture 2: UST 158 Cypress.



Picture 3: Tank pit.



Picture 3: Site after completion of work.

**XIV. SUMMARY OF ANALYSIS RESULTS**

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

<b>CoC</b>	UST	158Cypress					
<b>Benzene</b>		ND					
<b>Toluene</b>		0.00180 mg/kg					
<b>Ethylbenzene</b>		0.0143 mg/kg					
<b>Xylenes</b>		0.0235 mg/kg					
<b>Naphthalene</b>		0.0243 mg/kg					
<b>Benzo (a) anthracene</b>		ND					
<b>Benzo (b) fluoranthene</b>		ND					
<b>Benzo (k) fluoranthene</b>		ND					
<b>Chrysene</b>		ND					
<b>Dibenz (a, h) anthracene</b>		ND					
<b>TPH (EPA 3550)</b>							

<b>CoC</b>							
<b>Benzene</b>							
<b>Toluene</b>							
<b>Ethylbenzene</b>							
<b>Xylenes</b>							
<b>Naphthalene</b>							
<b>Benzo (a) anthracene</b>							
<b>Benzo (b) fluoranthene</b>							
<b>Benzo (k) fluoranthene</b>							
<b>Chrysene</b>							
<b>Dibenz (a, h) anthracene</b>							
<b>TPH (EPA 3550)</b>							

**SUMMARY OF ANALYSIS RESULTS (cont'd)**

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

## **XV. ANALYTICAL RESULTS**

**You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.**

(Attach Certified Analytical Results and Chain-of-Custody Here)  
(Please see Form #4)

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

## ANALYTICAL REPORT

TestAmerica Laboratories, Inc.  
TestAmerica Nashville  
2960 Foster Creighton Drive  
Nashville, TN 37204  
Tel: (615)726-0177

TestAmerica Job ID: 490-83204-1  
Client Project/Site: Laurel Bay Housing Project

For:  
Small Business Group Inc.  
10179 Highway 78  
Ladson, South Carolina 29456

Attn: Tom McElwee



Authorized for release by:  
7/29/2015 1:28:36 PM

Ken Hayes, Project Manager II  
(615)301-5035  
ken.hayes@testamericainc.com



### LINKS

Review your project results through  
**Total Access**

Have a Question?

**Ask The Expert**

Visit us at:  
[www.testamericainc.com](http://www.testamericainc.com)

*The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Sample Summary . . . . .	3
Case Narrative . . . . .	4
Definitions . . . . .	5
Client Sample Results . . . . .	6
QC Sample Results . . . . .	12
QC Association . . . . .	17
Chronicle . . . . .	18
Method Summary . . . . .	20
Certification Summary . . . . .	21
Chain of Custody . . . . .	22
Receipt Checklists . . . . .	24



# Sample Summary

Client: Small Business Group Inc.  
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-83204-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
490-83204-1	1346 Cardinal	Solid	07/13/15 14:45	07/18/15 09:00
490-83204-2	158 Cypress	Solid	07/14/15 14:15	07/18/15 09:00
490-83204-3	1020 Foxglove	Solid	07/16/15 11:45	07/18/15 09:00



## Case Narrative

Client: Small Business Group Inc.  
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-83204-1

Job ID: 490-83204-1

Laboratory: TestAmerica Nashville

Narrative

Job Narrative  
490-83204-1

### Comments

No additional comments.

### Receipt

The samples were received on 7/18/2015 9:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.6° C.

### GC/MS VOA

Method(s) 8260B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with analytical batch 490-267949.

Method(s) 8260B: Surrogate recovery for the following sample was outside control limits: 158 Cypress (490-83204-2). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

### GC/MS Semi VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

### Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

### VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

## Definitions/Glossary

Client: Small Business Group Inc.  
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-83204-1

### Qualifiers

#### GC/MS VOA

Qualifier	Qualifier Description
X	Surrogate is outside control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

#### GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

5

# Client Sample Results

Client: Small Business Group Inc.  
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-83204-1

**Client Sample ID: 1346 Cardinal**

Date Collected: 07/13/15 14:45

Date Received: 07/18/15 09:00

**Lab Sample ID: 490-83204-1**

Matrix: Solid

## General Chemistry

Analyte

Percent Solids

Result	Qualifier	RL	RL	Unit
89		0.10	0.10	%

D	Prepared	Analyzed	Dil Fac
		07/21/15 12:32	1

6

# Client Sample Results

Client: Small Business Group Inc.  
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-83204-1

**Client Sample ID: 1346 Cardinal**

**Lab Sample ID: 490-83204-1**

Date Collected: 07/13/15 14:45

Matrix: Solid

Date Received: 07/18/15 09:00

Percent Solids: 89.4

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00214	0.000716	mg/Kg	☞	07/13/15 14:45	07/25/15 15:19	1
Ethylbenzene	ND		0.00214	0.000716	mg/Kg	☞	07/13/15 14:45	07/25/15 15:19	1
Naphthalene	ND		0.00535	0.00182	mg/Kg	☞	07/13/15 14:45	07/25/15 15:19	1
Toluene	ND		0.00214	0.000791	mg/Kg	☞	07/13/15 14:45	07/25/15 15:19	1
Xylenes, Total	ND		0.00535	0.00132	mg/Kg	☞	07/13/15 14:45	07/25/15 15:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		70 - 130	07/13/15 14:45	07/25/15 15:19	1
4-Bromofluorobenzene (Surr)	96		70 - 130	07/13/15 14:45	07/25/15 15:19	1
Dibromofluoromethane (Surr)	99		70 - 130	07/13/15 14:45	07/25/15 15:19	1
Toluene-d8 (Surr)	108		70 - 130	07/13/15 14:45	07/25/15 15:19	1

**Method: 8270D - Semivolatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0746	0.0111	mg/Kg	☞	07/21/15 10:32	07/22/15 20:10	1
Acenaphthylene	ND		0.0746	0.0100	mg/Kg	☞	07/21/15 10:32	07/22/15 20:10	1
Anthracene	0.227		0.0746	0.0100	mg/Kg	☞	07/21/15 10:32	07/22/15 20:10	1
Benzo[a]anthracene	1.35		0.0746	0.0167	mg/Kg	☞	07/21/15 10:32	07/22/15 20:10	1
Benzo[a]pyrene	0.467		0.0746	0.0134	mg/Kg	☞	07/21/15 10:32	07/22/15 20:10	1
Benzo[b]fluoranthene	0.944		0.0746	0.0134	mg/Kg	☞	07/21/15 10:32	07/22/15 20:10	1
Benzo[g,h,i]perylene	0.148		0.0746	0.0100	mg/Kg	☞	07/21/15 10:32	07/22/15 20:10	1
Benzo[k]fluoranthene	0.427		0.0746	0.0156	mg/Kg	☞	07/21/15 10:32	07/22/15 20:10	1
1-Methylnaphthalene	ND		0.0746	0.0156	mg/Kg	☞	07/21/15 10:32	07/22/15 20:10	1
Pyrene	2.40		0.0746	0.0134	mg/Kg	☞	07/21/15 10:32	07/22/15 20:10	1
Phenanthrene	1.04		0.0746	0.0100	mg/Kg	☞	07/21/15 10:32	07/22/15 20:10	1
Chrysene	1.28		0.0746	0.0100	mg/Kg	☞	07/21/15 10:32	07/22/15 20:10	1
Dibenz(a,h)anthracene	ND		0.0746	0.00780	mg/Kg	☞	07/21/15 10:32	07/22/15 20:10	1
Fluoranthene	3.51		0.0746	0.0100	mg/Kg	☞	07/21/15 10:32	07/22/15 20:10	1
Fluorene	ND		0.0746	0.0134	mg/Kg	☞	07/21/15 10:32	07/22/15 20:10	1
Indeno[1,2,3-cd]pyrene	0.161		0.0746	0.0111	mg/Kg	☞	07/21/15 10:32	07/22/15 20:10	1
Naphthalene	ND		0.0746	0.0100	mg/Kg	☞	07/21/15 10:32	07/22/15 20:10	1
2-Methylnaphthalene	ND		0.0746	0.0178	mg/Kg	☞	07/21/15 10:32	07/22/15 20:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	80		29 - 120	07/21/15 10:32	07/22/15 20:10	1
Terphenyl-d14 (Surr)	84		13 - 120	07/21/15 10:32	07/22/15 20:10	1
Nitrobenzene-d5 (Surr)	76		27 - 120	07/21/15 10:32	07/22/15 20:10	1

TestAmerica Nashville

# Client Sample Results

Client: Small Business Group Inc.  
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-83204-1

## Client Sample ID: 158 Cypress

Date Collected: 07/14/15 14:15

Date Received: 07/18/15 09:00

## Lab Sample ID: 490-83204-2

Matrix: Solid

### General Chemistry

Analyte	Result	Qualifier	RL	RL Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	79		0.10	0.10 %			07/21/15 12:32	1



# Client Sample Results

Client: Small Business Group Inc.  
 Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-83204-1

**Client Sample ID: 158 Cypress**

Date Collected: 07/14/15 14:15

Date Received: 07/18/15 09:00

**Lab Sample ID: 490-83204-2**

Matrix: Solid

Percent Solids: 78.5

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00196	0.000656	mg/Kg	⊕	07/14/15 14:15	07/25/15 15:49	1
Ethylbenzene	0.0143		0.00196	0.000656	mg/Kg	⊕	07/14/15 14:15	07/25/15 15:49	1
Naphthalene	0.0243		0.00490	0.00167	mg/Kg	⊕	07/14/15 14:15	07/25/15 15:49	1
Toluene	0.00180	J	0.00196	0.000725	mg/Kg	⊕	07/14/15 14:15	07/25/15 15:49	1
Xylenes, Total	0.0235		0.00490	0.00121	mg/Kg	⊕	07/14/15 14:15	07/25/15 15:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		70 - 130	07/14/15 14:15	07/25/15 15:49	1
4-Bromofluorobenzene (Surr)	291	X	70 - 130	07/14/15 14:15	07/25/15 15:49	1
Dibromofluoromethane (Surr)	108		70 - 130	07/14/15 14:15	07/25/15 15:49	1
Toluene-d8 (Surr)	146	X	70 - 130	07/14/15 14:15	07/25/15 15:49	1

**Method: 8270D - Semivolatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0835	0.0125	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:33	1
Acenaphthylene	ND		0.0835	0.0112	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:33	1
Anthracene	0.293		0.0835	0.0112	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:33	1
Benzo[a]anthracene	ND		0.0835	0.0187	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:33	1
Benzo[a]pyrene	ND		0.0835	0.0150	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:33	1
Benzo[b]fluoranthene	ND		0.0835	0.0150	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:33	1
Benzo[g,h,i]perylene	ND		0.0835	0.0112	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:33	1
Benzo[k]fluoranthene	ND		0.0835	0.0174	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:33	1
1-Methylnaphthalene	0.439		0.0835	0.0174	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:33	1
Pyrene	0.182		0.0835	0.0150	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:33	1
Phenanthrene	1.47		0.0835	0.0112	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:33	1
Chrysene	ND		0.0835	0.0112	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:33	1
Dibenz(a,h)anthracene	ND		0.0835	0.00872	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:33	1
Fluoranthene	0.101		0.0835	0.0112	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:33	1
Fluorene	0.372		0.0835	0.0150	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:33	1
Indeno[1,2,3-cd]pyrene	ND		0.0835	0.0125	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:33	1
Naphthalene	ND		0.0835	0.0112	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:33	1
2-Methylnaphthalene	0.600		0.0835	0.0199	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	80		29 - 120	07/21/15 10:32	07/22/15 20:33	1
Terphenyl-d14 (Surr)	98		13 - 120	07/21/15 10:32	07/22/15 20:33	1
Nitrobenzene-d5 (Surr)	84		27 - 120	07/21/15 10:32	07/22/15 20:33	1

TestAmerica Nashville

# Client Sample Results

Client: Small Business Group Inc.  
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-83204-1

**Client Sample ID: 1020 Foxglove**

Date Collected: 07/16/15 11:45

Date Received: 07/18/15 09:00

**Lab Sample ID: 490-83204-3**

Matrix: Solid

## General Chemistry

### Analyte

Percent Solids

Result	Qualifier	RL	RL Unit
92		0.10	0.10 %

D	Prepared	Analyzed	Dil Fac
		07/21/15 12:32	1





# Client Sample Results

Client: Small Business Group Inc.  
 Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-83204-1

**Client Sample ID: 1020 Foxglove**

Date Collected: 07/16/15 11:45

Date Received: 07/18/15 09:00

**Lab Sample ID: 490-83204-3**

Matrix: Solid

Percent Solids: 92.2

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00223	0.000746	mg/Kg	⊕	07/16/15 11:45	07/25/15 16:33	1
Ethylbenzene	ND		0.00223	0.000746	mg/Kg	⊕	07/16/15 11:45	07/25/15 16:33	1
Naphthalene	ND		0.00557	0.00189	mg/Kg	⊕	07/16/15 11:45	07/25/15 16:33	1
Toluene	ND		0.00223	0.000824	mg/Kg	⊕	07/16/15 11:45	07/25/15 16:33	1
Xylenes, Total	ND		0.00557	0.00137	mg/Kg	⊕	07/16/15 11:45	07/25/15 16:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		70 - 130	07/16/15 11:45	07/25/15 16:33	1
4-Bromofluorobenzene (Surr)	89		70 - 130	07/16/15 11:45	07/25/15 16:33	1
Dibromofluoromethane (Surr)	91		70 - 130	07/16/15 11:45	07/25/15 16:33	1
Toluene-d8 (Surr)	118		70 - 130	07/16/15 11:45	07/25/15 16:33	1

## Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0706	0.0105	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:57	1
Acenaphthylene	ND		0.0706	0.00948	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:57	1
Anthracene	ND		0.0706	0.00948	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:57	1
Benzo[a]anthracene	0.0340	J	0.0706	0.0158	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:57	1
Benzo[a]pyrene	0.0142	J	0.0706	0.0126	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:57	1
Benzo[b]fluoranthene	0.0383	J	0.0706	0.0126	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:57	1
Benzo[g,h,i]perylene	ND		0.0706	0.00948	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:57	1
Benzo[k]fluoranthene	ND		0.0706	0.0148	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:57	1
1-Methylnaphthalene	ND		0.0706	0.0148	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:57	1
Pyrene	0.0615	J	0.0706	0.0126	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:57	1
Phenanthrene	ND		0.0706	0.00948	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:57	1
Chrysene	0.0357	J	0.0706	0.00948	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:57	1
Dibenz(a,h)anthracene	ND		0.0706	0.00738	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:57	1
Fluoranthene	0.0425	J	0.0706	0.00948	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:57	1
Fluorene	ND		0.0706	0.0126	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:57	1
Indeno[1,2,3-cd]pyrene	ND		0.0706	0.0105	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:57	1
Naphthalene	ND		0.0706	0.00948	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:57	1
2-Methylnaphthalene	ND		0.0706	0.0169	mg/Kg	⊕	07/21/15 10:32	07/22/15 20:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	81		29 - 120	07/21/15 10:32	07/22/15 20:57	1
Terphenyl-d14 (Surr)	88		13 - 120	07/21/15 10:32	07/22/15 20:57	1
Nitrobenzene-d5 (Surr)	84		27 - 120	07/21/15 10:32	07/22/15 20:57	1

TestAmerica Nashville

# QC Sample Results

Client: Small Business Group Inc.  
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-83204-1

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 490-267949/7  
Matrix: Solid  
Analysis Batch: 267949

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND	Qualifier	0.00200	0.000670	mg/Kg			07/25/15 14:44	1
Ethylbenzene	ND		0.00200	0.000670	mg/Kg			07/25/15 14:44	1
Naphthalene	ND		0.00500	0.00170	mg/Kg			07/25/15 14:44	1
Toluene	ND		0.00200	0.000740	mg/Kg			07/25/15 14:44	1
Xylenes, Total	ND		0.00500	0.00123	mg/Kg			07/25/15 14:44	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	%Recovery	Qualifier	70 - 130		07/25/15 14:44	1
4-Bromofluorobenzene (Surr)	95		70 - 130		07/25/15 14:44	1
Dibromofluoromethane (Surr)	92		70 - 130		07/25/15 14:44	1
Toluene-d8 (Surr)	99		70 - 130		07/25/15 14:44	1
	106		70 - 130		07/25/15 14:44	1

Lab Sample ID: LCS 490-267949/3  
Matrix: Solid  
Analysis Batch: 267949

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec.
Benzene	Added	Result	Qualifier	mg/Kg		91	75 - 127
Ethylbenzene	0.0500	0.04565		mg/Kg		100	80 - 134
Naphthalene	0.0500	0.05000		mg/Kg		97	69 - 150
Toluene	0.0500	0.04852		mg/Kg		99	80 - 132
Xylenes, Total	0.100	0.04952		mg/Kg		98	80 - 137
		0.09817		mg/Kg			80 - 137

Surrogate	LCS	LCS	Limits
1,2-Dichloroethane-d4 (Surr)	%Recovery	Qualifier	70 - 130
4-Bromofluorobenzene (Surr)	96		70 - 130
Dibromofluoromethane (Surr)	92		70 - 130
Toluene-d8 (Surr)	101		70 - 130
	106		70 - 130

Lab Sample ID: LCSD 490-267949/4  
Matrix: Solid  
Analysis Batch: 267949

Client Sample ID: Lab Control Sample Dup  
Prep Type: Total/NA

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec.	RPD	RPD	Limit
Benzene	Added	Result	Qualifier	mg/Kg		91	75 - 127	0	50	
Ethylbenzene	0.0500	0.04558		mg/Kg		101	80 - 134	1	50	
Naphthalene	0.0500	0.05054		mg/Kg		100	69 - 150	3	50	
Toluene	0.0500	0.05016		mg/Kg		99	80 - 132	0	50	
Xylenes, Total	0.100	0.04963		mg/Kg		98	80 - 137	0	50	
		0.09787		mg/Kg			80 - 137	0	50	

Surrogate	LCSD	LCSD	Limits
1,2-Dichloroethane-d4 (Surr)	%Recovery	Qualifier	70 - 130
4-Bromofluorobenzene (Surr)	92		70 - 130
Dibromofluoromethane (Surr)	93		70 - 130
Toluene-d8 (Surr)	102		70 - 130
	106		70 - 130

TestAmerica Nashville

# QC Sample Results

Client: Small Business Group Inc.  
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-83204-1

## Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 490-266619/1-A  
Matrix: Solid  
Analysis Batch: 267018

Client Sample ID: Method Blank  
Prep Type: Total/NA  
Prep Batch: 266619

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0670	0.0100	mg/Kg		07/21/15 10:32	07/22/15 15:48	1
Acenaphthylene	ND		0.0670	0.00900	mg/Kg		07/21/15 10:32	07/22/15 15:48	1
Anthracene	ND		0.0670	0.00900	mg/Kg		07/21/15 10:32	07/22/15 15:48	1
Benzo[a]anthracene	ND		0.0670	0.0150	mg/Kg		07/21/15 10:32	07/22/15 15:48	1
Benzo[a]pyrene	ND		0.0670	0.0120	mg/Kg		07/21/15 10:32	07/22/15 15:48	1
Benzo[b]fluoranthene	ND		0.0670	0.0120	mg/Kg		07/21/15 10:32	07/22/15 15:48	1
Benzo[g,h,i]perylene	ND		0.0670	0.00900	mg/Kg		07/21/15 10:32	07/22/15 15:48	1
Benzo[k]fluoranthene	ND		0.0670	0.0140	mg/Kg		07/21/15 10:32	07/22/15 15:48	1
1-Methylnaphthalene	ND		0.0670	0.0140	mg/Kg		07/21/15 10:32	07/22/15 15:48	1
Pyrene	ND		0.0670	0.0120	mg/Kg		07/21/15 10:32	07/22/15 15:48	1
Phenanthrene	ND		0.0670	0.00900	mg/Kg		07/21/15 10:32	07/22/15 15:48	1
Chrysene	ND		0.0670	0.00900	mg/Kg		07/21/15 10:32	07/22/15 15:48	1
Dibenz(a,h)anthracene	ND		0.0670	0.00700	mg/Kg		07/21/15 10:32	07/22/15 15:48	1
Fluoranthene	ND		0.0670	0.00900	mg/Kg		07/21/15 10:32	07/22/15 15:48	1
Fluorene	ND		0.0670	0.0120	mg/Kg		07/21/15 10:32	07/22/15 15:48	1
Indeno[1,2,3-cd]pyrene	ND		0.0670	0.0100	mg/Kg		07/21/15 10:32	07/22/15 15:48	1
Naphthalene	ND		0.0670	0.00900	mg/Kg		07/21/15 10:32	07/22/15 15:48	1
2-Methylnaphthalene	ND		0.0670	0.0160	mg/Kg		07/21/15 10:32	07/22/15 15:48	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	71		29 - 120	07/21/15 10:32	07/22/15 15:48	1
Terphenyl-d14 (Surr)	84		13 - 120	07/21/15 10:32	07/22/15 15:48	1
Nitrobenzene-d5 (Surr)	69		27 - 120	07/21/15 10:32	07/22/15 15:48	1

Lab Sample ID: LCS 490-266619/2-A  
Matrix: Solid  
Analysis Batch: 267018

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA  
Prep Batch: 266619

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Acenaphthylene	1.67	1.281		mg/Kg		77	38 - 120
Anthracene	1.67	1.432		mg/Kg		86	46 - 124
Benzo[a]anthracene	1.67	1.443		mg/Kg		87	45 - 120
Benzo[a]pyrene	1.67	1.453		mg/Kg		87	45 - 120
Benzo[b]fluoranthene	1.67	1.489		mg/Kg		89	42 - 120
Benzo[g,h,i]perylene	1.67	1.624		mg/Kg		97	38 - 120
Benzo[k]fluoranthene	1.67	1.392		mg/Kg		84	42 - 120
1-Methylnaphthalene	1.67	1.329		mg/Kg		80	32 - 120
Pyrene	1.67	1.392		mg/Kg		84	43 - 120
Phenanthrene	1.67	1.358		mg/Kg		81	45 - 120
Chrysene	1.67	1.413		mg/Kg		85	43 - 120
Dibenz(a,h)anthracene	1.67	1.602		mg/Kg		96	32 - 128
Fluoranthene	1.67	1.476		mg/Kg		89	46 - 120
Fluorene	1.67	1.395		mg/Kg		84	42 - 120
Indeno[1,2,3-cd]pyrene	1.67	1.571		mg/Kg		94	41 - 121
Naphthalene	1.67	1.161		mg/Kg		70	32 - 120
2-Methylnaphthalene	1.67	1.223		mg/Kg		73	28 - 120

TestAmerica Nashville

# QC Sample Results

Client: Small Business Group Inc.  
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-83204-1

## Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-266619/2-A  
Matrix: Solid  
Analysis Batch: 267018

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA  
Prep Batch: 266619

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Fluorobiphenyl (Surr)	78		29 - 120
Terphenyl-d14 (Surr)	89		13 - 120
Nitrobenzene-d5 (Surr)	79		27 - 120

Lab Sample ID: LCSD 490-266619/3-A  
Matrix: Solid  
Analysis Batch: 267018

Client Sample ID: Lab Control Sample Dup  
Prep Type: Total/NA  
Prep Batch: 266619

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Acenaphthylene	1.67	1.367		mg/Kg		82	38 - 120	6	50
Anthracene	1.67	1.532		mg/Kg		92	46 - 124	7	49
Benzo[a]anthracene	1.67	1.530		mg/Kg		92	45 - 120	6	50
Benzo[a]pyrene	1.67	1.599		mg/Kg		96	45 - 120	10	50
Benzo[b]fluoranthene	1.67	1.668		mg/Kg		100	42 - 120	11	50
Benzo[g,h,i]perylene	1.67	1.495		mg/Kg		90	38 - 120	8	50
Benzo[k]fluoranthene	1.67	1.584		mg/Kg		95	42 - 120	13	45
1-Methylnaphthalene	1.67	1.504		mg/Kg		90	32 - 120	12	50
Pyrene	1.67	1.442		mg/Kg		87	43 - 120	4	50
Phenanthrene	1.67	1.440		mg/Kg		86	45 - 120	6	50
Chrysene	1.67	1.403		mg/Kg		84	43 - 120	1	49
Dibenz(a,h)anthracene	1.67	1.644		mg/Kg		99	32 - 128	3	50
Fluoranthene	1.67	1.470		mg/Kg		88	46 - 120	0	50
Fluorene	1.67	1.447		mg/Kg		87	42 - 120	4	50
Indeno[1,2,3-cd]pyrene	1.67	1.587		mg/Kg		95	41 - 121	1	50
Naphthalene	1.67	1.333		mg/Kg		80	32 - 120	14	50
2-Methylnaphthalene	1.67	1.414		mg/Kg		85	28 - 120	14	50

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
2-Fluorobiphenyl (Surr)	82		29 - 120
Terphenyl-d14 (Surr)	89		13 - 120
Nitrobenzene-d5 (Surr)	91		27 - 120

Lab Sample ID: 490-83093-G-1-B MS  
Matrix: Solid  
Analysis Batch: 267018

Client Sample ID: Matrix Spike  
Prep Type: Total/NA  
Prep Batch: 266619

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Acenaphthylene	ND		1.73	1.167		mg/Kg	⊕	67	25 - 120
Anthracene	ND		1.73	1.287		mg/Kg	⊕	74	28 - 125
Benzo[a]anthracene	ND		1.73	1.262		mg/Kg	⊕	73	23 - 120
Benzo[a]pyrene	ND		1.73	1.294		mg/Kg	⊕	75	15 - 128
Benzo[b]fluoranthene	ND		1.73	1.323		mg/Kg	⊕	76	12 - 133
Benzo[g,h,i]perylene	ND		1.73	1.382		mg/Kg	⊕	80	22 - 120
Benzo[k]fluoranthene	ND		1.73	1.225		mg/Kg	⊕	71	28 - 120
1-Methylnaphthalene	ND		1.73	1.224		mg/Kg	⊕	71	10 - 120
Pyrene	ND		1.73	1.224		mg/Kg	⊕	71	20 - 123
Phenanthrene	ND		1.73	1.209		mg/Kg	⊕	70	21 - 122
Chrysene	ND		1.73	1.237		mg/Kg	⊕	71	20 - 120

TestAmerica Nashville

## QC Sample Results

Client: Small Business Group Inc.  
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-83204-1

### Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 490-83093-G-1-B MS

Matrix: Solid

Analysis Batch: 267018

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 266619

Analyte	Sample	Sample	Spike Added	MS MS		Unit	D	%Rec	Limits
	Result	Qualifier		Result	Qualifier				
Dibenz(a,h)anthracene	ND		1.73	1.391		mg/Kg	☉	80	12 - 128
Fluoranthene	ND		1.73	1.346		mg/Kg	☉	78	10 - 143
Fluorene	ND		1.73	1.241		mg/Kg	☉	72	20 - 120
Indeno[1,2,3-cd]pyrene	ND		1.73	1.362		mg/Kg	☉	79	22 - 121
Naphthalene	ND		1.73	1.091		mg/Kg	☉	63	10 - 120
2-Methylnaphthalene	ND		1.73	1.127		mg/Kg	☉	65	13 - 120

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
2-Fluorobiphenyl (Surr)	73		29 - 120
Terphenyl-d14 (Surr)	81		13 - 120
Nitrobenzene-d5 (Surr)	70		27 - 120

Lab Sample ID: 490-83093-G-1-C MSD

Matrix: Solid

Analysis Batch: 267018

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 266619

Analyte	Sample	Sample	Spike Added	MSD MSD		Unit	D	%Rec	Limits	RPD	Limit
	Result	Qualifier		Result	Qualifier						
Acenaphthylene	ND		1.75	1.343		mg/Kg	☉	77	25 - 120	14	50
Anthracene	ND		1.75	1.424		mg/Kg	☉	81	28 - 125	10	49
Benzo[a]anthracene	ND		1.75	1.429		mg/Kg	☉	82	23 - 120	12	50
Benzo[a]pyrene	ND		1.75	1.446		mg/Kg	☉	83	15 - 128	11	50
Benzo[b]fluoranthene	ND		1.75	1.376		mg/Kg	☉	79	12 - 133	4	50
Benzo[g,h,i]perylene	ND		1.75	1.529		mg/Kg	☉	87	22 - 120	10	50
Benzo[k]fluoranthene	ND		1.75	1.453		mg/Kg	☉	83	28 - 120	17	45
1-Methylnaphthalene	ND		1.75	1.426		mg/Kg	☉	82	10 - 120	15	50
Pyrene	ND		1.75	1.387		mg/Kg	☉	79	20 - 123	12	50
Phenanthrene	ND		1.75	1.350		mg/Kg	☉	77	21 - 122	11	50
Chrysene	ND		1.75	1.362		mg/Kg	☉	78	20 - 120	10	49
Dibenz(a,h)anthracene	ND		1.75	1.538		mg/Kg	☉	88	12 - 128	10	50
Fluoranthene	ND		1.75	1.515		mg/Kg	☉	87	10 - 143	12	50
Fluorene	ND		1.75	1.418		mg/Kg	☉	81	20 - 120	13	50
Indeno[1,2,3-cd]pyrene	ND		1.75	1.500		mg/Kg	☉	86	22 - 121	10	50
Naphthalene	ND		1.75	1.268		mg/Kg	☉	73	10 - 120	15	50
2-Methylnaphthalene	ND		1.75	1.307		mg/Kg	☉	75	13 - 120	15	50

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
2-Fluorobiphenyl (Surr)	79		29 - 120
Terphenyl-d14 (Surr)	85		13 - 120
Nitrobenzene-d5 (Surr)	80		27 - 120

TestAmerica Nashville

# QC Sample Results

Client: Small Business Group Inc.  
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-83204-1

## Method: Moisture - Percent Moisture

Lab Sample ID: 490-83204-1 DU  
Matrix: Solid  
Analysis Batch: 266688

Client Sample ID: 1346 Cardinal  
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Percent Solids	89		89		%		0.1	20

7

## QC Association Summary

Client: Small Business Group Inc.  
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-83204-1

### GC/MS VOA

#### Prep Batch: 266691

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-83204-1	1346 Cardinal	Total/NA	Solid	5035	
490-83204-2	158 Cypress	Total/NA	Solid	5035	
490-83204-3	1020 Foxglove	Total/NA	Solid	5035	

#### Analysis Batch: 267949

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-83204-1	1346 Cardinal	Total/NA	Solid	8260B	266691
490-83204-2	158 Cypress	Total/NA	Solid	8260B	266691
490-83204-3	1020 Foxglove	Total/NA	Solid	8260B	266691
LCS 490-267949/3	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 490-267949/4	Lab Control Sample Dup	Total/NA	Solid	8260B	
MB 490-267949/7	Method Blank	Total/NA	Solid	8260B	

8

### GC/MS Semi VOA

#### Prep Batch: 266619

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-83093-G-1-B MS	Matrix Spike	Total/NA	Solid	3550C	
490-83093-G-1-C MSD	Matrix Spike Duplicate	Total/NA	Solid	3550C	
490-83204-1	1346 Cardinal	Total/NA	Solid	3550C	
490-83204-2	158 Cypress	Total/NA	Solid	3550C	
490-83204-3	1020 Foxglove	Total/NA	Solid	3550C	
LCS 490-266619/2-A	Lab Control Sample	Total/NA	Solid	3550C	
LCSD 490-266619/3-A	Lab Control Sample Dup	Total/NA	Solid	3550C	
MB 490-266619/1-A	Method Blank	Total/NA	Solid	3550C	

#### Analysis Batch: 267018

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-83093-G-1-B MS	Matrix Spike	Total/NA	Solid	8270D	266619
490-83093-G-1-C MSD	Matrix Spike Duplicate	Total/NA	Solid	8270D	266619
490-83204-1	1346 Cardinal	Total/NA	Solid	8270D	266619
490-83204-2	158 Cypress	Total/NA	Solid	8270D	266619
490-83204-3	1020 Foxglove	Total/NA	Solid	8270D	266619
LCS 490-266619/2-A	Lab Control Sample	Total/NA	Solid	8270D	266619
LCSD 490-266619/3-A	Lab Control Sample Dup	Total/NA	Solid	8270D	266619
MB 490-266619/1-A	Method Blank	Total/NA	Solid	8270D	266619

### General Chemistry

#### Analysis Batch: 266688

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-83204-1	1346 Cardinal	Total/NA	Solid	Moisture	
490-83204-1 DU	1346 Cardinal	Total/NA	Solid	Moisture	
490-83204-2	158 Cypress	Total/NA	Solid	Moisture	
490-83204-3	1020 Foxglove	Total/NA	Solid	Moisture	

TestAmerica Nashville

# Lab Chronicle

Client: Small Business Group Inc.  
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-83204-1

## Client Sample ID: 1346 Cardinal

Date Collected: 07/13/15 14:45  
Date Received: 07/18/15 09:00

## Lab Sample ID: 490-83204-1

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			266688	07/21/15 12:32	MAA	TAL NSH

## Client Sample ID: 1346 Cardinal

Date Collected: 07/13/15 14:45  
Date Received: 07/18/15 09:00

## Lab Sample ID: 490-83204-1

Matrix: Solid  
Percent Solids: 89.4

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.231 g	5.0 mL	266691	07/13/15 14:45	JLP	TAL NSH
Total/NA	Analysis	8260B		1	5.231 g	5.0 mL	267949	07/25/15 15:19	JPH	TAL NSH
Total/NA	Prep	3550C			30.13 g	1 mL	266619	07/21/15 10:32	LDC	TAL NSH
Total/NA	Analysis	8270D		1	30.13 g	1 mL	267018	07/22/15 20:10	SNR	TAL NSH

## Client Sample ID: 158 Cypress

Date Collected: 07/14/15 14:15  
Date Received: 07/18/15 09:00

## Lab Sample ID: 490-83204-2

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			266688	07/21/15 12:32	MAA	TAL NSH

## Client Sample ID: 158 Cypress

Date Collected: 07/14/15 14:15  
Date Received: 07/18/15 09:00

## Lab Sample ID: 490-83204-2

Matrix: Solid  
Percent Solids: 78.5

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			6.501 g	5.0 mL	266691	07/14/15 14:15	JLP	TAL NSH
Total/NA	Analysis	8260B		1	6.501 g	5.0 mL	267949	07/25/15 15:49	JPH	TAL NSH
Total/NA	Prep	3550C			30.66 g	1 mL	266619	07/21/15 10:32	LDC	TAL NSH
Total/NA	Analysis	8270D		1	30.66 g	1 mL	267018	07/22/15 20:33	SNR	TAL NSH

## Client Sample ID: 1020 Foxglove

Date Collected: 07/16/15 11:45  
Date Received: 07/18/15 09:00

## Lab Sample ID: 490-83204-3

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	Moisture		1			266688	07/21/15 12:32	MAA	TAL NSH

## Client Sample ID: 1020 Foxglove

Date Collected: 07/16/15 11:45  
Date Received: 07/18/15 09:00

## Lab Sample ID: 490-83204-3

Matrix: Solid  
Percent Solids: 92.2

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.867 g	5.0 mL	266691	07/16/15 11:45	JLP	TAL NSH

TestAmerica Nashville



# Lab Chronicle

Client: Small Business Group Inc.  
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-83204-1

Client Sample ID: 1020 Foxglove

Date Collected: 07/16/15 11:45

Date Received: 07/18/15 09:00

Lab Sample ID: 490-83204-3

Matrix: Solid

Percent Solids: 92.2

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	4.867 g	5.0 mL	267949	07/25/15 16:33	JPH	TAL NSH
Total/NA	Prep	3550C			30.87 g	1 mL	266619	07/21/15 10:32	LDC	TAL NSH
Total/NA	Analysis	8270D		1	30.87 g	1 mL	267018	07/22/15 20:57	SNR	TAL NSH

#### Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

## Method Summary

Client: Small Business Group Inc.  
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-83204-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL NSH
8270D	Semivolatile Organic Compounds (GC/MS)	SW846	TAL NSH
Moisture	Percent Moisture	EPA	TAL NSH

### Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

### Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

10

# Certification Summary

Client: Small Business Group Inc.  
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-83204-1

## Laboratory: TestAmerica Nashville

Unless otherwise noted, all analytes for this laboratory were covered under each certification below:


Authority	Program	EPA Region	Certification ID	Expiration Date
South Carolina	State Program	4	84009 (001)	02-28-16

The following analytes are included in this report, but certification is not offered by the governing authority:

Analysis Method	Prep Method	Matrix	Analyte
8270D	3550C	Solid	1-Methylnaphthalene
Moisture		Solid	Percent Solids



**COOLER RECEIPT FORM**



Cooler Received/Opened On 7/18/2015 @ 0900

1. Tracking # 3275 (last 4 digits, FedEx)

Courier: Fed-ex IR Gun ID 17960357

2. Temperature of rep. sample or temp blank when opened: 1.6 Degrees Celsius

3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank frozen? YES NO NA

4. Were custody seals on outside of cooler? YES...NO...NA  
 If yes, how many and where: 1 Front / 1 Back

5. Were the seals intact, signed, and dated correctly? YES...NO...NA

6. Were custody papers inside cooler? YES...NO...NA

I certify that I opened the cooler and answered questions 1-6 (initial)

7. Were custody seals on containers: YES NO and intact YES...NO...NA  
 Were these signed and dated correctly? YES...NO...NA

8. Packing mat'l used? Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert Paper Other None

9. Cooling process: Ice Ice-pack Ice (direct contact) Dry ice Other None

10. Did all containers arrive in good condition (unbroken)? YES...NO...NA

11. Were all container labels complete (#, date, signed, pres., etc)? YES...NO...NA

12. Did all container labels and tags agree with custody papers? YES...NO...NA

13a. Were VOA vials received? YES...NO...NA

b. Was there any observable headspace present in any VOA vial? YES...NO...NA

14. Was there a Trip Blank in this cooler? YES...NO...NA If multiple coolers, sequence #       

I certify that I unloaded the cooler and answered questions 7-14 (initial)

15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? YES...NO...NA

b. Did the bottle labels indicate that the correct preservatives were used YES...NO...NA

16. Was residual chlorine present? YES...NO...NA

I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (initial)

17. Were custody papers properly filled out (ink, signed, etc)? YES...NO...NA

18. Did you sign the custody papers in the appropriate place? YES...NO...NA

19. Were correct containers used for the analysis requested? YES...NO...NA

20. Was sufficient amount of sample sent in each container? YES...NO...NA

I certify that I entered this project into LIMS and answered questions 17-20 (initial)

I certify that I attached a label with the unique LIMS number to each container (initial)

21. Were there Non-Conformance issues at login? YES...NO Was a NCM generated? YES...NO #       

12



## Login Sample Receipt Checklist

Client: Small Business Group Inc.

Job Number: 490-83204-1

**Login Number: 83204**  
**List Number: 1**  
**Creator: Gambill, Shane**

**List Source: TestAmerica Nashville**

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.6
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

13

ATTACHMENT A

# UST Certificate of Disposal

## CONTRACTOR

Small Business Group, Inc.  
10179 Highway 78  
Ladson, SC 29456

TEL (843) 879-0403  
FAX (843) 879-0401

## TANK ID & LOCATION

UST 158Cypress, 158 Cypress Street, Laurel Bay Housing Area, MCAS Beaufort, S.C.

## DISPOSAL LOCATION

Coastal Auto Salvage Co., Inc.  
130 Laurel Bay Road  
Beaufort, S.C. 29906

### TYPE OF TANK

Steel

### SIZE (GAL)

280

## CLEANING/DISPOSAL METHOD

The tank and piping were unearthed, cut open, cleaned with a pressure washer, cut into sections, and recycled.

## DISPOSAL CERTIFICATION

I certify that the above tank, piping and equipment has been properly cleaned and disposed of.

T. P. Oree, 8/31/15  
(Name) (Date)



**Appendix C**  
**Regulatory Correspondence**



August 3, 2016

Commanding Officer  
Attention: NREAO Mr. William A. Drawdy  
United State Marine Corps Air Station  
Post Office Box 55001  
Beaufort, SC 29904-5001

RE: No Further Action  
Laurel Bay Underground Storage Tank Assessment Reports  
Dated July 2015, November 2015

Dear Mr. Drawdy:

The South Carolina Department of Health and Environmental Control (the Department) received the Underground Storage Tanks (USTs) Assessment Reports for the addresses listed in the attachment. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

The Department has reviewed the referenced assessment reports and agrees there is no indication of soil or groundwater contamination on these properties and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at [petruslb@dhec.sc.gov](mailto:petruslb@dhec.sc.gov) or 803-898-0294.

Sincerely,

A handwritten signature in blue ink, appearing to read "L. Petrus", is written over a light blue horizontal line.

Laurel Petrus, Environmental Engineer Associate  
Bureau of Land and Waste Management

Cc: Russell Berry, EQC Region 8 (via email)  
Bryan Beck, NAVFAC MIDATLANTIC (via email)  
Craig Ehde (via email)

Attachment to: Petrus to Drawdy  
Subject: No Further Action  
Dated August 3, 2016

Laurel Bay Underground Assessment Reports for (28 addresses/29 tanks)

No Further Action recommendation:	
309 Ash	1001 Bobwhite
477 Dogwood Tank 2	1020 Foxglove
563 Dahlia	1063 Gardenia
659 Camellia	1065 Gardenia Tank 2
1213 Cardinal	1100 Iris Tank 3*
114 Banyan	1139 Iris
158 Cypress	1141 Iris Tank 2
459 Elderberry	1174 Bobwhite
611 Dahlia	1184 Bobwhite Tank 1
656 Camellia	1184 Bobwhite Tank 2
671 Camellia	1220 Cardinal
678 Camellia	1253 Dove
724 Bluebell	1332 Albatross
732 Bluebell	1387 Dove
934 Albacore	
*1100 Iris Tank 1-NFA 12/19/2008, Tank 2-NFA 7/1/15; Paperwork for Tank 3 is labeled Tank 2	