SUMMARY REPORT 60 EAST CYPRESS STREET (FORMERLY 224 EAST CYPRESS STREET) LAUREL BAY MILITARY HOUSING AREA MARINE CORPS AIR STATION BEAUFORT BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid-Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT 60 EAST CYPRESS STREET (FORMERLY 224 EAST CYPRESS STREET) LAUREL BAY MILITARY HOUSING AREA MARINE CORPS AIR STATION BEAUFORT BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid- Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture 10560 Arrowhead Drive, Suite 500 Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016 CTO WE52 JUNE 2021



Summary Report 60 East Cypress Street (Formerly 224 East Cypress Street) Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort June 2021

Table of Contents

1.0	INTRODUCTION	. 1
1.1 1.2	BACKGROUND INFORMATION UST REMOVAL AND ASSESSMENT PROCESS	
2.0	SAMPLING ACTIVITIES AND RESULTS	3
2.1	UST REMOVAL AND SOIL SAMPLING	
2.2	SOIL ANALYTICAL RESULTS	.4
2.3	GROUNDWATER SAMPLING	.4
2.4	GROUNDWATER ANALYTICAL RESULTS	.5
3.0	PROPERTY STATUS	. 5
4.0	REFERENCES	. 5

Tables

Table 1	Laboratory Analytical Results - Soil
Table 2	Laboratory Analytical Results - Groundwater

Appendices

- Appendix A Multi-Media Selection Process for LBMH
- Appendix B UST Assessment Report
- Appendix C Laboratory Analytical Report Groundwater
- Appendix D Regulatory Correspondence



List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
СТО	Contract Task Order
COPC	constituents of potential concern
ft	feet
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level



1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 60 East Cypress Street (Formerly 224 East Cypress Street). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area



is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service,* (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*



Division (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 60 East Cypress Street (Formerly 224 East Cypress Street). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 224 Cypress Street* (MCAS Beaufort, 2011). The UST Assessment Report is provided in Appendix B. Details regarding the IGWA sampling activities at this site are provided in the *Initial Groundwater Investigation Report – November and December 2015* (Resolution Consultants, 2016). The laboratory report that includes the pertinent IGWA analytical results for this site is presented in Appendix C.

2.1 UST Removal and Soil Sampling

On March 1 2011, a single 280 gallon heating oil UST was removed from the front landscaped bed area adjacent to the front concrete porch at 60 East Cypress Street (Formerly 224 East Cypress Street). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed, cleaned, and shipped offsite for recycling. There



was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 6'0" bgs and a single soil sample was collected from that depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 60 East Cypress Street (Formerly 224 East Cypress Street) were greater than the SCDHEC RBSLs, which indicated further investigation was required. In a letter dated July 1, 2015, SCDHEC requested an IGWA for 60 East Cypress Street (Formerly 224 East Cypress Street (Formerly 224 East Cypress Street) to determine if the groundwater was impacted by petroleum COPCs. SCDHEC's request letter is provided in Appendix D.

2.3 Groundwater Sampling

On November 5, 2015, a temporary monitoring well was installed at 60 East Cypress Street (Formerly 224 East Cypress Street), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the monitoring well was placed in the same general location as the former heating oil UST. The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). Further details are provided in the *Initial Groundwater Investigation Report – November and December 2015* (Resolution Consultants, 2016).



The sampling strategy for this phase of the investigation required a one-time sampling event of the temporarily installed monitoring well. Following well installation and development, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of groundwater sampling, the temporary well was abandoned in accordance with the South Carolina Well Standards and Regulations R.61-71 (SCDHEC, 2016). Field forms are provided in the *Initial Groundwater Investigation Report – November and December 2015* (Resolution Consultants, 2016).

2.4 Groundwater Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 2. A copy of the laboratory analytical data report is included in Appendix C.

The groundwater results collected from 60 East Cypress Street (Formerly 224 East Cypress Street) were less than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 2), which indicated that the groundwater was not impacted by COPCs associated with the former UST at concentrations that present a potential risk to human health and the environment.

3.0 **PROPERTY STATUS**

Based on the analytical results for groundwater, SCDHEC made the determination that NFA was required for 60 East Cypress Street (Formerly 224 East Cypress Street). This NFA determination was obtained in a letter dated June 8, 2016. SCDHEC's NFA letter is provided in Appendix D.

4.0 **REFERENCES**

- Marine Corps Air Station Beaufort, 2011. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report 224 Cypress Street, Laurel Bay Military Housing Area,* June 2011.
- Resolution Consultants, 2016. *Initial Groundwater Investigation Report November and December 2015 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, April 2016.



- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 2.0*, April 2013.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.0*, May 2015.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations,* March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.
- South Carolina Department of Health and Environmental Control Bureau of Water, 2016. *R.61-71, Well Standards*, June 2016.

Tables



Table 1Laboratory Analytical Results - Soil60 East Cypress Street (Formerly 224 East Cypress Street)Laurel Bay Military Housing AreaMarine Corps Air Station BeaufortBeaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾	Results Sample Collected 03/01/11			
/olatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)					
Benzene	0.003	ND			
Ethylbenzene	1.15	0.0527			
Naphthalene	0.036	0.254			
Toluene	0.627	ND			
Xylenes, Total	13.01	0.116			
Semivolatile Organic Compounds Ana	lyzed by EPA Method 8270D (mg/kg)				
Benzo(a)anthracene	0.66	ND			
Benzo(b)fluoranthene	0.66	ND			
Benzo(k)fluoranthene	0.66	ND			
Chrysene	0.66	ND			
Dibenz(a,h)anthracene	0.66	ND			

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0 and 3.1 (SCDHEC, May 2015 and SCDHEC, February 2016) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligrams per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The soil laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

Table 2 Laboratory Analytical Results - Groundwater 60 East Cypress Street (Formerly 224 East Cypress Street) Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾ Site-Specific Groundwater VISLs (µg/L) ⁽²⁾		Results Sample Collected 11/05/15
Volatile Organic Compounds Analyzed	by EPA Method 8260B (µg/L)	
Benzene	5	16.24	ND
Ethylbenzene	700	45.95	ND
Naphthalene	25	29.33	0.22
Toluene	1000	105,445	ND
Xylenes, Total	10,000	2,133	ND
Semivolatile Organic Compounds Ana	lyzed by EPA Method 822	70D (µg/L)	
Benzo(a)anthracene	10	NA	ND
Benzo(b)fluoranthene	10	NA	ND
Benzo(k)fluoranthene	10	NA	ND
Chrysene	10	NA	ND
Dibenz(a,h)anthracene	10	NA	ND

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, February 2016).

⁽²⁾ Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of 1x10⁻⁶, a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - Not Applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix C.

RBSL - Risk-Based Screening Level


SCDHEC - South Carolina Department Of Health and Environmental Control

µg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

Appendix A Multi-Media Selection Process for LBMH





Appendix A - Multi-Media Selection Process for LBMH

Appendix B UST Assessment Report



Attachment 1

South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank (UST) Assessment Report

Date Received State Use Only

Submit Completed Form To: UST Program SCDHEC 2600 Bull Street Columbia, South Carolina 29201 Telephone (803) 896-7957

I. OWNERSHIP OF UST (S)

	Commanding Officer Attn: NF	REAO (Craig Ehde)					
Owner Name (Corporati	Owner Name (Corporation, Individual, Public Agency, Other)						
P.O. Box 55001							
Mailing Address		····					
Beaufort,	South Carolina	29904-5001					
City	State	Zip Code					
843	228-7317	Craig Ehde					
Area Code	Telephone Number	Contact Person					

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. # Laurel Bay Milit	ary Housing Area, Marine	Corps Air Station, Beauf	ort, SC
Facility Name or Compar	•	Houging Amer	
Street Address or State R	eet, Laurel Bay Military D Dad (as applicable)	Housing Area	
Beaufort,	Beaufort		
City	County		
		Attachment	2

III. INSURANCE INFORMATION

Insurance Statement

The petroleum release reported to DHEC on ______ at Permit ID Number _____ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. This section must be completed.

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES____ NO____ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: ______ The policy deductible is: ______ The policy limit is: ______

If you have this type of insurance, please include a copy of the policy with this report.

IV. REQUEST FOR SUPERB FUNDING

I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)

V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

To be completed by Notary Public:

Sworn before me this _____ day of _____, 20____

(Name)

Notary Public for the state of ______. Please affix State seal if you are commissioned outside South Carolina

VI. UST INFORMATION

		224Cypress
A.	Product(ex. Gas, Kerosene)	Heating oil
B.	Capacity(ex. 1k, 2k)	280 gal
C.	Age	Late 1950s
D.	Construction Material(ex. Steel, FRP)	Steel
Е·	Month/Year of Last Use	Mid 80s
F.	Depth (ft.) To Base of Tank	6'
G.	Spill Prevention Equipment Y/N	No
Н·	Overfill Prevention Equipment Y/N	No
I.	Method of Closure Removed/Filled	Removed
J _.	Date Tanks Removed/Filled	3/1/2011
K.	Visible Corrosion or Pitting Y/N	Yes
L.	Visible Holes Y/N	Yes

M. Method of disposal for any USTs removed from the ground (attach disposal manifests) <u>UST 224Cypress was removed from the ground and disposed at a Subtitle</u> "D" landfill. See Attachment "A."

N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)
 UST 224Cypress had been previously filled with sand by others.

O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST Corrosion and pitting were found throughout the tank.

VII. PIPING INFORMATION

		224Cypress		
		Steel		
A.	Construction Material(ex. Steel, FRP)	& Copper		
B.	Distance from UST to Dispenser	N/A		
C.	Number of Dispensers	N/A		
D.	Type of System Pressure or Suction	Suction		
E.	Was Piping Removed from the Ground? Y/N	Yes		
F.	Visible Corrosion or Pitting Y/N	Yes		
G.	Visible Holes Y/N	No		
Н.	Age	Late 1950s		
I.	If any corrosion, pitting, or holes were observed, de	scribe the location and extent for each piping run.		
	Steel vent piping for all tanks were corroded and pitted. All			

copper supply and return piping were sound.

VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the resi	dences are constructed (of single wall steel
and formerly contain	ned fuel oil for heating	. These USTs were
installed in the lat	e 1950s and last used in	n the mid 1980s.

	Yes	No	Unk
 A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells? If yes, indicate depth and location on the site map. 		х	
 B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells? If yes, indicate location on site map and describe the odor (strong, 		x	
mild, etc.) C. Was water present in the UST excavation, soil borings, or trenches?		x	
If yes, how far below land surface (indicate location and depth)? D. Did contaminated soils remain stockpiled on site after closure?		x	
If yes, indicate the stockpile location on the site map. Name of DHEC representative authorizing soil removal:			
E. Was a petroleum sheen or free product detected on any excavation or boring waters?If yes, indicate location and thickness.		х	

IX. SITE CONDITIONS

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009001

Β.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
224 Cypress	Excav at fill end	Soil	Sandy	6'	3/1/11 1600 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

* = Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect <u>and</u> store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.


XII. RECEPTORS


		Yes	No	_
А.	Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?		Х	
	If yes, indicate type of receptor, distance, and direction on site map.			
В.	Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?		Х	
	If yes, indicate type of well, distance, and direction on site map.			
C.	Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?		Х	
	If yes, indicate type of structure, distance, and direction on site map.			
D.	Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination?	*X r, ca	ble,	
	electricity			tic
	If yes, indicate the type of utility, distance, and direction on the site map.			
E.	Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?		Х	
	If yes, indicate the area of contaminated soil on the site map.			


XIII. SITE MAP

You must supply a <u>scaled</u> site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)









Picture 1: Location of UST 224Cypress.



Picture 2: UST 224Cypress tank pit.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

·····		 · · · · · · · · · · · · · · · · · · ·		1	 ·····
CoC UST	224Cypress				
Benzene	ND	 			
Toluene	ND				
Ethylbenzene	0.0527 mg/kg				
Xylenes	0.116 mg/kg				
Naphthalene	0.254 mg/kg				
Benzo (a) anthracene	ND		<u></u>		
Benzo (b) fluoranthene	ND				
Benzo (k) fluoranthene	ND				
Chrysene	ND				
Dibenz (a, h) anthracene	ND				
TPH (EPA 3550)					
CoC					
Benzene					
Toluene					
Ethylbenzene					
Xylenes					
Naphthalene					
Benzo (a) anthracene					
Benzo (b) fluoranthene					
Benzo (k) fluoranthene					
Chrysene					
Dibenz (a, h) anthracene					
TPH (EPA 3550)					

SUMMARY OF ANALYSIS RESULTS (cont'd) Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL	W-1	W-2	W -3	W -4
	(µg/l)	••-•			
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
МТВЕ	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here) (Please see Form #4) TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 * 800-765-0980 * Fax 615-726-3404

March 16, 2011 11:04:49AM

Client: EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456 Attn: Tom McElwee

SAMPLE IDENTIFICATION

264 Beech 224 Cypress 118 Banyan

Project Nbr: P/O Nbr: Date Received:

Work Order:

Project Name:

NUC1043 Laurel Bay Housing Project [none] See COC 03/05/11

LAB NUMBER	COLLECTION DATE AND TIME
NUC1043-01	02/28/11 16:15
NUC1043-02	03/01/11 16:00
NUC1043-03	03/01/11 16:15
NUC1043-03	03/01/11 16:15

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

South Carolina Certification Number: 84009

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated. Estimated uncertainty is available upon request. This report has been electronically signed. Report Approved By:

Roganne L. Connor

Roxanne Connor Program Manager - Conventional Accounts

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NUC1043
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	03/05/11 08:30

ANALYTICAL REPORT

					100-	Dilution	•			
Analyte	Result	Flag	Units	MDL	MRL	Factor	Date/Time	Method	Analyst	Batc
Sample ID: NUC1043-01 (264 Be	eech - Soil) Sa	mpled:	02/28/11 16	5:15						
General Chemistry Parameters										
% Dry Solids	76.2		%	0.500	0.500	1	03/15/11 11:53	SW-846	AMS	11C3120
Volatile Organic Compounds by EPA	A Method 8260E	3								
Benzene	0.00184	J	mg/kg dry	0.00123	0.00224	1	03/09/11 13:09	SW846 8260B	ККК	11C1524
Ethylbenzene	2.52	•	mg/kg dry	0.0549	0.112	50	03/10/11 17:38	SW846 8260B	ККК	11C2640
Naphthalene	16.1		mg/kg dry	0.952	2.80	500	03/11/11 12:57	SW846 8260B	ККК	11C1245
Toluene	0.00130	J	mg/kg dry	0.000997	0.00224	1	03/09/11 13:09	SW846 8260B	ККК	11C1524
Xylenes, total	6.05		mg/kg dry	0.106	0.280	50	03/10/11 17:38	SW846 8260B	ККК	11C2640
Surr: 1,2-Dichloroethane-d4 (67-138%)	102 %					1	03/09/11 13:09	SW846 8260B	ККК	11C152
Surr: 1,2-Dichloroethane-d4 (67-138%)	102 %					50	03/10/11 17:38	SW846 8260B	ККК	11C264
Surr: 1,2-Dichloroethane-d4 (67-138%)	103 %					500	03/11/11 12:57	SW846 8260B	ККК	11C124
Surr: Dibromofluoromethane (75-125%)	103 %					1	03/09/11 13:09	SW846 8260B	ККК	11C152
Surr: Dibromofluoromethane (75-125%)	95 %					50	03/10/11 17:38	SW846 8260B	ККК	11C264
Surr: Dibromofluoromethane (75-125%)	101 %					500	03/11/11 12:57	SW846 8260B	KKK	11C124
Surr: Toluene-d8 (76-129%)	136 %	Z	X			1	03/09/11 13:09	SW846 8260B	ККК	11C152
Surr: Toluene-d8 (76-129%)	110 %					50	03/10/11 17:38	SW846 8260B	KKK	11C26+
Surr: Toluene-d8 (76-129%)	107 %					500	03/11/11 12:57	SW846 8260B	KKK	11C12-
Surr: 4-Bromofluorobenzene (67-147%)	153 %	Z	X			1	03/09/11 13:09	SW846 8260B	KKK	11C152
Surr: 4-Bromofluorobenzene (67-147%)	110 %					50	03/10/11 17:38	SW846 8260B	ККК	11C26-
Surr: 4-Bromofluorobenzene (67-147%)	107 %					500	03/11/11 12:57	SW846 8260B	KKK	11C124
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	1.58	M8	mg/kg dry	0.0180	0.0860	1	03/07/11 21:18	SW846 8270D	KJP	11C1488
Acenaphthylene	ND		mg/kg dry	0.0257	0.0860	1	03/07/11 21:18	SW846 8270D	KJP	11C1488
Anthracene	0.556		mg/kg dry	0.0116	0.0860	1	03/07/11 21:18	SW846 8270D	KJP	11C1488
Benzo (a) anthracene	0.243		mg/kg dry	0.0141	0.0860	1	03/07/11 21:18	SW846 8270D	KJP	11C1488
Benzo (a) pyrene	0.0869		mg/kg dry	0.0103	0.0860	1	03/07/11 21:18	SW846 8270D	KJP	11C1488
Benzo (b) fluoranthene	0.104		mg/kg dry	0.0488	0.0860	1	03/07/11 21:18	SW846 8270D	KJP	11C1488
Benzo (g,h,i) pervlene	ND		mg/kg dry	0.0116	0.0860	1	03/07/11 21:18	SW846 8270D	КЈР	11C1488
Benzo (k) fluoranthene	0.0993		mg/kg dry	0.0475	0.0860	1	03/07/11 21:18	SW846 8270D	КЈР	11C1488
Chrysene	0.226		mg/kg dry	0.0398	0.0860	1	03/07/11 21:18	SW846 8270D	KJP	11C1488
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0193	0.0860	1	03/07/11 21:18	SW846 8270D	KJP	11C1488
Fluoranthene	1.06		mg/kg dry	0.0141	0.0860	1	03/07/11 21:18	SW846 8270D	KJP	11C1488
Fluorene	2.33	M8	mg/kg dry	0.0257	0.0860	1	03/07/11 21:18	SW846 8270D	KJP	11C1488
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0398	0.0860	1	03/07/11 21:18	SW846 8270D	KJP	11C1488
Naphthalene	6.49	M8	mg/kg dry	0.0899	0.430	5	03/08/11 14:47	SW846 8270D	КЈР	11C1488
Phenanthrene	8.06	M8	mg/kg dry	0.0642	0.430	5	03/08/11 14:47	SW846 8270D	KJP	11C1488
Pyrene	0.802		mg/kg dry	0.0295	0.0860	1	03/07/11 21:18	SW846 8270D	KJP	11C1488
1-Methylnaphthalene	13.4	M8	mg/kg dry	0.0770	0.430	5	03/08/11 14:47	SW846 8270D	KJP	11C1488
2-Methylnaphthalene	22.0	M8	mg/kg dry	0.135	0.430	5	03/08/11 14:47	SW846 8270D	KJP	11C1488
Surr: Terphenyl-d14 (18-120%)	66 %					1	03/07/11 21:18	SW846 8270D	KJP	11C148

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NUC1043
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	03/05/11 08:30

ANALYTICAL REPORT										
Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NUC1043-01 (264 B	eech - Soil) - co	ont. Sam	pled: 02/2	8/11 16:15	- · · ·					
Polyaromatic Hydrocarbons by EPA			-							
Surr: 2-Fluorobiphenyl (14-120%)	59 %					1	03/07/11 21:18	SW846 8270D	KJP	11C148
Surr: Nitrobenzene-d5 (17-120%)	74%					1	03/07/11 21:18	SW846 8270D	KJP	11C148
Sample ID: NUC1043-02 (224 C) General Chemistry Parameters	ypress - Soil) S	Sampled	: 03/01/11	16:00						
% Dry Solids	80.0		%	0.500	0.500	I	03/15/11 11:53	SW-846	AMS	11C3120
Volatile Organic Compounds by EP.	A Method 8260F	2								
	ND	-	mg/kg dry	0.00115	0.00209	1	03/09/11 13:40	SW846 8260B	ккк	11C1524
Benzene	0.0527		mg/kg dry	0.00113	0.00209	1	03/09/11 13:40	SW846 8260B	ККК	11C1524
Ethylbenzene Naphthalene	0.254	Е	mg/kg dry	0.00102	0.00203	1	03/09/11 13:40	SW846 8260B	KKK	11C1524
Toluene	ND	L	mg/kg dry	0.000930	0.00209	1	03/09/11 13:40	SW846 8260B	ккк	11C1524
Xylenes, total	0.116		mg/kg dry	0.00199	0.00523	1	03/09/11 13:40	SW846 8260B	ккк	11C1524
Surr: 1,2-Dichloroethane-d4 (67-138%)	106 %			0.00133	0.00525	1	03/09/11 13:40	SW846 8260B	ККК	HC152
Surr: Dibromofluoromethane (75-125%)	97%					1	03 09 11 13:40	SW846 8260B	ККК	11C152
Surr: Toluene-d8 (76-129%)	114 %					1	03-09-11 13:40	SW846 8260B	KKK	HC152
Surr: 4-Bromofluorobenzene (67-147%)	133 %					I	03-09-11 13:40	SW846 8260B	KKK	HC152
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	0.426		mg/kg dry	0.0171	0.0816	1	03/07/11 21:40	SW846 8270D	КJР	11C1488
Acenaphthylene	ND		mg/kg dry	0.0244	0.0816	1	03/07/11 21:40	SW846 8270D	КЈР	11C1488
Anthracene	0,149		mg/kg dry	0.0110	0.0816	1	03/07/11 21:40	SW846 8270D	KJP	11C1488
Benzo (a) anthracene	ND		mg/kg dry	0.0134	0.0816	1	03/07/11 21:40	SW846 8270D	KJP	11C1488
Benzo (a) pyrene	ND		mg/kg dry	0.00975	0.0816	1	03/07/11 21:40	SW846 8270D	KJP	11C1488
Benzo (b) fluoranthene	ND		mg/kg dry	0.0463	0.0816	1	03/07/11 21:40	SW846 8270D	KJP	11C1488
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0110	0.0816	I	03/07/11 21:40	SW846 8270D	KJP	11C1488
Benzo (k) fluoranthene	ND		mg/kg dry	0.0451	0.0816	1	03/07/11 21:40	SW846 8270D	KJP	11C1488
Chrysene	ND		mg/kg dry	0.0378	0.0816	1	03/07/11 21:40	SW846 8270D	KJP	11C1488
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0183	0.0816	1	03/07/11 21:40	SW846 8270D	KJP	11C1488
Fluoranthene	0.0756	J	mg/kg dry	0.0134	0.0816	1	03/07/11 21:40	SW846 8270D	KJP	11C1488
Fluorene	0.749		mg/kg dry	0.0244	0.0816	1	03/07/11 21:40	SW846 8270D	KJP	11C1488
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0378	0.0816	1	03/07/11 21:40	SW846 8270D	KJP	11C1488
Naphthalene	0.561		mg/kg dry	0.0171	0.0816	1	03/07/11 21:40	SW846 8270D	KJP	11C1488
Phenanthrene	1.55		mg/kg dry	0,0122	0.0816	1	03/07/11 21:40	SW846 8270D	KJP	11C1488
Pyrene	0.103		mg/kg dry	0.0280	0.0816	1	03/07/11 21:40	SW846 8270D	KJP	11C1488
1-Methylnaphthalene	3.15		mg/kg dry	0.0146	0.0816	1	03/07/11 21:40	SW846 8270D	KJP	11C1488
2-Methylnaphthalene	5.46		mg/kg dry	0.0512	0.163	2	03/08/11 15:08	SW846 8270D	KJP	11C1488
Surr: Terphenyl-d14 (18-120%)	68 %					1	03:07:11 21:40	SW846 8270D	KJP	HC148
Surr: 2-Fluorobiphenyl (14-120%)	67 %					1	03:07:11:21:40	SW846 8270D	KJP	11C148
Surr: Nitrobenzene-d5 (17-120%)	73 %					1	03 07 11 21:40	SW846 8270D	KJP	11C148

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NUC1043
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	03/05/11 08:30

Sample ID: NUC1043-03 (118 Banyan - Soil) Sampled: 03/01/11 16:15 General Chemistry Parameters % Dy Solids 764 % 0 0.500 1 0.515/11 11:53 SW.466 AMS 11/C320 Volatile Organic Compounds by EPA Method 82:00B 0.00554 mg/kg dry 0.0014 0.00277 1 0.509/11 14:10 SW.466 KKK 11/C320 Benzene 0.00554 mg/kg dry 0.0027 1 0.509/11 11:08 SW.466 KKK 11/C240 Signific Intere 1.38 mg/kg dry 0.0026 0.272 50 0.309/11 14:10 SW.464.82008 KKK 11/C240 Naphthalene 1.38 mg/kg dry 0.0026 1 0.00071 1 0.009/11 14:10 SW.464.82008 KKK 11/C240 Sylens, Iotal 0.0216 1 0.02071 1 0.009/11 14:10 SW.464.82008 KKK 11/C240 Swr. F.12-Dintonchamedra (for-1.2879) 101 % 50 0.31011 17:08 SW.464.7200 KKK 11/C240 Swr. F.12-Dintonchamedra (for-1.2879) 9%<				ANALY	TICAL REP	ORT					
General Chemistry Parameters Sin Disolity 764 % Dry Solity 764 % Dry Solity 8 Dry Solity <th>Analyte</th> <th>Result</th> <th>Flag</th> <th>Units</th> <th>MDL</th> <th>MRL</th> <th></th> <th>2</th> <th>Method</th> <th>Analyst</th> <th>Batch</th>	Analyte	Result	Flag	Units	MDL	MRL		2	Method	Analyst	Batch
% Dry Solids 76.4 % Do 500 0.500 1 0.315/1111:53 SW-46 AMS IC3120 Volatile Organic Compounds by EPA Method 8260B ms%8 dry 0.0014 0.00207 1 0.309/1114:10 SW-46.0200 KK IC3120 Benzen 0.00544 ms%8 dry 0.0019 0.00207 1 0.309/1114:10 SW-46.0200 KK IC340 Naphthalere 1.36 ms%8 dry 0.0019 0.00207 1 0.309/1114:10 SW-46.0200 KK IC340 Volene ND ms%8 dry 0.0019 0.00207 1 0.309/114:10 SW-46.0200 KK IC1240 Star 1.2016/binechane/167.1376/j 10175 SW-46.0200 KK IC1240 Star 1.2016/binechane/167.1376/j 10176 SW-46.0200 KK IC1240 Star 1.2016/binechane/167.1376/j 10176 SW-46.0200 KK IC1240 Star 1.2016/binechane/167.1376/j 10176 SW-46.0200 KK IC1232 Star 1.2016/binechane/167.1376/j 10176 SW-46.0200 KK IC1232 Star 1.2016/binechane/167.1376/j </td <td>Sample ID: NUC1043-03 (118 B</td> <td>anyan - Soil) S</td> <td>ampled</td> <td>: 03/01/11</td> <td>16:15</td> <td>· ·</td> <td></td> <td></td> <td></td> <td></td> <td></td>	Sample ID: NUC1043-03 (118 B	anyan - Soil) S	ampled	: 03/01/11	16:15	· ·					
An Organitability Anota and a strain field Anota and a strain field Anota and a strain field Benzene 0.000 mg/kg dry 0.00114 0.00207 1 0.309/11 14:10 SW464 5260B Ethylbenzene 0.180 mg/kg dry 0.00210 1 0.309/11 14:10 SW464 5260B KKK 11(21524 Ethylbenzene 0.180 mg/kg dry 0.00210 0.02207 1 0.309/11 14:10 SW464 5260B KKK 11(21524 Strain 1.2:Dichloroschame.dl (67-12856) 101 54 mg/kg dry 0.00196 0.00516 1 0.309/11 14:10 SW464 5260B KKK 11(21524 Strain 1.2:Dichloroschame.dl (67-12856) 101 54 5 0.310/11 17:08 SW464 5260B KKK 11(21524 Strain 7.1:Dichloroschame.dl (67-12856) 101 54 2X 1 0.309/11 14:10 SW464 5260B KKK 11(21524 Strain 7.1:Dichloroschame.dl (67-12856) 101 54 2X 1 0.309/11 12:00 SW464 5260B KKK 11(2152 Strain 7.1:Dichloroschame.dl (67-12956) 111 56	General Chemistry Parameters										
Benzene 0.00554 ma/k dry 0.00114 0.00207 1 0.009/11 14:10 SW46 8200 KKK 11/13/2 Elhylbenzzne 0.180 ma/k dry 0.0524 0.0101 50 0.01011 17:08 SW46 8200 KKK 11/12/10 Naphtalene ND ma/k dry 0.00927 1 0.00911 14:10 SW46 8200 KKK 11/12/10 Starr Diobne 0.00191 0.0027 1 0.00911 14:10 SW46 8200 KKK 11/12/3 Starr Diobne 0.00191 0.0027 1 0.00911 14:10 SW46 8200 KKK 11/12/3 Starr Diobnemidane 4/ (67-138%) 101 16 SW46 8200 KKK 11/12/3 SW46 8200 KKK 11/12/3 Starr Diobnemidane 2/6 (72-138%) 106 16 2X 1 0.30911 14:10 SW46 8200 KKK 11/12/3 Starr Diobnemidane 2/6 12/25% 166 16 2X 1 0.30711 12:02 SW46 8200 KKK 11/12/3 Starr </td <td>% Dry Solids</td> <td>76.4</td> <td></td> <td>%</td> <td>0.500</td> <td>0.500</td> <td>1</td> <td>03/15/11 11:53</td> <td>SW-846</td> <td>AMS</td> <td>11C3120</td>	% Dry Solids	76.4		%	0.500	0.500	1	03/15/11 11:53	SW-846	AMS	11C3120
Benzene 0.00554 ma/k dry 0.00114 0.00207 1 0.009/11 14:10 SW46 8200 KKK 11/13/2 Elhylbenzzne 0.180 ma/k dry 0.0524 0.0101 50 0.01011 17:08 SW46 8200 KKK 11/12/10 Naphtalene ND ma/k dry 0.00927 1 0.00911 14:10 SW46 8200 KKK 11/12/10 Starr Diobne 0.00191 0.0027 1 0.00911 14:10 SW46 8200 KKK 11/12/3 Starr Diobne 0.00191 0.0027 1 0.00911 14:10 SW46 8200 KKK 11/12/3 Starr Diobnemidane 4/ (67-138%) 101 16 SW46 8200 KKK 11/12/3 SW46 8200 KKK 11/12/3 Starr Diobnemidane 2/6 (72-138%) 106 16 2X 1 0.30911 14:10 SW46 8200 KKK 11/12/3 Starr Diobnemidane 2/6 12/25% 166 16 2X 1 0.30711 12:02 SW46 8200 KKK 11/12/3 Starr </td <td>Volatile Organic Compounds by EP</td> <td>A Method 8260B</td> <td>6</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Volatile Organic Compounds by EP	A Method 8260B	6								
bit with the series 0.130 0.0324 0.0324 0.0324 0.0324 0.0310111708 SW448 22001 K.K.K 11/2240 Naphthalene L.38 mg/kg dry 0.00207 0.0310111708 SW448 22001 K.K.K 11/2240 Toluene D mg/kg dry 0.000919 0.00207 1 0.309111410 SW448 22001 K.K.K 11/2240 Synthes, tolal 0.257 mg/kg dry 0.000919 0.00016 1 0.309111410 SW448 2200 K.K.K 11/1230 Surr: I-Dibrom/funced41 (67-158%) 10/4 1 0.30911410 SW468 2200 K.K.K 11/1230 Surr: I-Dibrom/funced41 (67-158%) 10/5 1 0.30911410 SW468 2200 K.K.K 11/1230 Surr: I-Dibrom/funced41 (67-128%) 10/5 1 0.30911410 SW468 2200 K.K.K 11/1230 Surr: I-Dibrom/funced41 (67-128%) 10/5 20 0.1011708 SW468 2200 K.K.K 11/1232 Surr: I-Dibrom/funced41 (67-128%)	• • •			mg/kg dry	0.00114	0.00207	1	03/09/11 14-10	SW846 8260B	ккк	11C1524
Jang Maghanan Jase Jase <thjase< th=""> Jase Jase</thjase<>		0.180									
Naturalization ND mg/kg dry 0.00207 1 0.309/11 [14] SW46 5208 KKK 111123 Xylenes, tail 0.237 mg/kg dry 0.00196 0.00207 1 0.309/11 [14] SW46 5208 KKK 111123 Xylenes, tail 0.237 mg/kg dry 0.00196 0.00207 1 0.309/11 [14] SW46 5208 KKK 111123 Xylenes, tail 0.001976 0.00207 1 0.309/11 [14] SW46 5208 KKK 11123 Xyren 1 0.309/11 [14] SW46 5208 KKK 11123 Xwr. Dibromofluorometham (75-125%) 98 % 1 0.309/11 [14] SW46 5208 KKK 11123 Xwr. Tolane-dd (76-12%) 106 5 ZX 1 0.309/11 [14] SW46 5208 KKK 11123 Swr. Tolane-dd (76-12%) 111 % ZX 1 0.309/11 [14] SW46 5208 KKK 11123 Swr. Tolane-dd (76-12%) 111 % ZX 1 0.309/11 [14] SW46 5208 KKK 11112	•	1.38									
Lincete 0.00115 0.0015 0.00116 1 0.00111 1.11 0.00111 1.11 0.00111 1.11 0.00111 1.11 0.00111 1.11 0.00111 1.11 0.00111 1.11 0.00111 1.11 0.00111 0.00111 0.00111 1.11 0.00111 0.00111 0.00111 0.00111 0.00111 0.00111 0.00111 0.00111 0.00111 0.00111 0.00011 0.00111 0.00011	•	ND									
Ayreness, Datal 104 % 105 000 % 10000 % 1000 % 1000 % 1											
Surr. 1.2.Dichloroethane.44 (67-138%) 101 ½ 50 0 0 11 17:08 SWR48 82800 K.KK 11/C264 Surr. Dibromofluoromethane (75-123%) 99 % 1 03 09 11 14:10 SWR48 82800 K.KK 11/C264 Surr. Dibromofluoromethane (75-123%) 98 % 50 03 10 11 17:08 SWR48 82800 K.KK 11/C264 Surr. Toluen-4B (76-129%) 106 % 50 03 00 11 14:10 SWR48 82800 K.KK 11/C264 Surr. Toluen-4B (76-129%) 106 % 50 03 10 11 7:08 SWR48 82800 K.KK 11/C264 Surr. Toluen-4B (76-129%) 106 % 50 03 10 11 7:08 SWR48 82800 K.KK 11/C264 Surr. Toluen-4B (76-129%) 106 % 2X 1 03 09 11 14:10 SWR48 82800 K.KK 11/C264 Surr. Toluen-4B (76-129%) 111 % ZX 1 03 00 711 12:02 SWR48 82800 K.KK 11/C264 Surr. Toluen-4B (75-149 111 % ZX 1 03 007/11 22:02 SWR48 82800 K.KK 11/C264 Polyaromatic Hydrocarbene 0.19 mg/kg dry 0.015 0.0858 1 03/07/11 22:02<				001	0.00190	0.00510					
Surr: Dibromofluoromethane (75-125%) 99 % 1 0.3 00 11 1/:10 SWR48 82000 KKK 11C125 Surr: Tohmendluoromethane (75-125%) 98 % 50 0.3 10 11 1/:10 SWR48 82000 KKK 11C125 Surr: Tohmendluoromethane (75-125%) 166 % 2x 1 0.3 00 11 1/:10 SWR48 82000 KKK 11C256 Surr: Tohmendluorobenzene (67-147%) 211 % 2x 1 0.3 00 11 1/:10 SWR48 82000 KKK 11C125 Surr: Tohmendluorobenzene (67-147%) 111 % 50 0.3 10 11 1/:08 SWR48 82000 KKK 11C264 Surr: Tohmendluorobenzene (67-147%) 111 % 50 0.3 07/11 2/02 SWR48 82000 KKK 11C1488 Acenaphthene 0.198 mg/kg dry 0.015 0.0858 1 0.307/11 2/02 SWR48 8200 KJP 11C1488 Anthracene ND mg/kg dry 0.012 0.0858 1 0.307/11 2/02 SWR48 8200 KJP 11C1488 Benzo (a) anthracene ND mg/kg dry 0.012 0.0858 1 0.307/11 2/02 SWR48 82700 KJP 11C1488											
Surr: Dibrom@luoromethane (75-125%) 98 % j 05 01 11 17.05 SW44 82008 KKK 11/12.05 Surr: Toluone-dR (76-129%) 166 % 2X j 03 09 11 14:10 SW44 82008 KKK 11/12.05 Surr: Toluone-dR (76-129%) 106 % 50 03 10 11 17:08 SW44 82008 KKK 11/12.05 Surr: Toluone-dR (76-129%) 106 % 2X j 03 09 11 14:10 SW44 82008 KKK 11/12.05 Surr: Toluone-dR (76-127%) 111 % 2X j 03 09 11 17:08 SW44 82008 KKK 11/12.05 Surr: Toluonofluorobenzene (67-147%) 111 % 50 03 10 11 7:08 SW44 82008 KKK 11/12.05 Acenaphthene 0.198 mg/kg dry 0.0179 0.0858 1 03/07/11 22:02 SW46 8270D KJP 11/1488 Anthracene 0.0550 j mg/kg dry 0.0110 0.0858 1 03/07/11 22:02 SW46 8270D KJP 11/1488 Benzo (a) pyrene ND mg/kg dry 0.0112 0.0858 1 03/07/11 22:02 SW46 8270D KJP 11/1488											
Surr: Tohuen-dR (76-129%) 186 % ZX 1 03 00 /11 /1: 10 SW44 82080 KKK 1/1 C124 Surr: Tohuen-dR (76-129%) 106 % 50 03 00 /11 /1: 10 SW44 82080 KKK 1/1 C124 Surr: Tohuen-dR (76-129%) 111 % ZX 1 03 00 /11 /1: 10 SW44 82080 KKK 1/1 C125 Surr: Tohuen-dR (76-129%) 111 % ZX 1 03 00 /11 /1: 10 SW44 82080 KKK 1/1 C125 Surr: Tohuen-dR (76-129%) 111 % ZX 1 03 00 /11 /1: 10 SW44 82080 KKK 1/1 C126 Surr: Tohuen-dR (76-129%) 111 % ZX 1 03 00 /11 /1: 10 SW44 82080 KKK 1/1 C126 Surr: Tohuen-dR (76-129%) 111 % ZX 1 03 00 /11 /1: 10 SW44 82080 KKK 1/1 C126 Surr: Tohuen-dR (76-129%) 111 % ZX 1 03 00 /11 /1: 10 SW46 82000 KJP 1/1 C1488 Accanaphthene 0.198 mg/kg dry 0.015 0.0858 1 03/07/11 22.02 SW46 82700 KJP 1/1 C1488 Benzo (a) pyrene ND	Surr: Dibromofluoromethane (75-125%)	98 %									
Surr: Tohuen-dB (76-129%) 106 % 1 1 03 10 11 17:08 SW346 8260B K.KK 11/224 Surr: +JPromofluorobenzene (67-147%) 111 % ZX 1 03 09 11 14:10 SW346 8260B K.KK 11/1220 Surr: +JPromofluorobenzene (67-147%) 111 % ZX 1 03 09 11 14:10 SW346 8260B K.KK 11/1220 Acenaphthene 0.198 mg/kg dry 0.0179 0.0858 1 03/07/11 22:02 SW46 8270D KJP 11/1488 Acenaphthylene ND mg/kg dry 0.0115 0.0858 1 03/07/11 22:02 SW46 8270D KJP 11/1488 Anthracene ND mg/kg dry 0.0115 0.0858 1 03/07/11 22:02 SW46 8270D KJP 11/1488 Benzo (a) anthracene ND mg/kg dry 0.012 0.0858 1 03/07/11 22:02 SW46 8270D KJP 11/1488 Benzo (b) fluoranthene ND mg/kg dry 0.012 0.0858 1 03/07/11 22:02 SW46 8270D KJP 11/1488 Benzo (b) fluoranthene ND mg/kg dry 0.	Surr: Toluene-d8 (76-129%)	186 %	7	x							
Surr: +-Bromofluorobenzene (67-147%) 211 % ZX 1 0 3 09 /11 /1-10 SW #46 8260B KKK 11/1 /226 Surr: +-Bromofluorobenzene (67-147%) 111 % 50 0 3.00 /11 /1-10 SW #46 8260B KKK 11/1 /226 Polyaromatic Hydrocarbons by EPA 8270D mg/kg dry 0.0179 0.0858 1 0.307/11 22.02 SW #46 8270D KJP 11/1 488 Acenaphthene ND mg/kg dry 0.0179 0.0858 1 0.307/11 22.02 SW #46 8270D KJP 11/1 488 Acenaphthylene ND mg/kg dry 0.0115 0.0858 1 0.307/11 22.02 SW #46 8270D KJP 11C1488 Benzo (a) anthracene ND mg/kg dry 0.0141 0.0858 1 0.307/11 22.02 SW #46 8270D KJP 11C1488 Benzo (a) pyrene ND mg/kg dry 0.0141 0.0858 1 0.307/11 22.02 SW #46 8270D KJP 11C1488 Benzo (b) fluoranthene ND mg/kg dry 0.0141 0.0858 1 <td< td=""><td>Surr: Toluene-d8 (76-129%)</td><td>106 %</td><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>	Surr: Toluene-d8 (76-129%)	106 %	-								
Surr : +Bromofluorobenzen (67-147%) 111 % 50 0.3 10 11 17:08 SW446 82:00 K.K.K 11/264 Polyaromatic Hydrocarbons by EPA 8270D Acenaphthene 0.198 mg/kg dry 0.0179 0.0858 1 0.3/07/11 22:02 SW466 82:700 K.P 11/16488 Acenaphthylene ND mg/kg dry 0.015 0.0858 1 0.3/07/11 22:02 SW466 82:700 K.P 11/16488 Benzo (a) anthracene ND mg/kg dry 0.011 0.0858 1 0.3/07/11 22:02 SW46 82:700 K.P 11/16488 Benzo (a) anthracene ND mg/kg dry 0.012 0.0858 1 0.3/07/11 22:02 SW46 82:700 K.P 11/1488 Benzo (a) prene ND mg/kg dry 0.0115 0.0858 1 0.3/07/11 22:02 SW46 82:700 K.P 11/1488 Benzo (b) fluoranthene ND mg/kg dry 0.0474 0.0858 1 0.3/07/11 22:02 SW46 82:700 K.P 11/1488 Diberz (a), hanthracene ND mg/kg dry	Surr: 4-Bromofluorobenzene (67-147%)	211 %	Z	x							11C1524
Polyaromatic Hydrocarbons by EPA 8270D Acenaphthene 0.198 mg/kg dry 0.0179 0.0858 1 0.3/07/11 22:02 SW44 8270 KJP 11C1488 Acenaphthylene ND mg/kg dry 0.0256 0.0858 1 0.3/07/11 22:02 SW46 82700 KJP 11C1488 Antracene 0.0550 J mg/kg dry 0.011 0.0858 1 0.3/07/11 22:02 SW46 82700 KJP 11C1488 Benzo (a) anthracene ND mg/kg dry 0.012 0.0858 1 0.3/07/11 22:02 SW46 82700 KJP 11C1488 Benzo (a) pyrene ND mg/kg dry 0.012 0.0858 1 0.3/07/11 22:02 SW46 82700 KJP 11C1488 Benzo (k) fluoranthene ND mg/kg dry 0.012 0.0858 1 0.3/07/11 22:02 SW46 82700 KJP 11C1488 Benzo (k) fluoranthene ND mg/kg dry 0.012 0.0858 1 0.3/07/11 22:02 SW46 82700 KJP 11C1488 Chrysen	Surr: 4-Bromofluorobenzene (67-147%)	111 %									11C2640
Acenaphthylene ND mg/kg dry 0.0256 0.0858 1 0.0307/11 22.02 SW846 8270D KJP 11C1488 Acenaphthylene ND mg/kg dry 0.015 0.0858 1 0.307/11 22.02 SW846 8270D KJP 11C1488 Benzo (a) anthracene ND mg/kg dry 0.012 0.0858 1 0.307/11 22.02 SW846 8270D KJP 11C1488 Benzo (a) anthracene ND mg/kg dry 0.0102 0.0858 1 0.307/11 22.02 SW846 8270D KJP 11C1488 Benzo (a) pyrene ND mg/kg dry 0.012 0.0858 1 0.307/11 22.02 SW846 8270D KJP 11C1488 Benzo (a) pyrene ND mg/kg dry 0.0487 0.0858 1 0.307/11 22.02 SW846 8270D KJP 11C1488 Benzo (a) h) i perlene ND mg/kg dry 0.0474 0.0858 1 0.307/11 22.02 SW846 8270D KJP 11C1488 Dibenz (a,h) anthracene ND mg/kg dry 0.0192 0.0858 1 0.307/11 22.02 SW846 8270D KJP 11C1488 <td>Polyaromatic Hydrocarbons by EPA</td> <td>8270D</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthylene ND mg/kg dry 0.0256 0.0838 1 0.307/11 22:02 SW846 8270D KJP 11C1488 Anthracene 0.0580 j mg/kg dry 0.0115 0.0858 1 0.307/11 22:02 SW846 8270D KJP 11C1488 Benzo (a) anthracene ND mg/kg dry 0.012 0.0858 1 0.307/11 22:02 SW846 8270D KJP 11C1488 Benzo (a) pyrene ND mg/kg dry 0.012 0.0858 1 0.307/11 22:02 SW846 8270D KJP 11C1488 Benzo (a) pyrene ND mg/kg dry 0.0487 0.0858 1 0.307/11 22:02 SW846 8270D KJP 11C1488 Benzo (k) fluoranthene ND mg/kg dry 0.015 0.0858 1 0.307/11 22:02 SW846 8270D KJP 11C1488 Dibenz (a,h) anthracene ND mg/kg dry 0.0192 0.0858 1 0.307/11 22:02 SW846 8270D KJP 11C1488 Fluoranthene ND mg/kg dry <td< td=""><td>Acenaphthene</td><td>0.198</td><td></td><td>mg/kg dry</td><td>0.0179</td><td>0.0858</td><td>1</td><td>03/07/11 22:02</td><td>SW846 8270D</td><td>KJP</td><td>11C1488</td></td<>	Acenaphthene	0.198		mg/kg dry	0.0179	0.0858	1	03/07/11 22:02	SW846 8270D	KJP	11C1488
Anthracene 0.0580 j mg/kg dry 0.0115 0.0858 1 03/07/11 22:02 SW846 82700 KJP 11C1488 Benzo (a) anthracene ND mg/kg dry 0.0102 0.0858 1 03/07/11 22:02 SW846 82700 KJP 11C1488 Benzo (a) pyrene ND mg/kg dry 0.0102 0.0858 1 03/07/11 22:02 SW846 82700 KJP 11C1488 Benzo (a) pyrene ND mg/kg dry 0.0115 0.0858 1 03/07/11 22:02 SW846 82700 KJP 11C1488 Benzo (b) fluoranthene ND mg/kg dry 0.0115 0.0858 1 03/07/11 22:02 SW846 82700 KJP 11C1488 Benzo (k) fluoranthene ND mg/kg dry 0.0192 0.0858 1 03/07/11 22:02 SW846 82700 KJP 11C1488 Dibenz (a,h) anthracene ND mg/kg dry 0.0192 0.0858 1 03/07/11 22:02 SW846 82700 KJP 11C1488 Fluoranthene ND mg/kg dry 0.0192 0.0858 1 03/07/11 22:02 SW846 82700 KJP	·	ND		mg/kg dry					SW846 8270D	KJP	11C1488
ND mg/kg dry 0.0141 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Benzo (a) pyrene ND mg/kg dry 0.0141 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Benzo (a) pyrene ND mg/kg dry 0.0487 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Benzo (a), j) perylene ND mg/kg dry 0.0115 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Benzo (a), j) perylene ND mg/kg dry 0.0174 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Benzo (a), hi) antracene ND mg/kg dry 0.0397 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Dibenz (a, h) antracene ND mg/kg dry 0.0192 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Ihorene 0.360 mg/kg dry 0.0192 0.0858		0.0580	J							KJP	11C1488
Benzo (a) pyrene ND mg/kg dry 0.0102 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Benzo (b) fluoranthene ND mg/kg dry 0.0487 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Benzo (b) fluoranthene ND mg/kg dry 0.0115 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Benzo (c), fi, i) perylene ND mg/kg dry 0.0474 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Benzo (k) fluoranthene ND mg/kg dry 0.0192 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Dibenz (a,h) anthracene ND mg/kg dry 0.0192 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Fluoranthene ND mg/kg dry 0.0192 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Indeno (1,2,3-cd) pyrene ND mg/kg dry <td></td> <td>ND</td> <td>-</td> <td>mg/kg dry</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>KJP</td> <td>11C1488</td>		ND	-	mg/kg dry						KJP	11C1488
ND mg/kg dry 0.0487 0.0858 1 03/07/11 22:02 SW846 8270D KJP H1C1488 Benzo (g,h,i) perylene ND mg/kg dry 0.0115 0.0858 1 03/07/11 22:02 SW846 8270D KJP H1C1488 Benzo (g,h,i) perylene ND mg/kg dry 0.0474 0.0858 1 03/07/11 22:02 SW846 8270D KJP H1C1488 Benzo (k) fluoranthene ND mg/kg dry 0.0397 0.0858 1 03/07/11 22:02 SW846 8270D KJP H1C1488 Dibenz (a,h) anthracene ND mg/kg dry 0.0192 0.0858 1 03/07/11 22:02 SW846 8270D KJP H1C1488 Fluoranthene ND mg/kg dry 0.0192 0.0858 1 03/07/11 22:02 SW846 8270D KJP H1C1488 Fluoranthene ND mg/kg dry 0.0141 0.0858 1 03/07/11 22:02 SW846 8270D KJP H1C1488 Indeno (1,2,3-cd) pyrene ND mg/kg dry 0.0397 0.0858 1 03/07/11 22:02 SW846 8270D KJP H1C1488 P		ND		mg/kg dry						KJP	11C1488
Benzo (g,h,i) perylene ND mg/kg dry 0.0115 0.0858 1 0.3/07/11 22:02 SW846 8270D KJP 11C1488 Benzo (k) fluoranthene ND mg/kg dry 0.0474 0.0858 1 0.3/07/11 22:02 SW846 8270D KJP 11C1488 Chrysene ND mg/kg dry 0.0397 0.0858 1 0.3/07/11 22:02 SW846 8270D KJP 11C1488 Dibenz (a,h) anthracene ND mg/kg dry 0.0192 0.0858 1 0.3/07/11 22:02 SW846 8270D KJP 11C1488 Fluoranthene ND mg/kg dry 0.0141 0.0858 1 0.3/07/11 22:02 SW846 8270D KJP 11C1488 Fluoranthene ND mg/kg dry 0.0141 0.0858 1 0.3/07/11 22:02 SW846 8270D KJP 11C1488 Indeno (1,2,3-cd) pyrene ND mg/kg dry 0.0397 0.0858 1 0.3/07/11 22:02 SW846 8270D KJP 11C1488 Phenanthrene 0.412 mg/kg dry 0.0179<		ND		mg/kg dry					SW846 8270D	KJP	11C1488
ND mg/kg dry 0.0474 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Chrysene ND mg/kg dry 0.0397 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Dibenz (a,h) anthracene ND mg/kg dry 0.0192 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Fluoranthene ND mg/kg dry 0.0192 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Fluoranthene ND mg/kg dry 0.0141 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Fluoranthene ND mg/kg dry 0.0256 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Indeno (1,2,3-cd) pyrene ND mg/kg dry 0.0397 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Naphthalene 0.412 mg/kg dry 0.0179 0.0858 1 <t< td=""><td></td><td>ND</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>KJP</td><td>1 I C 1488</td></t<>		ND								KJP	1 I C 1488
ND mg/kg dry 0.0397 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Dibenz (a,h) anthracene ND mg/kg dry 0.0192 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Fluoranthene ND mg/kg dry 0.0192 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Fluoranthene ND mg/kg dry 0.0256 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Fluorene 0.360 mg/kg dry 0.0256 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Indeno (1,2,3-cd) pyrene ND mg/kg dry 0.0397 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Napthalene 0.412 mg/kg dry 0.0179 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Pyrene ND mg/kg dry 0.0128 0.0858 1 03		ND		mg/kg dry						KJP	11C1488
ND mg/kg dry 0.0192 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Fluoranthene ND mg/kg dry 0.0141 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Fluoranthene 0.360 mg/kg dry 0.0256 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Indeno (1,2,3-cd) pyrene ND mg/kg dry 0.0397 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Naphthalene 0.412 mg/kg dry 0.0397 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Phenanthrene 0.412 mg/kg dry 0.0179 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Pyrene ND mg/kg dry 0.0128 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 1-Methylnaphthalene 1.54 mg/kg dry 0.0269 0.0858 1		ND		mg/kg dry						KJP	11C1488
ND mg/kg dry 0.0141 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Fluorene 0.360 mg/kg dry 0.0256 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Indeno (1,2,3-cd) pyrene ND mg/kg dry 0.0397 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Naphthalene 0.412 mg/kg dry 0.0179 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Phenanthrene 0.707 mg/kg dry 0.0128 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Pyrene ND mg/kg dry 0.0128 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 1-Methylnaphthalene 1.54 mg/kg dry 0.0295 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 2-Methylnaphthalene 1.54 mg/kg dry 0.0269 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Surr: Terphenyl	,	ND		mg/kg dry						КЈР	11C1488
Individuence 0.360 mg/kg dry 0.0256 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Indeno (1,2,3-cd) pyrene ND mg/kg dry 0.0397 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Naphthalene 0.412 mg/kg dry 0.0179 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Phenanthrene 0.707 mg/kg dry 0.0128 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Pyrene ND mg/kg dry 0.0295 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 1-Methylnaphthalene 1.54 mg/kg dry 0.0295 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 2-Methylnaphthalene 2.47 mg/kg dry 0.0269 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Surr: Terphenyl-d14 (18-120%) 61 % ////////////////////////////////////		ND								KJP	11C1488
ND mg/kg dry 0.0397 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Naphthalene 0.412 mg/kg dry 0.0179 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Phenanthrene 0.707 mg/kg dry 0.0128 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Pyrene ND mg/kg dry 0.0128 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 1-Methylnaphthalene 1.54 mg/kg dry 0.0295 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 2-Methylnaphthalene 1.54 mg/kg dry 0.0269 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Surr: Terphenyl-d14 (18-120%) 61 % ////////////////////////////////////		0.360		mg/kg dry						KJP	11C1488
Name 0.412 mg/kg dry 0.0179 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Phenanthrene 0.707 mg/kg dry 0.0128 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Pyrene ND mg/kg dry 0.0295 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 1-Methylnaphthalene 1.54 mg/kg dry 0.0295 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 2-Methylnaphthalene 1.54 mg/kg dry 0.0269 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Surr: Terphenyl-d14 (18-120%) 61 % ////////////////////////////////////		ND								KJP	11C1488
Phenanthrene 0.707 mg/kg dry 0.0128 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Pyrene ND mg/kg dry 0.0295 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 1-Methylnaphthalene 1.54 mg/kg dry 0.0269 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 2-Methylnaphthalene 2.47 mg/kg dry 0.0269 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Surr: Terphenyl-d14 (18-120%) 61 % ////////////////////////////////////	· · · · · · · ·	0.412					1			КЈР	11C1488
ND mg/kg dry 0.0295 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 1-Methylnaphthalene 1.54 mg/kg dry 0.0154 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 2-Methylnaphthalene 2.47 mg/kg dry 0.0269 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Surr: Terphenyl-d14 (18-120%) 61 % 1 03 07/11 22:02 SW846 8270D KJP 11C1488 Surr: 2-Fluorobiphenyl (14-120%) 62 % 1 03 07/11 22:02 SW846 8270D KJP 11C1488		0.707					1			KJP	11C1488
1-Methylnaphthalene 1.54 mg/kg dry 0.0154 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 2-Methylnaphthalene 2.47 mg/kg dry 0.0269 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Surr: Terphenyl-d14 (18-120%) 61 % 1 03 07/11 22:02 SW846 8270D KJP 11C1488 Surr: 2-Fluorobiphenyl (14-120%) 62 % 1 03 07/11 22:02 SW846 8270D KJP 11C1488		ND									11C1488
2-Methylnaphthalene 2.47 mg/kg dry 0.0269 0.0858 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Surr: Terphenyl-d14 (18-120%) 61 % 1 03/07/11 22:02 SW846 8270D KJP 11C1488 Surr: 2-Fluorobiphenyl (14-120%) 62 % 1 03/07 11 22:02 SW846 8270D KJP 11C1488	•	1.54									11C1488
Surr: Terphenyl-d14 (18-120%) 61 % 1 03 07/11 22:02 Sw846 8270D KJP 11C148 Surr: 2-Fluorobiphenyl (14-120%) 62 % 1 03 07/11 22:02 Sw846 8270D KJP 11C148	•••										11C1488
Surr: 2-Fluorobiphenyl (14-120%) 62 % 1 03-07-11-22:02 SW846 8270D KJP 11C148					0.0207	0.0000					
	Surr: Nitrobenzene-d5 (17-120%)	65 %					1	03 07 11 22:02	SW846 8270D	KJI KJP	11C1488

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NUC1043
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	03/05/11 08:30

SAMPLE EXTRACTION DATA

			Wt/Vol			Extraction	
Parameter	Batch	Lab Number	Extracted	Extract Vol	Date	Analyst	Method
Polyaromatic Hydrocarbons by E	PA 8270D						
SW846 8270D	11C1488	NUC1043-01	30.67	1.00	03/07/11 12:00	SAS	EPA 3550C
SW846 8270D	11C1488	NUC1043-01RE1	30.67	1.00	03/07/11 12:00	SAS	EPA 3550C
SW846 8270D	11C1488	NUC1043-02	30.78	1.00	03/07/11 12:00	SAS	EPA 3550C
SW846 8270D	11C1488	NUC1043-02RE1	30.78	1.00	03/07/11 12:00	SAS	EPA 3550C
SW846 8270D	11C1488	NUC1043-03	30.68	1.00	03/07/11 12:00	SAS	EPA 3550C
Volatile Organic Compounds by	EPA Method 8260B						
SW846 8260B	11C1524	NUC1043-01	5.86	5.00	02/28/11 16:15	TSP	EPA 5035
SW846 8260B	11C2640	NUC1043-01RE1	5.86	5.00	02/28/11 16:15	TSP	EPA 5035
SW846 8260B	11C1245	NUC1043-01RE2	5.86	5.00	02/28/11 16:15	TSP	EPA 5035
SW846 8260B	11C1524	NUC1043-02	5.98	5.00	03/01/11 16:00	TSP	EPA 5035
SW846 8260B	11C1524	NUC1043-03	6.34	5.00	03/01/11 16:15	TSP	EPA 5035
SW846 8260B	11C2640	NUC1043-03RE1	6.01	5.00	03/01/11 16:15	TSP	EPA 5035

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NUC1043
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	03/05/11 08:30

PROJECT QUALITY CONTROL DATA Blank

alyte	Blank Value	QQ	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
latile Organic Compounds by	EPA Method 8260B					
C1245-BLK1						
enzene	< 0.00110		mg/kg wet	11C1245	11C1245-BLK1	03/11/11 11:57
hylbenzene	<0.000980		mg/kg wet	11C1245	11C1245-BLK1	03/11/11 11:57
phthalene	< 0.00170		mg/kg wet	11C1245	11C1245-BLK1	03/11/11 11:57
luene	<0.000890		mg/kg wet	11C1245	11C1245-BLK1	03/11/11 11:57
lenes, total	<0.00190		mg/kg wet	11C1245	11C1245-BLK1	03/11/11 11:57
rogate: 1,2-Dichloroethane-d4	108%			11C1245	11C1245-BLK1	03/11/11 11:57
ogate: Dibromofluoromethane	102%			11C1245	11C1245-BLK1	03/11/11 11:57
ogate: Toluene-d8	106%			11C1245	11C1245-BLK1	03/11/11 11:57
ogate: 4-Bromofluorobenzene	108%			11C1245	11C1245-BLK1	03/11/11 11:57
1245-BLK2						
izene	<0.0550		mg/kg wet	11C1245	11C1245-BLK2	03/11/11 12:27
ylbenzene	<0.0490		mg/kg wet	11C1245	11C1245-BLK2	03/11/11 12:27
ohthalene	<0.0850		mg/kg wet	11C1245	11C1245-BLK2	03/11/11 12:27
lene	<0.0445		mg/kg wet	11C1245	11C1245-BLK2	03/11/11 12:27
enes, total	<0.0950		mg/kg wet	11C1245	11C1245-BLK2	03/11/11 12:27
gate: 1,2-Dichloroethane-d4	104%			11C1245	11C1245-BLK2	03/11/11 12:27
ogate: Dibromofluoromethane	103%			11C1245	11C1245-BLK2	03/11/11 12:27
gate: Toluene-d8	106%			11C1245	11C1245-BLK2	03/11/11 12:27
ate: 4-Bromofluorobenzene	107%			11C1245	11C1245-BLK2	03/11/11 12:27
1524-BLK1						
zene	<0.00110		mg/kg wet	11C1524	11C1524-BLK1	03/09/11 12:08
benzene	<0.000980		mg/kg wet	11C1524	11C1524-BLK1	03/09/11 12:08
halene	<0.00170		mg/kg wet	11C1524	11C1524-BLK1	03/09/11 12:08
ne	<0.000890		mg/kg wet	11C1524	11C1524-BLK1	03/09/11 12:08
nes, total	< 0.00190		mg/kg wet	11C1524	11C1524-BLK1	03/09/11 12:08
gate: 1,2-Dichloroethane-d4	107%			11C1524	11C1524-BLK1	03/09/11 12:08
gate: Dibromofluoromethane	103%			11C1524	11C1524-BLK1	03/09/11 12:08
ogate: Toluene-d8	107%			11C1524	11C1524-BLK1	03/09/11 12:08
gate: 4-Bromofluorobenzene	107%			11C1524	11C1524-BLK1	03/09/11 12:08
C1524-BLK2						
izene	<0.0550		mg/kg wet	11C1524	11C1524-BLK2	03/09/11 12:39
lbenzene	<0.0490		mg/kg wet	11C1524	11C1524-BLK2	03/09/11 12:39
nthalene	<0.0850		mg/kg wet	11C1524	11C1524-BLK2	03/09/11 12:39
ene	<0.0445		mg/kg wet	11C1524	11C1524-BLK2	03/09/11 12:39
enes, total	<0.0950		mg/kg wet	11C1524	11C1524-BLK2	03/09/11 12:39
ogate: 1,2-Dichloroethane-d4	100%			11C1524	11C1524-BLK2	03/09/11 12:39
ogate: Dibromofluoromethane	102%			11C1524	11C1524-BLK2	03/09/11 12:39
ogate: Toluene-d8	107%			11C1524	11C1524-BLK2	03/09/11 12:39
gate: 4-Bromofluorobenzene	107%			11C1524	11C1524-BLK2	03/09/11 12:39

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NUC1043
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	03/05/11 08:30

PROJECT QUALITY CONTROL DATA Blank - Cont.

nalyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
olatile Organic Compounds by	EPA Method 8260B					
1C2640-BLK1						
enzene	<0.00110		mg/kg wet	11C2640	11C2640-BLK1	03/10/11 16:08
thylbenzene	<0.000980		mg/kg wet	11C2640	11C2640-BLK1	03/10/11 16:08
laphthalene	<0.00170		mg/kg wet	11C2640	11C2640-BLK1	03/10/11 16:08
oluene	<0.000890		mg/kg wet	11C2640	11C2640-BLK1	03/10/11 16:08
vlenes, total	<0.00190		mg/kg wet	11C2640	11C2640-BLK1	03/10/11 16:08
rogate: 1,2-Dichloroethane-d4	105%			11C2640	11C2640-BLK1	03/10/11 16:08
rrogate: Dibromofluoromethane	102%			11C2640	11C2640-BLK1	03/10/11 16:08
rogate: Toluene-d8	106%			11C2640	11C2640-BLK1	03/10/11 16:08
rogate: 4-Bromofluorobenzene	108%			11C2640	11C2640-BLK1	03/10/11 16:08
C2640-BLK2						
enzene	<0.0550		mg/kg wet	11C2640	11C2640-BLK2	03/10/11 16:38
hylbenzene	<0.0490		mg/kg wet	11C2640	11C2640-BLK2	03/10/11 16:38
aphthalene	<0.0850		mg/kg wet	11C2640	11C2640-BLK2	03/10/11 16:38
luene	<0.0445		mg/kg wet	11C2640	11C2640-BLK2	03/10/11 16:38
enes, total	<0.0950		mg/kg wet	11C2640	11C2640-BLK2	03/10/11 16:38
ogate: 1,2-Dichloroethane-d4	102%			11C2640	11C2640-BLK2	03/10/11 16:38
ogate: Dibromofluoromethane	102%			11C2640	11C2640-BLK2	03/10/11 16:38
ogate: Toluene-d8	107%			11C2640	11C2640-BLK2	03/10/11 16:38
gate: 4-Bromofluorobenzene	117%			11C2640	11C2640-BLK2	03/10/11 16:38
yaromatic Hydrocarbons by E	EPA 8270D					
;1488-BLK1						
naphthene	<0.0140		mg/kg wet	11C1488	11C1488-BLK1	03/07/11 19:50
naphthylene	<0.0200		mg/kg wet	11C1488	11C1488-BLK1	03/07/11 19:50
hracene	<0.00900		mg/kg wet	11C1488	11C1488-BLK1	03/07/11 19:50
zo (a) anthracene	<0.0110		mg/kg wet	11C1488	11C1488-BLK1	03/07/11 19:50
nzo (a) pyrene	<0.00800		mg/kg wet	11C1488	11C1488-BLK1	03/07/11 19:50
nzo (b) fluoranthene	<0.0380		mg/kg wet	11C1488	11C1488-BLK1	03/07/11 19:50
nzo (g,h,i) perylene	<0.00900		mg/kg wet	11C1488	11C1488-BLK1	03/07/11 19:50
nzo (k) fluoranthene	<0.0370		ing/kg wet	11C1488	11C1488-BLK1	03/07/11 19:50
rysene	<0.0310		mg/kg wet	11C1488	11C1488-BLK1	03/07/11 19:50
benz (a,h) anthracene	<0.0150		mg/kg wet	11C1488	11C1488-BLK1	03/07/11 19:50
oranthene	<0.0110		mg/kg wet	11C1488	11C1488-BLK1	03/07/11 19:50
orene	<0.0200		mg/kg wet	11C1488	11C1488-BLK1	03/07/11 19:50
leno (1,2,3-cd) pyrene	<0.0310		mg/kg wet	11C1488	11C1488-BLK1	03/07/11 19:50
phthalene	<0.0140		mg/kg wet	11C1488	11C1488-BLK1	03/07/11 19:50
enanthrene	<0.0100		mg/kg wet	11C1488	11C1488-BLK1	03/07/11 19:50
rene	<0.0230		mg/kg wet	11C1488	IIC1488-BLK1	03/07/11 19:50
Methylnaphthalene	<0.0120		mg/kg wet	11C1488	11C1488-BLK1	03/07/11 19:50
lethylnaphthalene	<0.0210		mg/kg wet	11C1488	11C1488-BLK1	03/07/11 19:50

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NUC1043
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	03/05/11 08:30

PROJECT QUALITY CONTROL DATA Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
yaromatic Hydrocarbons by	y EPA 8270D					
488-BLK1						
ate: Terphenyl-d14	68%			11C1488	11C1488-BLK1	03/07/11 19:50
ogate: 2-Fluorobiphenyl	69%			11C1488	11C1488-BLK1	03/07/11 19:50
ogate: Nitrobenzene-d5	70%			11C1488	11C1488-BLK1	03/07/11 19:50



THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NUC1043
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	03/05/11 08:30

PROJECT QUALITY CONTROL DATA Duplicate

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	% Rec.	Analyzed Date/Time
General Chemistry Parameters										
11C3120-DUP1										
% Dry Solids	76.2	76.1		%	0.06	20	11C3120	NUC1043-01		03/15/11 11:53

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NUC1043
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	03/05/11 08:30

PROJECT QUALITY CONTROL DATA

LCS

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Volatile Organic Compounds by El	PA Method 8260B							
11C1245-BS1								
Benzene	50.0	53.8		ug/kg	108%	78 - 126	11C1245	03/11/11 10:25
Ethylbenzene	50.0	56.1		ug/kg	112%	79 - 130	11C1245	03/11/11 10:25
Naphthalene	50.0	50.5		ug/kg	101%	72 - 150	11C1245	03/11/11 10:25
Toluene	50.0	55.9		ug/kg	112%	76 - 126	11C1245	03/11/11 10:25
Xylenes, total	150	164		ug/kg	109%	80 - 130	11C1245	03/11/11 10:25
Surrogate: 1,2-Dichloroethane-d4	50.0	51.8			104%	67 - 138	11C1245	03/11/11 10:25
Surrogate: Dibromofluoromethane	50.0	51.0			102%	75 - 125	11C1245	03/11/11 10:25
Surrogate: Toluene-d8	50.0	52.5			105%	76 - 129	11C1245	03/11/11 10:25
Surrogate: 4-Bromofluorobenzene	50.0	54.5			109%	67 - 147	11C1245	03/11/11 10:25
11C1524-BS1								
Benzene	50.0	53.5		ug/kg	107%	78 - 126	11C1524	03/09/11 10:3
Ethylbenzene	50.0	57.9		ug/kg	116%	79 - 130	11C1524	03/09/11 10:35
Naphthalene	50.0	50.4		ug/kg	101%	72 - 150	11C1524	03/09/11 10:35
Toluene	50.0	57.3		ug/kg	115%	76 - 126	11C1524	03/09/11 10:3
Xylenes, total	150	170		ug/kg	113%	80 - 130	11C1524	03/09/11 10:35
Surrogate: 1,2-Dichloroethane-d4	50.0	52.7			105%	67 - 138	11C1524	03/09/11 10:35
Surrogate: Dibromofluoromethane	50.0	52.4			105%	75 - 125	11C1524	03/09/11 10:35
Surrogate: Toluene-d8	50.0	52.9			106%	76 - 129	11C1524	03/09/11 10:35
Surrogate: 4-Bromofluorobenzene	50.0	52.5			105%	67 - 147	11C1524	03/09/11 10:35
11C2640-BS1								
Benzene	50.0	55.4		ug/kg	111%	78 - 126	11C2640	03/10/11 15:05
Ethylbenzene	50.0	59.3		ug/kg	119%	79 - 130	11C2640	03/10/11 15:05
Naphthalene	50.0	52.6		ug/kg	105%	72 - 150	11C2640	03/10/11 15:05
Toluene	50.0	58.7		ug/kg	117%	76 - 126	11C2640	03/10/11 15:05
Xylenes, total	150	173		ug/kg	115%	80 - 130	11C2640	03/10/11 15:05
Surrogate: 1,2-Dichloroethane-d4	50.0	51.5			103%	67 - 138	11C2640	03/10/11 15:05
Surrogate: Dibromofluoromethane	50.0	51.2			102%	75 - 125	11C2640	03/10/11 15:05
Surrogate: Toluene-d8	50.0	53.3			107%	76 - 129	11C2640	03/10/11 15:05
Surrogate: 4-Bromofluorobenzene	50.0	54.5			109%	67 - 147	11C2640	03/10/11 15:05
Polyaromatic Hydrocarbons by EP.	A 8270D							
11C1488-BS1								
Acenaphthene	1.67	1.13		mg/kg wet	68%	49 - 120	11C1488	03/07/11 20:12
Acenaphthylene	1.67	1.11		mg/kg wet	67%	52 - 120	11C1488	03/07/11 20:12
Anthracene	1.67	1.23		mg/kg wet	74%	58 - 120	11C1488	03/07/11 20:12
Benzo (a) anthracene	1.67	1.19		mg/kg wet	71%	57 - 120	11C1488	03/07/11 20:12
Benzo (a) pyrene	1.67	1.18		mg/kg wet	71%	55 - 120	11C1488	03/07/11 20:12
Benzo (b) fluoranthene	1.67	1.19		mg/kg wet	72%	51 - 123	11C1488	03/07/11 20:12
Benzo (g,h,i) perylene	1.67	1.11		mg/kg wet	67%	49 - 121	11C1488	03/07/11 20:12
Benzo (k) fluoranthene	1.67	1.18		mg/kg wet	71%	42 - 129	11C1488	03/07/11 20:12

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NUC1043
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	03/05/11 08:30

PROJECT QUALITY CONTROL DATA LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
			×				Baten	
Polyaromatic Hydrocarbons by E	PA 8270D							
11C1488-BS1								
Chrysene	1.67	1.18		mg/kg wet	71%	55 - 120	11C1488	03/07/11 20:12
Dibenz (a,h) anthracene	1.67	1.13		mg/kg wet	68%	50 - 123	11C1488	03/07/11 20:12
Fluoranthene	1.67	1.22		mg/kg wet	73%	58 - 120	11C1488	03/07/11 20:12
Fluorene	1.67	1.19		mg/kg wet	72%	54 - 120	11C1488	03/07/11 20:12
Indeno (1,2,3-cd) pyrene	1.67	1.11		mg/kg wet	67%	50 - 122	11C1488	03/07/11 20:12
Naphthalene	1.67	1.02		mg/kg wet	61%	28 - 120	11C1488	03/07/11 20:12
Phenanthrene	1.67	1.22		mg/kg wet	73%	56 - 120	11C1488	03/07/11 20:12
Pyrene	1.67	1.21		mg/kg wet	73%	56 - 120	11C1488	03/07/11 20:12
1-Methylnaphthalene	1.67	0.923		mg/kg wet	55%	36 - 120	11C1488	03/07/11 20:12
2-Methylnaphthalene	1.67	1.01		mg/kg wet	61%	36 - 120	11C1488	03/07/11 20:12
Surrogate: Terphenyl-d14	1.67	1.06			63%	18 - 120	11C1488	03/07/11 20:12
Surrogate: 2-Fluorobiphenyl	1.67	1.00			60%	14 - 120	11C1488	03/07/11 20:12
Surrogate: Nitrobenzene-d5	1.67	0.932			56%	17 - 120	11C1488	03/07/11 20:12

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NUC1043
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	03/05/11 08:30

PROJECT QUALITY CONTROL DATA Matrix Spike

			M	latrix Spik	(e					<u> </u>
Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Volatile Organic Compounds by H	EPA Method 826	0 B								
11C1245-MS1										
Benzene	0.0864	2.15		mg/kg wet	1.67	124%	42 - 141	11C1245	NUC0857-12R E1	03/11/11 19:03
Ethylbenzene	0.216	2.40		mg/kg wet	1.67	131%	21 - 165	11C1245	NUC0857-12R E1	03/11/11 19:03
Naphthalene	ND	1.89		mg/kg wet	1.67	114%	10 - 160	11C1245	NUC0857-12R E1	03/11/11 19:03
Toluene	ND	2.15		mg/kg wet	1.67	129%	45 - 145	11C1245	NUC0857-12R E1	03/11/11 19:03
Xylenes, total	ND	6.38		mg/kg wet	5.01	127%	31 - 159	11C1245	NUC0857-12R E1	03/11/11 19:03
Surrogate: 1,2-Dichloroethane-d4		49.5		ug/kg	50.0	99%	67 - 138	11C1245	NUC0857-12R E1	03/11/11 19:03
Surrogate: Dibromofluoromethane		50.5		ug/kg	50.0	101%	75 - 125	11C1245	NUC0857-12R E1	03/11/11 19:03
Surrogate: Toluene-d8		56.0		ug/kg	50.0	112%	76 - 129	11C1245	NUC0857-12R E1	03/11/11 19:03
Surrogate: 4-Bromofluorobenzene		53.3		ug/kg	50.0	107%	67 - 147	11C1245	NUC0857-12R E1	03/11/11 19:03
I1C1524-MS1										
Benzene	ND	0.0544		mg/kg wet	0.0476	114%	42 - 141	11C1524	NUC1294-03	03/11/11 20:03
Ethylbenzene	ND	0.0563		mg/kg wet	0.0476	118%	21 - 165	11C1524	NUC1294-03	03/11/11 20:03
Naphthalene	ND	0.0515		mg/kg wet	0.0476	108%	10 - 160	11C1524	NUC1294-03	03/11/11 20:03
Toluene	ND	0.0568		mg/kg wet	0.0476	119%	45 - 145	11C1524	NUC1294-03	03/11/11 20:03
Xylenes, total	ND	0,164		mg/kg wet	0.143	115%	31 - 159	11C1524	NUC1294-03	03/11/11 20:03
Surrogate: 1,2-Dichloroethane-d4		50.0		ug/kg	50.0	100%	67 - 138	11C1524	NUC1294-03	03/11/11 20:03
Surrogate: Dibromofluoromethane		50.2		ug/kg	50.0	100%	75 - 125	11C1524	NUC1294-03	03/11/11 20:03
Surrogate: Toluene-d8		52.8		ug/kg	50.0	106%	76 - 129	11C1524	NUC1294-03	03/11/11 20:03
Surrogate: 4-Bromofluorobenzene		54.8		ug/kg	50.0	110%	67 - 147	11C1524	NUC1294-03	03/11/11 20:03
11C2640-MS1		2.00			2.72	10(8/	42 141	1162(40		03/11/11 01:10
Benzene	ND	2.90		mg/kg dry	2.72	106%	42 - 141	11C2640	NUC1043-03R E1	
Ethylbenzene	0.180	3.15		mg/kg dry	2.72	109%	21 - 165	11C2640	NUC1043-03R E1	03/11/11 01:10
Naphthalene	1.38	3.92		mg/kg dry	2.72	93%	10 - 160	11C2640	NUC1043-03R E1	03/11/11 01:10
Toluene	ND	2.99		mg/kg dry	2.72	110%	45 - 145	11C2640	NUC1043-03R E1	03/11/11 01:10
Xylenes, total	ND	8.83		mg/kg dry	8.17	108%	31 - 159	11C2640	NUC1043-03R EI	03/11/11 01:10
Surrogate: 1,2-Dichloroethane-d4		50.3		ug/kg	50.0	101%	67 - 138	11C2640	NUC1043-03R El	03/11/11 01:10
Surrogate: Dibromofluoromethane		49.6		ug/kg	50.0	99%	75 - 125	11C2640	NUC1043-03R E1	03/11/11 01:10

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NUC1043
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	03/05/11 08:30

PROJECT QUALITY CONTROL DATA Matrix Spike - Cont.

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Volatile Organic Compounds by	EPA Method 826	0B								
11C2640-MS1										
Surrogate: Toluene-d8		52.7		ug/kg	50.0	105%	76 - 129	11C2640	NUC1043-03R E1	03/11/11 01:10
Surrogate: 4-Bromofluorobenzene		52.3		ug/kg	50.0	105%	67 - 147	11C2640	NUC1043-03R E1	03/11/11 01:10
Polyaromatic Hydrocarbons by	EPA 8270D									
11C1488-MS1										
Acenaphthene	1.58	2.26	M8	mg/kg dry	2.15	32%	42 - 120	11C1488	NUC1043-01	03/07/11 20:34
Acenaphthylene	ND	1.43		mg/kg dry	2.15	67%	32 - 120	11C1488	NUC1043-01	03/07/11 20:34
Anthracene	0.556	1.86		mg/kg dry	2.15	61%	10 - 200	11C1488	NUC1043-01	03/07/11 20:34
Benzo (a) anthracene	0.243	1.63		mg/kg d r y	2.15	64%	41 - 120	11C1488	NUC1043-01	03/07/11 20:34
Benzo (a) pyrene	0.0869	1.55		mg/kg dry	2.15	68%	33 - 121	11C1488	NUC1043-01	03/07/11 20:34
Benzo (b) fluoranthene	0.104	1.63		mg/kg dry	2.15	71%	26 - 137	11C1488	NUC1043-01	03/07/11 20:34
Benzo (g,h,i) perylene	ND	1.48		mg/kg dry	2.15	69%	21 - 124	11C1488	NUC1043-01	03/07/11 20:34
Benzo (k) fluoranthene	0.0993	1.48		mg/kg dry	2.15	64%	14 - 140	11C1488	NUC1043-01	03/07/11 20:34
Chrysene	0.226	1.65		mg/kg dry	2.15	66%	28 - 123	11C1488	NUC1043-01	03/07/11 20:34
Dibenz (a,h) anthracene	ND	1.49		mg/kg dry	2.15	70%	25 - 127	11C1488	NUC1043-01	03/07/11 20:34
Fluoranthene	1.06	1.99		mg/kg dry	2.15	43%	38 - 120	11C1488	NUC1043-01	03/07/11 20:34
Fluorene	2.33	2.65	M8	mg/kg dry	2.15	15%	41 - 120	11C1488	NUC1043-01	03/07/11 20:34
Indeno (1,2,3-cd) pyrene	ND	1.47		mg/kg dry	2.15	69%	25 - 123	11C1488	NUC1043-01	03/07/11 20:34
Naphthalene	4.78	3.42	M8	mg/kg dry	2.15	-64%	25 - 120	11C1488	NUC1043-01	03/07/11 20:34
Phenanthrene	5.19	3.91	M8	mg/kg dry	2.15	-60%	37 - 120	11C1488	NUC1043-01	03/07/11 20:34
Pyrene	0.802	1.76		mg/kg dry	2.15	45%	29 - 125	11C1488	NUC1043-01	03/07/11 20:34
1-Methylnaphthalene	8.70	5.41	M8	mg/kg dry	2.15	-153%	19 - 120	11C1488	NUC1043-01	03/07/11 20:34
2-Methylnaphthalene	12.6	7.67	M8	mg/kg dry	2.15	-231%	11 - 120	11C1488	NUC1043-01	03/07/11 20:34
Surrogate: Terphenyl-d14		1.26		mg/kg dry	2.15	59%	18 - 120	11C1488	NUC1043-01	03/07/11 20:34
Surrogate: 2-Fluorobiphenyl		1.25		mg/kg dry	2.15	58%	14 - 120	11C1488	NUC1043-01	03/07/11 20:34
Surrogate: Nitrobenzene-d5		1.25		mg/kg dry	2.15	58%	17 - 120	11C1488	NUC1043-01	03/07/11 20:34

THE LEADER IN ENVIRONMENTAL TESTING

Client EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456

Attn Tom McElwee

Work Order:	NUC1043
Project Name:	Laurel Bay Housing Project
Project Number:	[none]
Received:	03/05/11 08:30

PROJECT QUALITY CONTROL DATA Matrix Spike Dup

			Matrix Sp	ike Duj)						
Analyte	Orig. Val.	Duplicate Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Volatile Organic Compounds by	EPA Method 8	8260B									
11C1245-MSD1											
Benzene	0.0864	1.99	mg/kg wet	1.67	114%	42 - 141	8	50	11C1245	NUC0857-12R E1	03/11/11 19:33
Ethylbenzene	0.216	2.20	mg/kg wet	1.67	119%	21 - 165	8	50	11C1245	NUC0857-12R E1	03/11/11 19:33
Naphthalene	ND	1.84	mg/kg wet	1.67	110%	10 - 160	3	50	11C1245	NUC0857-12R E1	03/11/11 19:33
Toluene	ND	1.96	mg/kg wet	1.67	117%	45 - 145	9	50	11C1245	NUC0857-12R E1	03/11/11 19:33
Xylenes, total	ND	5.83	mg/kg wet	5.01	117%	31 - 159	9	50	11C1245	NUC0857-12R E1	03/11/11 19:33
Surrogate: 1,2-Dichloroethane-d4		50.1	ug/kg	50.0	100%	67 - 138			11C1245	NUC0857-12R E1	03/11/11 19:33
Surrogate: Dibromofluoromethane		50.2	ug/kg	50.0	100%	75 - 125			11C1245	NUC0857-12R E1	03/11/11 19:33
Surrogate: Toluene-d8		55.7	ug/kg	50.0	111%	76 - 129			11C1245	NUC0857-12R E1	03/11/11 19:33
Surrogate: 4-Bromofluorobenzene		54.1	ug/kg	50.0	108%	67 - 147			11C1245	NUC0857-12R E1	03/11/11 19:33
11C1524-MSD1											
Benzene	ND	0.0556	mg/kg wet	0.0481	116%	42 - 141	2	50	11C1524	NUC1294-03	03/11/11 20:33
Ethylbenzene	ND	0.0564	mg/kg wet	0.0481	117%	21 - 165	0.2	50	11C1524	NUC1294-03	03/11/11 20:33
Naphthalene	ND	0.0502	mg/kg wet	0.0481	104%	10 - 160	3	50	11C1524	NUC1294-03	03/11/11 20:33
Toluene	ND	0.0565	mg/kg wet	0.0481	118%	45 - 145	0.5	50	11C1524	NUC1294-03	03/11/11 20:33
Xylenes, total	ND	0.164	mg/kg wet	0.144	113%	31 - 159	0.2	50	11C1524	NUC1294-03	03/11/11 20:33
Surrogate: 1,2-Dichloroethane-d4		51.2	ug/kg	50.0	102%	67 - 138			11C1524	NUC1294-03	03/11/11 20:33
Surrogate: Dibromofluoromethane		51.4	ug/kg	50.0	103%	75 - 125			11C1524	NUC1294-03	03/11/11 20:33
Surrogate: Toluene-d8		52.6	ug/kg	50.0	105%	76 - 129			11C1524	NUC1294-03	03/11/11 20:33
Surrogate: 4-Bromofluorobenzene		54.8	ug/kg	50.0	110%	67 - 147			11C1524	NUC1294-03	03/11/11 20:33
11C2640-MSD1											
Benzene	ND	2.87	mg/kg dry	2.72	105%	42 - 141	0.9	50	11C2640	NUC1043-03R E1	03/11/11 01:40
Ethylbenzene	0.180	3.03	mg/kg dry	2.72	105%	21 - 165	4	50	11C2640	NUC1043-03R E1	03/11/11 01:40
Naphthalene	1.38	4.25	mg/kg dry	2.72	105%	10 - 160	8	50	11C2640	NUC1043-03R E1	03/11/11 01:40
Toluene	ND	2.88	mg/kg dry	2.72	106%	45 - 145	4	50	11C2640	NUC1043-03R E1	03/11/11 01:40
Xylenes, total	ND	8.53	mg/kg dry	8.17	104%	31 - 159	3	50	11C2640	NUC1043-03R E1	03/11/11 01:40
Surrogate: 1,2-Dichloroethane-d4		50.9	ug/kg	50.0	102%	67 - 138			11C2640	NUC1043-03R E1	03/11/11 01:40
Surrogate: Dibromofluoromethane		50.2	ug/kg	50.0	100%	75 - 125			11C2640	NUC1043-03R E1	03/11/11 01:40
Surrogate: Toluene-d8		52.8	ug/kg	50.0	106%	76 - 129			11C2640	NUC1043-03R E1	03/11/11 01:40
Surrogate: 4-Bromofluorobenzene		54.1	ug/kg	50.0	108%	67 - 147			11C2640	NUC1043-03R E1	03/11/11 01:40

THE LEADER IN ENVIRONMENTAL TESTING

 Client
 EEG - Small Business Group, Inc. (2449)
 Work Order:
 NUC1043

 10179 Highway 78
 Project Name:
 Laurel Bay Housing Project

 Ladson, SC 29456
 Project Number:
 [none]

 Attm
 Tom McElwee
 Received:
 03/05/11 08:30

PROJECT QUALITY CONTROL DATA

Matrix Spike Dup - Cont.

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Volatile Organic Compounds b	oy EPA Method 8	3260B										
Polyaromatic Hydrocarbons by	y EPA 82 70D											
11C1488-MSD1												
Acenaphthene	1.58	2.59		mg/kg dry	2.18	46%	42 - 120	13	40	11C1488	NUC1043-01	03/07/11 20:5
Acenaphthylene	ND	1.48		mg/kg dry	2.18	68%	32 - 120	3	30	11C1488	NUC1043-01	03/07/11 20:5
Anthracene	0.556	2.18		mg/kg dry	2.18	74%	10 - 200	15	50	11C1488	NUC1043-01	03/07/11 20:5
Benzo (a) anthracene	0.243	1.77		mg/kg dry	2.18	70%	41 - 120	8	30	11C1488	NUC1043-01	03/07/11 20:5
Benzo (a) pyrene	0.0869	1.68		mg/kg dry	2.18	73%	33 - 121	9	33	11C1488	NUC1043-01	03/07/11 20:5
Benzo (b) fluoranthene	0.104	1.73		mg/kg dry	2.18	74%	26 - 137	6	42	11C1488	NUC1043-01	03/07/11 20:5
Benzo (g,h,i) perylene	ND	1.57		mg/kg dry	2.18	72%	21 - 124	6	32	11C1488	NUC1043-01	03/07/11 20:5
Benzo (k) fluoranthene	0.0993	1.70		mg/kg dry	2.18	73%	14 - 140	14	39	11C1488	NUC1043-01	03/07/11 20:5
Chrysene	0.226	1.80		mg/kg dry	2.18	72%	28 - 123	9	34	11C1488	NUC1043-01	03/07/11 20:5
Dibenz (a,h) anthracene	ND	1.60		mg/kg dry	2.18	73%	25 - 127	7	31	11C1488	NUC1043-01	03/07/11 20:5
Fluoranthene	1.06	2.26		mg/kg dry	2.18	55%	38 - 120	13	35	11C1488	NUC1043-01	03/07/11 20:5
Fluorene	2.33	2.99	M8	mg/kg dry	2.18	31%	41 - 120	12	37	11C1488	NUC1043-01	03/07/11 20:5
Indeno (1,2,3-cd) pyrene	ND	1.59		mg/kg dry	2.18	73%	25 - 123	7	32	I IC1488	NUC1043-01	03/07/11 20:5
Naphthalene	4.78	4.16	M8	mg/kg dry	2.18	-29%	25 - 120	20	42	11C1488	NUC1043-01	03/07/11 20:5
Phenanthrene	5.19	5.08	M8	mg/kg dry	2.18	-5%	37 - 120	26	32	11C1488	NUC1043-01	03/07/11 20:5
Pyrene	0.802	2.00		mg/kg dry	2.18	55%	29 - 125	13	40	11C1488	NUC1043-01	03/07/11 20:5
1-Methylnaphthalene	8.70	6.67	M8	mg/kg dry	2.18	-93%	19 - 120	21	45	11C1488	NUC1043-01	03/07/11 20:5
2-Methylnaphthalene	12.6	9.19	M8	mg/kg dry	2.18	-158%	11 - 120	18	50	11C1488	NUC1043-01	03/07/11 20:5
Surrogate: Terphenyl-d14		1.34		mg/kg dry	2.18	62%	18 - 120			11C1488	NUC1043-01	03/07/11 20:5
Surrogate: 2-Fluorobiphenyl		1.29		mg/kg dry	2.18	59%	14 - 120			11C1488	NUC1043-01	03/07/11 20:5
Surrogate: Nitrobenzene-d5		1.38		mg/kg dry	2.18	63%	17 - 120			11C1488	NUC1043-01	03/07/11 20:5



THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Nashville

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NUC1043
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	03/05/11 08:30

CERTIFICATION SUMMARY

Method	Matrix	AIHA	Nelac	South Carolina
SW846 8260B	Soil	N/A	x	Х
SW846 8270D	Soil		х	Х
SW-846	Soil			

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NUC1043
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	03/05/11 08:30

DATA QUALIFIERS AND DEFINITIONS

- E Concentration exceeds the calibration range and therefore result is semi-quantitative.
- J Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.
- M8 The MS and/or MSD were below the acceptance limits. See Blank Spike (LCS).
- ZX Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.
- ND Not detected at the reporting limit (or method detection limit if shown)

METHOD MODIFICATION NOTES

03/21/11	23:59																														
	L TESTING	2960 Fos Nashville	ter Cre	ighto	n			Т	oll F	one: Tee: Fax:	800	0-76	5-09	80							meth		this wo urpose	nk bein s?	ig cond	analytic lucted f	or		Yes		No
	10179 Highway															_	-							•		t Action	-		Yes		No
	Ladson, SC 29			_													_		Site	e State	: SC										
Project Manager:			vee®ee	eainc.r	net															PO		10	22	5							
Telephone Number:						F	ax No	<u>.: (</u>	8	43	T	8	70	7-	0	40	51			uote #	·										
Sampier Name: (Print)		2AH	5	hp				··· _	جلد		/-						_				: Laure	l Bav H	lousing		ct						
Sampler Signature:		SOL	Ű	<u>, , , , , , , , , , , , , , , , , , , </u>					_		•									oject #											
		1 400	1			_		-	Pres	ervati	ve		ম		-	Matr	ix		T	-,			A	nalyze	For:		—			=7	
Sample 10 / Description 264 Berch 224 Cypress IIS BANYAN	2/28/11 3/1/11 3/2/11	1615 1615 1615	G C No. of Containers Shipped	XXX Grab	Composite	Field Filtered	8	K 3 X MCI (Red Label)	NaOH (Orange Label)	(Inde)	H2SO4 Glass(Yellow Label)		Other (Specify ME - HAL	Groundwatter		o Water		Other (specify):													RUSH TAT (Pre-Schedule)
		<u> </u>					\square	+-	┢	+	\square				-+	+	-+-	+		+				+-	+		₽	ᆃ	+	\exists	
Special Instructions: Relinquished by	3/4/ Date	//	Tir 09	00	/	ived b	r d		X	ipme	nt:					 Date	B	EDE	X Tin Tin		Labo		eratur	e Upor	Recei		_				Y
		-				200	t	_		2	-	>			3		-11	12	~	30											

NUC1043

ATTACHMENT A

ICAS, BEAUFORT AUREL BAY HOUSING EAUFORT, SC 29907 Generator's Phone 843-228-6461	tor's Site Address (If	different than r	a report				36	
EAUFORT, SC 29907 Generator's Phone 843-228-6461 Transporter 1 Company Name			nailing):	1.2010/04/04/04/04	st Number	00316	807	Rei
Transporter 1 Company Name					B. State (Generator's	ID	
G. INC.	5. US EPA	ID Number	No.	Contract	A STREET	101 20	Serie I	1.5.18
	And And And			Course of the second	ransporter's II	and the second second	3 B.	i luit
		D Number		D. Transp	orter's Phone	843-8	379-041	11
			1. 4.	and the second state of the second	ransporter's II orter's Phone)		110
	LO. US EPA	ID Number	- Aller	MS(Hand)		STOR -		
CKORY HILL LANDFILL				G. State F		942 0	87-464	12
DGELAND, SC 29936	TELEVILLE AND	N. CONTRACT	Wields	H. State F	acility Phone	843-9	87-404	-3
. Description of Waste Materials		12. C	ontainers Type	13. Total Quantity	14. Unit Wt./Vol.	L.M	lisc. Comme	ents
HEATING OIL TANKS FILLED WITH SAND	State of the	140.	Type	1 42 E				
		interil in	204	10.97		1 march 2	inter al	-
WM Profile # 102655SC	and the second	A State of the	1	L'AL AL	Part Contraction		164	-
		1444	1-39	1.2.2	Star News	1999		
WM Profile #		TANKS ST	-	a la strate	PRESS LINES	12 12 12 12 12 12 12 12 12 12 12 12 12 1	14:00 20	100
WM Profile #	1						APPRIDE Second and and	SUR.
WM Profile #		denik p./o	1 12 12 12		the second and	-	-	Cierto
Additional Descriptions for Materials Listed Above	m v / 5 - 1 - 1	K. Dispo	sal Location			1		70
		Cell		1.43		Level		
Special Handling Instructions and Additional Information	BEECH- BRECH- EMERGENCY CC		-11-2	2 Bir	ech 6) ech	2.24 21	Sype	ES
curately described, classified and packaged and are in proper on nted Name	condition for transpo Signature "On beha		ording to ap	plicable regul	ations.	Month	Day	TY
harles H. Herron	Signature On ben	us 7	1.1	eno	_	02	28	1
Transporter 1 Acknowledgement of Receipt of Materials		1					-	
James Baldwin	Signature	Lo E	Sola	111		Month	Day	Y
. Transporter 2 Acknowledgement of Receipt of Materials	Unarre				Re was		-	
Printed Name	Signature	SL. T				Month	Day	Y
Certificate of Final Treatment/Disposal								
ertify, on behalf of the above listed treatment facility, that to t plicable laws, regulations, permits and licenses on the dates li	AND ENGLISH COMPANY OF LOW TAXABLE NOTION.	ledge, the a	bove-descri	bed waste w	as managed ir	complianc	e with al	15
. Facility Owner or Operator: Certification of receipt of non-h		covered by t	his manifes	t. K 🦷				
Printed Name Towi Co Gield	Signature)	1 -1	Case of	ALL A	Month	Day	Y

Appendix C Laboratory Analytical Report - Groundwater



Volatile Organic Compounds by GC/MS

Client: AECOM - Resolut Description: BEALB224TW01V Date Sampled:11/05/2015 1420 Date Received: 11/06/2015							Laboratory IE Matrix)∶QK05015 ∷ Aqueous			
Run Prep Method 1 5030B	Analytical Method 8260B	Dilution 1		is Date Analyst D15 1357 ALL	Prep	Date	Batch 89321				
Parameter			CAS mber	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Rur
Benzene		71-	-43-2	8260B	0.45	U	5.0	0.45	0.21	ug/L	1
Ethylbenzene		100-	-41-4	8260B	0.51	U	5.0	0.51	0.21	ug/L	1
Naphthalene		91·	-20-3	8260B	0.22	J	5.0	0.96	0.14	ug/L	1
Toluene		108-	-88-3	8260B	0.48	U	5.0	0.48	0.24	ug/L	1
Xylenes (total)		1330-	-20-7	8260B	0.57	U	5.0	0.57	0.32	ug/L	1
Surrogate	Q %	Run 1 Recovery	Acceptar Limi								
Bromofluorobenzene		91	75-12	0							
1,2-Dichloroethane-d4		96	70-12	0							
Toluene-d8		95	85-12	0							

85-115

99

PQL = Practical quantitation limitB = Detected in the method blankE = Quantitation of compound exceeded the calibration rangeH = Out of holding timeQ = Surrogate failureND = Not detected at or above the MDLJ = Estimated result < PQL and \geq MDLP = The RPD between two GC columns exceeds 40%N = Recovery is out of criteriaL = LCS/LCSD failureWhere applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"S = MS/MSD failureS = MS/MSD failure

Shealy Environmental Services, Inc.106 Vantage Point DriveWest Columbia, SC 29172(803) 791-9700Fax (803) 791-9111www.shealylab.com

Dibromofluoromethane

Semivolatile Organic Compounds by GC/MS (SIM)

Client: AECOM - Resolution Consultants

Description: BEALB224TW01WG20151105

Laboratory ID: QK05015-009

Date Sampled:11/05/2015 1420

Matrix: Aqueous

RunPrep Method13520C	Analytical Method Diluti 8270D (SIM) 1		ysis Date Analyst //2015 1902 RBH	Prep 11/10/2		Batch 44 89221				
Parameter		CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzo(a)anthracene		56-55-3	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(b)fluoranthene	2	05-99-2	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(k)fluoranthene	2	07-08-9	8270D (SIM)	0.040	U	0.20	0.040	0.024	ug/L	1
Chrysene	2	18-01-9	8270D (SIM)	0.040	U	0.20	0.040	0.021	ug/L	1
Dibenzo(a,h)anthracene		53-70-3	8270D (SIM)	0.080	U	0.20	0.080	0.040	ug/L	1
Surrogate	Run 1 Q % Recove	Accep ery Li	tance mits							
2-Methylnaphthalene-d10	73	15-	139							
Fluoranthene-d10	89	23-	154							

PQL = Practical quantitation limitB = Detected in the method blankE = Quantitation of compound exceeded the calibration rangeH = Out of holding timeQ = Surrogate failureND = Not detected at or above the MDLJ = Estimated result < PQL and \geq MDLP = The RPD between two GC columns exceeds 40%N = Recovery is out of criteriaL = LCS/LCSD failureWhere applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"S = MS/MSD failure

Shealy Environmental Services, Inc.106 Vantage Point DriveWest Columbia, SC 29172(803) 791-9700Fax (803) 791-9111www.shealylab.com

Appendix D Regulatory Correspondence





Catherine E. Heigel, Director Promoting and protecting the health of the public and the environment

July 1, 2015

Commanding Officer Attention: NREAO Mr. William A. Drawdy United State Marine Corps Air Station Post Office Box 55001 Beaufort, SC 29904-5001

RE: IGWA Laurel Bay Underground Storage Tank Assessment Reports for: See attached sheet

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the referenced Underground Storage Tank Assessment Reports for the addresses listed above. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 <u>et seq.</u>, as amended).

The Department has reviewed the referenced assessment reports. The submitted analytical results indicate that petroleum constituents are above established Risk-Based Screening Levels and additional investigation is warranted. Specifically, the Department requests that a groundwater sampling proposal be generated to determine if there has been an impact to groundwater at this site.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at kriegkm@dhec.sc.gov or 803-898-0255.

Sincerely,

that M. They

Kent Krieg Department of Defense Corrective Action Section Bureau of Land and Waste Management South Carolina Department of Health and Environmental Control

Cc: Russell Berry (via email) Craig Ehde (via email) Bryan Beck (via email)



Catherine E. Heigel, Director

Promoting and protecting the health of the public and the environment

Attachment to:

Krieg to Drawdy Subject: IGWA Dated 7/1/2015

Laurel Bay Underground Storage Tank Assessment Reports for: (97 addresses/110 tanks)

118 Banyan	343 Ash Tank 2
126 Banyan	344 Ash Tank 2
127 Banyan	347 Ash Tank 2
130 Banyan Tank 1	378 Aspen Tank 2
141 Laurel Bay	379 Aspen
151 Laurel Bay	382 Aspen Tank 1
224 Cypress	382 Aspen Tank 2
227 Cypress	394 Acorn Tank 2
256 Beech Tank 2	400 Elderberry
257 Beech Tank 1	432 Elderberry
257 Beech Tank 2	436 Elderberry
264 Beech	473 Dogwood Tank 2
265 Beech Tank 2	482 Laurel Bay
265 Beech Tank 3	517 Laurel Bay
275 Birch	586 Aster
277 Birch Tank 1	632 Dahlia
285 Birch	639 Dahlia Tank 2
292 Birch Tank 3	643 Dahlia Tank 1
297 Birch	644 Dahlia Tank 1
301 Ash	644 Dahlia Tank 2
306 Ash	646 Dahlia Tank 1
310 Ash Tank 1	646 Dahlia Tank 2
313 Ash	665 Camellia
315 Ash Tank 2	699 Abelia
316 Ash	744 Blue Bell
319 Ash	745 Blue Bell Tank 1
320 Ash	747 Blue Bell Tank 1
321 Ash	747 Blue Bell Tank 2
329 Ash	747 Blue Bell Tank 3
330 Ash Tank 2	749 Blue Bell Tank 1
331 Ash	749 Blue Bell Tank 2
332 Ash	751 Blue Bell
333 Ash	762 Althea
335 Ash Tank 1	765 Althea Tank 2
335 Ash Tank 2	766 Althea Tank 4
341 Ash	767 Althea Tank 1
342 Ash Tank 1	768 Althea Tank 2
342 Ash Tank 2	768 Althea Tank 3

Laurel Bay Underground Storage Tank Assessment Reports for: (98 addresses/110 tanks) cont.

768 Althea Tank 4	1067 Gardenia
769 Althea Tank 1	1077 Heather
769 Althea Tank 2	1081 Heather
775 Althea	1101 Iris Tank 2
819 Azalea	1104 Iris
840 Azalea	1105 Iris Tank 2
878 Cobia	1124 Iris Tank 2
891 Cobia	1142 Iris Tank 2
913 Barracuda	1146 Iris Tank 2
916 Barracuda	1218 Cardinal
923 Albacore	1240 Dove
1004 Bobwhite	1266 Dove
1022 Foxglove	1292 Eagle
1031 Foxglove	1299 Eagle Tank 1
1034 Foxglove Tank 2	1302 Eagle
1061 Gardenia Tank 3	1336 Albatross
1064 Gardenia	1351 Cardinal



Catherine E. Heigel, Director Promoting and protecting the health of the public and the environment

> Division of Waste Management Bureau of Land and Waste Management

June 8, 2016

Commanding Officer Attention: NREAO Mr. William A. Drawdy United State Marine Corps Air Station Post Office Box 55001 Beaufort, SC 29904-5001

RE: Approval and Concurrence with Draft Final Initial Groundwater Investigation Report-November and December 2015 Laurel Bay Military Housing Area Multiple Properties Dated April 2015

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received groundwater data in the above referenced Groundwater Investigation Report for the attached addresses on May 2, 2016. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

Per the Department's request, groundwater samples were collected from the attached referenced addresses. The Department reviewed the groundwater data and previous investigations and it agrees with the conclusions and recommendations included in the document. To further assess the impact to groundwater, permanent wells should be installed at the 15 stated addresses. For the remaining 80 addresses, there is no indication of contamination on the property and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at petruslb@dhec.sc.gov or 803-898-0294.

Sincerely,

LISTS

Laurel Petrus RCRA Federal Facilities Section

Attachment: Specific Property Recommendations

Cc: Russell Berry, EQC Region 8 (via email) Shawn Dolan, Resolution Consultants (via email) Bryan Beck, NAVFAC MIDATLANTIC (via email) Craig Ehde (via email) Attachment to: Petrus to Drawdy

Subject: Draft Final Initial Groundwater Investigation Report-November and December 2015 Specific Property Recommendations Dated June 8, 2016

Draft Final Initial Groundwater Investigation Report for (95 addresses)

Permanent Mon	itoring Well Investigation recommendation (15 addresses)
130 Banyan Drive	473 Dogwood Drive
256 Beech Street	747 Blue Bell Lane
285 Birch Drive	749 Blue Bell Lane
292 Birch Drive	775 Althea Street
330 Ash Street	1034 Foxglove Street
331 Ash Street	1104 Iris Lane
335 Ash Street	1124 Iris Lane
342 Ash Street	

118 Banyan Drive	644 Dahlia Drive	
126 Banyan Drive	646 Dahlia Drive	
127 Banyan Drive	665 Camellia Drive	
141 Laurel Bay Blvd	699 Abelia Street	
151 Laurel Bay Blvd	744 Blue Bell Lane	10
224 Cypress Street	745 Blue Bell Lane	
227 Cypress Street	751 Blue Bell Lane	
257 Beech Street	762 Althea Street	
264 Beech Street	765 Althea Street	
265 Beech Street	766 Althea Street	
275 Birch Drive	767 Althea Street	
277 Birch Drive	768 Althea Street	
297 Birch Drive	769 Althea Street	
301 Ash Street	819 Azalea Drive	
306 Ash Street	840 Azalea Drive	
310 Ash Street	878 Cobia Drive	
313 Ash Street	891 Cobia Drive	
315 Ash Street	913 Barracuda Drive	
316 Ash Street	916 Barracuda Drive	
319 Ash Street	923 Wren Lane	
320 Ash Street	1004 Bobwhite Drive	
321 Ash Street	1022 Foxglove Street	
329 Ash Street	1031 Foxglove Street	
332 Ash Street	1061 Gardenia Drive	
333 Ash Street	1064 Gardenia Drive	
341 Ash Street	1067 Gardenia Drive	
347 Ash Street	1077 Heather Street	
378 Aspen Street	1081 Heather Street	
379 Aspen Street	1101 Iris Lane	
382 Aspen Street	1105 Iris Lane	
394 Acorn Street	1142 Iris Lane	
400 Elderberry Drive	1146 Iris Lane	
432 Elderberry Drive	1218 Cardinal Lane	
436 Elderberry Drive	1240 Dove Lane	
482 Laurel Bay Blvd	1266 Dove Lane	
517 Laurel Bay Blvd	1292 Eagle Lane	
586 Aster Street	1299 Eagle Lane	
632 Dahlia Drive	1302 Eagle Lane	
639 Dahlia Drive	1336 Albatross Drive	
643 Dahlia Drive	1351 Cardinal Lane	

Attachment to: Petrus to Drawdy Subject: Draft Final Initial Groundwater Investigation Report-November and December 2015 Specific Property Recommendations Dated June 8, 2016, Page 2