

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	418	105	Right wall	7398845	ATD	Radonova	06/10/2021	05/11/2022	0.4
MCAS Beaufort	418	105	Right wall	9337346	ATD	Radonova	06/10/2021	05/11/2022	0.4
MCAS Beaufort	418	107	Right wall	7415284	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	107	Right wall	8320038	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	108	On wall	4482386	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	418	108	On wall	7610637	ATD	Radonova	06/10/2021	05/11/2022	0.3
MCAS Beaufort	418	109	Right wall	5416862	ATD	Radonova	06/10/2021	05/11/2022	0.5
MCAS Beaufort	418	109	Right wall	8159386	ATD	Radonova	06/10/2021	05/11/2022	0.5
MCAS Beaufort	418	110	Right wall	6784565	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	418	110	Right wall	9630104	ATD	Radonova	06/10/2021	05/11/2022	0.3
MCAS Beaufort	418	111	Left wall	3876257	ATD	Radonova	06/10/2021	05/11/2022	0.4
MCAS Beaufort	418	111	Left wall	4150074	ATD	Radonova	06/10/2021	05/11/2022	0.3
MCAS Beaufort	418	112	Right wall	3899390	ATD	Radonova	06/10/2021	05/11/2022	0.3
MCAS Beaufort	418	112	Right wall	4013751	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	113	Right wall	1703545	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	113	Right wall	4102125	ATD	Radonova	06/10/2021	05/11/2022	0.4
MCAS Beaufort	418	114	Right wall	1347947	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	418	114	Right wall	4923785	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	418	115	Left wall	6607261	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	418	115	Left wall	9391285	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	116	Right wall	1616804	ATD	Radonova	06/10/2021	05/11/2022	0.3
MCAS Beaufort	418	116	Right wall	5028667	ATD	Radonova	06/10/2021	05/11/2022	0.3
MCAS Beaufort	418	117	Right wall	3338506	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	418	117	Right wall	9919382	ATD	Radonova	06/10/2021	05/11/2022	0.3
MCAS Beaufort	418	120	Left wall	1259464	ATD	Radonova	06/11/2021	05/11/2022	0.6
MCAS Beaufort	418	120	Left wall	5971254	ATD	Radonova	06/11/2021	05/11/2022	0.6
MCAS Beaufort	418	121	On wall	6441877	ATD	Radonova	06/11/2021	05/11/2022	0.6
MCAS Beaufort	418	121	On wall	7620354	ATD	Radonova	06/11/2021	05/11/2022	0.5
MCAS Beaufort	418	122	On Column	2764843	ATD	Radonova	06/11/2021	05/11/2022	0.7
MCAS Beaufort	418	122	On Column	5275060	ATD	Radonova	06/11/2021	05/11/2022	0.8
MCAS Beaufort	418	123	Right wall	5639935	ATD	Radonova	06/10/2021	05/11/2022	0.6
MCAS Beaufort	418	123	Right wall	7942840	ATD	Radonova	06/10/2021	05/11/2022	0.6
MCAS Beaufort	418	125	Right wall	6374748	ATD	Radonova	06/10/2021	05/11/2022	0.7

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	418	125	Right wall	9913443	ATD	Radonova	06/10/2021	05/11/2022	0.7
MCAS Beaufort	418	126	Right wall	1308188	ATD	Radonova	06/11/2021	05/20/2022	0.8
MCAS Beaufort	418	126	Right wall	3682002	ATD	Radonova	06/11/2021	05/20/2022	0.8
MCAS Beaufort	418	127	On Column	1830249	ATD	Radonova	06/11/2021	05/11/2022	0.7
MCAS Beaufort	418	127	On Column	8102550	ATD	Radonova	06/11/2021	05/11/2022	0.7
MCAS Beaufort	418	128	Right wall	3611084	ATD	Radonova	06/10/2021	05/11/2022	0.8
MCAS Beaufort	418	128	Right wall	7776891	ATD	Radonova	06/10/2021	05/11/2022	0.7
MCAS Beaufort	418	129	Right wall	1219823	ATD	Radonova	06/10/2021	05/11/2022	0.8
MCAS Beaufort	418	129	Right wall	9055245	ATD	Radonova	06/10/2021	05/11/2022	0.6
MCAS Beaufort	418	130	Right wall	1067644	ATD	Radonova	06/10/2021	05/11/2022	0.6
MCAS Beaufort	418	130	Right wall	9210279	ATD	Radonova	06/10/2021	05/11/2022	0.5
MCAS Beaufort	418	131	Left wall	1388222	ATD	Radonova	06/10/2021	05/20/2022	0.7
MCAS Beaufort	418	131	Left wall	6696496	ATD	Radonova	06/10/2021	05/20/2022	0.8
MCAS Beaufort	418	132	Left wall	4879896	ATD	Radonova	06/10/2021	05/11/2022	0.6
MCAS Beaufort	418	132	Left wall	7524135	ATD	Radonova	06/10/2021	05/11/2022	0.7
MCAS Beaufort	418	133	Left wall	1915198	ATD	Radonova	06/10/2021	05/11/2022	0.6
MCAS Beaufort	418	133	Left wall	2995041	ATD	Radonova	06/10/2021	05/11/2022	0.7
MCAS Beaufort	418	134	Left wall	1397876	ATD	Radonova	06/10/2021	05/11/2022	0.6
MCAS Beaufort	418	134	Left wall	1535160	ATD	Radonova	06/10/2021	05/11/2022	0.7
MCAS Beaufort	418	135	Behind/Next to TV	1333913	ATD	Radonova	06/10/2021	05/11/2022	0.7
MCAS Beaufort	418	135	Behind/Next to TV	2752699	ATD	Radonova	06/10/2021	05/11/2022	0.6
MCAS Beaufort	418	138	Central Column	1963511	ATD	Radonova	06/10/2021	05/11/2022	0.6
MCAS Beaufort	418	138	Central Column	5144209	ATD	Radonova	06/10/2021	05/11/2022	0.6
MCAS Beaufort	418	139	Left wall	2941870	ATD	Radonova	06/10/2021	05/11/2022	0.6
MCAS Beaufort	418	139	Left wall	5445879	ATD	Radonova	06/10/2021	05/11/2022	0.6
MCAS Beaufort	418	149	Right wall	1175710	ATD	Radonova	06/10/2021	05/11/2022	0.6
MCAS Beaufort	418	149	Right wall	3780608	ATD	Radonova	06/10/2021	05/11/2022	0.7
MCAS Beaufort	418	150	Right wall	6094742	ATD	Radonova	06/10/2021	05/11/2022	0.8
MCAS Beaufort	418	150	Right wall	6302624	ATD	Radonova	06/10/2021	05/11/2022	0.7
MCAS Beaufort	418	151	Left wall	5716972	ATD	Radonova	06/11/2021	05/11/2022	0.7
MCAS Beaufort	418	151	Left wall	9536970	ATD	Radonova	06/11/2021	05/11/2022	0.8
MCAS Beaufort	418	152	Left wall	3481744	ATD	Radonova	06/11/2021	05/11/2022	0.7
MCAS Beaufort	418	152	Left wall	8029654	ATD	Radonova	06/11/2021	05/11/2022	0.7

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	418	153	Right wall	4732517	ATD	Radonova	06/11/2021	05/11/2022	0.7
MCAS Beaufort	418	153	Right wall	9647892	ATD	Radonova	06/11/2021	05/11/2022	0.7
MCAS Beaufort	418	Bay	On Column	2974715	ATD	Radonova	06/11/2021		
MCAS Beaufort	418	Bay	On Column	5894332	ATD	Radonova	06/11/2021		
MCAS Beaufort	418	Bay	On Column	5233994	ATD	Radonova	06/11/2021	05/11/2022	< 0.2
MCAS Beaufort	418	Bay	On Column	6386619	ATD	Radonova	06/11/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S104	Left wall	2184612	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	418	S104	Left wall	9084187	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	418	S106	On wall	4513016	ATD	Radonova	06/10/2021		
MCAS Beaufort	418	S106	On wall	5620307	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	418	S109	Left wall	1364140	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S109	Left wall	9491994	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	418	S110	Right wall	2475002	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S110	Right wall	9469727	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	418	S111	Right wall	3273760	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S111	Right wall	4286902	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S112	Left wall	3008562	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	418	S112	Left wall	5369590	ATD	Radonova	06/10/2021	05/11/2022	0.3
MCAS Beaufort	418	S113	Left wall	2424893	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	418	S113	Left wall	2861243	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	418	S116	Left wall	1794130	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S116	Left wall	7424955	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S117	Behind/Next to TV	2707420	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	418	S117	Behind/Next to TV	7182884	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	418	S118	Left wall	4622544	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S118	Left wall	5299094	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S119	Left wall	6911887	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S119	Left wall	7537392	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S120	On wall	5207451	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S120	On wall	5516646	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S122	Right wall	5670229	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S122	Right wall	6540074	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S123	On wall	5179858	ATD	Radonova	06/10/2021	05/11/2022	< 0.2

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	418	S123	On wall	9577818	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S124	Left wall	9183930	ATD	Radonova	06/10/2021		
MCAS Beaufort	418	S124	Left wall	1478007	ATD	Radonova	06/10/2021	05/11/2022	N/A
MCAS Beaufort	418	S125	Left wall	2200178	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S125	Left wall	7431265	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S125A	Left wall	3217825	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S125A	Left wall	4947941	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	418	S126	Right wall	1704865	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S126	Right wall	7713498	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S128	Right wall	5150271	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S128	Right wall	6139943	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	418	S129	Right wall	3482759	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	418	S129	Right wall	9390923	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	429	100	Left wall	2926871	ATD	Radonova	06/08/2021	05/16/2022	0.5
MCAS Beaufort	429	100	Left wall	3606555	ATD	Radonova	06/08/2021	05/16/2022	0.5
MCAS Beaufort	429	108	Left wall	2366102	ATD	Radonova	06/08/2021	05/16/2022	0.4
MCAS Beaufort	429	108	Left wall	7492754	ATD	Radonova	06/08/2021	05/16/2022	0.4
MCAS Beaufort	429	109	Right wall	2260727	ATD	Radonova	06/08/2021	05/16/2022	0.5
MCAS Beaufort	429	109	Right wall	5010715	ATD	Radonova	06/08/2021	05/16/2022	0.4
MCAS Beaufort	429	111	Left wall	7436538	ATD	Radonova	06/08/2021	05/16/2022	0.5
MCAS Beaufort	429	111	Left wall	9743881	ATD	Radonova	06/08/2021	05/16/2022	0.5
MCAS Beaufort	431	102	On Column	1689041	ATD	Radonova	04/22/2021	05/09/2022	0.8
MCAS Beaufort	431	102	On Column	6406409	ATD	Radonova	04/22/2021	05/09/2022	0.7
MCAS Beaufort	431	106	On wall	1597277	ATD	Radonova	04/22/2021	05/09/2022	0.8
MCAS Beaufort	431	106	On wall	1603679	ATD	Radonova	04/22/2021	05/09/2022	0.7
MCAS Beaufort	431	107	Left wall	1629260	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	431	107	Left wall	1691757	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	431	108	Left wall	1651710	ATD	Radonova	04/22/2021	05/09/2022	0.7
MCAS Beaufort	431	108	Left wall	1672716	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	431	109	Right wall	2854701	ATD	Radonova	04/22/2021	05/09/2022	0.5
MCAS Beaufort	431	109	Right wall	6838205	ATD	Radonova	04/22/2021	05/09/2022	1
MCAS Beaufort	431	114	On Column	1639384	ATD	Radonova	04/22/2021	05/09/2022	0.8
MCAS Beaufort	431	114	On Column	5704069	ATD	Radonova	04/22/2021	05/09/2022	0.6

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	431	115	Central Column	1695055	ATD	Radonova	04/22/2021	05/09/2022	0.8
MCAS Beaufort	431	115	Central Column	9162892	ATD	Radonova	04/22/2021	05/09/2022	0.8
MCAS Beaufort	431	A103	Left wall	5097308	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	431	A103	Left wall	8181539	ATD	Radonova	04/22/2021	05/09/2022	1.1
MCAS Beaufort	431	A104	On wall	1637248	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	431	A104	On wall	7164965	ATD	Radonova	04/22/2021	05/09/2022	1
MCAS Beaufort	431	A105	On wall	1690213	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	431	A105	On wall	7336779	ATD	Radonova	04/22/2021	05/09/2022	1.4
MCAS Beaufort	431	A106	On wall	1592112	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	431	A106	On wall	6938468	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	431	A108	On wall	1649615	ATD	Radonova	04/22/2021	05/09/2022	1.1
MCAS Beaufort	431	A108	On wall	7663602	ATD	Radonova	04/22/2021	05/09/2022	0.9
MCAS Beaufort	431	A109	Right wall	1628882	ATD	Radonova	04/22/2021	05/09/2022	1.4
MCAS Beaufort	431	A109	Right wall	7655806	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	431	A113	Left wall	1598408	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	431	A113	Left wall	7129513	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	431	A114	On wall	1675727	ATD	Radonova	04/22/2021	05/09/2022	0.8
MCAS Beaufort	431	A114	On wall	6879340	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	431	A115	On wall	1679612	ATD	Radonova	04/22/2021	05/09/2022	0.2
MCAS Beaufort	431	A115	On wall	6032155	ATD	Radonova	04/22/2021	05/09/2022	< 0.2
MCAS Beaufort	431	A116	On wall	3864345	ATD	Radonova	04/22/2021	05/09/2022	0.7
MCAS Beaufort	431	A116	On wall	7721236	ATD	Radonova	04/22/2021	05/09/2022	0.7
MCAS Beaufort	431	A118	On wall	4906913	ATD	Radonova	04/22/2021	05/09/2022	0.9
MCAS Beaufort	431	A118	On wall	5884697	ATD	Radonova	04/22/2021	05/09/2022	0.8
MCAS Beaufort	431	A119	On wall	1775972	ATD	Radonova	04/22/2021	05/09/2022	< 0.2
MCAS Beaufort	431	A119	On wall	2172815	ATD	Radonova	04/22/2021	05/09/2022	0.2
MCAS Beaufort	431	A121	Left wall	7163470	ATD	Radonova	04/22/2021	05/09/2022	< 0.2
MCAS Beaufort	431	A121	Left wall	9266479	ATD	Radonova	04/22/2021	05/09/2022	0.2
MCAS Beaufort	431	A122	On wall	1620202	ATD	Radonova	04/22/2021	05/09/2022	0.7
MCAS Beaufort	431	A122	On wall	9935453	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	431	A123	On wall	4606208	ATD	Radonova	04/22/2021	05/09/2022	0.4
MCAS Beaufort	431	A123	On wall	6663041	ATD	Radonova	04/22/2021	05/09/2022	0.3
MCAS Beaufort	431	A124	Right wall	5723549	ATD	Radonova	04/22/2021	05/09/2022	< 0.2

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	431	A124	Right wall	7587843	ATD	Radonova	04/22/2021	05/09/2022	0.2
MCAS Beaufort	431	A124 Common Area	On wall	1617141	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	431	A124 Common Area	On wall	1669241	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	431	B102	Left wall	1597319	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	431	B102	Left wall	1672658	ATD	Radonova	04/22/2021	05/09/2022	1.5
MCAS Beaufort	431	B104	On wall	1596063	ATD	Radonova	04/22/2021	05/09/2022	1.5
MCAS Beaufort	431	B104	On wall	1636430	ATD	Radonova	04/22/2021	05/09/2022	1.8
MCAS Beaufort	431	B105	Left wall	9090507	ATD	Radonova	04/22/2021	05/09/2022	1.5
MCAS Beaufort	431	B105	Left wall	9524760	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	431	B106	Right wall	1592187	ATD	Radonova	04/22/2021	05/09/2022	1.8
MCAS Beaufort	431	B106	Right wall	5163746	ATD	Radonova	04/22/2021	05/09/2022	1.5
MCAS Beaufort	431	B108	Left wall	1618180	ATD	Radonova	04/22/2021	05/09/2022	1.8
MCAS Beaufort	431	B108	Left wall	1827559	ATD	Radonova	04/22/2021	05/09/2022	1.5
MCAS Beaufort	431	B109	On wall	1623859	ATD	Radonova	04/22/2021	05/09/2022	1.6
MCAS Beaufort	431	B109	On wall	8090078	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	431	B111	On wall	1605872	ATD	Radonova	04/22/2021	05/09/2022	2
MCAS Beaufort	431	B111	On wall	9509977	ATD	Radonova	04/22/2021	05/09/2022	1.9
MCAS Beaufort	431	B112	Right wall	1641638	ATD	Radonova	04/22/2021	05/09/2022	1.9
MCAS Beaufort	431	B112	Right wall	8155483	ATD	Radonova	04/22/2021	05/09/2022	1.7
MCAS Beaufort	431	B113	Left wall	3725801	ATD	Radonova	04/22/2021	05/09/2022	1.5
MCAS Beaufort	431	B113	Left wall	9911074	ATD	Radonova	04/22/2021	05/09/2022	1.4
MCAS Beaufort	431	Common Area	On wall	8383952	ATD	Radonova	04/22/2021	05/09/2022	1
MCAS Beaufort	431	Common Area	On wall	9810334	ATD	Radonova	04/22/2021	05/09/2022	1.1
MCAS Beaufort	431	Storage Area	Right wall	1646637	ATD	Radonova	04/22/2021	05/09/2022	1.8
MCAS Beaufort	431	Storage Area	Right wall	9408881	ATD	Radonova	04/22/2021	05/09/2022	1.5
MCAS Beaufort	431	C105	On wall	1603810	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	431	C105	On wall	1792191	ATD	Radonova	04/22/2021	05/09/2022	1
MCAS Beaufort	431	C106	On wall	1651975	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	431	C106	On wall	1679679	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	431	C107	On wall	7399900	ATD	Radonova	04/22/2021	05/09/2022	1
MCAS Beaufort	431	C107	On wall	9076464	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	431	C108	On wall	1603760	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	431	C108	On wall	6969919	ATD	Radonova	04/22/2021	05/09/2022	1.3

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	431	C109	On wall	4773008	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	431	C109	On wall	5065602	ATD	Radonova	04/22/2021	05/09/2022	1.6
MCAS Beaufort	431	C110	On wall	1655612	ATD	Radonova	04/22/2021	05/09/2022	1.4
MCAS Beaufort	431	C110	On wall	1658178	ATD	Radonova	04/22/2021	05/09/2022	1
MCAS Beaufort	431	C111	On wall	3298981	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	431	C111	On wall	4013462	ATD	Radonova	04/22/2021	05/09/2022	1.1
MCAS Beaufort	431	C112	Right wall	1608876	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	431	C112	Right wall	9849845	ATD	Radonova	04/22/2021	05/09/2022	1.4
MCAS Beaufort	431	C113	On wall	2129021	ATD	Radonova	04/22/2021	05/09/2022	1.4
MCAS Beaufort	431	C113	On wall	2636892	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	431	D102	Left wall	1511633	ATD	Radonova	04/22/2021	05/09/2022	0.8
MCAS Beaufort	431	D102	Left wall	1641471	ATD	Radonova	04/22/2021	05/09/2022	0.8
MCAS Beaufort	431	D104	On wall	1603331	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	431	D104	On wall	3831542	ATD	Radonova	04/22/2021	05/09/2022	1.1
MCAS Beaufort	431	D105	Left wall	1129659	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	431	D105	Left wall	9382235	ATD	Radonova	04/22/2021	05/09/2022	1.4
MCAS Beaufort	431	D106	On wall	4032033	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	431	D106	On wall	4823464	ATD	Radonova	04/22/2021	05/09/2022	1.1
MCAS Beaufort	431	D108	On wall	1421320	ATD	Radonova	04/22/2021	05/09/2022	1.1
MCAS Beaufort	431	D108	On wall	1621440	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	431	D109	On wall	1598895	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	431	D109	On wall	9895475	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	431	D111	On wall	1622075	ATD	Radonova	04/22/2021	05/09/2022	1.5
MCAS Beaufort	431	D111	On wall	2897536	ATD	Radonova	04/22/2021	05/09/2022	1.4
MCAS Beaufort	431	D112	Left wall	1601350	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	431	D112	Left wall	2195675	ATD	Radonova	04/22/2021	05/09/2022	1.1
MCAS Beaufort	431	D113	On wall	1109404	ATD	Radonova	04/22/2021	05/09/2022	1.4
MCAS Beaufort	431	D113	On wall	1597988	ATD	Radonova	04/22/2021	05/09/2022	1.5
MCAS Beaufort	431	Common Area	On Column	1623628	ATD	Radonova	04/22/2021	05/09/2022	0.7
MCAS Beaufort	431	Common Area	On Column	1672427	ATD	Radonova	04/22/2021	05/09/2022	0.7
MCAS Beaufort	431	Office	On wall	1695832	ATD	Radonova	04/22/2021	05/09/2022	0.8
MCAS Beaufort	431	Office	On wall	3773793	ATD	Radonova	04/22/2021	05/09/2022	0.7
MCAS Beaufort	553	101	Right wall	5003611	ATD	Radonova	04/15/2021	05/12/2022	0.2

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	553	101	Right wall	9581885	ATD	Radonova	04/15/2021	05/12/2022	0.2
MCAS Beaufort	553	116	On wall	1676725	ATD	Radonova	04/15/2021	05/12/2022	< 0.2
MCAS Beaufort	553	116	On wall	9181967	ATD	Radonova	04/15/2021	05/12/2022	0.2
MCAS Beaufort	553	117	Left wall	6076012	ATD	Radonova	04/20/2021	05/12/2022	0.6
MCAS Beaufort	553	117	Left wall	7754062	ATD	Radonova	04/20/2021	05/12/2022	0.6
MCAS Beaufort	553	119	On wall	1138072	ATD	Radonova	04/15/2021	05/12/2022	0.2
MCAS Beaufort	553	119	On wall	5995584	ATD	Radonova	04/15/2021	05/12/2022	0.2
MCAS Beaufort	553	123	Left wall	3482684	ATD	Radonova	04/15/2021	05/12/2022	< 0.2
MCAS Beaufort	553	123	Left wall	8241457	ATD	Radonova	04/15/2021	05/12/2022	0.2
MCAS Beaufort	553	124	Left wall	6960413	ATD	Radonova	04/15/2021	05/12/2022	0.2
MCAS Beaufort	553	124	Left wall	8075293	ATD	Radonova	04/15/2021	05/12/2022	0.3
MCAS Beaufort	553	103	On wall	3854205	ATD	Radonova	04/15/2021	05/12/2022	< 0.2
MCAS Beaufort	553	103	On wall	6574107	ATD	Radonova	04/15/2021	05/12/2022	0.3
MCAS Beaufort	553	Common Area	On wall	2167609	ATD	Radonova	04/15/2021	05/12/2022	< 0.2
MCAS Beaufort	553	Common Area	On wall	4724860	ATD	Radonova	04/15/2021	05/12/2022	0.3
MCAS Beaufort	553	Common Area	On wall	2776649	ATD	Radonova	04/15/2021	05/12/2022	0.2
MCAS Beaufort	553	Common Area	On wall	8170961	ATD	Radonova	04/15/2021	05/12/2022	0.4
MCAS Beaufort	553	Office	Right wall	4803367	ATD	Radonova	04/15/2021	05/12/2022	< 0.2
MCAS Beaufort	553	Office	Right wall	6584676	ATD	Radonova	04/15/2021	05/12/2022	< 0.2
MCAS Beaufort	553	Common Area	On wall	1423326	ATD	Radonova	04/15/2021	05/12/2022	0.4
MCAS Beaufort	553	Common Area	On wall	7683527	ATD	Radonova	04/15/2021	05/12/2022	0.2
MCAS Beaufort	553	Common Area	On wall	2382828	ATD	Radonova	09/15/2021		
MCAS Beaufort	553	Common Area	On wall	2456257	ATD	Radonova	09/15/2021		
MCAS Beaufort	553	Common Area	On wall	3205424	ATD	Radonova	04/15/2021		
MCAS Beaufort	553	Common Area	On wall	4239000	ATD	Radonova	04/15/2021		
MCAS Beaufort	554	103	Right wall	1197805	ATD	Radonova	06/07/2021	05/09/2022	0.4
MCAS Beaufort	554	103	Right wall	7597800	ATD	Radonova	06/07/2021	05/09/2022	0.5
MCAS Beaufort	554	109	Right wall	1354125	ATD	Radonova	06/07/2021	05/09/2022	0.4
MCAS Beaufort	554	109	Right wall	8005779	ATD	Radonova	06/07/2021	05/09/2022	0.4
MCAS Beaufort	554	111	Right wall	3464732	ATD	Radonova	06/07/2021	05/09/2022	0.4
MCAS Beaufort	554	111	Right wall	8278376	ATD	Radonova	06/07/2021	05/09/2022	0.4
MCAS Beaufort	554	Common Area	On Column	2586618	ATD	Radonova	06/07/2021	05/09/2022	0.4
MCAS Beaufort	554	Common Area	On Column	9863002	ATD	Radonova	06/07/2021	05/09/2022	0.3



# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	554	Common Area	On wall	2841278	ATD	Radonova	06/07/2021	05/09/2022	0.3
MCAS Beaufort	554	Common Area	On wall	5351051	ATD	Radonova	06/07/2021	05/09/2022	0.3
MCAS Beaufort	554	Common Area	On wall	1397330	ATD	Radonova	06/07/2021	05/09/2022	0.2
MCAS Beaufort	554	Common Area	On wall	5845441	ATD	Radonova	06/07/2021	05/09/2022	0.3
MCAS Beaufort	554	Common Area	On wall	1276385	ATD	Radonova	06/07/2021	05/09/2022	0.4
MCAS Beaufort	554	Common Area	On wall	7386550	ATD	Radonova	06/07/2021	05/09/2022	0.3
MCAS Beaufort	554	Office	Right wall	1828151	ATD	Radonova	06/07/2021	05/09/2022	0.3
MCAS Beaufort	554	Office	Right wall	4325874	ATD	Radonova	06/07/2021	05/09/2022	0.2
MCAS Beaufort	554	Common Area	On wall	4769956	ATD	Radonova	06/07/2021	05/09/2022	0.5
MCAS Beaufort	554	Common Area	On wall	7795016	ATD	Radonova	06/07/2021	05/09/2022	0.4
MCAS Beaufort	554	Common Area	On wall	1085489	ATD	Radonova	06/07/2021	05/09/2022	0.3
MCAS Beaufort	554	Common Area	On wall	4119145	ATD	Radonova	06/07/2021	05/09/2022	0.3
MCAS Beaufort	554	Common Area	On Column	6743561	ATD	Radonova	06/07/2021	05/09/2022	0.4
MCAS Beaufort	554	Common Area	On Column	9523374	ATD	Radonova	06/07/2021	05/09/2022	0.4
MCAS Beaufort	554	Common Area	On wall	1613587	ATD	Radonova	06/07/2021	05/09/2022	0.4
MCAS Beaufort	554	Common Area	On wall	9123498	ATD	Radonova	06/07/2021	05/09/2022	0.4
MCAS Beaufort	555	102	Right wall	2008712	ATD	Radonova	04/19/2021	05/17/2022	2.2
MCAS Beaufort	555	102	Right wall	5261326	ATD	Radonova	04/19/2021	05/17/2022	2.2
MCAS Beaufort	555	103	Left wall	2481448	ATD	Radonova	04/19/2021	05/17/2022	1.8
MCAS Beaufort	555	103	Left wall	3976560	ATD	Radonova	04/19/2021	05/17/2022	2
MCAS Beaufort	555	104	Left wall	1527373	ATD	Radonova	04/19/2021	05/17/2022	2.2
MCAS Beaufort	555	104	Left wall	3217122	ATD	Radonova	04/19/2021	05/17/2022	2.4
MCAS Beaufort	555	118	Left wall	2272284	ATD	Radonova	04/19/2021	05/17/2022	2
MCAS Beaufort	555	118	Left wall	5240122	ATD	Radonova	04/19/2021	05/17/2022	2
MCAS Beaufort	555	Common Area	Left wall	2587384	ATD	Radonova	04/19/2021	05/17/2022	1.9
MCAS Beaufort	555	Common Area	Left wall	3151529	ATD	Radonova	04/19/2021	05/17/2022	2.1
MCAS Beaufort	555	Common Room	Left wall	1589720	ATD	Radonova	04/19/2021	05/17/2022	1.7
MCAS Beaufort	555	Common Room	Left wall	5245071	ATD	Radonova	04/19/2021	05/17/2022	1.6
MCAS Beaufort	555	Utility Room	Left wall	3144557	ATD	Radonova	04/19/2021	05/17/2022	1.7
MCAS Beaufort	555	Utility Room	Left wall	8296683	ATD	Radonova	04/19/2021	05/17/2022	1.6
MCAS Beaufort	555	101	On wall	3277944	ATD	Radonova	04/19/2021	05/17/2022	1.9
MCAS Beaufort	555	101	On wall	5989397	ATD	Radonova	04/19/2021	05/17/2022	1.8
MCAS Beaufort	555	101	On wall	1522325	ATD	Radonova	04/19/2021	05/17/2022	2.5

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	555	101	On wall	4388666	ATD	Radonova	04/19/2021	05/17/2022	3.4
MCAS Beaufort	555	101 Office	On wall	3215712	ATD	Radonova	04/19/2021	05/17/2022	2.1
MCAS Beaufort	555	101 Office	On wall	9704008	ATD	Radonova	04/19/2021	05/17/2022	2
MCAS Beaufort	555	108	On wall	6969307	ATD	Radonova	04/19/2021	05/17/2022	2.3
MCAS Beaufort	555	108	On wall	7068885	ATD	Radonova	04/19/2021	05/17/2022	2.2
MCAS Beaufort	555	108	On wall	5781935	ATD	Radonova	04/19/2021	05/17/2022	2.8
MCAS Beaufort	555	108	On wall	7395874	ATD	Radonova	04/19/2021	05/17/2022	4.2
MCAS Beaufort	555	117	On wall	5773445	ATD	Radonova	04/19/2021	05/17/2022	2.5
MCAS Beaufort	555	117	On wall	5982905	ATD	Radonova	04/19/2021	05/17/2022	2.3
MCAS Beaufort	555	117	On shelf	5602891	ATD	Radonova	04/19/2021	05/17/2022	2.1
MCAS Beaufort	555	117	On shelf	9604307	ATD	Radonova	04/19/2021	05/17/2022	2.4
MCAS Beaufort	555	117	On shelf	5879655	ATD	Radonova	04/19/2021	05/17/2022	2.2
MCAS Beaufort	555	117	On shelf	7471345	ATD	Radonova	04/19/2021	05/17/2022	2.5
MCAS Beaufort	564	103	Left wall	1591320	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	103	Left wall	4846481	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	104	Left wall	7030836	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	104	Left wall	7669401	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	105	On wall	8274011	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	105	On wall	9297771	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	106	On wall	4111209	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	106	On wall	8033284	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	107	On wall	1937390	ATD	Radonova	04/20/2021	05/11/2022	0.5
MCAS Beaufort	564	107	On wall	3209913	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	109	Left wall	3189529	ATD	Radonova	04/20/2021	05/11/2022	0.5
MCAS Beaufort	564	109	Left wall	9993817	ATD	Radonova	04/20/2021	05/11/2022	0.5
MCAS Beaufort	564	111	Right wall	2419836	ATD	Radonova	04/20/2021	05/11/2022	0.5
MCAS Beaufort	564	111	Right wall	3502044	ATD	Radonova	04/20/2021	05/11/2022	0.5
MCAS Beaufort	564	113	Left wall	3356391	ATD	Radonova	04/20/2021	05/11/2022	0.3
MCAS Beaufort	564	113	Left wall	9147406	ATD	Radonova	04/20/2021	05/11/2022	0.3
MCAS Beaufort	564	115	Right wall	2592996	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	115	Right wall	7287816	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	116	On wall	5150966	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	116	On wall	6724801	ATD	Radonova	04/20/2021	05/11/2022	0.2

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	564	118	Right wall	1676741	ATD	Radonova	04/20/2021	05/11/2022	0.4
MCAS Beaufort	564	118	Right wall	7145931	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	119	Right wall	7119985	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	119	Right wall	9974486	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	120	Right wall	1921527	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	120	Right wall	2382505	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	121	Right wall	1609312	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	121	Right wall	7067648	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	127	Left wall	4589578	ATD	Radonova	04/20/2021	05/11/2022	0.4
MCAS Beaufort	564	127	Left wall	7809718	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	128	Right wall	7741093	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	128	Right wall	8390486	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	129	On wall	3357936	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	129	On wall	4754123	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	130	Right wall	9910233	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	130	Right wall	9911843	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	131	Left wall	1092527	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	131	Left wall	2499572	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	132	Right wall	3254463	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	132	Right wall	6147375	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	133	Left wall	4574760	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	133	Left wall	6615538	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	134	Left wall	3324985	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	134	Left wall	3870193	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	135	Behind/Next to TV	1112127	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	135	Behind/Next to TV	9613514	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	136	Right wall	2408490	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	136	Right wall	7242167	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	137	Right wall	3315595	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	137	Right wall	5808076	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	139	Left wall	4455671	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	139	Left wall	7190390	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	140	On wall	1630334	ATD	Radonova	04/20/2021	05/11/2022	< 0.2

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	564	140	On wall	3353232	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	141	Behind/Next to TV	5371091	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	141	Behind/Next to TV	7278161	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	142	Right wall	1055235	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	142	Right wall	3305562	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	143	On wall	2242394	ATD	Radonova	04/20/2021	05/11/2022	0.3
MCAS Beaufort	564	143	On wall	4655916	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	143	Right wall	4035309	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	143	Right wall	5794938	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	145	On wall	3536968	ATD	Radonova	04/20/2021	05/11/2022	0.3
MCAS Beaufort	564	145	On wall	8185662	ATD	Radonova	04/20/2021	05/11/2022	0.3
MCAS Beaufort	564	146	On wall	8188583	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	146	On wall	9108812	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	147	Left wall	3164654	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	147	Left wall	4870515	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	148	On wall	2834547	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	148	On wall	3549730	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	149	Right wall	2670636	ATD	Radonova	04/20/2021	05/11/2022	0.3
MCAS Beaufort	564	149	Right wall	3269222	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	155	Right wall	1187079	ATD	Radonova	04/20/2021	05/11/2022	0.4
MCAS Beaufort	564	155	Right wall	6017925	ATD	Radonova	04/20/2021	05/11/2022	0.2
MCAS Beaufort	564	156	Right wall	2600740	ATD	Radonova	04/20/2021	05/11/2022	0.3
MCAS Beaufort	564	156	Right wall	5315882	ATD	Radonova	04/20/2021	05/11/2022	0.3
MCAS Beaufort	564	117A	Behind/Next to TV	4672234	ATD	Radonova	04/20/2021	05/11/2022	0.4
MCAS Beaufort	564	117A	Behind/Next to TV	5154588	ATD	Radonova	04/20/2021	05/11/2022	0.3
MCAS Beaufort	564	Common Area	On wall	1638170	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	564	Common Area	On wall	8181984	ATD	Radonova	04/20/2021	05/11/2022	< 0.2
MCAS Beaufort	565	Common Area	Left wall	4063947	ATD	Radonova	04/20/2021	05/19/2022	0.5
MCAS Beaufort	565	Common Area	Left wall	9042045	ATD	Radonova	04/20/2021	05/19/2022	0.5
MCAS Beaufort	565	Bay	On wall	1748060	ATD	Radonova	04/20/2021	05/19/2022	< 0.2
MCAS Beaufort	565	Bay	On wall	5752159	ATD	Radonova	04/20/2021	05/19/2022	< 0.2
MCAS Beaufort	565	Office	Left wall	2393858	ATD	Radonova	04/20/2021	05/19/2022	1
MCAS Beaufort	565	Office	Left wall	5626445	ATD	Radonova	04/20/2021	05/19/2022	0.9

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	565	Office	On wall	1605831	ATD	Radonova	04/20/2021	05/19/2022	0.7
MCAS Beaufort	565	Office	On wall	9374786	ATD	Radonova	04/20/2021	05/19/2022	0.7
MCAS Beaufort	565	Office	Left wall	4289526	ATD	Radonova	04/20/2021	05/19/2022	0.7
MCAS Beaufort	565	Office	Left wall	5942560	ATD	Radonova	04/20/2021	05/19/2022	0.9
MCAS Beaufort	565	Utility Room	Left wall	1444066	ATD	Radonova	04/20/2021	05/19/2022	1.2
MCAS Beaufort	565	Utility Room	Left wall	3355732	ATD	Radonova	04/20/2021	05/19/2022	1.4
MCAS Beaufort	566	103	Left wall	2201846	ATD	Radonova	04/15/2021	05/19/2022	0.2
MCAS Beaufort	566	103	Left wall	7518657	ATD	Radonova	04/15/2021	05/19/2022	0.2
MCAS Beaufort	566	105	Right wall	2999118	ATD	Radonova	04/15/2021	05/19/2022	0.2
MCAS Beaufort	566	105	Right wall	6651251	ATD	Radonova	04/15/2021	05/19/2022	0.2
MCAS Beaufort	566	106	Left wall	2394724	ATD	Radonova	04/15/2021	05/19/2022	0.5
MCAS Beaufort	566	106	Left wall	2594778	ATD	Radonova	04/15/2021	05/19/2022	0.5
MCAS Beaufort	566	117	Right wall	2552123	ATD	Radonova	04/15/2021	05/19/2022	0.5
MCAS Beaufort	566	117	Right wall	4693388	ATD	Radonova	04/15/2021	05/19/2022	0.5
MCAS Beaufort	566	118	Left wall	1901818	ATD	Radonova	04/15/2021	05/19/2022	0.6
MCAS Beaufort	566	118	Left wall	5266820	ATD	Radonova	04/15/2021	05/19/2022	0.6
MCAS Beaufort	566	125	Right wall	2527604	ATD	Radonova	04/15/2021	05/19/2022	0.2
MCAS Beaufort	566	125	Right wall	8103236	ATD	Radonova	04/15/2021	05/19/2022	0.2
MCAS Beaufort	566	126	Right wall	1089119	ATD	Radonova	04/15/2021	05/19/2022	0.4
MCAS Beaufort	566	126	Right wall	4261343	ATD	Radonova	04/15/2021	05/19/2022	0.2
MCAS Beaufort	566	Office	Left wall	2290153	ATD	Radonova	04/15/2021	05/19/2022	0.4
MCAS Beaufort	566	Office	Left wall	8233454	ATD	Radonova	04/15/2021	05/19/2022	0.2
MCAS Beaufort	566	Office	On wall	1806173	ATD	Radonova	04/15/2021	05/19/2022	< 0.2
MCAS Beaufort	566	Office	On wall	3065026	ATD	Radonova	04/15/2021	05/19/2022	0.3
MCAS Beaufort	566	Common Area	On wall	2165405	ATD	Radonova	04/15/2021	05/19/2022	0.2
MCAS Beaufort	566	Common Area	On wall	4592242	ATD	Radonova	04/15/2021	05/19/2022	0.3
MCAS Beaufort	566	Common Area	Left wall	5660881	ATD	Radonova	04/15/2021	05/19/2022	0.2
MCAS Beaufort	566	Common Area	Left wall	7632557	ATD	Radonova	04/15/2021	05/19/2022	0.4
MCAS Beaufort	566	Common Area	On wall	3360377	ATD	Radonova	09/15/2021	05/19/2022	0.3
MCAS Beaufort	566	Common Area	On wall	7819972	ATD	Radonova	09/15/2021	05/19/2022	< 0.3
MCAS Beaufort	566	Common Area	On wall	2577641	ATD	Radonova	04/15/2021	05/19/2022	0.3
MCAS Beaufort	566	Common Area	On wall	7409428	ATD	Radonova	04/15/2021	05/19/2022	0.2
MCAS Beaufort	566	Common Area	On wall	5624622	ATD	Radonova	04/15/2021	05/19/2022	0.2

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	566	Common Area	On wall	6819734	ATD	Radonova	04/15/2021	05/19/2022	0.4
MCAS Beaufort	566	Storage Area	Right wall	2054807	ATD	Radonova	04/15/2021	05/19/2022	0.8
MCAS Beaufort	566	Storage Area	Right wall	9066283	ATD	Radonova	04/15/2021	05/19/2022	0.3
MCAS Beaufort	566	Common Area	On wall	2960367	ATD	Radonova	04/15/2021	05/19/2022	0.9
MCAS Beaufort	566	Common Area	On wall	6889968	ATD	Radonova	04/15/2021	05/19/2022	0.9
MCAS Beaufort	584	104	On wall	3204476	ATD	Radonova	04/19/2021	05/09/2022	0.5
MCAS Beaufort	584	104	On wall	5238761	ATD	Radonova	04/19/2021	05/09/2022	0.6
MCAS Beaufort	584	106	On wall	3528999	ATD	Radonova	04/19/2021	05/09/2022	0.5
MCAS Beaufort	584	106	On wall	7454945	ATD	Radonova	04/19/2021	05/09/2022	0.5
MCAS Beaufort	584	108	Left wall	5188107	ATD	Radonova	04/19/2021	05/09/2022	0.5
MCAS Beaufort	584	108	Left wall	5879382	ATD	Radonova	04/19/2021	05/09/2022	0.5
MCAS Beaufort	584	109	Left wall	3392925	ATD	Radonova	04/19/2021	05/09/2022	0.5
MCAS Beaufort	584	109	Left wall	7781958	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	109	Right wall	7747298	ATD	Radonova	04/19/2021	05/09/2022	0.6
MCAS Beaufort	584	109	Right wall	9969049	ATD	Radonova	04/19/2021	05/09/2022	0.5
MCAS Beaufort	584	111	Left wall	3021516	ATD	Radonova	04/19/2021	05/09/2022	0.3
MCAS Beaufort	584	111	Left wall	6401665	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	112	Right wall	3933793	ATD	Radonova	04/19/2021	05/09/2022	0.3
MCAS Beaufort	584	112	Right wall	6959399	ATD	Radonova	04/19/2021	05/09/2022	0.3
MCAS Beaufort	584	113	Behind/Next to TV	2267615	ATD	Radonova	04/19/2021	05/09/2022	0.3
MCAS Beaufort	584	113	Behind/Next to TV	4018677	ATD	Radonova	04/19/2021	05/09/2022	0.3
MCAS Beaufort	584	114	Left wall	4551446	ATD	Radonova	04/19/2021	05/09/2022	0.3
MCAS Beaufort	584	114	Left wall	9331596	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	118	Right wall	4304705	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	118	Right wall	6632046	ATD	Radonova	04/19/2021	05/09/2022	0.5
MCAS Beaufort	584	120	Left wall	1774389	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	120	Left wall	5719620	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	121	Right wall	4544979	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	121	Right wall	9803180	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	122	Right wall	7710239	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	122	Right wall	9621889	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	123	Right wall	5228085	ATD	Radonova	04/19/2021	05/09/2022	0.5
MCAS Beaufort	584	123	Right wall	5231949	ATD	Radonova	04/19/2021	05/09/2022	0.4

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	584	124	Left wall	2576783	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	124	Left wall	2606861	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	127	Right wall	2684959	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	127	Right wall	3149432	ATD	Radonova	04/19/2021	05/09/2022	0.5
MCAS Beaufort	584	131	Right wall	2503886	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	131	Right wall	4299657	ATD	Radonova	04/19/2021	05/09/2022	0.3
MCAS Beaufort	584	132	Right wall	5435326	ATD	Radonova	04/19/2021	05/09/2022	0.3
MCAS Beaufort	584	132	Right wall	6082945	ATD	Radonova	04/19/2021	05/09/2022	0.3
MCAS Beaufort	584	133	On wall	2532414	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	133	On wall	3214061	ATD	Radonova	04/19/2021	05/09/2022	0.3
MCAS Beaufort	584	134	Behind/Next to TV	5075676	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	134	Behind/Next to TV	5210257	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	138	On wall	2396190	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	138	On wall	7619604	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	202	Behind/Next to TV	2578029	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	202	Behind/Next to TV	3335544	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	203	Behind/Next to TV	5006093	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	203	Behind/Next to TV	8158859	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	204	Behind/Next to TV	4310520	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	204	Behind/Next to TV	5761911	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	206	Left wall	3112075	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	206	Left wall	9348764	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	208	Left wall	2368801	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	208	Left wall	9617168	ATD	Radonova	04/19/2021	05/09/2022	0.3
MCAS Beaufort	584	210	Right wall	4856928	ATD	Radonova	04/19/2021	05/09/2022	0.3
MCAS Beaufort	584	210	Right wall	6328512	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	211	Left wall	1962109	ATD	Radonova	04/19/2021	05/09/2022	0.6
MCAS Beaufort	584	211	Left wall	6540264	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	216	Right wall	1863158	ATD	Radonova	04/19/2021	05/09/2022	0.3
MCAS Beaufort	584	216	Right wall	9224858	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	584	Common Area	On Column	3171402	ATD	Radonova	04/19/2021	05/09/2022	0.5
MCAS Beaufort	584	Common Area	On Column	7387830	ATD	Radonova	04/19/2021	05/09/2022	0.4
MCAS Beaufort	585	101	Right wall	1596634	ATD	Radonova	04/22/2021	05/11/2022	0.6

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	585	101	Right wall	2968865	ATD	Radonova	04/22/2021	05/11/2022	0.3
MCAS Beaufort	585	102	Left wall	6409544	ATD	Radonova	04/22/2021	05/11/2022	0.6
MCAS Beaufort	585	102	Left wall	7451487	ATD	Radonova	04/22/2021	05/11/2022	0.5
MCAS Beaufort	585	107	Right wall	1368760	ATD	Radonova	04/22/2021	05/11/2022	0.6
MCAS Beaufort	585	107	Right wall	1759422	ATD	Radonova	04/22/2021	05/11/2022	0.5
MCAS Beaufort	585	109	Left wall	4231205	ATD	Radonova	04/22/2021	05/11/2022	0.8
MCAS Beaufort	585	109	Left wall	6036594	ATD	Radonova	04/22/2021	05/11/2022	0.4
MCAS Beaufort	585	110	Right wall	5612239	ATD	Radonova	04/22/2021	05/11/2022	0.7
MCAS Beaufort	585	110	Right wall	6934749	ATD	Radonova	04/22/2021	05/11/2022	0.7
MCAS Beaufort	585	111	Left wall	7346919	ATD	Radonova	04/22/2021	05/11/2022	0.6
MCAS Beaufort	585	111	Left wall	9563263	ATD	Radonova	04/22/2021	05/11/2022	0.4
MCAS Beaufort	585	112	Left wall	1369263	ATD	Radonova	04/22/2021	05/11/2022	0.5
MCAS Beaufort	585	112	Left wall	1432871	ATD	Radonova	04/22/2021	05/11/2022	0.4
MCAS Beaufort	585	113	Right wall	1636232	ATD	Radonova	04/22/2021	05/11/2022	0.6
MCAS Beaufort	585	113	Right wall	3338159	ATD	Radonova	04/22/2021	05/11/2022	0.4
MCAS Beaufort	585	114	Left wall	1595461	ATD	Radonova	04/22/2021	05/11/2022	0.6
MCAS Beaufort	585	114	Left wall	9427105	ATD	Radonova	04/22/2021	05/11/2022	0.5
MCAS Beaufort	585	117	Left wall	1670942	ATD	Radonova	04/22/2021	05/11/2022	0.9
MCAS Beaufort	585	117	Left wall	9240045	ATD	Radonova	04/22/2021	05/11/2022	0.9
MCAS Beaufort	585	117	Right wall	1589514	ATD	Radonova	04/22/2021	05/11/2022	1.2
MCAS Beaufort	585	117	Right wall	4997466	ATD	Radonova	04/22/2021	05/11/2022	1
MCAS Beaufort	585	118	Right wall	1500610	ATD	Radonova	04/22/2021	05/11/2022	0.9
MCAS Beaufort	585	118	Right wall	1646389	ATD	Radonova	04/22/2021	05/11/2022	0.9
MCAS Beaufort	585	119	Right wall	6054043	ATD	Radonova	04/22/2021	05/11/2022	0.9
MCAS Beaufort	585	119	Right wall	6342315	ATD	Radonova	04/22/2021	05/11/2022	1.1
MCAS Beaufort	585	121	Right wall	4535175	ATD	Radonova	04/22/2021	05/11/2022	1.1
MCAS Beaufort	585	121	Right wall	5699806	ATD	Radonova	04/22/2021	05/11/2022	1.4
MCAS Beaufort	585	122	Right wall	4705307	ATD	Radonova	04/22/2021	05/11/2022	13.1
MCAS Beaufort	585	122	Right wall	7244924	ATD	Radonova	04/22/2021	05/11/2022	13.3
MCAS Beaufort	585	123	Left wall	1600022	ATD	Radonova	04/22/2021	05/11/2022	1.2
MCAS Beaufort	585	123	Left wall	1602481	ATD	Radonova	04/22/2021	05/11/2022	1.2
MCAS Beaufort	585	125	Left wall	7470347	ATD	Radonova	04/22/2021	05/12/2022	0.6
MCAS Beaufort	585	125	Left wall	8262412	ATD	Radonova	04/22/2021	05/12/2022	0.5



# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	585	128	On wall	2390698	ATD	Radonova	06/08/2021	05/12/2022	0.8
MCAS Beaufort	585	128	On wall	5184775	ATD	Radonova	06/08/2021	05/12/2022	0.7
MCAS Beaufort	585	133	Right wall	1600451	ATD	Radonova	04/22/2021	05/11/2022	0.8
MCAS Beaufort	585	133	Right wall	1601731	ATD	Radonova	04/22/2021	05/11/2022	0.7
MCAS Beaufort	585	134	Right wall	1653518	ATD	Radonova	04/22/2021	05/11/2022	0.5
MCAS Beaufort	585	134	Right wall	2431294	ATD	Radonova	04/22/2021	05/11/2022	0.9
MCAS Beaufort	585	135	Left wall	3406444	ATD	Radonova	04/22/2021	05/11/2022	0.6
MCAS Beaufort	585	135	Left wall	5702733	ATD	Radonova	04/22/2021	05/11/2022	0.7
MCAS Beaufort	585	139	Behind/Next to TV	1599406	ATD	Radonova	04/22/2021	05/11/2022	0.6
MCAS Beaufort	585	139	Behind/Next to TV	9235532	ATD	Radonova	04/22/2021	05/11/2022	0.6
MCAS Beaufort	585	204	Right wall	1601947	ATD	Radonova	04/22/2021	05/11/2022	2.2
MCAS Beaufort	585	204	Right wall	4126678	ATD	Radonova	04/22/2021	05/11/2022	1.7
MCAS Beaufort	585	205	Left wall	1590884	ATD	Radonova	04/22/2021	05/11/2022	2.1
MCAS Beaufort	585	205	Left wall	1599653	ATD	Radonova	04/22/2021	05/11/2022	1.9
MCAS Beaufort	585	208	Behind/Next to TV	1589928	ATD	Radonova	04/22/2021	05/11/2022	2.1
MCAS Beaufort	585	208	Behind/Next to TV	1680271	ATD	Radonova	04/22/2021	05/11/2022	2.1
MCAS Beaufort	585	119A	Left wall	6494074	ATD	Radonova	04/22/2021	05/11/2022	1.2
MCAS Beaufort	585	119A	Left wall	8131724	ATD	Radonova	04/22/2021	05/11/2022	1.1
MCAS Beaufort	585	Office	Right wall	3317054	ATD	Radonova	04/22/2021	05/11/2022	0.8
MCAS Beaufort	585	Office	Right wall	6488340	ATD	Radonova	04/22/2021	05/11/2022	0.6
MCAS Beaufort	585	Office	Behind/Next to TV	5678859	ATD	Radonova	06/09/2021	05/11/2022	N/A
MCAS Beaufort	585	Office	Behind/Next to TV	6958417	ATD	Radonova	06/09/2021	05/11/2022	N/A
MCAS Beaufort	585	Office	Left wall	2670743	ATD	Radonova	04/22/2021	05/11/2022	0.6
MCAS Beaufort	585	Office	Left wall	6446058	ATD	Radonova	04/22/2021	05/11/2022	0.5
MCAS Beaufort	585	Common Area	Left wall	1610187	ATD	Radonova	04/22/2021	05/11/2022	1.1
MCAS Beaufort	585	Common Area	Left wall	7147960	ATD	Radonova	04/22/2021	05/11/2022	1.1
MCAS Beaufort	585	Office	Right wall	5829247	ATD	Radonova	04/22/2021	05/12/2022	0.7
MCAS Beaufort	585	Office	Right wall	6539423	ATD	Radonova	04/22/2021	05/12/2022	0.4
MCAS Beaufort	585	Office	Right wall	5503289	ATD	Radonova	04/22/2021	05/11/2022	1.8
MCAS Beaufort	585	Office	Right wall	5747480	ATD	Radonova	04/22/2021	05/11/2022	1.8
MCAS Beaufort	585	Office 1	Left wall	1667229	ATD	Radonova	04/22/2021	05/11/2022	2
MCAS Beaufort	585	Office 1	Left wall	2503811	ATD	Radonova	04/22/2021	05/11/2022	2
MCAS Beaufort	585	Office 1	Right wall	1619857	ATD	Radonova	04/22/2021	05/11/2022	2.1

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	585	Office 1	Right wall	3671682	ATD	Radonova	04/22/2021	05/11/2022	2.1
MCAS Beaufort	594	102	Right wall	4224432	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	102	Right wall	4484655	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	104	Central Column	5431036	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	104	Central Column	9562067	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	105	Right wall	3901709	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	105	Right wall	8178493	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	106	Left wall	1439371	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	106	Left wall	2525764	ATD	Radonova	06/11/2021	05/16/2022	0.3
MCAS Beaufort	594	107	Left wall	6568471	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	107	Left wall	7120256	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	109	Left wall	1465053	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	109	Left wall	6014658	ATD	Radonova	06/11/2021	05/16/2022	0.3
MCAS Beaufort	594	111	Right wall	3793098	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	111	Right wall	7140320	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	112	Right wall	8145757	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	112	Right wall	9656562	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	113	Left wall	6277297	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	113	Left wall	6565287	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	118	Left wall	1071885	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	118	Left wall	2211324	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	119	Right wall	1921733	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	119	Right wall	9093006	ATD	Radonova	06/11/2021	05/16/2022	0.3
MCAS Beaufort	594	120	Left wall	3378759	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	120	Left wall	8026783	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	121	On Column	3729076	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	121	On Column	6277818	ATD	Radonova	06/11/2021	05/16/2022	0.3
MCAS Beaufort	594	122	Right wall	1239227	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	122	Right wall	1794049	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	123	Left wall	4488680	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	123	Left wall	8188633	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	126	Left wall	9483579	ATD	Radonova	06/11/2021	05/16/2022	0.3
MCAS Beaufort	594	126	Left wall	9877788	ATD	Radonova	06/11/2021	05/16/2022	0.3

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	594	131	Right wall	1521558	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	131	Right wall	5108451	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	132	Right wall	4324596	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	132	Right wall	8361396	ATD	Radonova	06/11/2021	05/16/2022	0.4
MCAS Beaufort	594	133	Left wall	2700912	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	133	Left wall	9648098	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	134	On Column	2557478	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	134	On Column	5883087	ATD	Radonova	06/11/2021	05/16/2022	0.3
MCAS Beaufort	594	135	Left wall	4988960	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	135	Left wall	7234354	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	136	Right wall	3103041	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	136	Right wall	9260845	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	137	Right wall	1610104	ATD	Radonova	06/11/2021	05/16/2022	0.3
MCAS Beaufort	594	137	Right wall	5310974	ATD	Radonova	06/11/2021	05/16/2022	0.3
MCAS Beaufort	594	138	Right wall	2874055	ATD	Radonova	06/11/2021	05/16/2022	0.3
MCAS Beaufort	594	138	Right wall	3613007	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	140	Right wall	5453139	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	140	Right wall	6649313	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	142	Right wall	5434824	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	142	Right wall	9095084	ATD	Radonova	06/11/2021	05/16/2022	0.3
MCAS Beaufort	594	143	Left wall	8341299	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	143	Left wall	9217332	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	146	Left wall	1462712	ATD	Radonova	06/11/2021	05/16/2022	0.6
MCAS Beaufort	594	146	Left wall	1746742	ATD	Radonova	06/11/2021	05/16/2022	0.6
MCAS Beaufort	594	147	Right wall	3075207	ATD	Radonova	06/11/2021	05/16/2022	0.4
MCAS Beaufort	594	147	Right wall	8168676	ATD	Radonova	06/11/2021	05/16/2022	0.4
MCAS Beaufort	594	149	Right wall	2076487	ATD	Radonova	06/11/2021	05/16/2022	0.8
MCAS Beaufort	594	149	Right wall	7904816	ATD	Radonova	06/11/2021	05/16/2022	0.7
MCAS Beaufort	594	158	Left wall	4716981	ATD	Radonova	06/11/2021	05/16/2022	0.6
MCAS Beaufort	594	158	Left wall	7313646	ATD	Radonova	06/11/2021	05/16/2022	0.5
MCAS Beaufort	594	151A	Right wall	5845276	ATD	Radonova	06/11/2021	05/16/2022	0.6
MCAS Beaufort	594	151A	Right wall	9263203	ATD	Radonova	06/11/2021	05/16/2022	0.6
MCAS Beaufort	594	151B	Right wall	4167326	ATD	Radonova	06/11/2021	05/16/2022	0.4

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	594	151B	Right wall	7187420	ATD	Radonova	06/11/2021	05/16/2022	0.3
MCAS Beaufort	594	151C	Left wall	2070308	ATD	Radonova	06/11/2021	05/16/2022	0.5
MCAS Beaufort	594	151C	Left wall	7980550	ATD	Radonova	06/11/2021	05/16/2022	0.4
MCAS Beaufort	594	Bay	On Column	2181253	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	Bay	On Column	6962328	ATD	Radonova	06/11/2021	05/16/2022	0.3
MCAS Beaufort	594	Bay	On wall	3822327	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	Bay	On wall	3881737	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	Office	Right wall	2666519	ATD	Radonova	06/11/2021	05/16/2022	0.4
MCAS Beaufort	594	Office	Right wall	8012908	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	Office	Right wall	4425690	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	Office	Right wall	8290165	ATD	Radonova	06/11/2021	05/16/2022	0.3
MCAS Beaufort	594	Common Area	Behind/Next to TV	4993150	ATD	Radonova	06/11/2021	05/16/2022	0.3
MCAS Beaufort	594	Common Area	Behind/Next to TV	6404222	ATD	Radonova	06/11/2021	05/16/2022	0.3
MCAS Beaufort	594	Storage Area	On wall	2930410	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	Storage Area	On wall	7893233	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	Room	Left wall	3983079	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	Room	Left wall	9910860	ATD	Radonova	06/11/2021	05/16/2022	0.3
MCAS Beaufort	594	Bay	On Column	1589530	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	Bay	On Column	1646058	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	Bay	On Column	1038371	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	Bay	On Column	4171765	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	Office	On Column	2759678	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	Office	On Column	5643101	ATD	Radonova	06/11/2021	05/16/2022	0.3
MCAS Beaufort	594	Office 1	Left wall	6654149	ATD	Radonova	06/11/2021	05/16/2022	0.6
MCAS Beaufort	594	Office 1	Left wall	8266561	ATD	Radonova	06/11/2021	05/16/2022	0.6
MCAS Beaufort	594	Office	Left wall	2743417	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	Office	Left wall	5834544	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	Storage Area	Left wall	1140011	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	Storage Area	Left wall	2053593	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	Utility	On Column	1674100	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	Utility	On Column	2564532	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	594	Bay	On Column	6382931	ATD	Radonova	06/11/2021	05/16/2022	0.4
MCAS Beaufort	594	Bay	On Column	8226490	ATD	Radonova	06/11/2021	05/16/2022	< 0.2

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	594	Bay	On Column	6466684	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	Bay	On Column	6788632	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	Bay	On Column	1598143	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	594	Bay	On Column	5860457	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	596	106	On wall	1677277	ATD	Radonova	04/16/2021	05/18/2022	1
MCAS Beaufort	596	106	On wall	2027001	ATD	Radonova	04/16/2021	05/18/2022	0.9
MCAS Beaufort	596	108	On wall	4378634	ATD	Radonova	04/16/2021	05/18/2022	0.5
MCAS Beaufort	596	108	On wall	6318984	ATD	Radonova	04/16/2021	05/18/2022	0.5
MCAS Beaufort	596	112	Right wall	6654040	ATD	Radonova	04/15/2021	05/18/2022	0.6
MCAS Beaufort	596	112	Right wall	7731359	ATD	Radonova	04/15/2021	05/18/2022	0.6
MCAS Beaufort	596	122	Left wall	3257383	ATD	Radonova	04/16/2021	05/18/2022	0.5
MCAS Beaufort	596	122	Left wall	8285306	ATD	Radonova	04/16/2021	05/18/2022	0.4
MCAS Beaufort	596	124	On wall	1850577	ATD	Radonova	04/16/2021	05/18/2022	0.5
MCAS Beaufort	596	124	On wall	3266749	ATD	Radonova	04/16/2021	05/18/2022	0.3
MCAS Beaufort	596	125	Left wall	1692102	ATD	Radonova	04/16/2021	05/18/2022	0.7
MCAS Beaufort	596	125	Left wall	7135577	ATD	Radonova	04/16/2021	05/18/2022	0.7
MCAS Beaufort	596	130	Right wall	2541969	ATD	Radonova	04/15/2021	05/18/2022	0.7
MCAS Beaufort	596	130	Right wall	3581782	ATD	Radonova	04/15/2021	05/18/2022	0.5
MCAS Beaufort	596	131	Left wall	2902054	ATD	Radonova	04/16/2021	05/18/2022	0.4
MCAS Beaufort	596	131	Left wall	9023896	ATD	Radonova	04/16/2021	05/18/2022	0.4
MCAS Beaufort	596	132	Left wall	3271350	ATD	Radonova	04/16/2021	05/18/2022	0.4
MCAS Beaufort	596	132	Left wall	9593997	ATD	Radonova	04/16/2021	05/18/2022	0.5
MCAS Beaufort	596	133	On wall	7607187	ATD	Radonova	04/16/2021	05/18/2022	0.7
MCAS Beaufort	596	133	On wall	7880578	ATD	Radonova	04/16/2021	05/18/2022	0.5
MCAS Beaufort	596	141	On wall	2296572	ATD	Radonova	04/16/2021	05/18/2022	0.2
MCAS Beaufort	596	141	On wall	5020524	ATD	Radonova	04/16/2021	05/18/2022	0.2
MCAS Beaufort	596	142	On wall	3550621	ATD	Radonova	04/16/2021	05/18/2022	0.3
MCAS Beaufort	596	142	On wall	6710438	ATD	Radonova	04/16/2021	05/18/2022	0.2
MCAS Beaufort	596	104A	On wall	3588860	ATD	Radonova	04/16/2021	05/18/2022	0.6
MCAS Beaufort	596	104A	On wall	7120546	ATD	Radonova	04/16/2021	05/18/2022	0.6
MCAS Beaufort	596	104B	On wall	3337318	ATD	Radonova	04/16/2021	05/18/2022	0.6
MCAS Beaufort	596	104B	On wall	7601776	ATD	Radonova	04/16/2021	05/18/2022	0.7
MCAS Beaufort	596	107A	Left wall	2419398	ATD	Radonova	04/16/2021	05/18/2022	0.8

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	596	107A	Left wall	7298326	ATD	Radonova	04/16/2021	05/18/2022	0.9
MCAS Beaufort	596	add wall	On wall	8020554	ATD	Radonova	04/16/2021	05/18/2022	0.7
MCAS Beaufort	596	add wall	On wall	9268509	ATD	Radonova	04/16/2021	05/18/2022	0.6
MCAS Beaufort	596	120	On wall	5288246	ATD	Radonova	04/16/2021	05/18/2022	0.4
MCAS Beaufort	596	120	On wall	6338784	ATD	Radonova	04/16/2021	05/18/2022	0.3
MCAS Beaufort	596	Utility	On wall	2287324	ATD	Radonova	04/16/2021	05/18/2022	0.4
MCAS Beaufort	596	Utility	On wall	2936383	ATD	Radonova	04/16/2021	05/18/2022	0.5
MCAS Beaufort	596	Common Area	On wall	3603495	ATD	Radonova	04/16/2021	05/18/2022	0.3
MCAS Beaufort	596	Common Area	On wall	6616759	ATD	Radonova	04/16/2021	05/18/2022	0.5
MCAS Beaufort	596	Common Area	On wall	2529790	ATD	Radonova	04/16/2021	05/18/2022	0.3
MCAS Beaufort	596	Common Area	On wall	3879400	ATD	Radonova	04/16/2021	05/18/2022	0.2
MCAS Beaufort	596	Common Area	On wall	6943534	ATD	Radonova	04/16/2021	05/18/2022	0.3
MCAS Beaufort	596	Common Area	On wall	7609233	ATD	Radonova	04/16/2021	05/18/2022	0.4
MCAS Beaufort	596	103	On wall	2549582	ATD	Radonova	04/16/2021	05/18/2022	0.7
MCAS Beaufort	596	103	On wall	3085081	ATD	Radonova	04/16/2021	05/18/2022	0.7
MCAS Beaufort	596	129	On wall	5579198	ATD	Radonova	04/16/2021	05/18/2022	0.6
MCAS Beaufort	596	129	On wall	7113798	ATD	Radonova	04/16/2021	05/18/2022	0.5
MCAS Beaufort	599	106	Left wall	5562285	ATD	Radonova	04/19/2021	05/18/2022	0.4
MCAS Beaufort	599	106	Left wall	6402499	ATD	Radonova	04/19/2021	05/18/2022	0.4
MCAS Beaufort	599	108	Left wall	1506872	ATD	Radonova	04/19/2021	05/18/2022	0.4
MCAS Beaufort	599	108	Left wall	2591311	ATD	Radonova	04/19/2021	05/18/2022	0.4
MCAS Beaufort	599	109	Right wall	7400575	ATD	Radonova	04/19/2021	05/18/2022	0.4
MCAS Beaufort	599	109	Right wall	8019499	ATD	Radonova	04/19/2021	05/18/2022	0.4
MCAS Beaufort	599	111	Right wall	3767332	ATD	Radonova	04/19/2021	05/18/2022	0.4
MCAS Beaufort	599	111	Right wall	9628215	ATD	Radonova	04/19/2021	05/18/2022	0.6
MCAS Beaufort	599	Office	Left wall	7082357	ATD	Radonova	04/19/2021	05/18/2022	0.4
MCAS Beaufort	599	Office	Left wall	7505936	ATD	Radonova	04/19/2021	05/18/2022	0.5
MCAS Beaufort	599	Utility	Left wall	4894572	ATD	Radonova	04/19/2021	05/18/2022	0.7
MCAS Beaufort	599	Utility	Left wall	9612359	ATD	Radonova	04/19/2021	05/18/2022	0.7
MCAS Beaufort	600	104	On wall	6597207	ATD	Radonova	06/07/2021	05/16/2022	0.2
MCAS Beaufort	600	104	On wall	9227273	ATD	Radonova	06/07/2021	05/16/2022	< 0.2
MCAS Beaufort	600	106	On Column	3443819	ATD	Radonova	06/07/2021	05/16/2022	0.2
MCAS Beaufort	600	106	On Column	9613399	ATD	Radonova	06/07/2021	05/16/2022	< 0.2

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	600	108	Right wall	4406625	ATD	Radonova	06/07/2021	05/16/2022	0.2
MCAS Beaufort	600	108	Right wall	9891144	ATD	Radonova	06/07/2021	05/16/2022	0.2
MCAS Beaufort	600	110	Left wall	3091030	ATD	Radonova	06/07/2021		
MCAS Beaufort	600	110	Left wall	4281713	ATD	Radonova	06/07/2021		
MCAS Beaufort	600	112	On wall	5115795	ATD	Radonova	06/07/2021	05/16/2022	0.2
MCAS Beaufort	600	112	On wall	9204496	ATD	Radonova	06/07/2021	05/16/2022	0.2
MCAS Beaufort	600	113	Right wall	3566031	ATD	Radonova	06/07/2021	05/16/2022	0.2
MCAS Beaufort	600	113	Right wall	9145798	ATD	Radonova	06/07/2021	05/16/2022	0.3
MCAS Beaufort	600	114	Right wall	4058509	ATD	Radonova	06/07/2021	05/16/2022	0.4
MCAS Beaufort	600	114	Right wall	4252086	ATD	Radonova	06/07/2021	05/16/2022	0.4
MCAS Beaufort	600	122	Left wall	3628377	ATD	Radonova	06/07/2021	05/16/2022	0.2
MCAS Beaufort	600	122	Left wall	5602982	ATD	Radonova	06/07/2021	05/16/2022	0.3
MCAS Beaufort	600	125	Left wall	2086932	ATD	Radonova	06/07/2021	05/16/2022	0.5
MCAS Beaufort	600	125	Left wall	3075694	ATD	Radonova	06/07/2021	05/16/2022	0.5
MCAS Beaufort	600	Utility	On Column	2863488	ATD	Radonova	06/07/2021	05/16/2022	0.3
MCAS Beaufort	600	Utility	On Column	6258982	ATD	Radonova	06/07/2021	05/16/2022	0.3
MCAS Beaufort	600	Office	Left wall	1751965	ATD	Radonova	06/07/2021	05/16/2022	< 0.2
MCAS Beaufort	600	Office	Left wall	7016694	ATD	Radonova	06/07/2021	05/16/2022	< 0.2
MCAS Beaufort	600	Common Area	On wall	7691744	ATD	Radonova	06/07/2021	05/16/2022	0.3
MCAS Beaufort	600	Common Area	On wall	8173387	ATD	Radonova	06/07/2021	05/16/2022	0.3
MCAS Beaufort	600	Common Area	Right wall	3128923	ATD	Radonova	06/07/2021	05/16/2022	0.3
MCAS Beaufort	600	Common Area	Right wall	3535143	ATD	Radonova	06/07/2021	05/16/2022	0.3
MCAS Beaufort	601	107	Left wall	3827540	ATD	Radonova	04/20/2021	05/19/2022	0.2
MCAS Beaufort	601	107	Left wall	8381667	ATD	Radonova	04/20/2021	05/19/2022	< 0.2
MCAS Beaufort	601	108	Left wall	2888055	ATD	Radonova	04/20/2021	05/19/2022	0.2
MCAS Beaufort	601	108	Left wall	9882572	ATD	Radonova	04/20/2021	05/19/2022	< 0.2
MCAS Beaufort	601	109	Left wall	2289999	ATD	Radonova	04/20/2021	05/19/2022	0.3
MCAS Beaufort	601	109	Left wall	2474823	ATD	Radonova	04/20/2021	05/19/2022	0.4
MCAS Beaufort	601	111	Right wall	5463567	ATD	Radonova	04/20/2021	05/19/2022	< 0.2
MCAS Beaufort	601	111	Right wall	9868886	ATD	Radonova	04/20/2021	05/19/2022	0.2
MCAS Beaufort	601	113	Right wall	2644268	ATD	Radonova	04/20/2021	05/19/2022	0.2
MCAS Beaufort	601	113	Right wall	5199500	ATD	Radonova	04/20/2021	05/19/2022	0.3
MCAS Beaufort	601	115	Right wall	7217953	ATD	Radonova	04/20/2021	05/19/2022	0.2

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	601	115	Right wall	9492810	ATD	Radonova	04/20/2021	05/19/2022	0.2
MCAS Beaufort	601	120	Right wall	3376878	ATD	Radonova	04/20/2021	05/19/2022	0.2
MCAS Beaufort	601	120	Right wall	7557887	ATD	Radonova	04/20/2021	05/19/2022	0.3
MCAS Beaufort	601	121	Left wall	3145877	ATD	Radonova	04/20/2021	05/19/2022	0.3
MCAS Beaufort	601	121	Left wall	4273033	ATD	Radonova	04/20/2021	05/19/2022	0.2
MCAS Beaufort	601	122	Left wall	1942879	ATD	Radonova	04/20/2021	05/19/2022	0.3
MCAS Beaufort	601	122	Left wall	4127718	ATD	Radonova	04/20/2021	05/19/2022	0.3
MCAS Beaufort	601	123	Right wall	2028579	ATD	Radonova	04/20/2021	05/19/2022	0.2
MCAS Beaufort	601	123	Right wall	2648715	ATD	Radonova	04/20/2021	05/19/2022	0.2
MCAS Beaufort	601	128	Right wall	5223649	ATD	Radonova	04/20/2021	05/19/2022	< 0.2
MCAS Beaufort	601	128	Right wall	5678552	ATD	Radonova	04/20/2021	05/19/2022	< 0.2
MCAS Beaufort	601	129	On Column	3154986	ATD	Radonova	09/15/2021	05/19/2022	< 0.3
MCAS Beaufort	601	129	On Column	9075979	ATD	Radonova	09/15/2021	05/19/2022	< 0.3
MCAS Beaufort	601	129	Central Column	4400636	ATD	Radonova	04/20/2021		
MCAS Beaufort	601	129	Central Column	9449935	ATD	Radonova	04/20/2021		
MCAS Beaufort	601	112	Right wall	2157261	ATD	Radonova	06/08/2021	05/19/2022	0.3
MCAS Beaufort	601	112	Right wall	6180251	ATD	Radonova	06/08/2021	05/19/2022	0.3
MCAS Beaufort	601	Office	Behind/Next to TV	2971034	ATD	Radonova	04/20/2021	05/19/2022	0.2
MCAS Beaufort	601	Office	Behind/Next to TV	5318795	ATD	Radonova	04/20/2021	05/19/2022	< 0.2
MCAS Beaufort	601	Common Area	Right wall	2616118	ATD	Radonova	04/20/2021	05/19/2022	< 0.2
MCAS Beaufort	601	Common Area	Right wall	3714219	ATD	Radonova	04/20/2021	05/19/2022	< 0.2
MCAS Beaufort	601	Common Area	Behind/Next to TV	5707377	ATD	Radonova	04/20/2021	05/19/2022	0.3
MCAS Beaufort	601	Common Area	Behind/Next to TV	8327561	ATD	Radonova	04/20/2021	05/19/2022	< 0.2
MCAS Beaufort	601	Office	Right wall	1625037	ATD	Radonova	04/20/2021	05/19/2022	0.2
MCAS Beaufort	601	Office	Right wall	5385463	ATD	Radonova	04/20/2021	05/19/2022	0.2
MCAS Beaufort	611	105	Right wall	3347614	ATD	Radonova	04/19/2021	05/18/2022	0.6
MCAS Beaufort	611	105	Right wall	4311668	ATD	Radonova	04/19/2021	05/18/2022	0.5
MCAS Beaufort	611	106	On wall	3353380	ATD	Radonova	04/19/2021	05/18/2022	0.6
MCAS Beaufort	611	106	On wall	7057466	ATD	Radonova	04/19/2021	05/18/2022	0.5
MCAS Beaufort	611	109	On Column	2375616	ATD	Radonova	04/19/2021	05/18/2022	0.6
MCAS Beaufort	611	109	On Column	9416082	ATD	Radonova	04/19/2021	05/18/2022	0.6
MCAS Beaufort	611	113	On wall	3751773	ATD	Radonova	04/19/2021	05/18/2022	1.1
MCAS Beaufort	611	113	On wall	6872428	ATD	Radonova	04/19/2021	05/18/2022	1.1



# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	611	114	On wall	3359957	ATD	Radonova	04/19/2021	05/18/2022	0.9
MCAS Beaufort	611	114	On wall	4749842	ATD	Radonova	04/19/2021	05/18/2022	0.9
MCAS Beaufort	611	117	On wall	2522191	ATD	Radonova	04/19/2021	05/18/2022	0.9
MCAS Beaufort	611	117	On wall	7568892	ATD	Radonova	04/19/2021	05/18/2022	0.9
MCAS Beaufort	611	125	On wall	2491322	ATD	Radonova	04/19/2021	05/18/2022	0.2
MCAS Beaufort	611	125	On wall	3112067	ATD	Radonova	04/19/2021	05/18/2022	0.2
MCAS Beaufort	611	126	On wall	3281375	ATD	Radonova	04/19/2021	05/18/2022	0.3
MCAS Beaufort	611	126	On wall	4023693	ATD	Radonova	04/19/2021	05/18/2022	0.2
MCAS Beaufort	611	132	Right wall	2490340	ATD	Radonova	04/19/2021	05/18/2022	0.8
MCAS Beaufort	611	132	Right wall	6785695	ATD	Radonova	04/19/2021	05/18/2022	0.8
MCAS Beaufort	611	133	Left wall	2347946	ATD	Radonova	04/19/2021	05/18/2022	0.7
MCAS Beaufort	611	133	Left wall	7085640	ATD	Radonova	04/19/2021	05/18/2022	0.7
MCAS Beaufort	611	134	Left wall	1650670	ATD	Radonova	04/19/2021	05/18/2022	0.5
MCAS Beaufort	611	134	Left wall	3663671	ATD	Radonova	04/19/2021	05/18/2022	0.6
MCAS Beaufort	611	136	Left wall	2045466	ATD	Radonova	04/19/2021	05/18/2022	0.6
MCAS Beaufort	611	136	Left wall	7564933	ATD	Radonova	04/19/2021	05/18/2022	0.5
MCAS Beaufort	611	138	Left wall	5491824	ATD	Radonova	04/19/2021	05/18/2022	0.8
MCAS Beaufort	611	138	Left wall	6872295	ATD	Radonova	04/19/2021	05/18/2022	0.6
MCAS Beaufort	611	139	On wall	2784023	ATD	Radonova	04/19/2021	05/18/2022	0.8
MCAS Beaufort	611	139	On wall	9042938	ATD	Radonova	04/19/2021	05/18/2022	0.8
MCAS Beaufort	611	140	Right wall	2254415	ATD	Radonova	04/19/2021	05/18/2022	0.7
MCAS Beaufort	611	140	Right wall	6925101	ATD	Radonova	04/19/2021	05/18/2022	0.7
MCAS Beaufort	611	121	On Column	6149215	ATD	Radonova	04/19/2021	05/18/2022	0.3
MCAS Beaufort	611	121	On Column	9716044	ATD	Radonova	04/19/2021	05/18/2022	0.3
MCAS Beaufort	611	121	On Column	2294957	ATD	Radonova	04/19/2021	05/18/2022	0.5
MCAS Beaufort	611	121	On Column	4061347	ATD	Radonova	04/19/2021	05/18/2022	0.4
MCAS Beaufort	611	121	On Column	4873121	ATD	Radonova	04/19/2021	05/18/2022	0.6
MCAS Beaufort	611	121	On Column	5632203	ATD	Radonova	04/19/2021	05/18/2022	0.5
MCAS Beaufort	611	121	On Column	2011518	ATD	Radonova	04/19/2021	05/18/2022	0.4
MCAS Beaufort	611	121	On Column	3902608	ATD	Radonova	04/19/2021	05/18/2022	0.4
MCAS Beaufort	611	121	On wall	1582535	ATD	Radonova	04/19/2021	05/18/2022	0.6
MCAS Beaufort	611	121	On wall	2449536	ATD	Radonova	04/19/2021	05/18/2022	0.6
MCAS Beaufort	611	127	On Column	2138949	ATD	Radonova	04/19/2021	05/18/2022	0.3

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	611	127	On Column	4473856	ATD	Radonova	04/19/2021	05/18/2022	0.4
MCAS Beaufort	611	130	On wall	2578334	ATD	Radonova	04/19/2021	05/18/2022	0.4
MCAS Beaufort	611	130	On wall	9765736	ATD	Radonova	04/19/2021	05/18/2022	0.6
MCAS Beaufort	611	130	On wall	4550109	ATD	Radonova	04/19/2021	05/18/2022	0.6
MCAS Beaufort	611	130	On wall	7817562	ATD	Radonova	04/19/2021	05/18/2022	0.8
MCAS Beaufort	611	Common Area	Left wall	3416674	ATD	Radonova	04/19/2021	05/18/2022	0.6
MCAS Beaufort	611	Common Area	Left wall	5938162	ATD	Radonova	04/19/2021	05/18/2022	0.7
MCAS Beaufort	612	105	On wall	2496867	ATD	Radonova	04/19/2021	05/17/2022	0.6
MCAS Beaufort	612	105	On wall	7578420	ATD	Radonova	04/19/2021	05/17/2022	0.5
MCAS Beaufort	612	106	Left wall	2543056	ATD	Radonova	04/19/2021	05/17/2022	0.5
MCAS Beaufort	612	106	Left wall	7083645	ATD	Radonova	04/19/2021	05/17/2022	0.6
MCAS Beaufort	612	108	Right wall	3646866	ATD	Radonova	04/18/2021	05/17/2022	0.6
MCAS Beaufort	612	108	Right wall	3651098	ATD	Radonova	04/18/2021	05/17/2022	0.6
MCAS Beaufort	612	109	Left wall	1617299	ATD	Radonova	04/19/2021	05/17/2022	0.5
MCAS Beaufort	612	109	Left wall	4672473	ATD	Radonova	04/19/2021	05/17/2022	0.7
MCAS Beaufort	612	110	Left wall	9364928	ATD	Radonova	04/19/2021	05/17/2022	0.5
MCAS Beaufort	612	110	Left wall	9942467	ATD	Radonova	04/19/2021	05/17/2022	0.6
MCAS Beaufort	612	111	Right wall	4058145	ATD	Radonova	04/19/2021	05/17/2022	0.6
MCAS Beaufort	612	111	Right wall	7456155	ATD	Radonova	04/19/2021	05/17/2022	0.6
MCAS Beaufort	612	118	Left wall	1670231	ATD	Radonova	04/19/2021	05/17/2022	0.7
MCAS Beaufort	612	118	Left wall	1870179	ATD	Radonova	04/19/2021	05/17/2022	0.7
MCAS Beaufort	612	119	Left wall	6173215	ATD	Radonova	04/19/2021	05/17/2022	0.5
MCAS Beaufort	612	119	Left wall	9611500	ATD	Radonova	04/19/2021	05/17/2022	0.5
MCAS Beaufort	612	121	Right wall	3619145	ATD	Radonova	06/08/2021	05/17/2022	0.5
MCAS Beaufort	612	121	Right wall	7024003	ATD	Radonova	06/08/2021	05/17/2022	0.6
MCAS Beaufort	612	122	Left wall	3321254	ATD	Radonova	04/19/2021	05/17/2022	0.6
MCAS Beaufort	612	122	Left wall	9214214	ATD	Radonova	04/19/2021	05/17/2022	0.5
MCAS Beaufort	612	123	Left wall	1526755	ATD	Radonova	06/08/2021	05/17/2022	0.5
MCAS Beaufort	612	123	Left wall	4974994	ATD	Radonova	06/08/2021	05/17/2022	0.6
MCAS Beaufort	612	Bay 10 Common Area	On wall	2506285	ATD	Radonova	04/19/2021	05/17/2022	1.4
MCAS Beaufort	612	Bay 10 Common Area	On wall	4667945	ATD	Radonova	04/19/2021	05/17/2022	1.8
MCAS Beaufort	612	Bay 10 Office	Left wall	4860391	ATD	Radonova	04/19/2021	05/17/2022	1.3
MCAS Beaufort	612	Bay 10 Office	Left wall	7016553	ATD	Radonova	04/19/2021	05/17/2022	1.8

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	612	Bay 10 Common Area	Left wall	2166684	ATD	Radonova	04/19/2021	05/17/2022	1.5
MCAS Beaufort	612	Bay 10 Common Area	Left wall	8154478	ATD	Radonova	04/19/2021	05/17/2022	1.4
MCAS Beaufort	612	Bay 10 Office Exterior	On wall	2642957	ATD	Radonova	04/19/2021	05/17/2022	1.3
MCAS Beaufort	612	Bay 10 Office Exterior	On wall	6418800	ATD	Radonova	04/19/2021	05/17/2022	1.2
MCAS Beaufort	612	Bay 10 Office Area	On wall	2178127	ATD	Radonova	04/19/2021	05/17/2022	1.6
MCAS Beaufort	612	Bay 10 Office Area	On wall	3225943	ATD	Radonova	04/19/2021	05/17/2022	1.5
MCAS Beaufort	612	Bay 11 Office	Left wall	1610641	ATD	Radonova	09/16/2021	05/17/2022	1.8
MCAS Beaufort	612	Bay 11 Office	Left wall	3782398	ATD	Radonova	09/16/2021	05/17/2022	2
MCAS Beaufort	612	Bay 11 Office Exterior	On wall	1096601	ATD	Radonova	04/19/2021	05/17/2022	1.5
MCAS Beaufort	612	Bay 11 Office Exterior	On wall	2472579	ATD	Radonova	04/19/2021	05/17/2022	1.5
MCAS Beaufort	612	Bay 12 Office	Right wall	2405694	ATD	Radonova	04/19/2021	05/17/2022	1.8
MCAS Beaufort	612	Bay 12 Office	Right wall	9377656	ATD	Radonova	04/19/2021	05/17/2022	1.8
MCAS Beaufort	612	Bay 12 Office Exterior	On wall	1691443	ATD	Radonova	04/19/2021	05/17/2022	1.4
MCAS Beaufort	612	Bay 12 Office Exterior	On wall	6731806	ATD	Radonova	04/19/2021	05/17/2022	1.3
MCAS Beaufort	612	Bay 13 Office	Left wall	2408813	ATD	Radonova	04/19/2021	05/17/2022	1.3
MCAS Beaufort	612	Bay 13 Office	Left wall	4571725	ATD	Radonova	04/19/2021	05/17/2022	1.3
MCAS Beaufort	612	Bay 13 Office 2 Exterior	On wall	1370709	ATD	Radonova	04/19/2021	05/17/2022	1.1
MCAS Beaufort	612	Bay 13 Office 2 Exterior	On wall	4932158	ATD	Radonova	04/19/2021	05/17/2022	1.1
MCAS Beaufort	612	Bay 13 Office 2	On wall	7554777	ATD	Radonova	04/19/2021	05/17/2022	1.1
MCAS Beaufort	612	Bay 13 Office 2	On wall	9088212	ATD	Radonova	04/19/2021	05/17/2022	1.1
MCAS Beaufort	612	Bay 13 Office 3	On wall	3301447	ATD	Radonova	04/19/2021	05/17/2022	0.5
MCAS Beaufort	612	Bay 13 Office 3	On wall	9794595	ATD	Radonova	04/19/2021	05/17/2022	0.6
MCAS Beaufort	612	Bay 13 Office Area	On wall	7279003	ATD	Radonova	04/19/2021	05/17/2022	1.1
MCAS Beaufort	612	Bay 13 Office Area	On wall	9959792	ATD	Radonova	04/19/2021	05/17/2022	1.2
MCAS Beaufort	612	Bay 14 Office	On wall	2765063	ATD	Radonova	04/19/2021	05/17/2022	2.1
MCAS Beaufort	612	Bay 14 Office	On wall	9616640	ATD	Radonova	04/19/2021	05/17/2022	2.2
MCAS Beaufort	612	Bay 14 Office Exterior	On wall	3098225	ATD	Radonova	04/19/2021	05/17/2022	1.3
MCAS Beaufort	612	Bay 14 Office Exterior	On wall	5222252	ATD	Radonova	04/19/2021	05/17/2022	1
MCAS Beaufort	612	Bay 15	On Column	1668367	ATD	Radonova	04/19/2021	05/17/2022	1.5
MCAS Beaufort	612	Bay 15	On Column	4000410	ATD	Radonova	04/19/2021	05/17/2022	1.5
MCAS Beaufort	612	Bay 16	On Column	3220589	ATD	Radonova	04/19/2021	05/17/2022	1.4
MCAS Beaufort	612	Bay 16	On Column	9949546	ATD	Radonova	04/19/2021	05/17/2022	1.2
MCAS Beaufort	612	Bay 18	On Column	3291960	ATD	Radonova	04/19/2021	05/17/2022	1.5

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	612	Bay 18	On Column	8213787	ATD	Radonova	04/19/2021	05/17/2022	1.5
MCAS Beaufort	612	Bay 19	On Column	5645924	ATD	Radonova	04/19/2021	05/17/2022	1.4
MCAS Beaufort	612	Bay 19	On Column	9454059	ATD	Radonova	04/19/2021	05/17/2022	1.5
MCAS Beaufort	612	Bay 19	On Column	5190178	ATD	Radonova	04/19/2021	05/17/2022	1.4
MCAS Beaufort	612	Bay 19	On Column	6456701	ATD	Radonova	04/19/2021	05/17/2022	1.2
MCAS Beaufort	612	Bay 20	On Column	2290419	ATD	Radonova	04/19/2021	05/17/2022	1.4
MCAS Beaufort	612	Bay 20	On Column	3246022	ATD	Radonova	04/19/2021	05/17/2022	1.4
MCAS Beaufort	612	Bay 21 Office	On wall	4418711	ATD	Radonova	04/19/2021	05/17/2022	1.2
MCAS Beaufort	612	Bay 21 Office	On wall	7716327	ATD	Radonova	04/19/2021	05/17/2022	1.2
MCAS Beaufort	612	Bay 21 Office Exterior	On wall	2371995	ATD	Radonova	04/19/2021	05/17/2022	1.4
MCAS Beaufort	612	Bay 21 Office Exterior	On wall	4574687	ATD	Radonova	04/19/2021	05/17/2022	1.4
MCAS Beaufort	612	Bay 21	On Column	1361468	ATD	Radonova	04/19/2021	05/17/2022	1.4
MCAS Beaufort	612	Bay 21	On Column	6637235	ATD	Radonova	04/19/2021	05/17/2022	1.3
MCAS Beaufort	612	Bay 22	On Column	4266813	ATD	Radonova	04/19/2021	05/17/2022	1.9
MCAS Beaufort	612	Bay 22	On Column	4712196	ATD	Radonova	04/19/2021	05/17/2022	1.5
MCAS Beaufort	612	Bay 23	On Column	7251275	ATD	Radonova	04/19/2021	05/17/2022	1.7
MCAS Beaufort	612	Bay 23	On Column	8251373	ATD	Radonova	04/19/2021	05/17/2022	1.8
MCAS Beaufort	612	Bay 24	On Column	4255162	ATD	Radonova	04/19/2021	05/17/2022	1.5
MCAS Beaufort	612	Bay 24	On Column	6536361	ATD	Radonova	04/19/2021	05/17/2022	1.5
MCAS Beaufort	612	Bay 24	On Column	3978608	ATD	Radonova	04/19/2021	05/17/2022	1.6
MCAS Beaufort	612	Bay 24	On Column	9805334	ATD	Radonova	04/19/2021	05/17/2022	1.9
MCAS Beaufort	612	Bay 25	On Column	1913466	ATD	Radonova	04/19/2021	05/17/2022	1.5
MCAS Beaufort	612	Bay 25	On Column	3349230	ATD	Radonova	04/19/2021	05/17/2022	1.7
MCAS Beaufort	612	Common Area	On wall	4672101	ATD	Radonova	04/19/2021	05/17/2022	0.5
MCAS Beaufort	612	Common Area	On wall	9168402	ATD	Radonova	04/19/2021	05/17/2022	0.5
MCAS Beaufort	612	Common Area	On wall	2420883	ATD	Radonova	04/19/2021	05/17/2022	0.5
MCAS Beaufort	612	Common Area	On wall	3628351	ATD	Radonova	04/19/2021	05/17/2022	0.6
MCAS Beaufort	612	Office	Right wall	4018396	ATD	Radonova	04/19/2021	05/17/2022	0.5
MCAS Beaufort	612	Office	Right wall	4664785	ATD	Radonova	04/19/2021	05/17/2022	0.4
MCAS Beaufort	612	Office	On wall	6123657	ATD	Radonova	04/19/2021	05/17/2022	0.9
MCAS Beaufort	612	Office	On wall	8362006	ATD	Radonova	04/19/2021	05/17/2022	1
MCAS Beaufort	612	Office	On wall	3339603	ATD	Radonova	04/28/2021	05/17/2022	1.2
MCAS Beaufort	612	Office	On wall	9930173	ATD	Radonova	04/28/2021	05/17/2022	0.9

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	612	Office	Left wall	6892889	ATD	Radonova	04/19/2021	05/17/2022	0.9
MCAS Beaufort	612	Office	Left wall	7427727	ATD	Radonova	04/19/2021	05/17/2022	0.9
MCAS Beaufort	614	103	Left wall	2291409	ATD	Radonova	04/19/2021	05/18/2022	1.4
MCAS Beaufort	614	103	Left wall	2322808	ATD	Radonova	04/19/2021	05/18/2022	1.1
MCAS Beaufort	614	104	On wall	1901636	ATD	Radonova	04/19/2021	05/18/2022	1.2
MCAS Beaufort	614	104	On wall	2610673	ATD	Radonova	04/19/2021	05/18/2022	1.3
MCAS Beaufort	614	106	Right wall	3277167	ATD	Radonova	04/19/2021	05/18/2022	1.4
MCAS Beaufort	614	106	Right wall	4437737	ATD	Radonova	04/19/2021	05/18/2022	1.3
MCAS Beaufort	614	107	Behind/Next to TV	2516219	ATD	Radonova	04/19/2021	05/18/2022	1.6
MCAS Beaufort	614	107	Behind/Next to TV	5841127	ATD	Radonova	04/19/2021	05/18/2022	1.5
MCAS Beaufort	614	108	Right wall	2538742	ATD	Radonova	04/19/2021	05/18/2022	1.3
MCAS Beaufort	614	108	Right wall	4330965	ATD	Radonova	04/19/2021	05/18/2022	1.3
MCAS Beaufort	614	109	Right wall	2814051	ATD	Radonova	04/19/2021	05/18/2022	1.4
MCAS Beaufort	614	109	Right wall	3441466	ATD	Radonova	04/19/2021	05/18/2022	1.3
MCAS Beaufort	614	110	Left wall	6639736	ATD	Radonova	04/19/2021	05/18/2022	N/A
MCAS Beaufort	614	110	Left wall	7223852	ATD	Radonova	04/19/2021	05/18/2022	1.2
MCAS Beaufort	614	111	Right wall	3246733	ATD	Radonova	04/19/2021	05/18/2022	1.3
MCAS Beaufort	614	111	Right wall	3991353	ATD	Radonova	04/19/2021	05/18/2022	1.3
MCAS Beaufort	614	112	On wall	5995295	ATD	Radonova	04/19/2021	05/18/2022	1.2
MCAS Beaufort	614	112	On wall	6318646	ATD	Radonova	04/19/2021	05/18/2022	1.3
MCAS Beaufort	614	113	Left wall	3216850	ATD	Radonova	04/19/2021	05/18/2022	1.4
MCAS Beaufort	614	113	Left wall	9654682	ATD	Radonova	04/19/2021	05/18/2022	1.3
MCAS Beaufort	614	117	Right wall	2287431	ATD	Radonova	04/19/2021	05/18/2022	1.4
MCAS Beaufort	614	117	Right wall	3224326	ATD	Radonova	04/19/2021	05/18/2022	1.2
MCAS Beaufort	614	Office	Behind/Next to TV	2982536	ATD	Radonova	04/19/2021	05/18/2022	1.4
MCAS Beaufort	614	Office	Behind/Next to TV	4405544	ATD	Radonova	04/19/2021	05/18/2022	1.5
MCAS Beaufort	614	Common Area	On wall	6560056	ATD	Radonova	04/19/2021	05/18/2022	1.2
MCAS Beaufort	614	Common Area	On wall	7148331	ATD	Radonova	04/19/2021	05/18/2022	1.1
MCAS Beaufort	614	Bay	On wall	3327293	ATD	Radonova	04/19/2021	05/18/2022	1.6
MCAS Beaufort	614	Bay	On wall	6006795	ATD	Radonova	04/19/2021	05/18/2022	1.5
MCAS Beaufort	616	105	Right wall	6246938	ATD	Radonova	04/22/2021	05/09/2022	0.9
MCAS Beaufort	616	105	Right wall	6390389	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	616	106	On wall	1657790	ATD	Radonova	04/22/2021	05/09/2022	0.5

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	616	106	On wall	7646615	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	616	109	Left wall	1644145	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	616	109	Left wall	9672395	ATD	Radonova	04/22/2021	05/09/2022	0.5
MCAS Beaufort	616	110	Left wall	1410372	ATD	Radonova	04/22/2021	05/09/2022	0.7
MCAS Beaufort	616	110	Left wall	5264809	ATD	Radonova	04/22/2021	05/09/2022	0.8
MCAS Beaufort	616	112	On wall	1694652	ATD	Radonova	04/22/2021	05/09/2022	0.8
MCAS Beaufort	616	112	On wall	6918288	ATD	Radonova	04/22/2021	05/09/2022	0.7
MCAS Beaufort	616	114	Left wall	2713907	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	616	114	Left wall	3396181	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	616	115	On wall	1693761	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	616	115	On wall	5422894	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	616	116	Left wall	4475653	ATD	Radonova	04/22/2021	05/09/2022	0.7
MCAS Beaufort	616	116	Left wall	7347693	ATD	Radonova	04/22/2021	05/09/2022	0.7
MCAS Beaufort	616	118	Behind/Next to TV	1677962	ATD	Radonova	04/22/2021	05/09/2022	0.7
MCAS Beaufort	616	118	Behind/Next to TV	9380981	ATD	Radonova	04/22/2021	05/09/2022	0.7
MCAS Beaufort	616	123	Right wall	1594282	ATD	Radonova	04/22/2021	05/09/2022	0.4
MCAS Beaufort	616	123	Right wall	7836877	ATD	Radonova	04/22/2021	05/09/2022	0.4
MCAS Beaufort	616	124	Right wall	4165148	ATD	Radonova	04/22/2021	05/09/2022	0.4
MCAS Beaufort	616	124	Right wall	9744111	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	616	125	Right wall	1613025	ATD	Radonova	04/22/2021	05/09/2022	0.9
MCAS Beaufort	616	125	Right wall	1879162	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	616	126	On wall	5600762	ATD	Radonova	04/22/2021	05/09/2022	0.4
MCAS Beaufort	616	126	On wall	8135873	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	616	127	Right wall	4816203	ATD	Radonova	04/22/2021	05/09/2022	0.5
MCAS Beaufort	616	127	Right wall	6963599	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	616	128	Behind/Next to TV	1804061	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	616	128	Behind/Next to TV	1976588	ATD	Radonova	04/22/2021	05/09/2022	0.7
MCAS Beaufort	616	130	On wall	3320108	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	616	130	On wall	4722872	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	616	131	Right wall	1598242	ATD	Radonova	04/22/2021	05/09/2022	0.8
MCAS Beaufort	616	131	Right wall	1636505	ATD	Radonova	04/22/2021	05/09/2022	0.8
MCAS Beaufort	616	132	Left wall	1599638	ATD	Radonova	04/22/2021	05/09/2022	1
MCAS Beaufort	616	132	Left wall	2311801	ATD	Radonova	04/22/2021	05/09/2022	0.8

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	616	133	Left wall	1639798	ATD	Radonova	04/22/2021	05/09/2022	0.7
MCAS Beaufort	616	133	Left wall	2213676	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	616	134	Left wall	1612068	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	616	134	Left wall	3290418	ATD	Radonova	04/22/2021	05/09/2022	0.8
MCAS Beaufort	616	135	Right wall	5503610	ATD	Radonova	04/22/2021	05/09/2022	0.7
MCAS Beaufort	616	135	Right wall	7418080	ATD	Radonova	04/22/2021	05/09/2022	0.7
MCAS Beaufort	616	107A	Right wall	3093770	ATD	Radonova	04/22/2021	05/09/2022	0.4
MCAS Beaufort	616	107A	Right wall	9120916	ATD	Radonova	04/22/2021	05/09/2022	0.5
MCAS Beaufort	616	107B	Right wall	1603851	ATD	Radonova	04/22/2021	05/09/2022	0.5
MCAS Beaufort	616	107B	Right wall	9547050	ATD	Radonova	04/22/2021	05/09/2022	0.5
MCAS Beaufort	616	113A	Left wall	1626555	ATD	Radonova	04/22/2021	05/09/2022	0.9
MCAS Beaufort	616	113A	Left wall	2804920	ATD	Radonova	04/22/2021	05/09/2022	0.9
MCAS Beaufort	616	113B	Left wall	1619964	ATD	Radonova	04/22/2021	05/09/2022	0.8
MCAS Beaufort	616	113B	Left wall	7478993	ATD	Radonova	04/22/2021	05/09/2022	0.8
MCAS Beaufort	616	125A	Left wall	4230819	ATD	Radonova	04/22/2021	05/09/2022	0.5
MCAS Beaufort	616	125A	Left wall	8365843	ATD	Radonova	04/22/2021	05/09/2022	0.5
MCAS Beaufort	616	129A	Right wall	5358379	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	616	129A	Right wall	5590971	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	616	129A	Right wall	4133542	ATD	Radonova	04/22/2021	05/09/2022	0.4
MCAS Beaufort	616	129A	Right wall	7176852	ATD	Radonova	04/22/2021	05/09/2022	0.4
MCAS Beaufort	616	Common Area	Left wall	5822523	ATD	Radonova	04/22/2021	05/09/2022	0.5
MCAS Beaufort	616	Common Area	Left wall	7181340	ATD	Radonova	04/22/2021	05/09/2022	0.7
MCAS Beaufort	617	Office	Right wall	2721934	ATD	Radonova	06/07/2021	05/09/2022	0.5
MCAS Beaufort	617	Office	Right wall	4214961	ATD	Radonova	06/07/2021	05/09/2022	0.5
MCAS Beaufort	617	Office	Left wall	2011302	ATD	Radonova	06/07/2021	05/09/2022	0.3
MCAS Beaufort	617	Office	Left wall	6272389	ATD	Radonova	06/07/2021	05/09/2022	0.4
MCAS Beaufort	617	Common Area	Left wall	3270675	ATD	Radonova	06/07/2021	05/09/2022	0.5
MCAS Beaufort	617	Common Area	Left wall	6506463	ATD	Radonova	06/07/2021	05/09/2022	0.5
MCAS Beaufort	617	Office 1	On wall	6544175	ATD	Radonova	06/07/2021	05/09/2022	0.6
MCAS Beaufort	617	Office 1	On wall	6713499	ATD	Radonova	06/07/2021	05/09/2022	0.7
MCAS Beaufort	617	Bay	On Column	1859586	ATD	Radonova	06/07/2021	05/09/2022	0.5
MCAS Beaufort	617	Bay	On Column	3719564	ATD	Radonova	06/07/2021	05/09/2022	0.4
MCAS Beaufort	617	Bay	On Column	4558987	ATD	Radonova	06/07/2021	05/09/2022	0.4

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	617	Bay	On Column	7640881	ATD	Radonova	06/07/2021	05/09/2022	0.4
MCAS Beaufort	617	Bay	On Column	6354534	ATD	Radonova	06/07/2021	05/09/2022	1.7
MCAS Beaufort	617	Bay	On Column	8107138	ATD	Radonova	06/07/2021	05/09/2022	1.4
MCAS Beaufort	617	Bay	On Column	3421757	ATD	Radonova	06/07/2021	05/09/2022	0.4
MCAS Beaufort	617	Bay	On Column	9192840	ATD	Radonova	06/07/2021	05/09/2022	0.5
MCAS Beaufort	617	Bay	On Column	1947209	ATD	Radonova	06/07/2021	05/09/2022	0.4
MCAS Beaufort	617	Bay	On Column	3477882	ATD	Radonova	06/07/2021	05/09/2022	0.4
MCAS Beaufort	620	Office 1	On wall	3197795	ATD	Radonova	04/21/2021	05/09/2022	0.8
MCAS Beaufort	620	Office 1	On wall	3293768	ATD	Radonova	04/21/2021	05/09/2022	0.8
MCAS Beaufort	620	Office 2	Right wall	2343184	ATD	Radonova	04/21/2021	05/09/2022	0.6
MCAS Beaufort	620	Office 2	Right wall	6880678	ATD	Radonova	04/21/2021	05/09/2022	0.6
MCAS Beaufort	620	Office 3	Left wall	5418223	ATD	Radonova	04/21/2021	05/10/2022	1
MCAS Beaufort	620	Office 3	Left wall	7167489	ATD	Radonova	04/21/2021	05/10/2022	0.8
MCAS Beaufort	625	102	Left wall	8055907	ATD	Radonova	06/07/2021	05/09/2022	1.2
MCAS Beaufort	625	102	Left wall	9998733	ATD	Radonova	06/07/2021	05/09/2022	1.1
MCAS Beaufort	625	103	On wall	7573900	ATD	Radonova	06/07/2021	05/09/2022	1.1
MCAS Beaufort	625	103	On wall	7588700	ATD	Radonova	06/07/2021	05/09/2022	1.2
MCAS Beaufort	625	106	Left wall	1483973	ATD	Radonova	06/07/2021	05/09/2022	1.1
MCAS Beaufort	625	106	Left wall	9160896	ATD	Radonova	06/07/2021	05/09/2022	1.1
MCAS Beaufort	625	107	Right wall	1197672	ATD	Radonova	06/07/2021	05/09/2022	1.2
MCAS Beaufort	625	107	Right wall	1429331	ATD	Radonova	06/07/2021	05/09/2022	1.1
MCAS Beaufort	625	108	Left wall	1250869	ATD	Radonova	06/07/2021	05/09/2022	1.2
MCAS Beaufort	625	108	Left wall	3821642	ATD	Radonova	06/07/2021	05/09/2022	1.2
MCAS Beaufort	625	111	Right wall	1266287	ATD	Radonova	06/07/2021	05/09/2022	1.4
MCAS Beaufort	625	111	Right wall	5751508	ATD	Radonova	06/07/2021	05/09/2022	1.2
MCAS Beaufort	625	112	Left wall	4046678	ATD	Radonova	06/07/2021	05/09/2022	1.2
MCAS Beaufort	625	112	Left wall	4455168	ATD	Radonova	06/07/2021	05/09/2022	1.2
MCAS Beaufort	625	113	Right wall	5524731	ATD	Radonova	06/07/2021	05/09/2022	0.5
MCAS Beaufort	625	113	Right wall	9465535	ATD	Radonova	06/07/2021	05/09/2022	0.7
MCAS Beaufort	625	113B	Left wall	3792447	ATD	Radonova	06/07/2021	05/09/2022	0.6
MCAS Beaufort	625	113B	Left wall	9099045	ATD	Radonova	06/07/2021	05/09/2022	0.6
MCAS Beaufort	625	Shop Area	On wall	1117746	ATD	Radonova	06/07/2021	05/09/2022	0.4
MCAS Beaufort	625	Shop Area	On wall	6239131	ATD	Radonova	06/07/2021	05/09/2022	0.5



# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	625	Shop Area	Right wall	4877999	ATD	Radonova	06/07/2021	05/09/2022	2.1
MCAS Beaufort	625	Shop Area	Right wall	5062278	ATD	Radonova	06/07/2021	05/09/2022	2.2
MCAS Beaufort	625	Common Area	On wall	3068426	ATD	Radonova	06/07/2021	05/09/2022	1.2
MCAS Beaufort	625	Common Area	On wall	3243441	ATD	Radonova	06/07/2021	05/09/2022	1.2
MCAS Beaufort	625	Shop Area	Right wall	8251571	ATD	Radonova	06/07/2021	05/09/2022	1.2
MCAS Beaufort	625	Shop Area	Right wall	9470451	ATD	Radonova	06/07/2021	05/09/2022	1.2
MCAS Beaufort	625	Common Area	Behind/Next to TV	3633542	ATD	Radonova	06/07/2021	05/09/2022	0.6
MCAS Beaufort	625	Common Area	Behind/Next to TV	7327000	ATD	Radonova	06/07/2021	05/09/2022	0.6
MCAS Beaufort	625	Shop Area	On wall	1852789	ATD	Radonova	06/07/2021	05/09/2022	0.5
MCAS Beaufort	625	Shop Area	On wall	6855464	ATD	Radonova	06/07/2021	05/09/2022	0.4
MCAS Beaufort	625	Shop Area	On wall	5628631	ATD	Radonova	06/07/2021	05/09/2022	1.7
MCAS Beaufort	625	Shop Area	On wall	8099038	ATD	Radonova	06/07/2021	05/09/2022	1.4
MCAS Beaufort	625	Shop Area	On wall	1709393	ATD	Radonova	06/07/2021	05/09/2022	0.8
MCAS Beaufort	625	Shop Area	On wall	5636741	ATD	Radonova	06/07/2021	05/09/2022	0.7
MCAS Beaufort	626	101	Left wall	5667977	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	626	101	Left wall	8312407	ATD	Radonova	04/23/2021	05/10/2022	0.4
MCAS Beaufort	626	107	Right wall	1686740	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	626	107	Right wall	5618848	ATD	Radonova	04/23/2021	05/10/2022	0.4
MCAS Beaufort	626	108	On wall	1854355	ATD	Radonova	04/23/2021	05/10/2022	0.4
MCAS Beaufort	626	108	On wall	4894374	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	626	Bay	Left wall	1692433	ATD	Radonova	04/23/2021	05/10/2022	0.2
MCAS Beaufort	626	Bay	Left wall	2536522	ATD	Radonova	04/23/2021	05/10/2022	0.2
MCAS Beaufort	658	102	Right wall	5439831	ATD	Radonova	04/21/2021	05/09/2022	1.3
MCAS Beaufort	658	102	Right wall	9432246	ATD	Radonova	04/21/2021	05/09/2022	1.3
MCAS Beaufort	658	103	Left wall	1603562	ATD	Radonova	04/21/2021	05/09/2022	1.3
MCAS Beaufort	658	103	Left wall	1676733	ATD	Radonova	04/21/2021	05/09/2022	1.2
MCAS Beaufort	658	104	Left wall	3944766	ATD	Radonova	04/21/2021	05/09/2022	1.3
MCAS Beaufort	658	104	Left wall	5285408	ATD	Radonova	04/21/2021	05/09/2022	1.2
MCAS Beaufort	658	105	Left wall	1604875	ATD	Radonova	04/21/2021	05/09/2022	1.5
MCAS Beaufort	658	105	Left wall	7255276	ATD	Radonova	04/21/2021	05/09/2022	1.3
MCAS Beaufort	658	106	Left wall	1661164	ATD	Radonova	04/21/2021	05/09/2022	1.4
MCAS Beaufort	658	106	Left wall	2897221	ATD	Radonova	04/21/2021	05/09/2022	1.1
MCAS Beaufort	658	107	Left wall	4284709	ATD	Radonova	04/21/2021	05/09/2022	1.6

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	658	107	Left wall	4800868	ATD	Radonova	04/21/2021	05/09/2022	1.7
MCAS Beaufort	658	108	Left wall	3245768	ATD	Radonova	04/21/2021	05/09/2022	1.3
MCAS Beaufort	658	108	Left wall	4275269	ATD	Radonova	04/21/2021	05/09/2022	1.5
MCAS Beaufort	658	109	Left wall	1763499	ATD	Radonova	04/21/2021	05/09/2022	1.4
MCAS Beaufort	658	109	Left wall	6773428	ATD	Radonova	04/21/2021	05/09/2022	1.5
MCAS Beaufort	658	110	Left wall	4785044	ATD	Radonova	04/21/2021	05/09/2022	1.2
MCAS Beaufort	658	110	Left wall	7167638	ATD	Radonova	04/21/2021	05/09/2022	1.2
MCAS Beaufort	658	111	Left wall	2171031	ATD	Radonova	04/21/2021	05/09/2022	0.8
MCAS Beaufort	658	111	Left wall	9446402	ATD	Radonova	04/21/2021	05/09/2022	1
MCAS Beaufort	658	112	Right wall	4433439	ATD	Radonova	04/21/2021	05/09/2022	1.4
MCAS Beaufort	658	112	Right wall	9278862	ATD	Radonova	04/21/2021	05/09/2022	1.3
MCAS Beaufort	658	113	Left wall	2123818	ATD	Radonova	04/21/2021	05/09/2022	1.2
MCAS Beaufort	658	113	Left wall	4499745	ATD	Radonova	04/21/2021	05/09/2022	1.2
MCAS Beaufort	658	114	Right wall	6968663	ATD	Radonova	04/21/2021	05/09/2022	1
MCAS Beaufort	658	114	Right wall	9539255	ATD	Radonova	04/21/2021	05/09/2022	0.8
MCAS Beaufort	658	115	Right wall	9089376	ATD	Radonova	04/21/2021	05/09/2022	1.6
MCAS Beaufort	658	115	Right wall	9677725	ATD	Radonova	04/21/2021	05/09/2022	1.4
MCAS Beaufort	658	116	Left wall	2331098	ATD	Radonova	04/21/2021	05/09/2022	1.6
MCAS Beaufort	658	116	Left wall	2633055	ATD	Radonova	04/21/2021	05/09/2022	1.5
MCAS Beaufort	658	Common Area	Right wall	1607324	ATD	Radonova	04/21/2021	05/09/2022	1.6
MCAS Beaufort	658	Common Area	Right wall	4713111	ATD	Radonova	04/21/2021	05/09/2022	1.3
MCAS Beaufort	658	Office	Right wall	5615398	ATD	Radonova	04/21/2021	05/09/2022	1.7
MCAS Beaufort	658	Office	Right wall	7254766	ATD	Radonova	04/21/2021	05/09/2022	1.6
MCAS Beaufort	658	Utility	Left wall	7413925	ATD	Radonova	04/21/2021	05/09/2022	1.6
MCAS Beaufort	658	Utility	Left wall	7767643	ATD	Radonova	04/21/2021	05/09/2022	1.6
MCAS Beaufort	658	Common Area	On wall	6416374	ATD	Radonova	04/21/2021	05/09/2022	1.3
MCAS Beaufort	658	Common Area	On wall	8131773	ATD	Radonova	04/21/2021	05/09/2022	1.2
MCAS Beaufort	660	102	Left wall	1604503	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	660	102	Left wall	3894474	ATD	Radonova	04/22/2021	05/09/2022	1
MCAS Beaufort	660	103	Left wall	1645274	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	660	103	Left wall	1833615	ATD	Radonova	04/22/2021	05/09/2022	0.9
MCAS Beaufort	660	109	Left wall	1695246	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	660	109	Left wall	9962317	ATD	Radonova	04/22/2021	05/09/2022	1.2

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	660	110	Right wall	1668664	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	660	110	Right wall	3504396	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	660	111	Left wall	1612035	ATD	Radonova	04/22/2021	05/09/2022	1.4
MCAS Beaufort	660	111	Left wall	1769769	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	660	112	Left wall	1634658	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	660	112	Left wall	1679596	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	660	114	Left wall	1607852	ATD	Radonova	04/22/2021	05/09/2022	1
MCAS Beaufort	660	114	Left wall	9730649	ATD	Radonova	04/22/2021	05/09/2022	0.9
MCAS Beaufort	660	115	Right wall	1622372	ATD	Radonova	04/22/2021	05/09/2022	1
MCAS Beaufort	660	115	Right wall	1677509	ATD	Radonova	04/22/2021	05/09/2022	1
MCAS Beaufort	660	116	Left wall	1609841	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	660	116	Left wall	2743151	ATD	Radonova	04/22/2021	05/09/2022	1.1
MCAS Beaufort	660	122	Left wall	1690445	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	660	122	Left wall	8245110	ATD	Radonova	04/22/2021	05/09/2022	1.4
MCAS Beaufort	660	123	Left wall	1611631	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	660	123	Left wall	5540174	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	660	125	Right wall	5446299	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	660	125	Right wall	7692064	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	660	126	Right wall	1597954	ATD	Radonova	04/22/2021	05/17/2022	1
MCAS Beaufort	660	126	Right wall	9195223	ATD	Radonova	04/22/2021	05/17/2022	1
MCAS Beaufort	660	129	Left wall	1622000	ATD	Radonova	04/22/2021	05/09/2022	0.9
MCAS Beaufort	660	129	Left wall	7004039	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	660	130	Right wall	1656909	ATD	Radonova	04/22/2021	05/09/2022	0.9
MCAS Beaufort	660	130	Right wall	4026183	ATD	Radonova	04/22/2021	05/09/2022	1
MCAS Beaufort	660	132	Right wall	1654011	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	660	132	Right wall	1697317	ATD	Radonova	04/22/2021	05/09/2022	1.4
MCAS Beaufort	660	133	Right wall	1589977	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	660	133	Right wall	3774601	ATD	Radonova	04/22/2021	05/09/2022	1.1
MCAS Beaufort	660	124A	Right wall	6059836	ATD	Radonova	04/22/2021	05/09/2022	0.9
MCAS Beaufort	660	124A	Right wall	9292806	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	660	127A	Right wall	5685912	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	660	127A	Right wall	6953665	ATD	Radonova	04/22/2021	05/09/2022	1.1
MCAS Beaufort	661	102	On wall	1602085	ATD	Radonova	04/23/2021	05/09/2022	0.6

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	661	102	On wall	1662691	ATD	Radonova	04/23/2021	05/09/2022	0.8
MCAS Beaufort	661	Bay 1	On wall	2517373	ATD	Radonova	04/23/2021	05/09/2022	0.9
MCAS Beaufort	661	Bay 1	On wall	5043062	ATD	Radonova	04/23/2021	05/09/2022	0.9
MCAS Beaufort	662	101	On wall	1592906	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	662	101	On wall	1619774	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	662	102	Left wall	1330661	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	662	102	Left wall	1674696	ATD	Radonova	04/22/2021	05/09/2022	1.1
MCAS Beaufort	662	104	Left wall	1615335	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	662	104	Left wall	1655216	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	662	106	On wall	1899632	ATD	Radonova	04/22/2021	05/09/2022	1.4
MCAS Beaufort	662	106	On wall	6482418	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	662	107	On wall	1295138	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	662	107	On wall	9889932	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	662	108	Right wall	3976842	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	662	108	Right wall	5258702	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	662	113	Left wall	1356823	ATD	Radonova	04/23/2021	05/09/2022	1.3
MCAS Beaufort	662	113	Left wall	1704873	ATD	Radonova	04/23/2021	05/09/2022	1.4
MCAS Beaufort	662	116	On wall	2131100	ATD	Radonova	04/22/2021	05/09/2022	1.4
MCAS Beaufort	662	116	On wall	4379251	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	662	117	Right wall	1254630	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	662	117	Right wall	1599356	ATD	Radonova	04/22/2021	05/09/2022	1.5
MCAS Beaufort	662	118	Right wall	2248524	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	662	118	Right wall	6648224	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	662	119	Right wall	1694132	ATD	Radonova	04/22/2021	05/09/2022	1.5
MCAS Beaufort	662	119	Right wall	6651376	ATD	Radonova	04/22/2021	05/09/2022	1.6
MCAS Beaufort	662	122	On wall	1603554	ATD	Radonova	04/22/2021	05/09/2022	1.5
MCAS Beaufort	662	122	On wall	1628015	ATD	Radonova	04/22/2021	05/09/2022	1.6
MCAS Beaufort	662	123	Left wall	3798030	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	662	123	Left wall	5193420	ATD	Radonova	04/22/2021	05/09/2022	1.4
MCAS Beaufort	662	124	On wall	1678481	ATD	Radonova	04/22/2021	05/09/2022	1.4
MCAS Beaufort	662	124	On wall	4354817	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	662	125	Left wall	3676236	ATD	Radonova	04/22/2021	05/09/2022	1.4
MCAS Beaufort	662	125	Left wall	9159351	ATD	Radonova	04/22/2021	05/09/2022	1.3

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	662	127	Right wall	1502236	ATD	Radonova	04/22/2021	05/09/2022	1.4
MCAS Beaufort	662	127	Right wall	1639715	ATD	Radonova	04/22/2021	05/09/2022	1.6
MCAS Beaufort	662	128	Right wall	3678497	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	662	128	Right wall	6939904	ATD	Radonova	04/22/2021	05/09/2022	1.5
MCAS Beaufort	662	129	On wall	1274299	ATD	Radonova	04/22/2021	05/09/2022	1.2
MCAS Beaufort	662	129	On wall	4870739	ATD	Radonova	04/22/2021	05/09/2022	1.5
MCAS Beaufort	662	130	Right wall	1593250	ATD	Radonova	04/22/2021	05/09/2022	1.5
MCAS Beaufort	662	130	Right wall	1685791	ATD	Radonova	04/22/2021	05/09/2022	1.6
MCAS Beaufort	662	131	On Column	6211668	ATD	Radonova	04/22/2021	05/09/2022	1.3
MCAS Beaufort	662	131	On Column	6952725	ATD	Radonova	04/22/2021	05/09/2022	1.5
MCAS Beaufort	662	132	Right wall	1668920	ATD	Radonova	04/22/2021	05/09/2022	1.9
MCAS Beaufort	662	132	Right wall	2296457	ATD	Radonova	04/22/2021	05/09/2022	1.6
MCAS Beaufort	703	101	Left wall	2311132	ATD	Radonova	04/16/2021	05/18/2022	1.8
MCAS Beaufort	703	101	Left wall	7428857	ATD	Radonova	04/16/2021	05/18/2022	1.7
MCAS Beaufort	703	102	Right wall	1004704	ATD	Radonova	04/16/2021	05/18/2022	2
MCAS Beaufort	703	102	Right wall	3246774	ATD	Radonova	04/16/2021	05/18/2022	2
MCAS Beaufort	703	103	On wall	1620905	ATD	Radonova	04/16/2021	05/18/2022	1.6
MCAS Beaufort	703	103	On wall	3979796	ATD	Radonova	04/16/2021	05/18/2022	1.6
MCAS Beaufort	703	104	Left wall	2606317	ATD	Radonova	04/16/2021	05/18/2022	2.2
MCAS Beaufort	703	104	Left wall	3244977	ATD	Radonova	04/16/2021	05/18/2022	2
MCAS Beaufort	703	105	On wall	2245363	ATD	Radonova	04/16/2021	05/18/2022	2
MCAS Beaufort	703	105	On wall	7657158	ATD	Radonova	04/16/2021	05/18/2022	1.9
MCAS Beaufort	703	107	Left wall	1110709	ATD	Radonova	04/16/2021	05/18/2022	1.9
MCAS Beaufort	703	107	Left wall	4864880	ATD	Radonova	04/16/2021	05/18/2022	1.9
MCAS Beaufort	703	108	On wall	5588702	ATD	Radonova	04/16/2021	05/18/2022	1.5
MCAS Beaufort	703	108	On wall	9616053	ATD	Radonova	04/16/2021	05/18/2022	1.6
MCAS Beaufort	703	110	Right wall	2183267	ATD	Radonova	04/16/2021	05/18/2022	2.1
MCAS Beaufort	703	110	Right wall	9904517	ATD	Radonova	04/16/2021	05/18/2022	2
MCAS Beaufort	703	111	Right wall	3140522	ATD	Radonova	04/16/2021	05/18/2022	1.7
MCAS Beaufort	703	111	Right wall	3158854	ATD	Radonova	04/16/2021	05/18/2022	1.8
MCAS Beaufort	703	116	Left wall	2373512	ATD	Radonova	04/19/2021	05/18/2022	1.7
MCAS Beaufort	703	116	Left wall	3556313	ATD	Radonova	04/19/2021	05/18/2022	1.9
MCAS Beaufort	703	122	Right wall	3299229	ATD	Radonova	06/07/2021	05/19/2022	1.8

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	703	122	Right wall	5396825	ATD	Radonova	06/07/2021	05/19/2022	1.9
MCAS Beaufort	703	123	Left wall	1050574	ATD	Radonova	06/07/2021	05/19/2022	1.8
MCAS Beaufort	703	123	Left wall	1407113	ATD	Radonova	06/07/2021	05/19/2022	1.9
MCAS Beaufort	703	124	Right wall	3318862	ATD	Radonova	06/07/2021	05/19/2022	1.9
MCAS Beaufort	703	124	Right wall	4902938	ATD	Radonova	06/07/2021	05/19/2022	1.9
MCAS Beaufort	703	125	Right wall	4637203	ATD	Radonova	06/07/2021	05/19/2022	1.9
MCAS Beaufort	703	125	Right wall	5909536	ATD	Radonova	06/07/2021	05/19/2022	1.9
MCAS Beaufort	703	130	Right wall	5119672	ATD	Radonova	04/16/2021	05/18/2022	1.8
MCAS Beaufort	703	130	Right wall	6718563	ATD	Radonova	04/16/2021	05/18/2022	1.8
MCAS Beaufort	703	131	Right wall	5439260	ATD	Radonova	04/16/2021	05/18/2022	1.5
MCAS Beaufort	703	131	Right wall	5482567	ATD	Radonova	04/16/2021	05/18/2022	1.5
MCAS Beaufort	703	132	Left wall	4629101	ATD	Radonova	04/16/2021	05/18/2022	1.6
MCAS Beaufort	703	132	Left wall	5053004	ATD	Radonova	04/16/2021	05/18/2022	1.8
MCAS Beaufort	703	133	Right wall	1608504	ATD	Radonova	04/16/2021	05/18/2022	1.8
MCAS Beaufort	703	133	Right wall	2296184	ATD	Radonova	04/16/2021	05/18/2022	1.5
MCAS Beaufort	703	134	Right wall	2690337	ATD	Radonova	04/16/2021	05/19/2022	1.9
MCAS Beaufort	703	134	Right wall	6329387	ATD	Radonova	04/16/2021	05/19/2022	1.6
MCAS Beaufort	703	135	On wall	2229813	ATD	Radonova	04/16/2021	05/18/2022	1.6
MCAS Beaufort	703	135	On wall	4293213	ATD	Radonova	04/16/2021	05/18/2022	1.7
MCAS Beaufort	703	137	On wall	5631775	ATD	Radonova	04/16/2021	05/18/2022	1.5
MCAS Beaufort	703	137	On wall	6913123	ATD	Radonova	04/16/2021	05/18/2022	1.4
MCAS Beaufort	703	137	On wall	3923521	ATD	Radonova	04/16/2021	05/18/2022	1.5
MCAS Beaufort	703	137	On wall	9332446	ATD	Radonova	04/16/2021	05/18/2022	1.4
MCAS Beaufort	703	Office	Right wall	3855665	ATD	Radonova	04/16/2021	05/18/2022	1.8
MCAS Beaufort	703	Office	Right wall	7035090	ATD	Radonova	04/16/2021	05/18/2022	2.1
MCAS Beaufort	703	Common Area	On wall	9120502	ATD	Radonova	06/07/2021	05/19/2022	1.9
MCAS Beaufort	703	Common Area	On wall	9694118	ATD	Radonova	06/07/2021	05/19/2022	1.9
MCAS Beaufort	730	102	Left wall	6054829	ATD	Radonova	06/10/2021	05/17/2022	0.3
MCAS Beaufort	730	102	Left wall	7711351	ATD	Radonova	06/10/2021	05/17/2022	0.3
MCAS Beaufort	730	103	Left wall	1569219	ATD	Radonova	06/10/2021	05/17/2022	0.4
MCAS Beaufort	730	103	Left wall	6833800	ATD	Radonova	06/10/2021	05/17/2022	0.4
MCAS Beaufort	730	106	Left wall	3010998	ATD	Radonova	06/10/2021	05/17/2022	0.4
MCAS Beaufort	730	106	Left wall	7570195	ATD	Radonova	06/10/2021	05/17/2022	0.2

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	730	Bay	On wall	3797651	ATD	Radonova	06/10/2021	05/17/2022	< 0.2
MCAS Beaufort	730	Bay	On wall	6709638	ATD	Radonova	06/10/2021	05/17/2022	< 0.2
MCAS Beaufort	730	Bay	On wall	2544336	ATD	Radonova	06/10/2021	05/17/2022	0.2
MCAS Beaufort	730	Bay	On wall	9575168	ATD	Radonova	06/10/2021	05/17/2022	0.3
MCAS Beaufort	780	100	On wall	4673885	ATD	Radonova	04/23/2021	05/10/2022	1.6
MCAS Beaufort	780	100	On wall	6548283	ATD	Radonova	04/23/2021	05/10/2022	1.4
MCAS Beaufort	780	102	Right wall	2391100	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	780	102	Right wall	8373318	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	780	103	Left wall	2207165	ATD	Radonova	04/23/2021	05/10/2022	0.7
MCAS Beaufort	780	103	Left wall	5254081	ATD	Radonova	04/23/2021	05/10/2022	0.8
MCAS Beaufort	780	105	Left wall	6254866	ATD	Radonova	04/23/2021	05/10/2022	0.7
MCAS Beaufort	780	105	Left wall	9340738	ATD	Radonova	04/23/2021	05/10/2022	0.7
MCAS Beaufort	780	Bay	Right wall	4175550	ATD	Radonova	04/23/2021	05/10/2022	< 0.2
MCAS Beaufort	780	Bay	Right wall	7447782	ATD	Radonova	04/23/2021	05/10/2022	0.3
MCAS Beaufort	780	Shop Area	On wall	1611482	ATD	Radonova	04/23/2021	05/10/2022	0.2
MCAS Beaufort	780	Shop Area	On wall	2986362	ATD	Radonova	04/23/2021	05/10/2022	0.4
MCAS Beaufort	790	Common Area	Left wall	8305823	ATD	Radonova	04/14/2021	05/10/2022	2
MCAS Beaufort	790	Common Area	Left wall	9371329	ATD	Radonova	04/14/2021	05/10/2022	1.9
MCAS Beaufort	790	L 1	On wall	3529682	ATD	Radonova	04/14/2021	05/10/2022	2
MCAS Beaufort	790	L 1	On wall	9518937	ATD	Radonova	04/14/2021	05/10/2022	2.1
MCAS Beaufort	790	L 12	On wall	7735582	ATD	Radonova	04/14/2021	05/10/2022	2.3
MCAS Beaufort	790	L 12	On wall	9618422	ATD	Radonova	04/14/2021	05/10/2022	2.1
MCAS Beaufort	790	Common Area	On wall	5299227	ATD	Radonova	04/14/2021	05/10/2022	2.3
MCAS Beaufort	790	Common Area	On wall	7780737	ATD	Radonova	04/14/2021	05/10/2022	2
MCAS Beaufort	790	Common Area	On wall	7576044	ATD	Radonova	04/14/2021	05/10/2022	2
MCAS Beaufort	790	Common Area	On wall	8222499	ATD	Radonova	04/14/2021	05/10/2022	2.1
MCAS Beaufort	799	Office	On wall	3272093	ATD	Radonova	04/15/2021	05/10/2022	1.1
MCAS Beaufort	799	Office	On wall	7338965	ATD	Radonova	04/15/2021	05/10/2022	1.2
MCAS Beaufort	799	Office 2	Right wall	4695433	ATD	Radonova	04/15/2021	05/10/2022	0.9
MCAS Beaufort	799	Office 2	Right wall	9893645	ATD	Radonova	04/15/2021	05/10/2022	0.9
MCAS Beaufort	799	Office 3	Left wall	4050894	ATD	Radonova	04/15/2021	05/10/2022	0.9
MCAS Beaufort	799	Office 3	Left wall	5671367	ATD	Radonova	04/15/2021	05/10/2022	1
MCAS Beaufort	799	Office 4	On wall	6932495	ATD	Radonova	04/15/2021	05/10/2022	0.7

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	799	Office 4	On wall	8204687	ATD	Radonova	04/15/2021	05/10/2022	0.8
MCAS Beaufort	799	Office Area	On wall	3575065	ATD	Radonova	04/15/2021	05/10/2022	0.9
MCAS Beaufort	799	Office Area	On wall	6358410	ATD	Radonova	04/15/2021	05/10/2022	0.9
MCAS Beaufort	807	2	On wall	5943238	ATD	Radonova	04/13/2021	05/18/2022	2.6
MCAS Beaufort	807	2	On wall	6498596	ATD	Radonova	04/13/2021	05/18/2022	2.8
MCAS Beaufort	807	3	Left wall	2398873	ATD	Radonova	04/13/2021	05/18/2022	2.6
MCAS Beaufort	807	3	Left wall	7374184	ATD	Radonova	04/13/2021	05/18/2022	2.6
MCAS Beaufort	807	6	On wall	7315765	ATD	Radonova	04/13/2021	05/18/2022	3.7
MCAS Beaufort	807	6	On wall	9880626	ATD	Radonova	04/13/2021	05/18/2022	3.5
MCAS Beaufort	807	8	On wall	6515308	ATD	Radonova	04/13/2021	05/18/2022	2.4
MCAS Beaufort	807	8	On wall	9090705	ATD	Radonova	04/13/2021	05/18/2022	2.8
MCAS Beaufort	807	9	Left wall	3197332	ATD	Radonova	04/13/2021	05/18/2022	2.7
MCAS Beaufort	807	9	Left wall	4114104	ATD	Radonova	04/13/2021	05/18/2022	2.7
MCAS Beaufort	807	10	On wall	1838366	ATD	Radonova	04/13/2021	05/18/2022	2.8
MCAS Beaufort	807	10	On wall	1988997	ATD	Radonova	04/13/2021	05/18/2022	3.1
MCAS Beaufort	807	23	On wall	6309975	ATD	Radonova	04/13/2021	05/18/2022	2.8
MCAS Beaufort	807	23	On wall	8215592	ATD	Radonova	04/13/2021	05/18/2022	2.4
MCAS Beaufort	807	101	Right wall	4776415	ATD	Radonova	04/13/2021	05/18/2022	3.3
MCAS Beaufort	807	101	Right wall	7064058	ATD	Radonova	04/13/2021	05/18/2022	3.2
MCAS Beaufort	807	106	Right wall	4682068	ATD	Radonova	04/13/2021	05/18/2022	2.9
MCAS Beaufort	807	106	Right wall	9602897	ATD	Radonova	04/13/2021	05/18/2022	2.8
MCAS Beaufort	807	110	On wall	2630564	ATD	Radonova	04/13/2021	05/18/2022	2.8
MCAS Beaufort	807	110	On wall	7116601	ATD	Radonova	04/13/2021	05/18/2022	2.6
MCAS Beaufort	807	111	Right wall	4954350	ATD	Radonova	04/13/2021	05/18/2022	2.9
MCAS Beaufort	807	111	Right wall	6262968	ATD	Radonova	04/13/2021	05/18/2022	2.8
MCAS Beaufort	807	113	Left wall	7496607	ATD	Radonova	04/13/2021	05/18/2022	3
MCAS Beaufort	807	113	Left wall	7602089	ATD	Radonova	04/13/2021	05/18/2022	3.2
MCAS Beaufort	807	114	Right wall	4948477	ATD	Radonova	04/13/2021	05/18/2022	3
MCAS Beaufort	807	114	Right wall	7421803	ATD	Radonova	04/13/2021	05/18/2022	2.8
MCAS Beaufort	807	115	On wall	6430888	ATD	Radonova	04/13/2021	05/18/2022	4.9
MCAS Beaufort	807	115	On wall	9739897	ATD	Radonova	04/13/2021	05/18/2022	4.6
MCAS Beaufort	807	116	Left wall	2329662	ATD	Radonova	04/13/2021	05/18/2022	3
MCAS Beaufort	807	116	Left wall	4495354	ATD	Radonova	04/13/2021	05/18/2022	3.4



# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	807	117	Right wall	2765873	ATD	Radonova	04/13/2021	05/18/2022	3.4
MCAS Beaufort	807	117	Right wall	6284863	ATD	Radonova	04/13/2021	05/18/2022	3.3
MCAS Beaufort	807	118	Left wall	5227541	ATD	Radonova	04/13/2021	05/18/2022	2.9
MCAS Beaufort	807	118	Left wall	7035348	ATD	Radonova	04/13/2021	05/18/2022	2.9
MCAS Beaufort	807	119	Right wall	2669695	ATD	Radonova	04/13/2021	05/18/2022	2.8
MCAS Beaufort	807	119	Right wall	7542954	ATD	Radonova	04/13/2021	05/18/2022	2.7
MCAS Beaufort	807	121	Right wall	4519328	ATD	Radonova	04/13/2021	05/18/2022	2.6
MCAS Beaufort	807	121	Right wall	5822481	ATD	Radonova	04/13/2021	05/18/2022	2.6
MCAS Beaufort	807	124	Right wall	4761938	ATD	Radonova	04/13/2021	05/18/2022	2.8
MCAS Beaufort	807	124	Right wall	7692700	ATD	Radonova	04/13/2021	05/18/2022	2.8
MCAS Beaufort	807	125	Left wall	4628038	ATD	Radonova	04/13/2021	05/18/2022	2.3
MCAS Beaufort	807	125	Left wall	7356033	ATD	Radonova	04/13/2021	05/18/2022	2.6
MCAS Beaufort	807	126	Left wall	1721760	ATD	Radonova	04/13/2021	05/18/2022	2.7
MCAS Beaufort	807	126	Left wall	6988422	ATD	Radonova	04/13/2021	05/18/2022	2.3
MCAS Beaufort	807	127	Left wall	2540219	ATD	Radonova	04/13/2021	05/18/2022	3.4
MCAS Beaufort	807	127	Left wall	7598261	ATD	Radonova	04/13/2021	05/18/2022	3.3
MCAS Beaufort	807	129	Right wall	1589944	ATD	Radonova	04/13/2021	05/18/2022	3
MCAS Beaufort	807	129	Right wall	7656457	ATD	Radonova	04/13/2021	05/18/2022	2.8
MCAS Beaufort	807	132	Right wall	1872522	ATD	Radonova	04/13/2021	05/18/2022	2.8
MCAS Beaufort	807	132	Right wall	6788871	ATD	Radonova	04/13/2021	05/18/2022	2.6
MCAS Beaufort	807	127A	Right wall	1791755	ATD	Radonova	04/13/2021	05/18/2022	3.4
MCAS Beaufort	807	127A	Right wall	5331327	ATD	Radonova	04/13/2021	05/18/2022	3.3
MCAS Beaufort	807	1A	On wall	1547728	ATD	Radonova	04/13/2021	05/18/2022	2.9
MCAS Beaufort	807	1A	On wall	3993359	ATD	Radonova	04/13/2021	05/18/2022	2.9
MCAS Beaufort	807	1B	Left wall	5778501	ATD	Radonova	04/13/2021	05/18/2022	3.1
MCAS Beaufort	807	1B	Left wall	9903337	ATD	Radonova	04/13/2021	05/18/2022	2.9
MCAS Beaufort	807	1C	Right wall	3941861	ATD	Radonova	04/13/2021	05/18/2022	2.6
MCAS Beaufort	807	1C	Right wall	9422171	ATD	Radonova	04/13/2021	05/18/2022	2.7
MCAS Beaufort	807	41A	Left wall	2621589	ATD	Radonova	04/13/2021	05/18/2022	4.2
MCAS Beaufort	807	41A	Left wall	9079591	ATD	Radonova	04/13/2021	05/18/2022	4.3
MCAS Beaufort	807	5A	Right wall	5068366	ATD	Radonova	04/13/2021	05/18/2022	2.5
MCAS Beaufort	807	5A	Right wall	7687726	ATD	Radonova	04/13/2021	05/18/2022	2.5
MCAS Beaufort	807	Common Area	Right wall	4100194	ATD	Radonova	04/13/2021	05/18/2022	2.8

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	807	Common Area	Right wall	6497978	ATD	Radonova	04/13/2021	05/18/2022	2.8
MCAS Beaufort	807	100	Left wall	6402432	ATD	Radonova	04/13/2021	05/18/2022	2.5
MCAS Beaufort	807	100	Left wall	6633572	ATD	Radonova	04/13/2021	05/18/2022	2.5
MCAS Beaufort	807	102	Right wall	6437867	ATD	Radonova	04/13/2021	05/18/2022	3
MCAS Beaufort	807	102	Right wall	9754698	ATD	Radonova	04/13/2021	05/18/2022	2.8
MCAS Beaufort	807	103	On wall	5546999	ATD	Radonova	04/13/2021	05/18/2022	3.6
MCAS Beaufort	807	103	On wall	9856352	ATD	Radonova	04/13/2021	05/18/2022	3.3
MCAS Beaufort	807	104	Left wall	1163807	ATD	Radonova	04/13/2021	05/18/2022	3
MCAS Beaufort	807	104	Left wall	5181672	ATD	Radonova	04/13/2021	05/18/2022	2.6
MCAS Beaufort	807	11	Right wall	3534534	ATD	Radonova	04/13/2021	05/18/2022	2.9
MCAS Beaufort	807	11	Right wall	3659927	ATD	Radonova	04/13/2021	05/18/2022	3
MCAS Beaufort	807	12	Left wall	5227269	ATD	Radonova	04/13/2021	05/18/2022	2.9
MCAS Beaufort	807	12	Left wall	8127490	ATD	Radonova	04/13/2021	05/18/2022	2.9
MCAS Beaufort	807	14	Right wall	2276632	ATD	Radonova	04/13/2021	05/18/2022	3.1
MCAS Beaufort	807	14	Right wall	9898149	ATD	Radonova	04/13/2021	05/18/2022	3
MCAS Beaufort	807	15	Left wall	1734243	ATD	Radonova	04/13/2021	05/18/2022	3.5
MCAS Beaufort	807	15	Left wall	9083767	ATD	Radonova	04/13/2021	05/18/2022	3.2
MCAS Beaufort	807	16	Left wall	5717301	ATD	Radonova	04/13/2021	05/18/2022	3.3
MCAS Beaufort	807	16	Left wall	9841222	ATD	Radonova	04/13/2021	05/18/2022	3.2
MCAS Beaufort	807	17	Right wall	4076972	ATD	Radonova	04/13/2021	05/18/2022	3.3
MCAS Beaufort	807	17	Right wall	7128606	ATD	Radonova	04/13/2021	05/18/2022	3.2
MCAS Beaufort	807	19	On wall	1160191	ATD	Radonova	04/13/2021	05/18/2022	2.9
MCAS Beaufort	807	19	On wall	5854146	ATD	Radonova	04/13/2021	05/18/2022	2.9
MCAS Beaufort	807	24	Right wall	2147619	ATD	Radonova	04/13/2021	05/18/2022	2.8
MCAS Beaufort	807	24	Right wall	9220971	ATD	Radonova	04/13/2021	05/18/2022	2.7
MCAS Beaufort	807	27	On wall	6498489	ATD	Radonova	04/13/2021	05/18/2022	3.2
MCAS Beaufort	807	27	On wall	6842686	ATD	Radonova	04/13/2021	05/18/2022	3.4
MCAS Beaufort	807	33	Left wall	3587870	ATD	Radonova	04/13/2021	05/18/2022	3.1
MCAS Beaufort	807	33	Left wall	7041866	ATD	Radonova	04/13/2021	05/18/2022	3.4
MCAS Beaufort	807	40	On wall	7676240	ATD	Radonova	04/13/2021	05/18/2022	5
MCAS Beaufort	807	40	On wall	4848859	ATD	Radonova	04/13/2021	05/18/2022	5
MCAS Beaufort	807	40a	Right wall	1444637	ATD	Radonova	04/13/2021	05/18/2022	5.4
MCAS Beaufort	807	40a	Right wall	2552164	ATD	Radonova	04/13/2021	05/18/2022	5.6

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	807	7	Left wall	4852406	ATD	Radonova	04/13/2021	05/18/2022	2.6
MCAS Beaufort	807	7	Left wall	7133234	ATD	Radonova	04/13/2021	05/18/2022	2.4
MCAS Beaufort	843	Common Area	Left wall	4549549	ATD	Radonova	06/07/2021	05/10/2022	0.6
MCAS Beaufort	843	Common Area	Left wall	6243158	ATD	Radonova	06/07/2021	05/10/2022	0.5
MCAS Beaufort	843	Office	Right wall	4911988	ATD	Radonova	06/07/2021	05/10/2022	0.5
MCAS Beaufort	843	Office	Right wall	7184104	ATD	Radonova	06/07/2021	05/10/2022	0.5
MCAS Beaufort	843	Office	Left wall	3349214	ATD	Radonova	06/07/2021	05/10/2022	0.4
MCAS Beaufort	843	Office	Left wall	5217864	ATD	Radonova	06/07/2021	05/10/2022	0.5
MCAS Beaufort	843	Shop Area	On wall	5172507	ATD	Radonova	06/07/2021	05/10/2022	0.3
MCAS Beaufort	843	Shop Area	On wall	6849087	ATD	Radonova	06/07/2021	05/10/2022	0.3
MCAS Beaufort	843	Utility Room	On wall	7211733	ATD	Radonova	06/07/2021	05/10/2022	0.5
MCAS Beaufort	843	Utility Room	On wall	8337917	ATD	Radonova	06/07/2021	05/10/2022	0.5
MCAS Beaufort	856	101	Left wall	5167812	ATD	Radonova	06/07/2021	05/16/2022	0.6
MCAS Beaufort	856	101	Left wall	7059959	ATD	Radonova	06/07/2021	05/16/2022	0.5
MCAS Beaufort	856	104	Right wall	2450120	ATD	Radonova	06/07/2021	05/16/2022	0.6
MCAS Beaufort	856	104	Right wall	3276631	ATD	Radonova	06/07/2021	05/16/2022	0.6
MCAS Beaufort	856	108	On wall	4230199	ATD	Radonova	06/07/2021	05/16/2022	0.5
MCAS Beaufort	856	108	On wall	8081556	ATD	Radonova	06/07/2021	05/16/2022	0.6
MCAS Beaufort	856	Common Area	On Column	3451994	ATD	Radonova	06/07/2021	05/16/2022	0.6
MCAS Beaufort	856	Common Area	On Column	6264246	ATD	Radonova	06/07/2021	05/16/2022	0.6
MCAS Beaufort	856	Shop Area	On wall	6773121	ATD	Radonova	06/07/2021	05/16/2022	< 0.2
MCAS Beaufort	856	Shop Area	On wall	7059256	ATD	Radonova	06/07/2021	05/16/2022	< 0.2
MCAS Beaufort	856	Shop Area	Left wall	3481041	ATD	Radonova	06/07/2021	05/16/2022	0.5
MCAS Beaufort	856	Shop Area	Left wall	6024871	ATD	Radonova	06/07/2021	05/16/2022	0.4
MCAS Beaufort	860	101	On wall	4860607	ATD	Radonova	06/09/2021	05/16/2022	< 0.2
MCAS Beaufort	860	101	On wall	7728116	ATD	Radonova	06/09/2021	05/16/2022	< 0.2
MCAS Beaufort	860	108	Right wall	1975135	ATD	Radonova	06/09/2021	05/16/2022	0.2
MCAS Beaufort	860	108	Right wall	6788715	ATD	Radonova	06/09/2021	05/16/2022	0.2
MCAS Beaufort	1007	101	Right wall	2951929	ATD	Radonova	06/07/2021	05/17/2022	0.2
MCAS Beaufort	1007	101	Right wall	9929480	ATD	Radonova	06/07/2021	05/17/2022	0.2
MCAS Beaufort	1007	102	Left wall	3580107	ATD	Radonova	06/07/2021	05/17/2022	0.2
MCAS Beaufort	1007	102	Left wall	3717204	ATD	Radonova	06/07/2021	05/17/2022	0.2
MCAS Beaufort	1007	104	Left wall	3890944	ATD	Radonova	06/07/2021	05/17/2022	0.2

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1007	104	Left wall	6945521	ATD	Radonova	06/07/2021	05/17/2022	0.3
MCAS Beaufort	1007	Common Area	On wall	4369302	ATD	Radonova	06/07/2021	05/17/2022	0.2
MCAS Beaufort	1007	Common Area	On wall	6992671	ATD	Radonova	06/07/2021	05/17/2022	0.3
MCAS Beaufort	1025	102	Left wall	2552032	ATD	Radonova	04/19/2021	05/09/2022	0.9
MCAS Beaufort	1025	102	Left wall	3208634	ATD	Radonova	04/19/2021	05/09/2022	0.9
MCAS Beaufort	1025	111	On wall	3173804	ATD	Radonova	04/19/2021	05/09/2022	0.9
MCAS Beaufort	1025	111	On wall	7199417	ATD	Radonova	04/19/2021	05/09/2022	0.9
MCAS Beaufort	1025	Common Area	Left wall	4927588	ATD	Radonova	04/19/2021	05/09/2022	1
MCAS Beaufort	1025	Common Area	Left wall	6419543	ATD	Radonova	04/19/2021	05/09/2022	0.9
MCAS Beaufort	1064	102	Left wall	7646482	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	102	Left wall	9162108	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	1064	103	Behind/Next to TV	1693415	ATD	Radonova	04/23/2021	05/10/2022	0.7
MCAS Beaufort	1064	103	Behind/Next to TV	3902855	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	1064	106	Left wall	1888007	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	106	Left wall	5949854	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	1064	108	Right wall	1668508	ATD	Radonova	04/23/2021	05/10/2022	0.7
MCAS Beaufort	1064	108	Right wall	8274482	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	109	Left wall	4363974	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	109	Left wall	8307977	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	110	Left wall	1664390	ATD	Radonova	04/23/2021	05/10/2022	0.8
MCAS Beaufort	1064	110	Left wall	5848346	ATD	Radonova	04/23/2021	05/10/2022	0.7
MCAS Beaufort	1064	111	Left wall	1935220	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	1064	111	Left wall	2005171	ATD	Radonova	04/23/2021	05/10/2022	0.7
MCAS Beaufort	1064	112	Left wall	1610914	ATD	Radonova	04/23/2021	05/10/2022	0.7
MCAS Beaufort	1064	112	Left wall	5668660	ATD	Radonova	04/23/2021	05/10/2022	0.9
MCAS Beaufort	1064	113	Left wall	2401347	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	113	Left wall	9575788	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	115	Left wall	1589498	ATD	Radonova	04/23/2021	05/10/2022	0.8
MCAS Beaufort	1064	115	Left wall	5405444	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	116	On wall	1125814	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	1064	116	On wall	9439399	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	1064	117	Right wall	1640036	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	1064	117	Right wall	8382921	ATD	Radonova	04/23/2021	05/10/2022	0.6

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1064	118	Right wall	3336849	ATD	Radonova	04/23/2021	05/19/2022	0.5
MCAS Beaufort	1064	118	Right wall	8155517	ATD	Radonova	04/23/2021	05/19/2022	0.5
MCAS Beaufort	1064	128	Right wall	1281609	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	1064	128	Right wall	2631729	ATD	Radonova	04/23/2021	05/10/2022	0.4
MCAS Beaufort	1064	129	Left wall	5739370	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	1064	129	Left wall	6530273	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	1064	130	Right wall	4500831	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	130	Right wall	5628847	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	132	On wall	9043811	ATD	Radonova	04/23/2021	05/10/2022	0.4
MCAS Beaufort	1064	132	On wall	9141896	ATD	Radonova	04/23/2021	05/10/2022	0.4
MCAS Beaufort	1064	133	Left wall	1667757	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	133	Left wall	3785524	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	1064	134	Right wall	5265293	ATD	Radonova	04/23/2021	05/10/2022	0.4
MCAS Beaufort	1064	134	Right wall	7383235	ATD	Radonova	04/23/2021	05/10/2022	0.4
MCAS Beaufort	1064	135	Left wall	1681501	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	135	Left wall	1683804	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	136	Right wall	2189306	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	1064	136	Right wall	4784146	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	137	Right wall	1621226	ATD	Radonova	04/23/2021	05/10/2022	0.9
MCAS Beaufort	1064	137	Right wall	7067143	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	138	Left wall	4443784	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	138	Left wall	7551526	ATD	Radonova	04/23/2021	05/10/2022	0.8
MCAS Beaufort	1064	139	Left wall	1717263	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	139	Left wall	1911775	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	140	Right wall	3865177	ATD	Radonova	04/23/2021	05/10/2022	0.8
MCAS Beaufort	1064	140	Right wall	9347923	ATD	Radonova	04/23/2021	05/10/2022	0.9
MCAS Beaufort	1064	142	Left wall	4018008	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	142	Left wall	7164627	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	143	Left wall	1598473	ATD	Radonova	04/23/2021	05/10/2022	1.1
MCAS Beaufort	1064	143	Left wall	9783309	ATD	Radonova	04/23/2021	05/10/2022	0.8
MCAS Beaufort	1064	144	On wall	1020676	ATD	Radonova	04/23/2021		
MCAS Beaufort	1064	144	On wall	1623776	ATD	Radonova	04/23/2021		
MCAS Beaufort	1064	145	On wall	1687102	ATD	Radonova	04/23/2021	05/10/2022	1.1

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1064	145	On wall	2116374	ATD	Radonova	04/23/2021	05/10/2022	1.3
MCAS Beaufort	1064	147	On wall	3346335	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	1064	147	On wall	7467699	ATD	Radonova	04/23/2021	05/10/2022	0.3
MCAS Beaufort	1064	148	Right wall	1603588	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	1064	148	Right wall	1648096	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	1064	149	Right wall	1595958	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	1064	149	Right wall	5066808	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	1064	150	Right wall	2770899	ATD	Radonova	04/23/2021	05/10/2022	0.4
MCAS Beaufort	1064	150	Right wall	3638996	ATD	Radonova	04/23/2021	05/10/2022	0.4
MCAS Beaufort	1064	151	Left wall	6047765	ATD	Radonova	04/23/2021	05/10/2022	0.4
MCAS Beaufort	1064	151	Left wall	9294281	ATD	Radonova	04/23/2021	05/10/2022	0.4
MCAS Beaufort	1064	152	Right wall	1642867	ATD	Radonova	04/23/2021	05/10/2022	0.7
MCAS Beaufort	1064	152	Right wall	1661065	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	1064	107A	Left wall	1688969	ATD	Radonova	04/23/2021	05/10/2022	0.7
MCAS Beaufort	1064	107A	Left wall	6437834	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	131A	Right wall	1605757	ATD	Radonova	04/23/2021	05/10/2022	0.6
MCAS Beaufort	1064	131A	Right wall	5796271	ATD	Radonova	04/23/2021	05/10/2022	0.4
MCAS Beaufort	1064	141	Right wall	8021750	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	1064	141	Right wall	9170432	ATD	Radonova	04/23/2021	05/10/2022	0.8
MCAS Beaufort	1064	146A	Left wall	4549838	ATD	Radonova	04/23/2021	05/10/2022	0.5
MCAS Beaufort	1064	146A	Left wall	5660246	ATD	Radonova	04/23/2021	05/10/2022	0.4
MCAS Beaufort	1064	Common Area	Right wall	8183592	ATD	Radonova	04/23/2021	05/10/2022	0.4
MCAS Beaufort	1064	Common Area	Right wall	7034614	ATD	Radonova	04/23/2021	05/10/2022	0.4
MCAS Beaufort	1064	Bay 1	On wall	7493489	ATD	Radonova	04/23/2021	05/10/2022	0.2
MCAS Beaufort	1064	Bay 1	On wall	8040255	ATD	Radonova	04/23/2021	05/10/2022	< 0.2
MCAS Beaufort	1064	Bay 2	On wall	3129616	ATD	Radonova	04/23/2021	05/10/2022	< 0.2
MCAS Beaufort	1064	Bay 2	On wall	6367528	ATD	Radonova	04/23/2021	05/10/2022	0.3
MCAS Beaufort	1068	102	Right wall	3204260	ATD	Radonova	04/23/2021	05/10/2022	1.3
MCAS Beaufort	1068	102	Right wall	9649443	ATD	Radonova	04/23/2021	05/10/2022	1.2
MCAS Beaufort	1068	103	Right wall	2087625	ATD	Radonova	04/23/2021	05/10/2022	1.7
MCAS Beaufort	1068	103	Right wall	2090686	ATD	Radonova	04/23/2021	05/10/2022	1.7
MCAS Beaufort	1068	104	Right wall	1932425	ATD	Radonova	04/23/2021	05/10/2022	0.9
MCAS Beaufort	1068	104	Right wall	4129003	ATD	Radonova	04/23/2021	05/10/2022	1

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1068	106	Left wall	1648534	ATD	Radonova	04/23/2021	05/10/2022	1.7
MCAS Beaufort	1068	106	Left wall	3639754	ATD	Radonova	04/23/2021	05/10/2022	1.4
MCAS Beaufort	1068	107	Left wall	1635978	ATD	Radonova	04/23/2021	05/10/2022	1.4
MCAS Beaufort	1068	107	Left wall	2256659	ATD	Radonova	04/23/2021	05/10/2022	1.1
MCAS Beaufort	1068	109	Left wall	4522280	ATD	Radonova	04/23/2021	05/10/2022	1.3
MCAS Beaufort	1068	109	Left wall	5615729	ATD	Radonova	04/23/2021	05/10/2022	1.4
MCAS Beaufort	1068	115	Right wall	6180707	ATD	Radonova	04/23/2021		
MCAS Beaufort	1068	115	Right wall	9390931	ATD	Radonova	04/23/2021	05/10/2022	2
MCAS Beaufort	1075	Common Area	Right wall	5460993	ATD	Radonova	04/15/2021	05/10/2022	< 0.2
MCAS Beaufort	1075	Common Area	Right wall	9592031	ATD	Radonova	04/15/2021	05/10/2022	0.2
MCAS Beaufort	1075	Office	Right wall	6634828	ATD	Radonova	04/15/2021	05/10/2022	0.2
MCAS Beaufort	1075	Office	Right wall	9218298	ATD	Radonova	04/15/2021	05/10/2022	0.2
MCAS Beaufort	1075	Office A	On wall	2555761	ATD	Radonova	04/15/2021	05/10/2022	0.3
MCAS Beaufort	1075	Office A	On wall	9923632	ATD	Radonova	04/15/2021	05/10/2022	0.2
MCAS Beaufort	1075	Office B	Right wall	2281343	ATD	Radonova	04/15/2021	05/10/2022	0.2
MCAS Beaufort	1075	Office B	Right wall	4909370	ATD	Radonova	04/15/2021	05/10/2022	0.2
MCAS Beaufort	1075	Office C	Right wall	5558424	ATD	Radonova	04/15/2021	05/10/2022	< 0.2
MCAS Beaufort	1075	Office C	Right wall	6920383	ATD	Radonova	04/15/2021	05/10/2022	< 0.2
MCAS Beaufort	1075	Common Area	Left wall	1542430	ATD	Radonova	06/11/2021	05/19/2022	0.2
MCAS Beaufort	1075	Common Area	Left wall	4771440	ATD	Radonova	06/11/2021	05/19/2022	0.3
MCAS Beaufort	1075	Office	Left wall	4080594	ATD	Radonova	06/11/2021	05/19/2022	0.3
MCAS Beaufort	1075	Office	Left wall	4544532	ATD	Radonova	06/11/2021	05/19/2022	0.3
MCAS Beaufort	1078	104	Behind/Next to TV	5246319	ATD	Radonova	06/08/2021	05/12/2022	1.5
MCAS Beaufort	1078	104	Behind/Next to TV	6181804	ATD	Radonova	06/08/2021	05/12/2022	1.6
MCAS Beaufort	1078	105	Left wall	2290286	ATD	Radonova	06/08/2021	05/12/2022	1.5
MCAS Beaufort	1078	105	Left wall	3777018	ATD	Radonova	06/08/2021	05/12/2022	1.6
MCAS Beaufort	1078	106	Left wall	7927924	ATD	Radonova	06/08/2021	05/12/2022	1.5
MCAS Beaufort	1078	106	Left wall	9245283	ATD	Radonova	06/08/2021	05/12/2022	1.5
MCAS Beaufort	1078	107	Left wall	2960698	ATD	Radonova	06/08/2021	05/12/2022	1.6
MCAS Beaufort	1078	107	Left wall	9163429	ATD	Radonova	06/08/2021	05/12/2022	1.6
MCAS Beaufort	1078	108	Right wall	3674520	ATD	Radonova	06/08/2021	05/12/2022	1.6
MCAS Beaufort	1078	108	Right wall	9056284	ATD	Radonova	06/08/2021	05/12/2022	1.6
MCAS Beaufort	1078	109	Left wall	4764163	ATD	Radonova	06/08/2021	05/12/2022	1.4

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1078	109	Left wall	7470941	ATD	Radonova	06/08/2021	05/12/2022	1.5
MCAS Beaufort	1078	110	Left wall	1694777	ATD	Radonova	06/08/2021	05/12/2022	1.5
MCAS Beaufort	1078	110	Left wall	6508022	ATD	Radonova	06/08/2021	05/12/2022	1.6
MCAS Beaufort	1078	111	Right wall	1041193	ATD	Radonova	06/08/2021	05/12/2022	1.4
MCAS Beaufort	1078	111	Right wall	1127547	ATD	Radonova	06/08/2021	05/12/2022	1.4
MCAS Beaufort	1078	112	Left wall	3856655	ATD	Radonova	06/08/2021	05/12/2022	1.3
MCAS Beaufort	1078	112	Left wall	7234388	ATD	Radonova	06/08/2021	05/12/2022	1.4
MCAS Beaufort	1078	113	Right wall	2641090	ATD	Radonova	06/08/2021	05/12/2022	1.3
MCAS Beaufort	1078	113	Right wall	5791710	ATD	Radonova	06/08/2021	05/12/2022	1.5
MCAS Beaufort	1078	116	Right wall	1876283	ATD	Radonova	06/08/2021	05/12/2022	1.5
MCAS Beaufort	1078	116	Right wall	9025420	ATD	Radonova	06/08/2021	05/12/2022	1.5
MCAS Beaufort	1078	117	Right wall	1516020	ATD	Radonova	06/08/2021	05/12/2022	1.4
MCAS Beaufort	1078	117	Right wall	2923977	ATD	Radonova	06/08/2021	05/12/2022	1.6
MCAS Beaufort	1078	118	Right wall	6607964	ATD	Radonova	06/08/2021	05/12/2022	1.5
MCAS Beaufort	1078	118	Right wall	6935555	ATD	Radonova	06/08/2021	05/12/2022	1.8
MCAS Beaufort	1078	120	Right wall	2690816	ATD	Radonova	06/08/2021	05/12/2022	1.6
MCAS Beaufort	1078	120	Right wall	8157935	ATD	Radonova	06/08/2021	05/12/2022	1.8
MCAS Beaufort	1078	121	Right wall	5483870	ATD	Radonova	06/08/2021	05/12/2022	1.6
MCAS Beaufort	1078	121	Right wall	5896238	ATD	Radonova	06/08/2021	05/12/2022	1.8
MCAS Beaufort	1078	122	Left wall	4096814	ATD	Radonova	06/08/2021	05/12/2022	1.5
MCAS Beaufort	1078	122	Left wall	5914437	ATD	Radonova	06/08/2021	05/12/2022	1.6
MCAS Beaufort	1078	129	Right wall	2524205	ATD	Radonova	06/08/2021	05/12/2022	1.9
MCAS Beaufort	1078	129	Right wall	2735074	ATD	Radonova	06/08/2021	05/12/2022	1.9
MCAS Beaufort	1078	131	Right wall	4505830	ATD	Radonova	06/08/2021	05/12/2022	1.6
MCAS Beaufort	1078	131	Right wall	7601677	ATD	Radonova	06/08/2021	05/12/2022	1.9
MCAS Beaufort	1078	136	Left wall	2397024	ATD	Radonova	06/08/2021	05/12/2022	2
MCAS Beaufort	1078	136	Left wall	2906998	ATD	Radonova	06/08/2021	05/12/2022	1.7
MCAS Beaufort	1078	Utility Room	On wall	2134575	ATD	Radonova	06/08/2021	05/12/2022	1.8
MCAS Beaufort	1078	Utility Room	On wall	4134078	ATD	Radonova	06/08/2021	05/12/2022	1.8
MCAS Beaufort	1078	Common Area	Behind/Next to TV	1136779	ATD	Radonova	06/08/2021	05/12/2022	1.3
MCAS Beaufort	1078	Common Area	Behind/Next to TV	5814082	ATD	Radonova	06/08/2021	05/12/2022	1.6
MCAS Beaufort	1080	Back Office	On wall	4797064	ATD	Radonova	06/10/2021	05/17/2022	0.7
MCAS Beaufort	1080	Back Office	On wall	9724337	ATD	Radonova	06/10/2021	05/17/2022	0.8



# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1080	Front Office	On wall	1912542	ATD	Radonova	06/10/2021	05/17/2022	0.8
MCAS Beaufort	1080	Front Office	On wall	5482070	ATD	Radonova	06/10/2021	05/17/2022	0.8
MCAS Beaufort	1080	Common Area	On wall	3211489	ATD	Radonova	06/10/2021	05/17/2022	0.3
MCAS Beaufort	1080	Common Area	On wall	3670031	ATD	Radonova	06/10/2021	05/17/2022	0.3
MCAS Beaufort	1084	101	Right wall	4970067	ATD	Radonova	06/09/2021	05/16/2022	0.3
MCAS Beaufort	1084	101	Right wall	7213432	ATD	Radonova	06/09/2021	05/16/2022	0.3
MCAS Beaufort	1084	102	Left wall	9551094	ATD	Radonova	06/09/2021		
MCAS Beaufort	1084	102	Left wall	4035051	ATD	Radonova	06/09/2021	05/16/2022	0.3
MCAS Beaufort	1084	103	Left wall	1834233	ATD	Radonova	06/09/2021	05/16/2022	0.3
MCAS Beaufort	1084	103	Left wall	9409244	ATD	Radonova	06/09/2021	05/16/2022	0.4
MCAS Beaufort	1084	104	Right wall	1033273	ATD	Radonova	06/09/2021	05/16/2022	0.2
MCAS Beaufort	1084	104	Right wall	6494199	ATD	Radonova	06/09/2021	05/16/2022	0.2
MCAS Beaufort	1084	Shop Area	Right wall	3186129	ATD	Radonova	06/09/2021	05/16/2022	< 0.2
MCAS Beaufort	1084	Shop Area	Right wall	5460423	ATD	Radonova	06/09/2021	05/16/2022	< 0.2
MCAS Beaufort	1140	101	Left wall	2841997	ATD	Radonova	04/15/2021	05/10/2022	1
MCAS Beaufort	1140	101	Left wall	5763628	ATD	Radonova	04/15/2021	05/10/2022	0.9
MCAS Beaufort	1140	109	Left wall	3729514	ATD	Radonova	04/15/2021	05/10/2022	0.8
MCAS Beaufort	1140	109	Left wall	6792741	ATD	Radonova	04/15/2021	05/10/2022	1
MCAS Beaufort	1140	112	Right wall	1538180	ATD	Radonova	04/15/2021	05/10/2022	0.9
MCAS Beaufort	1140	112	Right wall	1746817	ATD	Radonova	04/15/2021	05/10/2022	0.9
MCAS Beaufort	1140	113	Left wall	2042166	ATD	Radonova	04/15/2021	05/10/2022	0.7
MCAS Beaufort	1140	113	Left wall	7649742	ATD	Radonova	04/15/2021	05/10/2022	0.8
MCAS Beaufort	1140	114	Right wall	4485959	ATD	Radonova	04/15/2021	05/10/2022	0.9
MCAS Beaufort	1140	114	Right wall	9862970	ATD	Radonova	04/15/2021	05/10/2022	0.8
MCAS Beaufort	1140	115	Left wall	8390296	ATD	Radonova	04/15/2021	05/10/2022	0.7
MCAS Beaufort	1140	115	Left wall	9588096	ATD	Radonova	04/15/2021	05/10/2022	0.9
MCAS Beaufort	1140	116	Right wall	7214901	ATD	Radonova	04/15/2021	05/10/2022	0.8
MCAS Beaufort	1140	116	Right wall	7501794	ATD	Radonova	04/15/2021	05/10/2022	0.9
MCAS Beaufort	1140	119	On wall	4705711	ATD	Radonova	04/15/2021	05/10/2022	0.9
MCAS Beaufort	1140	119	On wall	9689027	ATD	Radonova	04/15/2021	05/10/2022	0.7
MCAS Beaufort	1140	Common Area	Left wall	6814859	ATD	Radonova	04/15/2021	05/10/2022	0.7
MCAS Beaufort	1140	Common Area	Left wall	6904015	ATD	Radonova	04/15/2021	05/10/2022	0.7
MCAS Beaufort	1140	Common Area	On wall	1545664	ATD	Radonova	04/15/2021	05/10/2022	0.7

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1140	Common Area	On wall	6478937	ATD	Radonova	04/15/2021	05/10/2022	0.7
MCAS Beaufort	1166	2	On wall	4404893	ATD	Radonova	06/09/2021	05/17/2022	0.7
MCAS Beaufort	1166	2	On wall	9344680	ATD	Radonova	06/09/2021	05/17/2022	0.6
MCAS Beaufort	1166	3	Right wall	2211910	ATD	Radonova	06/09/2021	05/17/2022	0.6
MCAS Beaufort	1166	3	Right wall	5869094	ATD	Radonova	06/09/2021	05/17/2022	0.6
MCAS Beaufort	1166	4	Left wall	7071749	ATD	Radonova	06/09/2021	05/17/2022	0.7
MCAS Beaufort	1166	4	Left wall	9014150	ATD	Radonova	06/09/2021	05/17/2022	1.3
MCAS Beaufort	1166	5	Right wall	4949798	ATD	Radonova	06/09/2021	05/17/2022	0.7
MCAS Beaufort	1166	5	Right wall	6647283	ATD	Radonova	06/09/2021	05/17/2022	0.6
MCAS Beaufort	1166	6	Right wall	1520238	ATD	Radonova	06/09/2021	05/17/2022	0.6
MCAS Beaufort	1166	6	Right wall	3538790	ATD	Radonova	06/09/2021	05/17/2022	0.7
MCAS Beaufort	1166	7	Right wall	4957791	ATD	Radonova	06/09/2021	05/17/2022	0.6
MCAS Beaufort	1166	7	Right wall	5988829	ATD	Radonova	06/09/2021	05/17/2022	0.7
MCAS Beaufort	1166	10	Right wall	5308341	ATD	Radonova	06/09/2021	05/17/2022	0.6
MCAS Beaufort	1166	10	Right wall	8040875	ATD	Radonova	06/09/2021	05/17/2022	0.6
MCAS Beaufort	1166	14	Right wall	1105626	ATD	Radonova	06/09/2021	05/17/2022	0.6
MCAS Beaufort	1166	14	Right wall	2394856	ATD	Radonova	06/09/2021	05/17/2022	0.7
MCAS Beaufort	1166	22	Left wall	1952126	ATD	Radonova	06/09/2021	05/17/2022	0.5
MCAS Beaufort	1166	22	Left wall	2067965	ATD	Radonova	06/09/2021	05/17/2022	0.4
MCAS Beaufort	1166	23	Right wall	5894647	ATD	Radonova	06/09/2021	05/17/2022	0.5
MCAS Beaufort	1166	23	Right wall	6378996	ATD	Radonova	06/09/2021	05/17/2022	0.5
MCAS Beaufort	1166	24	Right wall	1816719	ATD	Radonova	06/09/2021	05/17/2022	0.6
MCAS Beaufort	1166	24	Right wall	9634056	ATD	Radonova	06/09/2021	05/17/2022	0.7
MCAS Beaufort	1166	Common Area	On wall	3735743	ATD	Radonova	06/09/2021	05/17/2022	0.7
MCAS Beaufort	1166	Common Area	On wall	4383006	ATD	Radonova	06/09/2021	05/17/2022	0.7
MCAS Beaufort	1171	109	Right wall	2720803	ATD	Radonova	04/22/2021	05/09/2022	0.8
MCAS Beaufort	1171	109	Right wall	5102611	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	1171	110	Left wall	6879266	ATD	Radonova	04/22/2021	05/09/2022	0.4
MCAS Beaufort	1171	110	Left wall	9532805	ATD	Radonova	04/22/2021	05/09/2022	0.5
MCAS Beaufort	1171	111	Right wall	1615723	ATD	Radonova	04/22/2021	05/09/2022	0.4
MCAS Beaufort	1171	111	Right wall	2812444	ATD	Radonova	04/22/2021	05/09/2022	0.4
MCAS Beaufort	1171	112	On wall	1674878	ATD	Radonova	04/22/2021	05/09/2022	0.4
MCAS Beaufort	1171	112	On wall	3289741	ATD	Radonova	04/22/2021	05/09/2022	0.2

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1171	113	Right wall	1617125	ATD	Radonova	04/22/2021	05/09/2022	0.6
MCAS Beaufort	1171	113	Right wall	1669985	ATD	Radonova	04/22/2021	05/09/2022	0.5
MCAS Beaufort	1171	Office Area	Right wall	1848662	ATD	Radonova	04/22/2021	05/09/2022	0.4
MCAS Beaufort	1171	Office Area	Right wall	3673753	ATD	Radonova	04/22/2021	05/09/2022	0.5
MCAS Beaufort	1171	Shop Area	Left wall	1011766	ATD	Radonova	04/22/2021	05/09/2022	0.5
MCAS Beaufort	1171	Shop Area	Left wall	6508949	ATD	Radonova	04/22/2021	05/09/2022	0.2
MCAS Beaufort	1171	Shop Area	On wall	1610237	ATD	Radonova	04/22/2021	05/09/2022	0.5
MCAS Beaufort	1171	Shop Area	On wall	1769066	ATD	Radonova	04/22/2021	05/09/2022	1
MCAS Beaufort	1171	Shop Area	On wall	1641893	ATD	Radonova	04/22/2021	05/09/2022	0.5
MCAS Beaufort	1171	Shop Area	On wall	2213155	ATD	Radonova	04/22/2021	05/09/2022	0.4
MCAS Beaufort	1173	Office Area	On wall	2188431	ATD	Radonova	04/20/2021	05/17/2022	0.6
MCAS Beaufort	1173	Office Area	On wall	5908405	ATD	Radonova	04/20/2021	05/17/2022	0.6
MCAS Beaufort	1173	Shop Area	On wall	1849884	ATD	Radonova	04/20/2021	05/17/2022	0.2
MCAS Beaufort	1173	Shop Area	On wall	3313673	ATD	Radonova	04/20/2021	05/17/2022	0.2
MCAS Beaufort	1204	103	Right wall	3764651	ATD	Radonova	04/23/2021	05/10/2022	1.4
MCAS Beaufort	1204	103	Right wall	6352165	ATD	Radonova	04/23/2021	05/10/2022	1.4
MCAS Beaufort	1204	105	On wall	3988144	ATD	Radonova	04/23/2021	05/10/2022	1.4
MCAS Beaufort	1204	105	On wall	4042941	ATD	Radonova	04/23/2021	05/10/2022	1.5
MCAS Beaufort	1204	107	Left wall	3634979	ATD	Radonova	04/23/2021	05/10/2022	1.5
MCAS Beaufort	1204	107	Left wall	7591464	ATD	Radonova	04/23/2021	05/10/2022	1.4
MCAS Beaufort	1204	Common Area	Left wall	1618024	ATD	Radonova	04/23/2021	05/10/2022	1.5
MCAS Beaufort	1204	Common Area	Left wall	8273146	ATD	Radonova	04/23/2021	05/10/2022	1.4
MCAS Beaufort	1205	Office Area	On wall	2772705	ATD	Radonova	06/09/2021	05/17/2022	0.8
MCAS Beaufort	1205	Office Area	On wall	8057051	ATD	Radonova	06/09/2021	05/17/2022	0.7
MCAS Beaufort	1208	101	Right wall	1788512	ATD	Radonova	06/09/2021	05/16/2022	0.2
MCAS Beaufort	1208	101	Right wall	6614218	ATD	Radonova	06/09/2021	05/16/2022	0.3
MCAS Beaufort	1208	102	Left wall	1213610	ATD	Radonova	06/09/2021	05/16/2022	0.5
MCAS Beaufort	1208	102	Left wall	9534298	ATD	Radonova	06/09/2021	05/16/2022	0.4
MCAS Beaufort	1208	103	Right wall	2914968	ATD	Radonova	06/09/2021	05/16/2022	0.3
MCAS Beaufort	1208	103	Right wall	7322233	ATD	Radonova	06/09/2021	05/16/2022	0.3
MCAS Beaufort	1208	105	Left wall	2632214	ATD	Radonova	06/09/2021	05/16/2022	< 0.2
MCAS Beaufort	1208	105	Left wall	4235958	ATD	Radonova	06/09/2021	05/16/2022	0.5
MCAS Beaufort	1208	107	Left wall	1596121	ATD	Radonova	06/09/2021	05/16/2022	0.2

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1208	107	Left wall	2866648	ATD	Radonova	06/09/2021	05/16/2022	< 0.2
MCAS Beaufort	1208	108	Right wall	2534113	ATD	Radonova	06/09/2021	05/16/2022	0.2
MCAS Beaufort	1208	108	Right wall	3832912	ATD	Radonova	06/09/2021	05/16/2022	0.4
MCAS Beaufort	1208	109	Right wall	6318935	ATD	Radonova	06/09/2021	05/16/2022	0.3
MCAS Beaufort	1208	109	Right wall	9339805	ATD	Radonova	06/09/2021	05/16/2022	0.3
MCAS Beaufort	1208	116	Right wall	1736206	ATD	Radonova	06/09/2021	05/16/2022	0.5
MCAS Beaufort	1208	116	Right wall	9746066	ATD	Radonova	06/09/2021	05/16/2022	0.4
MCAS Beaufort	1208	117	Right wall	5443460	ATD	Radonova	06/09/2021	05/16/2022	0.2
MCAS Beaufort	1208	117	Right wall	7010275	ATD	Radonova	06/09/2021	05/16/2022	0.4
MCAS Beaufort	1208	121	Right wall	6736854	ATD	Radonova	06/09/2021		
MCAS Beaufort	1208	121	Right wall	5569108	ATD	Radonova	06/09/2021	05/16/2022	0.6
MCAS Beaufort	1208	122	Right wall	2089415	ATD	Radonova	06/09/2021	05/16/2022	0.2
MCAS Beaufort	1208	122	Right wall	5834429	ATD	Radonova	06/09/2021	05/16/2022	0.2
MCAS Beaufort	1208	Bay	On wall	5456652	ATD	Radonova	06/11/2021	05/16/2022	N/A
MCAS Beaufort	1208	Bay	On wall	8246464	ATD	Radonova	06/11/2021	05/16/2022	N/A
MCAS Beaufort	1208	Bay	On Column	1644178	ATD	Radonova	06/11/2021	05/16/2022	< 0.2
MCAS Beaufort	1208	Bay	On Column	6413538	ATD	Radonova	06/11/2021	05/16/2022	0.2
MCAS Beaufort	1215	101	On Column	2722213	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	1215	101	On Column	6918197	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	1215	104	Right wall	2712149	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	1215	104	Right wall	4729372	ATD	Radonova	06/10/2021	05/11/2022	0.3
MCAS Beaufort	1215	112	Left wall	2788693	ATD	Radonova	06/10/2021		
MCAS Beaufort	1215	112	Left wall	2839348	ATD	Radonova	06/10/2021		
MCAS Beaufort	1215	113	On Column	9131145	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	1215	113	On Column	9308008	ATD	Radonova	06/10/2021	05/11/2022	0.3
MCAS Beaufort	1215	114	Right wall	7757016	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	1215	114	Right wall	8387250	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	1215	116	Right wall	2544872	ATD	Radonova	06/10/2021	05/11/2022	0.6
MCAS Beaufort	1215	116	Right wall	5423934	ATD	Radonova	06/10/2021	05/11/2022	0.4
MCAS Beaufort	1215	121	Left wall	3522042	ATD	Radonova	06/10/2021	05/11/2022	0.4
MCAS Beaufort	1215	121	Left wall	4683413	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	1215	122	Right wall	1689017	ATD	Radonova	09/13/2021	05/11/2022	0.6
MCAS Beaufort	1215	122	Right wall	6464010	ATD	Radonova	09/13/2021	05/11/2022	< 0.3

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1215	123	Right wall	1405232	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	1215	123	Right wall	8047672	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	1215	124	Left wall	4658415	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	1215	124	Left wall	9508052	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	1215	125	On wall	5726864	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	1215	125	On wall	9419243	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	1215	126	Left wall	3322997	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	1215	126	Left wall	9326471	ATD	Radonova	06/10/2021	05/11/2022	0.3
MCAS Beaufort	1215	127	Right wall	2685220	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	1215	127	Right wall	9283508	ATD	Radonova	06/10/2021	05/11/2022	0.3
MCAS Beaufort	1215	128	Left wall	4901955	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	1215	128	Left wall	8199101	ATD	Radonova	06/10/2021	05/11/2022	0.3
MCAS Beaufort	1215	129	On Column	2545952	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	1215	129	On Column	6762041	ATD	Radonova	06/10/2021	05/11/2022	0.3
MCAS Beaufort	1215	130	Right wall	3168382	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	1215	130	Right wall	8045874	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	1215	132	On Column	6871784	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	1215	132	On Column	7937485	ATD	Radonova	06/10/2021	05/11/2022	0.3
MCAS Beaufort	1215	133	On Column	2066546	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	1215	133	On Column	5671979	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	1215	134	On Column	3983871	ATD	Radonova	06/10/2021	05/11/2022	< 0.2
MCAS Beaufort	1215	134	On Column	6941199	ATD	Radonova	06/10/2021	05/11/2022	0.2
MCAS Beaufort	1219	Bay 1	On wall	3639911	ATD	Radonova	04/15/2021	05/19/2022	0.8
MCAS Beaufort	1219	Bay 1	On wall	5824792	ATD	Radonova	04/15/2021	05/19/2022	0.7
MCAS Beaufort	1219	Bay 2	On wall	5623095	ATD	Radonova	04/15/2021	05/19/2022	0.5
MCAS Beaufort	1219	Bay 2	On wall	6386379	ATD	Radonova	04/15/2021	05/19/2022	0.6
MCAS Beaufort	1219	Bay Office	On wall	2575405	ATD	Radonova	04/15/2021	05/19/2022	0.6
MCAS Beaufort	1219	Bay Office	On wall	3720091	ATD	Radonova	04/15/2021	05/19/2022	0.5
MCAS Beaufort	1219	Common Area	On wall	3495413	ATD	Radonova	04/15/2021	05/19/2022	0.8
MCAS Beaufort	1219	Common Area	On wall	9939927	ATD	Radonova	04/15/2021	05/19/2022	0.8
MCAS Beaufort	1219	Bay	Right wall	3361953	ATD	Radonova	04/15/2021	05/19/2022	1.2
MCAS Beaufort	1219	Bay	Right wall	9669987	ATD	Radonova	04/15/2021	05/19/2022	1.3
MCAS Beaufort	1219	Bay	Left wall	5738430	ATD	Radonova	04/15/2021	05/19/2022	0.8

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1219	Bay	Left wall	7766249	ATD	Radonova	04/15/2021	05/19/2022	1
MCAS Beaufort	1219	Office A	On wall	1621408	ATD	Radonova	04/15/2021	05/19/2022	0.9
MCAS Beaufort	1219	Office A	On wall	3301520	ATD	Radonova	04/15/2021	05/19/2022	1.2
MCAS Beaufort	1219	Common Area	On wall	3380953	ATD	Radonova	04/15/2021	05/19/2022	0.8
MCAS Beaufort	1219	Common Area	On wall	5904446	ATD	Radonova	04/15/2021	05/19/2022	0.7
MCAS Beaufort	1252	101	Left wall	5666573	ATD	Radonova	06/08/2021	05/16/2022	0.2
MCAS Beaufort	1252	101	Left wall	7662604	ATD	Radonova	06/08/2021	05/16/2022	0.2
MCAS Beaufort	1252	102	Right wall	2982635	ATD	Radonova	06/08/2021	05/16/2022	0.4
MCAS Beaufort	1252	102	Right wall	6074488	ATD	Radonova	06/08/2021	05/16/2022	0.4
MCAS Beaufort	1252	103	Right wall	1088160	ATD	Radonova	06/08/2021	05/16/2022	0.3
MCAS Beaufort	1252	103	Right wall	4771523	ATD	Radonova	06/08/2021	05/16/2022	0.4
MCAS Beaufort	1252	104	Right wall	6231567	ATD	Radonova	06/08/2021	05/16/2022	0.3
MCAS Beaufort	1252	104	Right wall	8079378	ATD	Radonova	06/08/2021	05/16/2022	0.4
MCAS Beaufort	1252	105	Right wall	1227750	ATD	Radonova	06/08/2021	05/16/2022	< 0.2
MCAS Beaufort	1252	105	Right wall	6668974	ATD	Radonova	06/08/2021	05/16/2022	0.2
MCAS Beaufort	1252	106	On wall	2345361	ATD	Radonova	06/08/2021	05/16/2022	0.2
MCAS Beaufort	1252	106	On wall	4962130	ATD	Radonova	06/08/2021	05/16/2022	0.3
MCAS Beaufort	1252	107	On wall	1610989	ATD	Radonova	06/08/2021	05/16/2022	0.4
MCAS Beaufort	1252	107	On wall	9586124	ATD	Radonova	06/08/2021	05/16/2022	0.2
MCAS Beaufort	1252	108	Left wall	3976735	ATD	Radonova	06/08/2021	05/16/2022	0.3
MCAS Beaufort	1252	108	Left wall	5821970	ATD	Radonova	06/08/2021	05/16/2022	0.2
MCAS Beaufort	1252	109	Left wall	7015621	ATD	Radonova	06/08/2021	05/16/2022	0.3
MCAS Beaufort	1252	109	Left wall	8019671	ATD	Radonova	06/08/2021	05/16/2022	0.3
MCAS Beaufort	1252	114	Left wall	2761245	ATD	Radonova	06/08/2021	05/16/2022	0.5
MCAS Beaufort	1252	114	Left wall	3332764	ATD	Radonova	06/08/2021	05/16/2022	0.5
MCAS Beaufort	1252	117	Left wall	1211721	ATD	Radonova	06/08/2021	05/16/2022	0.3
MCAS Beaufort	1252	117	Left wall	1760230	ATD	Radonova	06/08/2021	05/16/2022	0.4
MCAS Beaufort	1252	118	Left wall	1265313	ATD	Radonova	06/08/2021	05/16/2022	0.3
MCAS Beaufort	1252	118	Left wall	7699515	ATD	Radonova	06/08/2021	05/16/2022	0.4
MCAS Beaufort	1252	123	Right wall	2606044	ATD	Radonova	06/08/2021	05/16/2022	0.4
MCAS Beaufort	1252	123	Right wall	7805781	ATD	Radonova	06/08/2021	05/16/2022	0.4
MCAS Beaufort	1252	125	On wall	4522322	ATD	Radonova	06/08/2021	05/16/2022	0.4
MCAS Beaufort	1252	125	On wall	6637888	ATD	Radonova	06/08/2021	05/16/2022	0.2

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1252	126	On wall	5670138	ATD	Radonova	06/08/2021	05/16/2022	0.4
MCAS Beaufort	1252	126	On wall	7798630	ATD	Radonova	06/08/2021	05/16/2022	0.3
MCAS Beaufort	1252	Common Area	Left wall	5703954	ATD	Radonova	06/08/2021	05/16/2022	0.6
MCAS Beaufort	1252	Common Area	Left wall	7748775	ATD	Radonova	06/08/2021	05/16/2022	1.2
MCAS Beaufort	1252	Common Area	Left wall	1692573	ATD	Radonova	06/08/2021	05/16/2022	< 0.2
MCAS Beaufort	1252	Common Area	Left wall	7583636	ATD	Radonova	06/08/2021	05/16/2022	< 0.2
MCAS Beaufort	1253	105	On wall	6951941	ATD	Radonova	06/07/2021	05/16/2022	0.2
MCAS Beaufort	1253	105	On wall	7474877	ATD	Radonova	06/07/2021	05/16/2022	< 0.2
MCAS Beaufort	1253	106	Right wall	1921048	ATD	Radonova	06/07/2021	05/16/2022	< 0.2
MCAS Beaufort	1253	106	Right wall	4427530	ATD	Radonova	06/07/2021	05/16/2022	0.3
MCAS Beaufort	1253	Bay	On wall	7072010	ATD	Radonova	06/07/2021	05/16/2022	0.4
MCAS Beaufort	1253	Bay	On wall	8259640	ATD	Radonova	06/07/2021	05/16/2022	0.4
MCAS Beaufort	1253	Common Area	On wall	7662638	ATD	Radonova	06/07/2021	05/16/2022	0.2
MCAS Beaufort	1253	Common Area	On wall	9584681	ATD	Radonova	06/07/2021	05/16/2022	0.3
MCAS Beaufort	1253	Utility Room	Right wall	2097848	ATD	Radonova	06/07/2021	05/16/2022	0.4
MCAS Beaufort	1253	Utility Room	Right wall	7316474	ATD	Radonova	06/07/2021	05/16/2022	0.3
MCAS Beaufort	1256	200	Right wall	6271449	ATD	Radonova	04/14/2021	05/16/2022	< 0.2
MCAS Beaufort	1256	200	Right wall	6766422	ATD	Radonova	04/14/2021	05/16/2022	< 0.2
MCAS Beaufort	1256	203	On wall	6988752	ATD	Radonova	04/14/2021	05/16/2022	< 0.2
MCAS Beaufort	1256	203	On wall	8321630	ATD	Radonova	04/14/2021	05/16/2022	< 0.2
MCAS Beaufort	1256	204	Right wall	5124573	ATD	Radonova	04/14/2021	05/16/2022	0.2
MCAS Beaufort	1256	204	Right wall	9193145	ATD	Radonova	04/14/2021	05/16/2022	0.2
MCAS Beaufort	1256	202	Right wall	6413710	ATD	Radonova	04/14/2021	05/16/2022	< 0.2
MCAS Beaufort	1256	202	Right wall	9404948	ATD	Radonova	04/14/2021	05/16/2022	< 0.2
MCAS Beaufort	1260	Storage Area	On wall	2244192	ATD	Radonova	04/19/2021	05/17/2022	1.1
MCAS Beaufort	1260	Storage Area	On wall	2497410	ATD	Radonova	04/19/2021	05/17/2022	1.5
MCAS Beaufort	1260	Common Area	On wall	3921533	ATD	Radonova	04/19/2021	05/17/2022	2
MCAS Beaufort	1260	Common Area	On wall	6200653	ATD	Radonova	04/19/2021	05/17/2022	2
MCAS Beaufort	1260	23	Left wall	2274421	ATD	Radonova	04/19/2021	05/17/2022	1.6
MCAS Beaufort	1260	23	Left wall	3341427	ATD	Radonova	04/19/2021	05/17/2022	1.7
MCAS Beaufort	1260	273	Left wall	1511245	ATD	Radonova	04/19/2021	05/20/2022	2.4
MCAS Beaufort	1260	273	Left wall	4354973	ATD	Radonova	04/19/2021	05/20/2022	2.3
MCAS Beaufort	1260	Common Area	Right wall	3113248	ATD	Radonova	04/19/2021	05/17/2022	0.9

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1260	Common Area	Right wall	3271541	ATD	Radonova	04/19/2021	05/17/2022	0.8
MCAS Beaufort	1260	Office	Left wall	5334883	ATD	Radonova	04/19/2021	05/17/2022	2.2
MCAS Beaufort	1260	Office	Left wall	9642968	ATD	Radonova	04/19/2021	05/17/2022	2.1
MCAS Beaufort	1270	Bay	Right wall	4186987	ATD	Radonova	06/08/2021	05/16/2022	0.2
MCAS Beaufort	1270	Bay	Right wall	7143084	ATD	Radonova	06/08/2021	05/16/2022	0.2
MCAS Beaufort	1270	Bay	On Column	4754768	ATD	Radonova	06/08/2021	05/16/2022	0.2
MCAS Beaufort	1270	Bay	On Column	4854089	ATD	Radonova	06/08/2021	05/16/2022	< 0.2
MCAS Beaufort	1283	103	Left wall	8117400	ATD	Radonova	04/15/2021	05/17/2022	0.5
MCAS Beaufort	1283	103	Left wall	9981424	ATD	Radonova	04/15/2021	05/17/2022	0.6
MCAS Beaufort	1283	107	Right wall	3357027	ATD	Radonova	04/15/2021	05/17/2022	0.5
MCAS Beaufort	1283	107	Right wall	4804795	ATD	Radonova	04/15/2021	05/17/2022	0.4
MCAS Beaufort	1283	306	Left wall	3459443	ATD	Radonova	04/15/2021	05/18/2022	< 0.2
MCAS Beaufort	1283	306	Left wall	9844598	ATD	Radonova	04/15/2021	05/18/2022	0.2
MCAS Beaufort	1283	311	Right wall	3435450	ATD	Radonova	04/15/2021	05/18/2022	0.4
MCAS Beaufort	1283	311	Right wall	8356883	ATD	Radonova	04/15/2021	05/18/2022	0.3
MCAS Beaufort	1283	402	Right wall	5501242	ATD	Radonova	04/15/2021	05/17/2022	0.3
MCAS Beaufort	1283	402	Right wall	5606918	ATD	Radonova	04/15/2021	05/17/2022	< 0.2
MCAS Beaufort	1283	404	Right wall	3202306	ATD	Radonova	04/15/2021	05/17/2022	< 0.2
MCAS Beaufort	1283	404	Right wall	7014483	ATD	Radonova	04/15/2021	05/17/2022	< 0.2
MCAS Beaufort	1283	511	Left wall	3266616	ATD	Radonova	04/15/2021	05/17/2022	0.2
MCAS Beaufort	1283	511	Left wall	9440785	ATD	Radonova	04/15/2021	05/17/2022	0.2
MCAS Beaufort	1283	700	Left wall	4144168	ATD	Radonova	04/15/2021	05/17/2022	< 0.2
MCAS Beaufort	1283	700	Left wall	7723166	ATD	Radonova	04/15/2021	05/17/2022	0.2
MCAS Beaufort	1283	Shop Area	On Column	6927651	ATD	Radonova	04/15/2021	05/17/2022	< 0.2
MCAS Beaufort	1283	Shop Area	On Column	7626310	ATD	Radonova	04/15/2021	05/17/2022	0.2
MCAS Beaufort	1283	Shop Area	On wall	6872246	ATD	Radonova	04/15/2021	05/17/2022	< 0.2
MCAS Beaufort	1283	Shop Area	On wall	7348113	ATD	Radonova	04/15/2021	05/17/2022	< 0.2
MCAS Beaufort	1283	Shop Area	On wall	2480705	ATD	Radonova	04/15/2021	05/17/2022	< 0.2
MCAS Beaufort	1283	Shop Area	On wall	4983912	ATD	Radonova	04/15/2021	05/17/2022	0.2
MCAS Beaufort	1283	Utility	On wall	3214103	ATD	Radonova	04/15/2021	05/17/2022	0.5
MCAS Beaufort	1283	Utility	On wall	4937744	ATD	Radonova	04/15/2021	05/17/2022	0.5
MCAS Beaufort	1283	Office Area	On Column	3190451	ATD	Radonova	04/15/2021	05/17/2022	0.6
MCAS Beaufort	1283	Office Area	On Column	5238894	ATD	Radonova	04/15/2021	05/17/2022	0.8



# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1283	Common Area	Left wall	1683085	ATD	Radonova	04/15/2021	05/17/2022	0.7
MCAS Beaufort	1283	Common Area	Left wall	7675226	ATD	Radonova	04/15/2021	05/17/2022	0.5
MCAS Beaufort	1283	Common Area	Behind/Next to TV	2598183	ATD	Radonova	04/15/2021	05/17/2022	0.6
MCAS Beaufort	1283	Common Area	Behind/Next to TV	3296506	ATD	Radonova	04/15/2021	05/17/2022	0.8
MCAS Beaufort	1283	Bay	On wall	3691797	ATD	Radonova	04/15/2021	05/17/2022	0.6
MCAS Beaufort	1283	Bay	On wall	5672845	ATD	Radonova	04/15/2021	05/17/2022	0.7
MCAS Beaufort	1283	Common Area	On wall	1899251	ATD	Radonova	04/15/2021	05/18/2022	0.3
MCAS Beaufort	1283	Common Area	On wall	3191426	ATD	Radonova	04/15/2021	05/18/2022	0.2
MCAS Beaufort	1283	Common Area	On wall	1366491	ATD	Radonova	04/15/2021	05/17/2022	< 0.2
MCAS Beaufort	1283	Common Area	On wall	5697313	ATD	Radonova	04/15/2021	05/17/2022	< 0.2
MCAS Beaufort	1283	Common Area	On wall	4301198	ATD	Radonova	04/15/2021	05/17/2022	0.2
MCAS Beaufort	1283	Common Area	On wall	5227855	ATD	Radonova	04/15/2021	05/17/2022	0.3
MCAS Beaufort	1283	Common Area	On wall	3537834	ATD	Radonova	04/15/2021	05/18/2022	< 0.2
MCAS Beaufort	1283	Common Area	On wall	4136206	ATD	Radonova	04/15/2021	05/18/2022	0.2
MCAS Beaufort	1283	Office	On wall	7187453	ATD	Radonova	04/15/2021	05/17/2022	0.4
MCAS Beaufort	1283	Office	On wall	9531369	ATD	Radonova	04/15/2021	05/17/2022	0.6
MCAS Beaufort	1283	Common Area	On wall	1774967	ATD	Radonova	04/15/2021	05/17/2022	0.2
MCAS Beaufort	1283	Common Area	On wall	6613814	ATD	Radonova	04/15/2021	05/17/2022	< 0.2
MCAS Beaufort	1283	Bay	On wall	2907996	ATD	Radonova	04/15/2021	05/17/2022	0.2
MCAS Beaufort	1283	Bay	On wall	6912745	ATD	Radonova	04/15/2021	05/17/2022	< 0.2
MCAS Beaufort	1283	Bay	On wall	3271780	ATD	Radonova	04/15/2021	05/17/2022	0.2
MCAS Beaufort	1283	Bay	On wall	9611161	ATD	Radonova	04/15/2021	05/17/2022	0.2
MCAS Beaufort	1283	Office	Left wall	4979910	ATD	Radonova	04/15/2021	05/17/2022	< 0.2
MCAS Beaufort	1283	Office	Left wall	7791395	ATD	Radonova	04/15/2021	05/17/2022	< 0.2
MCAS Beaufort	1283	Office	On wall	1637024	ATD	Radonova	04/15/2021	05/17/2022	0.5
MCAS Beaufort	1283	Office	On wall	7317134	ATD	Radonova	04/15/2021	05/17/2022	0.6
MCAS Beaufort	1283	Office	On wall	4694196	ATD	Radonova	04/15/2021	05/17/2022	0.6
MCAS Beaufort	1283	Office	On wall	5488812	ATD	Radonova	04/15/2021	05/17/2022	0.6
MCAS Beaufort	1283	Shop Area	Right wall	7220338	ATD	Radonova	04/15/2021	05/17/2022	0.6
MCAS Beaufort	1283	Shop Area	Right wall	9633512	ATD	Radonova	04/15/2021	05/17/2022	0.6
MCAS Beaufort	1283	Shop Area	Left wall	4918124	ATD	Radonova	04/15/2021	05/17/2022	0.6
MCAS Beaufort	1283	Shop Area	Left wall	4922811	ATD	Radonova	04/15/2021	05/17/2022	0.6
MCAS Beaufort	1283	Common Area	On Column	9188764	ATD	Radonova	04/15/2021	05/17/2022	< 0.2

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1283	Common Area	On Column	9443144	ATD	Radonova	04/15/2021	05/17/2022	< 0.2
MCAS Beaufort	1283	Shop Area	On wall	2235703	ATD	Radonova	04/15/2021	05/17/2022	0.5
MCAS Beaufort	1283	Shop Area	On wall	2809937	ATD	Radonova	04/15/2021	05/17/2022	0.6
MCAS Beaufort	1313	102	Right wall	6149173	ATD	Radonova	06/09/2021	05/16/2022	0.5
MCAS Beaufort	1313	102	Right wall	6763551	ATD	Radonova	06/09/2021	05/16/2022	0.4
MCAS Beaufort	1313	103	Left wall	1202241	ATD	Radonova	06/09/2021	05/16/2022	0.5
MCAS Beaufort	1313	103	Left wall	2587541	ATD	Radonova	06/09/2021	05/16/2022	0.5
MCAS Beaufort	1313	104	Left wall	2059897	ATD	Radonova	06/09/2021	05/16/2022	0.5
MCAS Beaufort	1313	104	Left wall	2973873	ATD	Radonova	06/09/2021	05/16/2022	0.5
MCAS Beaufort	1313	105	Right wall	5326269	ATD	Radonova	06/09/2021	05/16/2022	0.6
MCAS Beaufort	1313	105	Right wall	6433460	ATD	Radonova	06/09/2021	05/16/2022	0.3
MCAS Beaufort	1313	106	Left wall	9391699	ATD	Radonova	06/09/2021		
MCAS Beaufort	1313	106	Left wall	2315984	ATD	Radonova	06/09/2021	05/16/2022	0.5
MCAS Beaufort	1313	107	On top of cabinet	1596030	ATD	Radonova	09/15/2021		
MCAS Beaufort	1313	107	On top of cabinet	4708681	ATD	Radonova	09/15/2021		
MCAS Beaufort	1313	107	Right wall	4903423	ATD	Radonova	06/09/2021	05/16/2022	0.4
MCAS Beaufort	1313	107	Right wall	6882807	ATD	Radonova	06/09/2021	05/16/2022	0.5
MCAS Beaufort	1313	108	Left wall	6524805	ATD	Radonova	06/09/2021		
MCAS Beaufort	1313	108	Left wall	7212210	ATD	Radonova	06/09/2021	05/16/2022	N/A
MCAS Beaufort	1313	109	Left wall	7460272	ATD	Radonova	06/09/2021		
MCAS Beaufort	1313	109	Left wall	7782733	ATD	Radonova	06/09/2021		
MCAS Beaufort	1313	109	On top of cabinet	6039457	ATD	Radonova	09/15/2021		
MCAS Beaufort	1313	109	On top of cabinet	7115785	ATD	Radonova	09/15/2021		
MCAS Beaufort	1313	110	Left wall	5153267	ATD	Radonova	06/09/2021	05/16/2022	0.5
MCAS Beaufort	1313	110	Left wall	9384504	ATD	Radonova	06/09/2021	05/16/2022	0.4
MCAS Beaufort	1313	111	On Column	5575519	ATD	Radonova	06/09/2021		
MCAS Beaufort	1313	111	On Column	6404669	ATD	Radonova	06/09/2021		
MCAS Beaufort	1313	112	Left wall	9643370	ATD	Radonova	06/09/2021		
MCAS Beaufort	1313	112	Left wall	9947474	ATD	Radonova	06/09/2021		
MCAS Beaufort	1313	114	Right wall	7586456	ATD	Radonova	06/09/2021	05/16/2022	0.5
MCAS Beaufort	1313	114	Right wall	9768037	ATD	Radonova	06/09/2021	05/16/2022	0.5
MCAS Beaufort	1313	115	Left wall	3244662	ATD	Radonova	06/09/2021	05/16/2022	0.5
MCAS Beaufort	1313	115	Left wall	6935159	ATD	Radonova	06/09/2021	05/16/2022	0.4

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1313	116	Left wall	2906469	ATD	Radonova	06/09/2021	05/16/2022	0.4
MCAS Beaufort	1313	116	Left wall	2977163	ATD	Radonova	06/09/2021	05/16/2022	0.6
MCAS Beaufort	1313	117	On wall	1547066	ATD	Radonova	06/09/2021	05/16/2022	0.7
MCAS Beaufort	1313	117	On wall	5633177	ATD	Radonova	06/09/2021	05/16/2022	0.8
MCAS Beaufort	1313	125	Left wall	1746932	ATD	Radonova	06/09/2021	05/16/2022	0.4
MCAS Beaufort	1313	125	Left wall	5108436	ATD	Radonova	06/09/2021	05/16/2022	0.6
MCAS Beaufort	1313	126	Left wall	2278174	ATD	Radonova	06/09/2021	05/16/2022	0.4
MCAS Beaufort	1313	126	Left wall	5384979	ATD	Radonova	06/09/2021	05/16/2022	0.4
MCAS Beaufort	1328	Office	On wall	4829412	ATD	Radonova	06/08/2021	05/17/2022	0.5
MCAS Beaufort	1328	Office	On wall	6551360	ATD	Radonova	06/08/2021	05/17/2022	0.5
MCAS Beaufort	2072	Office	On wall	5024096	ATD	Radonova	06/07/2021	05/17/2022	0.3
MCAS Beaufort	2072	Office	On wall	5237540	ATD	Radonova	06/07/2021	05/17/2022	0.3
MCAS Beaufort	2076	Office	On wall	1339290	ATD	Radonova	04/20/2021	05/18/2022	< 0.2
MCAS Beaufort	2076	Office	On wall	1603505	ATD	Radonova	04/20/2021	05/18/2022	< 0.2
MCAS Beaufort	2077	Office 1	Right wall	5094404	ATD	Radonova	04/20/2021	05/18/2022	0.4
MCAS Beaufort	2077	Office 1	Right wall	9348855	ATD	Radonova	04/20/2021	05/18/2022	0.4
MCAS Beaufort	2077	Office 2	Right wall	1051200	ATD	Radonova	04/20/2021	05/18/2022	0.5
MCAS Beaufort	2077	Office 2	Right wall	2492924	ATD	Radonova	04/20/2021	05/18/2022	0.4
MCAS Beaufort	2077	Common Area	On wall	5296678	ATD	Radonova	04/20/2021	05/18/2022	0.3
MCAS Beaufort	2077	Common Area	On wall	7649296	ATD	Radonova	04/20/2021	05/18/2022	0.4
MCAS Beaufort	2080	122	Central Column	5100375	ATD	Radonova	04/15/2021	05/10/2022	0.3
MCAS Beaufort	2080	122	Central Column	7504731	ATD	Radonova	04/15/2021	05/10/2022	0.4
MCAS Beaufort	2080	125	Left wall	8328239	ATD	Radonova	04/15/2021	05/10/2022	0.2
MCAS Beaufort	2080	125	Left wall	9068339	ATD	Radonova	04/15/2021	05/10/2022	0.3
MCAS Beaufort	2080	139	Left wall	7537293	ATD	Radonova	04/15/2021	05/10/2022	0.3
MCAS Beaufort	2080	139	Left wall	9654518	ATD	Radonova	04/15/2021	05/10/2022	0.3
MCAS Beaufort	2080	142	Right wall	6480800	ATD	Radonova	04/15/2021	05/10/2022	0.2
MCAS Beaufort	2080	142	Right wall	7458789	ATD	Radonova	04/15/2021	05/10/2022	0.5
MCAS Beaufort	2080	145	Left wall	2281079	ATD	Radonova	04/15/2021	05/10/2022	0.2
MCAS Beaufort	2080	145	Left wall	8077760	ATD	Radonova	04/15/2021	05/10/2022	0.3
MCAS Beaufort	2080	111	On wall	2108140	ATD	Radonova	04/15/2021	05/10/2022	0.3
MCAS Beaufort	2080	111	On wall	5301833	ATD	Radonova	04/15/2021	05/10/2022	0.2
MCAS Beaufort	2080	111	On wall	2663771	ATD	Radonova	04/15/2021	05/10/2022	0.6

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	2080	111	On wall	4819389	ATD	Radonova	04/15/2021	05/10/2022	0.6
MCAS Beaufort	2080	114A	Right wall	5142187	ATD	Radonova	04/15/2021	05/10/2022	< 0.2
MCAS Beaufort	2080	114A	Right wall	9777715	ATD	Radonova	04/15/2021	05/10/2022	< 0.2
MCAS Beaufort	2080	114B	Left wall	2003531	ATD	Radonova	04/15/2021	05/10/2022	0.3
MCAS Beaufort	2080	114B	Left wall	8281164	ATD	Radonova	04/15/2021	05/10/2022	0.4
MCAS Beaufort	2080	125	On wall	1834670	ATD	Radonova	04/15/2021	05/10/2022	0.3
MCAS Beaufort	2080	125	On wall	5167705	ATD	Radonova	04/15/2021	05/10/2022	0.2
MCAS Beaufort	2080	Common Area A	On wall	3574225	ATD	Radonova	04/15/2021	05/10/2022	< 0.3
MCAS Beaufort	2080	Common Area A	On wall	8350803	ATD	Radonova	04/15/2021	05/10/2022	< 0.2
MCAS Beaufort	2080	Common Area B	On wall	4369476	ATD	Radonova	04/15/2021	05/10/2022	< 0.2
MCAS Beaufort	2080	Common Area B	On wall	6514129	ATD	Radonova	04/15/2021	05/10/2022	< 0.2
MCAS Beaufort	2080	Common Area C	On wall	6386064	ATD	Radonova	04/15/2021	05/10/2022	0.3
MCAS Beaufort	2080	Common Area C	On wall	9075045	ATD	Radonova	04/15/2021	05/10/2022	0.2
MCAS Beaufort	2080	Common Area	On wall	7082332	ATD	Radonova	04/15/2021	05/10/2022	0.2
MCAS Beaufort	2080	Common Area	On wall	8221129	ATD	Radonova	04/15/2021	05/10/2022	0.3
MCAS Beaufort	2080	Common Area	On wall	5261623	ATD	Radonova	04/15/2021	05/10/2022	0.2
MCAS Beaufort	2080	Common Area	On wall	6335525	ATD	Radonova	04/15/2021	05/10/2022	0.2
MCAS Beaufort	2080	Common Area	On wall	6105100	ATD	Radonova	04/15/2021	05/10/2022	< 0.2
MCAS Beaufort	2080	Common Area	On wall	9018433	ATD	Radonova	04/15/2021	05/10/2022	< 0.2
MCAS Beaufort	2085	102	Left wall	3221223	ATD	Radonova	04/20/2021	05/18/2022	0.5
MCAS Beaufort	2085	102	Left wall	3272036	ATD	Radonova	04/20/2021	05/18/2022	0.5
MCAS Beaufort	2085	104	Right wall	7340516	ATD	Radonova	04/20/2021	05/18/2022	0.7
MCAS Beaufort	2085	104	Right wall	7612013	ATD	Radonova	04/20/2021	05/18/2022	0.5
MCAS Beaufort	2085	108	Right wall	6119101	ATD	Radonova	04/20/2021	05/18/2022	0.5
MCAS Beaufort	2085	108	Right wall	7206097	ATD	Radonova	04/20/2021	05/18/2022	0.4
MCAS Beaufort	2085	109	Right wall	4742896	ATD	Radonova	04/20/2021	05/18/2022	0.5
MCAS Beaufort	2085	109	Right wall	8186561	ATD	Radonova	04/20/2021	05/18/2022	0.4
MCAS Beaufort	2085	114	Left wall	3741048	ATD	Radonova	04/20/2021	05/18/2022	0.5
MCAS Beaufort	2085	114	Left wall	8024721	ATD	Radonova	04/20/2021	05/18/2022	0.5
MCAS Beaufort	2085	121	Left wall	2989689	ATD	Radonova	04/20/2021	05/18/2022	0.4
MCAS Beaufort	2085	121	Left wall	7385172	ATD	Radonova	04/20/2021	05/18/2022	0.4
MCAS Beaufort	2085	122	Left wall	1684349	ATD	Radonova	04/20/2021	05/18/2022	0.5
MCAS Beaufort	2085	122	Left wall	1805647	ATD	Radonova	04/20/2021	05/18/2022	0.4

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	2085	130	Right wall	1592773	ATD	Radonova	04/20/2021	05/18/2022	0.3
MCAS Beaufort	2085	130	Right wall	5588298	ATD	Radonova	04/20/2021	05/18/2022	0.2
MCAS Beaufort	2085	135	Right wall	3551751	ATD	Radonova	04/20/2021	05/18/2022	0.2
MCAS Beaufort	2085	135	Right wall	8152704	ATD	Radonova	04/20/2021	05/18/2022	< 0.2
MCAS Beaufort	2085	137	Right wall	1800630	ATD	Radonova	04/20/2021	05/18/2022	0.4
MCAS Beaufort	2085	137	Right wall	6015713	ATD	Radonova	04/20/2021	05/18/2022	0.4
MCAS Beaufort	2085	140	On wall	4248720	ATD	Radonova	04/20/2021	05/18/2022	0.4
MCAS Beaufort	2085	140	On wall	7408529	ATD	Radonova	04/20/2021	05/18/2022	0.4
MCAS Beaufort	2085	145	Right wall	3663895	ATD	Radonova	04/20/2021	05/18/2022	0.6
MCAS Beaufort	2085	145	Right wall	3668126	ATD	Radonova	04/20/2021	05/18/2022	0.6
MCAS Beaufort	2085	146	Right wall	2556058	ATD	Radonova	04/20/2021	05/18/2022	0.6
MCAS Beaufort	2085	146	Right wall	4544052	ATD	Radonova	04/20/2021	05/18/2022	0.5
MCAS Beaufort	2085	147	Right wall	4375325	ATD	Radonova	04/20/2021	05/18/2022	0.6
MCAS Beaufort	2085	147	Right wall	8107534	ATD	Radonova	04/20/2021	05/18/2022	0.6
MCAS Beaufort	2085	148	Right wall	2806594	ATD	Radonova	04/20/2021	05/18/2022	0.5
MCAS Beaufort	2085	148	Right wall	9033721	ATD	Radonova	04/20/2021	05/18/2022	0.6
MCAS Beaufort	2085	149	Right wall	1331784	ATD	Radonova	04/20/2021	05/18/2022	0.8
MCAS Beaufort	2085	149	Right wall	2295368	ATD	Radonova	04/20/2021	05/18/2022	0.8
MCAS Beaufort	2085	150	Right wall	2795417	ATD	Radonova	04/20/2021	05/18/2022	0.7
MCAS Beaufort	2085	150	Right wall	3391778	ATD	Radonova	04/20/2021	05/18/2022	0.6
MCAS Beaufort	2085	151	Right wall	2548071	ATD	Radonova	04/20/2021	05/18/2022	0.7
MCAS Beaufort	2085	151	Right wall	6504393	ATD	Radonova	04/20/2021	05/18/2022	0.8
MCAS Beaufort	2085	152	Left wall	2267516	ATD	Radonova	04/20/2021	05/18/2022	0.7
MCAS Beaufort	2085	152	Left wall	5871421	ATD	Radonova	04/20/2021	05/18/2022	0.6
MCAS Beaufort	2085	153	Left wall	1592047	ATD	Radonova	04/20/2021	05/18/2022	0.7
MCAS Beaufort	2085	153	Left wall	9434242	ATD	Radonova	04/20/2021	05/18/2022	0.7
MCAS Beaufort	2085	154	Left wall	4574406	ATD	Radonova	04/20/2021	05/18/2022	0.6
MCAS Beaufort	2085	154	Left wall	8373425	ATD	Radonova	04/20/2021	05/18/2022	0.7
MCAS Beaufort	2085	155	Left wall	4538286	ATD	Radonova	04/20/2021	05/18/2022	0.9
MCAS Beaufort	2085	155	Left wall	6275234	ATD	Radonova	04/20/2021	05/18/2022	0.9
MCAS Beaufort	2085	156	Left wall	1016062	ATD	Radonova	04/20/2021	05/18/2022	0.7
MCAS Beaufort	2085	156	Left wall	9917436	ATD	Radonova	04/20/2021	05/18/2022	0.4
MCAS Beaufort	2085	157	Right wall	4712543	ATD	Radonova	04/20/2021	05/18/2022	0.5

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	2085	157	Right wall	7658974	ATD	Radonova	04/20/2021	05/18/2022	0.7
MCAS Beaufort	2085	158	Right wall	1693654	ATD	Radonova	04/20/2021	05/18/2022	0.6
MCAS Beaufort	2085	158	Right wall	2379246	ATD	Radonova	04/20/2021	05/18/2022	0.6
MCAS Beaufort	2085	159	Right wall	3532207	ATD	Radonova	04/20/2021	05/18/2022	0.8
MCAS Beaufort	2085	159	Right wall	6069652	ATD	Radonova	04/20/2021	05/18/2022	0.7
MCAS Beaufort	2085	160	Left wall	2836930	ATD	Radonova	04/20/2021	05/18/2022	0.6
MCAS Beaufort	2085	160	Left wall	7052954	ATD	Radonova	04/20/2021	05/18/2022	0.5
MCAS Beaufort	2085	161	Left wall	2818474	ATD	Radonova	04/20/2021	05/18/2022	0.5
MCAS Beaufort	2085	161	Left wall	9712381	ATD	Radonova	04/20/2021	05/18/2022	0.5
MCAS Beaufort	2085	162	Right wall	2207884	ATD	Radonova	04/20/2021	05/18/2022	0.7
MCAS Beaufort	2085	162	Right wall	8143919	ATD	Radonova	04/20/2021	05/18/2022	0.6
MCAS Beaufort	2085	Office Area	Right wall	8206781	ATD	Radonova	04/20/2021	05/18/2022	0.5
MCAS Beaufort	2085	Office Area	Right wall	8395642	ATD	Radonova	04/20/2021	05/18/2022	0.5
MCAS Beaufort	2085	Common Area	On wall	1638485	ATD	Radonova	04/20/2021	05/18/2022	0.6
MCAS Beaufort	2085	Common Area	On wall	4679171	ATD	Radonova	04/20/2021	05/18/2022	0.5
MCAS Beaufort	2085	Bay	On wall	5729629	ATD	Radonova	04/20/2021	05/18/2022	< 0.2
MCAS Beaufort	2085	Bay	On wall	6970396	ATD	Radonova	04/20/2021	05/18/2022	0.2
MCAS Beaufort	2089	105	On wall	3345048	ATD	Radonova	04/19/2021	05/18/2022	0.6
MCAS Beaufort	2089	105	On wall	4169876	ATD	Radonova	04/19/2021	05/18/2022	0.6
MCAS Beaufort	2089	106	Right wall	6681225	ATD	Radonova	04/19/2021	05/18/2022	0.7
MCAS Beaufort	2089	106	Right wall	7835978	ATD	Radonova	04/19/2021	05/18/2022	0.7
MCAS Beaufort	2089	107	Right wall	2254746	ATD	Radonova	04/19/2021	05/18/2022	0.7
MCAS Beaufort	2089	107	Right wall	5312186	ATD	Radonova	04/19/2021	05/18/2022	0.7
MCAS Beaufort	2089	Common Area	Left wall	3077633	ATD	Radonova	04/19/2021	05/18/2022	0.4
MCAS Beaufort	2089	Common Area	Left wall	3239258	ATD	Radonova	04/19/2021	05/18/2022	0.5
MCAS Beaufort	2089	Common Area 1	On wall	3313517	ATD	Radonova	04/19/2021	05/18/2022	0.6
MCAS Beaufort	2089	Common Area 1	On wall	4268991	ATD	Radonova	04/19/2021	05/18/2022	0.5
MCAS Beaufort	2089	Common Area 2	Right wall	2273928	ATD	Radonova	04/19/2021	05/18/2022	0.5
MCAS Beaufort	2089	Common Area 2	Right wall	3400017	ATD	Radonova	04/19/2021	05/18/2022	0.4
MCAS Beaufort	2091	101	Right wall	6674527	ATD	Radonova	06/10/2021	05/17/2022	0.6
MCAS Beaufort	2091	101	Right wall	7027055	ATD	Radonova	06/10/2021	05/17/2022	0.7
MCAS Beaufort	2091	102	Right wall	5616198	ATD	Radonova	06/10/2021	05/17/2022	0.6
MCAS Beaufort	2091	102	Right wall	9564568	ATD	Radonova	06/10/2021	05/17/2022	0.5

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	2091	103	Left wall	1792993	ATD	Radonova	06/10/2021	05/17/2022	0.6
MCAS Beaufort	2091	103	Left wall	9936550	ATD	Radonova	06/10/2021	05/17/2022	0.6
MCAS Beaufort	2091	104	Left wall	3934056	ATD	Radonova	06/10/2021	05/17/2022	0.6
MCAS Beaufort	2091	104	Left wall	5018692	ATD	Radonova	06/10/2021	05/17/2022	0.6
MCAS Beaufort	2091	105	Right wall	1348721	ATD	Radonova	06/10/2021	05/17/2022	0.6
MCAS Beaufort	2091	105	Right wall	8332652	ATD	Radonova	06/10/2021	05/17/2022	0.6
MCAS Beaufort	2091	106	Right wall	4915591	ATD	Radonova	06/10/2021	05/17/2022	0.4
MCAS Beaufort	2091	106	Right wall	5897053	ATD	Radonova	06/10/2021	05/17/2022	0.4
MCAS Beaufort	2091	110	On wall	5826417	ATD	Radonova	06/10/2021	05/17/2022	0.9
MCAS Beaufort	2091	110	On wall	6478010	ATD	Radonova	06/10/2021	05/17/2022	0.6
MCAS Beaufort	2091	112	On wall	3795556	ATD	Radonova	06/10/2021	05/17/2022	1.7
MCAS Beaufort	2091	112	On wall	5991872	ATD	Radonova	06/10/2021	05/17/2022	2.1
MCAS Beaufort	2091	115	Right wall	3614708	ATD	Radonova	06/10/2021	05/17/2022	0.9
MCAS Beaufort	2091	115	Right wall	7753106	ATD	Radonova	06/10/2021	05/17/2022	0.8
MCAS Beaufort	2091	116	Right wall	2174159	ATD	Radonova	06/10/2021	05/17/2022	0.9
MCAS Beaufort	2091	116	Right wall	3100906	ATD	Radonova	06/10/2021	05/17/2022	0.9
MCAS Beaufort	2091	117	Left wall	7342835	ATD	Radonova	06/10/2021	05/17/2022	0.8
MCAS Beaufort	2091	117	Left wall	7878887	ATD	Radonova	06/10/2021	05/17/2022	0.8
MCAS Beaufort	2091	118	Left wall	1171156	ATD	Radonova	06/10/2021	05/17/2022	1
MCAS Beaufort	2091	118	Left wall	6608780	ATD	Radonova	06/10/2021	05/17/2022	0.8
MCAS Beaufort	2091	120	Left wall	1538883	ATD	Radonova	06/10/2021	05/17/2022	0.8
MCAS Beaufort	2091	120	Left wall	4004305	ATD	Radonova	06/10/2021	05/17/2022	0.9
MCAS Beaufort	2091	122	On wall	4254157	ATD	Radonova	06/10/2021	05/17/2022	1.1
MCAS Beaufort	2091	122	On wall	4910584	ATD	Radonova	06/10/2021	05/17/2022	1.2
MCAS Beaufort	2091	129	Right wall	1101633	ATD	Radonova	06/10/2021	05/17/2022	0.6
MCAS Beaufort	2091	129	Right wall	7300759	ATD	Radonova	06/10/2021	05/17/2022	0.7
MCAS Beaufort	2091	131	Left wall	1834365	ATD	Radonova	06/10/2021	05/17/2022	1.4
MCAS Beaufort	2091	131	Left wall	4643557	ATD	Radonova	06/10/2021	05/17/2022	1.5
MCAS Beaufort	2091	132	Right wall	6608772	ATD	Radonova	06/10/2021	05/17/2022	1.4
MCAS Beaufort	2091	132	Right wall	9283110	ATD	Radonova	06/10/2021	05/17/2022	1.3
MCAS Beaufort	2091	133	Right wall	2615003	ATD	Radonova	06/10/2021	05/17/2022	2.1
MCAS Beaufort	2091	133	Right wall	6830764	ATD	Radonova	06/10/2021	05/17/2022	1.4
MCAS Beaufort	2091	Bay	On Column	2208908	ATD	Radonova	06/10/2021	05/17/2022	0.6

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	2091	Bay	On Column	7826811	ATD	Radonova	06/10/2021	05/17/2022	0.8
MCAS Beaufort	2145	102	On wall	7811136	ATD	Radonova	06/10/2021	05/10/2022	1.6
MCAS Beaufort	2145	102	On wall	8168395	ATD	Radonova	06/10/2021	05/10/2022	1.6
MCAS Beaufort	2145	103	Left wall	7551260	ATD	Radonova	06/10/2021	05/10/2022	1.6
MCAS Beaufort	2145	103	Left wall	8158610	ATD	Radonova	06/10/2021	05/10/2022	1.7
MCAS Beaufort	2145	106	Behind/Next to TV	1168467	ATD	Radonova	09/14/2021	05/10/2022	1.7
MCAS Beaufort	2145	106	Behind/Next to TV	9981135	ATD	Radonova	09/14/2021	05/10/2022	1.8
MCAS Beaufort	2145	111	On wall	5916978	ATD	Radonova	06/10/2021	05/10/2022	1.9
MCAS Beaufort	2145	111	On wall	9897711	ATD	Radonova	06/10/2021	05/10/2022	1.8
MCAS Beaufort	2145	112	Right wall	1183573	ATD	Radonova	06/10/2021	05/10/2022	1.7
MCAS Beaufort	2145	112	Right wall	1256049	ATD	Radonova	06/10/2021	05/10/2022	1.8
MCAS Beaufort	2145	113	Left wall	1570035	ATD	Radonova	06/10/2021	05/10/2022	1.8
MCAS Beaufort	2145	113	Left wall	2855336	ATD	Radonova	06/10/2021	05/10/2022	1.8
MCAS Beaufort	2145	114	Right wall	2374114	ATD	Radonova	06/10/2021	05/10/2022	1.7
MCAS Beaufort	2145	114	Right wall	7013113	ATD	Radonova	06/10/2021	05/10/2022	1.6
MCAS Beaufort	2145	116	Right wall	1709484	ATD	Radonova	06/10/2021	05/10/2022	1.9
MCAS Beaufort	2145	116	Right wall	9619669	ATD	Radonova	06/10/2021	05/10/2022	1.8
MCAS Beaufort	2145	117	Left wall	3301272	ATD	Radonova	06/10/2021	05/10/2022	1.8
MCAS Beaufort	2145	117	Left wall	7342629	ATD	Radonova	06/10/2021	05/10/2022	1.9
MCAS Beaufort	2145	118	Right wall	1085091	ATD	Radonova	06/10/2021	05/10/2022	1.9
MCAS Beaufort	2145	118	Right wall	7648678	ATD	Radonova	06/10/2021	05/10/2022	1.9
MCAS Beaufort	2145	119	Right wall	4678199	ATD	Radonova	06/10/2021	05/10/2022	1.8
MCAS Beaufort	2145	119	Right wall	6207179	ATD	Radonova	06/10/2021	05/10/2022	1.9
MCAS Beaufort	2145	121	Right wall	3828738	ATD	Radonova	06/10/2021	05/10/2022	1.7
MCAS Beaufort	2145	121	Right wall	5169040	ATD	Radonova	06/10/2021	05/10/2022	1.9
MCAS Beaufort	2145	121	On wall	4675872	ATD	Radonova	06/10/2021	05/10/2022	1.7
MCAS Beaufort	2145	121	On wall	5079603	ATD	Radonova	06/10/2021	05/10/2022	1.6
MCAS Beaufort	2145	122	Left wall	7105901	ATD	Radonova	06/10/2021	05/10/2022	1.7
MCAS Beaufort	2145	122	Left wall	9721382	ATD	Radonova	06/10/2021	05/10/2022	1.8
MCAS Beaufort	2145	123	Left wall	1306091	ATD	Radonova	06/10/2021	05/10/2022	1.6
MCAS Beaufort	2145	123	Left wall	4370599	ATD	Radonova	06/10/2021	05/10/2022	1.6
MCAS Beaufort	2145	124	Right wall	3625266	ATD	Radonova	06/10/2021	05/10/2022	1.6
MCAS Beaufort	2145	124	Right wall	4600631	ATD	Radonova	06/10/2021	05/10/2022	1.8



# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	2145	127	Right wall	1998533	ATD	Radonova	06/10/2021	05/10/2022	1.7
MCAS Beaufort	2145	127	Right wall	5461959	ATD	Radonova	06/10/2021	05/10/2022	1.6
MCAS Beaufort	2145	128	Right wall	5317136	ATD	Radonova	06/10/2021	05/10/2022	1.7
MCAS Beaufort	2145	128	Right wall	6860522	ATD	Radonova	06/10/2021	05/10/2022	1.7
MCAS Beaufort	2145	131	Right wall	3584208	ATD	Radonova	06/10/2021	05/10/2022	1.9
MCAS Beaufort	2145	131	Right wall	9591009	ATD	Radonova	06/10/2021	05/10/2022	1.7
MCAS Beaufort	2145	134	Left wall	3985843	ATD	Radonova	06/10/2021	05/10/2022	1.8
MCAS Beaufort	2145	134	Left wall	5582937	ATD	Radonova	06/10/2021	05/10/2022	1.9
MCAS Beaufort	2145	134	On wall	1442367	ATD	Radonova	06/10/2021	05/10/2022	2.8
MCAS Beaufort	2145	134	On wall	6381214	ATD	Radonova	06/10/2021	05/10/2022	1.9
MCAS Beaufort	2145	135	Right wall	1352046	ATD	Radonova	06/10/2021	05/10/2022	1.6
MCAS Beaufort	2145	135	Right wall	9170044	ATD	Radonova	06/10/2021	05/10/2022	1.8
MCAS Beaufort	2145	137	Right wall	2155356	ATD	Radonova	06/10/2021	05/10/2022	1.7
MCAS Beaufort	2145	137	Right wall	2611622	ATD	Radonova	06/10/2021	05/10/2022	2
MCAS Beaufort	2145	141	Right wall	1633452	ATD	Radonova	06/10/2021	05/10/2022	2.6
MCAS Beaufort	2145	141	Right wall	5784673	ATD	Radonova	06/10/2021	05/10/2022	2.7
MCAS Beaufort	2145	142	Left wall	5758305	ATD	Radonova	06/10/2021	05/10/2022	1.7
MCAS Beaufort	2145	142	Left wall	9582180	ATD	Radonova	06/10/2021	05/10/2022	1.8
MCAS Beaufort	2145	144	On wall	5028766	ATD	Radonova	06/10/2021	05/10/2022	1.9
MCAS Beaufort	2145	144	On wall	7881378	ATD	Radonova	06/10/2021	05/10/2022	2.1
MCAS Beaufort	2145	145	Right wall	1517143	ATD	Radonova	06/10/2021	05/10/2022	1.6
MCAS Beaufort	2145	145	Right wall	4552626	ATD	Radonova	06/10/2021	05/10/2022	1.8
MCAS Beaufort	2145	147	Left wall	3002839	ATD	Radonova	06/10/2021	05/10/2022	1.7
MCAS Beaufort	2145	147	Left wall	9190000	ATD	Radonova	06/10/2021	05/10/2022	1.7
MCAS Beaufort	2145	147	On wall	6254239	ATD	Radonova	06/10/2021	05/10/2022	1.7
MCAS Beaufort	2145	147	On wall	8049538	ATD	Radonova	06/10/2021	05/10/2022	1.6
MCAS Beaufort	2145	148	Right wall	5799077	ATD	Radonova	06/10/2021	05/10/2022	1.7
MCAS Beaufort	2145	148	Right wall	8267361	ATD	Radonova	06/10/2021	05/10/2022	1.7
MCAS Beaufort	2145	158	Right wall	3179967	ATD	Radonova	06/10/2021	05/10/2022	1.8
MCAS Beaufort	2145	158	Right wall	3663218	ATD	Radonova	06/10/2021	05/10/2022	1.8
MCAS Beaufort	2145	160	Right wall	1261437	ATD	Radonova	06/10/2021	05/10/2022	1.7
MCAS Beaufort	2145	160	Right wall	9218611	ATD	Radonova	06/10/2021	05/10/2022	1.8
MCAS Beaufort	2145	163	Right wall	2380277	ATD	Radonova	06/10/2021	05/10/2022	1.4

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	2145	163	Right wall	5887633	ATD	Radonova	06/10/2021	05/10/2022	1.5
MCAS Beaufort	2145	184	Left wall	3463346	ATD	Radonova	06/10/2021	05/10/2022	0.5
MCAS Beaufort	2145	184	Left wall	8162240	ATD	Radonova	06/10/2021	05/10/2022	0.4
MCAS Beaufort	2145	Common Area	Left wall	2905891	ATD	Radonova	06/10/2021	05/10/2022	1.9
MCAS Beaufort	2145	Common Area	Left wall	4670428	ATD	Radonova	06/10/2021	05/10/2022	1.8
MCAS Beaufort	2145	Bay	Right wall	4697272	ATD	Radonova	06/10/2021	05/10/2022	1.4
MCAS Beaufort	2145	Bay	Right wall	7360449	ATD	Radonova	06/10/2021	05/10/2022	1.4
MCAS Beaufort	2145	Office	Right wall	1996578	ATD	Radonova	06/10/2021	05/10/2022	1.6
MCAS Beaufort	2145	Office	Right wall	7714090	ATD	Radonova	06/10/2021	05/10/2022	1.6
MCAS Beaufort	2146	102	On wall	2010163	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	102	On wall	9157546	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	104	Left wall	6431266	ATD	Radonova	04/14/2021	05/11/2022	0.7
MCAS Beaufort	2146	104	Left wall	9654351	ATD	Radonova	04/14/2021	05/11/2022	0.9
MCAS Beaufort	2146	105	Right wall	1262120	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	105	Right wall	2696490	ATD	Radonova	04/14/2021	05/11/2022	0.5
MCAS Beaufort	2146	108	Right wall	1246636	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	108	Right wall	8057416	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	111	Left wall	2488989	ATD	Radonova	04/14/2021	05/11/2022	1.1
MCAS Beaufort	2146	111	Left wall	8328379	ATD	Radonova	04/14/2021	05/11/2022	0.9
MCAS Beaufort	2146	112	On wall	1336783	ATD	Radonova	04/14/2021	05/11/2022	0.7
MCAS Beaufort	2146	112	On wall	2009900	ATD	Radonova	04/14/2021	05/11/2022	0.7
MCAS Beaufort	2146	113	Right wall	1304153	ATD	Radonova	04/14/2021	05/11/2022	0.8
MCAS Beaufort	2146	113	Right wall	6517569	ATD	Radonova	04/14/2021	05/11/2022	0.7
MCAS Beaufort	2146	115	Right wall	7785991	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	115	Right wall	8220915	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	115	Right wall	7997562	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	115	Right wall	8000663	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	118	Right wall	6066864	ATD	Radonova	04/14/2021	05/11/2022	0.7
MCAS Beaufort	2146	118	Right wall	9087180	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	120	Right wall	5141783	ATD	Radonova	04/14/2021	05/11/2022	1.3
MCAS Beaufort	2146	120	Right wall	5212626	ATD	Radonova	04/14/2021	05/11/2022	1.1
MCAS Beaufort	2146	123	Right wall	3860921	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	123	Right wall	8108094	ATD	Radonova	04/14/2021	05/11/2022	0.6

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	2146	124	On wall	7443294	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	124	On wall	9185083	ATD	Radonova	04/14/2021	05/11/2022	0.7
MCAS Beaufort	2146	124	Right wall	4643011	ATD	Radonova	04/14/2021	05/11/2022	0.8
MCAS Beaufort	2146	124	Right wall	9011933	ATD	Radonova	04/14/2021	05/11/2022	0.7
MCAS Beaufort	2146	125	Left wall	1277524	ATD	Radonova	04/14/2021	05/11/2022	0.7
MCAS Beaufort	2146	125	Left wall	2095727	ATD	Radonova	04/14/2021	05/11/2022	0.8
MCAS Beaufort	2146	126	Right wall	2909752	ATD	Radonova	04/14/2021	05/11/2022	0.7
MCAS Beaufort	2146	126	Right wall	9956624	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	129	Right wall	5286059	ATD	Radonova	04/14/2021	05/11/2022	0.5
MCAS Beaufort	2146	129	Right wall	7431851	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	130	Left wall	1419415	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	130	Left wall	9988536	ATD	Radonova	04/14/2021	05/11/2022	0.5
MCAS Beaufort	2146	131	Left wall	4079547	ATD	Radonova	04/14/2021	05/11/2022	0.7
MCAS Beaufort	2146	131	Left wall	6666531	ATD	Radonova	04/14/2021	05/11/2022	0.5
MCAS Beaufort	2146	132	Left wall	1938141	ATD	Radonova	04/14/2021	05/11/2022	0.7
MCAS Beaufort	2146	132	Left wall	9602574	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	133	Left wall	1225713	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	133	Left wall	6167035	ATD	Radonova	04/14/2021	05/11/2022	0.5
MCAS Beaufort	2146	134	On wall	1563964	ATD	Radonova	04/14/2021	05/11/2022	1
MCAS Beaufort	2146	134	On wall	3231164	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	137	Right wall	7704869	ATD	Radonova	04/14/2021	05/11/2022	0.9
MCAS Beaufort	2146	137	Right wall	8229403	ATD	Radonova	04/14/2021	05/11/2022	0.7
MCAS Beaufort	2146	148	Right wall	4095170	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	148	Right wall	3995966	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	Room	Right wall	7776172	ATD	Radonova	04/14/2021	05/11/2022	0.8
MCAS Beaufort	2146	Room	Right wall	9605916	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	Bay	On wall	1428812	ATD	Radonova	04/14/2021	05/11/2022	< 0.2
MCAS Beaufort	2146	Bay	On wall	2515419	ATD	Radonova	04/14/2021	05/11/2022	< 0.2
MCAS Beaufort	2146	Bay	On wall	3621901	ATD	Radonova	04/14/2021	05/11/2022	< 0.2
MCAS Beaufort	2146	Bay	On wall	5070248	ATD	Radonova	04/14/2021	05/11/2022	< 0.2
MCAS Beaufort	2146	Office	Left wall	6124788	ATD	Radonova	04/14/2021	05/11/2022	0.7
MCAS Beaufort	2146	Office	Left wall	9930355	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	2146	Storage Room	Left wall	1436096	ATD	Radonova	04/14/2021	05/11/2022	1.2

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	2146	Storage Room	Left wall	7124852	ATD	Radonova	04/14/2021	05/11/2022	1.1
MCAS Beaufort	2146	Common Area	Behind/Next to TV	7169436	ATD	Radonova	04/14/2021		
MCAS Beaufort	2146	Common Area	Behind/Next to TV	9015702	ATD	Radonova	04/14/2021		
MCAS Beaufort	2146	Common Area	Behind/Next to TV	4218525	ATD	Radonova	09/14/2021	05/11/2022	0.7
MCAS Beaufort	2146	Common Area	Behind/Next to TV	4682951	ATD	Radonova	09/14/2021	05/11/2022	< 0.3
MCAS Beaufort	3012	105	Left wall	8208787	ATD	Radonova	04/14/2021	05/10/2022	0.3
MCAS Beaufort	3012	105	Left wall	8390072	ATD	Radonova	04/14/2021	05/10/2022	0.4
MCAS Beaufort	3012	106	Right wall	6829097	ATD	Radonova	04/15/2021	05/10/2022	0.4
MCAS Beaufort	3012	106	Right wall	6897789	ATD	Radonova	04/15/2021	05/10/2022	0.4
MCAS Beaufort	3012	107	Right wall	4320123	ATD	Radonova	04/14/2021	05/10/2022	0.5
MCAS Beaufort	3012	107	Right wall	6383186	ATD	Radonova	04/14/2021	05/10/2022	0.4
MCAS Beaufort	3012	108	On wall	1866714	ATD	Radonova	04/14/2021	05/10/2022	0.4
MCAS Beaufort	3012	108	On wall	3089711	ATD	Radonova	04/14/2021	05/10/2022	0.3
MCAS Beaufort	3012	112	Left wall	4039301	ATD	Radonova	04/14/2021	05/10/2022	0.3
MCAS Beaufort	3012	112	Left wall	6013908	ATD	Radonova	04/14/2021	05/10/2022	0.3
MCAS Beaufort	3012	117	Right wall	1545185	ATD	Radonova	04/15/2021	05/10/2022	0.4
MCAS Beaufort	3012	117	Right wall	7773831	ATD	Radonova	04/15/2021	05/10/2022	0.4
MCAS Beaufort	3012	145	Left wall	4570701	ATD	Radonova	04/14/2021	05/10/2022	0.3
MCAS Beaufort	3012	145	Left wall	6930648	ATD	Radonova	04/14/2021	05/10/2022	0.4
MCAS Beaufort	3012	145	On wall	1367515	ATD	Radonova	04/14/2021	05/10/2022	0.4
MCAS Beaufort	3012	145	On wall	5033790	ATD	Radonova	04/14/2021	05/10/2022	0.4
MCAS Beaufort	3012	150	Right wall	3926912	ATD	Radonova	04/14/2021	05/10/2022	0.7
MCAS Beaufort	3012	150	Right wall	4762175	ATD	Radonova	04/14/2021	05/10/2022	0.6
MCAS Beaufort	3012	151	Right wall	4909347	ATD	Radonova	04/14/2021	05/10/2022	0.6
MCAS Beaufort	3012	151	Right wall	7143811	ATD	Radonova	04/14/2021	05/10/2022	0.7
MCAS Beaufort	3012	152	Left wall	1450451	ATD	Radonova	04/14/2021	05/10/2022	0.7
MCAS Beaufort	3012	152	Left wall	9345570	ATD	Radonova	04/14/2021	05/10/2022	0.6
MCAS Beaufort	3012	153	Right wall	1979426	ATD	Radonova	04/14/2021	05/10/2022	0.6
MCAS Beaufort	3012	153	Right wall	9906033	ATD	Radonova	04/14/2021	05/10/2022	0.5
MCAS Beaufort	3012	154	Left wall	3344850	ATD	Radonova	04/14/2021	05/10/2022	0.6
MCAS Beaufort	3012	154	Left wall	4959029	ATD	Radonova	04/14/2021	05/10/2022	0.8
MCAS Beaufort	3012	155	Right wall	6369334	ATD	Radonova	04/14/2021	05/10/2022	0.6
MCAS Beaufort	3012	155	Right wall	9878547	ATD	Radonova	04/14/2021	05/10/2022	0.5

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	3012	156	Left wall	3561198	ATD	Radonova	04/14/2021	05/10/2022	0.6
MCAS Beaufort	3012	156	Left wall	5720230	ATD	Radonova	04/14/2021	05/10/2022	0.6
MCAS Beaufort	3012	157	Right wall	3004769	ATD	Radonova	04/14/2021	05/10/2022	0.7
MCAS Beaufort	3012	157	Right wall	9724774	ATD	Radonova	04/14/2021	05/10/2022	0.6
MCAS Beaufort	3012	161	Right wall	4367132	ATD	Radonova	04/14/2021	05/10/2022	0.6
MCAS Beaufort	3012	161	Right wall	9444746	ATD	Radonova	04/14/2021	05/10/2022	0.6
MCAS Beaufort	3012	162	On wall	6700298	ATD	Radonova	04/14/2021	05/10/2022	0.6
MCAS Beaufort	3012	162	On wall	8343626	ATD	Radonova	04/14/2021	05/10/2022	0.6
MCAS Beaufort	3012	165	On wall	2853455	ATD	Radonova	04/14/2021	05/10/2022	0.4
MCAS Beaufort	3012	165	On wall	9654815	ATD	Radonova	04/14/2021	05/10/2022	0.5
MCAS Beaufort	3012	109A	On wall	1450410	ATD	Radonova	04/14/2021	05/10/2022	0.3
MCAS Beaufort	3012	109A	On wall	6741680	ATD	Radonova	04/14/2021	05/10/2022	0.3
MCAS Beaufort	3012	109B	On wall	4495867	ATD	Radonova	04/14/2021	05/10/2022	0.3
MCAS Beaufort	3012	109B	On wall	6884621	ATD	Radonova	04/14/2021	05/10/2022	0.3
MCAS Beaufort	3012	Bay	On wall	3438421	ATD	Radonova	04/14/2021	05/10/2022	0.4
MCAS Beaufort	3012	Bay	On wall	5665609	ATD	Radonova	04/14/2021	05/10/2022	0.4
MCAS Beaufort	3012	Bay	On wall	2751964	ATD	Radonova	04/14/2021	05/10/2022	0.2
MCAS Beaufort	3012	Bay	On wall	7001589	ATD	Radonova	04/14/2021	05/10/2022	0.3
MCAS Beaufort	3012	Common Area	On Column	4353793	ATD	Radonova	04/14/2021	05/10/2022	0.2
MCAS Beaufort	3012	Common Area	On Column	6862551	ATD	Radonova	04/14/2021	05/10/2022	0.3
MCAS Beaufort	3012	Common Area	On wall	4678355	ATD	Radonova	04/14/2021	05/10/2022	0.2
MCAS Beaufort	3012	Common Area	On wall	8075830	ATD	Radonova	04/14/2021	05/10/2022	0.3
MCAS Beaufort	3012	Utility	On wall	3274867	ATD	Radonova	04/14/2021	05/10/2022	0.4
MCAS Beaufort	3012	Utility	On wall	3965571	ATD	Radonova	04/14/2021	05/10/2022	0.4
MCAS Beaufort	3012	Common Area	On wall	2180412	ATD	Radonova	04/14/2021	05/10/2022	0.3
MCAS Beaufort	3012	Common Area	On wall	9614199	ATD	Radonova	04/14/2021	05/10/2022	0.4
MCAS Beaufort	3012	Office Area	On wall	2452985	ATD	Radonova	04/14/2021	05/10/2022	0.6
MCAS Beaufort	3012	Office Area	On wall	3985363	ATD	Radonova	04/14/2021	05/10/2022	0.6
MCAS Beaufort	3031	104	Right wall	8230831	ATD	Radonova	04/14/2021	05/16/2022	0.4
MCAS Beaufort	3031	104	Right wall	8234338	ATD	Radonova	04/14/2021	05/16/2022	0.6
MCAS Beaufort	3031	105	Right wall	1984574	ATD	Radonova	04/14/2021	05/16/2022	0.4
MCAS Beaufort	3031	105	Right wall	5356050	ATD	Radonova	04/14/2021	05/16/2022	0.4
MCAS Beaufort	3031	106	Left wall	6493985	ATD	Radonova	04/14/2021	05/16/2022	0.3

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	3031	106	Left wall	7609399	ATD	Radonova	04/14/2021	05/16/2022	0.4
MCAS Beaufort	3031	108	Right wall	6929095	ATD	Radonova	04/14/2021	05/16/2022	0.3
MCAS Beaufort	3031	108	Right wall	8124398	ATD	Radonova	04/14/2021	05/16/2022	0.4
MCAS Beaufort	3031	109	Left wall	7016165	ATD	Radonova	04/14/2021	05/16/2022	0.3
MCAS Beaufort	3031	109	Left wall	9094202	ATD	Radonova	04/14/2021	05/16/2022	0.4
MCAS Beaufort	3031	112	Right wall	2978088	ATD	Radonova	04/14/2021	05/16/2022	0.2
MCAS Beaufort	3031	112	Right wall	5175757	ATD	Radonova	04/14/2021	05/16/2022	0.3
MCAS Beaufort	3031	123	Right wall	4862348	ATD	Radonova	04/14/2021	05/16/2022	< 0.2
MCAS Beaufort	3031	123	Right wall	7731060	ATD	Radonova	04/14/2021	05/16/2022	< 0.2
MCAS Beaufort	3031	127	Left wall	2407732	ATD	Radonova	04/14/2021	05/16/2022	< 0.2
MCAS Beaufort	3031	127	Left wall	5789433	ATD	Radonova	04/14/2021	05/16/2022	< 0.2
MCAS Beaufort	3031	130	Right wall	3490414	ATD	Radonova	04/14/2021	05/16/2022	0.7
MCAS Beaufort	3031	130	Right wall	6533418	ATD	Radonova	04/14/2021	05/16/2022	0.6
MCAS Beaufort	3031	131	Left wall	3280286	ATD	Radonova	04/14/2021	05/16/2022	0.4
MCAS Beaufort	3031	131	Left wall	4779245	ATD	Radonova	04/14/2021	05/16/2022	0.4
MCAS Beaufort	3031	Bay	On wall	6517460	ATD	Radonova	04/14/2021	05/16/2022	< 0.2
MCAS Beaufort	3031	Bay	On wall	9277831	ATD	Radonova	04/14/2021	05/16/2022	< 0.2
MCAS Beaufort	3031	Bay	On wall	4673901	ATD	Radonova	04/14/2021	05/16/2022	< 0.2
MCAS Beaufort	3031	Bay	On wall	6333389	ATD	Radonova	04/14/2021	05/16/2022	< 0.2
MCAS Beaufort	3040	Bay	On Column	1196278	ATD	Radonova	04/20/2021	05/17/2022	0.2
MCAS Beaufort	3040	Bay	On Column	2387967	ATD	Radonova	04/20/2021	05/17/2022	0.2
MCAS Beaufort	3040	Office	Left wall	2489037	ATD	Radonova	04/20/2021	05/17/2022	0.5
MCAS Beaufort	3040	Office	Left wall	7459787	ATD	Radonova	04/20/2021	05/17/2022	0.5
MCAS Beaufort	3040	Shop	Left wall	1600162	ATD	Radonova	04/20/2021	05/17/2022	0.6
MCAS Beaufort	3040	Shop	Left wall	1656271	ATD	Radonova	04/20/2021	05/17/2022	0.7
MCAS Beaufort	3060	101	Behind/Next to TV	3078730	ATD	Radonova	04/14/2021	05/11/2022	0.3
MCAS Beaufort	3060	101	Behind/Next to TV	6317325	ATD	Radonova	04/14/2021	05/11/2022	0.5
MCAS Beaufort	3060	103	On wall	9475302	ATD	Radonova	04/14/2021	05/11/2022	0.2
MCAS Beaufort	3060	103	On wall	3530102	ATD	Radonova	04/14/2021	05/11/2022	0.3
MCAS Beaufort	3060	104	Left wall	5724539	ATD	Radonova	04/14/2021	05/11/2022	0.4
MCAS Beaufort	3060	104	Left wall	6981583	ATD	Radonova	04/14/2021	05/11/2022	0.4
MCAS Beaufort	3060	106	Left wall	4018891	ATD	Radonova	04/14/2021	05/16/2022	0.2
MCAS Beaufort	3060	106	Left wall	4549267	ATD	Radonova	04/14/2021	05/16/2022	0.4

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	3060	107	Left wall	3632015	ATD	Radonova	04/14/2021	05/16/2022	0.2
MCAS Beaufort	3060	107	Left wall	6514541	ATD	Radonova	04/14/2021	05/16/2022	0.3
MCAS Beaufort	3060	108	Left wall	5424593	ATD	Radonova	04/14/2021	05/11/2022	0.5
MCAS Beaufort	3060	108	Left wall	6889273	ATD	Radonova	04/14/2021	05/11/2022	0.4
MCAS Beaufort	3060	110	Left wall	7355365	ATD	Radonova	04/14/2021	05/11/2022	0.4
MCAS Beaufort	3060	110	Left wall	8383614	ATD	Radonova	04/14/2021	05/11/2022	0.3
MCAS Beaufort	3060	114	Right wall	2530376	ATD	Radonova	04/14/2021		
MCAS Beaufort	3060	114	Right wall	2938819	ATD	Radonova	04/14/2021		
MCAS Beaufort	3060	114	Right wall	3588241	ATD	Radonova	09/14/2021	05/11/2022	0.7
MCAS Beaufort	3060	114	Right wall	7744006	ATD	Radonova	09/14/2021	05/11/2022	0.6
MCAS Beaufort	3060	115	Left wall	6577969	ATD	Radonova	04/14/2021	05/11/2022	0.4
MCAS Beaufort	3060	115	Left wall	8195596	ATD	Radonova	04/14/2021	05/11/2022	0.2
MCAS Beaufort	3060	115	Left wall	1881234	ATD	Radonova	04/14/2021	05/11/2022	0.3
MCAS Beaufort	3060	115	Left wall	6899264	ATD	Radonova	04/14/2021	05/11/2022	0.4
MCAS Beaufort	3060	117	Right wall	2127397	ATD	Radonova	04/14/2021	05/11/2022	0.4
MCAS Beaufort	3060	117	Right wall	8028557	ATD	Radonova	04/14/2021	05/11/2022	0.3
MCAS Beaufort	3060	118	On wall	1151331	ATD	Radonova	04/14/2021	05/11/2022	0.4
MCAS Beaufort	3060	118	On wall	2538114	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	3060	119	On wall	4796801	ATD	Radonova	04/14/2021	05/11/2022	0.3
MCAS Beaufort	3060	119	On wall	6243661	ATD	Radonova	04/14/2021	05/11/2022	0.4
MCAS Beaufort	3060	121	On wall	2194249	ATD	Radonova	04/14/2021	05/11/2022	0.5
MCAS Beaufort	3060	121	On wall	4984993	ATD	Radonova	04/14/2021	05/11/2022	0.3
MCAS Beaufort	3060	124	Right wall	1829498	ATD	Radonova	04/14/2021	05/11/2022	0.2
MCAS Beaufort	3060	124	Right wall	4549317	ATD	Radonova	04/14/2021	05/11/2022	0.2
MCAS Beaufort	3060	125	Left wall	6732119	ATD	Radonova	04/14/2021	05/11/2022	0.4
MCAS Beaufort	3060	125	Left wall	9886136	ATD	Radonova	04/14/2021	05/11/2022	0.3
MCAS Beaufort	3060	125	Behind/Next to TV	3586278	ATD	Radonova	04/14/2021	05/11/2022	0.3
MCAS Beaufort	3060	125	Behind/Next to TV	6892947	ATD	Radonova	04/14/2021	05/11/2022	0.3
MCAS Beaufort	3060	126	Right wall	4048252	ATD	Radonova	04/14/2021	05/11/2022	0.3
MCAS Beaufort	3060	126	Right wall	7007172	ATD	Radonova	04/14/2021	05/11/2022	0.4
MCAS Beaufort	3060	128	Right wall	8188153	ATD	Radonova	04/14/2021	05/11/2022	0.3
MCAS Beaufort	3060	128	Right wall	9395898	ATD	Radonova	04/14/2021	05/11/2022	0.3
MCAS Beaufort	3060	129	Right wall	7276355	ATD	Radonova	04/14/2021	05/12/2022	0.4

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	3060	129	Right wall	9447707	ATD	Radonova	04/14/2021	05/12/2022	0.3
MCAS Beaufort	3060	133	Behind/Next to TV	6896070	ATD	Radonova	04/14/2021	05/11/2022	0.4
MCAS Beaufort	3060	133	Behind/Next to TV	7685696	ATD	Radonova	04/14/2021	05/11/2022	0.3
MCAS Beaufort	3060	140	Left wall	4395620	ATD	Radonova	04/14/2021	05/11/2022	0.3
MCAS Beaufort	3060	140	Left wall	4900627	ATD	Radonova	04/14/2021	05/11/2022	0.3
MCAS Beaufort	3060	100C	Right wall	2815421	ATD	Radonova	04/14/2021	05/11/2022	0.2
MCAS Beaufort	3060	100C	Right wall	9700709	ATD	Radonova	04/14/2021	05/11/2022	0.2
MCAS Beaufort	3060	108C Storage	Left wall	2793032	ATD	Radonova	04/14/2021	05/16/2022	0.3
MCAS Beaufort	3060	108C Storage	Left wall	4114518	ATD	Radonova	04/14/2021	05/16/2022	0.3
MCAS Beaufort	3060	110A	Left wall	3087061	ATD	Radonova	04/14/2021	05/11/2022	0.4
MCAS Beaufort	3060	110A	Left wall	9100777	ATD	Radonova	04/14/2021	05/11/2022	0.4
MCAS Beaufort	3060	Room	Right wall	3908654	ATD	Radonova	04/14/2021	05/11/2022	0.4
MCAS Beaufort	3060	Room	Right wall	7182702	ATD	Radonova	04/14/2021	05/11/2022	0.5
MCAS Beaufort	3060	Bay	On wall	4048344	ATD	Radonova	04/14/2021	05/11/2022	< 0.2
MCAS Beaufort	3060	Bay	On wall	6477517	ATD	Radonova	04/14/2021	05/11/2022	< 0.2
MCAS Beaufort	3060	Bay	On wall	2190569	ATD	Radonova	04/14/2021	05/11/2022	0.6
MCAS Beaufort	3060	Bay	On wall	8029530	ATD	Radonova	04/14/2021	05/11/2022	0.4
MCAS Beaufort	3060	Common Area	On wall	6014948	ATD	Radonova	04/14/2021	05/11/2022	0.3
MCAS Beaufort	3060	Common Area	On wall	7997554	ATD	Radonova	04/14/2021	05/11/2022	0.3
MCAS Beaufort	11210	110	Left wall	5295639	ATD	Radonova	06/09/2021	05/13/2022	0.4
MCAS Beaufort	11210	110	Left wall	7401078	ATD	Radonova	06/09/2021	05/13/2022	0.2
MCAS Beaufort	11210	113	On wall	2296754	ATD	Radonova	06/09/2021	05/13/2022	0.4
MCAS Beaufort	11210	113	On wall	6907356	ATD	Radonova	06/09/2021	05/13/2022	0.5
MCAS Beaufort	11210	114	On wall	5859053	ATD	Radonova	06/11/2021	05/13/2022	0.3
MCAS Beaufort	11210	114	On wall	9244468	ATD	Radonova	06/11/2021	05/13/2022	0.4
MCAS Beaufort	11210	117	Left wall	2284206	ATD	Radonova	06/09/2021	05/13/2022	0.3
MCAS Beaufort	11210	117	Left wall	6217376	ATD	Radonova	06/09/2021	05/13/2022	0.4
MCAS Beaufort	11210	118	Right wall	4099230	ATD	Radonova	06/09/2021	05/13/2022	1.2
MCAS Beaufort	11210	118	Right wall	9547688	ATD	Radonova	06/09/2021	05/13/2022	1
MCAS Beaufort	11210	119	On wall	2792166	ATD	Radonova	06/09/2021	05/13/2022	0.9
MCAS Beaufort	11210	119	On wall	5972385	ATD	Radonova	06/09/2021	05/13/2022	1
MCAS Beaufort	11210	120	On wall	2489839	ATD	Radonova	06/09/2021	05/13/2022	0.9
MCAS Beaufort	11210	120	On wall	2510931	ATD	Radonova	06/09/2021	05/13/2022	0.9



# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	11210	122	On wall	6422554	ATD	Radonova	06/09/2021	05/13/2022	0.8
MCAS Beaufort	11210	122	On wall	9711441	ATD	Radonova	06/09/2021	05/13/2022	0.9
MCAS Beaufort	11210	123	On wall	2799187	ATD	Radonova	06/09/2021	05/13/2022	1
MCAS Beaufort	11210	123	On wall	5799630	ATD	Radonova	06/09/2021	05/13/2022	0.9
MCAS Beaufort	11210	124	On wall	1422666	ATD	Radonova	06/09/2021	05/13/2022	0.9
MCAS Beaufort	11210	124	On wall	4735981	ATD	Radonova	06/09/2021	05/13/2022	0.9
MCAS Beaufort	11210	125	On wall	3898350	ATD	Radonova	06/09/2021	05/13/2022	0.8
MCAS Beaufort	11210	125	On wall	4226270	ATD	Radonova	06/09/2021	05/13/2022	0.8
MCAS Beaufort	11210	127	On wall	1726231	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	127	On wall	8222671	ATD	Radonova	06/09/2021	05/13/2022	1
MCAS Beaufort	11210	127	On wall	1577451	ATD	Radonova	06/09/2021	05/13/2022	0.9
MCAS Beaufort	11210	127	On wall	3046000	ATD	Radonova	06/09/2021	05/13/2022	0.8
MCAS Beaufort	11210	129	On wall	1815646	ATD	Radonova	06/09/2021	05/13/2022	0.8
MCAS Beaufort	11210	129	On wall	9966292	ATD	Radonova	06/09/2021	05/13/2022	0.7
MCAS Beaufort	11210	130	On wall	2653715	ATD	Radonova	06/09/2021	05/13/2022	0.8
MCAS Beaufort	11210	130	On wall	5147111	ATD	Radonova	06/09/2021	05/13/2022	0.9
MCAS Beaufort	11210	131	On wall	3443629	ATD	Radonova	06/09/2021	05/13/2022	1
MCAS Beaufort	11210	131	On wall	5106778	ATD	Radonova	06/09/2021	05/13/2022	0.8
MCAS Beaufort	11210	132	On wall	6280374	ATD	Radonova	06/09/2021	05/13/2022	0.9
MCAS Beaufort	11210	132	On wall	7288541	ATD	Radonova	06/09/2021	05/13/2022	0.8
MCAS Beaufort	11210	133	On wall	5558572	ATD	Radonova	06/09/2021	05/13/2022	0.9
MCAS Beaufort	11210	133	On wall	8077885	ATD	Radonova	06/09/2021	05/13/2022	0.9
MCAS Beaufort	11210	134	On wall	4563961	ATD	Radonova	06/09/2021	05/13/2022	0.9
MCAS Beaufort	11210	134	On wall	6396907	ATD	Radonova	06/09/2021	05/13/2022	0.9
MCAS Beaufort	11210	136	On wall	3608981	ATD	Radonova	06/09/2021	05/13/2022	0.9
MCAS Beaufort	11210	136	On wall	7547078	ATD	Radonova	06/09/2021	05/13/2022	0.9
MCAS Beaufort	11210	137	On wall	5873260	ATD	Radonova	06/09/2021	05/13/2022	0.8
MCAS Beaufort	11210	137	On wall	9955261	ATD	Radonova	06/09/2021	05/13/2022	0.9
MCAS Beaufort	11210	138	On wall	2804375	ATD	Radonova	06/09/2021	05/13/2022	0.9
MCAS Beaufort	11210	138	On wall	4015657	ATD	Radonova	06/09/2021	05/13/2022	0.8
MCAS Beaufort	11210	139	On wall	1347673	ATD	Radonova	06/09/2021	05/13/2022	1
MCAS Beaufort	11210	139	On wall	6742415	ATD	Radonova	06/09/2021	05/13/2022	0.9
MCAS Beaufort	11210	140	On wall	3734159	ATD	Radonova	06/09/2021	05/13/2022	0.8

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	11210	140	On wall	4946695	ATD	Radonova	06/09/2021	05/13/2022	1.1
MCAS Beaufort	11210	144	On wall	4852026	ATD	Radonova	06/09/2021	05/13/2022	0.8
MCAS Beaufort	11210	144	On wall	5784806	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	145	On wall	1211036	ATD	Radonova	06/09/2021	05/13/2022	0.7
MCAS Beaufort	11210	145	On wall	9614017	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	146	On wall	4133104	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	146	On wall	7094998	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	147	On wall	1823756	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	147	On wall	9483025	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	148	On wall	3911591	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	148	On wall	6145718	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	150	On wall	4294740	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	150	On wall	7319114	ATD	Radonova	06/09/2021	05/13/2022	0.8
MCAS Beaufort	11210	151	On wall	5068218	ATD	Radonova	06/09/2021	05/13/2022	0.4
MCAS Beaufort	11210	151	On wall	6952824	ATD	Radonova	06/09/2021	05/13/2022	0.5
MCAS Beaufort	11210	152	On wall	5159801	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	152	On wall	6834170	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	153	On wall	4200416	ATD	Radonova	06/09/2021	05/13/2022	0.5
MCAS Beaufort	11210	153	On wall	5974456	ATD	Radonova	06/09/2021	05/13/2022	0.5
MCAS Beaufort	11210	154	On wall	3720273	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	154	On wall	6288302	ATD	Radonova	06/09/2021	05/13/2022	0.5
MCAS Beaufort	11210	155	On wall	2713360	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	155	On wall	2968386	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	156	On wall	2369536	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	156	On wall	5525506	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	157	On wall	4597837	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	157	On wall	4825626	ATD	Radonova	06/09/2021	05/13/2022	0.7
MCAS Beaufort	11210	159	On wall	5211347	ATD	Radonova	06/09/2021	05/13/2022	0.7
MCAS Beaufort	11210	159	On wall	9388083	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	160	On wall	2649358	ATD	Radonova	06/09/2021	05/13/2022	0.7
MCAS Beaufort	11210	160	On wall	7545973	ATD	Radonova	06/09/2021	05/13/2022	0.5
MCAS Beaufort	11210	161	On wall	3904398	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	161	On wall	6170096	ATD	Radonova	06/09/2021	05/13/2022	0.8

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	11210	162	On wall	4325833	ATD	Radonova	06/09/2021	05/13/2022	0.7
MCAS Beaufort	11210	162	On wall	7376650	ATD	Radonova	06/09/2021	05/13/2022	0.7
MCAS Beaufort	11210	165	On wall	2969756	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	165	On wall	3982717	ATD	Radonova	06/09/2021	05/13/2022	0.7
MCAS Beaufort	11210	166	On wall	2438182	ATD	Radonova	06/09/2021	05/13/2022	0.7
MCAS Beaufort	11210	166	On wall	6203871	ATD	Radonova	06/09/2021	05/13/2022	0.7
MCAS Beaufort	11210	101A	On wall	1113372	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	101A	On wall	5610407	ATD	Radonova	06/09/2021	05/13/2022	0.5
MCAS Beaufort	11210	101B	On wall	3204401	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	101B	On wall	7929458	ATD	Radonova	06/09/2021	05/13/2022	0.5
MCAS Beaufort	11210	102A	On wall	7300296	ATD	Radonova	06/09/2021	05/13/2022	1.5
MCAS Beaufort	11210	102A	On wall	9120510	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	102B	On wall	5588421	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	102B	On wall	9727363	ATD	Radonova	06/09/2021	05/13/2022	1.5
MCAS Beaufort	11210	103A	On wall	3224268	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	103A	On wall	6491096	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	103B	On wall	4125332	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	103B	On wall	4649638	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	104A	On wall	2659621	ATD	Radonova	06/09/2021	05/13/2022	1.6
MCAS Beaufort	11210	104A	On wall	7876741	ATD	Radonova	06/09/2021	05/13/2022	1.5
MCAS Beaufort	11210	104B	On wall	6277305	ATD	Radonova	06/09/2021	05/13/2022	1.6
MCAS Beaufort	11210	104B	On wall	6844567	ATD	Radonova	06/09/2021	05/13/2022	1.5
MCAS Beaufort	11210	105A	On wall	6958102	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	105A	On wall	8134637	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	105B	On wall	1616960	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	105B	On wall	5651419	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	106A	On wall	1552553	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	106A	On wall	7872229	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	106B	On wall	2294635	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	106B	On wall	7788615	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	107A	On wall	4252037	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	107A	On wall	4668950	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	107B	On wall	7640840	ATD	Radonova	06/09/2021	05/13/2022	1.5

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	11210	107B	On wall	9806209	ATD	Radonova	06/09/2021	05/13/2022	1.6
MCAS Beaufort	11210	108A	On wall	4427761	ATD	Radonova	06/09/2021	05/13/2022	1.5
MCAS Beaufort	11210	108A	On wall	8255283	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	108B	On wall	1325984	ATD	Radonova	06/09/2021	05/13/2022	1.5
MCAS Beaufort	11210	108B	On wall	3364619	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	109A	On wall	2250694	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	109A	On wall	9221458	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	109B	On wall	2859726	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	109B	On wall	8236846	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	110A	On wall	1485291	ATD	Radonova	06/09/2021	05/13/2022	1.2
MCAS Beaufort	11210	110A	On wall	4917423	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	110B	On wall	1844885	ATD	Radonova	06/09/2021	05/13/2022	1.2
MCAS Beaufort	11210	110B	On wall	5637236	ATD	Radonova	06/09/2021	05/13/2022	1.5
MCAS Beaufort	11210	111A	On wall	3926094	ATD	Radonova	06/09/2021		
MCAS Beaufort	11210	111A	On wall	5652656	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	111B	On wall	4439436	ATD	Radonova	06/09/2021	05/13/2022	1.2
MCAS Beaufort	11210	111B	On wall	5032305	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	112A	On wall	4977930	ATD	Radonova	06/09/2021	05/13/2022	1.5
MCAS Beaufort	11210	112A	On wall	7906191	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	112B	On wall	4464681	ATD	Radonova	06/09/2021	05/13/2022	1.5
MCAS Beaufort	11210	112B	On wall	6461073	ATD	Radonova	06/09/2021	05/13/2022	1.2
MCAS Beaufort	11210	113A	Right wall	3022159	ATD	Radonova	06/09/2021	05/13/2022	1.6
MCAS Beaufort	11210	113A	Right wall	9560590	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	113B	On wall	5834072	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	113B	On wall	8280448	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	114A	On wall	3495504	ATD	Radonova	06/09/2021	05/13/2022	1.5
MCAS Beaufort	11210	114A	On wall	4279659	ATD	Radonova	06/09/2021	05/13/2022	1.5
MCAS Beaufort	11210	114B	On wall	5413240	ATD	Radonova	06/09/2021	05/13/2022	1.5
MCAS Beaufort	11210	114B	On wall	6393953	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	115A	On wall	4659652	ATD	Radonova	06/09/2021	05/13/2022	1.6
MCAS Beaufort	11210	115A	On wall	1441195	ATD	Radonova	09/15/2021	05/13/2022	1.7
MCAS Beaufort	11210	115B	On wall	1628940	ATD	Radonova	06/09/2021	05/13/2022	1.5
MCAS Beaufort	11210	115B	On wall	4185997	ATD	Radonova	06/09/2021	05/13/2022	1.4

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	11210	116A	On wall	2221877	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	116A	On wall	4573341	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	116B	On wall	4487476	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	116B	On wall	4641338	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	117A	On wall	1197789	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	117A	On wall	7517899	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	117B	On wall	2206233	ATD	Radonova	06/09/2021	05/13/2022	1.2
MCAS Beaufort	11210	117B	On wall	9736802	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	118A	On wall	2902856	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	118A	On wall	9370446	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	118B	On wall	5025325	ATD	Radonova	06/09/2021	05/13/2022	1.2
MCAS Beaufort	11210	118B	On wall	5627211	ATD	Radonova	06/09/2021	05/13/2022	1.2
MCAS Beaufort	11210	119A	On wall	1242775	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	119A	On wall	7997547	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	119B	On wall	2872877	ATD	Radonova	06/09/2021	05/13/2022	1.2
MCAS Beaufort	11210	119B	On wall	7648520	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	120A	On wall	3947769	ATD	Radonova	06/09/2021	05/13/2022	1.1
MCAS Beaufort	11210	120A	On wall	6963136	ATD	Radonova	06/09/2021	05/13/2022	1.2
MCAS Beaufort	11210	120B	On wall	8322919	ATD	Radonova	06/09/2021		
MCAS Beaufort	11210	120B	On wall	6219695	ATD	Radonova	06/09/2021	05/13/2022	1.2
MCAS Beaufort	11210	121A	On wall	4351664	ATD	Radonova	06/09/2021	05/13/2022	1.5
MCAS Beaufort	11210	121A	On wall	6223606	ATD	Radonova	06/09/2021	05/13/2022	1.5
MCAS Beaufort	11210	121B	On wall	2577419	ATD	Radonova	06/09/2021	05/13/2022	1.6
MCAS Beaufort	11210	121B	On wall	4215117	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	122A	On wall	9174624	ATD	Radonova	06/09/2021	05/13/2022	1.5
MCAS Beaufort	11210	122A	On wall	9715251	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	122B	On wall	2793362	ATD	Radonova	06/11/2021	05/13/2022	1.1
MCAS Beaufort	11210	122B	On wall	9830258	ATD	Radonova	06/11/2021	05/13/2022	1.3
MCAS Beaufort	11210	123A	On wall	6498042	ATD	Radonova	06/09/2021	05/13/2022	1.2
MCAS Beaufort	11210	123A	On wall	8155947	ATD	Radonova	06/09/2021	05/13/2022	1.1
MCAS Beaufort	11210	123B	On wall	1497601	ATD	Radonova	06/09/2021	05/13/2022	1.1
MCAS Beaufort	11210	123B	On wall	5286406	ATD	Radonova	06/09/2021	05/13/2022	1.1
MCAS Beaufort	11210	124A	On wall	5802814	ATD	Radonova	06/09/2021	05/13/2022	1.1

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	11210	124A	On wall	6664932	ATD	Radonova	06/09/2021	05/13/2022	1.1
MCAS Beaufort	11210	124B	On wall	5044987	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	124B	On wall	8012601	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	125A	On wall	5126024	ATD	Radonova	06/09/2021		
MCAS Beaufort	11210	125A	On wall	6887293	ATD	Radonova	06/09/2021		
MCAS Beaufort	11210	125B	On wall	7266869	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	125B	On wall	9019571	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	126A	On wall	2697852	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	126A	On wall	5163043	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	126B	On wall	1071992	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	126B	On wall	8187023	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	127A	On wall	6239230	ATD	Radonova	06/09/2021	05/13/2022	1.1
MCAS Beaufort	11210	127A	On wall	9082926	ATD	Radonova	06/09/2021	05/13/2022	1.2
MCAS Beaufort	11210	127B	On wall	5462338	ATD	Radonova	06/09/2021		
MCAS Beaufort	11210	127B	On wall	1615939	ATD	Radonova	06/09/2021	05/13/2022	1.1
MCAS Beaufort	11210	128A	On wall	6045884	ATD	Radonova	06/09/2021	05/13/2022	1.2
MCAS Beaufort	11210	128A	On wall	7659253	ATD	Radonova	06/09/2021	05/13/2022	1.3
MCAS Beaufort	11210	128B	On wall	4714911	ATD	Radonova	06/09/2021	05/13/2022	1.4
MCAS Beaufort	11210	128B	On wall	4864070	ATD	Radonova	06/09/2021	05/13/2022	1.2
MCAS Beaufort	11210	129A	On wall	4031308	ATD	Radonova	06/09/2021	05/13/2022	1.1
MCAS Beaufort	11210	129A	On wall	8178006	ATD	Radonova	06/09/2021	05/13/2022	1
MCAS Beaufort	11210	129B	On wall	1031202	ATD	Radonova	06/09/2021	05/13/2022	1.2
MCAS Beaufort	11210	129B	On wall	9762956	ATD	Radonova	06/09/2021	05/13/2022	1.1
MCAS Beaufort	11210	Common Area	Right wall	1536770	ATD	Radonova	06/09/2021	05/13/2022	0.7
MCAS Beaufort	11210	Common Area	Right wall	7384704	ATD	Radonova	06/09/2021	05/13/2022	0.7
MCAS Beaufort	11210	Office	On wall	5922083	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	Office	On wall	8197824	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	Office	Left wall	6384283	ATD	Radonova	06/09/2021	05/13/2022	0.5
MCAS Beaufort	11210	Office	Left wall	9242835	ATD	Radonova	06/09/2021	05/13/2022	0.4
MCAS Beaufort	11210	Utility	Right wall	6336168	ATD	Radonova	06/09/2021	05/13/2022	0.8
MCAS Beaufort	11210	Utility	Right wall	8020919	ATD	Radonova	06/09/2021	05/13/2022	0.6
MCAS Beaufort	11210	Common Area	On wall	1855451	ATD	Radonova	06/09/2021	05/13/2022	0.5
MCAS Beaufort	11210	Common Area	On wall	9705864	ATD	Radonova	06/09/2021	05/13/2022	0.3

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1227A	A101	On wall	1617059	ATD	Radonova	04/21/2021	05/12/2022	0.7
MCAS Beaufort	1227A	A101	On wall	2496271	ATD	Radonova	04/21/2021	05/12/2022	0.7
MCAS Beaufort	1227A	A102	On wall	2400562	ATD	Radonova	04/21/2021	05/12/2022	0.9
MCAS Beaufort	1227A	A102	On wall	2862159	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1227A	A103	On wall	1615400	ATD	Radonova	04/21/2021	05/12/2022	0.7
MCAS Beaufort	1227A	A103	On wall	6015218	ATD	Radonova	04/21/2021	05/12/2022	0.7
MCAS Beaufort	1227A	A104	On wall	1675081	ATD	Radonova	04/21/2021	05/12/2022	1.2
MCAS Beaufort	1227A	A104	On wall	7372683	ATD	Radonova	04/21/2021	05/12/2022	1.1
MCAS Beaufort	1227A	A105	On wall	3335312	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1227A	A105	On wall	9152950	ATD	Radonova	04/21/2021	05/12/2022	0.7
MCAS Beaufort	1227A	A108	On wall	3299211	ATD	Radonova	04/21/2021	05/12/2022	0.9
MCAS Beaufort	1227A	A108	On wall	9053950	ATD	Radonova	04/21/2021	05/12/2022	0.9
MCAS Beaufort	1227A	A109	On wall	1666486	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1227A	A109	On wall	1697416	ATD	Radonova	04/21/2021	05/12/2022	0.9
MCAS Beaufort	1227A	A110	Right wall	3703576	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1227A	A110	Right wall	9249194	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1227A	A111	On wall	1052034	ATD	Radonova	04/21/2021	05/12/2022	0.9
MCAS Beaufort	1227A	A111	On wall	6991863	ATD	Radonova	04/21/2021	05/12/2022	0.7
MCAS Beaufort	1227A	A112	On wall	1642438	ATD	Radonova	04/21/2021	05/12/2022	1
MCAS Beaufort	1227A	A112	On wall	2589869	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1227A	A113	On wall	1803949	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1227A	A113	On wall	9564956	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1227A	A116	On wall	1682533	ATD	Radonova	04/21/2021	05/12/2022	1.1
MCAS Beaufort	1227A	A116	On wall	7915341	ATD	Radonova	04/21/2021	05/12/2022	1.1
MCAS Beaufort	1227A	A117	On wall	1607175	ATD	Radonova	04/21/2021	05/12/2022	1.2
MCAS Beaufort	1227A	A117	On wall	3964988	ATD	Radonova	04/21/2021	05/12/2022	1
MCAS Beaufort	1227A	A118	On wall	1832815	ATD	Radonova	04/21/2021	05/12/2022	0.3
MCAS Beaufort	1227A	A118	On wall	5219134	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1227A	A119	On wall	2592475	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1227A	A119	On wall	5108188	ATD	Radonova	04/21/2021	05/12/2022	0.9
MCAS Beaufort	1227A	A120	On wall	6224083	ATD	Radonova	04/21/2021	05/12/2022	0.9
MCAS Beaufort	1227A	A120	On wall	9005737	ATD	Radonova	04/21/2021	05/12/2022	1.1
MCAS Beaufort	1228B	B103	On wall	1931112	ATD	Radonova	04/21/2021	05/12/2022	0.5

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1228B	B103	On wall	3035334	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1228B	B104	On wall	1925189	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1228B	B104	On wall	7199730	ATD	Radonova	04/21/2021	05/12/2022	0.7
MCAS Beaufort	1228B	B105	On wall	3741386	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1228B	B105	On wall	7621063	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1228B	B106	On wall	1791995	ATD	Radonova	04/21/2021	05/12/2022	1.1
MCAS Beaufort	1228B	B106	On wall	3287703	ATD	Radonova	04/21/2021	05/12/2022	0.9
MCAS Beaufort	1228B	B107	On wall	2906345	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1228B	B107	On wall	5122031	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1228B	B108	On wall	3116621	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1228B	B108	On wall	3372174	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1228B	B110	On wall	3422078	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1228B	B110	On wall	6992952	ATD	Radonova	04/21/2021	05/12/2022	0.7
MCAS Beaufort	1228B	B111	On wall	1663863	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1228B	B111	On wall	4391785	ATD	Radonova	04/21/2021	05/12/2022	1
MCAS Beaufort	1228B	B112	On wall	1667310	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1228B	B112	On wall	7748502	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1228B	B113	On wall	2739985	ATD	Radonova	04/21/2021	05/12/2022	0.7
MCAS Beaufort	1228B	B113	On wall	9064007	ATD	Radonova	04/21/2021	05/12/2022	1
MCAS Beaufort	1228B	B114	On wall	1609098	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1228B	B114	On wall	3309887	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1228B	B115	On wall	3004579	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1228B	B115	On wall	3256039	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1228B	B116	On wall	4939542	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1228B	B116	On wall	5274709	ATD	Radonova	04/21/2021	05/12/2022	0.7
MCAS Beaufort	1228B	B117	On wall	4233672	ATD	Radonova	04/21/2021	05/12/2022	1
MCAS Beaufort	1228B	B117	On wall	9163981	ATD	Radonova	04/21/2021	05/12/2022	1.1
MCAS Beaufort	1228B	B118	On wall	2574366	ATD	Radonova	04/21/2021	05/12/2022	0.7
MCAS Beaufort	1228B	B118	On wall	7585425	ATD	Radonova	04/21/2021	05/12/2022	0.9
MCAS Beaufort	1228B	B119	On wall	4716429	ATD	Radonova	04/21/2021	05/12/2022	0.9
MCAS Beaufort	1228B	B119	On wall	5484480	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1228B	B120	On wall	4275566	ATD	Radonova	04/21/2021	05/12/2022	1
MCAS Beaufort	1228B	B120	On wall	9001819	ATD	Radonova	04/21/2021	05/12/2022	1



# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1229C	C103	On wall	2030674	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1229C	C103	On wall	2323749	ATD	Radonova	04/21/2021	05/12/2022	0.7
MCAS Beaufort	1229C	C104	On wall	1773464	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1229C	C104	On wall	6557714	ATD	Radonova	04/21/2021	05/12/2022	1.1
MCAS Beaufort	1229C	C105	On wall	3810488	ATD	Radonova	04/21/2021	05/12/2022	1
MCAS Beaufort	1229C	C105	On wall	4767190	ATD	Radonova	04/21/2021	05/12/2022	1
MCAS Beaufort	1229C	C106	On wall	3319829	ATD	Radonova	04/21/2021	05/12/2022	0.9
MCAS Beaufort	1229C	C106	On wall	6471320	ATD	Radonova	04/21/2021	05/12/2022	1.2
MCAS Beaufort	1229C	C107	On wall	2829059	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1229C	C107	On wall	9267592	ATD	Radonova	04/21/2021	05/12/2022	0.9
MCAS Beaufort	1229C	C108	On wall	1624642	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1229C	C108	On wall	1672443	ATD	Radonova	04/21/2021	05/12/2022	0.9
MCAS Beaufort	1229C	C110	On wall	6424600	ATD	Radonova	04/21/2021	05/12/2022	0.7
MCAS Beaufort	1229C	C110	On wall	6907125	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1229C	C111	On wall	7413073	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1229C	C111	On wall	9068834	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1229C	C112	On wall	4390621	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1229C	C112	On wall	7291586	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1229C	C113	On wall	3265618	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1229C	C113	On wall	6809784	ATD	Radonova	04/21/2021	05/12/2022	0.9
MCAS Beaufort	1229C	C114	On wall	3778529	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1229C	C114	On wall	8210411	ATD	Radonova	04/21/2021	05/12/2022	1.2
MCAS Beaufort	1229C	C115	On wall	2488039	ATD	Radonova	04/21/2021	05/12/2022	1.1
MCAS Beaufort	1229C	C115	On wall	9952151	ATD	Radonova	04/21/2021	05/12/2022	1
MCAS Beaufort	1229C	C116	On wall	5782768	ATD	Radonova	04/21/2021	05/12/2022	1.1
MCAS Beaufort	1229C	C116	On wall	6164198	ATD	Radonova	04/21/2021	05/12/2022	1.1
MCAS Beaufort	1229C	C117	On wall	2507630	ATD	Radonova	04/21/2021	05/12/2022	0.7
MCAS Beaufort	1229C	C117	On wall	6742498	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1229C	C118	On wall	3786407	ATD	Radonova	04/21/2021	05/12/2022	1.2
MCAS Beaufort	1229C	C118	On wall	6649297	ATD	Radonova	04/21/2021	05/12/2022	1.5
MCAS Beaufort	1229C	C119	On wall	2672442	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1229C	C119	On wall	6658876	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1229C	C120	On wall	1823616	ATD	Radonova	04/21/2021	05/12/2022	0.7

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1229C	C120	On wall	7302102	ATD	Radonova	04/21/2021	05/12/2022	0.7
MCAS Beaufort	1230D	D101	On wall	1495050	ATD	Radonova	04/21/2021	05/12/2022	1.1
MCAS Beaufort	1230D	D101	On wall	2270262	ATD	Radonova	04/21/2021	05/12/2022	1.2
MCAS Beaufort	1230D	D102	On wall	1674795	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1230D	D102	On wall	7173644	ATD	Radonova	04/21/2021	05/12/2022	0.7
MCAS Beaufort	1230D	D103	On wall	2227635	ATD	Radonova	04/21/2021	05/12/2022	1.1
MCAS Beaufort	1230D	D103	On wall	6773592	ATD	Radonova	04/21/2021	05/12/2022	0.9
MCAS Beaufort	1230D	D104	On wall	1674787	ATD	Radonova	04/21/2021	05/12/2022	1
MCAS Beaufort	1230D	D104	On wall	3686441	ATD	Radonova	04/21/2021	05/12/2022	0.9
MCAS Beaufort	1230D	D105	On wall	1616663	ATD	Radonova	04/21/2021	05/12/2022	1.2
MCAS Beaufort	1230D	D105	On wall	9391277	ATD	Radonova	04/21/2021	05/12/2022	1.4
MCAS Beaufort	1230D	D108	On wall	1595503	ATD	Radonova	04/21/2021	05/12/2022	0.9
MCAS Beaufort	1230D	D108	On wall	1758861	ATD	Radonova	04/21/2021	05/12/2022	1
MCAS Beaufort	1230D	D109	On wall	2009967	ATD	Radonova	04/21/2021	05/12/2022	1.5
MCAS Beaufort	1230D	D109	On wall	9521550	ATD	Radonova	04/21/2021	05/12/2022	1.7
MCAS Beaufort	1230D	D110	On wall	1605088	ATD	Radonova	04/21/2021	05/12/2022	1
MCAS Beaufort	1230D	D110	On wall	4843140	ATD	Radonova	04/21/2021	05/12/2022	1.1
MCAS Beaufort	1230D	D111	On wall	1608462	ATD	Radonova	04/21/2021	05/12/2022	1.2
MCAS Beaufort	1230D	D111	On wall	9871369	ATD	Radonova	04/21/2021	05/12/2022	1.1
MCAS Beaufort	1230D	D112	On wall	6832554	ATD	Radonova	04/21/2021	05/12/2022	1.1
MCAS Beaufort	1230D	D112	On wall	8178915	ATD	Radonova	04/21/2021	05/12/2022	1.1
MCAS Beaufort	1230D	D113	On wall	1100346	ATD	Radonova	04/21/2021	05/12/2022	1.4
MCAS Beaufort	1230D	D113	On wall	9962267	ATD	Radonova	04/21/2021	05/12/2022	1.3
MCAS Beaufort	1230D	D116	On wall	4439907	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1230D	D116	On wall	6910012	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1230D	D117	On wall	1926039	ATD	Radonova	04/21/2021	05/12/2022	1.3
MCAS Beaufort	1230D	D117	On wall	3933306	ATD	Radonova	04/21/2021	05/12/2022	1.3
MCAS Beaufort	1230D	D118	On wall	6176457	ATD	Radonova	04/21/2021	05/12/2022	1.1
MCAS Beaufort	1230D	D118	On wall	9266495	ATD	Radonova	04/21/2021	05/12/2022	1
MCAS Beaufort	1230D	D119	On wall	4960134	ATD	Radonova	04/21/2021	05/12/2022	1.4
MCAS Beaufort	1230D	D119	On wall	9915646	ATD	Radonova	04/21/2021	05/12/2022	1.1
MCAS Beaufort	1230D	D120	On wall	1653104	ATD	Radonova	04/21/2021	05/12/2022	1.7
MCAS Beaufort	1230D	D120	On wall	4464350	ATD	Radonova	04/21/2021	05/12/2022	1.6

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1231E	Utility	On wall	4818118	ATD	Radonova	06/09/2021	05/12/2022	< 0.2
MCAS Beaufort	1231E	Utility	On wall	7443112	ATD	Radonova	06/09/2021	05/12/2022	< 0.2
MCAS Beaufort	1231E	Common Area	On wall	5890173	ATD	Radonova	04/21/2021		
MCAS Beaufort	1231E	Common Area	On wall	6070742	ATD	Radonova	04/21/2021		
MCAS Beaufort	1231E	Common Area	On wall	4998472	ATD	Radonova	09/15/2021	05/12/2022	< 0.3
MCAS Beaufort	1231E	Common Area	On wall	5798756	ATD	Radonova	09/15/2021	05/12/2022	< 0.3
MCAS Beaufort	1231E	Common Area	On wall	1668094	ATD	Radonova	04/21/2021	05/12/2022	< 0.2
MCAS Beaufort	1231E	Common Area	On wall	4449724	ATD	Radonova	04/21/2021	05/12/2022	< 0.2
MCAS Beaufort	1244F	F101	On wall	5775382	ATD	Radonova	04/21/2021	05/12/2022	0.3
MCAS Beaufort	1244F	F101	On wall	7577497	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1244F	F102	On wall	2588630	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1244F	F102	On wall	4260147	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1244F	F103	On wall	1606110	ATD	Radonova	04/21/2021	05/12/2022	0.3
MCAS Beaufort	1244F	F103	On wall	4571303	ATD	Radonova	04/21/2021	05/12/2022	0.3
MCAS Beaufort	1244F	F104	On wall	3968302	ATD	Radonova	04/21/2021	05/12/2022	0.3
MCAS Beaufort	1244F	F104	On wall	9858713	ATD	Radonova	04/21/2021	05/12/2022	0.2
MCAS Beaufort	1244F	F105	On wall	4398814	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1244F	F105	On wall	6552665	ATD	Radonova	04/21/2021	05/12/2022	0.3
MCAS Beaufort	1244F	F106	On wall	3544350	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1244F	F106	On wall	5646880	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1244F	F107	On wall	1338185	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1244F	F107	On wall	3173325	ATD	Radonova	04/21/2021	05/12/2022	< 0.2
MCAS Beaufort	1244F	F108	On wall	4097671	ATD	Radonova	04/21/2021	05/12/2022	2.1
MCAS Beaufort	1244F	F108	On wall	7778988	ATD	Radonova	04/21/2021	05/12/2022	2.2
MCAS Beaufort	1244F	F109	On wall	1631563	ATD	Radonova	04/21/2021	05/12/2022	0.3
MCAS Beaufort	1244F	F109	On wall	2275394	ATD	Radonova	04/21/2021	05/12/2022	0.2
MCAS Beaufort	1244F	F110	On wall	1560226	ATD	Radonova	06/09/2021	05/12/2022	0.5
MCAS Beaufort	1244F	F110	On wall	9296641	ATD	Radonova	06/09/2021	05/12/2022	0.4
MCAS Beaufort	1244F	F111	On wall	4896163	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1244F	F111	On wall	9508532	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1244F	F112	On wall	7171085	ATD	Radonova	04/21/2021	05/12/2022	0.2
MCAS Beaufort	1244F	F112	On wall	8221996	ATD	Radonova	04/21/2021	05/12/2022	0.2
MCAS Beaufort	1244F	F113	On wall	3366044	ATD	Radonova	04/21/2021	05/12/2022	0.4

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1244F	F113	On wall	5577945	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1244F	F114	On wall	3337649	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1244F	F114	On wall	4598504	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1244F	F115	On wall	1780675	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1244F	F115	On wall	6626527	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1244F	F116	On wall	3120508	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1244F	F116	On wall	7384944	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1244F	F117	On wall	3357258	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1244F	F117	On wall	8001430	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1244F	F118	On wall	3084217	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1244F	F118	On wall	6158810	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1244F	F119	On wall	5016936	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1244F	F119	On wall	7038466	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1244F	F120	On wall	1202605	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1244F	F120	On wall	4044616	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1244F	F121	On wall	2251254	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1244F	F121	On wall	9149949	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1244F	F122	On wall	2945319	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1244F	F122	On wall	3201662	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1244F	F123	On wall	2017572	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1244F	F123	On wall	9721168	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1244F	F124	On wall	3016961	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1244F	F124	On wall	3310612	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1244F	F125	On wall	1632702	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1244F	F125	On wall	1778463	ATD	Radonova	04/21/2021	05/12/2022	0.7
MCAS Beaufort	1244F	F126	On wall	4783445	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1244F	F126	On wall	9393711	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1244F	F127	On wall	1600378	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1244F	F127	On wall	6996292	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1244F	F128	On wall	4456059	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1244F	F128	On wall	9747585	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1244F	F129	On wall	2767994	ATD	Radonova	04/21/2021	05/12/2022	0.2
MCAS Beaufort	1244F	F129	On wall	7874837	ATD	Radonova	04/21/2021	05/12/2022	0.2

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1244F	F130	On wall	1598184	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1244F	F130	On wall	9563636	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1245G	G101	On wall	3633625	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1245G	G101	On wall	4909495	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1245G	G102	On wall	1424258	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1245G	G102	On wall	8302192	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1245G	G103	On wall	2374742	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1245G	G103	On wall	6217285	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1245G	G104	On wall	1599448	ATD	Radonova	04/21/2021	05/12/2022	0.9
MCAS Beaufort	1245G	G104	On wall	1790674	ATD	Radonova	04/21/2021	05/12/2022	0.7
MCAS Beaufort	1245G	G105	On wall	1605138	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1245G	G105	On wall	6210801	ATD	Radonova	04/21/2021	05/12/2022	0.3
MCAS Beaufort	1245G	G106	On wall	1455690	ATD	Radonova	04/21/2021	05/12/2022	0.7
MCAS Beaufort	1245G	G106	On wall	4821625	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1245G	G107	On wall	4193512	ATD	Radonova	06/09/2021	05/12/2022	0.5
MCAS Beaufort	1245G	G107	On wall	6939789	ATD	Radonova	06/09/2021	05/12/2022	0.4
MCAS Beaufort	1245G	G108	On wall	1592799	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1245G	G108	On wall	2404820	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1245G	G109	On wall	1825066	ATD	Radonova	04/21/2021	05/12/2022	0.2
MCAS Beaufort	1245G	G109	On wall	8379604	ATD	Radonova	04/21/2021	05/12/2022	0.2
MCAS Beaufort	1245G	G110	On wall	4600896	ATD	Radonova	04/21/2021	05/12/2022	0.9
MCAS Beaufort	1245G	G110	On wall	7423866	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1245G	G111	On wall	3587714	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1245G	G111	On wall	8029696	ATD	Radonova	04/21/2021	05/12/2022	0.3
MCAS Beaufort	1245G	G112	On wall	8310963	ATD	Radonova	04/21/2021	05/12/2022	0.3
MCAS Beaufort	1245G	G112	On wall	9719238	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1245G	G113	On wall	2542660	ATD	Radonova	04/21/2021	05/12/2022	0.2
MCAS Beaufort	1245G	G113	On wall	6985709	ATD	Radonova	04/21/2021	05/12/2022	0.3
MCAS Beaufort	1245G	G114	On wall	2268555	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1245G	G114	On wall	7369390	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1245G	G115	On wall	5588462	ATD	Radonova	04/21/2021	05/12/2022	< 0.2
MCAS Beaufort	1245G	G115	On wall	5773973	ATD	Radonova	04/21/2021	05/12/2022	< 0.2
MCAS Beaufort	1245G	G116	On wall	1741800	ATD	Radonova	04/21/2021	05/12/2022	0.3

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1245G	G116	On wall	2751139	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1245G	G117	On wall	3281573	ATD	Radonova	04/21/2021	05/12/2022	0.3
MCAS Beaufort	1245G	G117	On wall	9457490	ATD	Radonova	04/21/2021	05/12/2022	0.2
MCAS Beaufort	1245G	G118	On wall	1728997	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1245G	G118	On wall	6841928	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1245G	G119	On wall	8024952	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1245G	G119	On wall	9284266	ATD	Radonova	04/21/2021	05/12/2022	0.3
MCAS Beaufort	1245G	G120	On wall	1684265	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1245G	G120	On wall	8233165	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1246H	H102	On wall	2527703	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1246H	H102	On wall	5838685	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1246H	H102	On wall	1591148	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1246H	H102	On wall	6620512	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1246H	H103	On wall	2911832	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1246H	H103	On wall	6937122	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1246H	H104	On wall	1604925	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1246H	H104	On wall	6974240	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1246H	H105	On wall	3033362	ATD	Radonova	04/21/2021	05/12/2022	0.2
MCAS Beaufort	1246H	H105	On wall	4617064	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1246H	H106	On wall	2798197	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1246H	H106	On wall	9497413	ATD	Radonova	04/21/2021	05/12/2022	0.7
MCAS Beaufort	1246H	H107	On wall	1057199	ATD	Radonova	04/21/2021	05/12/2022	0.3
MCAS Beaufort	1246H	H107	On wall	3989225	ATD	Radonova	04/21/2021	05/12/2022	0.3
MCAS Beaufort	1246H	H108	On wall	1540079	ATD	Radonova	04/21/2021	05/12/2022	0.2
MCAS Beaufort	1246H	H108	On wall	6861397	ATD	Radonova	04/21/2021	05/12/2022	0.2
MCAS Beaufort	1246H	H109	On wall	2981082	ATD	Radonova	04/21/2021	05/12/2022	0.2
MCAS Beaufort	1246H	H109	On wall	3703618	ATD	Radonova	04/21/2021	05/12/2022	0.2
MCAS Beaufort	1246H	H110	On wall	2456309	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1246H	H110	On wall	2947273	ATD	Radonova	04/21/2021	05/12/2022	0.4
MCAS Beaufort	1246H	H111	On wall	5456827	ATD	Radonova	04/21/2021	05/12/2022	0.2
MCAS Beaufort	1246H	H111	On wall	6692495	ATD	Radonova	04/21/2021	05/12/2022	0.3
MCAS Beaufort	1246H	H112	On wall	1359876	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1246H	H112	On wall	4832853	ATD	Radonova	04/21/2021	05/12/2022	0.8

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	1246H	H113	On wall	1691336	ATD	Radonova	04/21/2021	05/12/2022	< 0.2
MCAS Beaufort	1246H	H113	On wall	7183833	ATD	Radonova	04/21/2021	05/12/2022	0.2
MCAS Beaufort	1246H	H114	On wall	3277761	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1246H	H114	On wall	7354723	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1246H	H115	On wall	3477262	ATD	Radonova	04/21/2021	05/12/2022	0.3
MCAS Beaufort	1246H	H115	On wall	6852990	ATD	Radonova	04/21/2021	05/12/2022	0.3
MCAS Beaufort	1246H	H116	On wall	4601985	ATD	Radonova	04/21/2021	05/12/2022	1
MCAS Beaufort	1246H	H116	On wall	9393802	ATD	Radonova	04/21/2021	05/12/2022	1.1
MCAS Beaufort	1246H	H117	On wall	1791565	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1246H	H117	On wall	8304719	ATD	Radonova	04/21/2021	05/12/2022	0.5
MCAS Beaufort	1246H	H118	On wall	7011851	ATD	Radonova	04/21/2021	05/12/2022	0.9
MCAS Beaufort	1246H	H118	On wall	9287392	ATD	Radonova	04/21/2021	05/12/2022	1.1
MCAS Beaufort	1246H	H119	On wall	2068799	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1246H	H119	On wall	4420212	ATD	Radonova	04/21/2021	05/12/2022	0.8
MCAS Beaufort	1246H	H120	On wall	3376902	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	1246H	H120	On wall	6005466	ATD	Radonova	04/21/2021	05/12/2022	0.6
MCAS Beaufort	933M	100	Left wall	3376696	ATD	Radonova	06/11/2021	05/13/2022	0.9
MCAS Beaufort	933M	100	Left wall	6145833	ATD	Radonova	06/11/2021	05/13/2022	1.1
MCAS Beaufort	933M	108	Left wall	3423803	ATD	Radonova	06/11/2021	05/13/2022	2
MCAS Beaufort	933M	108	Left wall	4348934	ATD	Radonova	06/11/2021	05/13/2022	1.8
MCAS Beaufort	933M	111	Right wall	2033306	ATD	Radonova	06/11/2021	05/13/2022	1.6
MCAS Beaufort	933M	111	Right wall	9498411	ATD	Radonova	06/11/2021	05/13/2022	1.4
MCAS Beaufort	933M	112	Left wall	3702354	ATD	Radonova	06/11/2021	05/13/2022	1.8
MCAS Beaufort	933M	112	Left wall	9264581	ATD	Radonova	06/11/2021	05/13/2022	2.1
MCAS Beaufort	933M	113	Right wall	4638920	ATD	Radonova	06/11/2021	05/13/2022	1.5
MCAS Beaufort	933M	113	Right wall	5879093	ATD	Radonova	06/11/2021	05/13/2022	1.5
MCAS Beaufort	933M	114	Left wall	2448710	ATD	Radonova	06/11/2021	05/13/2022	1.5
MCAS Beaufort	933M	114	Left wall	8166100	ATD	Radonova	06/11/2021	05/13/2022	1.4
MCAS Beaufort	933M	116	Left wall	2001691	ATD	Radonova	06/11/2021	05/13/2022	1.1
MCAS Beaufort	933M	116	Left wall	7393820	ATD	Radonova	06/11/2021	05/13/2022	0.9
MCAS Beaufort	933M	117	Left wall	8394892	ATD	Radonova	06/11/2021	05/13/2022	1.2
MCAS Beaufort	933M	117	Left wall	9480591	ATD	Radonova	06/11/2021	05/13/2022	1.2
MCAS Beaufort	933M	118	Left wall	4268215	ATD	Radonova	06/11/2021	05/13/2022	1.1

# MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	933M	118	Left wall	4963591	ATD	Radonova	06/11/2021	05/13/2022	1.1
MCAS Beaufort	933M	119	Right wall	4229597	ATD	Radonova	06/11/2021	05/13/2022	1.4
MCAS Beaufort	933M	119	Right wall	7165954	ATD	Radonova	06/11/2021	05/13/2022	1.5
MCAS Beaufort	933M	120	Right wall	1922384	ATD	Radonova	06/11/2021	05/13/2022	1.6
MCAS Beaufort	933M	120	Right wall	3484342	ATD	Radonova	06/11/2021	05/13/2022	1.6
MCAS Beaufort	933M	121	Left wall	3060423	ATD	Radonova	06/11/2021	05/13/2022	1.4
MCAS Beaufort	933M	121	Left wall	4612446	ATD	Radonova	06/11/2021	05/13/2022	1.2
MCAS Beaufort	933M	122	Left wall	1879865	ATD	Radonova	06/11/2021	05/13/2022	1.4
MCAS Beaufort	933M	122	Left wall	3940889	ATD	Radonova	06/11/2021	05/13/2022	1.4
MCAS Beaufort	933M	123	Left wall	5693833	ATD	Radonova	06/11/2021	05/13/2022	0.9
MCAS Beaufort	933M	123	Left wall	8171571	ATD	Radonova	06/11/2021	05/13/2022	0.9
MCAS Beaufort	933M	124	Left wall	4945333	ATD	Radonova	06/11/2021		
MCAS Beaufort	933M	124	Left wall	9593260	ATD	Radonova	06/11/2021		
MCAS Beaufort	933M	125	Left wall	1368232	ATD	Radonova	06/11/2021	05/13/2022	1.3
MCAS Beaufort	933M	125	Left wall	7122146	ATD	Radonova	06/11/2021	05/13/2022	1.5
MCAS Beaufort	933M	126	Right wall	1044015	ATD	Radonova	06/11/2021	05/13/2022	1.6
MCAS Beaufort	933M	126	Right wall	9497595	ATD	Radonova	06/11/2021	05/13/2022	1.4
MCAS Beaufort	933M	127	Left wall	4045639	ATD	Radonova	06/11/2021	05/13/2022	1.1
MCAS Beaufort	933M	127	Left wall	5788252	ATD	Radonova	06/11/2021	05/13/2022	1
MCAS Beaufort	933M	128	Right wall	3785680	ATD	Radonova	06/11/2021	05/13/2022	1.2
MCAS Beaufort	933M	128	Right wall	7992613	ATD	Radonova	06/11/2021	05/13/2022	1.4
MCAS Beaufort	933M	129	Right wall	4748760	ATD	Radonova	06/11/2021		
MCAS Beaufort	933M	129	Right wall	2268159	ATD	Radonova	06/11/2021	05/13/2022	1.3
MCAS Beaufort	933M	130	Right wall	1339829	ATD	Radonova	06/11/2021	05/13/2022	1.1
MCAS Beaufort	933M	130	Right wall	2387546	ATD	Radonova	06/11/2021	05/13/2022	1.4
MCAS Beaufort	933M	131	Right wall	1087147	ATD	Radonova	06/11/2021	05/13/2022	1
MCAS Beaufort	933M	131	Right wall	6962716	ATD	Radonova	06/11/2021	05/13/2022	1.1
MCAS Beaufort	933M	132	Left wall	3722295	ATD	Radonova	06/11/2021		
MCAS Beaufort	933M	132	Left wall	6222640	ATD	Radonova	06/11/2021		
MCAS Beaufort	933M	133	Left wall	3105368	ATD	Radonova	06/11/2021	05/13/2022	1.1
MCAS Beaufort	933M	133	Left wall	7225600	ATD	Radonova	06/11/2021	05/13/2022	1
MCAS Beaufort	933M	134	Left wall	2230613	ATD	Radonova	06/11/2021	05/13/2022	2.7
MCAS Beaufort	933M	134	Left wall	2872992	ATD	Radonova	06/11/2021	05/13/2022	1.9



## MCAS Beaufort CY2021-22 Radon Assessment Tabular Results

Installation or Command Name (reqd)	Building Number (N reqd)	Room (reqd)	Location within Rm	Detector ID (reqd)	Detector Type (reqd)	Manufacturer (reqd)	Date Placed (reqd)	Date Retrieved (reqd)	pCi/L (reqd; may be up to 1 decimal)
MCAS Beaufort	933M	137	Right wall	6266290	ATD	Radonova	06/11/2021		
MCAS Beaufort	933M	137	Right wall	6499305	ATD	Radonova	06/11/2021		
MCAS Beaufort	933M	138	Left wall	2173300	ATD	Radonova	06/11/2021	05/13/2022	1
MCAS Beaufort	933M	138	Left wall	4216396	ATD	Radonova	06/11/2021	05/13/2022	1.2
MCAS Beaufort	933M	139	Right wall	4625711	ATD	Radonova	06/11/2021	05/13/2022	3.3
MCAS Beaufort	933M	139	Right wall	9856915	ATD	Radonova	06/11/2021	05/13/2022	3.3
MCAS Beaufort	933M	141	Right wall	1753540	ATD	Radonova	06/11/2021		
MCAS Beaufort	933M	141	Right wall	1777200	ATD	Radonova	06/11/2021		
MCAS Beaufort	933M	145	Left wall	5011051	ATD	Radonova	06/11/2021	05/13/2022	1.7
MCAS Beaufort	933M	145	Left wall	5593934	ATD	Radonova	06/11/2021	05/13/2022	1.5
MCAS Beaufort	933M	Common Area	Left wall	5565924	ATD	Radonova	06/11/2021	05/13/2022	1.6
MCAS Beaufort	933M	Common Area	Left wall	5990247	ATD	Radonova	06/11/2021	05/13/2022	1.4