

**SUMMARY REPORT  
156 BANYAN DRIVE (FORMERLY 128 BANYAN DRIVE)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC**

**Revision: 0  
Prepared for:**

**Department of the Navy  
Naval Facilities Engineering Command, Mid-Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095**

**and**



**Naval Facilities Engineering Command Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095**

**JUNE 2021**

**SUMMARY REPORT  
156 BANYAN DRIVE (FORMERLY 128 BANYAN DRIVE)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC**

**Revision: 0  
Prepared for:**

**Department of the Navy  
Naval Facilities Engineering Command, Mid- Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095**

**and**



**Naval Facilities Engineering Command Atlantic**

**9324 Virginia Avenue  
Norfolk, Virginia 23511-3095**

**Prepared by:**

**CDM - AECOM**  
Multimedia Joint Venture

**CDM - AECOM Multimedia Joint Venture  
10560 Arrowhead Drive, Suite 500  
Fairfax, Virginia 22030**

**Contract Number: N62470-14-D-9016  
CTO WE52  
JUNE 2021**

## Table of Contents

<b>1.0 INTRODUCTION .....</b>	<b>1</b>
1.1 BACKGROUND INFORMATION.....	1
1.2 UST REMOVAL AND ASSESSMENT PROCESS.....	2
<b>2.0 SAMPLING ACTIVITIES AND RESULTS .....</b>	<b>3</b>
2.1 UST REMOVAL AND SOIL SAMPLING .....	4
2.2 SOIL ANALYTICAL RESULTS.....	4
2.3 INITIAL GROUNDWATER SAMPLING .....	5
2.4 INITIAL GROUNDWATER ANALYTICAL RESULTS .....	5
2.5 PERMANENT WELL GROUNDWATER SAMPLING.....	6
2.6 PERMANENT WELL GROUNDWATER ANALYTICAL RESULTS.....	6
2.7 LONG TERM MONITORING .....	6
2.8 LONG TERM MONITORING ANALYTICAL RESULTS.....	7
2.9 SOIL GAS SAMPLING.....	8
2.10 SOIL GAS ANALYTICAL RESULTS .....	9
<b>3.0 PROPERTY STATUS.....</b>	<b>9</b>
<b>4.0 REFERENCES .....</b>	<b>9</b>

## Tables

Table 1	Laboratory Analytical Results - Soil
Table 2	Laboratory Analytical Results - Initial Groundwater
Table 3	Laboratory Analytical Results - Permanent Monitoring Well Groundwater
Table 4	Laboratory Analytical Results - Long Term Monitoring
Table 5	Laboratory Analytical Results - Vapor

## Appendices

Appendix A	Multi-Media Selection Process for LBMH
Appendix B	UST Assessment Report
Appendix C	Laboratory Analytical Report - Initial Groundwater
Appendix D	Laboratory Analytical Reports - Permanent Well Groundwater
Appendix E	Historical Groundwater Analytical Results
Appendix F	Laboratory Analytical Reports - Vapor
Appendix G	Regulatory Correspondence

### **List of Acronyms**

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
ft	feet
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
LTM	long-term monitoring
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UFP SAP	Uniform Federal Policy Sampling and Analysis Plan
USEPA	United States Environmental Protection Agency
UST	underground storage tank
VI	vapor intrusion
VISL	vapor intrusion screening level

## **1.0 INTRODUCTION**

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, long-term monitoring (LTM) was approved by the South Carolina Department of Health and Environmental Control (SCDHEC) for 156 Banyan Drive (Formerly 128 Banyan Drive) in order to monitor groundwater impacts from the former heating oil USTs. LTM consists of annual groundwater sampling and is currently being conducted at the referenced property. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

### **1.1 Background Information**

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential heating oil USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with the SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

## **1.2 UST Removal and Assessment Process**

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels

used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The IGWA sampling process utilizes temporary groundwater sampling points that are typically installed and sampled within the same day. The intent of the sampling point is to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations may require additional delineation of COPCs in groundwater. These sampling points are not subjected to the same installation standards as permanent monitoring wells and, as such; the data obtained from the IGWA wells can sometimes be biased high and is considered preliminary data. In order to confirm the presence of any impact to groundwater, a permanent well is installed where IGWA sampling has indicated the presence of COPCs is in excess of the SCDHEC RBSLs for groundwater. If COPCs are found to be present in the permanent well, additional permanent wells are installed to delineate the extent of impact to groundwater and a sampling program (LTM) is established. Groundwater analytical results from permanent wells are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

## **2.0 SAMPLING ACTIVITIES AND RESULTS**

The following section presents the sampling activities and associated results for 156 Banyan Drive (Formerly 128 Banyan Drive). The sampling activities at 156 Banyan Drive (Formerly 128 Banyan Drive) comprised a soil investigation, IGWA sampling, installation and sampling of four permanent monitoring wells, LTM sampling, and a vapor intrusion (VI) investigation. Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 128 Banyan Drive* (MCAS Beaufort, 2009). The UST Assessment Report is provided in Appendix B. Details regarding the IGWA sampling activities at this site are provided in the *Initial Groundwater Investigation Report – July 2013* (Resolution Consultants, 2015). The laboratory report that includes the pertinent IGWA analytical results for this site is presented in Appendix C. Details regarding the permanent well installations and initial sampling activities at this site are provided in the *Groundwater Assessment Report – November and December 2015* (Resolution Consultants, 2016). The laboratory reports that includes the pertinent groundwater analytical results for this

site are presented in Appendix D. Details regarding the LTM activities to date at this site are provided in the *2019 Groundwater Monitoring Report* (Resolution Consultants, 2019). A comprehensive table of the historical groundwater analytical results for all permanent monitoring wells at the site through 2019 is presented in Appendix E. Details regarding the VI investigation at this site are provided in the *Letter Report Petroleum Vapor Intrusion Investigations – April 2017 through February 2018* (Resolution Consultants, 2018). The laboratory reports that include the pertinent soil gas analytical results for this site are presented in Appendix F.

## **2.1 UST Removal and Soil Sampling**

On February 25, 2009, two 280 gallon heating oil USTs were removed from 156 Banyan Drive (Formerly 128 Banyan Drive). Tank 1 was removed from the front landscaped area, adjacent to the driveway. Tank 2 was removed from the front grassed area, adjacent to the driveway. The former UST locations are indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The USTs were removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removals. According to the UST Assessment Report (Appendix B), the depths to the bases of the USTs were 6'0" bgs (Tank 1) and 4'6" bgs (Tank 2) and a single soil sample was collected for each tank from that depth. The samples were collected from the fill port side of the former USTs to represent a worst case scenario and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

## **2.2 Soil Analytical Results**

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST locations (Tanks 1 and 2) were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or No Further Action [NFA]) for the property. The soil results collected from the former UST locations (Tanks 1 and 2) at 156 Banyan Drive



(Formerly 128 Banyan Drive) were greater than the SCDHEC RBSLs, which indicated further investigation was required. In a letter dated May 14, 2009, SCDHEC requested an IGWA for 156 Banyan Drive (Formerly 128 Banyan Drive) to determine if the groundwater was impacted by petroleum COPCs. SCDHEC's request letter is provided in Appendix G.

### **2.3 Initial Groundwater Sampling**

On July 18, 2013, a single temporary monitoring well was installed at 156 Banyan Drive (Formerly 128 Banyan Drive), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the monitoring well was placed in the same general location as the former heating oil USTs (Tanks 1 and 2). The former UST locations are indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). Further details are provided in the *Initial Groundwater Investigation Report – July 2013* (Resolution Consultants, 2015).

The sampling strategy for this phase of the investigation required a one-time sampling event of the temporary monitoring well. Following well installation and development, a groundwater sample was collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of groundwater sampling, the temporary well was abandoned in accordance with the South Carolina Well Standards and Regulations R.61-71 (SCDHEC, 2016). Field forms are provided in the *Initial Groundwater Investigation Report – July 2013* (Resolution Consultants, 2015).

### **2.4 Initial Groundwater Analytical Results**

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 2. A copy of the laboratory analytical data report is included in Appendix C.

The groundwater results collected from 156 Banyan Drive (Formerly 128 Banyan Drive) were greater than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 2), which indicated further investigation was required. In a letter dated August 6, 2015, SCDHEC requested a permanent well be installed for 156 Banyan Drive (Formerly 128 Banyan Drive) to confirm the impact to groundwater detected in the temporary well sample. SCDHEC's request letter is provided in Appendix G.

## **2.5 Permanent Well Groundwater Sampling**

In November 2015, four permanent monitoring wells were installed at 156 Banyan Drive (Formerly 128 Banyan Drive), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, a permanent monitoring well, MW01, was placed in the same general location as the former heating oil USTs (Tanks 1 and 2) and the IGWA sample location. The former UST locations are indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). Three additional permanent wells (MW02, MW03 and MW04) were also installed around the property at 156 Banyan Drive (Formerly 128 Banyan Drive) to delineate potential contamination. Further details are provided in the *Groundwater Assessment Report – November and December 2015* (Resolution Consultants, 2016).

The sampling strategy for this phase of the investigation required an initial sampling event of the permanent monitoring wells. Following well installation and development, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Field forms are provided in the *Groundwater Assessment Report – November and December 2015* (Resolution Consultants, 2016).

## **2.6 Permanent Well Groundwater Analytical Results**

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 3. A copy of the laboratory analytical data reports are included in Appendix D.

The groundwater results collected from 156 Banyan Drive (Formerly 128 Banyan Drive) at MW01 were greater than the SCDHEC RBSLs (Table 3), which indicated that further investigation was required. In a letter dated July 21, 2016, SCDHEC requested that LTM be carried out for 156 Banyan Drive (Formerly 128 Banyan Drive) to continue to monitor the impact to groundwater detected in the permanent well sample (MW01). SCDHEC's request letter is provided in Appendix G.

## **2.7 Long Term Monitoring**

The LTM program at 156 Banyan Drive (Formerly 128 Banyan Drive) consists of annual groundwater sampling at the four permanent monitoring wells. LTM sampling activities have been conducted annually since 2016 at the referenced site. The latest groundwater sampling details are provided in the *2019 Groundwater Monitoring Report* (Resolution Consultants, 2019).

The sampling strategy for this phase of the investigation required annual LTM sampling of the permanent wells until an optimized monitoring strategy (e.g., reduced COPCs, reduced sampling frequency, reduce number of wells, etc.) or NFA determination could be made for the site. During each LTM sampling event, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. In 2019, groundwater samples were collected from 156 Banyan Drive (Formerly 128 Banyan Drive) and analyzed for naphthalene only. The remaining petroleum COPCs (benzene, ethylbenzene, toluene, xylenes, and select PAHs) were previously removed from the LTM program for 156 Banyan Drive (Formerly 128 Banyan Drive) since they have not been detected at concentrations above the applicable RBSLs in groundwater at any of the monitoring well locations. Field forms from the most recent sampling event in February and March 2019 are provided in the *2019 Groundwater Monitoring Report* (Resolution Consultants, 2019).

## **2.8 Long Term Monitoring Analytical Results**

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 4. A comprehensive table of the historical groundwater analytical results for all permanent monitoring wells at the site through 2019 is presented in Appendix E. The associated laboratory analytical data reports are located in each of the annual LBMH groundwater monitoring reports.

The groundwater results collected from 156 Banyan Drive (Formerly 128 Banyan Drive) from at least one of the monitoring wells were greater than the SCDHEC RBSLs and/or the site specific groundwater VISLs (Table 4) during the 2016, 2017 and 2018 groundwater sampling events. This indicated LTM was required to continue at the property to further assess the impact in groundwater by COPCs associated with the former USTs at concentrations that may present a potential risk to human health and the environment. In a letter dated December 17, 2019, SCDHEC approved continuing LTM at 156 Banyan Drive (Formerly 128 Banyan Drive) in order to monitor groundwater impacts from the former heating oil USTs. SCDHEC's approval letter is provided in Appendix G.

LTM will continue at this property until COPC concentrations in groundwater sampled from all permanent monitoring wells are less than the SCDHEC RBSLs for three or more consecutive sampling events.

## **2.9 Soil Gas Sampling**

On May 2, 2017, three temporary subsurface soil gas wells were attempted to be installed at 156 Banyan Drive (Formerly 128 Banyan Drive) in accordance with the SCDHEC approved *Uniform Federal Policy Sampling and Analysis Plan (UFP SAP) for Vapor Media, Revision 4* (Resolution Consultants, 2017). A near-slab subsurface soil gas well was attempted to be placed near the house slab and in the same general location as the former heating oil UST (Tank 1); however, it was unable to be installed due to shallow groundwater at the location. A subsurface soil gas well was placed in the same general location as the former heating oil UST (Tank 2) and MW01. A subsurface soil gas well was placed in the same general location as MW03. The former UST locations are indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). Further details are provided in the *Letter Report Petroleum Vapor Intrusion Investigations – April 2017 through February 2018* (Resolution Consultants, 2018).

On May 30, 2017, a temporary sub-slab vapor point was installed at 156 Banyan Drive (Formerly 128 Banyan Drive) in accordance with the SCDHEC approved *UFP SAP for Vapor Media, Revision 4* (Resolution Consultants, 2017). The sub-slab vapor point was placed under the house slab. Further details are provided in the *Letter Report Petroleum Vapor Intrusion Investigations – April 2017 through February 2018* (Resolution Consultants, 2018).

The sampling strategy for this phase of the investigation required a one-time sampling event of the subsurface soil gas wells and sub-slab vapor point. The subsurface soil gas well near the former heating oil UST (Tank 2) and monitoring well MW01 at 156 Banyan Drive (Formerly 128 Banyan Drive) was unable to be sampled due to a leak check failure. The subsurface soil gas well near monitoring well MW03 at 156 Banyan Drive (Formerly 128 Banyan Drive) was sampled on May 9, 2017. The sub-slab vapor point at 156 Banyan Drive (Formerly 128 Banyan Drive) was sampled on May 31, 2017. Soil gas samples were collected and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of soil gas sampling, the temporary subsurface soil gas wells and sub-slab vapor point were abandoned in accordance with the *UFP SAP for Vapor Media, Revision 4* (Resolution Consultants, 2017). Field forms are provided in the *Letter Report Petroleum Vapor Intrusion Investigations – April 2017 through February 2018* (Resolution Consultants, 2018).

## **2.10 Soil Gas Analytical Results**

A summary of the laboratory analytical results and United States Environmental Protection Agency (USEPA) VISLs is presented in Table 5. A copy of the laboratory analytical data reports are included in Appendix F.

The soil gas results collected from 156 Banyan Drive (Formerly 128 Banyan Drive) were below the USEPA VISLs, which indicated that the subsurface soil gas and sub-slab soil gas were not impacted by COPCs associated with the former UST at concentrations that present a potential risk to human health and the environment.

## **3.0 PROPERTY STATUS**

Based on the analytical results for groundwater collected from the permanent monitoring wells, LTM is required to continue at 156 Banyan Drive (Formerly 128 Banyan Drive) to further assess the impact in groundwater by COPCs associated with the former USTs. Groundwater monitoring results for this site beyond 2019 will be available on the Laurel Bay Health Study website, which is located at: <https://www.beaufort.marines.mil/Resources/Laurel-Bay-Health-Study/>. Based on the analytical results for soil gas, it was determined that there was not a VI concern at this property and a recommendation was made for no additional VI assessment activities. SCDHEC approved the no further VI investigation recommendation for 156 Banyan Drive (Formerly 128 Banyan Drive) in a letter dated August 29, 2018. SCDHEC's letter is provided in Appendix G.

## **4.0 REFERENCES**

Marine Corps Air Station Beaufort, 2009. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 128 Banyan Drive, Laurel Bay Military Housing Area, April 2009.*

Resolution Consultants, 2015. *Initial Groundwater Investigation Report – July 2013 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina, June 2015.*

Resolution Consultants, 2016. *Groundwater Assessment Report – November and December 2015 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina, June 2016.*

Resolution Consultants, 2017. *Uniform Federal Policy Sampling and Analysis Plan for Vapor Media, Revision 4, for Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, May 2017.

Resolution Consultants, 2018. *Letter Report Petroleum Vapor Intrusion Investigations – April 2017 through February 2018 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, July 2018.

Resolution Consultants, 2019. *2019 Groundwater Monitoring Report for Laurel Bay Military Housing Area, Long-Term Monitoring (LTM), Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, October 2019.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

South Carolina Department of Health and Environmental Control Bureau of Water, 2016. *R.61-71, Well Standards*, June 2016.

United States Environmental Protection Agency, 2018. *USEPA OSWER Vapor Intrusion Assessment, Vapor Intrusion Screening Level Calculator*, May 2018.

## Tables

**Table 1**  
**Laboratory Analytical Results - Soil**  
**156 Banyan Drive (Formerly 128 Banyan Drive)**  
**Laurel Bay Military Housing Area**  
**Marine Corps Air Station Beaufort**  
**Beaufort, South Carolina**

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Results Samples Collected 02/25/09	
		128 Banyan - 1	128 Banyan - 2
<b>Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)</b>			
Benzene	0.003	ND	<b>0.00746</b>
Ethylbenzene	1.15	<b>0.0646</b>	<b>0.430</b>
Naphthalene	0.036	<b>3.37</b>	<b>4.30</b>
Toluene	0.627	<b>0.00410</b>	ND
Xylenes, Total	13.01	<b>0.0214</b>	<b>0.278</b>
<b>Semivolatile Organic Compounds Analyzed by EPA Method 8270C (mg/kg)</b>			
Benzo(a)anthracene	0.066	ND	ND
Benzo(b)fluoranthene	0.066	ND	ND
Benzo(k)fluoranthene	0.066	ND	ND
Chrysene	0.066	ND	ND
Dibenz(a,h)anthracene	0.066	ND	ND

**Notes:**

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 (SCDHEC, February 2001).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligrams per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The soil laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control



**Table 2**  
**Laboratory Analytical Results - Initial Groundwater**  
**156 Banyan Drive (Formerly 128 Banyan Drive)**  
**Laurel Bay Military Housing Area**  
**Marine Corps Air Station Beaufort**  
**Beaufort, South Carolina**

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Site-Specific Groundwater VISLs <sup>(2)</sup>	Results Sample Collected 07/19/13
<b>Volatile Organic Compounds Analyzed by EPA Method 8260B (µg/L)</b>			
Benzene	5	16.24	<b>6.7</b>
Ethylbenzene	700	45.95	<b>67</b>
Naphthalene	25	29.33	<b>220</b>
Toluene	1000	105,445	<b>3.5</b>
Xylenes, Total	10,000	2,133	<b>160</b>
<b>Semivolatile Organic Compounds Analyzed by EPA Method 8270D (µg/L)</b>			
Benzo(a)anthracene	10	NA	<b>0.63</b>
Benzo(b)fluoranthene	10	NA	<b>0.37</b>
Benzo(k)fluoranthene	10	NA	<b>0.12</b>
Chrysene	10	NA	<b>0.46</b>
Dibenz(a,h)anthracene	10	NA	ND

**Notes:**

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0 (SCDHEC, April 2013).

<sup>(2)</sup> Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of  $1 \times 10^{-6}$ , a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - not applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix C.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

µg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

**Table 3**  
**Laboratory Analytical Results - Permanent Monitoring Well Groundwater**  
**156 Banyan Drive (Formerly 128 Banyan Drive)**  
**Laurel Bay Military Housing Area**  
**Marine Corps Air Station Beaufort**  
**Beaufort, South Carolina**

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Site-Specific Groundwater VISLs <sup>(2)</sup>	Results Samples Collected 12/14/15			
			MW01	MW02	MW03	MW04
<b>Volatile Organic Compounds Analyzed by EPA Method 8260B (µg/L)</b>						
Benzene	5	16.24	<b>0.68</b>	ND	ND	ND
Ethylbenzene	700	45.95	<b>6.5</b>	ND	ND	ND
Naphthalene	25	29.33	<b>29</b>	ND	ND	ND
Toluene	1000	105,445	<b>0.42</b>	ND	ND	<b>7.4</b>
Xylenes, Total	10,000	2,133	<b>21</b>	ND	ND	ND
<b>Semivolatile Organic Compounds Analyzed by EPA Method 8270D (µg/L)</b>						
Benzo(a)anthracene	10	NA	ND	ND	ND	ND
Benzo(b)fluoranthene	10	NA	ND	ND	ND	ND
Benzo(k)fluoranthene	10	NA	ND	ND	ND	ND
Chrysene	10	NA	ND	ND	ND	ND
Dibenz(a,h)anthracene	10	NA	ND	ND	ND	ND

**Notes:**

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0 (SCDHEC, May 2015).

<sup>(2)</sup> Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of 1x10<sup>6</sup>, a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - not applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix D.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

µg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

**Table 4**  
**Laboratory Analytical Results - Long Term Monitoring**  
**156 Banyan Drive (Formerly 128 Banyan Drive)**  
**Laurel Bay Military Housing Area**  
**Marine Corps Air Station Beaufort**  
**Beaufort, South Carolina**

Constituent	Benzene	Ethylbenzene	Naphthalene	Toluene	Xylenes	Benzo(a) anthracene	Benzo(b) fluoranthene	Benzo(k) fluoranthene	Chrysene	Dibenz(a,h) anthracene
SCDHEC RBSLs <sup>(1)</sup> (µg/L)	5	700	25	1000	10,000	10	10	10	10	10
Site-Specific Groundwater VISLs <sup>(2)</sup> (µg/L)	16.24	45.95	29.33	105,445	2,133	N/A	N/A	N/A	N/A	N/A
Well ID	Sample Date									
BEALB128MW01	12/14/2015	<b>0.68</b>	<b>6.5</b>	<b>29</b>	<b>0.42</b>	<b>21</b>	ND	ND	ND	ND
	7/28/2016	<b>1.7</b>	<b>18</b>	<b>51</b>	<b>0.87</b>	<b>19</b>	ND	ND	ND	ND
	6/14/2017	<b>1.4</b>	<b>19</b>	<b>55</b>	<b>0.79</b>	<b>33</b>	<b>0.048</b>	ND	ND	ND
	1/22/2018	NA	NA	<b>64</b>	NA		NA	NA	NA	NA
	3/19/2019	NA	NA	<b>6.1</b>	NA	NA	NA	NA	NA	NA
BEALB128MW02	12/14/2015	ND	ND	ND	ND	ND	ND	ND	ND	ND
	7/28/2016	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/14/2017	ND	ND	ND	ND	ND	<b>0.043</b>	ND	ND	ND
	1/22/2018	NA	NA	ND	NA	NA	NA	NA	NA	NA
	3/19/2019	NA	NA	ND	NA	NA	NA	NA	NA	NA
BEALB128MW03	12/14/2015	ND	ND	ND	ND	ND	ND	ND	ND	ND
	7/29/2016	<b>1.4</b>	<b>7.1</b>	<b>39</b>	ND	<b>15</b>	ND	ND	ND	ND
	6/13/2017	ND	ND	ND	ND	ND	ND	ND	ND	ND
	1/22/2018	NA	NA	<b>10</b>	NA	NA	NA	NA	NA	NA
	3/19/2019	NA	NA	ND	NA	NA	NA	NA	NA	NA
BEALB128MW04	12/14/2015	ND	ND	ND	<b>7.4</b>	ND	ND	ND	ND	ND
	7/29/2016	ND	ND	ND	ND	ND	ND	ND	ND	ND
	6/13/2017	ND	ND	ND	ND	ND	<b>0.043</b>	ND	ND	ND
	1/22/2018	NA	NA	ND	NA	NA	NA	NA	NA	NA
	3/19/2019	NA	NA	ND	NA	NA	NA	NA	NA	NA

**Notes:**

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, February 2016).

<sup>(2)</sup> Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of  $1 \times 10^{-6}$ , a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

JE - Johnson & Ettinger

N/A - not applicable

NA - not analyzed

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). A comprehensive table of the historical groundwater analytical results for all permanent monitoring wells at the site through 2019 is presented in Appendix E.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

µg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

**Table 5**  
**Laboratory Analytical Results - Vapor**  
**156 Banyan Drive (Formerly 128 Banyan Drive)**  
**Laurel Bay Military Housing Area**  
**Marine Corps Air Station Beaufort**  
**Beaufort, South Carolina**

Constituent	USEPA VISL <sup>(1)</sup>	Soil Gas Results Samples Collected 05/09/17 and 05/31/17	
		SG03 05/09/17	SS01 05/31/17
<b>Volatile Organic Compounds Analyzed by USEPA Method TO-15 (µg/m<sup>3</sup>)</b>			
Benzene	12	ND	<b>1.2</b>
Toluene	17000	ND	<b>31</b>
Ethylbenzene	37	ND	<b>2.8</b>
m,p-Xylenes	350	ND	<b>6.5</b>
o-Xylene	350	ND	<b>2.5</b>
Naphthalene	2.8	<b>1.4</b>	ND

**Notes:**

<sup>(1)</sup> United States Environmental Protection Agency Exterior Soil Gas Vapor Intrusion Screening Level (VISL) from VISL Calculator (May 2018).

VISLs are based on a residual exposure scenario and a target risk level of 1x10<sup>-6</sup> and a hazard quotient of 0.1.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the residential VISL.


ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The vapor laboratory report is provided in Appendix F.

µg/m<sup>3</sup> - micrograms per cubic meter

USEPA - United States Environmental Protection Agency

VISL - Vapor Intrusion Screening Level

**Appendix A**  
**Multi-Media Selection Process for LBMH**



Appendix A - Multi-Media Selection Process for LBMH

**Appendix B**  
**UST Assessment Report**

04180

South Carolina Department of Health and Environmental Control (SCDHEC)  
**Underground Storage Tank (UST) Assessment Report**

<p>Date Received</p>  <p>State Use Only</p>
---

Submit Completed Form To:  
 UST Program  
 SCDHEC  
 2600 Bull Street  
 Columbia, South Carolina 29201  
 Telephone (803) 896-7957

**RECEIVED**

APR 24 2009

SITE ASSESSMENT,  
REMEDICATION &  
REVITALIZATION

**I. OWNERSHIP OF UST (S)**

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)		
Owner Name (Corporation, Individual, Public Agency, Other)		
P.O. Box 55001		
Mailing Address		
Beaufort,	South Carolina	29904-5001
City	State	Zip Code
843	228-7317	Craig Ehde
Area Code	Telephone Number	Contact Person

**II. SITE IDENTIFICATION AND LOCATION**

Permit I.D. #	
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC	
Facility Name or Company Site Identifier	
Laurel Bay Military Housing Area, 128 Banyan Street	
Street Address or State Road (as applicable)	
Beaufort,	Beaufort
City	County



### III. INSURANCE INFORMATION

#### Insurance Statement

The petroleum release reported to DHEC on \_\_\_\_\_ at Permit ID Number \_\_\_\_\_ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES\_\_\_\_ NO\_\_\_\_ (check one)

If you answered YES to the above question, please complete the following information:

My policy provider is: \_\_\_\_\_  
The policy deductible is: \_\_\_\_\_  
The policy limit is: \_\_\_\_\_

If you have this type of insurance, please include a copy of the policy with this report.

### IV. REQUEST FOR SUPERB FUNDING

I **DO** / **DO NOT** wish to participate in the SUPERB Program. (Circle one.)

### V. CERTIFICATION (To be signed by the UST owner)

**I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.**

\_\_\_\_\_  
Name (Type or print.)

\_\_\_\_\_  
Signature

#### To be completed by Notary Public:

Sworn before me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_

\_\_\_\_\_  
(Name)

Notary Public for the state of \_\_\_\_\_  
*Please affix State seal if you are commissioned outside South Carolina*

**VI. UST INFORMATION**

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity..(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material..(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....

Tank 1	<del>Tank 2</del>	Tank 3	Tank 4	Tank 5	Tank 6
128Banyan-1	128Banyan-1	128Banyan-2	128Banyan-2		
heating oil		heating oil			
280 gal		280 gal			
Late 1950s		Late 1950s			
steel		steel			
Mid 1980s		Mid 1980s			
6'		4'6"			
No		No			
No		No			
Removed		Removed			
2/25/09		2/25/09			
Yes		Yes			
Yes		Yes			

- M. Method of disposal for any USTs removed from the ground (attach disposal manifests)  
USTs 128Banyan-1 and 128Banyan-2 were removed and disposed of at a Subtitle D landfill.
- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)  
Tanks were filled with contaminated sand. See attachment A for manifest
- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST  
Holes due to corrosion were found on seams at ends of the tank.

## VII. PIPING INFORMATION

	Tank 1 128Banyan-1	<del>Tank 2</del>	Tank 3 128Banyan-2	Tank 4	Tank 5	Tank 6
A. Construction Material..(ex. Steel, FRP).....	Steel		Steel			
B. Distance from UST to Dispenser.....	/copper		/copper			
C. Number of Dispensers.....	N/A		N/A			
D. Type of System Pressure or Suction.....	N/A		N/A			
E. Was Piping Removed from the Ground? Y/N	Suction		Suction			
F. Visible Corrosion or Pitting Y/N.....	Yes		Yes			
G. Visible Holes Y/N.....	Yes		Yes			
H. Age.....	No		No			
	Early		Early			
	1950s		1950s			

I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

Corrosion was found on the exterior steel piping of both USTs.

---



---



---

## VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

---



---



---



---

## IX. SITE CONDITIONS

	Yes	No	Unk
<p>A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate depth and location on the site map.</p>		X	
<p>B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate location on site map and describe the odor (strong, mild, etc.) strong odor noted during excavation</p>	X		
<p>C. Was water present in the UST excavation, soil borings, or trenches?</p> <p>If yes, how far below land surface (indicate location and depth)? Minor amount of residual water</p>	X		
<p>D. Did contaminated soils remain stockpiled on site after closure?</p> <p>If yes, indicate the stockpile location on the site map.</p> <p>Name of DHEC representative authorizing soil removal:</p>		X	
<p>E. Was a petroleum sheen or free product detected on any excavation or boring waters?</p> <p>If yes, indicate location and thickness.</p>		X	

## X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 96012001

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
128Banyan-1 1	Excav at fill end	Soil	Clay	6'	2/25/09 0840 hrs	S. Pratt	
128Banyan-2 2	Excav at fill end	Soil	Clay	4'6"	2/25/09 1150 hrs	S. Pratt	
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

\* = Depth Below the Surrounding Land Surface

## XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.

## XII. RECEPTORS


	Yes	No
<p>A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?</p> <p style="text-align: right;">X</p> <p>If yes, indicate type of receptor, distance, and direction on site map.</p>	X	
<p>B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?</p> <p style="text-align: right;">X</p> <p>If yes, indicate type of well, distance, and direction on site map.</p>		X
<p>C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?</p> <p style="text-align: right;">X</p> <p>If yes, indicate type of structure, distance, and direction on site map.</p>		X
<p>D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination?      *Sewer, water, electricity, cable, fiber optic</p> <p style="text-align: right;">X*</p> <p>If yes, indicate the type of utility, distance, and direction on the site map.</p>	X*	
<p>E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?</p> <p style="text-align: right;">X</p> <p>If yes, indicate the area of contaminated soil on the site map.</p>		X

### **XIII. SITE MAP**


**You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.**

(Attach Site Map Here)





**128 Banyan**



**SBG, Inc.**  
 Small Business Group, Inc.  
 10179 Hwy 78  
 Ladson, SC 29456  
 Ph. (843) 879-0400

---

Drawn By: L. DiAsio

---


Dwg Date: Mar 2009

**FIGURE 1: LOCATION MAP**  
**128 BANYAN ST., LAUREL BAY**  
**MCAS BEAUFORT SC**

675' BROAD RIVER



128 BANYAN ST.  
LAUREL BAY MILITARY HOUSING  
MCAS BEAUFORT, SC



DRIVEWAY

UST  
128BANYAN-1

PORCH


SIDEWALK

UST  
128BANYAN-2

WASTE WATER

POWER  
POLE

GRAPHIC SCALE



**SBG**  
10179 HWY 78  
LADSON, SC 29456  
ph. (843) 879-0400

FIGURE 2 SITE MAP  
128 BANYAN ST., LAUREL BAY  
MCAS BEAUFORT SC  
SCALE: GRAPHIC      DWG DATE MAR 2009

675' BROAD RIVER

128 BANYAN ST.  
LAUREL BAY MILITARY HOUSING  
MCAS BEAUFORT, SC



FILL END

280 GALLON  
UST  
128BANYAN-1

SOIL SAMPLE  
128BANYAN-1

EXCAVATION

PORCH

ASPHALT  
DRIVEWAY

SIDEWALK

GRASS


FILL END

280 GALLON  
UST  
128BANYAN-2

SOIL SAMPLE  
128BANYAN-2

EXCAVATION

UST 128BANYAN-1 WAS 36"  
BELOW GRADE  
UST 128BANYAN-2 WAS 18"  
BELOW GRADE



**SBG**

10179 HWY 78  
LADSON, SC 29456

ph. (843) 879-0400

FIGURE 3 UST SAMPLE LOCATIONS  
128 BANYAN ST., LAUREL BAY  
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE MAR 2009



Picture 1: 128 Banyan Street, site of UST 128Banyan-1 and USTBanyan-2.



Picture 2: UST 128Banyan-1 during removal.



Picture 3: UST 128Banyan-2 being removed from the excavation.

#### XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	128Banyan-1		128Banyan-2		SB-5	SB-6	SB-7	SB-8
	SB-1	SB-2	SB-3	SB-4				
Benzene	ND		0.00746 mg/kg					
Toluene	0.00410 mg/kg		ND					
Ethylbenzene	0.0646 mg/kg		0.430 mg/kg					
Xylenes	0.0214 mg/kg		0.278 mg/kg					
Naphthalene	3.37 mg/kg		4.30 mg/kg					
Benzo (a) anthracene	ND		ND					
Benzo (b) fluoranthene	ND		ND					
Benzo (k) fluoranthene	ND		ND					
Chrysene	ND		ND					
Dibenz (a, h) anthracene	ND		ND					
TPH (EPA 3550)								

CoC	SB-9	SB-10	SB-11	SB-12	SB-13	SB-14	SB-15	SB-16
Benzene								
Toluene								
Ethylbenzene								
Xylenes								
Naphthalene								
Benzo (a) anthracene								
Benzo (b) fluoranthene								
Benzo (k) fluoranthene								
Chrysene								
Dibenz (a, h) anthracene								
TPH (EPA 3550)								

**SUMMARY OF ANALYSIS RESULTS (cont'd)**

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

<b>CoC</b>	<b>RBSL (µg/l)</b>	<b>W-1</b>	<b>W-2</b>	<b>W -3</b>	<b>W -4</b>
<b>Free Product Thickness</b>	<b>None</b>				
<b>Benzene</b>	<b>5</b>				
<b>Toluene</b>	<b>1,000</b>				
<b>Ethylbenzene</b>	<b>700</b>				
<b>Xylenes</b>	<b>10,000</b>				
<b>Total BTEX</b>	<b>N/A</b>				
<b>MTBE</b>	<b>40</b>				
<b>Naphthalene</b>	<b>25</b>				
<b>Benzo (a) anthracene</b>	<b>10</b>				
<b>Benzo (b) flouranthene</b>	<b>10</b>				
<b>Benzo (k) flouranthene</b>	<b>10</b>				
<b>Chrysene</b>	<b>10</b>				
<b>Dibenz (a, h) anthracene</b>	<b>10</b>				
<b>EDB</b>	<b>.05</b>				
<b>1,2-DCA</b>	<b>5</b>				
<b>Lead</b>	<b>Site specific</b>				

## **XV. ANALYTICAL RESULTS**

**You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.**

(Attach Certified Analytical Results and Chain-of-Custody Here)  
(Please see Form #4)



March 13, 2009 5:00:07PM

Client: EEG - Env. Enterprise Group (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn: Tom McElwee

Work Order: NSB2283  
Project Name: Laurel Bay Housing Project  
Project Nbr: [none]  
P/O Nbr: 08087  
Date Received: 02/27/09

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
129 Banyan-2	NSB2283-01	02/23/09 12:35
133 Banyan	NSB2283-02	02/24/09 11:15
128 Banyan-1	NSB2283-03	02/25/09 08:40
128 Banyan-2	NSB2283-04	02/25/09 11:50
116 Banyan	NSB2283-05	02/26/09 11:20

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.

This report has been electronically signed.

Report Approved By:



Ken A. Hayes

Senior Project Manager

Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSB2283  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 02/27/09 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NSB2283-01 (129 Banyan-2 - Soil) Sampled: 02/23/09 12:35</b>								
<b>General Chemistry Parameters</b>								
% Dry Solids	75.7		%	0.500	1	03/10/09 08:26	SW-846	9031168
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>								
Benzene	ND		mg/kg dry	0.00183	1	03/02/09 19:30	SW846 8260B	9023910
Ethylbenzene	ND		mg/kg dry	0.00183	1	03/02/09 19:30	SW846 8260B	9023910
Naphthalene	ND		mg/kg dry	0.00457	1	03/02/09 19:30	SW846 8260B	9023910
Toluene	ND		mg/kg dry	0.00183	1	03/02/09 19:30	SW846 8260B	9023910
Xylenes, total	ND		mg/kg dry	0.00457	1	03/02/09 19:30	SW846 8260B	9023910
<i>Surr: 1,2-Dichloroethane-d4 (41-150%)</i>	105 %					03/02/09 19:30	SW846 8260B	9023910
<i>Surr: Dibromofluoromethane (55-139%)</i>	104 %					03/02/09 19:30	SW846 8260B	9023910
<i>Surr: Toluene-d8 (57-148%)</i>	101 %					03/02/09 19:30	SW846 8260B	9023910
<i>Surr: 4-Bromofluorobenzene (58-150%)</i>	109 %					03/02/09 19:30	SW846 8260B	9023910
<b>Polyaromatic Hydrocarbons by EPA 8270C</b>								
Acenaphthene	ND		mg/kg dry	0.0858	1	03/03/09 20:25	SW846 8270C	9023978
Acenaphthylene	ND		mg/kg dry	0.0858	1	03/03/09 20:25	SW846 8270C	9023978
Anthracene	ND		mg/kg dry	0.0858	1	03/03/09 20:25	SW846 8270C	9023978
Benzo (a) anthracene	ND		mg/kg dry	0.0858	1	03/03/09 20:25	SW846 8270C	9023978
Benzo (a) pyrene	ND		mg/kg dry	0.0858	1	03/03/09 20:25	SW846 8270C	9023978
Benzo (b) fluoranthene	ND		mg/kg dry	0.0858	1	03/03/09 20:25	SW846 8270C	9023978
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0858	1	03/03/09 20:25	SW846 8270C	9023978
Benzo (k) fluoranthene	ND		mg/kg dry	0.0858	1	03/03/09 20:25	SW846 8270C	9023978
Chrysene	ND		mg/kg dry	0.0858	1	03/03/09 20:25	SW846 8270C	9023978
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0858	1	03/03/09 20:25	SW846 8270C	9023978
Fluoranthene	ND		mg/kg dry	0.0858	1	03/03/09 20:25	SW846 8270C	9023978
Fluorene	ND		mg/kg dry	0.0858	1	03/03/09 20:25	SW846 8270C	9023978
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0858	1	03/03/09 20:25	SW846 8270C	9023978
Naphthalene	ND		mg/kg dry	0.0858	1	03/03/09 20:25	SW846 8270C	9023978
Phenanthrene	ND		mg/kg dry	0.0858	1	03/03/09 20:25	SW846 8270C	9023978
Pyrene	ND		mg/kg dry	0.0858	1	03/03/09 20:25	SW846 8270C	9023978
<i>Surr: Terphenyl-d14 (26-128%)</i>	60 %					03/03/09 20:25	SW846 8270C	9023978
<i>Surr: 2-Fluorobiphenyl (19-109%)</i>	65 %					03/03/09 20:25	SW846 8270C	9023978
<i>Surr: Nitrobenzene-d5 (22-104%)</i>	74 %					03/03/09 20:25	SW846 8270C	9023978

Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSB2283  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 02/27/09 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NSB2283-02 (133 Banyan - Soil) Sampled: 02/24/09 11:15</b>								
General Chemistry Parameters								
% Dry Solids	82.0		%	0.500	1	03/10/09 08:26	SW-846	9031168
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00213	1	03/02/09 20:00	SW846 8260B	9023910
Ethylbenzene	ND		mg/kg dry	0.00213	1	03/02/09 20:00	SW846 8260B	9023910
Naphthalene	ND		mg/kg dry	0.00532	1	03/02/09 20:00	SW846 8260B	9023910
Toluene	ND		mg/kg dry	0.00213	1	03/02/09 20:00	SW846 8260B	9023910
Xylenes, total	ND		mg/kg dry	0.00532	1	03/02/09 20:00	SW846 8260B	9023910
<i>Surr: 1,2-Dichloroethane-d4 (41-150%)</i>	103 %					03/02/09 20:00	SW846 8260B	9023910
<i>Surr: Dibromofluoromethane (55-139%)</i>	106 %					03/02/09 20:00	SW846 8260B	9023910
<i>Surr: Toluene-d8 (57-148%)</i>	101 %					03/02/09 20:00	SW846 8260B	9023910
<i>Surr: 4-Bromofluorobenzene (58-150%)</i>	103 %					03/02/09 20:00	SW846 8260B	9023910
Polyaromatic Hydrocarbons by EPA 8270C								
Acenaphthene	ND		mg/kg dry	0.0808	1	03/03/09 20:47	SW846 8270C	9023978
Acenaphthylene	ND		mg/kg dry	0.0808	1	03/03/09 20:47	SW846 8270C	9023978
Anthracene	ND		mg/kg dry	0.0808	1	03/03/09 20:47	SW846 8270C	9023978
Benzo (a) anthracene	ND		mg/kg dry	0.0808	1	03/03/09 20:47	SW846 8270C	9023978
Benzo (a) pyrene	ND		mg/kg dry	0.0808	1	03/03/09 20:47	SW846 8270C	9023978
Benzo (b) fluoranthene	ND		mg/kg dry	0.0808	1	03/03/09 20:47	SW846 8270C	9023978
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0808	1	03/03/09 20:47	SW846 8270C	9023978
Benzo (k) fluoranthene	ND		mg/kg dry	0.0808	1	03/03/09 20:47	SW846 8270C	9023978
Chrysene	ND		mg/kg dry	0.0808	1	03/03/09 20:47	SW846 8270C	9023978
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0808	1	03/03/09 20:47	SW846 8270C	9023978
Fluoranthene	ND		mg/kg dry	0.0808	1	03/03/09 20:47	SW846 8270C	9023978
Fluorene	ND		mg/kg dry	0.0808	1	03/03/09 20:47	SW846 8270C	9023978
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0808	1	03/03/09 20:47	SW846 8270C	9023978
Naphthalene	ND		mg/kg dry	0.0808	1	03/03/09 20:47	SW846 8270C	9023978
Phenanthrene	ND		mg/kg dry	0.0808	1	03/03/09 20:47	SW846 8270C	9023978
Pyrene	ND		mg/kg dry	0.0808	1	03/03/09 20:47	SW846 8270C	9023978
<i>Surr: Terphenyl-d14 (26-128%)</i>	71 %					03/03/09 20:47	SW846 8270C	9023978
<i>Surr: 2-Fluorobiphenyl (19-109%)</i>	71 %					03/03/09 20:47	SW846 8270C	9023978
<i>Surr: Nitrobenzene-d5 (22-104%)</i>	82 %					03/03/09 20:47	SW846 8270C	9023978

Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSB2283  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 02/27/09 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NSB2283-03 (128 Banyan-1 - Soil) Sampled: 02/25/09 08:40</b>								
General Chemistry Parameters								
% Dry Solids	67.1		%	0.500	1	03/10/09 08:26	SW-846	9031168
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00259	1	03/02/09 20:30	SW846 8260B	9023910
Ethylbenzene	0.0646		mg/kg dry	0.00259	1	03/02/09 20:30	SW846 8260B	9023910
Naphthalene	3.37		mg/kg dry	0.348	50	03/03/09 20:04	SW846 8260B	9023916
Toluene	0.00410		mg/kg dry	0.00259	1	03/02/09 20:30	SW846 8260B	9023910
Xylenes, total	0.0214		mg/kg dry	0.00647	1	03/02/09 20:30	SW846 8260B	9023910
Surr: 1,2-Dichloroethane-d4 (41-150%)	100 %					03/02/09 20:30	SW846 8260B	9023910
Surr: 1,2-Dichloroethane-d4 (41-150%)	101 %					03/03/09 20:04	SW846 8260B	9023916
Surr: Dibromofluoromethane (55-139%)	104 %					03/02/09 20:30	SW846 8260B	9023910
Surr: Dibromofluoromethane (55-139%)	103 %					03/03/09 20:04	SW846 8260B	9023916
Surr: Toluene-d8 (57-148%)	125 %					03/02/09 20:30	SW846 8260B	9023910
Surr: Toluene-d8 (57-148%)	99 %					03/03/09 20:04	SW846 8260B	9023916
Surr: 4-Bromofluorobenzene (58-150%)	165 %	ZX				03/02/09 20:30	SW846 8260B	9023910
Surr: 4-Bromofluorobenzene (58-150%)	107 %					03/03/09 20:04	SW846 8260B	9023916
Polyaromatic Hydrocarbons by EPA 8270C								
Acenaphthene	0.226		mg/kg dry	0.0998	1	03/03/09 21:09	SW846 8270C	9023978
Acenaphthylene	ND		mg/kg dry	0.0998	1	03/03/09 21:09	SW846 8270C	9023978
Anthracene	ND		mg/kg dry	0.0998	1	03/03/09 21:09	SW846 8270C	9023978
Benzo (a) anthracene	ND		mg/kg dry	0.0998	1	03/03/09 21:09	SW846 8270C	9023978
Benzo (a) pyrene	ND		mg/kg dry	0.0998	1	03/03/09 21:09	SW846 8270C	9023978
Benzo (b) fluoranthene	ND		mg/kg dry	0.0998	1	03/03/09 21:09	SW846 8270C	9023978
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0998	1	03/03/09 21:09	SW846 8270C	9023978
Benzo (k) fluoranthene	ND		mg/kg dry	0.0998	1	03/03/09 21:09	SW846 8270C	9023978
Chrysene	ND		mg/kg dry	0.0998	1	03/03/09 21:09	SW846 8270C	9023978
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0998	1	03/03/09 21:09	SW846 8270C	9023978
Fluoranthene	ND		mg/kg dry	0.0998	1	03/03/09 21:09	SW846 8270C	9023978
Fluorene	0.359		mg/kg dry	0.0998	1	03/03/09 21:09	SW846 8270C	9023978
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0998	1	03/03/09 21:09	SW846 8270C	9023978
Naphthalene	0.642		mg/kg dry	0.0998	1	03/03/09 21:09	SW846 8270C	9023978
Phenanthrene	0.911		mg/kg dry	0.0998	1	03/03/09 21:09	SW846 8270C	9023978
Pyrene	ND		mg/kg dry	0.0998	1	03/03/09 21:09	SW846 8270C	9023978
Surr: Terphenyl-d14 (26-128%)	54 %					03/03/09 21:09	SW846 8270C	9023978
Surr: 2-Fluorobiphenyl (19-109%)	41 %					03/03/09 21:09	SW846 8270C	9023978
Surr: Nitrobenzene-d5 (22-104%)	57 %					03/03/09 21:09	SW846 8270C	9023978

Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSB2283  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 02/27/09 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NSB2283-04 (128 Banyan-2 - Soil) Sampled: 02/25/09 11:50</b>								
General Chemistry Parameters								
% Dry Solids	81.9		%	0.500	1	03/10/09 08:31	SW-846	9031167
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	0.00746		mg/kg dry	0.00176	1	03/02/09 21:00	SW846 8260B	9023910
Ethylbenzene	0.430		mg/kg dry	0.101	50	03/03/09 20:34	SW846 8260B	9023916
Naphthalene	4.30		mg/kg dry	0.253	50	03/03/09 20:34	SW846 8260B	9023916
Toluene	ND		mg/kg dry	0.00176	1	03/02/09 21:00	SW846 8260B	9023910
Xylenes, total	0.278		mg/kg dry	0.00439	1	03/02/09 21:00	SW846 8260B	9023910
Surr: 1,2-Dichloroethane-d4 (41-150%)	104 %					03/02/09 21:00	SW846 8260B	9023910
Surr: 1,2-Dichloroethane-d4 (41-150%)	100 %					03/03/09 20:34	SW846 8260B	9023916
Surr: Dibromofluoromethane (55-139%)	106 %					03/02/09 21:00	SW846 8260B	9023910
Surr: Dibromofluoromethane (55-139%)	100 %					03/03/09 20:34	SW846 8260B	9023916
Surr: Toluene-d8 (57-148%)	118 %					03/02/09 21:00	SW846 8260B	9023910
Surr: Toluene-d8 (57-148%)	98 %					03/03/09 20:34	SW846 8260B	9023916
Surr: 4-Bromofluorobenzene (58-150%)	156 %	ZX				03/02/09 21:00	SW846 8260B	9023910
Surr: 4-Bromofluorobenzene (58-150%)	100 %					03/03/09 20:34	SW846 8260B	9023916
Polyaromatic Hydrocarbons by EPA 8270C								
Acenaphthene	0.135		mg/kg dry	0.0808	1	03/03/09 21:31	SW846 8270C	9023978
Acenaphthylene	ND		mg/kg dry	0.0808	1	03/03/09 21:31	SW846 8270C	9023978
Anthracene	ND		mg/kg dry	0.0808	1	03/03/09 21:31	SW846 8270C	9023978
Benzo (a) anthracene	ND		mg/kg dry	0.0808	1	03/03/09 21:31	SW846 8270C	9023978
Benzo (a) pyrene	ND		mg/kg dry	0.0808	1	03/03/09 21:31	SW846 8270C	9023978
Benzo (b) fluoranthene	ND		mg/kg dry	0.0808	1	03/03/09 21:31	SW846 8270C	9023978
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0808	1	03/03/09 21:31	SW846 8270C	9023978
Benzo (k) fluoranthene	ND		mg/kg dry	0.0808	1	03/03/09 21:31	SW846 8270C	9023978
Chrysene	ND		mg/kg dry	0.0808	1	03/03/09 21:31	SW846 8270C	9023978
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0808	1	03/03/09 21:31	SW846 8270C	9023978
Fluoranthene	ND		mg/kg dry	0.0808	1	03/03/09 21:31	SW846 8270C	9023978
Fluorene	0.323		mg/kg dry	0.0808	1	03/03/09 21:31	SW846 8270C	9023978
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0808	1	03/03/09 21:31	SW846 8270C	9023978
Naphthalene	0.523		mg/kg dry	0.0808	1	03/03/09 21:31	SW846 8270C	9023978
Phenanthrene	0.637		mg/kg dry	0.0808	1	03/03/09 21:31	SW846 8270C	9023978
Pyrene	ND		mg/kg dry	0.0808	1	03/03/09 21:31	SW846 8270C	9023978
Surr: Terphenyl-d14 (26-128%)	72 %					03/03/09 21:31	SW846 8270C	9023978
Surr: 2-Fluorobiphenyl (19-109%)	71 %					03/03/09 21:31	SW846 8270C	9023978
Surr: Nitrobenzene-d5 (22-104%)	71 %					03/03/09 21:31	SW846 8270C	9023978

Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSB2283  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 02/27/09 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NSB2283-05 (116 Banyan - Soil) Sampled: 02/26/09 11:20</b>								
General Chemistry Parameters								
% Dry Solids	76.4		%	0.500	1	03/10/09 08:31	SW-846	9031167
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00209	1	03/02/09 21:30	SW846 8260B	9023910
Ethylbenzene	0.0271		mg/kg dry	0.00230	1	03/03/09 18:32	SW846 8260B	9023916
Naphthalene	14.8		mg/kg dry	3.06	500	03/03/09 19:33	SW846 8260B	9023916
Toluene	ND		mg/kg dry	0.00209	1	03/02/09 21:30	SW846 8260B	9023910
Xylenes, total	0.00689		mg/kg dry	0.00524	1	03/02/09 21:30	SW846 8260B	9023910
Surr: 1,2-Dichloroethane-d4 (41-150%)	104 %					03/02/09 21:30	SW846 8260B	9023910
Surr: 1,2-Dichloroethane-d4 (41-150%)	102 %					03/03/09 18:32	SW846 8260B	9023916
Surr: 1,2-Dichloroethane-d4 (41-150%)	103 %					03/03/09 19:33	SW846 8260B	9023916
Surr: Dibromofluoromethane (55-139%)	105 %					03/02/09 21:30	SW846 8260B	9023910
Surr: Dibromofluoromethane (55-139%)	108 %					03/03/09 18:32	SW846 8260B	9023916
Surr: Dibromofluoromethane (55-139%)	102 %					03/03/09 19:33	SW846 8260B	9023916
Surr: Toluene-d8 (57-148%)	131 %					03/02/09 21:30	SW846 8260B	9023910
Surr: Toluene-d8 (57-148%)	105 %					03/03/09 18:32	SW846 8260B	9023916
Surr: Toluene-d8 (57-148%)	99 %					03/03/09 19:33	SW846 8260B	9023916
Surr: 4-Bromofluorobenzene (58-150%)	83 %					03/02/09 21:30	SW846 8260B	9023910
Surr: 4-Bromofluorobenzene (58-150%)	116 %					03/03/09 18:32	SW846 8260B	9023916
Surr: 4-Bromofluorobenzene (58-150%)	106 %					03/03/09 19:33	SW846 8260B	9023916
Polyaromatic Hydrocarbons by EPA 8270C								
Acenaphthene	0.137		mg/kg dry	0.0854	1	03/03/09 21:53	SW846 8270C	9023978
Acenaphthylene	ND		mg/kg dry	0.0854	1	03/03/09 21:53	SW846 8270C	9023978
Anthracene	0.177		mg/kg dry	0.0854	1	03/03/09 21:53	SW846 8270C	9023978
Benzo (a) anthracene	0.230		mg/kg dry	0.0854	1	03/03/09 21:53	SW846 8270C	9023978
Benzo (a) pyrene	ND		mg/kg dry	0.0854	1	03/03/09 21:53	SW846 8270C	9023978
Benzo (b) fluoranthene	0.107		mg/kg dry	0.0854	1	03/03/09 21:53	SW846 8270C	9023978
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0854	1	03/03/09 21:53	SW846 8270C	9023978
Benzo (k) fluoranthene	ND		mg/kg dry	0.0854	1	03/03/09 21:53	SW846 8270C	9023978
Chrysene	0.220		mg/kg dry	0.0854	1	03/03/09 21:53	SW846 8270C	9023978
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0854	1	03/03/09 21:53	SW846 8270C	9023978
Fluoranthene	0.777		mg/kg dry	0.0854	1	03/03/09 21:53	SW846 8270C	9023978
Fluorene	0.222		mg/kg dry	0.0854	1	03/03/09 21:53	SW846 8270C	9023978
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0854	1	03/03/09 21:53	SW846 8270C	9023978
Naphthalene	0.448		mg/kg dry	0.0854	1	03/03/09 21:53	SW846 8270C	9023978
Phenanthrene	0.860		mg/kg dry	0.0854	1	03/03/09 21:53	SW846 8270C	9023978
Pyrene	0.601		mg/kg dry	0.0854	1	03/03/09 21:53	SW846 8270C	9023978
Surr: Terphenyl-d14 (26-128%)	66 %					03/03/09 21:53	SW846 8270C	9023978
Surr: 2-Fluorobiphenyl (19-109%)	57 %					03/03/09 21:53	SW846 8270C	9023978
Surr: Nitrobenzene-d5 (22-104%)	63 %					03/03/09 21:53	SW846 8270C	9023978

Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSB2283  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 02/27/09 08:00

### SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol		Date	Analyst	Extraction Method
			Extracted	Extracted Vol			
<b>Polyaromatic Hydrocarbons by EPA 8270C</b>							
SW846 8270C	9023978	NSB2283-01	30.96	1.00	03/02/09 09:55	TEM	EPA 3550B
SW846 8270C	9023978	NSB2283-02	30.34	1.00	03/02/09 09:55	TEM	EPA 3550B
SW846 8270C	9023978	NSB2283-03	30.02	1.00	03/02/09 09:55	TEM	EPA 3550B
SW846 8270C	9023978	NSB2283-04	30.39	1.00	03/02/09 09:55	TEM	EPA 3550B
SW846 8270C	9023978	NSB2283-05	30.82	1.00	03/02/09 09:55	TEM	EPA 3550B
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>							
SW846 8260B	9023910	NSB2283-01	7.23	5.00	02/23/09 12:35	JRL	EPA 5035
SW846 8260B	9023910	NSB2283-02	5.73	5.00	02/24/09 11:15	JRL	EPA 5035
SW846 8260B	9023910	NSB2283-03	5.76	5.00	02/25/09 08:40	JRL	EPA 5035
SW846 8260B	9023916	NSB2283-03RE1	5.35	5.00	02/25/09 08:40	JRL	EPA 5035
SW846 8260B	9023910	NSB2283-04	6.95	5.00	02/25/09 11:50	JRL	EPA 5035
SW846 8260B	9023916	NSB2283-04RE1	6.03	5.00	02/25/09 11:50	JRL	EPA 5035
SW846 8260B	9023910	NSB2283-05	6.25	5.00	02/26/09 11:20	JRL	EPA 5035
SW846 8260B	9023910	NSB2283-05RE1	5.34	5.00	02/26/09 11:20	JRL	EPA 5035
SW846 8260B	9023916	NSB2283-05RE2	5.69	5.00	02/26/09 11:20	JRL	EPA 5035
SW846 8260B	9023916	NSB2283-05RE3	5.34	5.00	02/26/09 11:20	JRL	EPA 5035
SW846 8260B	9023916	NSB2283-05RE4	5.34	5.00	02/26/09 11:20	JRL	EPA 5035

Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSB2283  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 02/27/09 08:00

**PROJECT QUALITY CONTROL DATA**  
**Blank**

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

**Selected Volatile Organic Compounds by EPA Method 8260B**

**9023910-BLK1**

Benzene	<0.000670		mg/kg wet	9023910	9023910-BLK1	03/02/09 15:44
Ethylbenzene	<0.000670		mg/kg wet	9023910	9023910-BLK1	03/02/09 15:44
Naphthalene	<0.00151		mg/kg wet	9023910	9023910-BLK1	03/02/09 15:44
Toluene	<0.000670		mg/kg wet	9023910	9023910-BLK1	03/02/09 15:44
Xylenes, total	<0.00172		mg/kg wet	9023910	9023910-BLK1	03/02/09 15:44
Surrogate: 1,2-Dichloroethane-d4	108%			9023910	9023910-BLK1	03/02/09 15:44
Surrogate: Dibromofluoromethane	106%			9023910	9023910-BLK1	03/02/09 15:44
Surrogate: Toluene-d8	96%			9023910	9023910-BLK1	03/02/09 15:44
Surrogate: 4-Bromofluorobenzene	95%			9023910	9023910-BLK1	03/02/09 15:44

**9023916-BLK1**

Benzene	<0.000670		mg/kg wet	9023916	9023916-BLK1	03/03/09 16:30
Ethylbenzene	<0.000670		mg/kg wet	9023916	9023916-BLK1	03/03/09 16:30
Naphthalene	<0.00151		mg/kg wet	9023916	9023916-BLK1	03/03/09 16:30
Toluene	<0.000670		mg/kg wet	9023916	9023916-BLK1	03/03/09 16:30
Xylenes, total	<0.00172		mg/kg wet	9023916	9023916-BLK1	03/03/09 16:30
Surrogate: 1,2-Dichloroethane-d4	95%			9023916	9023916-BLK1	03/03/09 16:30
Surrogate: Dibromofluoromethane	105%			9023916	9023916-BLK1	03/03/09 16:30
Surrogate: Toluene-d8	96%			9023916	9023916-BLK1	03/03/09 16:30
Surrogate: 4-Bromofluorobenzene	106%			9023916	9023916-BLK1	03/03/09 16:30

**Polyaromatic Hydrocarbons by EPA 8270C**

**9023978-BLK1**

Acenaphthene	<0.0310		mg/kg wet	9023978	9023978-BLK1	03/03/09 18:34
Acenaphthylene	<0.0320		mg/kg wet	9023978	9023978-BLK1	03/03/09 18:34
Anthracene	<0.0330		mg/kg wet	9023978	9023978-BLK1	03/03/09 18:34
Benzo (a) anthracene	<0.0380		mg/kg wet	9023978	9023978-BLK1	03/03/09 18:34
Benzo (a) pyrene	<0.0290		mg/kg wet	9023978	9023978-BLK1	03/03/09 18:34
Benzo (b) fluoranthene	<0.0320		mg/kg wet	9023978	9023978-BLK1	03/03/09 18:34
Benzo (g,h,i) perylene	<0.0290		mg/kg wet	9023978	9023978-BLK1	03/03/09 18:34
Benzo (k) fluoranthene	<0.0290		mg/kg wet	9023978	9023978-BLK1	03/03/09 18:34
Chrysene	<0.0390		mg/kg wet	9023978	9023978-BLK1	03/03/09 18:34
Dibenz (a,h) anthracene	<0.0310		mg/kg wet	9023978	9023978-BLK1	03/03/09 18:34
Fluoranthene	<0.0340		mg/kg wet	9023978	9023978-BLK1	03/03/09 18:34
Fluorene	<0.0390		mg/kg wet	9023978	9023978-BLK1	03/03/09 18:34
Indeno (1,2,3-cd) pyrene	<0.0310		mg/kg wet	9023978	9023978-BLK1	03/03/09 18:34
Naphthalene	<0.0410		mg/kg wet	9023978	9023978-BLK1	03/03/09 18:34
Phenanthrene	<0.0340		mg/kg wet	9023978	9023978-BLK1	03/03/09 18:34
Pyrene	<0.0410		mg/kg wet	9023978	9023978-BLK1	03/03/09 18:34
1-Methylnaphthalene	<0.0320		mg/kg wet	9023978	9023978-BLK1	03/03/09 18:34
2-Methylnaphthalene	<0.0330		mg/kg wet	9023978	9023978-BLK1	03/03/09 18:34



Client EEG - Env. Enterprise Group (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSB2283  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 02/27/09 08:00

**PROJECT QUALITY CONTROL DATA**  
**Blank - Cont.**

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270C</b>						
<b>9023978-BLK1</b>						
<i>Surrogate: Terphenyl-d14</i>	70%			9023978	9023978-BLK1	03/03/09 18:34
<i>Surrogate: 2-Fluorobiphenyl</i>	70%			9023978	9023978-BLK1	03/03/09 18:34
<i>Surrogate: Nitrobenzene-d5</i>	77%			9023978	9023978-BLK1	03/03/09 18:34

Client EEG - Env. Enterprise Group (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSB2283  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 02/27/09 08:00

**PROJECT QUALITY CONTROL DATA**  
**Duplicate**

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>General Chemistry Parameters</b>									
<b>9031167-DUP1</b>									
% Dry Solids	81.9	81.7		%	0.2	20	9031167	NSB2283-04	03/10/09 08:31
<b>9031168-DUP1</b>									
% Dry Solids	87.4	88.0		%	0.7	20	9031168	NSB2220-01	03/10/09 08:26

Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSB2283  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 02/27/09 08:00

**PROJECT QUALITY CONTROL DATA**  
**LCS**

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>								
<b>9023910-BS1</b>								
Benzene	50.0	59.9		ug/kg	120%	76 - 130	9023910	03/02/09 13:44
Ethylbenzene	50.0	55.4		ug/kg	111%	80 - 128	9023910	03/02/09 13:44
Naphthalene	50.0	58.8		ug/kg	118%	63 - 144	9023910	03/02/09 13:44
Toluene	50.0	54.2		ug/kg	108%	80 - 125	9023910	03/02/09 13:44
Xylenes, total	150	168		ug/kg	112%	79 - 130	9023910	03/02/09 13:44
Surrogate: 1,2-Dichloroethane-d4	50.0	53.4			107%	41 - 150	9023910	03/02/09 13:44
Surrogate: Dibromofluoromethane	50.0	54.1			108%	55 - 139	9023910	03/02/09 13:44
Surrogate: Toluene-d8	50.0	49.3			99%	57 - 148	9023910	03/02/09 13:44
Surrogate: 4-Bromofluorobenzene	50.0	49.3			99%	58 - 150	9023910	03/02/09 13:44
<b>9023916-BS1</b>								
Benzene	50.0	50.1	M2	ug/kg	100%	76 - 130	9023916	03/03/09 14:28
Ethylbenzene	50.0	47.1	M1	ug/kg	94%	80 - 128	9023916	03/03/09 14:28
Naphthalene	50.0	50.2	M2	ug/kg	100%	63 - 144	9023916	03/03/09 14:28
Toluene	50.0	43.2	M2	ug/kg	86%	80 - 125	9023916	03/03/09 14:28
Xylenes, total	150	134		ug/kg	89%	79 - 130	9023916	03/03/09 14:28
Surrogate: 1,2-Dichloroethane-d4	50.0	50.1			100%	41 - 150	9023916	03/03/09 14:28
Surrogate: Dibromofluoromethane	50.0	53.9			108%	55 - 139	9023916	03/03/09 14:28
Surrogate: Toluene-d8	50.0	48.3			97%	57 - 148	9023916	03/03/09 14:28
Surrogate: 4-Bromofluorobenzene	50.0	48.2			96%	58 - 150	9023916	03/03/09 14:28
<b>Polyaromatic Hydrocarbons by EPA 8270C</b>								
<b>9023978-BS1</b>								
Acenaphthene	1.67	1.29		mg/kg wet	77%	52 - 106	9023978	03/03/09 18:56
Acenaphthylene	1.67	1.41		mg/kg wet	84%	53 - 109	9023978	03/03/09 18:56
Anthracene	1.67	1.64		mg/kg wet	99%	54 - 124	9023978	03/03/09 18:56
Benzo (a) anthracene	1.67	1.44		mg/kg wet	86%	53 - 111	9023978	03/03/09 18:56
Benzo (a) pyrene	1.67	1.51		mg/kg wet	91%	52 - 122	9023978	03/03/09 18:56
Benzo (b) fluoranthene	1.67	1.54		mg/kg wet	92%	48 - 115	9023978	03/03/09 18:56
Benzo (g,h,i) perylene	1.67	1.39		mg/kg wet	83%	46 - 114	9023978	03/03/09 18:56
Benzo (k) fluoranthene	1.67	1.28		mg/kg wet	77%	41 - 121	9023978	03/03/09 18:56
Chrysene	1.67	1.38		mg/kg wet	83%	49 - 113	9023978	03/03/09 18:56
Dibenz (a,h) anthracene	1.67	1.39		mg/kg wet	84%	47 - 117	9023978	03/03/09 18:56
Fluoranthene	1.67	1.49		mg/kg wet	89%	52 - 113	9023978	03/03/09 18:56
Fluorene	1.67	1.35		mg/kg wet	81%	54 - 107	9023978	03/03/09 18:56
Indeno (1,2,3-cd) pyrene	1.67	1.40		mg/kg wet	84%	47 - 115	9023978	03/03/09 18:56
Naphthalene	1.67	1.19		mg/kg wet	72%	34 - 107	9023978	03/03/09 18:56
Phenanthrene	1.67	1.41		mg/kg wet	84%	53 - 108	9023978	03/03/09 18:56
Pyrene	1.67	1.46		mg/kg wet	87%	54 - 113	9023978	03/03/09 18:56
1-Methylnaphthalene	1.67	1.18		mg/kg wet	71%	36 - 100	9023978	03/03/09 18:56
2-Methylnaphthalene	1.67	1.17		mg/kg wet	70%	42 - 112	9023978	03/03/09 18:56

Client EEG - Env. Enterprise Group (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSB2283  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 02/27/09 08:00

**PROJECT QUALITY CONTROL DATA**  
**LCS - Cont.**

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270C</b>								
<b>9023978-BS1</b>								
<i>Surrogate: Terphenyl-d14</i>	1.67	1.09			66%	26 - 128	9023978	03/03/09 18:56
<i>Surrogate: 2-Fluorobiphenyl</i>	1.67	1.05			63%	19 - 109	9023978	03/03/09 18:56
<i>Surrogate: Nitrobenzene-d5</i>	1.67	1.09			65%	22 - 104	9023978	03/03/09 18:56

Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSB2283  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 02/27/09 08:00

**PROJECT QUALITY CONTROL DATA**  
**LCS Dup**

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>												
<b>9023910-BSD1</b>												
Benzene		59.4		ug/kg	50.0	119%	76 - 130	0.8	43	9023910		03/02/09 14:14
Ethylbenzene		55.2		ug/kg	50.0	110%	80 - 128	0.4	48	9023910		03/02/09 14:14
Naphthalene		58.0		ug/kg	50.0	116%	63 - 144	1	50	9023910		03/02/09 14:14
Toluene		54.1		ug/kg	50.0	108%	80 - 125	0.2	44	9023910		03/02/09 14:14
Xylenes, total		167		ug/kg	150	111%	79 - 130	0.3	48	9023910		03/02/09 14:14
Surrogate: 1,2-Dichloroethane-d4		53.1		ug/kg	50.0	106%	41 - 150			9023910		03/02/09 14:14
Surrogate: Dibromofluoromethane		54.1		ug/kg	50.0	108%	55 - 139			9023910		03/02/09 14:14
Surrogate: Toluene-d8		49.4		ug/kg	50.0	99%	57 - 148			9023910		03/02/09 14:14
Surrogate: 4-Bromofluorobenzene		48.6		ug/kg	50.0	97%	58 - 150			9023910		03/02/09 14:14
<b>9023916-BSD1</b>												
Benzene		46.6		ug/kg	50.0	93%	76 - 130	7	43	9023916		03/03/09 14:59
Ethylbenzene		44.8		ug/kg	50.0	90%	80 - 128	5	48	9023916		03/03/09 14:59
Naphthalene		48.2		ug/kg	50.0	96%	63 - 144	4	50	9023916		03/03/09 14:59
Toluene		41.6		ug/kg	50.0	83%	80 - 125	4	44	9023916		03/03/09 14:59
Xylenes, total		129		ug/kg	150	86%	79 - 130	4	48	9023916		03/03/09 14:59
Surrogate: 1,2-Dichloroethane-d4		48.2		ug/kg	50.0	96%	41 - 150			9023916		03/03/09 14:59
Surrogate: Dibromofluoromethane		53.0		ug/kg	50.0	106%	55 - 139			9023916		03/03/09 14:59
Surrogate: Toluene-d8		48.8		ug/kg	50.0	98%	57 - 148			9023916		03/03/09 14:59
Surrogate: 4-Bromofluorobenzene		48.7		ug/kg	50.0	97%	58 - 150			9023916		03/03/09 14:59
<b>Polyaromatic Hydrocarbons by EPA 8270C</b>												
<b>9023978-BSD1</b>												
Acenaphthene		1.48		mg/kg wet	1.67	89%	52 - 106	14	33	9023978		03/03/09 19:18
Acenaphthylene		1.62		mg/kg wet	1.67	97%	53 - 109	14	38	9023978		03/03/09 19:18
Anthracene		1.86		mg/kg wet	1.67	112%	54 - 124	12	32	9023978		03/03/09 19:18
Benzo (a) anthracene		1.64		mg/kg wet	1.67	98%	53 - 111	13	26	9023978		03/03/09 19:18
Benzo (a) pyrene		1.74		mg/kg wet	1.67	104%	52 - 122	14	31	9023978		03/03/09 19:18
Benzo (b) fluoranthene		1.80		mg/kg wet	1.67	108%	48 - 115	16	37	9023978		03/03/09 19:18
Benzo (g,h,i) perylene		1.57		mg/kg wet	1.67	94%	46 - 114	12	28	9023978		03/03/09 19:18
Benzo (k) fluoranthene		1.44		mg/kg wet	1.67	86%	41 - 121	11	35	9023978		03/03/09 19:18
Chrysene		1.57		mg/kg wet	1.67	94%	49 - 113	13	31	9023978		03/03/09 19:18
Dibenz (a,h) anthracene		1.57		mg/kg wet	1.67	94%	47 - 117	12	32	9023978		03/03/09 19:18
Fluoranthene		1.63		mg/kg wet	1.67	98%	52 - 113	9	36	9023978		03/03/09 19:18
Fluorene		1.57		mg/kg wet	1.67	94%	54 - 107	15	35	9023978		03/03/09 19:18
Indeno (1,2,3-cd) pyrene		1.60		mg/kg wet	1.67	96%	47 - 115	14	28	9023978		03/03/09 19:18
Naphthalene		1.33		mg/kg wet	1.67	80%	34 - 107	11	34	9023978		03/03/09 19:18
Phenanthrene		1.59		mg/kg wet	1.67	96%	53 - 108	12	33	9023978		03/03/09 19:18
Pyrene		1.71		mg/kg wet	1.67	103%	54 - 113	16	36	9023978		03/03/09 19:18
1-Methylnaphthalene		1.30		mg/kg wet	1.67	78%	36 - 100	10	34	9023978		03/03/09 19:18
2-Methylnaphthalene		1.29		mg/kg wet	1.67	77%	42 - 112	10	33	9023978		03/03/09 19:18

Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSB2283  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 02/27/09 08:00

**PROJECT QUALITY CONTROL DATA**  
**LCS Dup - Cont.**

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270C</b>											
<b>9023978-BSD1</b>											
<i>Surrogate: Terphenyl-d14</i>		1.24		mg/kg wet	1.67	74%	26 - 128		9023978		03/03/09 19:18
<i>Surrogate: 2-Fluorobiphenyl</i>		1.19		mg/kg wet	1.67	72%	19 - 109		9023978		03/03/09 19:18
<i>Surrogate: Nitrobenzene-d5</i>		1.23		mg/kg wet	1.67	74%	22 - 104		9023978		03/03/09 19:18

Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSB2283  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 02/27/09 08:00

**PROJECT QUALITY CONTROL DATA**  
**Matrix Spike**

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>										
<b>9023910-MS1</b>										
Benzene	ND	3.39		mg/kg dry	3.06	111%	33 - 146	9023910	NSB2283-05RE 1	03/02/09 22:30
Ethylbenzene	0.264	3.42		mg/kg dry	3.06	103%	16 - 160	9023910	NSB2283-05RE 1	03/02/09 22:30
Naphthalene	13.4	14.2		mg/kg dry	3.06	26%	10 - 151	9023910	NSB2283-05RE 1	03/02/09 22:30
Toluene	ND	3.03		mg/kg dry	3.06	99%	30 - 145	9023910	NSB2283-05RE 1	03/02/09 22:30
Xylenes, total	ND	9.57		mg/kg dry	9.19	104%	16 - 159	9023910	NSB2283-05RE 1	03/02/09 22:30
<i>Surrogate: 1,2-Dichloroethane-d4</i>		51.4		ug/kg	50.0	103%	41 - 150	9023910	NSB2283-05RE 1	03/02/09 22:30
<i>Surrogate: Dibromofluoromethane</i>		51.6		ug/kg	50.0	103%	55 - 139	9023910	NSB2283-05RE 1	03/02/09 22:30
<i>Surrogate: Toluene-d8</i>		49.1		ug/kg	50.0	98%	57 - 148	9023910	NSB2283-05RE 1	03/02/09 22:30
<i>Surrogate: 4-Bromofluorobenzene</i>		55.3		ug/kg	50.0	111%	58 - 150	9023910	NSB2283-05RE 1	03/02/09 22:30
<b>Polyaromatic Hydrocarbons by EPA 8270C</b>										
<b>9023978-MS1</b>										
Acenaphthene	0.135	1.64		mg/kg dry	1.99	75%	28 - 117	9023978	NSB2283-04	03/03/09 19:40
Acenaphthylene	ND	1.65		mg/kg dry	1.99	83%	33 - 113	9023978	NSB2283-04	03/03/09 19:40
Anthracene	0.0534	1.87		mg/kg dry	1.99	91%	31 - 131	9023978	NSB2283-04	03/03/09 19:40
Benzo (a) anthracene	ND	1.72		mg/kg dry	1.99	87%	29 - 124	9023978	NSB2283-04	03/03/09 19:40
Benzo (a) pyrene	ND	1.78		mg/kg dry	1.99	89%	30 - 127	9023978	NSB2283-04	03/03/09 19:40
Benzo (b) fluoranthene	ND	1.80		mg/kg dry	1.99	90%	26 - 128	9023978	NSB2283-04	03/03/09 19:40
Benzo (g,h,i) perylene	ND	1.66		mg/kg dry	1.99	83%	21 - 122	9023978	NSB2283-04	03/03/09 19:40
Benzo (k) fluoranthene	ND	1.63		mg/kg dry	1.99	82%	20 - 130	9023978	NSB2283-04	03/03/09 19:40
Chrysene	ND	1.66		mg/kg dry	1.99	83%	30 - 119	9023978	NSB2283-04	03/03/09 19:40
Dibenz (a,h) anthracene	ND	1.68		mg/kg dry	1.99	84%	27 - 122	9023978	NSB2283-04	03/03/09 19:40
Fluoranthene	ND	1.75		mg/kg dry	1.99	88%	23 - 132	9023978	NSB2283-04	03/03/09 19:40
Fluorene	0.323	1.88		mg/kg dry	1.99	78%	38 - 110	9023978	NSB2283-04	03/03/09 19:40
Indeno (1,2,3-cd) pyrene	ND	1.68		mg/kg dry	1.99	84%	24 - 122	9023978	NSB2283-04	03/03/09 19:40
Naphthalene	0.523	1.89		mg/kg dry	1.99	69%	14 - 117	9023978	NSB2283-04	03/03/09 19:40
Phenanthrene	0.637	2.26		mg/kg dry	1.99	82%	21 - 130	9023978	NSB2283-04	03/03/09 19:40
Pyrene	ND	1.86		mg/kg dry	1.99	94%	24 - 133	9023978	NSB2283-04	03/03/09 19:40
1-Methylnaphthalene	1.66	2.92		mg/kg dry	1.99	63%	10 - 121	9023978	NSB2283-04	03/03/09 19:40
2-Methylnaphthalene	2.48	3.63		mg/kg dry	1.99	58%	26 - 116	9023978	NSB2283-04	03/03/09 19:40
<i>Surrogate: Terphenyl-d14</i>		1.34		mg/kg dry	1.99	67%	26 - 128	9023978	NSB2283-04	03/03/09 19:40
<i>Surrogate: 2-Fluorobiphenyl</i>		1.20		mg/kg dry	1.99	60%	19 - 109	9023978	NSB2283-04	03/03/09 19:40
<i>Surrogate: Nitrobenzene-d5</i>		1.24		mg/kg dry	1.99	62%	22 - 104	9023978	NSB2283-04	03/03/09 19:40

Client EEG - Env. Enterprise Group (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSB2283  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 02/27/09 08:00

**PROJECT QUALITY CONTROL DATA**  
**Matrix Spike - Cont.**

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270C</b>										



Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSB2283  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 02/27/09 08:00

**PROJECT QUALITY CONTROL DATA**  
**Matrix Spike Dup**

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>												
<b>9023910-MSD1</b>												
Benzene	ND	3.56		mg/kg dry	3.06	116%	33 - 146	5	43	9023910	NSB2283-05RE 1	03/02/09 23:00
Ethylbenzene	0.264	3.50		mg/kg dry	3.06	106%	16 - 160	2	48	9023910	NSB2283-05RE 1	03/02/09 23:00
Naphthalene	13.4	14.3		mg/kg dry	3.06	30%	10 - 151	0.9	50	9023910	NSB2283-05RE 1	03/02/09 23:00
Toluene	ND	3.10		mg/kg dry	3.06	101%	30 - 145	2	44	9023910	NSB2283-05RE 1	03/02/09 23:00
Xylenes, total	ND	9.77		mg/kg dry	9.19	106%	16 - 159	2	48	9023910	NSB2283-05RE 1	03/02/09 23:00
Surrogate: 1,2-Dichloroethane-d4		50.9		ug/kg	50.0	102%	41 - 150			9023910	NSB2283-05RE 1	03/02/09 23:00
Surrogate: Dibromofluoromethane		51.7		ug/kg	50.0	103%	55 - 139			9023910	NSB2283-05RE 1	03/02/09 23:00
Surrogate: Toluene-d8		48.8		ug/kg	50.0	98%	57 - 148			9023910	NSB2283-05RE 1	03/02/09 23:00
Surrogate: 4-Bromofluorobenzene		55.5		ug/kg	50.0	111%	58 - 150			9023910	NSB2283-05RE 1	03/02/09 23:00
<b>Polyaromatic Hydrocarbons by EPA 8270C</b>												
<b>9023978-MSD1</b>												
Acenaphthene	0.135	1.94		mg/kg dry	2.00	90%	28 - 117	17	33	9023978	NSB2283-04	03/03/09 20:03
Acenaphthylene	ND	1.99		mg/kg dry	2.00	99%	33 - 113	19	38	9023978	NSB2283-04	03/03/09 20:03
Anthracene	0.0534	2.26		mg/kg dry	2.00	110%	31 - 131	19	32	9023978	NSB2283-04	03/03/09 20:03
Benzo (a) anthracene	ND	2.05		mg/kg dry	2.00	102%	29 - 124	17	26	9023978	NSB2283-04	03/03/09 20:03
Benzo (a) pyrene	ND	2.15		mg/kg dry	2.00	107%	30 - 127	19	31	9023978	NSB2283-04	03/03/09 20:03
Benzo (b) fluoranthene	ND	2.13		mg/kg dry	2.00	106%	26 - 128	17	37	9023978	NSB2283-04	03/03/09 20:03
Benzo (g,h,i) perylene	ND	1.97		mg/kg dry	2.00	98%	21 - 122	17	28	9023978	NSB2283-04	03/03/09 20:03
Benzo (k) fluoranthene	ND	1.96		mg/kg dry	2.00	98%	20 - 130	18	35	9023978	NSB2283-04	03/03/09 20:03
Chrysene	ND	1.98		mg/kg dry	2.00	99%	30 - 119	18	31	9023978	NSB2283-04	03/03/09 20:03
Dibenz (a,h) anthracene	ND	1.97		mg/kg dry	2.00	98%	27 - 122	16	32	9023978	NSB2283-04	03/03/09 20:03
Fluoranthene	ND	2.10		mg/kg dry	2.00	105%	23 - 132	18	36	9023978	NSB2283-04	03/03/09 20:03
Fluorene	0.323	2.23		mg/kg dry	2.00	95%	38 - 110	17	35	9023978	NSB2283-04	03/03/09 20:03
Indeno (1,2,3-cd) pyrene	ND	1.98		mg/kg dry	2.00	99%	24 - 122	17	28	9023978	NSB2283-04	03/03/09 20:03
Naphthalene	0.523	2.17		mg/kg dry	2.00	82%	14 - 117	14	34	9023978	NSB2283-04	03/03/09 20:03
Phenanthrene	0.637	2.71		mg/kg dry	2.00	103%	21 - 130	18	33	9023978	NSB2283-04	03/03/09 20:03
Pyrene	ND	2.21		mg/kg dry	2.00	110%	24 - 133	17	36	9023978	NSB2283-04	03/03/09 20:03
1-Methylnaphthalene	1.66	3.44		mg/kg dry	2.00	88%	10 - 121	16	34	9023978	NSB2283-04	03/03/09 20:03
2-Methylnaphthalene	2.48	4.33		mg/kg dry	2.00	93%	26 - 116	18	33	9023978	NSB2283-04	03/03/09 20:03
Surrogate: Terphenyl-d14		1.69		mg/kg dry	2.00	84%	26 - 128			9023978	NSB2283-04	03/03/09 20:03
Surrogate: 2-Fluorobiphenyl		1.52		mg/kg dry	2.00	76%	19 - 109			9023978	NSB2283-04	03/03/09 20:03
Surrogate: Nitrobenzene-d5		1.55		mg/kg dry	2.00	77%	22 - 104			9023978	NSB2283-04	03/03/09 20:03

Client EEG - Env. Enterprise Group (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSB2283  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 02/27/09 08:00

### CERTIFICATION SUMMARY

#### TestAmerica Nashville

Method	Matrix	AIHA	Nelac	South Carolina
SW846 8260B	Soil	N/A	X	X
SW846 8270C	Soil	N/A	X	X
SW-846	Soil			

Client EEG - Env. Enterprise Group (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwec

Work Order: NSB2283  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 02/27/09 08:00

### DATA QUALIFIERS AND DEFINITIONS

**M1** The MS and/or MSD were above the acceptance limits due to sample matrix interference. See Blank Spike (LCS).  
**M2** The MS and/or MSD were below the acceptance limits due to sample matrix interference. See Blank Spike (LCS).  
**ZX** Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.  
**ND** Not detected at the reporting limit (or method detection limit if shown)

### METHOD MODIFICATION NOTES

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Nashville Division  
2960 Foster Creighton  
Nashville, TN 37204

Phone: 615-726-0177  
Toll Free: 800-765-0980  
Fax: 615-726-3404

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?

Compliance Monitoring? Yes \_\_\_\_\_ No \_\_\_\_\_

Enforcement Action? Yes \_\_\_\_\_ No \_\_\_\_\_

Client Name/Account #: EEG # 2449

Address: 10179 Highway 78

City/State/Zip: Ladson, SC 29456

Project Manager: Tom McElwee email: mcelwee@eeginc.net

Telephone Number: 843.412.2097 Fax No.: 843 - 879 - 0401

Sampler Name: (Print) PRATT SHAW

Sampler Signature: [Signature]

Site State: SC

PO#: 08087

TA Quote #:

Project ID: Laurel Bay Housing Project

Project #:

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Preservative							Matrix						Analyze For:	RUSH TAT (Pre-Schedule)		
							Ice	HNO <sub>3</sub> (Red Label)	NaOH (Orange Label)	H <sub>2</sub> SO <sub>4</sub> Plastic (Yellow Label)	H <sub>2</sub> SO <sub>4</sub> Glass (Yellow Label)	None (Black Label)	Other (Specify) MeOH	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (Specify):			BTEX + Napth - 82608	PAH - 8270C
129 BANYAN - 2	2/23/09	1235	5	X																			1580203-01
133 BANYAN	2/24/09	1115	5	X																			02
128 BANYAN - 1	2/25/09	0840	5	X																			03
128 BANYAN - 2	2/25/09	1150	5	X																			04
116 BANYAN	2/26/09	1120	5	X																			05

Special Instructions:

Laboratory Comments:

Method of Shipment: <b>FEDEX</b>			
Relinquished by: <u>Pratt Shaw</u>	Date: <u>2/26/09</u>	Time: <u>1900</u>	Received by: <u>FEDEX</u>
Relinquished by:	Date:	Time:	Received by TestAmerica: <u>[Signature]</u>
			Date: <u>28109</u> Time: <u>0800</u>

Temperature Upon Receipt: 06c  
VOCs Free of Headspace? Y



# NON-HAZARDOUS MANIFEST

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

<b>NON-HAZARDOUS MANIFEST</b>		1. Generator's US EPA ID No.		Manifest Document No.		2. Page 1 of		
		3. Generator's Name and Mailing Address						A. Manifest Number <b>WMNA 10885483</b>
4. Generator's Phone						B. State Generator's ID		
5. Transporter 1 Company Name			6. US EPA ID Number			C. State Transporter's ID		
7. Transporter 2 Company Name						D. Transporter's Phone		
8. US EPA ID Number			E. State Transporter's ID			F. Transporter's Phone		
9. Designated Facility Name and Site Address						G. State Facility's ID		
10. US EPA ID Number						H. Facility's Phone		
11. Description of Waste Materials				12. Containers		13. Total Quantity	14. Unit Wt./Vol.	15. Misc. Comments
				No.		Type		
a. WM Profile #								
b. WM Profile #								
c. WM Profile #								
d. WM Profile #								
J. Additional Descriptions for Materials Listed Above						K. Disposal Location		
Landfill _____ Solidification _____						Cell _____ Level _____		
Bio Remediation _____						Grid _____		
15. Special Handling Instructions and Additional Information				EMERGENCY CONTACT:				
5457's				1) 128 BANYAN - 1		4) 132 BANYAN - 2		
Purchase Order #				2) 128 BANYAN - 2		5) 142 LAUREL BAY Blvd		
3) 124 BANYAN - 2								
16. GENERATOR'S CERTIFICATION:								
I hereby certify that the above-described materials are not hazardous wastes as defined by 40 CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged, and are in proper condition for transportation according to applicable regulations.								
Printed/Typed Name				Signature "On behalf of"		Month Day Year		
W.G. Doherty Jr.						10/25/09		
17. Transporter 1 Acknowledgement of Receipt of Materials								
Printed/Typed Name				Signature		Month Day Year		
James Baldwin						10/40/10/9		
18. Transporter 2 Acknowledgement of Receipt of Materials								
Printed/Typed Name				Signature		Month Day Year		
19. Certificate of Final Treatment/Disposal								
I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.								
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.								
Printed/Typed Name				Signature		Month Day Year		
Stamps						10/01/09		

**Appendix C**  
**Laboratory Analytical Report - Initial Groundwater**

# Volatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants	Laboratory ID: OG18009-016
Description: BEALB128TW01WG20130719	Matrix: Aqueous
Date Sampled: 07/19/2013 1215	
Date Received: 07/19/2013	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	5	07/27/2013 0432	RGB		25963

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzene	71-43-2	8260B	6.7	B	2.5	1.3	0.14	ug/L	1
Ethylbenzene	100-41-4	8260B	67		2.5	1.3	0.85	ug/L	1
Naphthalene	91-20-3	8260B	220		2.5	1.3	0.60	ug/L	1
Toluene	108-88-3	8260B	3.5		2.5	1.3	0.85	ug/L	1
Xylenes (total)	1330-20-7	8260B	160		2.5	1.3	0.85	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		101	70-120
Toluene-d8		109	85-120
Bromofluorobenzene		112	75-120
Dibromofluoromethane		106	85-115

PQL = Practical quantitation limit      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      H = Out of holding time      Q = Surrogate failure  
 ND = Not detected at or above the MDL      J = Estimated result < PQL and ≥ MDL      P = The RPD between two GC columns exceeds 40%      N = Recovery is out of criteria      L = LCS/LCSD failure  
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"      S = MS/MSD failure

# Semivolatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants	Laboratory ID: OG18009-016
Description: BEALB128TW01WG20130719	Matrix: Aqueous
Date Sampled: 07/19/2013 1215	
Date Received: 07/19/2013	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3520C	8270D	1	07/23/2013 1455	JRG	07/22/2013 1356	25554
2	3520C	8270D	1	07/24/2013 1711	JRG	07/23/2013 1012	25626

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzo(a)anthracene	56-55-3	8270D	0.63	Q	0.21	0.10	0.087	ug/L	1
Benzo(b)fluoranthene	205-99-2	8270D	0.37	Q	0.21	0.10	0.093	ug/L	1
Benzo(k)fluoranthene	207-08-9	8270D	0.12	JQ	0.21	0.10	0.098	ug/L	1
Chrysene	218-01-9	8270D	0.46	Q	0.21	0.10	0.057	ug/L	1
Dibenzo(a,h)anthracene	53-70-3	8270D	ND	Q	0.21	0.10	0.062	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits	Q	Run 2 % Recovery	Acceptance Limits
2-Fluorobiphenyl		60	50-110		71	50-110
Nitrobenzene-d5		88	40-110		89	40-110
Terphenyl-d14	N	21	50-135	N	29	50-135

PQL = Practical quantitation limit      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      H = Out of holding time      Q = Surrogate failure  
 ND = Not detected at or above the MDL      J = Estimated result < PQL and ≥ MDL      P = The RPD between two GC columns exceeds 40%      N = Recovery is out of criteria      L = LCS/LCSD failure  
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"      S = MS/MSD failure



**Appendix D**  
**Laboratory Analytical Reports – Permanent Well Groundwater**

# Volatile Organic Compounds by GC/MS

Client: <b>AECOM - Resolution Consultants</b>	Laboratory ID: <b>QL16007-010</b>
Description: <b>BEALB128MW01WG20151214</b>	Matrix: <b>Aqueous</b>
Date Sampled: <b>12/14/2015 1700</b>	
Date Received: <b>12/16/2015</b>	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	12/23/2015 2240	ECP		92976

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzene	71-43-2	8260B	0.68	J	5.0	0.45	0.21	ug/L	1
Ethylbenzene	100-41-4	8260B	6.5		5.0	0.51	0.21	ug/L	1
Naphthalene	91-20-3	8260B	29		5.0	0.96	0.14	ug/L	1
Toluene	108-88-3	8260B	0.42	J	5.0	0.48	0.24	ug/L	1
Xylenes (total)	1330-20-7	8260B	21		5.0	0.57	0.32	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Bromofluorobenzene		102	75-120
1,2-Dichloroethane-d4		106	70-120
Toluene-d8		105	85-120
Dibromofluoromethane		109	85-115

PQL = Practical quantitation limit      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      H = Out of holding time      Q = Surrogate failure  
 ND = Not detected at or above the MDL      J = Estimated result < PQL and ≥ MDL      P = The RPD between two GC columns exceeds 40%      N = Recovery is out of criteria      L = LCS/LCSD failure  
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"      S = MS/MSD failure

# Semivolatile Organic Compounds by GC/MS (SIM)

Client: **AECOM - Resolution Consultants**

Laboratory ID: **QL16007-010**

Description: **BEALB128MW01WG20151214**

Matrix: **Aqueous**

Date Sampled: **12/14/2015 1700**

Date Received: **12/16/2015**

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3520C	8270D (SIM)	1	12/22/2015 1322	RBH	12/20/2015 1910	92636

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzo(a)anthracene	56-55-3	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	0.040	U	0.20	0.040	0.024	ug/L	1
Chrysene	218-01-9	8270D (SIM)	0.040	U	0.20	0.040	0.021	ug/L	1
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	0.080	U	0.20	0.080	0.040	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
2-Methylnaphthalene-d10		79	15-139
Fluoranthene-d10		90	23-154

PQL = Practical quantitation limit      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      H = Out of holding time      Q = Surrogate failure  
 ND = Not detected at or above the MDL      J = Estimated result < PQL and ≥ MDL      P = The RPD between two GC columns exceeds 40%      N = Recovery is out of criteria      L = LCS/LCSD failure  
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"      S = MS/MSD failure

Shealy Environmental Services, Inc.  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

# Volatile Organic Compounds by GC/MS

Client: <b>AECOM - Resolution Consultants</b>	Laboratory ID: <b>QL16007-008</b>
Description: <b>BEALB128MW02WG20151214</b>	Matrix: <b>Aqueous</b>
Date Sampled: <b>12/14/2015 1525</b>	
Date Received: <b>12/16/2015</b>	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	12/23/2015 2156	ECP		92976

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzene	71-43-2	8260B	0.45	U	5.0	0.45	0.21	ug/L	1
Ethylbenzene	100-41-4	8260B	0.51	U	5.0	0.51	0.21	ug/L	1
Naphthalene	91-20-3	8260B	0.96	U	5.0	0.96	0.14	ug/L	1
Toluene	108-88-3	8260B	0.48	U	5.0	0.48	0.24	ug/L	1
Xylenes (total)	1330-20-7	8260B	0.57	U	5.0	0.57	0.32	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Bromofluorobenzene		102	75-120
1,2-Dichloroethane-d4		109	70-120
Toluene-d8		108	85-120
Dibromofluoromethane		111	85-115

PQL = Practical quantitation limit      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      H = Out of holding time      Q = Surrogate failure  
 ND = Not detected at or above the MDL      J = Estimated result < PQL and ≥ MDL      P = The RPD between two GC columns exceeds 40%      N = Recovery is out of criteria      L = LCS/LCSD failure  
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"      S = MS/MSD failure

Shealy Environmental Services, Inc.  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

# Semivolatile Organic Compounds by GC/MS (SIM)

Client: **AECOM - Resolution Consultants**

Laboratory ID: **QL16007-008**

Description: **BEALB128MW02WG20151214**

Matrix: **Aqueous**

Date Sampled: **12/14/2015 1525**

Date Received: **12/16/2015**

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3520C	8270D (SIM)	1	12/22/2015 1228	RBH	12/20/2015 1910	92636

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzo(a)anthracene	56-55-3	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	0.040	U	0.20	0.040	0.024	ug/L	1
Chrysene	218-01-9	8270D (SIM)	0.040	U	0.20	0.040	0.021	ug/L	1
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	0.080	U	0.20	0.080	0.040	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
2-Methylnaphthalene-d10		75	15-139
Fluoranthene-d10		85	23-154

PQL = Practical quantitation limit      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      H = Out of holding time      Q = Surrogate failure  
 ND = Not detected at or above the MDL      J = Estimated result < PQL and ≥ MDL      P = The RPD between two GC columns exceeds 40%      N = Recovery is out of criteria      L = LCS/LCSD failure  
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"      S = MS/MSD failure

Shealy Environmental Services, Inc.  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

# Volatile Organic Compounds by GC/MS

Client: <b>AECOM - Resolution Consultants</b>	Laboratory ID: <b>QL16007-006</b>
Description: <b>BEALB128MW03WG20151214</b>	Matrix: <b>Aqueous</b>
Date Sampled: <b>12/14/2015 1350</b>	
Date Received: <b>12/16/2015</b>	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	12/23/2015 2111	ECP		92976

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzene	71-43-2	8260B	0.45	U	5.0	0.45	0.21	ug/L	1
Ethylbenzene	100-41-4	8260B	0.51	U	5.0	0.51	0.21	ug/L	1
Naphthalene	91-20-3	8260B	0.96	U	5.0	0.96	0.14	ug/L	1
Toluene	108-88-3	8260B	0.48	U	5.0	0.48	0.24	ug/L	1
Xylenes (total)	1330-20-7	8260B	0.57	U	5.0	0.57	0.32	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Bromofluorobenzene		100	75-120
1,2-Dichloroethane-d4		109	70-120
Toluene-d8		109	85-120
Dibromofluoromethane		112	85-115

PQL = Practical quantitation limit      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      H = Out of holding time      Q = Surrogate failure  
 ND = Not detected at or above the MDL      J = Estimated result < PQL and ≥ MDL      P = The RPD between two GC columns exceeds 40%      N = Recovery is out of criteria      L = LCS/LCSD failure  
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"      S = MS/MSD failure

Shealy Environmental Services, Inc.  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

# Semivolatile Organic Compounds by GC/MS (SIM)

Client: **AECOM - Resolution Consultants**

Laboratory ID: **QL16007-006**

Description: **BEALB128MW03WG20151214**

Matrix: **Aqueous**

Date Sampled: **12/14/2015 1350**

Date Received: **12/16/2015**

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3520C	8270D (SIM)	1	12/22/2015 1133	RBH	12/20/2015 1910	92636

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzo(a)anthracene	56-55-3	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	0.040	U	0.20	0.040	0.024	ug/L	1
Chrysene	218-01-9	8270D (SIM)	0.040	U	0.20	0.040	0.021	ug/L	1
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	0.080	U	0.20	0.080	0.040	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
2-Methylnaphthalene-d10		72	15-139
Fluoranthene-d10		92	23-154

PQL = Practical quantitation limit      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      H = Out of holding time      Q = Surrogate failure  
 ND = Not detected at or above the MDL      J = Estimated result < PQL and ≥ MDL      P = The RPD between two GC columns exceeds 40%      N = Recovery is out of criteria      L = LCS/LCSD failure  
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"      S = MS/MSD failure

Shealy Environmental Services, Inc.  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

# Volatile Organic Compounds by GC/MS

Client: <b>AECOM - Resolution Consultants</b>	Laboratory ID: <b>QL16007-003</b>
Description: <b>BEALB128MW04WG20151214</b>	Matrix: <b>Aqueous</b>
Date Sampled: <b>12/14/2015 1245</b>	
Date Received: <b>12/16/2015</b>	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	12/23/2015 2026	ECP		92976

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzene	71-43-2	8260B	0.45	U	5.0	0.45	0.21	ug/L	1
Ethylbenzene	100-41-4	8260B	0.51	U	5.0	0.51	0.21	ug/L	1
Naphthalene	91-20-3	8260B	0.96	U	5.0	0.96	0.14	ug/L	1
<b>Toluene</b>	<b>108-88-3</b>	<b>8260B</b>	<b>7.4</b>		<b>5.0</b>	<b>0.48</b>	<b>0.24</b>	<b>ug/L</b>	<b>1</b>
Xylenes (total)	1330-20-7	8260B	0.57	U	5.0	0.57	0.32	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Bromofluorobenzene		97	75-120
1,2-Dichloroethane-d4		109	70-120
Toluene-d8		108	85-120
Dibromofluoromethane		112	85-115

PQL = Practical quantitation limit      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      H = Out of holding time      Q = Surrogate failure  
 ND = Not detected at or above the MDL      J = Estimated result < PQL and ≥ MDL      P = The RPD between two GC columns exceeds 40%      N = Recovery is out of criteria      L = LCS/LCSD failure  
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"      S = MS/MSD failure



# Semivolatile Organic Compounds by GC/MS (SIM)

Client: **AECOM - Resolution Consultants**

Laboratory ID: **QL16007-003**

Description: **BEALB128MW04WG20151214**

Matrix: **Aqueous**

Date Sampled: **12/14/2015 1245**

Date Received: **12/16/2015**

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3520C	8270D (SIM)	1	12/22/2015 1039	RBH	12/20/2015 1910	92636

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzo(a)anthracene	56-55-3	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	0.040	U	0.20	0.040	0.024	ug/L	1
Chrysene	218-01-9	8270D (SIM)	0.040	U	0.20	0.040	0.021	ug/L	1
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	0.080	U	0.20	0.080	0.040	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
2-Methylnaphthalene-d10		82	15-139
Fluoranthene-d10		103	23-154

PQL = Practical quantitation limit      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      H = Out of holding time      Q = Surrogate failure  
 ND = Not detected at or above the MDL      J = Estimated result < PQL and ≥ MDL      P = The RPD between two GC columns exceeds 40%      N = Recovery is out of criteria      L = LCS/LCSD failure  
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"      S = MS/MSD failure

Shealy Environmental Services, Inc.  
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

**Appendix E**  
**Historical Groundwater Analytical Results**

Appendix E-3  
Historical Groundwater Analytical Results - 2013 through 2019  
Laurel Bay Military Housing Area  
MCAS Beaufort, South Carolina

Old Laurel Bay Military Housing Area Address	New Laurel Bay Military Housing Area Address	SCDHEC RBSLs			Benzene	Ethylbenzene	Naphthalene	Toluene	Xylenes	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	
		Well ID	Sample Date	Sample Type	5	700	25	1000	10000	10	10	10	10	10	
119 Banyan Drive	57 Banyan Drive	BEALB119MW01	12/11/2015	N	< 0.45 U	5	36 J	< 0.48 U	3.3 J	0.065 J	0.034 J	< 0.040 U	0.079 J	< 0.080 U	
			12/11/2015	FD	< 0.45 U	5	37 J	< 0.48 U	3.5 J	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	0.037 J	< 0.080 UJ
			7/28/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
			6/14/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	0.050 J	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
			1/23/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB119MW02	12/11/2015	N	< 0.45 U	< 0.51 U	< 0.96 U	0.31 J	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			7/28/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			6/13/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
			1/23/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB119MW03	12/11/2015	N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			7/28/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
			6/13/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 UJ
			1/23/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB119MW04	12/14/2015	N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			7/28/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			6/13/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 UJ
1/23/2018	N		NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA		
128 Banyan Drive	156 Banyan Drive	BEALB128MW01	12/14/2015	N	0.68 J	6.5	29	0.42 J	21	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	
			7/28/2016	N	1.7	18	51	0.87 J	19	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			6/14/2017	N	1.4	19	55	0.79 J	33	0.048 J	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			1/22/2018	N	NA	NA	64	NA	NA	NA	NA	NA	NA	NA	NA
			3/19/2019	N	NA	NA	6.1	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB128MW02	12/14/2015	N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			7/28/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			6/14/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	0.043 J	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
			1/22/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB128MW03	12/14/2015	N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			7/29/2016	N	1.4	7.1	39	< 0.80 U	15	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
			6/13/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 UJ
			1/22/2018	N	NA	NA	10	NA	NA	NA	NA	NA	NA	NA	NA
			3/19/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB128MW04	12/14/2015	N	< 0.45 U	< 0.51 U	< 0.96 U	7.4	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			7/29/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
7/29/2016	FD		< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
6/13/2017	N		< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	0.043 J	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 UJ		
1/22/2018	N		NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA		
3/19/2019	N		NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA		
130 Banyan Drive	174 Banyan Drive	BEALB130MW01	3/23/2017	N	1.2	66	160	< 0.80 U	12	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	
			1/19/2018	N	0.45 J	35	96	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/19/2019	N	< 0.80 U	19	54	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			3/19/2019	FD	< 0.80 U	18	49	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
		BEALB130MW02	12/19/2018	N	< 0.80 U	10	130	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			12/19/2018	FD	< 0.80 U	10	130	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			3/19/2019	N	0.87 J	16	150	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
		BEALB130MW03	12/19/2018	N	< 0.80 U	1.5	10	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			3/19/2019	N	< 0.80 U	1.2	13	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
		BEALB130MW04	12/19/2018	N	< 0.80 U	< 0.80 U	0.42 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			3/19/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
		BEALB130MW05	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
3/19/2019	N		< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
BEALB130MW06	4/8/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		



Appendix E-3  
Historical Groundwater Analytical Results - 2013 through 2019  
Laurel Bay Military Housing Area  
MCAS Beaufort, South Carolina

Old Laurel Bay Military Housing Area Address	New Laurel Bay Military Housing Area Address	SCDHEC RBLSs			Benzene	Ethylbenzene	Naphthalene	Toluene	Xylenes	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene		
		Well ID	Sample Date	Sample Type	5	700	25	1000	10000	10	10	10	10	10		
		132 Banyan Drive	188 Banyan Drive	BEALB132MW01	12/15/2015	N	<b>7.9</b>	<b>42</b>	<b>150 J</b>	< 0.48 U	<b>39</b>	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
7/29/2016	N				<b>30</b>	<b>78</b>	<b>200</b>	< 0.80 U	<b>60</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
6/15/2017	N				<b>17</b>	<b>52</b>	<b>150</b>	< 0.80 U	<b>33</b>	<b>0.050 J</b>	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
1/19/2018	N				<b>33</b>	NA	<b>310</b>	NA	NA	NA	NA	NA	NA	NA	NA	NA
3/19/2019	N				<b>22</b>	NA	<b>160</b>	NA	NA	NA	NA	NA	NA	NA	NA	NA
3/19/2019	FD				<b>23</b>	NA	<b>180</b>	NA	NA	NA	NA	NA	NA	NA	NA	NA
BEALB132MW02	12/15/2015			N	<b>0.50 J</b>	< 0.51 U	<b>2.8 J</b>	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	
	7/29/2016			N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
	6/14/2017			N	< 0.80 U	< 0.80 U	<b>1.2</b>	< 0.80 U	< 0.80 U	<b>0.041 J</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
	1/19/2018			N	< 0.80 U	NA	<b>0.99 J</b>	NA	NA	NA	NA	NA	NA	NA	NA	NA
	3/19/2019			N	<b>0.47 J</b>	NA	<b>2.1</b>	NA	NA	NA	NA	NA	NA	NA	NA	NA
BEALB132MW03	12/15/2015			N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	
	7/29/2016			N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
	6/14/2017			N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
	1/19/2018			N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	NA
	3/19/2019			N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	NA
BEALB132MW04	12/15/2015			N	< 0.45 U	< 0.51 U	<b>0.47 J</b>	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	
	7/29/2016			N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
	6/14/2017			N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	<b>0.13 J</b>	< 0.10 U	< 0.10 U	<b>0.080 J</b>	< 0.10 U	< 0.10 U	
	1/19/2018			N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	NA
	3/19/2019	N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	NA		
135 Birch Drive	378 Birch Drive	BEALB135MW01	12/15/2015	N	< 0.45 U	<b>3.4 J</b>	<b>79</b>	< 0.48 U	<b>0.36 J</b>	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		
			8/2/2016	N	< 0.80 U	<b>2.4</b>	<b>45</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			8/2/2016	FD	< 0.80 U	<b>2.6</b>	<b>47</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			6/14/2017	N	<b>1</b>	<b>4.6</b>	<b>61</b>	< 0.80 U	<b>2.2</b>	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			1/23/2018	N	NA	NA	<b>64</b>	NA	NA	NA	NA	NA	NA	NA	NA	NA
			3/19/2019	N	NA	NA	<b>36</b>	NA	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB135MW02	12/14/2015	N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	
			8/1/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			6/13/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			1/23/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	NA
			3/18/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB135MW03	12/14/2015	N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	
			8/2/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			6/13/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	<b>0.096 J</b>	< 0.10 U	< 0.10 U	<b>0.042 J</b>	< 0.10 U	< 0.10 U	
			1/22/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	NA
			3/18/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB135MW04	12/14/2015	N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	
			8/1/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			6/13/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	<b>0.044 J</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			1/22/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	NA
3/18/2019	N		NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	NA		
148 Laurel Bay Boulevard	917 Laurel Bay Boulevard	BEALB148MW01	12/16/2015	N	< 0.45 U	<b>13</b>	<b>110 J</b>	< 0.48 U	<b>8.9</b>	<b>0.045 J</b>	< 0.040 U	< 0.040 U	<b>0.043 J</b>	< 0.080 U		
			8/2/2016	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	
			6/15/2017	N	< 0.80 U	<b>4</b>	<b>28</b>	< 0.80 U	< 0.80 U	<b>0.16 J</b>	<b>0.042 J</b>	< 0.10 UJ	<b>0.10 J</b>	< 0.10 UJ	< 0.10 U	
			1/22/2018	N	NA	NA	NA	NA	NA	<b>0.24</b>	<b>0.098 J</b>	< 0.10 U	<b>0.15 J</b>	< 0.10 U	< 0.10 U	
			3/18/2019	N	NA	NA	<b>33</b>	NA	NA	NA	NA	NA	NA	NA	NA	
		BEALB148MW02	12/16/2015	N	< 0.45 U	<b>0.60 J</b>	<b>48 J</b>	<b>0.24 J</b>	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	
			8/2/2016	N	< 0.80 U	< 0.80 U	<b>18</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			8/2/2016	FD	< 0.80 U	< 0.80 U	<b>18</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			6/15/2017	N	< 0.80 U	< 0.80 U	<b>16</b>	< 0.80 U	< 0.80 U	<b>0.047 J</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			1/19/2018	N	< 0.80 U	< 0.80 U	<b>14</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB148MW03	12/16/2015	N	< 0.45 U	<b>0.56 J</b>	<b>6.6 J</b>	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	
			8/2/2016	N	< 0.80 U	<b>0.93 J</b>	<b>16</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			6/15/2017	N	< 0.80 U	<b>0.84 J</b>	<b>5.4</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			1/19/2018	N	< 0.80 U	<b>0.43 J</b>	<b>2.7</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/18/2019	N	NA	NA	<b>1.4</b>	NA	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB148MW04	12/15/2015	N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	
			8/2/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			6/15/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			1/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/18/2019	N	NA	NA	<b>0.50 J</b>	NA	NA	NA	NA	NA	NA	NA	NA	NA



Appendix E-3  
 Historical Groundwater Analytical Results - 2013 through 2019  
 Laurel Bay Military Housing Area  
 MCAS Beaufort, South Carolina

Old Laurel Bay Military Housing Area Address	New Laurel Bay Military Housing Area Address	SCDHEC RBSLs			Benzene	Ethylbenzene	Napthalene	Toluene	Xylenes	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	
		Well ID	Sample Date	Sample Type	5	700	25	1000	10000	10	10	10	10	10	
156 Laurel Bay Boulevard	989 Laurel Bay Boulevard	BEALB156MW01	12/15/2015	N	< 0.45 U	9.2	72	< 0.48 U	25	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.40 U	
			12/15/2015	FD	< 0.45 U	11	82	< 0.48 U	31	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			8/1/2016	N	< 0.80 U	13	110	< 0.80 U	18	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			6/14/2017	N	< 0.80 U	8.6	62	< 0.80 U	6.2	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			1/23/2018	N	NA	NA	110	NA	NA	NA	NA	NA	NA	NA	NA
		3/19/2019	N	NA	NA	16	NA	NA	NA	NA	NA	NA	NA	NA	
		BEALB156MW02	12/15/2015	N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			8/1/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			6/14/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 UJ
			1/23/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			3/18/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB156MW03	12/15/2015	N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			8/1/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			6/14/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 UJ
			1/22/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			3/19/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB156MW04	12/15/2015	N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			8/1/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			6/14/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 UJ
			1/22/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			3/18/2019	N	NA	NA	0.50 J	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB156MW05	12/15/2015	N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			8/3/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			6/14/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
			1/22/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
3/18/2019	N		NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA		
228 Cypress Street	136 Cypress Street	BEALB228MW01	3/20/2018	N	< 0.80 U	18	86	1.3	52	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
			3/7/2019	N	< 0.80 U	< 0.80 U	1.5 J	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			3/7/2019	FD	< 0.80 U	< 0.80 U	2.1	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB228MW02	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/7/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB228MW03	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/7/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
		BEALB228MW04	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/7/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
		BEALB228MW05	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
3/7/2019	N		< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
3/7/2019	N		< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
254 Beech Street	37 Beech Street	BEALB254MW01	3/20/2018	N	17 J	15 J	190	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
			3/20/2018	FD	13	12	160	< 0.80 U	< 0.80 U	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ		
			3/13/2019	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP		
		BEALB254MW02	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/13/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB254MW03	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			3/11/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB254MW04	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
3/11/2019	N		< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
3/11/2019	N		< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
256 Beech Street	53 Beech Street	BEALB256MW01	3/23/2017	N	1.2	14	38	< 0.80 U	12	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
			3/23/2017	FD	1.3	15	38	< 0.80 U	13	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
			1/23/2018	N	2.3	14	50	< 0.80 U	2.2	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
			3/11/2019	N	< 0.80 U	0.73 J	1.8	< 0.80 U	< 0.80 U	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ		
			3/11/2019	FD	< 0.80 U	0.75 J	1.9	< 0.80 U	< 0.80 U	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ		
		BEALB256MW02	12/13/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/8/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB256MW03	12/13/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/8/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
		BEALB256MW04	12/13/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/7/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
BEALB256MW05	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
	3/8/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
268 Beech Street	149 Beech Street	BEALB268MW01	3/20/2018	N	< 0.80 U	6.2	19	< 0.80 U	19	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		



Appendix E-3  
 Historical Groundwater Analytical Results - 2013 through 2019  
 Laurel Bay Military Housing Area  
 MCAS Beaufort, South Carolina

Old Laurel Bay Military Housing Area Address	New Laurel Bay Military Housing Area Address	SCDHEC RBSLs			Benzene	Ethylbenzene	Naphthalene	Toluene	Xylenes	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene		
					5	700	25	1000	10000	10	10	10	10	10		
		Well ID	Sample Date	Sample Type												
273 Birch Drive	82 Birch Drive	BEALB273MW01	7/25/2016	N	2.4	5.9	75	< 0.80 U	1.5	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
			6/14/2017	N	1.9	16	170	< 0.80 U	< 0.80 U	0.056 J	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
			1/23/2018	N	2.6	11	140	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
			3/5/2019	N	NA	NA	100	NA	NA	NA	NA	NA	NA	NA	NA	
		BEALB273MW02	12/13/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/6/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	
		BEALB273MW03	12/13/2018	N	< 0.80 UJ	0.72 J	24 J	< 0.80 UJ	0.67 J	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/5/2019	N	NA	NA	15	NA	NA	NA	NA	NA	NA	NA	NA	
		BEALB273MW04	12/13/2018	N	< 0.80 UJ	< 0.80 UJ	0.78 J	< 0.80 UJ	< 0.80 UJ	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/5/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	
		BEALB273MW05	12/13/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/6/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	
282 Birch Drive	191 Birch Drive	BEALB282MW136	7/30/2013	N	0.41 J	1.2	57	< 0.25 U	< 0.25 U	< 0.11 U	< 0.11 U	< 0.11 U	< 0.11 U			
			9/11/2014	N	< 0.40 U	0.76 J	14	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		
			9/11/2014	FD	< 0.40 U	0.76 J	15	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		
			9/15/2015	N	< 0.45 U	NA	16	NA	NA	NA	NA	NA	NA	NA		
			9/15/2015	FD	< 0.45 U	NA	13	NA	NA	NA	NA	NA	NA	NA		
			7/28/2016	N	NA	NA	15	NA	NA	NA	NA	NA	NA	NA		
		BEALB282MW137	7/30/2013	N	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
			9/11/2014	N	< 0.40 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		
			9/15/2015	N	< 0.45 U	NA	< 0.96 U	NA	NA	NA	NA	NA	NA	NA		
			7/28/2016	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA		
		BEALB282MW138	7/30/2013	N	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
			9/12/2014	N	< 0.40 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		
			9/15/2015	N	< 0.45 U	NA	0.14 J	NA	NA	NA	NA	NA	NA	NA		
			7/27/2016	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA		
		BEALB282MW139	7/30/2013	N	< 0.25 U	< 0.25 U	0.41 J	< 0.25 U	< 0.25 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
			9/12/2014	N	< 0.40 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		
			9/15/2015	N	< 0.45 U	NA	< 0.96 U	NA	NA	NA	NA	NA	NA	NA		
			7/27/2016	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA		
		285 Birch Drive	174 Birch Drive	BEALB285MW01	3/23/2017	N	0.95	5.1	33	< 0.80	5.9	< 0.10	< 0.10	< 0.10	< 0.10	
					1/23/2018	N	2.1	10	60	< 0.80 U	7.2	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
					3/6/2019	N	1.6	5.2	35	< 0.80	1.4	< 0.10 UJ	< 0.10	< 0.10	< 0.10 UJ	
				BEALB285MW02	12/18/2018	N	< 0.80 U	< 0.80 U	0.41 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
					3/6/2019	N	< 0.80 U	< 0.80 U	2	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
				BEALB285MW03	12/18/2018	N	0.52 J	1.5	39	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
3/6/2019	N				0.66 J	1.6	37	< 0.80	< 0.80	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
BEALB285MW04	12/18/2018			N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
	3/6/2019			N	< 0.80	< 0.80	0.49 J	< 0.80	< 0.80	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
BEALB285MW05	12/18/2018			N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
	3/6/2019			N	< 0.80	< 0.80	0.6 J	< 0.80	< 0.80	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
BEALB285MW06	12/18/2018			N	3.1	4.9	56	< 0.80 U	12	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
	12/18/2018			FD	3.3	5.2	61	< 0.80 U	13	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
	3/6/2019			N	4.6	5.2	49	< 0.80 U	7.1	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
BEALB285MW07	3/6/2019	FD	4.2	4.7	53	< 0.80 U	7.2	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ				
	4/8/2019	N	< 0.80 U	< 0.80 U	9.1	< 0.80 UJ	0.52 J	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ				
292 Birch Drive	273 Birch Drive	BEALB292MW01	3/23/2017	N	< 0.80	3.2	10	< 0.80	< 0.80	< 0.10	< 0.10	< 0.10				

Appendix E-3  
Historical Groundwater Analytical Results - 2013 through 2019  
Laurel Bay Military Housing Area  
MCAS Beaufort, South Carolina

Old Laurel Bay Military Housing Area Address	New Laurel Bay Military Housing Area Address	SCDHEC RBSLs			Benzene	Ethylbenzene	Naphthalene	Toluene	Xylenes	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	
		Well ID	Sample Date	Sample Type	5	700	25	1000	10000	10	10	10	10	10	
		325 Ash Street	238 Ash Street	BEALB325MW01	7/25/2016	N	< 0.80 U	25	100 J	< 0.80 U	18	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
6/14/2017	N				< 0.80 U	18	86	< 0.80 U	8.8	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 UJ	
1/23/2018	N				< 0.80 U	16	92	< 0.80 U	7.1	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
3/18/2019	N				NA	NA	80	NA	NA	NA	NA	NA	NA	NA	NA
3/18/2019	FD				NA	NA	86	NA	NA	NA	NA	NA	NA	NA	NA
BEALB325MW02	12/19/2018			N	< 0.80 U	6.9	41	< 0.80 U	20	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
3/18/2019	N			NA	NA	27	NA	NA	NA	NA	NA	NA	NA	NA	NA
BEALB325MW03	12/19/2018			N	< 0.80 U	2.4	10	< 0.80 U	0.87 J	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
3/15/2019	N			NA	NA	8.8	NA	NA	NA	NA	NA	NA	NA	NA	NA
BEALB325MW04	12/19/2018			N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
3/15/2019	N			NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	NA
BEALB325MW05	12/19/2018			N	< 0.80 U	< 0.80 U	0.66 J	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
3/18/2019	N			NA	NA	0.62 J	NA	NA	NA	NA	NA	NA	NA	NA	NA
BEALB325MW06	12/19/2018			N	< 0.80 U	21	91	0.56 J	36	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
3/18/2019	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP		
BEALB325MW07	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
3/18/2019	N	NA	NA	0.43 J	NA	NA	NA	NA	NA	NA	NA	NA	NA		
BEALB325MW08	12/19/2018	N	1.7	21	140	0.51 J	39	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
3/18/2019	N	NA	NA	91	NA	NA	NA	NA	NA	NA	NA	NA	NA		
3/18/2019	FD	NA	NA	92	NA	NA	NA	NA	NA	NA	NA	NA	NA		
BEALB325MW09	4/8/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
4/8/2019	FD	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
BEALB325MW10	4/8/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
326 Ash Street	239 Ash Street	BEALB326MW01	7/25/2016	N	2.6	15	49	0.86 J	59	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			6/14/2017	N	2.2	8	37	< 0.80 U	23	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	
			1/23/2018	N	3.7	19	74	0.68 J	43	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			3/18/2019	N	NA	NA	51	NA	NA	NA	NA	NA	NA	NA	NA
			3/18/2019	FD	NA	NA	48	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB326MW02	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
		12/19/2018	FD	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		3/15/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB326MW03	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
		3/14/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB326MW04	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
		3/15/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	NA
BEALB326MW05	12/19/2018	N	< 0.80 U	< 0.80 U	0.60 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
3/15/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	NA		
330 Ash Street	309 Ash Street	BEALB330MW01	7/26/2016	N	1.3	48	120	0.86 J	100	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			6/14/2017	N	1.5	46	150	1.1	68	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			1/24/2018	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP
			3/14/2019	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP
		BEALB330MW02	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
		3/14/2019	N	< 0.80 U	< 0.80 U	1.1	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB330MW03	12/17/2018	N	< 0.80 U	< 0.80 U	1.2	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
		3/15/2019	N	< 0.80 U	< 0.80 U	0.84 J	< 0.80 U	0.76 J	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB330MW04	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
		3/15/2019	N	< 0.80 U	< 0.80 U	3.5	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
BEALB330MW05	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
12/18/2018	FD	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
3/14/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
331 Ash Street	324 Ash Street	BEALB331MW01	3/23/2017	N	< 0.80	2	41	< 0.80	3.6	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	
			1/24/2018	N	< 0.80 U	1	32	< 0.80 U	1.8	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/15/2019	N	< 0.80 U	0.82 J	22	< 0.80 U	1.1	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/15/2019	FD	< 0.80 U	0.88 J	23	< 0.80 U	1.1	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
		BEALB331MW02	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		3/14/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB331MW03	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
		3/14/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB331MW04	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
		3/14/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
BEALB331MW05	12/18/2018	N	< 0.80 U	< 0.80 U	6.2	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
3/14/2019	N	< 0.80 U	< 0.80 U	0.89 J	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			



Appendix E-3  
Historical Groundwater Analytical Results - 2013 through 2019  
Laurel Bay Military Housing Area  
MCAS Beaufort, South Carolina

Old Laurel Bay Military Housing Area Address	New Laurel Bay Military Housing Area Address	SCDHEC RBSLs			Benzene	Ethylbenzene	Naphthalene	Toluene	Xylenes	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene
					5	700	25	1000	10000	10	10	10	10	10
		Well ID	Sample Date	Sample Type										
335 Ash Street	350 Ash Street	BEALB335MW01	1/24/2018	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP
			3/14/2019	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP
		BEALB335MW02	12/17/2018	N	< 0.80 U	< 0.80 U	6	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
			12/17/2018	FD	< 0.80 U	< 0.80 U	6.7	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			3/14/2019	N	< 0.80 U	< 0.80 U	2.2	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
		BEALB335MW03	12/13/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			3/14/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
		BEALB335MW04	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			3/14/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
		BEALB335MW05	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
	3/14/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
336 Ash Street	381 Ash Street	BEALB336MW01	7/25/2016	N	5.9	12	55	< 0.80 U	2	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			7/25/2016	FD	6.6	13	63	< 0.80 U	2.3	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			6/15/2017	N	7.7	21	130	< 0.80 U	< 0.80 U	0.041 J	< 0.10 U	< 0.10 U	< 0.10 U	
			1/24/2018	N	6.6	18	79	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/14/2019	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP
		BEALB336MW02	12/19/2018	N	< 0.80 U	< 0.80 U	0.81 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			3/14/2019	N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA
			3/14/2019	FD	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA
		BEALB336MW03	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			3/14/2019	N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA
		BEALB336MW04	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
			3/14/2019	N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA
		BEALB336MW05	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			3/14/2019	N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA
BEALB336MW06	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
	3/14/2019	N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA		
342 Ash Street	445 Ash Street	BEALB342MW01	3/23/2017	N	0.68	0.72	5.1	< 0.80	< 0.80	< 0.10	< 0.10	< 0.10	< 0.10	
343 Ash Street	410 Ash Street	BEALB343MW01	7/25/2016	N	< 0.80 U	13	37	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			6/15/2017	N	< 0.80 U	3.9	7.7	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			1/24/2018	N	< 0.80 U	1.7	8.7	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/14/2019	N	NA	NA	3.5	NA	NA	NA	NA	NA	NA	
		BEALB343MW02	12/13/2018	N	< 0.80 UJ	< 0.80 UJ	0.60 J	< 0.80 UJ	< 0.80 UJ	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/14/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	
		BEALB343MW03	12/13/2018	N	< 0.80 UJ	< 0.80 UJ	1.3 J	< 0.80 UJ	< 0.80 UJ	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/13/2019	N	NA	NA	34	NA	NA	NA	NA	NA	NA	
		BEALB343MW04	12/13/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/14/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	
BEALB343MW05	12/13/2018	N	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
	3/13/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA			
353 Ash Street	502 Ash Street	BEALB353MW01	7/25/2016	N	0.97 J	15	100	< 0.80 U	1.2	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			6/15/2017	N	1.4	11	17	< 0.80 U	0.47 J	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	
			1/26/2018	N	1.2	18	1.6	< 0.80 U	0.56 J	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	
			3/14/2019	N	NA	NA	2.2	NA	NA	NA	NA	NA	NA	
		BEALB353MW02	12/19/2018	N	< 0.80 U	1.2	1.3	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			3/13/2019	N	NA	NA	1.2	NA	NA	NA	NA	NA	NA	
		BEALB353MW03	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/13/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	
		BEALB353MW04	12/19/2018	N	< 0.80 U	4.5	29	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/13/2019	N	NA	NA	13	NA	NA	NA	NA	NA	NA	
			3/13/2019	FD	NA	NA	12	NA	NA	NA	NA	NA	NA	
		BEALB353MW05	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/14/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	
		BEALB353MW06	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
	3/13/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA			
BEALB353MW07	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
	3/13/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA			
BEALB353MW08	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
	3/13/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA			
BEALB353MW09	4/8/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 UJ	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
	4/8/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			



Appendix E-3  
 Historical Groundwater Analytical Results - 2013 through 2019  
 Laurel Bay Military Housing Area  
 MCAS Beaufort, South Carolina

Old Laurel Bay Military Housing Area Address	New Laurel Bay Military Housing Area Address	SCDHEC RBSLs			Benzene	Ethylbenzene	Napthalene	Toluene	Xylenes	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	
		Well ID	Sample Date	Sample Type	5	700	25	1000	10000	10	10	10	10	10	
388 Acorn Drive	125 Acorn Drive	BEALB388MW110	7/29/2013	N	0.25 J	15	72	< 0.25 U	23	0.33	0.19 J	< 0.11 U	0.20 J	< 0.11 U	
			9/10/2014	N	2.0	14	71	< 0.20 U	18	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	
			9/14/2015	N	0.75 J	NA	49 BJ	NA	NA	NA	NA	NA	NA	NA	NA
			7/27/2016	N	NA	NA	30	NA	NA	NA	NA	NA	NA	NA	NA
			6/15/2017	N	NA	NA	34	NA	NA	NA	NA	NA	NA	NA	NA
			1/24/2018	N	NA	NA	62	NA	NA	NA	NA	NA	NA	NA	NA
			3/18/2019	N	NA	NA	35	NA	NA	NA	NA	NA	NA	NA	NA
		3/18/2019	FD	NA	NA	32	NA	NA	NA	NA	NA	NA	NA	NA	
		7/29/2013	N	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		9/10/2014	N	< 0.40 U	< 0.20 U	0.48 J	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	
		9/14/2015	N	< 0.45 U	NA	< 0.96 U	NA	NA	NA	NA	NA	NA	NA	NA	
		7/27/2016	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	
		6/15/2017	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	
		1/24/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	
		3/18/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA	
		7/29/2013	N	< 0.25 U	< 0.25 U	14	< 0.25 U	< 0.25 U	< 0.11 U	< 0.25 U	< 0.11 U	< 0.11 U	< 0.11 U	< 0.11 U	
		9/10/2014	N	< 0.40 U	< 0.20 U	26	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	
		9/14/2015	N	< 0.45 U	NA	6.8 BJ	NA	NA	NA	NA	NA	NA	NA	NA	
		7/27/2016	N	NA	NA	2.8	NA	NA	NA	NA	NA	NA	NA	NA	
		7/27/2016	FD	NA	NA	3.2	NA	NA	NA	NA	NA	NA	NA	NA	
		6/15/2017	N	NA	NA	8.5	NA	NA	NA	NA	NA	NA	NA	NA	
		1/24/2018	N	NA	NA	3.5	NA	NA	NA	NA	NA	NA	NA	NA	
		3/18/2019	N	NA	NA	2.1	NA	NA	NA	NA	NA	NA	NA	NA	
		391 Acorn Drive	138 Acorn Drive	BEALB391MW113	7/30/2013	N	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.11 U	< 0.11 U	< 0.11 U	< 0.11 U
9/10/2014	N				< 0.40 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U		
9/15/2015	N				< 0.45 U	NA	< 0.96 U	NA	NA	NA	NA	NA	NA		
7/29/2013	N			< 0.25 U	< 0.25 U	6.6	< 0.25 U	< 0.25 U	< 0.11 U	< 0.25 U	< 0.11 U	< 0.11 U	< 0.11 U		
7/29/2013	FD			< 0.25 U	< 0.25 U	6.3	< 0.25 U	< 0.25 U	< 0.11 U	< 0.11 U	< 0.11 U	< 0.11 U	< 0.11 U		
9/10/2014	N			< 0.40 U	< 0.20 U	12	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		
9/14/2015	N			< 0.45 U	NA	0.51 BJ	NA	NA	NA	NA	NA	NA	NA		
7/29/2013	N			< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.12 U	< 0.12 U	< 0.12 U	< 0.12 U	< 0.12 U		
9/10/2014	N			< 0.40 U	< 0.20 U	0.89 J	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		
9/14/2015	N			< 0.45 U	NA	0.63 BJ	NA	NA	NA	NA	NA	NA	NA		
7/29/2013	N			< 0.25 U	< 0.25 U	3.7	< 0.25 U	< 0.25 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
9/10/2014	N			< 0.40 U	< 0.20 U	0.57 J	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		
9/14/2015	N	< 0.45 U	NA	19 BJ	NA	NA	NA	NA	NA	NA	NA				
398 Acorn Drive	203 Acorn Drive	BEALB398MW104	7/30/2013	N	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
			9/10/2014	N	< 0.40 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		
			9/15/2015	N	< 0.45 U	NA	< 0.96 U	NA	NA	NA	NA	NA	NA		
		7/30/2013	N	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.11 U	< 0.11 U	< 0.11 U	< 0.11 U			
		9/10/2014	N	< 0.40 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U			
		9/15/2015	N	< 0.45 U	NA	0.18 J	NA	NA	NA	NA	NA	NA	NA		
		7/30/2013	N	0.71	0.18 J	0.93	< 0.25 U	< 0.25 U	< 0.11 U	< 0.11 U	< 0.11 U	< 0.11 U	< 0.11 U		
		9/10/2014	N	< 0.40 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		
		9/15/2015	N	< 0.45 U	NA	< 0.96 U	NA	NA	NA	NA	NA	NA	NA		
430 Elderberry Drive	323 Elderberry Drive	BEALB430MW01	7/22/2016	N	< 0.80 U	9.1	24	< 0.80 U	24	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		

**Appendix E-3**  
**Historical Groundwater Analytical Results - 2013 through 2019**  
**Laurel Bay Military Housing Area**  
**MCAS Beaufort, South Carolina**

Old Laurel Bay Military Housing Area Address	New Laurel Bay Military Housing Area Address	SCDHEC RBSLs			Benzene	Ethylbenzene	Naphthalene	Toluene	Xylenes	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	
		Well ID	Sample Date	Sample Type	5	700	25	1000	10000	10	10	10	10	10	
437 Elderberry Drive	362 Elderberry Drive	BEALB437MW133	7/31/2013	N	<b>0.93</b>	<b>25</b>	<b>110</b>	<b>0.57</b>	<b>49</b>	< 0.21 UJ	< 0.21 UJ	< 0.21 UJ	< 0.21 UJ	< 0.21 UJ	
			7/31/2013	FD	<b>0.96</b>	<b>26</b>	<b>110</b>	<b>0.61</b>	<b>50</b>	< 0.21 UJ	< 0.21 UJ	< 0.21 UJ	< 0.21 UJ	< 0.21 UJ	
			9/11/2014	N	<b>0.40 J</b>	<b>8.8</b>	<b>41</b>	< 0.20 U	<b>18</b>	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	
			9/11/2014	FD	<b>0.41 J</b>	<b>9.3</b>	<b>45</b>	< 0.20 U	<b>19</b>	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	
			9/15/2015	N	<b>1.5 J</b>	NA	<b>180 BJ</b>	NA	NA	NA	NA	NA	NA	NA	NA
			9/15/2015	FD	<b>1.3 J</b>	NA	<b>200 BJ</b>	NA	NA	NA	NA	NA	NA	NA	NA
			7/27/2016	N	NA	NA	<b>77</b>	NA	NA	NA	NA	NA	NA	NA	NA
			6/15/2017	N	NA	NA	<b>170</b>	NA	NA	NA	NA	NA	NA	NA	NA
		1/25/2018	N	NA	NA	<b>83</b>	NA	NA	NA	NA	NA	NA	NA	NA	
		3/11/2019	N	NA	NA	<b>120</b>	NA	NA	NA	NA	NA	NA	NA	NA	
		BEALB437MW134	7/31/2013	N	< 0.50 U	< 0.50 U	<b>6.9</b>	< 0.50 U	< 0.50 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U
			9/11/2014	N	< 0.40 U	< 0.20 U	<b>1.1</b>	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			9/15/2015	N	< 0.45 U	NA	<b>0.86 J</b>	NA	NA	NA	NA	NA	NA	NA	NA
			7/27/2016	N	NA	NA	<b>0.88 J</b>	NA	NA	NA	NA	NA	NA	NA	NA
			6/15/2017	N	NA	NA	<b>1.7</b>	NA	NA	NA	NA	NA	NA	NA	NA
			1/25/2018	N	NA	NA	<b>1.0</b>	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB437MW135	7/31/2013	N	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U
			9/11/2014	N	< 0.40 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			9/15/2015	N	< 0.45 U	NA	< 0.96 U	NA	NA	NA	NA	NA	NA	NA	NA
			7/27/2016	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			6/15/2017	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			1/24/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB437MW140	7/31/2013	N	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U
			9/11/2014	N	< 0.40 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			9/15/2015	N	< 0.45 U	NA	< 0.96 U	NA	NA	NA	NA	NA	NA	NA	NA
			7/27/2016	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			6/15/2017	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			1/24/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB437MW141	7/31/2013	N	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U
			9/11/2014	N	< 0.40 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			9/15/2015	N	< 0.45 U	NA	< 0.96 U	NA	NA	NA	NA	NA	NA	NA	NA
			7/27/2016	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			6/15/2017	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			1/24/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB437MW142	7/31/2013	N	< 0.50 U	< 0.50 U	<b>0.33 J</b>	< 0.50 U	<b>0.18 J</b>	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U
			9/11/2014	N	< 0.40 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			9/15/2015	N	< 0.45 U	NA	< 0.96 U	NA	NA	NA	NA	NA	NA	NA	NA
			7/27/2016	N	NA	NA	<b>2.4</b>	NA	NA	NA	NA	NA	NA	NA	NA
			6/15/2017	N	NA	NA	<b>1.1</b>	NA	NA	NA	NA	NA	NA	NA	NA
			1/24/2018	N	NA	NA	<b>0.67 J</b>	NA	NA	NA	NA	NA	NA	NA	NA
		440 Elderberry Drive	405 Elderberry Drive	BEALB440MW01	7/22/2016	N	<b>1.1</b>	<b>16</b>	<b>88</b>	< 0.80 U	<b>11</b>	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U
					7/22/2016	FD	<b>1</b>	<b>15</b>	<b>90</b>	< 0.80 U	<b>9.7</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
6/15/2017	N				<b>0.56 J</b>	<b>8.5</b>	<b>64</b>	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
1/24/2018	N				< 0.80 U	<b>3.4</b>	<b>31</b>	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
3/12/2019	N				NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	
BEALB440MW02	12/18/2018			N	< 0.80 U	< 0.80 U	<b>1.6</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
	3/12/2019			N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	
	12/18/2018			N	< 0.80 U	< 0.80 U	<b>3.2</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
	3/12/2019			N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	
	12/18/2018			N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
BEALB440MW05	12/18/2018	N	< 0.80 U	< 0.80 U	<b>0.53 J</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
	3/12/2019	N	NA	NA	<b>2.1</b>	NA	NA	NA	NA	NA	NA	NA			
441 Elderberry Drive	392 Elderberry Drive	BEALB441MW117	7/31/2013	N	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U		
			9/11/2014	N	< 0.40 U	< 0.20 U	<b>0.54 J</b>	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		
		BEALB441MW118	7/31/2013	N	< 0.50 U	< 0.50 U	<b>6.9</b>	< 0.50 U	< 0.50 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U		
			9/11/2014	N	< 0.40 U	< 0.20 U	<b>2.7</b>	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		
		BEALB441MW119	7/31/2013	N	< 0.50 U	< 0.50 U	<b>7.0</b>	< 0.50 U	< 0.50 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U		
			9/11/2014	N	< 0.40 U	< 0.20 U	<b>8.1</b>	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		



Appendix E-3  
Historical Groundwater Analytical Results - 2013 through 2019  
Laurel Bay Military Housing Area  
MCAS Beaufort, South Carolina

Old Laurel Bay Military Housing Area Address	New Laurel Bay Military Housing Area Address	SCDHEC RBSLs			Benzene	Ethylbenzene	Napthalene	Toluene	Xylenes	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	
		Well ID	Sample Date	Sample Type	5	700	25	1000	10000	10	10	10	10	10	
456 Elderberry Drive	537 Elderberry Drive	BEALB456MW01	7/22/2016	N	<b>6.1</b>	<b>44</b>	<b>200</b>	< 4.0 U	<b>28</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			6/15/2017	N	<b>5.4</b>	<b>64</b>	<b>340</b>	< 0.80 U	<b>41</b>	<b>0.21 J</b>	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	
			1/26/2018	N	<b>4.4 J</b>	<b>51</b>	<b>320</b>	< 4.0 U	<b>36</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/8/2019	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP
		BEALB456MW02	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			3/8/2019	N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB456MW03	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			3/8/2019	N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB456MW04	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
			3/11/2019	N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
BEALB456MW05	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
	3/8/2019	N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA		
458 Elderberry Drive	551 Elderberry Drive	BEALB458MW01	7/22/2016	N	<b>1.5</b>	<b>19</b>	<b>76</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			6/15/2017	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	
			1/26/2018	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	
			3/13/2019	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	
		BEALB458MW02	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			3/13/2019	N	< 0.80 U	< 0.80 U	<b>7.6</b>	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
		BEALB458MW03	12/18/2018	N	< 0.80 U	< 0.80 U	<b>0.75 J</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
3/13/2019	N		< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
BEALB458MW04	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	<b>0.040 J</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
	3/13/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
468 Dogwood Drive	65 Dogwood Drive	BEALB468MW01	7/25/2016	N	< 0.80 U	< 0.80 U	<b>1.3</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
473 Dogwood Drive	82 Dogwood Drive	BEALB473MW01	3/23/2017	N	< 0.80 U	<b>11</b>	<b>57</b>	< 0.80 U	<b>2.7</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
			1/24/2018	N	< 0.80 U	<b>5.3</b>	<b>37</b>	< 0.80 U	<b>0.60 J</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
			3/13/2019	N	< 0.80 U	<b>4.4</b>	<b>32</b>	< 0.80 U	<b>1.4</b>	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
			3/13/2019	FD	< 0.80 U	<b>4.5</b>	<b>30</b>	< 0.80 U	<b>1.4</b>	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
		BEALB473MW02	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			3/12/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
		BEALB473MW03	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/13/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
		BEALB473MW04	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
12/18/2018	FD		< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
BEALB473MW05	3/13/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
	12/18/2018	N	< 0.80 U	< 0.80 U	<b>0.51 J</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
3/12/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ				
518 Laurel Bay Boulevard	403 Laurel Bay Boulevard	BEALB518MW01	7/26/2016	N	< 0.80 U	<b>1.5</b>	<b>20</b>	< 0.80 U	<b>2.6</b>	< 0.10 U	<b>0.16 J</b>	< 0.10 U	<b>0.15 J</b>		
635 Dahlia Drive	542 Dahlia Drive	BEALB635MW01	7/22/2016	N	< 0.80 U	< 0.80 U	<b>0.81 J</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
638 Dahlia Drive	549 Dahlia Drive	BEALB638MW01	7/22/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
640 Dahlia Drive	569 Dahlia Drive	BEALB640MW01	7/22/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
		BEALB640MW02	7/22/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
647 Dahlia Drive	668 Dahlia Drive	BEALB647MW01	7/21/2016	N	< 0.80 U	<b>0.59 J</b>	<b>4.3</b>	< 0.80 U	<b>0.79 J</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
648 Dahlia Drive	633 Dahlia Drive	BEALB648MW01	7/21/2016	N	< 0.80 U	<b>1.2</b>	<b>4.8</b>	< 0.80 U	<b>1.9</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
			6/16/2017	N	< 0.80 U	<b>5.3</b>	<b>7.7</b>	< 0.80 U	<b>0.98 J</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
			1/24/2018	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP		
			3/7/2019	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP		
		BEALB648MW02	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/8/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
		BEALB648MW03	12/17/2018	N	< 0.80 U	< 0.80 U	<b>0.43 J</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/7/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
BEALB648MW04	12/13/2018	N	< 0.80 U	< 0.80 U	<b>0.86 J</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
	3/7/2019	N	< 0.80 U	< 0.80 U	<b>3.9</b>	< 0.80 U	<b>0.48 J</b>	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			

**Appendix E-3**  
**Historical Groundwater Analytical Results - 2013 through 2019**  
**Laurel Bay Military Housing Area**  
**MCAS Beaufort, South Carolina**

Old Laurel Bay Military Housing Area Address	New Laurel Bay Military Housing Area Address	SCDHEC RBSLs			Benzene	Ethylbenzene	Naphthalene	Toluene	Xylenes	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	
		Well ID	Sample Date	Sample Type	5	700	25	1000	10000	10	10	10	10	10	
650 Dahlia Drive	653 Dahlia Drive	BEALB650MW01	7/21/2016	N/A	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	
			6/16/2017	N	<b>0.56 J</b>	<b>13</b>	<b>59</b>	< 0.80 U	<b>2.3</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			1/26/2018	N	< 0.80 U	<b>4.3</b>	<b>12</b>	< 0.80 U	<b>0.46 J</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			3/7/2019	N	< 0.80 U	<b>0.62 J</b>	<b>0.84 J</b>	< 0.80 U	< 0.80 U	<b>0.11 J</b>	<b>0.067 J</b>	<b>0.053 J</b>	<b>0.072 J</b>	<b>0.050 J</b>	
			3/7/2019	FD	< 0.80 U	<b>0.74 J</b>	<b>1.1</b>	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
		BEALB650MW02	7/21/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			6/15/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			1/26/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/7/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
		BEALB650MW03	12/17/2018	N	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			3/7/2019	N	< 0.80 U	< 0.80 U	<b>0.86 J</b>	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
		BEALB650MW04	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
3/7/2019	N		< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
BEALB650MW05	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
	3/7/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
BEALB650MW06	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
	3/6/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
652 Dahlia Drive	669 Dahlia Drive	BEALB652MW01	7/21/2016	N	< 0.80 U	< 0.80 U	<b>0.61 J</b>	< 0.80 U	<b>0.49 J</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
		BEALB652MW02	7/21/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
747 Blue Bell Lane	426 Blue Bell Lane	BEALB747MW01	3/23/2017	N	< 0.80	<b>2.1</b>	<b>22</b>	< 0.80	<b>0.7</b>	< 0.10	< 0.10	< 0.10	< 0.10		
749 Blue Bell Lane	440 Blue Bell Lane	BEALB749MW01	3/23/2017	N	< 0.80	<b>3.3</b>	<b>29</b>	< 0.80	<b>7.4</b>	< 0.10	< 0.10	< 0.10	< 0.10		
			1/25/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
			3/6/2019	N	< 0.80 U	< 0.80 U	<b>0.53 J</b>	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
		BEALB749MW02	12/13/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/6/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
		BEALB749MW03	12/13/2018	N	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/6/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
		BEALB749MW04	12/13/2018	N	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/6/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
		BEALB749MW05	12/13/2018	N	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
3/5/2019	N		< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ				
760 Althea Street	101 Althea Street	BEALB760MW01	7/21/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
774 Althea Street	247 Althea Street	BEALB774MW01	3/20/2018	N/A	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>		
			3/12/2019	N/A	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>		
		BEALB774MW02	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/12/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
		BEALB774MW03	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			3/12/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
		BEALB774MW04	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			3/12/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
BEALB774MW05	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
	3/12/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ				
775 Althea Street	244 Althea Street	BEALB775MW01	3/23/2017	N	< 0.80	<b>6.2</b>	<b>23</b>	< 0.80	< 0.80	< 0.10	< 0.10	< 0.10			
1033 Foxglove Street	256 Foxglove Street	BEALB1033MW01	12/16/2015	N	< 0.45 U	< 0.51 U	<b>1.1 J</b>	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		
			12/16/2015	FD	< 0.45 U	< 0.51 U	<b>0.84 J</b>	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		
		BEALB1033MW02	12/16/2015	N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		
		BEALB1033MW03	12/16/2015	N	< 0.45 U	< 0.51 U	<b>0.30 J</b>	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		
BEALB1033MW04	12/15/2015	N	< 0.45 U	< 0.51 U	<b>0.71 J</b>	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U				
1034 Foxglove Street	261 Foxglove Street	BEALB1034MW01	3/24/2017	N	< 0.80	< 0.80	<b>1.5</b>	< 0.80	< 0.80	< 0.10	< 0.10	< 0.10			

Appendix E-3  
Historical Groundwater Analytical Results - 2013 through 2019  
Laurel Bay Military Housing Area  
MCAS Beaufort, South Carolina

Old Laurel Bay Military Housing Area Address	New Laurel Bay Military Housing Area Address	SCDHEC RBSLs			Benzene	Ethylbenzene	Naphthalene	Toluene	Xylenes	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	
		Well ID	Sample Date	Sample Type	5	700	25	1000	10000	10	10	10	10	10	
1054 Gardenia Drive	Empty Lot	BEALB1054DMW1	8/1/2013	N	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	
			9/11/2014	N	< 0.40 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	
			9/16/2015	N	< 0.45 U	NA	< 0.96 U	NA	NA	NA	NA	NA	NA	NA	NA
			7/27/2016	N	NA	NA	<b>0.99 J</b>	NA	NA	NA	NA	NA	NA	NA	NA
			6/19/2017	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			1/25/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			3/4/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB1054MW2	8/1/2013	N	< 0.50 U	< 0.50 U	<b>3.7</b>	< 0.50 U	< 0.50 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U
			8/1/2013	FD	< 0.50 U	< 0.50 U	<b>3.7</b>	< 0.50 U	< 0.50 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U
			9/11/2014	N	< 0.40 U	< 0.20 U	<b>0.45 J</b>	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			9/16/2015	N	< 0.45 U	NA	< 0.96 U	NA	NA	NA	NA	NA	NA	NA	NA
			7/27/2016	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			6/19/2017	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			1/25/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		3/4/2019	N	NA	NA	<b>0.58 J</b>	NA	NA	NA	NA	NA	NA	NA	NA	
		BEALB1054MW4	8/1/2013	N	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.20 U
			9/11/2014	N	< 0.40 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			9/16/2015	N	< 0.45 U	NA	< 0.96 U	NA	NA	NA	NA	NA	NA	NA	NA
			7/28/2016	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			6/19/2017	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			1/25/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			3/4/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB1054MW7	8/1/2013	N	< 0.50 U	< 0.50 U	<b>3.6</b>	< 0.50 U	< 0.50 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U
			9/11/2014	N	< 0.40 U	< 0.20 U	< 0.20 U	<b>1.5</b>	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			9/16/2015	N	< 0.45 U	NA	< 0.96 U	NA	NA	NA	NA	NA	NA	NA	NA
			7/27/2016	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			6/19/2017	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			1/25/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			3/4/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB1054MW127	8/1/2013	N	< 0.50 U	<b>2.5</b>	<b>25</b>	< 0.50 U	<b>0.62</b>	< 0.21 UJ	< 0.21 UJ	< 0.21 UJ	< 0.21 UJ	< 0.21 UJ	< 0.21 UJ
			9/11/2014	N	< 0.40 U	<b>2.3</b>	<b>15</b>	< 0.20 U	<b>1.1</b>	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			9/16/2015	N	< 0.45 U	NA	<b>17</b>	NA	NA	NA	NA	NA	NA	NA	NA
			7/28/2016	N	NA	NA	<b>8.3</b>	NA	NA	NA	NA	NA	NA	NA	NA
			6/19/2017	N	NA	NA	<b>7.2</b>	NA	NA	NA	NA	NA	NA	NA	NA
			1/25/2018	N	NA	NA	<b>8.7</b>	NA	NA	NA	NA	NA	NA	NA	NA
			3/4/2019	N	NA	NA	<b>5.4</b>	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB1054MW128	8/1/2013	N	< 0.50 U	<b>4.4</b>	<b>42</b>	<b>0.20 J</b>	<b>6.3</b>	< 0.21 UJ	< 0.21 UJ	< 0.21 UJ	< 0.21 UJ	< 0.21 UJ	< 0.21 UJ
			9/11/2014	N	< 0.40 U	<b>2.4</b>	<b>18</b>	< 0.20 U	<b>2.5</b>	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			9/16/2015	N	< 0.45 U	NA	<b>23 BJ</b>	NA	NA	NA	NA	NA	NA	NA	NA
			7/27/2016	N	NA	NA	<b>4.9</b>	NA	NA	NA	NA	NA	NA	NA	NA
			6/19/2017	N	NA	NA	<b>13</b>	NA	NA	NA	NA	NA	NA	NA	NA
			1/25/2018	N	NA	NA	<b>7.0</b>	NA	NA	NA	NA	NA	NA	NA	NA
			3/4/2019	N	NA	NA	<b>11</b>	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB1054MW129	8/1/2013	N	<b>0.32 J</b>	<b>18</b>	<b>73</b>	<b>2.1</b>	<b>35</b>	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U
			9/11/2014	N	<b>0.19 J</b>	<b>13</b>	<b>54</b>	<b>1.3</b>	<b>25</b>	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			9/11/2014	FD	<b>0.19 J</b>	<b>12</b>	<b>44</b>	<b>1.3</b>	<b>22</b>	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			9/16/2015	N	< 0.45 U	NA	<b>54 BJ</b>	NA	NA	NA	NA	NA	NA	NA	NA
			9/16/2015	FD	< 0.45 U	NA	<b>59</b>	NA	NA	NA	NA	NA	NA	NA	NA
7/28/2016	N		NA	NA	<b>29</b>	NA	NA	NA	NA	NA	NA	NA	NA		
6/19/2017	N		NA	NA	<b>31</b>	NA	NA	NA	NA	NA	NA	NA	NA		
1/25/2018	N		NA	NA	<b>41</b>	NA	NA	NA	NA	NA	NA	NA	NA		
3/5/2019	N		NA	NA	<b>45</b>	NA	NA	NA	NA	NA	NA	NA	NA		
3/5/2019	FD	NA	NA	<b>43</b>	NA	NA	NA	NA	NA	NA	NA	NA			

Appendix E-3  
Historical Groundwater Analytical Results - 2013 through 2019  
Laurel Bay Military Housing Area  
MCAS Beaufort, South Carolina

Old Laurel Bay Military Housing Area Address	New Laurel Bay Military Housing Area Address	SCDHEC RBSLs			Benzene	Ethylbenzene	Napthalene	Toluene	Xylenes	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	
		Well ID	Sample Date	Sample Type	5	700	25	1000	10000	10	10	10	10	10	
1055 Gardenia Drive	191 Gardenia Drive	BEALB1055MW01	12/16/2015	N	< 0.45 U	<b>3.6 J</b>	<b>39 J</b>	< 0.48 U	<b>0.32 J</b>	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	
			8/2/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			6/16/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			1/25/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB1055MW02	12/16/2015	N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			8/2/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			6/16/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			1/25/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB1055MW03	12/16/2015	N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			8/2/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			6/16/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			1/25/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB1055MW04	12/16/2015	N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			8/2/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			6/15/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			1/25/2018	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
1059 Gardenia Drive	159 Gardenia Drive	BEALB1059MW01	12/16/2015	N	<b>1.8 J</b>	<b>8.8</b>	<b>39 J</b>	<b>3.8 J</b>	<b>39</b>	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	
			8/3/2016	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP
			6/19/2017	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP
			1/29/2018	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP
			3/6/2019	N	<b>2.3</b>	<b>14</b>	<b>41</b>	<b>0.91 J</b>	<b>14</b>	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
		BEALB1059MW02	12/16/2015	N	< 0.45 U	<b>2.7 J</b>	<b>10 J</b>	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			8/3/2016	N	< 0.80 U	< 0.80 U	<b>4.4</b>	< 0.80 U	<b>0.86 J</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			6/19/2017	N	< 0.80 U	< 0.80 U	<b>3.2</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			1/29/2018	N	< 0.80 U	< 0.80 U	<b>0.50 J</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			3/6/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
		BEALB1059MW03	12/16/2015	N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			8/3/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			6/16/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			1/29/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			3/6/2019	N	< 0.80 U	< 0.80 U	<b>0.58 J</b>	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
		BEALB1059MW04	12/16/2015	N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			8/2/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			6/16/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			1/29/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			3/6/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
BEALB1059MW05	3/24/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
	1/29/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
	3/6/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
1102 Iris Lane	123 Iris Lane	BEALB1102MW01	7/26/2016	N	< 0.80 U	< 0.80 UJ	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 UJ		
1104 Iris Lane	141 Iris Lane	BEALB1104MW01	3/24/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
1124 Iris Lane	287 Iris Lane	BEALB1124MW01	3/24/2017	N	< 0.80 U	<b>11</b>	<b>49</b>	< 0.80 U	<b>1.8</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			1/26/2018	N	< 0.80 U	<b>5.1</b>	<b>24</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/5/2019	N	<b>0.46 J</b>	<b>5.9</b>	<b>12</b>	< 0.80 UJ	< 0.80 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
		BEALB1124MW02	12/18/2018	N	<b>0.43 J</b>	<b>2.4</b>	<b>42</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			12/18/2018	FD	< 0.80 U	<b>2.4</b>	<b>40</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			3/5/2019	N	<b>0.50 J</b>	<b>3.8</b>	<b>60</b>	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			3/5/2019	FD	<b>0.52 J</b>	<b>4.3</b>	<b>62</b>	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
		BEALB1124MW03	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			3/5/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
		BEALB1124MW04	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
			3/5/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
		BEALB1124MW05	12/18/2018	N	< 0.80 U	< 0.80 U	<b>1.2</b>	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
			3/5/2019	N	< 0.80 U	< 0.80 U	<b>3.3</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
BEALB1124MW06	4/8/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 UJ	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
BEALB1124MW07	4/8/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			



Appendix E-3  
Historical Groundwater Analytical Results - 2013 through 2019  
Laurel Bay Military Housing Area  
MCAS Beaufort, South Carolina

Old Laurel Bay Military Housing Area Address	New Laurel Bay Military Housing Area Address	SCDHEC RBSLs			Benzene	Ethylbenzene	Napthalene	Toluene	Xylenes	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	
		Well ID	Sample Date	Sample Type	5	700	25	1000	10000	10	10	10	10	10	
1132 Iris Lane	345 Iris Lane	BEALB1132MW01	7/26/2016	N	< 0.80 U	5.4	33	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			6/16/2017	N	< 0.80 U	1.1	2.2	< 0.80 U	0.83 J	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
			1/25/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			3/5/2019	N	NA	NA	0.76 J	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB1132MW02	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
			3/5/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB1132MW03	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
			3/5/2019	N	NA	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB1132MW04	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
3/5/2019	N		NA	NA	0.64 J	NA	NA	NA	NA	NA	NA	NA	NA		
BEALB1132MW05	12/17/2018	N	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
	3/5/2019	N	NA	NA	1.5	NA	NA	NA	NA	NA	NA	NA	NA		
1133 Iris Lane	408 Iris Lane	BEALB1133MW01	7/26/2016	N	< 0.80 U	< 0.80 U	0.45 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
1144 Iris Lane	433 Iris Lane	BEALB1144MW01	7/26/2016	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP		
			6/16/2017	N	4.4	25	180	< 0.80 U	3.3	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	
			1/29/2018	N	4	19	130 J	< 0.80 U	< 0.80 U	0.42 J	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	
			3/5/2019	N	1.4	10	59	< 0.80 U	< 0.80 U	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	
			3/5/2019	FD	1.4	10	61	< 0.80 U	< 0.80 U	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	
		BEALB1144MW02	7/26/2016	N	5	52	210	< 4.0 U	< 4.0 U	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	
			7/26/2016	FD	5	53	200	< 4.0 U	< 4.0 U	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	
			6/16/2017	N	5.4	58	230	< 0.80 U	3.1	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	
			1/26/2018	N	2.8	23	110	< 0.80 U	< 0.80 U	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	< 0.50 UJ	
		BEALB1144MW03	3/4/2019	N	1	8.1	22	0.49 J	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1144MW04	3/4/2019	N	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			12/13/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1144MW05	3/4/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1144MW06	3/5/2019	N	< 0.80 U	< 0.80 U	0.44 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			12/13/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
1148 Iris Lane	467 Iris Lane	BEALB1148MW01	7/26/2016	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP		
			6/16/2017	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP		
			1/29/2018	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP		
			3/4/2019	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP		
		BEALB1148MW02	7/26/2016	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	
			6/16/2017	N	0.61 J	15	100	< 0.80 U	4.9	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			1/29/2018	N	< 0.80 U	3.5	50 J	< 0.80 U	0.52 J	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/4/2019	N	< 0.80 U	1.1	6.7	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1148MW03	3/4/2019	FD	< 0.80 U	1.1	6.9	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			12/13/2018	N	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1148MW04	3/4/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			12/13/2018	N	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1148MW05	3/5/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			12/13/2018	N	< 0.80 UJ	0.82 J	11 J	< 0.80 UJ	< 0.80 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
		BEALB1148MW06	3/4/2019	N	< 0.80 U	0.72 J	7.7	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			12/13/2018	N	< 0.80 UJ	< 0.80 UJ	1.1 J	< 0.80 UJ	< 0.80 UJ	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		1168 Jasmine Street	40 Jasmine Street	BEALB1168MW01	12/17/2015	N	< 0.45 U	0.71 J	1.9 J	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
12/17/2015	FD				< 0.45 U	0.46 J	1.4 J	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		
BEALB1168MW02	12/17/2015			N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		
	12/17/2015			N	< 0.45 U	< 0.51 U	< 0.96 U	< 0.48 U	< 0.57 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U		
1186 Bobwhite Drive	Empty Lot	BEALB1186MW01	12/11/2017	N	< 0.80 U	< 0.80 U	0.40 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U			
			12/7/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U			
1192 Bobwhite Drive	Empty Lot	BEALB1192MW01	12/7/2017	N	< 0.80 U	< 0.80 U	1.6	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U				
1194 Bobwhite Drive	Empty Lot	BEALB1194MW01	12/7/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U				
1272 Albatross Drive	59 Albatross Drive	BEALB1272MW01	7/26/2016	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U				
1352 Cardinal Lane	Empty Lot	BEALB1352MW01	12/8/2017	N	< 0.80 U	1.4	12	< 0.80 U	0.47 J	< 0.10 U	< 0.10 U				
1356 Cardinal Lane	Empty Lot	BEALB1356MW01	12/8/2017	N	< 0.80 U	3.9	18	< 0.80 U	2.9	< 0.10 U	< 0.10 U				

Appendix E-3  
Historical Groundwater Analytical Results - 2013 through 2019  
Laurel Bay Military Housing Area  
MCAS Beaufort, South Carolina

Old Laurel Bay Military Housing Area Address	New Laurel Bay Military Housing Area Address	SCDHEC RBLSs			Benzene	Ethylbenzene	Naphthalene	Toluene	Xylenes	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	
		Well ID	Sample Date	Sample Type	5	700	25	1000	10000	10	10	10	10	10	
1359 Cardinal Lane	Empty Lot	BEALB1359MW01	12/8/2017	N	< 0.80 U	15	110	< 0.80 U	16	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/28/2019	N	< 0.80 U	8.9	70 J	< 0.80 U	4.4	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/28/2019	FD	< 0.80 U	8.8	70 J	< 0.80 U	4.3	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1359MW02	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			2/28/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
		BEALB1359MW03	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			2/28/2019	N	< 0.80 U	< 0.80 U	0.45 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
		BEALB1359MW04	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			2/28/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
		BEALB1359MW05	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
2/28/2019	N		< 0.80 U	< 0.80 U	0.57 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
1360 Cardinal Lane	Empty Lot	BEALB1360MW01	12/8/2017	N	2.6	30	100	25	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
			3/1/2019	N	1.7	18	55 J	1.9	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
		BEALB1360MW02	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			12/19/2018	FD	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1360MW03	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			3/1/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
BEALB1360MW04	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
	3/1/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
1362 Cardinal Lane	Empty Lot	BEALB1362MW01	12/8/2017	N	4.9	38	170	46	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
			12/8/2017	FD	4.7	36	160	43	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
			2/28/2019	N	3.5	19	74 J	1.5	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
			2/28/2019	FD	3.5	20	75 J	1.5	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
		BEALB1362MW02	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/28/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1362MW03	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/28/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1362MW04	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			2/28/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
BEALB1362MW05	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
	2/28/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
1370 Cardinal Lane	Empty Lot	BEALB1370MW01	12/8/2017	N	< 0.80 U	< 0.80 U	0.43 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
			2/26/2019	N	< 0.80 U	< 0.80 U	1.4	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
		BEALB1370MW02	4/17/2018	N	< 0.80 U	4.4	46	< 0.80 U	< 0.80 U	0.054 J	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			2/26/2019	N	< 0.80 U	0.84 J	4.8 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1370MW03	12/20/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/26/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1370MW04	12/19/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			12/19/2018	FD	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
BEALB1370MW05	12/20/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
	2/26/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
1382 Dove Lane	Empty Lot	BEALB1382MW01	12/8/2017	N	< 0.80 U	< 0.80 U	1.1	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
1384 Dove Lane	Empty Lot	BEALB1384MW01	12/8/2017	N	0.59 J	3.3	6.9	2.1	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
1385 Dove Lane	Empty Lot	BEALB1385MW01	12/8/2017	N	< 0.80 U	19	88	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
			2/27/2019	N	< 0.80 U	11	260	< 0.80 U	0.63 J	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
		BEALB1385MW02	12/20/2018	N	< 0.80 U	3.6	31 J	< 0.80 U	1.1 J	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/28/2019	N	< 0.80 U	7	48	< 0.80 U	1.4	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
		BEALB1385MW03	12/19/2018	N	< 0.80 U	10	60 J	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			2/28/2019	N	< 0.80 U	11	57	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1385MW04	12/19/2018	N	< 0.80 U	< 0.80 U	4.5 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			12/19/2018	FD	< 0.80 U	< 0.80 U	4.5 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1385MW05	12/20/2018	N	< 0.80 U	< 0.80 U	0.76 J	18	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/27/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1385MW06	12/20/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/27/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1385MW07	12/20/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/28/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1385MW08	12/19/2018	N	< 0.80 U	< 0.80 UJ	< 0.80 U	< 0.80 UJ	< 0.80 UJ	< 0.10 UJ	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/28/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
BEALB1385MW09	4/9/2019	N	< 0.80 U	1.7	100 J	< 0.80 UJ	< 0.80 UJ	< 0.10 UJ	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
	4/9/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 UJ	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
BEALB1385MW10		4/9/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 UJ	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			



**Appendix E-3**  
**Historical Groundwater Analytical Results - 2013 through 2019**  
**Laurel Bay Military Housing Area**  
**MCAS Beaufort, South Carolina**

Old Laurel Bay Military Housing Area Address	New Laurel Bay Military Housing Area Address	SCDHEC RBLSs			Benzene	Ethylbenzene	Naphthalene	Toluene	Xylenes	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene
		Well ID	Sample Date	Sample Type	5	700	25	1000	10000	10	10	10	10	10
1389 Dove Lane	Empty Lot	BEALB1389MW01	12/11/2017	N	< 0.80 U	16	82	< 0.80 U	23	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			2/27/2019	N	< 0.80 U	12	49	< 0.80 U	0.72 J	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
		BEALB1389MW02	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			2/27/2019	N	< 0.80 U	< 0.80 U	0.60 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
		BEALB1389MW03	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			2/27/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
		BEALB1389MW04	12/17/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			2/27/2019	N	< 0.80 U	< 0.80 U	0.54 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
		BEALB1389MW05	12/18/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			2/27/2019	N	< 0.80 U	< 0.80 U	0.77 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
1392 Dove Lane	Empty Lot	BEALB1392MW01	12/8/2017	N	< 0.80 U	11	60	0.47 J	42	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			12/8/2017	FD	< 0.80 U	11	61	0.41 J	41	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/27/2019	N	< 0.80 U	2	7.7	< 0.80 U	0.51 J	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1392MW02	12/15/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			2/27/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1392MW03	12/14/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/26/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1392MW04	12/14/2018	N	< 0.80 U	< 0.80 U	0.58 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/27/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1392MW05	12/14/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
	12/14/2018	FD	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
	2/26/2019	N	< 0.80 U	< 0.80 U	1.6	< 0.80 UJ	< 0.80 U	< 0.10 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
1393 Dove Lane	Empty Lot	BEALB1393MW01	12/11/2017	N	< 0.80 U	10	40	< 0.80 U	4.1	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/26/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1393MW02	12/20/2018	N	< 0.80 U	2.6	25 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/26/2019	N	< 0.80 U	0.85 J	11	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
		BEALB1393MW03	12/20/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/26/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1393MW04	12/20/2018	N	1.4	46	170 J	1.9	100 J	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/26/2019	N	0.80 J	31	140	0.87 J	52	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/26/2019	FD	0.85 J	34	150	0.99 J	61	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
		BEALB1393MW05	12/20/2018	N	< 0.80 U	< 0.80 U	0.41 J	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			2/26/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
		BEALB1393MW06	12/20/2018	N	< 0.80 U	< 0.80 U	9.0 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/26/2019	N	1.4	27	98	0.60 J	33	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1393MW07	12/20/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
	2/26/2019	N	< 0.80 U	< 0.80 U	1.8	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
BEALB1393MW08	12/20/2018	N	< 0.80 U	4.2	11 J	< 0.80 U	8.7 J	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
	12/20/2018	FD	< 0.80 U	4.2	11 J	< 0.80 U	9.1 J	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
	2/26/2019	N	< 0.80 U	12	41	< 0.80 U	13	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
BEALB1393MW09	4/9/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
BEALB1393MW10	4/9/2019	N	< 0.80 U	3.5	57 J	< 0.80 U	0.64 J	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
1407 Eagle Lane	Empty Lot	BEALB1407MW01	12/11/2017	N	< 0.80 U	4.3	31	44	3.5	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			12/11/2017	FD	< 0.80 U	4.4	32	46	3.4	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			2/27/2019	N	< 0.80 U	< 0.80 U	3	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1407MW02	12/15/2018	N	< 0.80 U	< 0.80 U	4.6	< 0.80 U	< 0.80 U	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	
			12/15/2018	FD	< 0.80 U	< 0.80 U	5.4	< 0.80 U	< 0.80 U	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	< 1.0 UJ	
			2/28/2019	N	< 0.80 U	< 0.80 U	14	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1407MW03	12/15/2018	N	< 0.80 U	< 0.80 U	11 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/28/2019	N	< 0.80 U	1.1	18	< 0.80 U	0.43 J	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1407MW04	12/15/2018	N	< 0.80 U	< 0.80 U	0.50 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/27/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1407MW05	12/15/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
			2/27/2019	N	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1407MW06	12/15/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/28/2019	N	< 0.80 U	< 0.80 U	0.72 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1407MW07	12/15/2018	N	< 0.80 U	0.73 J	16	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/28/2019	N	< 0.80 U	0.87 J	17 J	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
BEALB1407MW08	12/15/2018	N	< 0.80 U	0.89 J	16	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
	2/28/2019	N	< 0.80 U	0.88 J	29	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
BEALB1407MW09	12/15/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
	2/28/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ			
1411 Eagle Lane	Empty Lot	BEALB1411MW01	12/11/2017	N	< 0.80 U	2.5	15	0.72 J	9.6	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
1418 Albatross Drive	Empty Lot	BEALB1418MW01	12/7/2017	N	< 0.80 U	1.6	11	< 0.80 U	1.1	0.19 J	< 0.10 UJ	< 0.10 UJ	0.11 J	

Appendix E-3  
 Historical Groundwater Analytical Results - 2013 through 2019  
 Laurel Bay Military Housing Area  
 MCAS Beaufort, South Carolina

Old Laurel Bay Military Housing Area Address	New Laurel Bay Military Housing Area Address	SCDHEC RBSLs			Benzene	Ethylbenzene	Napthalene	Toluene	Xylenes	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	
		Well ID	Sample Date	Sample Type	5	700	25	1000	10000	10	10	10	10	10	
1420 Albatross Drive	Empty Lot	BEALB1420MW01	12/7/2017	N	< 0.80 U	<b>7.5</b>	<b>33</b>	< 0.80 U	<b>9.6</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/27/2019	N/A	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>	<b>NS - FP</b>
		BEALB1420MW02	12/14/2018	N	< 0.80 U	< 0.80 U	<b>0.58 J</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			2/27/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
		BEALB1420MW03	12/14/2018	N	< 0.80 U	<b>3.4</b>	<b>12</b>	< 0.80 U	<b>5.3</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			2/27/2019	N	<b>0.44 J</b>	<b>5.2</b>	<b>17</b>	< 0.80 U	<b>2.8</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
1426 Albatross Drive	Empty Lot	BEALB1426MW01	12/7/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1429MW01	12/7/2017	N	< 0.80 U	<b>9.7</b>	<b>60</b>	< 0.80 U	<b>13</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
1429 Albatross Drive	Empty Lot	BEALB1429MW02	12/14/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/26/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1429MW03	12/14/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/26/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1429MW04	12/14/2018	N	< 0.80 U	< 0.80 U	<b>0.58 J</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			12/14/2018	FD	< 0.80 U	< 0.80 U	<b>0.56 J</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			3/6/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	
1431 Dove Lane	480 Dove Lane	BEALB1431MW01	3/24/2017	N	< 0.80 U	<b>0.86</b>	<b>69</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			1/29/2018	N	< 0.80 U	< 0.80 U	<b>29 J</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/25/2019	N	< 0.80 U	<b>0.72 J</b>	<b>81</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1431MW02	12/14/2018	N	< 0.80 U	< 0.80 U	<b>2.2</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/25/2019	N	< 0.80 U	< 0.80 U	<b>2.5</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
1434 Dove Lane	Empty Lot	BEALB1431MW03	12/13/2018	N	< 0.80 U	< 0.80 U	<b>3.9</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/25/2019	N	< 0.80 U	< 0.80 U	<b>1</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
		BEALB1431MW04	12/13/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
	12/13/2018	FD	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
	2/25/2019	N	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.80 UJ	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
1435 Dove Lane	500 Dove Lane	BEALB1431MW05	12/13/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/25/2019	N	< 0.80 U	< 0.80 U	<b>0.83 J</b>	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		
		BEALB1434MW01	12/7/2017	N	< 0.80 U	<b>0.50 J</b>	<b>6.5</b>	< 0.80 U	< 0.80 U	<b>0.18 J</b>	< 0.10 UJ	< 0.10 UJ	<b>0.092 J</b>	< 0.10 UJ	
		BEALB1435MW01	3/23/2017	N	<b>7.4</b>	<b>65</b>	<b>240</b>	<b>13</b>	<b>300</b>	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	
			1/29/2018	N	<b>5.2</b>	<b>42</b>	<b>180 J</b>	<b>2.9</b>	<b>77</b>	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	
			1/29/2018	FD	<b>4.8</b>	<b>40</b>	<b>150 J</b>	<b>2.5</b>	<b>64</b>	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	
			2/25/2019	N	<b>4.2</b>	<b>35</b>	<b>97</b>	<b>1.1</b>	<b>35</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/25/2019	FD	<b>4.4</b>	<b>37</b>	<b>91</b>	<b>1.1</b>	<b>35</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1435MW02	12/13/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			2/25/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1435MW03	12/13/2018	N	< 0.80 U	< 0.80 U	<b>0.65 J</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
			2/25/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	
		BEALB1435MW04	12/13/2018	N	<b>3.1</b>	<b>17</b>	<b>73</b>	<b>2.2</b>	<b>74</b>	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	
12/13/2018	FD		<b>3.1</b>	<b>17</b>	<b>74</b>	<b>2.1</b>	<b>72</b>	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U			
	2/25/2019	N	<b>2.8</b>	<b>16</b>	<b>73</b>	<b>2</b>	<b>77</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
BEALB1435MW05	12/13/2018	N	< 0.80 U	< 0.80 U	<b>1</b>	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
	2/25/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
BEALB1435MW06	4/9/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 UJ	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
	4/9/2019	FD	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 UJ	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
BEALB1435MW07	4/9/2019	N	< 0.80 U	< 0.80 U	<b>1.9 J</b>	< 0.80 UJ	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U			
1436 Dove Lane	Empty Lot	BEALB1436MW01	12/7/2017	N	< 0.80 U	<b>0.49 J</b>	<b>9</b>	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
1440 Dove Lane	Empty Lot	BEALB1440MW01	12/7/2017	N	< 0.80 U	<b>1.6</b>	<b>3.4</b>	< 0.80 U	<b>3</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
1442 Dove Lane	Empty Lot	BEALB1442MW01	12/7/2017	N	< 0.80 U	<b>0.79 J</b>	<b>6.2</b>	<b>57</b>	<b>0.70 J</b>	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U		
1444 Dove Lane	Empty Lot	BEALB1444MW01	12/7/2017	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ		

**Appendix E-3**  
**Historical Groundwater Analytical Results - 2013 through 2019**  
**Laurel Bay Military Housing Area**  
**MCAS Beaufort, South Carolina**

Old Laurel Bay Military Housing Area Address	New Laurel Bay Military Housing Area Address	SCDHEC RBSLs			Benzene	Ethylbenzene	Napthalene	Toluene	Xylenes	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	
		Well ID	Sample Date	Sample Type	5	700	25	1000	10000	10	10	10	10	10	
1452 Cardinal Lane	567 Cardinal Lane	BEALB1452MW01	3/23/2017	N	< 0.80	< 0.80	< 0.80	< 0.80	< 0.80	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	
			2/26/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
		BEALB1452MW02	3/20/2018	N	< 0.80 U	<b>3.9</b>	<b>45</b>	< 0.80 U	< 0.80 U	<b>17</b>	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ	< 0.10 UJ
			2/26/2019	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP
		BEALB1452MW03	12/14/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			2/26/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
		BEALB1452MW04	12/14/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			2/26/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
		BEALB1452MW05	12/14/2018	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			2/26/2019	N	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.80 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
1472 Cardinal Lane	743 Cardinal Lane	BEALB1472MW130	8/2/2013	N	<b>3.3</b>	<b>13</b>	<b>37</b>	<b>0.33 J</b>	<b>19</b>	< 0.11 UJ	< 0.11 UJ	< 0.11 UJ	< 0.11 UJ	< 0.11 UJ	
			8/2/2013	FD	<b>3.2</b>	<b>13</b>	<b>37</b>	<b>0.32 J</b>	<b>18</b>	< 0.11 U	< 0.11 U	< 0.11 U	< 0.11 U	< 0.11 U	
			9/12/2014	N	<b>5.6</b>	<b>17</b>	<b>36</b>	<b>0.40 J</b>	<b>14 J</b>	< 0.40 U	< 0.40 U	< 0.40 U	< 0.40 U	< 0.80 U	
			9/12/2014	FD	<b>5.8</b>	<b>19</b>	<b>40</b>	<b>0.42 J</b>	<b>18</b>	< 0.40 U	< 0.40 U	< 0.40 U	< 0.40 U	< 0.80 U	
		BEALB1472MW130R	3/24/2017	N	<b>2.9</b>	<b>41</b>	<b>110</b>	<b>1.1</b>	<b>110</b>	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	
			3/24/2017	FD	<b>2.6</b>	<b>39</b>	<b>110</b>	<b>1</b>	<b>100</b>	< 0.10	< 0.10	< 0.10	< 0.10	< 0.10	
			6/19/2017	N	<b>2.6</b>	NA	<b>74</b>	NA	NA	NA	NA	NA	NA	NA	
			1/30/2018	N	<b>2.3</b>	NA	<b>62 J</b>	NA	NA	NA	NA	NA	NA	NA	
			1/30/2018	FD	<b>2.4</b>	NA	<b>56 J</b>	NA	NA	NA	NA	NA	NA	NA	
			2/26/2019	N/A	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	NS - FP	
		BEALB1472MW131	8/2/2013	N	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.11 U	< 0.11 U	< 0.11 U	< 0.11 U	< 0.11 U
			9/12/2014	N	< 0.40 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.40 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			6/19/2017	N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			1/30/2018	N	< 0.80 U	NA	<b>0.98 J</b>	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB1472MW132	2/26/2019	N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			8/2/2013	N	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.25 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U	< 0.10 U
			9/12/2014	N	< 0.40 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.40 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U
			6/16/2017	N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			1/30/2018	N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
		BEALB1472MW143	2/26/2019	N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			8/2/2013	N	< 0.25 U	< 0.25 U	<b>3.8</b>	< 0.25 U	< 0.25 U	< 0.11 U	< 0.11 U	< 0.11 U	< 0.11 U	< 0.11 U	
			9/12/2014	N	< 0.40 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	
			6/16/2017	N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	
		BEALB1472MW144	1/29/2018	N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			2/26/2019	N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			8/2/2013	N	< 0.25 U	< 0.25 U	<b>4.1</b>	< 0.25 U	< 0.25 U	< 0.11 UJ	< 0.11 UJ	< 0.11 UJ	< 0.11 UJ	< 0.11 UJ	
			9/12/2014	N	< 0.40 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	
		BEALB1472MW145	6/16/2017	N	< 0.80 UJ	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			1/26/2018	N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			2/26/2019	N	< 0.80 U	NA	< 0.80 U	NA	NA	NA	NA	NA	NA	NA	NA
			8/1/2013	N	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	< 0.50 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	< 0.21 U	
			9/12/2014	N	< 0.40 U	< 0.20 U	< 0.20 U	< 0.20 U	< 0.40 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.040 U	< 0.080 U	

**Notes:**  
All units are in micrograms per liter (µg/L)  
Bold font indicates the analyte was detected.  
Bold font and shading indicates the concentration exceeds the SC RBSL.  
\* - The VOC analyses were inadvertently cancelled for sample BEAL148MW01 in January 2018; however, there was a duplicate sample collected at this location (BEALB148MW01-a). The results of the duplicate sample are valid, and therefore the duplicate sample result will be utilized as the primary sample result.  
FP - free product  
J - Estimated Value  
N/A - not applicable  
NA - not analyzed  
NS - not sampled  
Sample Type N = normal sample, FD = duplicate sample  
U or < = Non-detect at laboratory detection limit

**Appendix F**  
**Laboratory Analytical Reports - Vapor**

# ALS ENVIRONMENTAL

## RESULTS OF ANALYSIS

Page 1 of 1

**Client:** AECOM

**Client Sample ID:** BEALB128SG03GS20170509

**Client Project ID:** WE56 -156 Banyan Drive / 60342031.FL.WI

ALS Project ID: P1702380

ALS Sample ID: P1702380-001

Test Code: EPA TO-15

Date Collected: 5/9/17

Instrument ID: Tekmar AUTOCAN/Agilent 5975Binert/6890N/MS13

Date Received: 5/18/17

Analyst: Cory Lewis

Date Analyzed: 5/23/17

Sampling Media: 1.0 L Summa Canister

Volume(s) Analyzed: 0.40 Liter(s)

Test Notes:

Container ID: 1SC00232

Initial Pressure (psig): -1.41

Final Pressure (psig): 6.00

Canister Dilution Factor: 1.56

CAS #	Compound	Result µg/m <sup>3</sup>	LOQ µg/m <sup>3</sup>	LOD µg/m <sup>3</sup>	MDL µg/m <sup>3</sup>	Data Qualifier
71-43-2	Benzene	1.6	2.0	1.6	0.62	U
108-88-3	Toluene	1.6	2.0	1.6	0.66	U
100-41-4	Ethylbenzene	1.6	2.0	1.6	0.62	U
179601-23-1	m,p-Xylenes	3.3	3.9	3.3	1.2	U
95-47-6	o-Xylene	1.6	2.0	1.6	0.59	U
91-20-3	Naphthalene	<b>1.4</b>	2.0	1.7	0.70	<b>J</b>

U = Undetected at the limit of detection: The associated data value is the limit of detection, adjusted by any dilution factor used in the analysis.

LOQ = Limit of Quantitation - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

J = The result is an estimated concentration that is less than the LOQ but greater than or equal to the MDL.

# ALS ENVIRONMENTAL

## RESULTS OF ANALYSIS

Page 1 of 1

**Client:** AECOM

**Client Sample ID:** BEALB128SS01GS20170531

**Client Project ID:** WE56-156 Banyan Drive / 60342031.FI.WI

ALS Project ID: P1702750

ALS Sample ID: P1702750-001

Test Code: EPA TO-15

Date Collected: 5/31/17

Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8

Date Received: 6/7/17

Analyst: Wida Ang

Date Analyzed: 6/10/17

Sampling Media: 1.0 L Summa Canister

Volume(s) Analyzed: 0.40 Liter(s)

Test Notes:

Container ID: 1SC00054

Initial Pressure (psig): -0.44

Final Pressure (psig): 5.45

Canister Dilution Factor: 1.41

CAS #	Compound	Result µg/m <sup>3</sup>	LOQ µg/m <sup>3</sup>	LOD µg/m <sup>3</sup>	MDL µg/m <sup>3</sup>	Data Qualifier
71-43-2	Benzene	1.2	1.8	1.5	0.56	J
108-88-3	Toluene	31	1.8	1.5	0.60	
100-41-4	Ethylbenzene	2.8	1.8	1.5	0.56	
179601-23-1	m,p-Xylenes	6.5	3.5	3.0	1.1	
95-47-6	o-Xylene	2.5	1.8	1.5	0.53	
91-20-3	Naphthalene	1.5	1.8	1.5	0.63	U

U = Undetected at the limit of detection: The associated data value is the limit of detection, adjusted by any dilution factor used in the analysis.

LOQ = Limit of Quantitation - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

J = The result is an estimated concentration that is less than the LOQ but greater than or equal to the MDL.

**Appendix G**  
**Regulatory Correspondence**



C. Earl Hunter, Commissioner

*Promoting and protecting the health of the public and the environment.*

May 14, 2009

Commanding Officer  
ATTN: S-4 NREA0 (Craig Ehde)  
MCAS  
PO Box 55001  
Beaufort, SC 29904-5001

Re: MCAS – Laurel Bay Housing –128 Banyan St.  
**Site ID # 04180**  
UST Closure Report received 24 April 2009  
Beaufort County

Dear Mr. Ehde:

The purpose of this letter is to verify a release of fuel oil at the referenced residence. According to information received by the Department, the source of the release is from past onsite use of fuel oil USTs. To date, initial activities by the facility have included tank removal and soil sampling. Based on the information contained in the closure report, a potential violation of the South Carolina Pollution Control Act has occurred in that there has been an unauthorized release of petroleum to the environment.

Additional assessment activities are required for this site. Specifically the Department requests that a groundwater sample be collected from this site. Please note, the Department approved a groundwater sampling proposal for Laurel Bay submitted by MCAS under separate cover dated 16 June 2008.

Should you have any questions, please contact me at 803-896-4179 or [cookejt@dhec.sc.gov](mailto:cookejt@dhec.sc.gov).

Sincerely,

Jan T. Cooke, Hydrogeologist  
AST Petroleum Restoration & Site Environmental Investigations Section  
Division of Site Assessment, Remediation & Revitalization  
Bureau of Land and Waste Management

cc: Region 8 District EQC





Catherine E. Heigel, Director

*Promoting and protecting the health of the public and the environment*

Division of Waste Management  
Bureau of Land and Waste Management

August 6, 2015

Commanding Officer  
Attention: NREAO Mr. William A. Drawdy  
United State Marine Corps Air Station  
Post Office Box 55001  
Beaufort, SC 29904-5001

RE: Approval Response to Comments and Concurrence with Final Initial Groundwater Investigation Report-July 2013  
Laurel Bay Military Housing Area Multiple Properties  
Dated June 2015

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received groundwater data in the above referenced Groundwater Investigation Report for the addresses attached. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

Per the Department's request, groundwater samples were collected from the attached referenced addresses. The Department reviewed the groundwater data and previous investigations and it agrees with the conclusions and recommendations included in the document. To further assess the impact to groundwater, permanent wells should be installed at the 10 stated addresses. For the remaining 25 addresses, there is no indication of contamination on the property and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at [petruslb@dhec.sc.gov](mailto:petruslb@dhec.sc.gov) or 803-898-0294.

Sincerely,

Laurel Petrus  
RCRA Federal Facilities Section

*Attachment: Specific Property Recommendations*

Cc: Russell Berry, EQC Region 8 (via email)  
Shawn Dolan, Resolution Consultants (via email)  
Bryan Beck, NAVFAC MIDATLANTIC (via email)  
Craig Ehde (via email)

Attachment to: Petrus to Drawdy  
 Subject: Draft Final Initial Groundwater Investigation Report-July 2013  
 Specific Property Recommendations  
 Dated August 6, 2015

**Draft Final Initial Groundwater Investigation Report for (35 addresses/38 tanks)**

<b>Permanent Monitoring Well Investigation recommendation (10 addresses/11 tanks)</b>	
119 Banyan	156 Laurel Bay
128 Banyan	1033 Foxglove
132 Banyan	1055 Gardenia
135 Birch	1059 Gardenia
148 Laurel Bay	1168 Jasmine
<b>No Further Action recommendation (25 addresses/27 tanks):</b>	
115 Banyan	386 Acorn
116 Banyan	395 Acorn
120 Banyan	399 Acorn
124 Banyan	1021 Foxglove
125 Banyan	1027 Foxglove
136 Birch	1030 Foxglove
140 Laurel Bay	1032 Foxglove
144 Laurel Bay	1053 Gardenia
152 Laurel Bay	1058 Gardenia
160 Cypress	1061 Gardenia
263 Beech	1166 Jasmine
269 Birch	1169 Jasmine
295 Birch	



July 21, 2016

Commanding Officer  
Attention: NREAO Mr. William A. Drawdy  
United State Marine Corps Air Station  
Post Office Box 55001  
Beaufort, SC 29904-5001

Dear Mr. Drawdy:

The South Carolina Department of Health and Environmental Control (the Department) received groundwater data from permanent monitoring well installations in the Draft Final Groundwater Assessment Report November and December 2015, Laurel Bay Military Housing Area for the addresses shown in the attachment. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

Per the Department's request, groundwater samples were collected from the attached referenced addresses. The Department reviewed the groundwater data and previous investigations and it agrees with the conclusions and recommendations included in the document. To further assess the impact to groundwater, groundwater monitoring should begin at the eight stated addresses. For the remaining two addresses, there is no indication of contamination on the property and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at [petruslb@dhec.sc.gov](mailto:petruslb@dhec.sc.gov) or 803-898-0294.

Sincerely,

Laurel Petrus, Environmental Engineer Associate  
Bureau of Land and Waste Management

Attachment: Specific Property Recommendations

Cc: Russell Berry, EQC Region 8  
Shawn Dolan, Resolution Consultants  
Bryan Beck, NAVFAC MIDATLANTIC

Attachment to: Petrus to Drawdy  
Subject: Draft Final Groundwater Assment Report-November and December 2015  
Specific Property Recommendations  
Dated July 21, 2016

Draft Final Initial Groundwater Assessment Report for (10 addresses)

Groundwater Monitoring recommendation (8 addresses)	
119 Banyan Drive	148 Laurel Bay Blvd
128 Banyan Drive	156 Laurel Bay Blvd
132 Banyan Drive	1055 Gardenia Drive
135 Birch Drive	1059 Gardenia Drive
No Further Action recommendation (2 addresses):	
1033 Foxglove Street	1168 Jasmine Street



December 17, 2019

Commanding Officer  
Attention: NREAO Mr. Christopher L. Vaigneur  
United States Marine Corps Air Station  
Post Office Box 55001  
Beaufort, SC 29904-5001

RE: Approval - Draft Final 2019 Groundwater Monitoring Report  
Laurel Bay Military Housing Area, Multiple Properties, Beaufort, SC  
(Resolution Consultants, dated October 2019)

Dear Mr. Vaigneur,

The South Carolina Department of Health and Environmental Control (DHEC) received the above referenced document on October 28, 2019. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

DHEC has reviewed the document and requests some additional down-gradient wells be installed at some properties. DHEC also requests a topic be added to the next Tier I Meeting to review the groundwater trends at the attached listed properties to discuss the current monitoring program and the data gaps.

No changes to this document are necessary and DHEC now considers the 2019 Groundwater Monitoring Report for the Laurel Bay Military Housing Area, Multiple Properties to be Final. DHEC agrees with the recommendation of NFA for 1132 Iris Lane.

Please note that DHEC's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this may require additional action. Furthermore, DHEC retains the right to request further investigation if it is deemed necessary. If you have any questions, please contact Kent Krieg at [kriegkm@dhec.sc.gov](mailto:kriegkm@dhec.sc.gov) or 803-898-0255.

Sincerely,

Lisa Appel  
RCRA Federal Facilities Section  
Division of Waste Management

Attachment

cc: Bryan Beck, NAVFAC MIDLANT (via email)  
Craig Ehde, NREAO (via email)  
Shawn Dolan, AECOM (via email)  
Reahnita Tuten, EQC Region 8 (via email)

Attachment: Appel to Vaigneur, Dated December 17, 2019

Re: Approval Draft Final 2019 Groundwater Monitoring Report  
Laurel Bay Military Housing Area, Multiple Properties, Beaufort, SC  
(Resolution Consultants, dated October 2019)

Properties to discuss the current monitoring program, and address any potential data gaps, during the next Tier I Meeting in February 2020:

285 Birch Drive	388 Acorn Drive (due to proximity of 326 Ash)
325 Ash Street	1054 Gardenia Street
326 Ash Street	1148 Iris Lane
330 Ash Street	1385 Dove Lane
343 Ash Street	1407 Eagle Lane



August 29, 2018

Commanding Officer  
Attention: NREAO Mr. William A. Drawdy  
United State Marine Corps Air Station  
Post Office Box 55001  
Beaufort, SC 29904-5001

RE: Approval Draft Final Letter Report-Petroleum Vapor Intrusion Investigations  
April 2017 through February 2018  
Laurel Bay Military Housing Area

Dear Mr. Drawdy:

The South Carolina Department of Health and Environmental Control (DHEC) received the Vapor Intrusion Investigation Report for multiple properties on July 30, 2018. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

DHEC has reviewed the Investigation Report and based on this review, DHEC did not generate any comments on the report. Please note that DHEC's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, DHEC retains the right to request further investigation if deemed necessary. If you have any questions, please contact me at [petruslb@dhec.sc.gov](mailto:petruslb@dhec.sc.gov) or 803-898-0294.

Sincerely,

Laurel Petrus, Environmental Engineer Associate  
Bureau of Land and Waste Management

Cc: EQC Region 8  
Shawn Dolan, Resolution Consultants  
Bryan Beck, NAVFAC MIDLANT