# SUMMARY REPORT 95 EAST CYPRESS STREET (FORMERLY 227 EAST CYPRESS STREET) LAUREL BAY MILITARY HOUSING AREA MARINE CORPS AIR STATION BEAUFORT BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid-Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

**JUNE 2021** 

# SUMMARY REPORT 95 EAST CYPRESS STREET (FORMERLY 227 EAST CYPRESS STREET) LAUREL BAY MILITARY HOUSING AREA MARINE CORPS AIR STATION BEAUFORT BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid- Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



**Naval Facilities Engineering Command Atlantic** 

9324 Virginia Avenue Norfolk, Virginia 23511-3095

**Prepared by:** 



CDM - AECOM Multimedia Joint Venture 10560 Arrowhead Drive, Suite 500 Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016 CTO WE52 JUNE 2021



Summary Report 95 East Cypress Street (Formerly 227 East Cypress Street) Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort June 2021

#### Table of Contents

1.0	INTRODUCTION	. 1
1.1 1.2	BACKGROUND INFORMATION UST REMOVAL AND ASSESSMENT PROCESS	
2.0	SAMPLING ACTIVITIES AND RESULTS	. 3
2.1	UST REMOVAL AND SOIL SAMPLING	.3
2.2	SOIL ANALYTICAL RESULTS	.4
2.3	GROUNDWATER SAMPLING	.4
2.4	GROUNDWATER ANALYTICAL RESULTS	.5
3.0	PROPERTY STATUS	. 5
4.0	REFERENCES	. 5

#### Tables

Table 1	Laboratory Analytical Results - Soil
Table 2	Laboratory Analytical Results - Groundwater

#### Appendices

- Appendix A Multi-Media Selection Process for LBMH
- Appendix B UST Assessment Report
- Appendix C Laboratory Analytical Report Groundwater
- Appendix D Regulatory Correspondence



#### **List of Acronyms**

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
СТО	Contract Task Order
COPC	constituents of potential concern
ft	feet
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level



#### **1.0 INTRODUCTION**

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 95 East Cypress Street (Formerly 227 East Cypress Street). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

#### **1.1 Background Information**

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area



is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

#### **1.2 UST Removal and Assessment Process**

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service,* (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management* 



*Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

#### 2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 95 East Cypress Street (Formerly 227 East Cypress Street). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 227 Cypress Street* (MCAS Beaufort, 2013). The UST Assessment Report is provided in Appendix B. Details regarding the IGWA sampling activities at this site are provided in the *Initial Groundwater Investigation Report – November and December 2015* (Resolution Consultants, 2016). The laboratory report that includes the pertinent IGWA analytical results for this site is presented in Appendix C.

#### 2.1 UST Removal and Soil Sampling

On June 25 2013, a single 280 gallon heating oil UST was removed from underneath the front concrete rear patio area at 95 East Cypress Street (Formerly 227 East Cypress Street). The former UST location is indicated on the figures of the UST Assessment Report (Appendix B). The UST was removed, cleaned, and shipped offsite for recycling. There was no visual



evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 5'5" bgs and a single soil sample was collected from that depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

#### 2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 95 East Cypress Street (Formerly 227 East Cypress Street) were greater than the SCDHEC RBSLs, which indicated further investigation was required. In a letter dated July 1, 2015, SCDHEC requested an IGWA for 95 East Cypress Street (Formerly 221 Cypress Street) to determine if the groundwater was impacted by petroleum COPCs. SCDHEC's request letter is provided in Appendix D.

#### 2.3 Groundwater Sampling

On November 12, 2015, a temporary monitoring well was installed at 95 East Cypress Street (Formerly 227 East Cypress Street), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the monitoring well was placed in the same general location as the former heating oil UST. The former UST location is indicated on the figures of the UST Assessment Report (Appendix B). Further details are provided in the *Initial Groundwater Investigation Report – November and December 2015* (Resolution Consultants, 2016).



The sampling strategy for this phase of the investigation required a one-time sampling event of the temporarily installed monitoring well. Following well installation and development, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of groundwater sampling, the temporary well was abandoned in accordance with the South Carolina Well Standards and Regulations R.61-71 (SCDHEC, 2016). Field forms are provided in the *Initial Groundwater Investigation Report – November and December 2015* (Resolution Consultants, 2016).

#### 2.4 Groundwater Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 2. A copy of the laboratory analytical data report is included in Appendix C.

The groundwater results collected from 95 East Cypress Street (Formerly 227 East Cypress Street) were less than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 2), which indicated that the groundwater was not impacted by COPCs associated with the former UST at concentrations that present a potential risk to human health and the environment.

#### 3.0 **PROPERTY STATUS**

Based on the analytical results for groundwater, SCDHEC made the determination that NFA was required for 95 East Cypress Street (Formerly 227 East Cypress Street). This NFA determination was obtained in a letter dated June 8, 2016. SCDHEC's NFA letter is provided in Appendix D.

#### 4.0 **REFERENCES**

- Marine Corps Air Station Beaufort, 2013. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report 227 Cypress Street, Laurel Bay Military Housing Area*, October 2013.
- Resolution Consultants, 2016. *Initial Groundwater Investigation Report November and December 2015 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, April 2016.



- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 2.0*, April 2013.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.0*, May 2015.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations,* March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.
- South Carolina Department of Health and Environmental Control Bureau of Water, 2016. *R.61-71, Well Standards*, June 2016.

Tables



# Table 1Laboratory Analytical Results - Soil95 East Cypress Street (Formerly 227 East Cypress Street)Laurel Bay Military Housing AreaMarine Corps Air Station BeaufortBeaufort, South Carolina

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Results Sample Collected 06/25/13		
Volatile Organic Compounds Analyzed	by EPA Method 8260B (mg/kg)			
Benzene	0.003	ND		
Ethylbenzene	1.15	ND		
Naphthalene	0.036	ND		
Toluene	0.627	ND		
Xylenes, Total	13.01	ND		
Semivolatile Organic Compounds Ana	lyzed by EPA Method 8270D (mg/kg)			
Benzo(a)anthracene	0.66	3.83		
Benzo(b)fluoranthene	0.66	3.13		
Benzo(k)fluoranthene	0.66	1.42		
Chrysene	0.66	4.27		
Dibenz(a,h)anthracene	0.66	0.227		

Notes:

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0 and 3.1 (SCDHEC, May 2015 and SCDHEC, February 2016) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligrams per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The soil laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

#### Table 2 Laboratory Analytical Results - Groundwater 95 East Cypress Street (Formerly 227 East Cypress Street) Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Site-Specific Groundwater VISLs (µg/L) <sup>(2)</sup>	Results Sample Collected 11/12/15
Volatile Organic Compounds Analyzed	d by EPA Method 8260B (	µg/L)	
Benzene	5	16.24	ND
Ethylbenzene	700	45.95	ND
Naphthalene	25	29.33	0.32
Toluene	1000	105,445	ND
Xylenes, Total	10,000	2,133	ND
Semivolatile Organic Compounds Ana	lyzed by EPA Method 82	70D (µg/L)	
Benzo(a)anthracene	10	NA	ND
Benzo(b)fluoranthene	10	NA	ND
Benzo(k)fluoranthene	10	NA	ND
Chrysene	10	NA	ND
Dibenz(a,h)anthracene	10	NA	ND

#### Notes:

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, February 2016).

<sup>(2)</sup> Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of  $1 \times 10^{-6}$ , a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - Not Applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix C.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

µg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

Appendix A Multi-Media Selection Process for LBMH





#### **Appendix A - Multi-Media Selection Process for LBMH**

Appendix B UST Assessment Report



Attachment 1

South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank (UST) Assessment Report

Date Received	
	State Use Only
	<u>KECEIVED</u>
	OCT 2 3 20143
	STO DHEC - Bureau of Land & Waste Management

Submit Completed Form To: UST Program SCDHEC 2600 Bull Street Columbia, South Carolina 29201 Telephone (803) 896-7957

#### I. OWNERSHIP OF UST (S)

MCAS Beaufort, C	ommanding Officer Attn: on, Individual, Public Agency, Other	NREAO (Craig Ehde)	
	on, marviauai, ruone Ageney, oune		
P.O. Box 55001 Mailing Address			
Beaufort,	South Carolina	29904-5001	
City	State	Zip Code	
843	228-7317	Craig Ehde	
Area Code	Telephone Number	Contact Person	

# II. SITE IDENTIFICATION AND LOCATION

Laurel Bay Milita Facility Name or Company	ry Housing Area, Marine Corps Air Station, Beaufort, SC Site Identifier
	t, Laurel Bay Military Housing Area
Beaufort,	Beaufort
City	County

Attachment 2

#### III. INSURANCE INFORMATION

#### **Insurance Statement**

The petroleum release reported to DHEC on \_\_\_\_\_\_\_at Permit ID Number \_\_\_\_\_\_may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. This section must be completed.

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES NO (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: \_\_\_\_\_\_ The policy deductible is: \_\_\_\_\_\_ The policy limit is: \_\_\_\_\_\_

If you have this type of insurance, please include a copy of the policy with this report.

#### IV. REQUEST FOR SUPERB FUNDING

1 DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)

#### V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

To be completed by Notary Public:

Sworn before me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_

(Name)

Notary Public for the state of \_\_\_\_\_\_. Please affix State seal if you are commissioned outside South Carolina

#### VI. UST INFORMATION

		227Cypress
A.	Product(ex. Gas, Kerosene)	Heating oil
В.	Capacity(ex. 1k, 2k)	280 gal
C.	Age	Late 1950s
D.	Construction Material(ex. Steel, FRP)	Steel
Е·	Month/Year of Last Use	Mid 1980s
F.	Depth (ft.) To Base of Tank	5'5"
G.	Spill Prevention Equipment Y/N	No
H·	Overfill Prevention Equipment Y/N	No
I.	Method of Closure Removed/Filled	Removed
J	Date Tanks Removed/Filled	6/25/2013
К.	Visible Corrosion or Pitting Y/N	Yes
L.	Visible Holes Y/N	Yes

227Cypress

M. Method of disposal for any USTs removed from the ground (attach disposal manifests) <u>UST 227Cypress was removed from the ground and disposed at a</u> Subtitle "D" landfill. See Attachment "A".

N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests) UST 227Cypress had been previously filled with sand by others.

O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST

Corrosion, pitting and holes were found throughout the tank.

### VII. PIPING INFORMATION

		227Cypress	
		Steel	1
<b>A</b> .	Construction Material(ex. Steel, FRP)	& Copper	-
3.	Distance from UST to Dispenser	N/A	
с.	Number of Dispensers	N/A	
D.	Type of System Pressure or Suction	Suction	_
Ξ.	Was Piping Removed from the Ground? Y/N	No	
ξ.	Visible Corrosion or Pitting Y/N	Yes	
Э.	Visible Holes Y/N	No	
H.	Age	Late 1950s	
ſ.	If any corrosion, pitting, or holes were observed,	describe the location and extent for each pipin	g run.

Corrosion and pitting were found on the surface of the steel vent pipe. Copper supply and return lines were sound.

#### VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

IX.
-----

	Y	es	No	Unk
	ed or contaminated soils found in the UST enches, or monitoring wells? ocation on the site map.		x	
trenches, or monitoring we	detected in the then the set of the	X		
	UST excavation, soil borings, or trenches? surface (indicate location and depth)?		x	
If yes, indicate the stockpil	nain stockpiled on site after closure? e location on the site map. tive authorizing soil removal:		x	
<ul> <li>E. Was a petroleum sheen or or boring waters?</li> <li>If yes, indicate location and</li> </ul>	free product detected on any excavation		x	

# X. SAMPLE INFORMATION

# A. SCDHEC Lab Certification Number 84009

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
227 Cypress	Excav at fill end	Soil	Sandy	5'5"	6/25/13 1515 hrs	P. Shaw	
1							
8							
9							
10							
11	1				·	1	
12							_
13						· 1	-
14							
15							
16							
17							
18	-					1	
19							
20							

\* = Depth Below the Surrounding Land Surface

#### XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect <u>and</u> store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.


# XII. RECEPTORS


		Yes	No
A.	Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?		х
	If yes, indicate type of receptor, distance, and direction on site map.		
B.	Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?		Х
	If yes, indicate type of well, distance, and direction on site map.		
C.	Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?		Х
	If yes, indicate type of structure, distance, and direction on site map.		
D.	Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? *Sewer, water, electricity cable, fiber optic & geo		al
	If yes, indicate the type of utility, distance, and direction on the site map.		
E.	Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?		х
1	If yes, indicate the area of contaminated soil on the site map.		


### XIII. SITE MAP

You must supply a <u>scaled</u> site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)









Picture 1: Location of UST 227Cypress.



Picture 2: UST 227Cypress excavation.

# XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC UST	227Cypress		
Benzene	ND		_
Toluene	ND		
Ethylbenzene	ND		
Xylenes	ND		
Naphthalene	ND		11.5
Benzo (a) anthracene	3.83 mg/kg		
Benzo (b) fluoranthene	3.13 mg/kg		
Benzo (k) fluoranthene	1.42 mg/kg		
Chrysene	4.27 mg/kg		
Dibenz (a, h) anthracene	0.227 mg/kg		
TPH (EPA 3550)			
CoC		 -	 
Benzene			 
Toluene	2		
Ethylbenzene			
Xylenes			
Naphthalene			1
Benzo (a) anthracene			
Benzo (b) fluoranthene			
Benzo (k) fluoranthene		-	
		1	
Chrysene			
Chrysene Dibenz (a, h) anthracene			

SUMMARY OF ANALYSIS RESULTS (cont'd) Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				i eessi
Ethylbenzene	700			1.001	
Xylenes	10,000				
Total BTEX	N/A		1		
МТВЕ	40				
Naphthalene	25				
Benzo (a) anthracene	10				1
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

#### XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here) (Please see Form #4)

# **TestAmerica**

#### THE LEADER IN ENVIRONMENTAL TESTING

# **ANALYTICAL REPORT**

TestAmerica Laboratories, Inc. TestAmerica Nashville 2960 Foster Creighton Drive Nashville, TN 37204 Tel: (615)726-0177

TestAmerica Job ID: 490-30128-1 Client Project/Site: Laurel Bay Housing

For: Small Business Group Inc. 10179 Highway 78 Ladson, South Carolina 29456

Attn: Tom McElwee

Kuth Hay

Authorized for release by: 7/16/2013 11:14:56 AM

Ken Hayes, Project Manager I ken.hayes@testamericainc.com

LINKS Review your project results through TOTOLACCESS Have a Question? Ask-The

Visit us at:

www.testamericainc.com

Expert

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

# **Table of Contents**

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Definitions	
Client Sample Results	6
QC Sample Results	9
QC Association	14
	16
Method Summary	17
Certification Summary	18
Chain of Custody	19
Receipt Checklists	21

#### Sample Summary

TestAmerica Job ID: 490-30128-1

7

8 9

10

Client: Small Business Group Inc. Project/Site: Laurel Bay Housing			TestAmerica Job ID: 490-30			
Lab Sample ID	Client Sample ID	Matrix	Collected	Received	3	
490-30128-1	1419 Albatross	Solid	06/24/13 14:15	07/02/13 08:15		
490-30128-2	227 Cypress	Solid	06/25/13 15:15	07/02/13 08:15		
490-30128-3	223 Cypress	Solid	06/26/13 13:45	07/02/13 08:15	5	
					6	

#### Job ID: 490-30128-1

#### Laboratory: TestAmerica Nashville

Narrative

Job Narrative 490-30128-1

#### Comments

No additional comments.

#### Receipt

The samples were received on 7/2/2013 8:15 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 0.3° C.

#### GC/MS VOA

No analytical or quality issues were noted.

#### GC/MS Semi VOA

Method(s) 8270D: Reanalysis of the following sample(s) was performed outside of the analytical holding time: 1419 Albatross (490-30128-1).

Method(s) 8270D: Surrogate recovery for the following sample(s) was outside control limits: 1419 Albatross (490-30128-1). Re-extraction and/or re-analysis was performed outside of holding time with acceptable results. All 8270 analytes were confirmed by re-extraction and re-analysis.

No other analytical or quality issues were noted.

#### **Organic Prep**

No analytical or quality issues were noted.

#### VOA Prep

No analytical or quality issues were noted.

TestAmerica Job ID: 490-30128-1

# **Definitions/Glossary**

Client: Small Business Group Inc. Project/Site: Laurel Bay Housing TestAmerica Job ID: 490-30128-1

Qualifiers	
GC/MS VOA	
Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
GC/MS Semi	AOV
Qualifier	Qualifier Description
x	Surrogate is outside control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
۵	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio

RL Reporting Limit or Requested Limit (Radiochemistry)

- RPD Relative Percent Difference, a measure of the relative difference between two points
- TEF Toxicity Equivalent Factor (Dioxin)
- TEQ Toxicity Equivalent Quotient (Dioxin)

### Client Sample ID: 1419 Albatross

### Lab Sample ID: 490-30128-1 Matrix: Solid

Percent Solids: 78.8

> 8 9

11 12

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00236	0.000791	mg/Kg	a	07/02/13 15:05	07/08/13 13:52	1
Ethylbenzene	ND		0.00236	0.000791	mg/Kg	a	07/02/13 15:05	07/08/13 13:52	1
Naphthalene	0.00365	J	0.00590	0.00201	mg/Kg	a	07/02/13 15:05	07/08/13 13:52	1
Toluene	ND		0.00236	0.000874	mg/Kg	-	07/02/13 15:05	07/08/13 13:52	1
Xylenes, Total	ND		0.00590	0.000791	mg/Kg	¤	07/02/13 15:05	07/08/13 13:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		70 - 130				07/02/13 15:05	07/08/13 13:52	1
4-Bromofluorobenzene (Surr)	99		70 - 130				07/02/13 15:05	07/08/13 13:52	1
Dibromofluoromethane (Surr)	103		70 - 130				07/02/13 15:05	07/08/13 13:52	1
Toluene-d8 (Surr)	92		70 - 130				07/02/13 15:05	07/08/13 13:52	1

### Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0669	0.00998	mg/Kg	\$2	07/05/13 12:38	07/06/13 04:19	1
Acenaphthylene	ND		0.0669	0.00898	mg/Kg	-	07/05/13 12:38	07/06/13 04:19	1
Anthracene	ND		0.0669	0.00898	mg/Kg	a	07/05/13 12:38	07/06/13 04:19	1
Benzo[a]anthracene	ND		0.0669	0.0150	mg/Kg	¤	07/05/13 12:38	07/06/13 04:19	1
Benzo[a]pyrene	ND		0.0669	0.0120	mg/Kg	a	07/05/13 12:38	07/06/13 04:19	1
Benzo[b]fluoranthene	ND		0.0669	0.0120	mg/Kg	ä	07/05/13 12:38	07/06/13 04:19	1
Benzo[g,h,i]perylene	ND		0.0669	0.00898	mg/Kg	a	07/05/13 12:38	07/06/13 04:19	1
Benzo[k]fluoranthene	ND		0.0669	0.0140	mg/Kg	a	07/05/13 12:38	07/06/13 04:19	1
1-Methylnaphthalene	ND		0.0669	0.0140	mg/Kg	n	07/05/13 12:38	07/06/13 04:19	1
Pyrene	ND		0.0669	0.0120	mg/Kg	22	07/05/13 12:38	07/06/13 04:19	1
Phenanthrene	ND		0.0669	0.00898	mg/Kg	¤	07/05/13 12:38	07/06/13 04:19	1
Chrysene	ND		0.0669	0.00898	mg/Kg	**	07/05/13 12:38	07/06/13 04:19	1
Dibenz(a,h)anthracene	ND		0.0669	0.00699	mg/Kg	¤	07/05/13 12:38	07/06/13 04:19	1
Fluoranthene	ND		0.0669	0.00898	mg/Kg	n	07/05/13 12:38	07/06/13 04:19	1
Fluorene	ND		0.0669	0.0120	mg/Kg	12	07/05/13 12:38	07/06/13 04:19	1
Indeno[1,2,3-cd]pyrene	ND		0.0669	0.00998	mg/Kg	12	07/05/13 12:38	07/06/13 04:19	1
Naphthalene	ND		0.0669	0.00898	mg/Kg	a	07/05/13 12:38	07/06/13 04:19	1
2-Methylnaphthalene	ND		0.0669	0.0160	mg/Kg	n	07/05/13 12:38	07/06/13 04:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	8	x	29 - 120				07/05/13 12:38	07/06/13 04:19	1
Terphenyl-d14 (Surr)	18		13 - 120				07/05/13 12:38	07/06/13 04:19	1
Nitrobenzene-d5 (Surr)	16	x	27 - 120				07/05/13 12:38	07/06/13 04:19	1
General Chemistry									D
Analyte	Result	Qualifier	RL	RL		D	Prepared	Analyzed	Dil Fac
Percent Solids	79		0.10	0.10	%			07/02/13 14:28	1

Client: Small Business Group Inc. Project/Site: Laurel Bay Housing

### Client Sample ID: 227 Cypress

Date Collected: 06/25/13 15:15 Date Received: 07/02/13 08:15

### Lab Sample ID: 490-30128-2 Matrix: Solid

Percent Solids: 77.0

6

9

10

### Method: 8260B - Volatile Organic Compounds (GC/MS)

Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
ND		0.00261	0.000875	mg/Kg	a	07/02/13 15:05	07/08/13 14:21	1
ND		0.00261	0.000875	mg/Kg	x	07/02/13 15:05	07/08/13 14:21	1
ND		0.00653	0.00222	mg/Kg	a	07/02/13 15:05	07/08/13 14:21	1
ND		0.00261	0.000966	mg/Kg	a	07/02/13 15:05	07/08/13 14:21	1
ND		0.00653	0.000875	mg/Kg	Ø	07/02/13 15:05	07/08/13 14:21	1
%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
96		70 - 130				07/02/13 15:05	07/08/13 14:21	1
95		70 - 130				07/02/13 15:05	07/08/13 14:21	1
103		70 - 130				07/02/13 15:05	07/08/13 14:21	1
90		70 - 130				07/02/13 15:05	07/08/13 14:21	1
	ND ND ND ND <b>%Recovery</b> 96 95 103	ND ND ND ND %Recovery 96 95 103	ND         0.00261           ND         0.00261           ND         0.00653           ND         0.00261           ND         0.00261           ND         0.00653           %Recovery         Qualifier           96         70 - 130           95         70 - 130           103         70 - 130	ND         0.00261         0.000875           ND         0.00261         0.000875           ND         0.00653         0.00222           ND         0.00261         0.000966           ND         0.00653         0.000875           MD         0.00261         0.000966           ND         0.00653         0.000875           %Recovery         Qualifier         Limits           96         70 - 130         70 - 130           103         70 - 130         70 - 130	ND         0.00261         0.000875         mg/Kg           ND         0.00261         0.000875         mg/Kg           ND         0.00261         0.000875         mg/Kg           ND         0.00653         0.00222         mg/Kg           ND         0.00261         0.000966         mg/Kg           ND         0.00653         0.000875         mg/Kg           ND         0.00261         0.000966         mg/Kg           ND         0.00653         0.000875         mg/Kg           %Recovery         Qualifier         Limits           96         70 - 130	ND         0.00261         0.000875         mg/Kg         III           ND         0.00261         0.000875         mg/Kg         III         IIII         IIII         IIII         IIII         IIII         IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	ND         0.00261         0.000875         mg/Kg         Image: Marcon Structure         mg/Kg         Image: Ma	ND         0.00261         0.000875         mg/Kg         II         07/02/13         15:05         07/08/13         14:21           ND         0.00261         0.000875         mg/Kg         II         07/02/13         15:05         07/08/13         14:21           ND         0.00653         0.00222         mg/Kg         II         07/02/13         15:05         07/08/13         14:21           ND         0.00653         0.00222         mg/Kg         II         07/02/13         15:05         07/08/13         14:21           ND         0.00261         0.000966         mg/Kg         II         07/02/13         15:05         07/08/13         14:21           ND         0.00653         0.000875         mg/Kg         II         07/02/13         15:05         07/08/13         14:21           ND         0.00653         0.000875         mg/Kg         II         07/02/13         15:05         07/08/13         14:21           MD         0.00653         0.000875         mg/Kg         II         07/02/13         15:05         07/08/13         14:21           %Recovery         Qualifier         Limits         Prepared         Analyzed         07/02/13         07/02/13

#### Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.0458	J	0.0665	0.00993	mg/Kg	*	07/09/13 11:44	07/10/13 03:08	1
Acenaphthylene	ND		0.0665	0.00893	mg/Kg	\$	07/09/13 11:44	07/10/13 03:08	1
Anthracene	0.395		0.0665	0.00893	mg/Kg	a	07/09/13 11:44	07/10/13 03:08	1
Benzo[a]anthracene	3.83		0.333	0.0744	mg/Kg	<sup>II</sup>	07/09/13 11:44	07/10/13 23:56	5
Benzo[a]pyrene	1.70		0.0665	0.0119	mg/Kg	**	07/09/13 11:44	07/10/13 03:08	1
Benzo[b]fluoranthene	3.13		0.0665	0.0119	mg/Kg	ä	07/09/13 11:44	07/10/13 03:08	1
Benzo[g,h,i]perylene	0.592		0.0665	0.00893	mg/Kg	**	07/09/13 11:44	07/10/13 03:08	1
Benzo[k]fluoranthene	1.42		0.0665	0.0139	mg/Kg	¤	07/09/13 11:44	07/10/13 03:08	1
1-Methylnaphthalene	ND		0.0665	0.0139	mg/Kg	-	07/09/13 11:44	07/10/13 03:08	1
Pyrene	7.78		0.333	0.0596	mg/Kg	Ø	07/09/13 11:44	07/10/13 23:56	5
Phenanthrene	2.80		0.0665	0.00893	mg/Kg	-	07/09/13 11:44	07/10/13 03:08	1
Chrysene	4.27		0.333	0.0447	mg/Kg	Ø	07/09/13 11:44	07/10/13 23:56	5
Dibenz(a,h)anthracene	0.227		0.0665	0.00695	mg/Kg	-	07/09/13 11:44	07/10/13 03:08	1
Fluoranthene	9.39		0.333	0.0447	mg/Kg	\$	07/09/13 11:44	07/10/13 23:56	5
Fluorene	0.0877		0.0665	0.0119	mg/Kg	-	07/09/13 11:44	07/10/13 03:08	1
Indeno[1,2,3-cd]pyrene	0.613		0.0665	0.00993	mg/Kg	-	07/09/13 11:44	07/10/13 03:08	1
Naphthalene	ND		0.0665	0.00893	mg/Kg		07/09/13 11:44	07/10/13 03:08	1
2-Methylnaphthalene	ND		0.0665	0.0159	mg/Kg	ø	07/09/13 11:44	07/10/13 03:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	41		29 - 120				07/09/13 11:44	07/10/13 03:08	1
Terphenyl-d14 (Surr)	64		13 - 120				07/09/13 11:44	07/10/13 03:08	1
Nitrobenzene-d5 (Surr)	50		27 - 120				07/09/13 11:44	07/10/13 03:08	1
General Chemistry Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	77		0.10	0.10	%	- 2		07/02/13 14:28	1

Client: Small Business Group Inc. Project/Site: Laurel Bay Housing

### **Client Sample ID: 223 Cypress**

### Date Collected: 06/26/13 13:45 Date Received: 07/02/13 08:15

### Lab Sample ID: 490-30128-3 Matrix: Solid

Analyzed

Percent Solids: 88.1

Dil Fac

6

9

Method: 8260B - Volatile Org	anic Compounds (GC/MS)	
Analyte	Result Qualifier	RL

Analyte	Result	Quanner		mbe	onne	-	rieparea		
Benzene	ND		0.00223	0.000748	mg/Kg	12	07/02/13 15:05	07/08/13 14:50	1
Ethylbenzene	ND		0.00223	0.000748	mg/Kg	-	07/02/13 15:05	07/08/13 14:50	1
Naphthalene	ND		0.00558	0.00190	mg/Kg	Ø	07/02/13 15:05	07/08/13 14:50	1
Toluene	ND		0.00223	0.000826	mg/Kg	¤	07/02/13 15:05	07/08/13 14:50	1
Xylenes, Total	ND		0.00558	0.000748	mg/Kg	¤	07/02/13 15:05	07/08/13 14:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		70 - 130				07/02/13 15:05	07/08/13 14:50	1
4-Bromofluorobenzene (Surr)	93		70 - 130				07/02/13 15:05	07/08/13 14:50	1
Dibromofluoromethane (Surr)	104		70 - 130				07/02/13 15:05	07/08/13 14:50	1
Toluene-d8 (Surr)	88		70 - 130				07/02/13 15:05	07/08/13 14:50	1

MDL Unit

D

Prepared

### Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0650	0.00971	mg/Kg	12	07/09/13 11:44	07/10/13 03:32	1
Acenaphthylene	ND		0.0650	0.00874	mg/Kg	12	07/09/13 11:44	07/10/13 03:32	1
Anthracene	ND		0.0650	0.00874	mg/Kg	13	07/09/13 11:44	07/10/13 03:32	1
Benzo[a]anthracene	ND		0.0650	0.0146	mg/Kg	12	07/09/13 11:44	07/10/13 03:32	1
Benzo[a]pyrene	ND		0.0650	0.0117	mg/Kg	13	07/09/13 11:44	07/10/13 03:32	1
Benzo[b]fluoranthene	ND		0.0650	0.0117	mg/Kg	22	07/09/13 11:44	07/10/13 03:32	1
Benzo(g,h,i)perylene	ND		0.0650	0.00874	mg/Kg	**	07/09/13 11:44	07/10/13 03:32	1
Benzo[k]fluoranthene	ND		0.0650	0.0136	mg/Kg	12	07/09/13 11:44	07/10/13 03:32	1
1-Methylnaphthalene	ND		0.0650	0.0136	mg/Kg	n	07/09/13 11:44	07/10/13 03:32	1
Pyrene	ND		0.0650	0.0117	mg/Kg	12	07/09/13 11:44	07/10/13 03:32	1
Phenanthrene	ND		0.0650	0.00874	mg/Kg	*	07/09/13 11:44	07/10/13 03:32	1
Chrysene	ND		0.0650	0.00874	mg/Kg	-	07/09/13 11:44	07/10/13 03:32	1
Dibenz(a,h)anthracene	ND		0.0650	0.00680	mg/Kg	a	07/09/13 11:44	07/10/13 03:32	1
Fluoranthene	ND		0.0650	0.00874	mg/Kg	a	07/09/13 11:44	07/10/13 03:32	1
Fluorene	ND		0.0650	0.0117	mg/Kg		07/09/13 11:44	07/10/13 03:32	1
Indeno[1,2,3-cd]pyrene	ND		0.0650	0.00971	mg/Kg	¤	07/09/13 11:44	07/10/13 03:32	1
Naphthalene	ND		0.0650	0.00874	mg/Kg	n	07/09/13 11:44	07/10/13 03:32	1
2-Methylnaphthalene	ND		0.0650	0.0155	mg/Kg	n	07/09/13 11:44	07/10/13 03:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	48		29 - 120				07/09/13 11:44	07/10/13 03:32	1
Terphenyl-d14 (Surr)	91		13 - 120				07/09/13 11:44	07/10/13 03:32	1
Nitrobenzene-d5 (Surr)	51		27 - 120				07/09/13 11:44	07/10/13 03:32	1
General Chemistry Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	88		0.10	0.10				07/02/13 14:46	1

# Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: 490-30256-A	-4-D MS							Client	Sample ID: Matrix S	Spike
Matrix: Solid Analysis Batch: 91451									Prep Type: Tota Prep Batch: 9	
	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	ND		0.0428	0.03795		mg/Kg	¤	89	31 - 143	
Ethylbenzene	ND		0.0428	0.03319		mg/Kg	a	78	23 - 161	
Naphthalene	ND		0.0428	0.02316		mg/Kg	\$	54	10 - 176	
Toluene	ND		0.0428	0.03172		mg/Kg	2	74	30 - 155	
Xylenes, Total	ND		0.128	0.09998		mg/Kg	¤	78	25 - 162	
	MS	MS								
Surrogate	%Recovery	Qualifier	Limits							
1,2-Dichloroethane-d4 (Surr)	99		70 - 130							
4-Bromofluorobenzene (Surr)	70		70 - 130							
Dibromofluoromethane (Surr)	104		70 - 130							
Toluene-d8 (Surr)	88		70 - 130							

#### Lab Sample ID: 490-30256-A-4-E MSD Matrix: Solid Analysis Batch: 91451

Analysis Batch. 91431	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	ND		0.0435	0.04824		mg/Kg	12	111	31 - 143	24	50
Ethylbenzene	ND		0.0435	0.04097		mg/Kg	a	94	23 - 161	21	50
Naphthalene	ND		0.0435	0.02861		mg/Kg	¤	66	10 - 176	21	50
Toluene	ND		0.0435	0.04166		mg/Kg	x	96	30 - 155	27	50
Xylenes, Total	ND		0.131	0.1221		mg/Kg	ø	93	25 - 162	20	50
	MSD	MSD									
	P/ Basavan	Qualifier	Limite								

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	95		70 - 130
4-Bromofluorobenzene (Surr)	99		70 - 130
Dibromofluoromethane (Surr)	105		70 - 130
Toluene-d8 (Surr)	92		70 - 130

----

### Lab Sample ID: MB 490-91451/6 Matrix: Solid

Analysis Batch: 91451

# **Client Sample ID: Matrix Spike Duplicate**

 Prep Type: Total/NA
Prep Batch: 91068

TestAmerica Job ID: 490-30128-1

#### **Client Sample ID: Method Blank** Prep Type: Total/NA

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.000670	mg/Kg			07/08/13 11:48	1
Ethylbenzene	ND		0.00200	0.000670	mg/Kg			07/08/13 11:48	1
Naphthalene	ND		0.00500	0.00170	mg/Kg			07/08/13 11:48	1
Toluene	ND		0.00200	0.000740	mg/Kg			07/08/13 11:48	1
Xylenes, Total	ND		0.00500	0.000670	mg/Kg			07/08/13 11:48	1
	MB	мв							
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1.2-Dichloroethane-d4 (Surr)	94		70 - 130					07/08/13 11:48	1
4-Bromofluorobenzene (Surr)	92		70 - 130					07/08/13 11:48	1
Dibromofluoromethane (Surr)	101		70 - 130					07/08/13 11:48	1
Toluene-d8 (Surr)	95		70 - 130					07/08/13 11:48	1

TestAmerica Nashville

6 7

### Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

90

### Lab Sample ID: LCS 490-91451/3 Matrix: Solid

<b>Client Sample ID</b>	Lab Control Sample
	Prep Type: Total/NA

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

matrix. O	ond	
Analysis	Batch:	91451

Analysis Daten. 51451			Spike	LCS	LCS				%Rec.	
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene			0.0500	0.05196		mg/Kg		104	75 - 127	
Ethylbenzene			0.0500	0.04376		mg/Kg		88	80 - 134	
Naphthalene			0.0500	0.04612		mg/Kg		92	69 - 150	
Toluene			0.0500	0.04461		mg/Kg		89	80 - 132	
Xylenes, Total			0.150	0.1312		mg/Kg		87	80 - 137	
	LCS	LCS								
Surrogate	%Recovery	Qualifier	Limits							
1,2-Dichloroethane-d4 (Surr)	96		70 - 130							
4-Bromofluorobenzene (Surr)	91		70 - 130							
Dibromofluoromethane (Surr)	103		70 - 130							

70 - 130

70 - 130

70 - 130

#### Lab Sample ID: LCSD 490-91451/4 Matrix: Solid Analysis Batch: 91451

Dibromofluoromethane (Surr)

Toluene-d8 (Surr)

Toluene-d8 (Surr)

Server a server a server a			Spike	LCSD	LCSD				%Rec.		RPD
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene			0.0500	0.05256		mg/Kg		105	75 - 127	1	50
Ethylbenzene			0.0500	0.04351		mg/Kg		87	80 - 134	1	50
Naphthalene			0.0500	0.04652		mg/Kg		93	69 - 150	1	50
Toluene			0.0500	0.04378		mg/Kg		88	80 - 132	2	50
Xylenes, Total			0.150	0.1314		mg/Kg		88	80 - 137	0	50
	LCSD	LCSD									
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	97		70 - 130								
4-Bromofluorobenzene (Surr)	91		70 - 130								

### Method: 8270D - Semivolatile Organic Compounds (GC/MS)

105

89

Lab Sample ID: MB 490-91758/1-A							Client Sample ID: Method Blan Prep Type: Total/N				
Matrix: Solid Analysis Batch: 91783	МВ	мв						Prep Batch			
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac		
Acenaphthene	ND		0.0670	0.0100	mg/Kg		07/09/13 11:44	07/10/13 01:10	1		
Acenaphthylene	ND		0.0670	0.00900	mg/Kg		07/09/13 11:44	07/10/13 01:10	1		
Anthracene	ND		0.0670	0.00900	mg/Kg		07/09/13 11:44	07/10/13 01:10	1		
Benzo[a]anthracene	ND		0.0670	0.0150	mg/Kg		07/09/13 11:44	07/10/13 01:10	1		
Benzo[a]pyrene	ND		0.0670	0.0120	mg/Kg		07/09/13 11:44	07/10/13 01:10	1		
Benzo[b]fluoranthene	ND		0.0670	0.0120	mg/Kg		07/09/13 11:44	07/10/13 01:10	1		
Benzo[g,h,i]perylene	ND		0.0670	0.00900	mg/Kg		07/09/13 11:44	07/10/13 01:10	1		
Benzo[k]fluoranthene	ND		0.0670	0.0140	mg/Kg		07/09/13 11:44	07/10/13 01:10	1		
1-Methylnaphthalene	ND		0.0670	0.0140	mg/Kg		07/09/13 11:44	07/10/13 01:10	1		
Pyrene	ND		0.0670	0.0120	mg/Kg		07/09/13 11:44	07/10/13 01:10	1		
Phenanthrene	ND		0.0670	0.00900	mg/Kg		07/09/13 11:44	07/10/13 01:10	1		

TestAmerica Nashville

### Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

### Lab Sample ID: MB 490-91758/1-A Matrix: Solid Analysis Batch: 91783

### **Client Sample ID: Method Blank** Prep Type: Total/NA Prep Batch: 91758

Analyzed

07/10/13 01:10

07/10/13 01:10

07/10/13 01:10

07/10/13 01:10

07/10/13 01:10

07/10/13 01:10

07/10/13 01:10

Analyzed

07/10/13 01:10

07/10/13 01:10

07/10/13 01:10

Prep Type: Total/NA

Prep Batch: 91758

**Client Sample ID: Lab Control Sample** 

Dil Fac

1

1

1

1

1

1

1

1

Dil Fac

	MB	MB					
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared
Chrysene	ND		0.0670	0.00900	mg/Kg		07/09/13 11:44
Dibenz(a,h)anthracene	ND		0.0670	0.00700	mg/Kg		07/09/13 11:44
Fluoranthene	ND		0.0670	0.00900	mg/Kg		07/09/13 11:44
Fluorene	ND		0.0670	0.0120	mg/Kg		07/09/13 11:44
Indeno[1,2,3-cd]pyrene	ND		0.0670	0.0100	mg/Kg		07/09/13 11:44
Naphthalene	ND		0.0670	0.00900	mg/Kg		07/09/13 11:44
2-Methylnaphthalene	ND		0.0670	0.0160	mg/Kg		07/09/13 11:44
	МВ	МВ					
Surrogate	%Recovery	Qualifier	Limits				Prepared
2-Fluorobiphenyl (Surr)	62		29 - 120				07/09/13 11:44
Terphenyl-d14 (Surr)	96		13 - 120				07/09/13 11:44
Nitrobenzene-d5 (Surr)	61		27 - 120				07/09/13 11:44

#### Lab Sample ID: LCS 490-91758/2-A Matrix: Solid

#### Analysis Batch: 91783

	Spike	LCS	LCS				%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Acenaphthylene	1.67	1.247		mg/Kg		75	38 - 120	
Anthracene	1.67	1.312		mg/Kg		79	46 - 124	
Benzo[a]anthracene	1.67	1.317		mg/Kg		79	45 - 120	
Benzo[a]pyrene	1.67	1.318		mg/Kg		79	45 - 120	
Benzo[b]fluoranthene	1.67	1.352		mg/Kg		81	42 - 120	
Benzo[g,h,i]perylene	1.67	1.287		mg/Kg		77	38 - 120	
Benzo[k]fluoranthene	1.67	1.355		mg/Kg		81	42 - 120	
1-Methylnaphthalene	1.67	1.197		mg/Kg		72	32 - 120	
Pyrene	1.67	1.543		mg/Kg		93	43 - 120	
Phenanthrene	1.67	1.296		mg/Kg		78	45 - 120	
Chrysene	1.67	1.346		mg/Kg		81	43 - 120	
Dibenz(a,h)anthracene	1.67	1.298		mg/Kg		78	32 - 128	
Fluoranthene	1.67	1.220		mg/Kg		73	46 - 120	
Fluorene	1.67	1.279		mg/Kg		77	42 - 120	
Indeno[1,2,3-cd]pyrene	1.67	1.251		mg/Kg		75	41 - 121	
Naphthalene	1.67	1.076		mg/Kg		65	32 - 120	
2-Methylnaphthalene	1.67	1.173		mg/Kg		70	28 - 120	

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Fluorobiphenyl (Surr)	57		29 - 120
Terphenyl-d14 (Surr)	78		13 - 120
Nitrobenzene-d5 (Surr)	59		27 - 120

#### Lab Sample ID: 490-30128-E-1-C MS Matrix: Solid

Analysis Batch: 91783									Prep Batch: 91758
	Sample	Sample	Spike	MS	MS				%Rec.
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits
Acenaphthylene	ND		2.09	1.293		mg/Kg	n	62	25 - 120
Anthracene	ND		2.09	1.471		mg/Kg	¤	70	28 - 125

TestAmerica Nashville

Prep Type: Total/NA

**Client Sample ID: Matrix Spike** 

Client: Small Business Group Inc. Project/Site: Laurel Bay Housing

**Client Sample ID: Matrix Spike** 

**Client Sample ID: Matrix Spike Duplicate** 

Prep Type: Total/NA

### Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

59

54

### Lab Sample ID: 490-30128-E-1-C MS M

Analysis Batch: 91783SampleSampleSpikeMSMSAnalyteResultQualifierAddedResultQualifierUnitD%RecBenzo[a]anthraceneND2.091.510mg/Kg¤72Benzo[a]pyreneND2.091.534mg/Kg¤73Benzo[b]fluorantheneND2.091.616mg/Kg¤77Benzo[g,h,i]peryleneND2.091.496mg/Kg¤72Benzo[k]fluorantheneND2.091.533mg/Kg¤731-MethylnaphthaleneND2.091.177mg/Kg¤56PyreneND2.091.746mg/Kg¤84PhenanthreneND2.091.453mg/Kg¤69ChryseneND2.091.554mg/Kg¤74	D
AnalyteResultQualifierAddedResultQualifierUnitD%RecBenzo[a]anthraceneND2.091.510mg/Kg272Benzo[a]pyreneND2.091.534mg/Kg273Benzo[b]fluorantheneND2.091.616mg/Kg277Benzo[g,h,i]peryleneND2.091.496mg/Kg272Benzo[k]fluorantheneND2.091.496mg/Kg272Benzo[k]fluorantheneND2.091.533mg/Kg2731-MethylnaphthaleneND2.091.177mg/Kg256PyreneND2.091.746mg/Kg284PhenanthreneND2.091.453mg/Kg269	Prep Batch: 91758
Benzo[a]anthracene         ND         2.09         1.510         mg/Kg         ¤         72           Benzo[a]pyrene         ND         2.09         1.534         mg/Kg         ¤         73           Benzo[a]pyrene         ND         2.09         1.616         mg/Kg         ¤         73           Benzo[b]fluoranthene         ND         2.09         1.616         mg/Kg         ¤         77           Benzo[g,h,i]perylene         ND         2.09         1.496         mg/Kg         ¤         72           Benzo[g,h,i]perylene         ND         2.09         1.496         mg/Kg         ¤         72           Benzo[k]fluoranthene         ND         2.09         1.533         mg/Kg         ¤         73           1-Methylnaphthalene         ND         2.09         1.177         mg/Kg         ¤         56           Pyrene         ND         2.09         1.746         mg/Kg         ¤         84           Phenanthrene         ND         2.09         1.453         mg/Kg         ¤         69	%Rec.
Benzo[a]pyrene         ND         2.09         1.534         mg/kg         "         73           Benzo[b]fluoranthene         ND         2.09         1.616         mg/Kg         "         73           Benzo[g,h,i]perylene         ND         2.09         1.616         mg/Kg         "         72           Benzo[g,h,i]perylene         ND         2.09         1.496         mg/Kg         "         72           Benzo[k]fluoranthene         ND         2.09         1.433         mg/Kg         "         73           1-Methylnaphthalene         ND         2.09         1.533         mg/Kg         "         73           Pyrene         ND         2.09         1.177         mg/Kg         "         56           Phenanthrene         ND         2.09         1.746         mg/Kg         "         84           Phenanthrene         ND         2.09         1.453         mg/Kg         "         69	Limits
Benzo[b]fluorantheneND2.091.616mg/kgIIBenzo[g,h,i]peryleneND2.091.496mg/kgIIBenzo[k]fluorantheneND2.091.533mg/kgII1-MethylnaphthaleneND2.091.177mg/kgIIPyreneND2.091.746mg/kgIIPhenanthreneND2.091.746mg/kgIIPhenanthreneND2.091.453mg/kgII	23 - 120
Benzo[g,h,i]perylene         ND         2.09         1.496         mg/Kg         ¤         72           Benzo[k]fluoranthene         ND         2.09         1.533         mg/Kg         ¤         73           1-Methylnaphthalene         ND         2.09         1.177         mg/Kg         ¤         56           Pyrene         ND         2.09         1.746         mg/Kg         ¤         84           Phenanthrene         ND         2.09         1.453         mg/Kg         ¤         69	15 - 128
Benzo[k]fluorantheneND2.091.533mg/kg2731-MethylnaphthaleneND2.091.177mg/kg256PyreneND2.091.746mg/kg84PhenanthreneND2.091.453mg/kg269	12 - 133
I-Methylnaphthalene         ND         2.09         1.177         mg/Kg         ¤         56           Pyrene         ND         2.09         1.746         mg/Kg         ¤         84           Phenanthrene         ND         2.09         1.453         mg/Kg         ¤         69	22 - 120
Pyrene         ND         2.09         1.746         mg/kg         II         84           Phenanthrene         ND         2.09         1.453         mg/kg         II         69	28 - 120
Phenanthrene         ND         2.09         1.453         mg/Kg         III         69	10 - 120
	20 - 123
Observed ND 0.00 4554	21 - 122
Chrysene ND 2.09 1.554 mg/Kg 2 74	20 - 120
Dibenz(a,h)anthracene ND 2.09 1.551 mg/Kg <sup>III</sup> 74	12 - 128
Fluoranthene ND 2.09 1.332 mg/Kg <sup>12</sup> 64	10 - 143
Fluorene ND 2.09 1.381 mg/Kg <sup>12</sup> 66	20 - 120
Indeno[1,2,3-cd]pyrene ND 2.09 1.462 mg/Kg <sup>12</sup> 70	22 - 121
Naphthalene ND 2.09 0.9792 mg/Kg <sup>III</sup> 47	10 - 120
2-Methylnaphthalene ND 2.09 1.149 mg/Kg <sup>12</sup> 55	13 - 120
MS MS	
Surrogate %Recovery Qualifier Limits	
2-Fluorobiphenyl (Surr) 42 29 - 120	

13 - 120

27 - 120

#### Lab Sample ID: 490-30128-E-1-D MSD Matrix: Solid Analysis Batch: 91783

Terphenyl-d14 (Surr)

Nitrobenzene-d5 (Surr)

Analysis Batch: 91783									Prep	Batch:	91758
and the second se	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Acenaphthylene	ND		2.09	1.337		mg/Kg	¤	64	25 - 120	3	50
Anthracene	ND		2.09	1.550		mg/Kg	n	74	28 - 125	5	49
Benzo[a]anthracene	ND		2.09	1.597		mg/Kg	ü	76	23 - 120	6	50
Benzo[a]pyrene	ND		2.09	1.593		mg/Kg	n	76	15 - 128	4	50
Benzo[b]fluoranthene	ND		2.09	1.661		mg/Kg	¤	79	12 - 133	3	50
Benzo[g,h,i]perylene	ND		2.09	1.596		mg/Kg	¤	76	22 - 120	6	50
Benzo[k]fluoranthene	ND		2.09	1.619		mg/Kg	¤	77	28 - 120	5	45
1-Methylnaphthalene	ND		2.09	1.204		mg/Kg	a	58	10 - 120	2	50
Pyrene	ND		2.09	1.821		mg/Kg	a	87	20 - 123	4	50
Phenanthrene	ND		2.09	1.551		mg/Kg	¤	74	21 - 122	7	50
Chrysene	ND		2.09	1.681		mg/Kg	*	80	20 - 120	8	49
Dibenz(a,h)anthracene	ND		2.09	1.634		mg/Kg	12	78	12 - 128	5	50
Fluoranthene	ND		2.09	1.407		mg/Kg	<b>\$</b>	67	10 - 143	5	50
Fluorene	ND		2.09	1.448		mg/Kg	\$	69	20 - 120	5	50
Indeno[1,2,3-cd]pyrene	ND		2.09	1.560		mg/Kg	12	75	22 - 121	6	50
Naphthalene	ND		2.09	0.9969		mg/Kg	¤	48	10 - 120	2	50
2-Methylnaphthalene	ND		2.09	1.179		mg/Kg		56	13 - 120	3	50
	MSD	MSD									
Surrogate	%Recovery	Qualifier	Limits								
0.51 11.1 1/0 1			00 100								

#### 2-Fluorobiphenyl (Surr) 44 29 - 120 Terphenyl-d14 (Surr) 70 13 - 120

TestAmerica Nashville

# Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 490-30128-E Matrix: Solid Analysis Batch: 91783	E-1-D MSD			Client Sample ID: Matrix Spike Duplicat Prep Type: Total/N/ Prep Batch: 9175 Client Sample ID: Duplicat
	MSD	MSD		
Surrogate	%Recovery	Qualifier	Limits	
Nitrobenzene-d5 (Surr)	53		27 - 120	
Method: Moisture - Perc	ent Moisture			
Lab Sample ID: 490-27922-/	A-75 DU			Client Sample ID: Duplicate
Lub Gumpie ID. 400 LI OLL				Pren Type: Total/NA

Matrix: Solid							Prep Type: To	tal/NA
Analysis Batch: 90570	Comple	Comunits	DU	DU				RPD
	Sample	Sample	00	00				
Analyte	Result	Qualifier	Result	Qualifier	Unit	D	RPD	Limit
Percent Solids	72		73		%		2	20

13

# **QC** Association Summary

Client: Small Business Group Inc. Project/Site: Laurel Bay Housing

TestAmerica Job ID: 490-30128-1

### GC/MS VOA

Prep Batch: 90582		
Lab Sample ID	Client Sample ID	
490-30128-1	1419 Albatross	

Client Sample ID	Prep Type	Matrix	Method	Prep Batch
1419 Albatross	Total/NA	Solid	5035	
227 Cypress	Total/NA	Solid	5035	
223 Cypress	Total/NA	Solid	5035	
Client Sample ID	Prep Type	Matrix	Method	Prep Batch
Matrix Spike	Total/NA	Solid	5030B	
Matrix Spike Duplicate	Total/NA	Solid	5030B	
Client Sample ID	Prep Type	Matrix	Method	Prep Batch
1419 Albatross	Total/NA	Solid	8260B	90582
227 Cypress	Total/NA	Solid	8260B	90582
223 Cypress	Total/NA	Solid	8260B	90582
Matrix Spike	Total/NA	Solid	8260B	91068
Matrix Spike Duplicate	Total/NA	Solid	8260B	91068
Lab Control Sample	Total/NA	Solid	8260B	
Lab Control Sample Dup	Total/NA	Solid	8260B	
Method Blank	Total/NA	Solid	8260B	
	1419 Albatross 227 Cypress 223 Cypress Client Sample ID Matrix Spike Matrix Spike Duplicate Client Sample ID 1419 Albatross 227 Cypress 223 Cypress 223 Cypress Matrix Spike Matrix Spike Matrix Spike Duplicate Lab Control Sample	1419 Albatross       Total/NA         227 Cypress       Total/NA         223 Cypress       Total/NA         223 Cypress       Total/NA         Client Sample ID       Prep Type         Matrix Spike       Total/NA         Matrix Spike Duplicate       Total/NA         Client Sample ID       Prep Type         1419 Albatross       Total/NA         227 Cypress       Total/NA         223 Cypress       Total/NA         223 Cypress       Total/NA         Matrix Spike       Total/NA         Matrix Spike       Total/NA         Lab Control Sample       Total/NA         Lab Control Sample Dup       Total/NA	InductionInductionInduction1419 AlbatrossTotal/NASolid227 CypressTotal/NASolid223 CypressTotal/NASolid223 CypressTotal/NASolidPrep TypeMatrixMatrix SpikeTotal/NASolidMatrix Spike DuplicateTotal/NASolidClient Sample IDPrep TypeMatrix1419 AlbatrossTotal/NASolid227 CypressTotal/NASolid223 CypressTotal/NASolid223 CypressTotal/NASolid223 CypressTotal/NASolidMatrix SpikeTotal/NASolidMatrix SpikeTotal/NASolidMatrix SpikeTotal/NASolidMatrix Spike DuplicateTotal/NASolidLab Control SampleTotal/NASolidLab Control Sample DupTotal/NASolid	Client Sample IDTrop TypeMatrixMethod1419 AlbatrossTotal/NASolid5035227 CypressTotal/NASolid5035223 CypressTotal/NASolid5035Client Sample IDPrep TypeMatrixMethodMatrix SpikeTotal/NASolid5030BMatrix SpikeTotal/NASolid5030BMatrix Spike DuplicateTotal/NASolid5030BClient Sample IDPrep TypeMatrixMethod1419 AlbatrossTotal/NASolid8260B227 CypressTotal/NASolid8260B223 CypressTotal/NASolid8260B23 CypressTotal/NASolid8260B24 CypressTotal/NASolid8260B25 CypressTotal/NASolid8260B26 Control SampleTotal/NASolid8260B24 CypressTotal/NASol

### GC/MS Semi VOA

#### Prep Batch: 91122

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-30128-1	1419 Albatross	Total/NA	Solid	3550C	
Analysis Batch: 91244					
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-30128-1	1419 Albatross	Total/NA	Solid	8270D	91122
Prep Batch: 91758					
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-30128-2	227 Cypress	Total/NA	Solid	3550C	
490-30128-3	223 Cypress	Total/NA	Solid	3550C	
490-30128-E-1-C MS	Matrix Spike	Total/NA	Solid	3550C	
490-30128-E-1-D MSD	Matrix Spike Duplicate	Total/NA	Solid	3550C	
LCS 490-91758/2-A	Lab Control Sample	Total/NA	Solid	3550C	
MB 490-91758/1-A	Method Blank	Total/NA	Solid	3550C	
Analysis Batch: 91783					
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-30128-2	227 Cypress	Total/NA	Solid	8270D	91758
490-30128-3	223 Cypress	Total/NA	Solid	8270D	91758
490-30128-E-1-C MS	Matrix Spike	Total/NA	Solid	8270D	91758
490-30128-E-1-D MSD	Matrix Spike Duplicate	Total/NA	Solid	8270D	91758
LCS 490-91758/2-A	Lab Control Sample	Total/NA	Solid	8270D	91758
MB 490-91758/1-A	Method Blank	Total/NA	Solid	8270D	91758

# **QC Association Summary**

Client: Small Business Group Inc. Project/Site: Laurel Bay Housing TestAmerica Job ID: 490-30128-1

### GC/MS Semi VOA (Continued)

### Analysis Batch: 92095

D	Prep Type	Matrix	Method	Prep Batch
	Total/NA	Solid	8270D	91758

### **General Chemistry**

#### Analysis Batch: 90570

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-27922-A-75 DU	Duplicate	Total/NA	Solid	Moisture	
490-30128-1	1419 Albatross	Total/NA	Solid	Moisture	
490-30128-2	227 Cypress	Total/NA	Solid	Moisture	
490-30128-3	223 Cypress	Total/NA	Solid	Moisture	

Client: Small Business Group Inc. Project/Site: Laurel Bay Housing

### **Client Sample ID: 1419 Albatross**

Date Collected: 06/24/13 14:15

### Lab Sample ID: 490-30128-1 Matrix: Solid

Percent Solids: 78.8

Date Received: 07/02/13 08:15

	Batch	Batch	-	Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			90582	07/02/13 15:05	MLN	TAL NSH
Total/NA	Analysis	8260B		1	91451	07/08/13 13:52	KKK	TAL NSH
Total/NA	Prep	3550C			91122	07/05/13 12:38	JLP	TAL NSH
Total/NA	Analysis	8270D		1	91244	07/06/13 04:19	JLS	TAL NSH
Total/NA	Analysis	Moisture		1	90570	07/02/13 14:28	RRS	TAL NSH

### **Client Sample ID: 227 Cypress**

Date Collected: 06/25/13 15:15

Date Received: 07/02/13 08:15

Lab Sample ID: 490-30128-2 Matrix: Solid

Percent Solids: 77.0

	Batch	Batch		Dilution	Batch	Prepared		
Ргер Туре	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			90582	07/02/13 15:05	MLN	TAL NSH
Total/NA	Analysis	8260B		1	91451	07/08/13 14:21	KKK	TAL NSH
Total/NA	Prep	3550C			91758	07/09/13 11:44	AJK	TAL NSH
Total/NA	Analysis	8270D		1	91783	07/10/13 03:08	KJP	TAL NSH
Total/NA	Prep	3550C			91758	07/09/13 11:44	AJK	TAL NSH
Total/NA	Analysis	8270D		5	92095	07/10/13 23:56	KJP	TAL NSH
Total/NA	Analysis	Moisture		1	90570	07/02/13 14:28	RRS	TAL NSH

### **Client Sample ID: 223 Cypress** Date Collected: 06/26/13 13:45

Date Received: 07/02/13 08:15

Lab Sample ID: 490-30128-3 Matrix: Solid Percent Solids: 88.1

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			90582	07/02/13 15:05	MLN	TAL NSH
Total/NA	Analysis	8260B		1	91451	07/08/13 14:50	KKK	TAL NSH
Total/NA	Prep	3550C			91758	07/09/13 11:44	AJK	TAL NSH
Total/NA	Analysis	8270D		1	91783	07/10/13 03:32	KJP	TAL NSH
Total/NA	Analysis	Moisture		1	90570	07/02/13 14:46	RRS	TAL NSH

#### Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

#### Client: Small Business Group Inc. Project/Site: Laurel Bay Housing

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL NSH
8270D	Semivolatile Organic Compounds (GC/MS)	SW846	TAL NSH
Moisture	Percent Moisture	EPA	TAL NSH

#### Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

TestAmerica Job ID: 490-30128-1

### Laboratory: TestAmerica Nashville

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.


Authority	Program	EPA Region	Certification ID	Expiration Date
	ACIL		393	10-30-13
A2LA	ISO/IEC 17025		0453.07	12-31-13
Alaska (UST)	State Program	10	UST-087	07-24-13
Arizona	State Program	9	AZ0473	05-05-14
Arkansas DEQ	State Program	6	88-0737	04-25-14
California	NELAP	9	1168CA	10-31-13
Connecticut	State Program	1	PH-0220	12-31-13
Florida	NELAP	4	E87358	06-30-14
llinois	NELAP	5	200010	12-09-13
lowa	State Program	7	131	05-01-14
Kansas	NELAP	7	E-10229	10-31-13
Kentucky (UST)	State Program	4	19	09-15-13
Louisiana	NELAP	6	30613	06-30-14
Maryland	State Program	3	316	03-31-14
Massachusetts	State Program	1	M-TN032	06-30-14
Minnesota	NELAP	5	047-999-345	12-31-13
Mississippi	State Program	4	N/A	06-30-13 *
Montana (UST)	State Program	8	NA	01-01-15
Nevada	State Program	9	TN00032	07-31-13
New Hampshire	NELAP	1	2963	10-10-13
New Jersey	NELAP	2	TN965	06-30-14
New York	NELAP	2	11342	04-01-14
North Carolina DENR	State Program	4	387	12-31-13
North Dakota	State Program	8	R-146	06-30-13 *
Ohio VAP	State Program	5	CL0033	01-19-14
Oklahoma	State Program	6	9412	08-31-13
Oregon	NELAP	10	TN200001	04-29-14
Pennsylvania	NELAP	3	68-00585	06-30-14
Rhode Island	State Program	1	LAO00268	12-30-13
South Carolina	State Program	4	84009 (001)	02-28-14
South Carolina	State Program	4	84009 (002)	02-23-14
Tennessee	State Program	4	2008	02-23-14
Texas	NELAP	6	T104704077-09-TX	08-31-13
USDA	Federal		S-48469	11-02-13
Utah	NELAP	8	TAN	07-30-13 *
Virginia	NELAP	3	460152	06-14-14
Washington	State Program	10	C789	07-19-13
West Virginia DEP	State Program	3	219	02-28-14
Wisconsin	State Program	5	998020430	08-31-13
Wyoming (UST)	A2LA	8	453.07	12-31-13

\* Expired certification is currently pending renewal and is considered valid.

TestAmerica Nashville

THE LEADER IN ENVIRONMENTAL TESTING Nashville, TN Cooler Received/Opened On : 07/02/13 @ 0815	90-30128 Chain of Custod
Tracking # (last 4 digits, FedEx) Courier: Fed-ex IR Gun : 17960357	
I. Temperature of rep. sample or temp blank when opened:	
3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank froz	en? YES NO.
4. Were custody seals on outside of cooler? If yes, how many and where:	YES. NONA
5. Were the seals intact, signed, and dated correctly?	YES NONA
5. Were custody papers inside cooler?	(YES)NONA
certify that I opened the cooler and answered guestions 1-6 (intial)	S
7. Were custody seals on containers: YES (NO) and Intact	YES NO (NA)
Were these signed and dated correctly?	YES NO. (NA)
B. Packing mat'l used? (Bubblewrap) Plastic bag Peanuts Vermiculite Foam Insert Pa	aper Other None
9. Cooling process:	
10. Did all containers arrive in good condition (unbroken)?	YESNONA
11. Were all container labels complete (#, date, signed, pres., etc)?	YES NO NA
12. Did all container labels and tags agree with custody papers?	ESNONA
13a. Were VOA vials received?	ESNONA
b. Was there any observable headspace present in any VOA vial?	YES. NO. NA
14. Was there a Trip Blank in this cooler? YES(NQNA If multiple coolers, sequ	uence #A
certify that I unloaded the cooler and answered guestions 7-14 (intial)	ETA
5a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH lev	el? YESNO
b. Did the bottle labels indicate that the correct preservatives were used	TESNONA
6. Was residual chlorine present?	YESNO. (NA)
certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (inti-	al) ETA
	ESNONA
<ol><li>Were custody papers properly filled out (ink, signed, etc)?</li></ol>	0
<ul><li>7. Were custody papers properly filled out (ink, signed, etc)?</li><li>8. Did you sign the custody papers in the appropriate place?</li></ul>	KES NO NA
	€E9NONA
8. Did you sign the custody papers in the appropriate place?	
<ul><li>8. Did you sign the custody papers in the appropriate place?</li><li>9. Were correct containers used for the analysis requested?</li><li>80. Was sufficient amount of sample sent in each container?</li></ul>	ESNONA

BIS = Broken in shipment Cooler Receipt Form.doc



Page 20 of 21

### Login Sample Receipt Checklist

Client: Small Business Group Inc.

### Login Number: 30128 List Number: 1

Creator: Abernathy, Eric

Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a<br survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Job Number: 490-30128-1

# ATTACHMENT A

NON-HAZARDOUS MANIFEST				No.	2. Page 1	of		
					1			
. Generator's Mailing Address:	Ge	Generator's Site Address (If different than mailing):			A. Manife	st Number	1	
MCAS BEAUFORT					w	MNA	01519099	
AUREL BAY HOUSING EAUFORT, SC 29904						B. State	Generator's ID	
Generator's Phone 843-879-04	11				12			
. Transporter 1 Company Name ES		6. US EPA I	D Number		-			
10179 Muy 78					C. State Tr	ransporter's I	D-	
	658			_	D. Transpo	orter's Phone	(813)879	. 6400
. Transporter 2 Company Name		8. US EPA I	D Number		E State Tr	ansporter's II		
					-	orter's Phone		
. Designated Facility Name and Site Addre	55	10. US EPA	ID Number					
HICKORY HILL LANDFILL		-			G. State Fa	acility ID		
2621 LOW COUNTRY DRIVE					H. State Fa	acility Phone	843-987-46	543
RIDGELAND, SC 29936								
1. Description of Waste Materials				ontainers	13. Total	14. Unit	I. Misc. Comr	nents
. HEATING OIL TANK FILLED WITH	SAND		No.	Туре	Quantity	Wt./Vol.		
			1	200	9.10	TON	71505	-9
WM Profile #	102655SC			0				
					1000			
WM Profile #				12.				
			1467	110.0	1.000			
WM Profile #			-	100000		1		
			-					
WM Profile #			5	112 - 5	1			
Additional Descriptions for Materials Lis	ted Above		K. Dispo	sal Location				_
			Cell				Level	
			Grid					
5. Special Handling Instructions and Addition	onal Information			4)3	15AS	ト-マ	Q145	1
UST's from :	4	3220 CYP	12233	F	1345	0.1-	1 LAU	REI
	ROSS-				1-12	msn.	1	ISAY
DIAINIAT		EMERGENCY CO	NTACT / PH	ONE NO.:				
Urchase Order #						abla stata lau	w have been fully a	
6. GENERATOR'S CERTIFICATE:	iterials are not h	nazardous wastes as defir	ned by 40 C	FR Part 261	or any applic	able state law		nd
<ol> <li>GENERATOR'S CERTIFICATE: hereby certify that the above-described ma ccurately described, classified and package</li> </ol>		per condition for transpo	rtation acco				v, have been fully a	ind
6. GENERATOR'S CERTIFICATE: hereby certify that the above-described ma			rtation acco				Month Day	Year
6. GENERATOR'S CERTIFICATE: hereby certify that the above-described ma ccurately described, classified and package rinted Name	d and are in pro	per condition for transpo Signature "On beha	rtation acco					-
<ol> <li>GENERATOR'S CERTIFICATE: hereby certify that the above-described ma ccurately described, classified and package</li> </ol>	d and are in pro	per condition for transpo Signature "On beha	rtation acco					-
6. GENERATOR'S CERTIFICATE: hereby certify that the above-described ma ccurately described, classified and package rinted Name 7. Transporter 1 Acknowledgement of Reco Printed Name	d and are in pro	per condition for transpo Signature "On beha S S Signature	rtation acco				Month Day 8 / 9	Year 13
6. GENERATOR'S CERTIFICATE: hereby certify that the above-described ma curately described, classified and package rinted Name 7. Transporter 1 Acknowledgement of Rec Printed Name RAH 8. Transporter 2 Acknowledgement of Rec	d and are in pro	per condition for transpo Signature "On beha S Signature Signature	rtation acco				Month Day Month Day	Year Year Year
5. GENERATOR'S CERTIFICATE: hereby certify that the above-described ma curately described, classified and package inted Name 7. Transporter 1 Acknowledgement of Reco Printed Name 8. Transporter 2 Acknowledgement of Reco Printed Name	d and are in pro	per condition for transpo Signature "On beha S S Signature	rtation acco				Month Day 8 / 9	Year 13
6. GENERATOR'S CERTIFICATE: hereby certify that the above-described ma ccurately described, classified and package rinted Name 7. Transporter 1 Acknowledgement of Rec Printed Name RAHS 8. Transporter 2 Acknowledgement of Rec Printed Name JAMES Baldw	d and are in pro	per condition for transpo Signature "On beha S Signature Signature	rtation acco				Month Day Month Day	Year Year Year
6. GENERATOR'S CERTIFICATE: hereby certify that the above-described ma ccurately described, classified and package rinted Name 7. Transporter 1 Acknowledgement of Reco Printed Name 8. Transporter 2 Acknowledgement of Reco Printed Name JAMES BOLLW 9. Certificate of Final Treatment/Disposal	d and are in pro	per condition for transpo Signature "On beha Signature Signature Signature Signature			b b b	ations. loleg	Month Day Month Day Month Day Month Day	Year Year Year
6. GENERATOR'S CERTIFICATE: hereby certify that the above-described ma ccurately described, classified and package rinted Name 7. Transporter 1 Acknowledgement of Reco Printed Name 8. Transporter 2 Acknowledgement of Reco Printed Name JAMES 9. Certificate of Final Treatment/Disposal certify, on behalf of the above listed treatment	d and are in pro	per condition for transpo Signature "On beha S Signature S Signature S Signature t to the best of my knowl			b b b	ations. loleg	Month Day Month Day Month Day Month Day	Year Year Year
6. GENERATOR'S CERTIFICATE: hereby certify that the above-described ma curately described, classified and package rinted Name 7. Transporter 1 Acknowledgement of Reco Printed Name 8. Transporter 2 Acknowledgement of Reco Printed Name SAMES 9. Certificate of Final Treatment/Disposal certify, on behalf of the above listed treatm pplicable laws, regulations, permits and lice	d and are in pro	per condition for transpo Signature "On beha Signature "On beha Signature Signature Signature t to the best of my knowl res listed above.	edge, the al	pording to approve	plicable regul	ations. loleg	Month Day Month Day Month Day Month Day	Year Year Year
6. GENERATOR'S CERTIFICATE: hereby certify that the above-described ma ccurately described, classified and package rinted Name 7. Transporter 1 Acknowledgement of Rec Printed Name 8. Transporter 2 Acknowledgement of Rec Printed Name JAMES Baldw	d and are in pro	per condition for transpo Signature "On beha Signature "On beha Signature Signature Signature t to the best of my knowl res listed above.	edge, the al	pording to approve	plicable regul	ations. loleg	Month Day Month Day Month Day Month Day	Year Year Year

Appendix C Laboratory Analytical Report - Groundwater



### Volatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants
--

Description: BEALB227TW01WG20151112

Laboratory ID: QK13041-007 Matrix: Aqueous

Date Sampled:11/12/2015 1415

Date Received: 11/13/2015											
RunPrep Method15030B	Analytical Method 8260B			s Date Analyst 15 1722 SES	Prep	Date	<b>Batch</b> 90185				
Parameter		Nu	CAS mber	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzene		71	-43-2	8260B	0.45	US	5.0	0.45	0.21	ug/L	1
Ethylbenzene		100·	-41-4	8260B	0.51	U	5.0	0.51	0.21	ug/L	1
Naphthalene		91	-20-3	8260B	0.32	ВJ	5.0	0.96	0.14	ug/L	1
Toluene		108·	-88-3	8260B	0.48	U	5.0	0.48	0.24	ug/L	1
Xylenes (total)		1330	-20-7	8260B	0.57	US	5.0	0.57	0.32	ug/L	1
Surrogate	Q %	Run 1 Recovery	Acceptan Limits								
Bromofluorobenzene		90	75-120								
1,2-Dichloroethane-d4		91	70-120								
Toluene-d8		96	85-120								
Dibromofluoromethane		91	85-115								

PQL = Practical quantitation limitB = Detected in the method blankE = Quantitation of compound exceeded the calibration rangeH = Out of holding timeQ = Surrogate failureND = Not detected at or above the MDLJ = Estimated result < PQL and  $\geq$  MDLP = The RPD between two GC columns exceeds 40%N = Recovery is out of criteriaL = LCS/LCSD failureWhere applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"S = MS/MSD failureS = MS/MSD failure

Shealy Environmental Services, Inc.106 Vantage Point DriveWest Columbia, SC 29172(803) 791-9700Fax (803) 791-9111www.shealylab.com

# Semivolatile Organic Compounds by GC/MS (SIM)

### Client: AECOM - Resolution Consultants

Description: BEALB227TW01WG20151112

Laboratory ID: QK13041-007

Date Sampled:11/12/2015 1415

Matrix: Aqueous

#### Date Received: 11/13/2015

RunPrep Method13520C	Analytical Method Dil 8270D (SIM)	•	<b>/sis Date Analyst</b> /2015 2119 RBH	•		Batch 6 89918				
Parameter		CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzo(a)anthracene		56-55-3	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(b)fluoranthene		205-99-2	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(k)fluoranthene		207-08-9	8270D (SIM)	0.040	U	0.20	0.040	0.024	ug/L	1
Chrysene		218-01-9	8270D (SIM)	0.040	U	0.20	0.040	0.021	ug/L	1
Dibenzo(a,h)anthracene		53-70-3	8270D (SIM)	0.080	U	0.20	0.080	0.040	ug/L	1
Surrogate	Rui Q % Rec		ance nits							
2-Methylnaphthalene-d10	7	<b>'6 15-</b> 1	139							
Fluoranthene-d10	9	01 23-1	154							

PQL = Practical quantitation limitB = Detected in the method blankE = Quantitation of compound exceeded the calibration rangeH = Out of holding timeQ = Surrogate failureND = Not detected at or above the MDLJ = Estimated result < PQL and  $\geq$  MDLP = The RPD between two GC columns exceeds 40%N = Recovery is out of criteriaL = LCS/LCSD failureWhere applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"S = MS/MSD failure

Shealy Environmental Services, Inc.106 Vantage Point DriveWest Columbia, SC 29172(803) 791-9700Fax (803) 791-9111www.shealylab.com

Appendix D Regulatory Correspondence





Catherine E. Heigel, Director Promoting and protecting the health of the public and the environment

July 1, 2015

Commanding Officer Attention: NREAO Mr. William A. Drawdy United State Marine Corps Air Station Post Office Box 55001 Beaufort, SC 29904-5001

RE: IGWA Laurel Bay Underground Storage Tank Assessment Reports for: See attached sheet

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the referenced Underground Storage Tank Assessment Reports for the addresses listed above. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 <u>et seq.</u>, as amended).

The Department has reviewed the referenced assessment reports. The submitted analytical results indicate that petroleum constituents are above established Risk-Based Screening Levels and additional investigation is warranted. Specifically, the Department requests that a groundwater sampling proposal be generated to determine if there has been an impact to groundwater at this site.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at kriegkm@dhec.sc.gov or 803-898-0255.

Sincerely,

that M. They

Kent Krieg Department of Defense Corrective Action Section Bureau of Land and Waste Management South Carolina Department of Health and Environmental Control

Cc: Russell Berry (via email) Craig Ehde (via email) Bryan Beck (via email)



Catherine E. Heigel, Director

Promoting and protecting the health of the public and the environment

Attachment to:

Krieg to Drawdy Subject: IGWA Dated 7/1/2015

### Laurel Bay Underground Storage Tank Assessment Reports for: (97 addresses/110 tanks)

118 Banyan	343 Ash Tank 2
126 Banyan	344 Ash Tank 2
127 Banyan	347 Ash Tank 2
130 Banyan Tank 1	378 Aspen Tank 2
141 Laurel Bay	379 Aspen
151 Laurel Bay	382 Aspen Tank 1
224 Cypress	382 Aspen Tank 2
227 Cypress	394 Acorn Tank 2
256 Beech Tank 2	400 Elderberry
257 Beech Tank 1	432 Elderberry
257 Beech Tank 2	436 Elderberry
264 Beech	473 Dogwood Tank 2
265 Beech Tank 2	482 Laurel Bay
265 Beech Tank 3	517 Laurel Bay
275 Birch	586 Aster
277 Birch Tank 1	632 Dahlia
285 Birch	639 Dahlia Tank 2
292 Birch Tank 3	643 Dahlia Tank 1
297 Birch	644 Dahlia Tank 1
301 Ash	644 Dahlia Tank 2
306 Ash	646 Dahlia Tank 1
310 Ash Tank 1	646 Dahlia Tank 2
313 Ash	665 Camellia
315 Ash Tank 2	699 Abelia
316 Ash	744 Blue Bell
319 Ash	745 Blue Bell Tank 1
320 Ash	747 Blue Bell Tank 1
321 Ash	747 Blue Bell Tank 2
329 Ash	747 Blue Bell Tank 3
330 Ash Tank 2	749 Blue Bell Tank 1
331 Ash	749 Blue Bell Tank 2
332 Ash	751 Blue Bell
333 Ash	762 Althea
335 Ash Tank 1	765 Althea Tank 2
335 Ash Tank 2	766 Althea Tank 4
341 Ash	767 Althea Tank 1
342 Ash Tank 1	768 Althea Tank 2
342 Ash Tank 2	768 Althea Tank 3

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL 2600 Bull Street • Columbia, SC 29201 • Phone: (803) 898-3432 • www.scdhec.gov Laurel Bay Underground Storage Tank Assessment Reports for: (98 addresses/110 tanks) cont.

768 Althea Tank 4	1067 Gardenia
769 Althea Tank 1	1077 Heather
769 Althea Tank 2	1081 Heather
775 Althea	1101 Iris Tank 2
819 Azalea	1104 Iris
840 Azalea	1105 Iris Tank 2
878 Cobia	1124 Iris Tank 2
891 Cobia	1142 Iris Tank 2
913 Barracuda	1146 Iris Tank 2
916 Barracuda	1218 Cardinal
923 Albacore	1240 Dove
1004 Bobwhite	1266 Dove
1022 Foxglove	1292 Eagle
1031 Foxglove	1299 Eagle Tank 1
1034 Foxglove Tank 2	1302 Eagle
1061 Gardenia Tank 3	1336 Albatross
1064 Gardenia	1351 Cardinal



Catherine E. Heigel, Director Promoting and protecting the health of the public and the environment

> Division of Waste Management Bureau of Land and Waste Management

June 8, 2016

Commanding Officer Attention: NREAO Mr. William A. Drawdy United State Marine Corps Air Station Post Office Box 55001 Beaufort, SC 29904-5001

RE: Approval and Concurrence with Draft Final Initial Groundwater Investigation Report-November and December 2015 Laurel Bay Military Housing Area Multiple Properties Dated April 2015

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received groundwater data in the above referenced Groundwater Investigation Report for the attached addresses on May 2, 2016. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

Per the Department's request, groundwater samples were collected from the attached referenced addresses. The Department reviewed the groundwater data and previous investigations and it agrees with the conclusions and recommendations included in the document. To further assess the impact to groundwater, permanent wells should be installed at the 15 stated addresses. For the remaining 80 addresses, there is no indication of contamination on the property and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at petruslb@dhec.sc.gov or 803-898-0294.

Sincerely,

LISTS

Laurel Petrus RCRA Federal Facilities Section

Attachment: Specific Property Recommendations

Cc: Russell Berry, EQC Region 8 (via email) Shawn Dolan, Resolution Consultants (via email) Bryan Beck, NAVFAC MIDATLANTIC (via email) Craig Ehde (via email) Attachment to: Petrus to Drawdy

Subject: Draft Final Initial Groundwater Investigation Report-November and December 2015 Specific Property Recommendations Dated June 8, 2016

### Draft Final Initial Groundwater Investigation Report for (95 addresses)

Permanent Monitoring Well Investigation recommendation (15 addresses)				
130 Banyan Drive	473 Dogwood Drive			
256 Beech Street	747 Blue Bell Lane			
285 Birch Drive	749 Blue Bell Lane			
292 Birch Drive	775 Althea Street			
330 Ash Street	1034 Foxglove Street			
331 Ash Street	1104 Iris Lane			
335 Ash Street	1124 Iris Lane			
342 Ash Street				

118 Banyan Drive	644 Dahlia Drive	
126 Banyan Drive	646 Dahlia Drive	
127 Banyan Drive	665 Camellia Drive	
141 Laurel Bay Blvd	699 Abelia Street	
151 Laurel Bay Blvd	744 Blue Bell Lane	10
224 Cypress Street	745 Blue Bell Lane	
227 Cypress Street	751 Blue Bell Lane	
257 Beech Street	762 Althea Street	
264 Beech Street	765 Althea Street	
265 Beech Street	766 Althea Street	
275 Birch Drive	767 Althea Street	
277 Birch Drive	768 Althea Street	
297 Birch Drive	769 Althea Street	
301 Ash Street	819 Azalea Drive	
306 Ash Street	840 Azalea Drive	
310 Ash Street	878 Cobia Drive	
313 Ash Street	891 Cobia Drive	
315 Ash Street	913 Barracuda Drive	
316 Ash Street	916 Barracuda Drive	
319 Ash Street	923 Wren Lane	
320 Ash Street	1004 Bobwhite Drive	
321 Ash Street	1022 Foxglove Street	
329 Ash Street	1031 Foxglove Street	
332 Ash Street	1061 Gardenia Drive	
333 Ash Street	1064 Gardenia Drive	
341 Ash Street	1067 Gardenia Drive	
347 Ash Street	1077 Heather Street	
378 Aspen Street	1081 Heather Street	
379 Aspen Street	1101 Iris Lane	
382 Aspen Street	1105 Iris Lane	
394 Acorn Street	1142 Iris Lane	
400 Elderberry Drive	1146 Iris Lane	
432 Elderberry Drive	1218 Cardinal Lane	
436 Elderberry Drive	1240 Dove Lane	
482 Laurel Bay Blvd	1266 Dove Lane	
517 Laurel Bay Blvd	1292 Eagle Lane	
586 Aster Street	1299 Eagle Lane	
632 Dahlia Drive	1302 Eagle Lane	
639 Dahlia Drive	1336 Albatross Drive	
643 Dahlia Drive	1351 Cardinal Lane	

Attachment to: Petrus to Drawdy Subject: Draft Final Initial Groundwater Investigation Report-November and December 2015 Specific Property Recommendations Dated June 8, 2016, Page 2