

SUMMARY REPORT  
60 BEECH STREET (FORMERLY 255 BEECH STREET)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC

Revision: 0  
Prepared for:

Department of the Navy  
Naval Facilities Engineering Command, Mid-Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT  
60 BEECH STREET (FORMERLY 255 BEECH STREET)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC

Revision: 0  
Prepared for:

Department of the Navy  
Naval Facilities Engineering Command, Mid- Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture  
10560 Arrowhead Drive, Suite 500  
Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016  
CTO WE52  
JUNE 2021

## Table of Contents

1.0	INTRODUCTION.....	1
1.1	BACKGROUND INFORMATION.....	1
1.2	UST REMOVAL AND ASSESSMENT PROCESS.....	2
2.0	SAMPLING ACTIVITIES AND RESULTS.....	3
2.1	UST REMOVAL AND SOIL SAMPLING.....	3
2.2	SOIL ANALYTICAL RESULTS.....	4
3.0	PROPERTY STATUS.....	4
4.0	REFERENCES.....	4

## Table

Table 1	Laboratory Analytical Results - Soil
---------	--------------------------------------

## Appendices

Appendix A	Multi-Media Selection Process for LBMH
Appendix B	UST Assesment Report
Appendix C	Regulatory Correspondence

### List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level

## 1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 60 Beech Street (Formerly 255 Beech Street). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

### 1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

## 1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*

---

*Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

## 2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 60 East Cypress Street (Formerly 255 East Cypress Street). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 255 East Cypress Street* (MCAS Beaufort, 2009). The UST Assessment Report is provided in Appendix B.

### 2.1 UST Removal and Soil Sampling

On April 7, 2009, two 280 gallon heating oil USTs were removed from the back yard adjacent to the garage at 60 Beech Street (Formerly 255 Beech Street). The former UST locations are indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The USTs were removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removals. According to the UST Assessment Report (Appendix B), the depths to the bases of the USTs were 4'5" bgs (Tank 1) and 5'2" bgs (Tank 2) and a single soil sample was

collected for each from those depths. The samples were collected from the fill port side of the former USTs to represent a worst case scenario.

Following UST removals, a soil sample was collected from the base of each excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

## 2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST locations (Tanks 1 and 2) were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from the former UST locations (Tanks 1 and 2) at 60 Beech Street (Formerly 255 Beech Street) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former USTs at concentrations that presented a potential risk to human health and the environment.

## 3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 60 Beech Street (Formerly 255 Beech Street). This NFA determination was obtained in a letter dated December 14, 2016. SCDHEC's NFA letter is provided in Appendix C.

## 4.0 REFERENCES

Marine Corps Air Station Beaufort, 2009. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 255 Beech Street, Laurel Bay Military Housing Area, April 2009.*



South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

## Table

**Table 1**  
**Laboratory Analytical Results - Soil**  
**60 Beech Street (Formerly 255 Beech Street)**  
**Laurel Bay Military Housing Area**  
**Marine Corps Air Station Beaufort**  
**Beaufort, South Carolina**

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Results Samples Collected 04/07/09	
		255 Beech-1	255 Beech-2
<b>Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)</b>			
Benzene	0.003	ND	ND
Ethylbenzene	1.15	ND	ND
Naphthalene	0.036	<b>0.0115</b>	<b>0.0123</b>
Toluene	0.627	<b>0.00529</b>	<b>0.00536</b>
Xylenes, Total	13.01	ND	ND
<b>Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)</b>			
Benzo(a)anthracene	0.66	ND	<b>0.0967</b>
Benzo(b)fluoranthene	0.66	ND	ND
Benzo(k)fluoranthene	0.66	ND	ND
Chrysene	0.66	ND	ND
Dibenz(a,h)anthracene	0.66	ND	ND

**Notes:**

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0 and 3.1 (SCDHEC, May 2015 and SCDHEC, February 2016) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency


mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

**Appendix A**  
**Multi-Media Selection Process for LBMH**



Appendix A - Multi-Media Selection Process for LBMH

**Appendix B**  
**UST Assessment Report**

South Carolina Department of Health and Environmental Control (SCDHEC)  
**Underground Storage Tank (UST) Assessment Report**

<p><b>Date Received</b></p>   <p><b>State Use Only</b></p>
---

Submit Completed Form To:  
 UST Program  
 SCDHEC  
 2600 Bull Street  
 Columbia, South Carolina 29201  
 Telephone (803) 896-7957

**I. OWNERSHIP OF UST (S)**

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)		
Owner Name (Corporation, Individual, Public Agency, Other)		
P.O. Box 55001		
Mailing Address		
Beaufort,	South Carolina	29904-5001
City	State	Zip Code
843	228-7317	Craig Ehde
Area Code	Telephone Number	Contact Person

**II. SITE IDENTIFICATION AND LOCATION**

Permit I.D. #	
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC	
Facility Name or Company Site Identifier	
255 Beech St., Laurel Bay Military Housing Area	
Street Address or State Road (as applicable)	
Beaufort,	Beaufort
City	County

### III. INSURANCE INFORMATION

#### Insurance Statement

The petroleum release reported to DHEC on \_\_\_\_\_ at Permit ID Number \_\_\_\_\_ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES \_\_\_ NO \_\_\_ (check one)

If you answered YES to the above question, please complete the following information:

My policy provider is: \_\_\_\_\_  
The policy deductible is: \_\_\_\_\_  
The policy limit is: \_\_\_\_\_

If you have this type of insurance, please include a copy of the policy with this report.

### IV. REQUEST FOR SUPERB FUNDING

I **DO / DO NOT** wish to participate in the SUPERB Program. (Circle one.)

### V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

\_\_\_\_\_  
Name (Type or print.)

\_\_\_\_\_  
Signature

#### To be completed by Notary Public:

Sworn before me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_

\_\_\_\_\_  
(Name)

Notary Public for the state of \_\_\_\_\_  
*Please affix State seal if you are commissioned outside South Carolina*



## VI. UST INFORMATION

255Beech-1	255Beech-2
Heating oil	Heating oil
280 gal	280 gal
Late 1950s	Late 1950s
Steel	Steel
Mid 1980s	Mid 1980s
4'5"	5'2"
No	No
No	No
Removed	Removed
4/7/09	4/7/09
Yes	Yes
Yes	Yes

A. Product...(ex. Gas, Kerosene).....

B. Capacity..(ex. 1k, 2k).....

C. Age.....

D. Construction Material..(ex. Steel, FRP).....

E. Month/Year of Last Use.....

F. Depth (ft.) To Base of Tank.....

G. Spill Prevention Equipment Y/N.....

H. Overfill Prevention Equipment Y/N.....

I. Method of Closure Removed/Filled.....

J. Date Tanks Removed/Filled.....

K. Visible Corrosion or Pitting Y/N.....

L. Visible Holes Y/N.....

M. Method of disposal for any USTs removed from the ground (attach disposal manifests)  
Both tanks were removed from the ground, cleaned and recycled. See Attachment "A."

N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)  
Fluid was pumped from both tanks and disposed of by MCAS.

O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST  
Corrosion, pitting and holes were found on the entire surface of both tanks. 255Beech-1 had one approximately 5"x7" hole and one 2"x3" hole on the bottom at the fill end.

## VII. PIPING INFORMATION

- A. Construction Material..(ex. Steel, FRP).....
- B. Distance from UST to Dispenser.....
- C. Number of Dispensers.....
- D. Type of System Pressure or Suction.....
- E. Was Piping Removed from the Ground? Y/N
- F. Visible Corrosion or Pitting Y/N.....
- G. Visible Holes Y/N.....
- H. Age.....

255Beech-1		255Beech-2	
Steel /Copper		Steel /Copper	
N/A		N/A	
N/A		N/A	
Suction		Suction	
Unknown*		Unknown*	
Unknown		Unknown	
Unknown		Unknown	
Early 1950s		Early 1950s	

- I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

\*All piping from both tanks was removed at an earlier date by others.

---



---

## VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

---



---



---



---

## IX. SITE CONDITIONS

	Yes	No	Unk
<p>A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate depth and location on the site map.</p>		X	
<p>B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?      Mild odor came from excavation of both tanks.</p> <p>If yes, indicate location on site map and describe the odor (strong, mild, etc.)</p>	X		
<p>C. Was water present in the UST excavation, soil borings, or trenches?</p> <p>If yes, how far below land surface (indicate location and depth)?</p>		X	
<p>D. Did contaminated soils remain stockpiled on site after closure?</p> <p>If yes, indicate the stockpile location on the site map.</p> <p>Name of DHEC representative authorizing soil removal:</p>		X	
<p>E. Was a petroleum sheen or free product detected on any excavation or boring waters?</p> <p>If yes, indicate location and thickness.</p>		X	

## X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 96012001

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
255	Beech-1 Excav at fill end	Soil	Clay	4'5"	4/7/09 1040 hrs	P. Shaw	
255	Beech-2 Excav at fill end	Soil	Clay	5'2"	4/7/09 1445 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

\* = Depth Below the Surrounding Land Surface

## XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.

---

---

---

---

---

---

---

---

---

---


## XII. RECEPTORS

	Yes	No
<p>A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?</p> <p>If yes, indicate type of receptor, distance, and direction on site map.</p>		X
<p>B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?</p> <p>If yes, indicate type of well, distance, and direction on site map.</p>		X
<p>C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?</p> <p>If yes, indicate type of structure, distance, and direction on site map.</p>		X
<p>D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination?      *Sewer, water, electricity, cable, fiber optic</p> <p>If yes, indicate the type of utility, distance, and direction on the site map.</p>	X*	
<p>E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?</p> <p>If yes, indicate the area of contaminated soil on the site map.</p>		X


### **XIII. SITE MAP**

**You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.**

(Attach Site Map Here)



**255 BEECH ST.**



**SBG-EEG, Inc.**

Small Business Group, Inc.  
10179 Hwy 78  
Ladson, SC 29456



Ph. (843) 879-0400

Drawn By: L. DiAsio

Dwg Date: Apr 2009

**FIGURE 1: LOCATION MAP  
255 BEECH ST., LAUREL BAY  
MCAS BEAUFORT SC**








**SBG-EEG**  
10179 HWY 78  
LADSON, SC. 29456  
ph. (843) 879-0400

**FIGURE 2 SITE MAP**  
**255 BEECH ST., LAUREL BAY**  
**MCAS BEAUFORT SC**


SCALE: GRAPHIC      DWG DATE APR 2009



<b>SBG-EEG</b> 10179 HWY 78 LADSON, SC 29456 ph. (843) 879-0400	<b>FIGURE 3 UST SAMPLE LOCATIONS</b> 255 BEECH ST., LAUREL BAY MCAS BEAUFORT SC	
	SCALE: GRAPHIC	DWG DATE APR 2009



Picture 1: Top of UST 255Beech-1 exposed during removal.



Picture 2: UST 255Beech-2 vent pipe exposed during beginning of tank removal.





Picture 3: 255 Beech Street site at completion. Tanks were located behind garage.

#### XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	255Beech-1		255Beech-2			
Benzene	ND		ND			
Toluene	0.00529 mg/kg		0.00536 mg/kg			
Ethylbenzene	ND		ND			
Xylenes	ND		ND			
Naphthalene	0.0115 mg/kg		0.0123 mg/kg			
Benzo (a) anthracene	ND		0.0967 mg/kg			
Benzo (b) fluoranthene	ND		ND			
Benzo (k) fluoranthene	ND		ND			
Chrysene	ND		ND			
Dibenz (a, h) anthracene	ND		ND			
TPH (EPA 3550)						

CoC						
Benzene						
Toluene						
Ethylbenzene						
Xylenes						
Naphthalene						
Benzo (a) anthracene						
Benzo (b) fluoranthene						
Benzo (k) fluoranthene						
Chrysene						
Dibenz (a, h) anthracene						
TPH (EPA 3550)						

### SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

## **XV. ANALYTICAL RESULTS**

**You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.**

(Attach Certified Analytical Results and Chain-of-Custody Here)

(Please see Form #4)

April 24, 2009 12:33:16PM

Client: EEG - Env. Enterprise Group (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn: Tom McElwee

Work Order: NSD0949  
Project Name: Laurel Bay Housing Project  
Project Nbr: [none]  
P/O Nbr: 0829  
Date Received: 04/10/09

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
268 Beech	NSD0949-01	04/06/09 13:45
255 Beech-1	NSD0949-02	04/07/09 10:40
255 Beech-2	NSD0949-03	04/07/09 14:45
279 Birch	NSD0949-04	04/09/09 14:20

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

South Carolina Certification Number: 84009001

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.


These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.

This report has been electronically signed.

Report Approved By:



Ken A. Hayes

Senior Project Manager



Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSD0949  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 04/10/09 08:10

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NSD0949-01 (268 Beech - Soil) Sampled: 04/06/09 13:45</b>								
<b>General Chemistry Parameters</b>								
% Dry Solids	78.0		%	0.500	1	04/16/09 08:12	SW-846	9042321
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>								
Benzene	ND		mg/kg dry	0.00205	1	04/20/09 15:32	SW846 8260B	9043056
Ethylbenzene	0.169		mg/kg dry	0.00205	1	04/20/09 15:32	SW846 8260B	9043056
Naphthalene	3.97	H2	mg/kg dry	0.283	50	04/21/09 18:39	SW846 8260B	9043200
Toluene	0.00617		mg/kg dry	0.00205	1	04/20/09 15:32	SW846 8260B	9043056
Xylenes, total	0.665		mg/kg dry	0.00513	1	04/20/09 15:32	SW846 8260B	9043056
Surr: 1,2-Dichloroethane-d4 (41-150%)	99 %					04/20/09 15:32	SW846 8260B	9043056
Surr: 1,2-Dichloroethane-d4 (41-150%)	124 %					04/21/09 18:39	SW846 8260B	9043200
Surr: Dibromofluoromethane (55-139%)	102 %					04/20/09 15:32	SW846 8260B	9043056
Surr: Dibromofluoromethane (55-139%)	98 %					04/21/09 18:39	SW846 8260B	9043200
Surr: Toluene-d8 (57-148%)	111 %					04/20/09 15:32	SW846 8260B	9043056
Surr: Toluene-d8 (57-148%)	97 %					04/21/09 18:39	SW846 8260B	9043200
Surr: 4-Bromofluorobenzene (58-150%)	122 %					04/20/09 15:32	SW846 8260B	9043056
Surr: 4-Bromofluorobenzene (58-150%)	118 %					04/21/09 18:39	SW846 8260B	9043200
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>								
Acenaphthene	ND		mg/kg dry	0.0842	1	04/15/09 15:38	SW846 8270D	9041798
Acenaphthylene	ND		mg/kg dry	0.0842	1	04/15/09 15:38	SW846 8270D	9041798
Anthracene	ND		mg/kg dry	0.0842	1	04/15/09 15:38	SW846 8270D	9041798
Benzo (a) anthracene	ND		mg/kg dry	0.0842	1	04/15/09 15:38	SW846 8270D	9041798
Benzo (a) pyrene	ND		mg/kg dry	0.0842	1	04/15/09 15:38	SW846 8270D	9041798
Benzo (b) fluoranthene	ND		mg/kg dry	0.0842	1	04/15/09 15:38	SW846 8270D	9041798
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0842	1	04/15/09 15:38	SW846 8270D	9041798
Benzo (k) fluoranthene	ND		mg/kg dry	0.0842	1	04/15/09 15:38	SW846 8270D	9041798
Chrysene	ND		mg/kg dry	0.0842	1	04/15/09 15:38	SW846 8270D	9041798
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0842	1	04/15/09 15:38	SW846 8270D	9041798
Fluoranthene	ND		mg/kg dry	0.0842	1	04/15/09 15:38	SW846 8270D	9041798
Fluorene	0.633		mg/kg dry	0.0842	1	04/15/09 15:38	SW846 8270D	9041798
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0842	1	04/15/09 15:38	SW846 8270D	9041798
Naphthalene	0.393		mg/kg dry	0.0842	1	04/15/09 15:38	SW846 8270D	9041798
Phenanthrene	1.25		mg/kg dry	0.0842	1	04/15/09 15:38	SW846 8270D	9041798
Pyrene	ND		mg/kg dry	0.0842	1	04/15/09 15:38	SW846 8270D	9041798
1-Methylnaphthalene	2.40		mg/kg dry	0.0842	1	04/15/09 15:38	SW846 8270D	9041798
2-Methylnaphthalene	3.32		mg/kg dry	0.0842	1	04/15/09 15:38	SW846 8270D	9041798
Surr: Terphenyl-d14 (26-128%)	64 %					04/15/09 15:38	SW846 8270D	9041798
Surr: 2-Fluorobiphenyl (19-109%)	65 %					04/15/09 15:38	SW846 8270D	9041798
Surr: Nitrobenzene-d5 (22-104%)	69 %					04/15/09 15:38	SW846 8270D	9041798

Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSD0949  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 04/10/09 08:10

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NSD0949-02 (255 Beech-1 - Soil) Sampled: 04/07/09 10:40</b>								
<b>General Chemistry Parameters</b>								
% Dry Solids	81.6		%	0.500	1	04/16/09 08:12	SW-846	9042321
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>								
Benzene	ND		mg/kg dry	0.00199	1	04/20/09 16:02	SW846 8260B	9043056
Ethylbenzene	ND		mg/kg dry	0.00199	1	04/20/09 16:02	SW846 8260B	9043056
Naphthalene	0.0115		mg/kg dry	0.00500	1	04/21/09 18:08	SW846 8260B	9043200
Toluene	0.00529		mg/kg dry	0.00199	1	04/20/09 16:02	SW846 8260B	9043056
Xylenes, total	ND		mg/kg dry	0.00498	1	04/20/09 16:02	SW846 8260B	9043056
<i>Surr: 1,2-Dichloroethane-d4 (41-150%)</i>	94 %					04/20/09 16:02	SW846 8260B	9043056
<i>Surr: 1,2-Dichloroethane-d4 (41-150%)</i>	131 %					04/21/09 18:08	SW846 8260B	9043200
<i>Surr: Dibromofluoromethane (55-139%)</i>	99 %					04/20/09 16:02	SW846 8260B	9043056
<i>Surr: Dibromofluoromethane (55-139%)</i>	103 %					04/21/09 18:08	SW846 8260B	9043200
<i>Surr: Toluene-d8 (57-148%)</i>	98 %					04/20/09 16:02	SW846 8260B	9043056
<i>Surr: Toluene-d8 (57-148%)</i>	99 %					04/21/09 18:08	SW846 8260B	9043200
<i>Surr: 4-Bromofluorobenzene (58-150%)</i>	103 %					04/20/09 16:02	SW846 8260B	9043056
<i>Surr: 4-Bromofluorobenzene (58-150%)</i>	147 %					04/21/09 18:08	SW846 8260B	9043200
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>								
Acenaphthene	ND		mg/kg dry	0.0808	1	04/15/09 16:00	SW846 8270D	9041798
Acenaphthylene	ND		mg/kg dry	0.0808	1	04/15/09 16:00	SW846 8270D	9041798
Anthracene	ND		mg/kg dry	0.0808	1	04/15/09 16:00	SW846 8270D	9041798
Benzo (a) anthracene	ND		mg/kg dry	0.0808	1	04/15/09 16:00	SW846 8270D	9041798
Benzo (a) pyrene	ND		mg/kg dry	0.0808	1	04/15/09 16:00	SW846 8270D	9041798
Benzo (b) fluoranthene	ND		mg/kg dry	0.0808	1	04/15/09 16:00	SW846 8270D	9041798
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0808	1	04/15/09 16:00	SW846 8270D	9041798
Benzo (k) fluoranthene	ND		mg/kg dry	0.0808	1	04/15/09 16:00	SW846 8270D	9041798
Chrysene	ND		mg/kg dry	0.0808	1	04/15/09 16:00	SW846 8270D	9041798
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0808	1	04/15/09 16:00	SW846 8270D	9041798
Fluoranthene	ND		mg/kg dry	0.0808	1	04/15/09 16:00	SW846 8270D	9041798
Fluorene	ND		mg/kg dry	0.0808	1	04/15/09 16:00	SW846 8270D	9041798
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0808	1	04/15/09 16:00	SW846 8270D	9041798
Naphthalene	ND		mg/kg dry	0.0808	1	04/15/09 16:00	SW846 8270D	9041798
Phenanthrene	ND		mg/kg dry	0.0808	1	04/15/09 16:00	SW846 8270D	9041798
Pyrene	ND		mg/kg dry	0.0808	1	04/15/09 16:00	SW846 8270D	9041798
1-Methylnaphthalene	ND		mg/kg dry	0.0808	1	04/15/09 16:00	SW846 8270D	9041798
2-Methylnaphthalene	ND		mg/kg dry	0.0808	1	04/15/09 16:00	SW846 8270D	9041798
<i>Surr: Terphenyl-d14 (26-128%)</i>	45 %					04/15/09 16:00	SW846 8270D	9041798
<i>Surr: 2-Fluorobiphenyl (19-109%)</i>	58 %					04/15/09 16:00	SW846 8270D	9041798
<i>Surr: Nitrobenzene-d5 (22-104%)</i>	57 %					04/15/09 16:00	SW846 8270D	9041798

Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSD0949  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 04/10/09 08:10

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NSD0949-03 (255 Beech-2 - Soil) Sampled: 04/07/09 14:45</b>								
<b>General Chemistry Parameters</b>								
% Dry Solids	79.1		%	0.500	1	04/16/09 08:12	SW-846	9042321
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>								
Benzene	ND		mg/kg dry	0.00218	1	04/20/09 16:33	SW846 8260B	9043056
Ethylbenzene	ND		mg/kg dry	0.00218	1	04/20/09 16:33	SW846 8260B	9043056
Naphthalene	0.0123		mg/kg dry	0.00544	1	04/20/09 16:33	SW846 8260B	9043056
Toluene	0.00536		mg/kg dry	0.00218	1	04/20/09 16:33	SW846 8260B	9043056
Xylenes, total	ND		mg/kg dry	0.00544	1	04/20/09 16:33	SW846 8260B	9043056
Surr: 1,2-Dichloroethane-d4 (41-150%)	93 %					04/20/09 16:33	SW846 8260B	9043056
Surr: Dibromofluoromethane (55-139%)	98 %					04/20/09 16:33	SW846 8260B	9043056
Surr: Toluene-d8 (57-148%)	94 %					04/20/09 16:33	SW846 8260B	9043056
Surr: 4-Bromofluorobenzene (58-150%)	108 %					04/20/09 16:33	SW846 8260B	9043056
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>								
Acenaphthene	ND		mg/kg dry	0.0845	1	04/15/09 16:23	SW846 8270D	9041798
Acenaphthylene	ND		mg/kg dry	0.0845	1	04/15/09 16:23	SW846 8270D	9041798
Anthracene	ND		mg/kg dry	0.0845	1	04/15/09 16:23	SW846 8270D	9041798
Benzo (a) anthracene	0.0967		mg/kg dry	0.0845	1	04/15/09 16:23	SW846 8270D	9041798
Benzo (a) pyrene	ND		mg/kg dry	0.0845	1	04/15/09 16:23	SW846 8270D	9041798
Benzo (b) fluoranthene	ND		mg/kg dry	0.0845	1	04/15/09 16:23	SW846 8270D	9041798
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0845	1	04/15/09 16:23	SW846 8270D	9041798
Benzo (k) fluoranthene	ND		mg/kg dry	0.0845	1	04/15/09 16:23	SW846 8270D	9041798
Chrysene	ND		mg/kg dry	0.0845	1	04/15/09 16:23	SW846 8270D	9041798
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0845	1	04/15/09 16:23	SW846 8270D	9041798
Fluoranthene	0.287		mg/kg dry	0.0845	1	04/15/09 16:23	SW846 8270D	9041798
Fluorene	ND		mg/kg dry	0.0845	1	04/15/09 16:23	SW846 8270D	9041798
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0845	1	04/15/09 16:23	SW846 8270D	9041798
Naphthalene	ND		mg/kg dry	0.0845	1	04/15/09 16:23	SW846 8270D	9041798
Phenanthrene	0.207		mg/kg dry	0.0845	1	04/15/09 16:23	SW846 8270D	9041798
Pyrene	0.266		mg/kg dry	0.0845	1	04/15/09 16:23	SW846 8270D	9041798
1-Methylnaphthalene	ND		mg/kg dry	0.0845	1	04/15/09 16:23	SW846 8270D	9041798
2-Methylnaphthalene	ND		mg/kg dry	0.0845	1	04/15/09 16:23	SW846 8270D	9041798
Surr: Terphenyl-d14 (26-128%)	69 %					04/15/09 16:23	SW846 8270D	9041798
Surr: 2-Fluorobiphenyl (19-109%)	60 %					04/15/09 16:23	SW846 8270D	9041798
Surr: Nitrobenzene-d5 (22-104%)	59 %					04/15/09 16:23	SW846 8270D	9041798

Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSD0949  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 04/10/09 08:10

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NSD0949-04 (279 Birch - Soil) Sampled: 04/09/09 14:20</b>								
General Chemistry Parameters								
% Dry Solids	72.8		%	0.500	1	04/16/09 08:12	SW-846	9042321
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00210	1	04/20/09 17:04	SW846 8260B	9043056
Ethylbenzene	0.0125		mg/kg dry	0.00210	1	04/20/09 17:04	SW846 8260B	9043056
Naphthalene	0.188		mg/kg dry	0.00524	1	04/20/09 17:04	SW846 8260B	9043056
Toluene	0.00370		mg/kg dry	0.00210	1	04/20/09 17:04	SW846 8260B	9043056
Xylenes, total	ND		mg/kg dry	0.00524	1	04/20/09 17:04	SW846 8260B	9043056
Surr: 1,2-Dichloroethane-d4 (41-150%)	103 %					04/20/09 17:04	SW846 8260B	9043056
Surr: Dibromofluoromethane (55-139%)	102 %					04/20/09 17:04	SW846 8260B	9043056
Surr: Toluene-d8 (57-148%)	93 %					04/20/09 17:04	SW846 8260B	9043056
Surr: 4-Bromofluorobenzene (58-150%)	100 %					04/20/09 17:04	SW846 8260B	9043056
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	ND		mg/kg dry	0.0904	1	04/15/09 17:08	SW846 8270D	9041798
Acenaphthylene	ND		mg/kg dry	0.0904	1	04/15/09 17:08	SW846 8270D	9041798
Anthracene	0.0972		mg/kg dry	0.0904	1	04/15/09 17:08	SW846 8270D	9041798
Benzo (a) anthracene	ND		mg/kg dry	0.0904	1	04/15/09 17:08	SW846 8270D	9041798
Benzo (a) pyrene	ND		mg/kg dry	0.0904	1	04/15/09 17:08	SW846 8270D	9041798
Benzo (b) fluoranthene	ND		mg/kg dry	0.0904	1	04/15/09 17:08	SW846 8270D	9041798
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0904	1	04/15/09 17:08	SW846 8270D	9041798
Benzo (k) fluoranthene	ND		mg/kg dry	0.0904	1	04/15/09 17:08	SW846 8270D	9041798
Chrysene	ND		mg/kg dry	0.0904	1	04/15/09 17:08	SW846 8270D	9041798
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0904	1	04/15/09 17:08	SW846 8270D	9041798
Fluoranthene	0.584		mg/kg dry	0.0904	1	04/15/09 17:08	SW846 8270D	9041798
Fluorene	ND		mg/kg dry	0.0904	1	04/15/09 17:08	SW846 8270D	9041798
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0904	1	04/15/09 17:08	SW846 8270D	9041798
Naphthalene	0.0913		mg/kg dry	0.0904	1	04/15/09 17:08	SW846 8270D	9041798
Phenanthrene	0.387		mg/kg dry	0.0904	1	04/15/09 17:08	SW846 8270D	9041798
Pyrene	0.370		mg/kg dry	0.0904	1	04/15/09 17:08	SW846 8270D	9041798
1-Methylnaphthalene	0.291		mg/kg dry	0.0904	1	04/15/09 17:08	SW846 8270D	9041798
2-Methylnaphthalene	0.419		mg/kg dry	0.0904	1	04/15/09 17:08	SW846 8270D	9041798
Surr: Terphenyl-d14 (26-128%)	66 %					04/15/09 17:08	SW846 8270D	9041798
Surr: 2-Fluorobiphenyl (19-109%)	50 %					04/15/09 17:08	SW846 8270D	9041798
Surr: Nitrobenzene-d5 (22-104%)	53 %					04/15/09 17:08	SW846 8270D	9041798

Client EEG - Env. Enterprise Group (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSD0949  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 04/10/09 08:10

### SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>							
SW846 8270D	9041798	NSD0949-01	30.61	1.00	04/13/09 10:35	TEM	EPA 3550B
SW846 8270D	9041798	NSD0949-02	30.50	1.00	04/13/09 10:35	TEM	EPA 3550B
SW846 8270D	9041798	NSD0949-03	30.06	1.00	04/13/09 10:35	TEM	EPA 3550B
SW846 8270D	9041798	NSD0949-04	30.54	1.00	04/13/09 10:35	TEM	EPA 3550B
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>							
SW846 8260B	9043056	NSD0949-01	6.25	5.00	04/06/09 13:45	JRL	EPA 5035
SW846 8260B	9043200	NSD0949-01RE1	5.66	5.00	04/06/09 13:45	JRL	EPA 5035
SW846 8260B	9043056	NSD0949-02	6.15	5.00	04/07/09 10:40	JRL	EPA 5035
SW846 8260B	9043200	NSD0949-02RE1	6.13	5.00	04/07/09 10:40	JRL	EPA 5035
SW846 8260B	9043056	NSD0949-03	5.81	5.00	04/07/09 14:45	JRL	EPA 5035
SW846 8260B	9043056	NSD0949-04	6.55	5.00	04/09/09 14:20	JRL	EPA 5035

Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSD0949  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 04/10/09 08:10

**PROJECT QUALITY CONTROL DATA**  
**Blank**

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>						
<b>9043056-BLK1</b>						
Benzene	<0.000670		mg/kg wet	9043056	9043056-BLK1	04/20/09 14:30
Ethylbenzene	<0.000670		mg/kg wet	9043056	9043056-BLK1	04/20/09 14:30
Naphthalene	<0.00151		mg/kg wet	9043056	9043056-BLK1	04/20/09 14:30
Toluene	<0.000670		mg/kg wet	9043056	9043056-BLK1	04/20/09 14:30
Xylenes, total	<0.00172		mg/kg wet	9043056	9043056-BLK1	04/20/09 14:30
Surrogate: 1,2-Dichloroethane-d4	102%			9043056	9043056-BLK1	04/20/09 14:30
Surrogate: Dibromofluoromethane	103%			9043056	9043056-BLK1	04/20/09 14:30
Surrogate: Toluene-d8	92%			9043056	9043056-BLK1	04/20/09 14:30
Surrogate: 4-Bromofluorobenzene	84%			9043056	9043056-BLK1	04/20/09 14:30
<b>9043200-BLK1</b>						
Benzene	<0.000670		mg/kg wet	9043200	9043200-BLK1	04/21/09 11:56
Ethylbenzene	<0.000670		mg/kg wet	9043200	9043200-BLK1	04/21/09 11:56
Naphthalene	<0.00151		mg/kg wet	9043200	9043200-BLK1	04/21/09 11:56
Toluene	<0.000670		mg/kg wet	9043200	9043200-BLK1	04/21/09 11:56
Xylenes, total	<0.00172		mg/kg wet	9043200	9043200-BLK1	04/21/09 11:56
Surrogate: 1,2-Dichloroethane-d4	128%			9043200	9043200-BLK1	04/21/09 11:56
Surrogate: Dibromofluoromethane	101%			9043200	9043200-BLK1	04/21/09 11:56
Surrogate: Toluene-d8	93%			9043200	9043200-BLK1	04/21/09 11:56
Surrogate: 4-Bromofluorobenzene	110%			9043200	9043200-BLK1	04/21/09 11:56
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>						
<b>9041798-BLK1</b>						
Acenaphthene	<0.0310		mg/kg wet	9041798	9041798-BLK1	04/14/09 17:34
Acenaphthylene	<0.0320		mg/kg wet	9041798	9041798-BLK1	04/14/09 17:34
Anthracene	<0.0330		mg/kg wet	9041798	9041798-BLK1	04/14/09 17:34
Benzo (a) anthracene	<0.0380		mg/kg wet	9041798	9041798-BLK1	04/14/09 17:34
Benzo (a) pyrene	<0.0290		mg/kg wet	9041798	9041798-BLK1	04/14/09 17:34
Benzo (b) fluoranthene	<0.0320		mg/kg wet	9041798	9041798-BLK1	04/14/09 17:34
Benzo (g,h,i) perylene	<0.0290		mg/kg wet	9041798	9041798-BLK1	04/14/09 17:34
Benzo (k) fluoranthene	<0.0290		mg/kg wet	9041798	9041798-BLK1	04/14/09 17:34
Chrysene	<0.0390		mg/kg wet	9041798	9041798-BLK1	04/14/09 17:34
Dibenz (a,h) anthracene	<0.0310		mg/kg wet	9041798	9041798-BLK1	04/14/09 17:34
Fluoranthene	<0.0340		mg/kg wet	9041798	9041798-BLK1	04/14/09 17:34
Fluorene	<0.0390		mg/kg wet	9041798	9041798-BLK1	04/14/09 17:34
Indeno (1,2,3-cd) pyrene	<0.0310		mg/kg wet	9041798	9041798-BLK1	04/14/09 17:34
Naphthalene	<0.0410		mg/kg wet	9041798	9041798-BLK1	04/14/09 17:34
Phenanthrene	<0.0340		mg/kg wet	9041798	9041798-BLK1	04/14/09 17:34
Pyrene	<0.0410		mg/kg wet	9041798	9041798-BLK1	04/14/09 17:34
Surrogate: Terphenyl-d14	80%			9041798	9041798-BLK1	04/14/09 17:34
Surrogate: 2-Fluorobiphenyl	81%			9041798	9041798-BLK1	04/14/09 17:34

Client EEG - Env. Enterprise Group (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSD0949  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 04/10/09 08:10

**PROJECT QUALITY CONTROL DATA**  
**Blank - Cont.**

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>						
<b>9041798-BLK1</b>						
<i>Surrogate: Nitrobenzene-d5</i>	83%			9041798	9041798-BLK1	04/14/09 17:34

Client EEG - Env. Enterprise Group (2449)  
10179 Highway 78  
Ladson, SC 29456

Attn Tom McElwee

Work Order: NSD0949  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 04/10/09 08:10

## PROJECT QUALITY CONTROL DATA

### Duplicate

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	% Rec.	Analyzed Date/Time
<b>General Chemistry Parameters</b>										
<b>9042321-DUP1</b>										
% Dry Solids	86.1	84.8		%	2	20	9042321	NSD0937-15		04/16/09 08:12



Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSD0949  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 04/10/09 08:10

**PROJECT QUALITY CONTROL DATA**  
**LCS**

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>								
<b>9043056-BS1</b>								
Benzene	50.0	51.3		ug/kg	103%	76 - 130	9043056	04/20/09 12:28
Ethylbenzene	50.0	44.5		ug/kg	89%	80 - 128	9043056	04/20/09 12:28
Naphthalene	50.0	36.3		ug/kg	73%	63 - 144	9043056	04/20/09 12:28
Toluene	50.0	45.6		ug/kg	91%	80 - 125	9043056	04/20/09 12:28
Xylenes, total	150	137		ug/kg	91%	79 - 130	9043056	04/20/09 12:28
Surrogate: 1,2-Dichloroethane-d4	50.0	51.0			102%	41 - 150	9043056	04/20/09 12:28
Surrogate: Dibromofluoromethane	50.0	53.1			106%	55 - 139	9043056	04/20/09 12:28
Surrogate: Toluene-d8	50.0	46.5			93%	57 - 148	9043056	04/20/09 12:28
Surrogate: 4-Bromofluorobenzene	50.0	42.1			84%	58 - 150	9043056	04/20/09 12:28
<b>9043200-BS1</b>								
Benzene	50.0	52.2		ug/kg	104%	76 - 130	9043200	04/21/09 10:20
Ethylbenzene	50.0	55.9		ug/kg	112%	80 - 128	9043200	04/21/09 10:20
Naphthalene	50.0	62.2		ug/kg	124%	63 - 144	9043200	04/21/09 10:20
Toluene	50.0	51.0		ug/kg	102%	80 - 125	9043200	04/21/09 10:20
Xylenes, total	150	170		ug/kg	113%	79 - 130	9043200	04/21/09 10:20
Surrogate: 1,2-Dichloroethane-d4	50.0	66.4			133%	41 - 150	9043200	04/21/09 10:20
Surrogate: Dibromofluoromethane	50.0	49.9			100%	55 - 139	9043200	04/21/09 10:20
Surrogate: Toluene-d8	50.0	47.9			96%	57 - 148	9043200	04/21/09 10:20
Surrogate: 4-Bromofluorobenzene	50.0	56.6			113%	58 - 150	9043200	04/21/09 10:20
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>								
<b>9041798-BS1</b>								
Acenaphthene	1.67	1.52		mg/kg wet	91%	52 - 106	9041798	04/14/09 17:57
Acenaphthylene	1.67	1.52		mg/kg wet	91%	53 - 109	9041798	04/14/09 17:57
Anthracene	1.67	1.65		mg/kg wet	99%	54 - 124	9041798	04/14/09 17:57
Benzo (a) anthracene	1.67	1.47		mg/kg wet	88%	53 - 111	9041798	04/14/09 17:57
Benzo (a) pyrene	1.67	1.56		mg/kg wet	93%	52 - 122	9041798	04/14/09 17:57
Benzo (b) fluoranthene	1.67	1.48		mg/kg wet	89%	48 - 115	9041798	04/14/09 17:57
Benzo (g,h,i) perylene	1.67	1.50		mg/kg wet	90%	46 - 114	9041798	04/14/09 17:57
Benzo (k) fluoranthene	1.67	1.58		mg/kg wet	95%	41 - 121	9041798	04/14/09 17:57
Chrysene	1.67	1.46		mg/kg wet	87%	49 - 113	9041798	04/14/09 17:57
Dibenz (a,h) anthracene	1.67	1.57		mg/kg wet	94%	47 - 117	9041798	04/14/09 17:57
Fluoranthene	1.67	1.59		mg/kg wet	95%	52 - 113	9041798	04/14/09 17:57
Fluorene	1.67	1.51		mg/kg wet	90%	54 - 107	9041798	04/14/09 17:57
Indeno (1,2,3-cd) pyrene	1.67	1.57		mg/kg wet	94%	47 - 115	9041798	04/14/09 17:57
Naphthalene	1.67	1.28		mg/kg wet	77%	34 - 107	9041798	04/14/09 17:57
Phenanthrene	1.67	1.51		mg/kg wet	91%	53 - 108	9041798	04/14/09 17:57
Pyrene	1.67	1.47		mg/kg wet	88%	54 - 113	9041798	04/14/09 17:57
Surrogate: Terphenyl-d14	1.67	1.33			80%	26 - 128	9041798	04/14/09 17:57
Surrogate: 2-Fluorobiphenyl	1.67	1.40			84%	19 - 109	9041798	04/14/09 17:57

Client EEG - Env. Enterprise Group (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSD0949  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 04/10/09 08:10

PROJECT QUALITY CONTROL DATA  
LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>								
<b>9041798-BS1</b>								
<i>Surrogate: Nitrobenzene-d5</i>	1.67	1.30			78%	22 - 104	9041798	04/14/09 17:57

Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSD0949  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 04/10/09 08:10

**PROJECT QUALITY CONTROL DATA**  
**LCS Dup**

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>												
<b>9043056-BSD1</b>												
Benzene		51.4		ug/kg	50.0	103%	76 - 130	0.3	43	9043056		04/20/09 12:58
Ethylbenzene		45.1		ug/kg	50.0	90%	80 - 128	1	48	9043056		04/20/09 12:58
Naphthalene		41.0		ug/kg	50.0	82%	63 - 144	12	50	9043056		04/20/09 12:58
Toluene		45.2		ug/kg	50.0	90%	80 - 125	0.8	44	9043056		04/20/09 12:58
Xylenes, total		136		ug/kg	150	90%	79 - 130	1	48	9043056		04/20/09 12:58
Surrogate: 1,2-Dichloroethane-d4		50.5		ug/kg	50.0	101%	41 - 150			9043056		04/20/09 12:58
Surrogate: Dibromofluoromethane		52.6		ug/kg	50.0	105%	55 - 139			9043056		04/20/09 12:58
Surrogate: Toluene-d8		46.2		ug/kg	50.0	92%	57 - 148			9043056		04/20/09 12:58
Surrogate: 4-Bromofluorobenzene		49.1		ug/kg	50.0	98%	58 - 150			9043056		04/20/09 12:58
<b>9043200-BSD1</b>												
Benzene		53.9		ug/kg	50.0	108%	76 - 130	3	43	9043200		04/21/09 10:51
Ethylbenzene		57.2		ug/kg	50.0	114%	80 - 128	2	48	9043200		04/21/09 10:51
Naphthalene		67.3		ug/kg	50.0	135%	63 - 144	8	50	9043200		04/21/09 10:51
Toluene		52.4		ug/kg	50.0	105%	80 - 125	3	44	9043200		04/21/09 10:51
Xylenes, total		174		ug/kg	150	116%	79 - 130	3	48	9043200		04/21/09 10:51
Surrogate: 1,2-Dichloroethane-d4		67.0		ug/kg	50.0	134%	41 - 150			9043200		04/21/09 10:51
Surrogate: Dibromofluoromethane		50.2		ug/kg	50.0	100%	55 - 139			9043200		04/21/09 10:51
Surrogate: Toluene-d8		49.0		ug/kg	50.0	98%	57 - 148			9043200		04/21/09 10:51
Surrogate: 4-Bromofluorobenzene		56.4		ug/kg	50.0	113%	58 - 150			9043200		04/21/09 10:51

Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSD0949  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 04/10/09 08:10

**PROJECT QUALITY CONTROL DATA**  
**Matrix Spike**

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>										
<b>9043056-MS1</b>										
Benzene	ND	0.0301		mg/kg dry	0.0531	57%	33 - 146	9043056	NSD1692-05	04/20/09 22:10
Ethylbenzene	ND	0.0263		mg/kg dry	0.0531	49%	16 - 160	9043056	NSD1692-05	04/20/09 22:10
Naphthalene	0.00267	0.0146		mg/kg dry	0.0531	22%	10 - 151	9043056	NSD1692-05	04/20/09 22:10
Toluene	0.00453	0.0322		mg/kg dry	0.0531	52%	30 - 145	9043056	NSD1692-05	04/20/09 22:10
Xylenes, total	ND	0.0764		mg/kg dry	0.159	48%	16 - 159	9043056	NSD1692-05	04/20/09 22:10
Surrogate: 1,2-Dichloroethane-d4		49.7		ug/kg	50.0	99%	41 - 150	9043056	NSD1692-05	04/20/09 22:10
Surrogate: Dibromofluoromethane		51.3		ug/kg	50.0	103%	55 - 139	9043056	NSD1692-05	04/20/09 22:10
Surrogate: Toluene-d8		47.3		ug/kg	50.0	95%	57 - 148	9043056	NSD1692-05	04/20/09 22:10
Surrogate: 4-Bromofluorobenzene		48.2		ug/kg	50.0	96%	58 - 150	9043056	NSD1692-05	04/20/09 22:10
<b>9043200-MS1</b>										
Benzene	4.70	49.7		ug/kg	50.0	90%	33 - 146	9043200	NSD0945-02	04/21/09 21:13
Ethylbenzene	3.33	54.3		ug/kg	50.0	102%	16 - 160	9043200	NSD0945-02	04/21/09 21:13
Naphthalene	1.59	37.5		ug/kg	50.0	72%	10 - 151	9043200	NSD0945-02	04/21/09 21:13
Toluene	8.28	61.8		ug/kg	50.0	107%	30 - 145	9043200	NSD0945-02	04/21/09 21:13
Xylenes, total	8.45	163		ug/kg	150	103%	16 - 159	9043200	NSD0945-02	04/21/09 21:13
Surrogate: 1,2-Dichloroethane-d4		66.3		ug/kg	50.0	133%	41 - 150	9043200	NSD0945-02	04/21/09 21:13
Surrogate: Dibromofluoromethane		50.6		ug/kg	50.0	101%	55 - 139	9043200	NSD0945-02	04/21/09 21:13
Surrogate: Toluene-d8		49.8		ug/kg	50.0	100%	57 - 148	9043200	NSD0945-02	04/21/09 21:13
Surrogate: 4-Bromofluorobenzene		62.7		ug/kg	50.0	125%	58 - 150	9043200	NSD0945-02	04/21/09 21:13
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>										
<b>9041798-MS1</b>										
Acenaphthene	ND	1.50		mg/kg dry	1.93	78%	28 - 117	9041798	NSD0980-01	04/14/09 18:20
Acenaphthylene	ND	1.66		mg/kg dry	1.93	86%	33 - 113	9041798	NSD0980-01	04/14/09 18:20
Anthracene	ND	1.77		mg/kg dry	1.93	92%	31 - 131	9041798	NSD0980-01	04/14/09 18:20
Benzo (a) anthracene	ND	1.63		mg/kg dry	1.93	85%	29 - 124	9041798	NSD0980-01	04/14/09 18:20
Benzo (a) pyrene	ND	1.70		mg/kg dry	1.93	88%	30 - 127	9041798	NSD0980-01	04/14/09 18:20
Benzo (b) fluoranthene	ND	1.85		mg/kg dry	1.93	96%	26 - 128	9041798	NSD0980-01	04/14/09 18:20
Benzo (g,h,i) perylene	ND	1.66		mg/kg dry	1.93	86%	21 - 122	9041798	NSD0980-01	04/14/09 18:20
Benzo (k) fluoranthene	ND	1.56		mg/kg dry	1.93	81%	20 - 130	9041798	NSD0980-01	04/14/09 18:20
Chrysene	ND	1.64		mg/kg dry	1.93	85%	30 - 119	9041798	NSD0980-01	04/14/09 18:20
Dibenz (a,h) anthracene	ND	1.72		mg/kg dry	1.93	90%	27 - 122	9041798	NSD0980-01	04/14/09 18:20
Fluoranthene	0.0443	1.66		mg/kg dry	1.93	84%	23 - 132	9041798	NSD0980-01	04/14/09 18:20
Fluorene	ND	1.67		mg/kg dry	1.93	87%	38 - 110	9041798	NSD0980-01	04/14/09 18:20
Indeno (1,2,3-cd) pyrene	ND	1.74		mg/kg dry	1.93	90%	24 - 122	9041798	NSD0980-01	04/14/09 18:20
Naphthalene	ND	1.35		mg/kg dry	1.93	70%	14 - 117	9041798	NSD0980-01	04/14/09 18:20
Phenanthrene	ND	1.66		mg/kg dry	1.93	86%	21 - 130	9041798	NSD0980-01	04/14/09 18:20

Client EEG - Env. Enterprise Group (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSD0949  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 04/10/09 08:10

**PROJECT QUALITY CONTROL DATA**  
**Matrix Spike - Cont.**

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>										
<b>9041798-MS1</b>										
Pyrene	ND	1.58		mg/kg dry	1.93	82%	24 - 133	9041798	NSD0980-01	04/14/09 18:20
Surrogate: Terphenyl-d14		1.41		mg/kg dry	1.93	73%	26 - 128	9041798	NSD0980-01	04/14/09 18:20
Surrogate: 2-Fluorobiphenyl		1.47		mg/kg dry	1.93	76%	19 - 109	9041798	NSD0980-01	04/14/09 18:20
Surrogate: Nitrobenzene-d5		1.35		mg/kg dry	1.93	70%	22 - 104	9041798	NSD0980-01	04/14/09 18:20

Client EEG - Env. Enterprise Group (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSD0949  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 04/10/09 08:10

**PROJECT QUALITY CONTROL DATA**  
**Matrix Spike Dup**

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>												
<b>9043056-MSD1</b>												
Benzene	ND	0.0463		mg/kg dry	0.0515	90%	33 - 146	42	43	9043056	NSD1692-05	04/20/09 22:40
Ethylbenzene	ND	0.0431		mg/kg dry	0.0515	84%	16 - 160	48	48	9043056	NSD1692-05	04/20/09 22:40
Naphthalene	0.00267	0.0220		mg/kg dry	0.0515	38%	10 - 151	40	50	9043056	NSD1692-05	04/20/09 22:40
Toluene	0.00453	0.0489		mg/kg dry	0.0515	86%	30 - 145	41	44	9043056	NSD1692-05	04/20/09 22:40
Xylenes, total	ND	0.128	R	mg/kg dry	0.154	83%	16 - 159	51	48	9043056	NSD1692-05	04/20/09 22:40
Surrogate: 1,2-Dichloroethane-d4		48.5		ug/kg	50.0	97%	41 - 150			9043056	NSD1692-05	04/20/09 22:40
Surrogate: Dibromofluoromethane		51.3		ug/kg	50.0	103%	55 - 139			9043056	NSD1692-05	04/20/09 22:40
Surrogate: Toluene-d8		47.3		ug/kg	50.0	95%	57 - 148			9043056	NSD1692-05	04/20/09 22:40
Surrogate: 4-Bromofluorobenzene		50.8		ug/kg	50.0	102%	58 - 150			9043056	NSD1692-05	04/20/09 22:40
<b>9043200-MSD1</b>												
Benzene	5.77	55.7		ug/kg	50.0	100%	33 - 146	11	43	9043200	NSD0945-02	04/21/09 21:44
Ethylbenzene	4.09	57.5		ug/kg	50.0	107%	16 - 160	6	48	9043200	NSD0945-02	04/21/09 21:44
Naphthalene	1.96	35.0		ug/kg	50.0	66%	10 - 151	7	50	9043200	NSD0945-02	04/21/09 21:44
Toluene	10.2	65.4		ug/kg	50.0	110%	30 - 145	6	44	9043200	NSD0945-02	04/21/09 21:44
Xylenes, total	10.4	172		ug/kg	150	108%	16 - 159	6	48	9043200	NSD0945-02	04/21/09 21:44
Surrogate: 1,2-Dichloroethane-d4		66.1		ug/kg	50.0	132%	41 - 150			9043200	NSD0945-02	04/21/09 21:44
Surrogate: Dibromofluoromethane		50.1		ug/kg	50.0	100%	55 - 139			9043200	NSD0945-02	04/21/09 21:44
Surrogate: Toluene-d8		49.1		ug/kg	50.0	98%	57 - 148			9043200	NSD0945-02	04/21/09 21:44
Surrogate: 4-Bromofluorobenzene		61.0		ug/kg	50.0	122%	58 - 150			9043200	NSD0945-02	04/21/09 21:44
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>												
<b>9041798-MSD1</b>												
Acenaphthene	ND	1.48		mg/kg dry	1.91	77%	28 - 117	1	33	9041798	NSD0980-01	04/14/09 18:43
Acenaphthylene	ND	1.56		mg/kg dry	1.91	82%	33 - 113	6	38	9041798	NSD0980-01	04/14/09 18:43
Anthracene	ND	1.67		mg/kg dry	1.91	87%	31 - 131	6	32	9041798	NSD0980-01	04/14/09 18:43
Benzo (a) anthracene	ND	1.53		mg/kg dry	1.91	80%	29 - 124	7	26	9041798	NSD0980-01	04/14/09 18:43
Benzo (a) pyrene	ND	1.57		mg/kg dry	1.91	82%	30 - 127	8	31	9041798	NSD0980-01	04/14/09 18:43
Benzo (b) fluoranthene	ND	1.54		mg/kg dry	1.91	80%	26 - 128	18	37	9041798	NSD0980-01	04/14/09 18:43
Benzo (g,h,i) perylene	ND	1.52		mg/kg dry	1.91	80%	21 - 122	8	28	9041798	NSD0980-01	04/14/09 18:43
Benzo (k) fluoranthene	ND	1.66		mg/kg dry	1.91	87%	20 - 130	6	35	9041798	NSD0980-01	04/14/09 18:43
Chrysene	ND	1.53		mg/kg dry	1.91	80%	30 - 119	7	31	9041798	NSD0980-01	04/14/09 18:43
Dibenz (a,h) anthracene	ND	1.58		mg/kg dry	1.91	83%	27 - 122	9	32	9041798	NSD0980-01	04/14/09 18:43
Fluoranthene	0.0443	1.65		mg/kg dry	1.91	84%	23 - 132	1	36	9041798	NSD0980-01	04/14/09 18:43
Fluorene	ND	1.55		mg/kg dry	1.91	81%	38 - 110	7	35	9041798	NSD0980-01	04/14/09 18:43
Indeno (1,2,3-cd) pyrene	ND	1.59		mg/kg dry	1.91	83%	24 - 122	9	28	9041798	NSD0980-01	04/14/09 18:43
Naphthalene	ND	1.27		mg/kg dry	1.91	66%	14 - 117	6	34	9041798	NSD0980-01	04/14/09 18:43
Phenanthrene	ND	1.61		mg/kg dry	1.91	84%	21 - 130	3	33	9041798	NSD0980-01	04/14/09 18:43
Pyrene	ND	1.49		mg/kg dry	1.91	78%	24 - 133	6	36	9041798	NSD0980-01	04/14/09 18:43
Surrogate: Terphenyl-d14		1.30		mg/kg dry	1.91	68%	26 - 128			9041798	NSD0980-01	04/14/09 18:43
Surrogate: 2-Fluorobiphenyl		1.41		mg/kg dry	1.91	74%	19 - 109			9041798	NSD0980-01	04/14/09 18:43

Client EEG - Env. Enterprise Group (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSD0949  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 04/10/09 08:10

**PROJECT QUALITY CONTROL DATA**  
**Matrix Spike Dup - Cont.**

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>											
<b>9041798-MSD1</b>											
<i>Surrogate: Nitrobenzene-d5</i>											
		1.27		mg/kg dry	1.91	67%	22 - 104		9041798	NSD0980-01	04/14/09 18:43

Client EEG - Env. Enterprise Group (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSD0949  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 04/10/09 08:10

## CERTIFICATION SUMMARY

### TestAmerica Nashville

Method	Matrix	AIHA	Nelac	South Carolina
SW846 8260B	Soil	N/A	X	X
SW846 8270D	Soil			X
SW-846	Soil			



Client EEG - Env. Enterprise Group (2449)  
10179 Highway 78  
Ladson, SC 29456

Attn Tom McElwee

Work Order: NSD0949  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 04/10/09 08:10

## DATA QUALIFIERS AND DEFINITIONS

**H2** Initial analysis within holding time. Reanalysis for the required dilution or confirmation was past holding time.  
**R** The RPD exceeded the method control limit. The individual analyte QA/QC recoveries, however, were within acceptance limits.  
**ND** Not detected at the reporting limit (or method detection limit if shown)

## METHOD MODIFICATION NOTES

# estAmerica

LEADER IN ENVIRONMENTAL TESTING

Nashville Division  
2960 Foster Creighton  
Nashville, TN 37204

Phone: 615-726-0177  
Toll Free: 800-765-0980  
Fax: 615-726-3404

NSD0949  
04/24/09 23:59

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?

Compliance Monitoring? Yes \_\_\_ No \_\_\_  
Enforcement Action? Yes \_\_\_ No \_\_\_

Client Name/Account #: EEG # 2449

Address: 10179 Highway 78

City/State/Zip: Ladson, SC 29456

Project Manager: Tom McElwee email: mcelwee@eeginc.net

Telephone Number: 843.412.2097

Sampler Name: (Print) *Boat Shaw*

Sampler Signature: *[Signature]*

Fax No.: 843-899-0401

Site State: SC

PO#: 0829

TA Quote #:

Project ID: Laurel Bay Housing Project

Project #:

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Ice	Preservative							Matrix							Analyze For	RUSH TAT (Pre-Schedule)								
								HCl (Blue Label)	NaOH (Orange Label)	H <sub>2</sub> SO <sub>4</sub> Plastic (Yellow Label)	H <sub>2</sub> SO <sub>4</sub> Glass (Yellow Label)	None (Black Label)	Other (Specify)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify)	BTEX + Napth - 82606	PAH - 8270C										
268 Birch	4/6/09	1345	5	X																											
255 Birch-1	4/7/09	1040	5	X																											
255 Birch-2	4/7/09	1445	5	X																											
299 Birch	4/9/09	1420	5	X																											

Special instructions:

Method of Shipment:

FEDEX

Relinquished by: <i>[Signature]</i>	Date	Time	Received by:	Date	Time
	4/9/09	1900	<i>[Signature]</i>		
Relinquished by:	Date	Time	Received by TestAmerica:	Date	Time
			<i>[Signature]</i>	4/10	8:10

Laboratory Comments:  
Temperature Upon Receipt: 25°C  
VOCs Free of Headspace?

ATTACHMENT A

# UST Certificate of Disposal

## CONTRACTOR

Small Business Group, Inc.  
10179 Highway 78  
Ladson, SC 29456

TEL (843) 879-0403  
FAX (843) 879-0401

## TANK ID & LOCATION

UST 255Beech-1, 255 Beech St., Laurel Bay Housing Area,  
MCAS Beaufort, S.C.

---

## DISPOSAL LOCATION

Coastal Auto Salvage Co., Inc.  
130 Laurel Bay Road  
Beaufort, S.C. 29906

### TYPE OF TANK

Steel

### SIZE (GAL)

280

---

## CLEANING/DISPOSAL METHOD

The tank and piping were unearthed, cut open, cleaned with a pressure washer, cut into sections, and recycled.

## DISPOSAL CERTIFICATION

I certify that the above tank, piping and equipment has been properly cleaned and disposed of.

T. R. Wilcox / 4/30/09  
(Name) (Date)

# UST Certificate of Disposal

## CONTRACTOR

Small Business Group, Inc.  
10179 Highway 78  
Ladson, SC 29456

TEL (843) 879-0403  
FAX (843) 879-0401

## TANK ID & LOCATION

UST 255Beech-2, 255 Beech St., Laurel Bay Housing Area,  
MCAS Beaufort, S.C.

---

## DISPOSAL LOCATION

Coastal Auto Salvage Co., Inc.  
130 Laurel Bay Road  
Beaufort, S.C. 29906

### TYPE OF TANK

Steel

### SIZE (GAL)

280

---

## CLEANING/DISPOSAL METHOD

The tank and piping were unearthed, cut open, cleaned with a pressure washer, cut into sections, and recycled.

## DISPOSAL CERTIFICATION

I certify that the above tank, piping and equipment has been properly cleaned and disposed of.

T. L. Wilcox / 4/30/09  
(Name) (Date)

**Appendix C**  
**Regulatory Correspondence**



December 14, 2016

Commanding Officer  
Attention: NREAO Mr. William A. Drawdy  
United State Marine Corps Air Station  
Post Office Box 55001  
Beaufort, SC 29904-5001

RE: No Further Action  
Laurel Bay Underground Storage Tank Assessment Reports

Dear Mr. Drawdy:

The South Carolina Department of Health and Environmental Control (the Department) received the Underground Storage Tanks (USTs) Assessment Reports for the addresses listed in the attachment. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

The Department has reviewed the referenced assessment reports and agrees there is no indication of soil or groundwater contamination on these properties and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at [petruslb@dhec.sc.gov](mailto:petruslb@dhec.sc.gov) or 803-898-0294.

Sincerely,

Laurel Petrus, Environmental Engineer Associate  
RCRA Federal Facilities Section

Cc: Russell Berry, EQC Region 8 (via email)  
Bryan Beck, NAVFAC MIDATLANTIC (via email)  
Craig Ehde (via email)

Attachment to: Petrus to Drawdy  
Subject: No Further Action  
Dated December 14, 2016

Laurel Bay Underground Assessment Reports for (5 addresses/9 tanks)

No Further Action recommendation:	
255 Beech Tank 1	770 Althea Tank 1
255 Beech Tank 2	770 Althea Tank 2
345 Ash Tank 1	772 Althea Tank 1
345 Ash Tank 2	772 Althea Tank 2
603 Dahlia	