SUMMARY REPORT
241 BIRCH ROAD (FORMERLY 288 BIRCH ROAD)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid-Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095 SUMMARY REPORT
241 BIRCH ROAD (FORMERLY 288 BIRCH ROAD)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid- Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture 10560 Arrowhead Drive, Suite 500 Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016


CTO WE52

JUNE 2021



Table of Contents

1.0	INTRODUC	TION 1
1.1 1.2		ND INFORMATION
2.0	SAMPLING	ACTIVITIES AND RESULTS 3
2.1 2.2 2.3 2.4	SOIL ANAL	VAL AND SOIL SAMPLING
3.0	PROPERTY	STATUS5
4.0	REFERENC	ES 5
Table Table		Tables Laboratory Analytical Results - Soil Laboratory Analytical Results - Groundwater
		Appendices
Apper Apper Apper Apper	dix B dix C	Multi-Media Selection Process for LBMH UST Assessment Report Laboratory Analytical Report - Groundwater Regulatory Correspondence





List of Acronyms

bgs below ground surface

BTEX benzene, toluene, ethylbenzene, and xylenes

CTO Contract Task Order

COPC constituents of potential concern

ft feet

IDIQ Indefinite Delivery, Indefinite Quantity

IGWA Initial Groundwater Assessment

JV Joint Venture

LBMH Laurel Bay Military Housing MCAS Marine Corps Air Station

NAVFAC Mid-Lant Naval Facilities Engineering Command Mid-Atlantic

NFA No Further Action

PAH polynuclear aromatic hydrocarbon QAPP Quality Assurance Program Plan

RBSL risk-based screening level

SCDHEC South Carolina Department of Health and Environmental Control

Site LBMH area at MCAS Beaufort, South Carolina

UST underground storage tank
VISL vapor intrusion screening level



1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 241 Birch Road (Formerly 288 Birch Road). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area





is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan* (QAPP) for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, 2016) and the Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*



Division (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 241 Birch Road (Formerly 288 Birch Road). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 288 Birch Road* (MCAS Beaufort, 2008). The UST Assessment Report is provided in Appendix B. Details regarding the IGWA sampling activities at this site are provided in the *Investigation of Ground Water at Leaking Heating Oil UST Sites Report* (Resolution Consultants, 2008). The laboratory report that includes the pertinent IGWA analytical results for this site is presented in Appendix C.

2.1 UST Removal and Soil Sampling

On July 2, 2007, two 280 gallon heating oil USTs were removed at 241 Birch Road (Formerly 288 Birch Road). Tank 1 was removed from the front landscaped bed area adjacent to the driveway. Tank 2 was removed from the front yard area adjacent to the house and Tank 1. The former UST locations are indicated in the figures of the UST Assessment Report (Appendix B).



The USTs were removed, cleaned, and shipped offsite for recycling. There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depths to the bases of the USTs were 5'2" (Tank 1) and 6'0" (Tank 2) bgs and a single soil sample was collected for each at that depth. An additional soil sample was collected at the side of the excavation for each tank at a depth of 3'4" (Tank 1) and 4'3" (Tank 2). The samples were collected from the fill port side of the former USTs to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base and side of each excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST locations (Tanks 1 and 2) were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from the former UST locations (Tanks 1 and 2) at 241 Birch Road (Formerly 288 Birch Road) were greater than the SCDHEC RBSLs, which indicated further investigation was required. In a letter dated September 8, 2008, SCDHEC requested IGWAs be conducted at the former UST locations (Tanks 1 and 2) at 241 Birch Road (Formerly 288 Birch Road) to determine if the groundwater was impacted by petroleum COPCs. SCDHEC's request letter is provided in Appendix D.

2.3 Groundwater Sampling

Between July 22 and July 23, 2008, three temporary monitoring wells were installed at 241 Birch Road (Formerly 288 Birch Road), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the



monitoring wells were placed in the same general location as the former heating oil USTs (on the property surrounding the former location of Tanks 1 and 2). The former UST locations are indicated in the figures of the UST Assessment Report (Appendix B). Further details are provided in the *Investigation of Ground Water at Leaking Heating Oil UST Sites Report* (Resolution Consultants, 2008).

The sampling strategy for this phase of the investigation required a one-time sampling event of the temporarily installed monitoring wells. Following well installation and development, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of groundwater sampling, the temporary wells were abandoned in accordance with the South Carolina Well Standards and Regulations R.61-71 (SCDHEC, 2016). Field forms are provided in the *Investigation of Ground Water at Leaking Heating Oil UST Sites Report* (Resolution Consultants, 2008).

2.4 Groundwater Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 2. A copy of the laboratory analytical data report is included in Appendix C.

The groundwater results collected from 241 Birch Road (Formerly 288 Birch Road) were less than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 2), which indicated that the groundwater was not impacted by COPCs associated with the former USTs at concentrations that present a potential risk to human health and the environment.

3.0 PROPERTY STATUS

Based on the analytical results for groundwater, SCDHEC made the determination that NFA was required for 241 Birch Road (Formerly 288 Birch Road). This NFA determination was obtained in a letter dated December 17, 2008. SCDHEC's NFA letter is provided in Appendix D.

4.0 REFERENCES

Marine Corps Air Station Beaufort, 2008. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 288 Birch Road, Laurel Bay Military Housing Area,* January 2008.



- Resolution Consultants, 2008. *Initial Groundwater Investigation of Ground Water at Leaking Heating Oil UST Sites Report for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, November 2008.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 2.0*, April 2013.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.0*, May 2015.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.
- South Carolina Department of Health and Environmental Control Bureau of Water, 2016. *R.61-71, Well Standards*, June 2016.

Tables



Table 1 Laboratory Analytical Results - Soil 241 Birch Road (Formerly 288 Birch Road) Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs (1)	Results Samples Collected 07/02/07					
Constituent	SCDHEC RBSLS V	288 Birch Bottom 01	288 Birch Side 02	288 Birch Bottom 03	288 Birch Side 04		
Volatile Organic Compounds Analyzed	by EPA Method 8260B (mg/kg)	•	•	•			
Benzene	0.003	0.0401	0.00661	0.000539	0.0842		
Ethylbenzene	1.15	1.110	0.112	0.00614	0.675		
Naphthalene	0.036	8.050	0.871	0.589	8.230		
Toluene	0.627	0.0087	0.0000974	0.000112	0.00631		
Xylenes, Total	13.01	1.250	0.0155	0.00171	0.0316		
Semivolatile Organic Compounds Ana	lyzed by EPA Method 8270D (mg/kg)						
Benzo(a)anthracene	0.66	0.424	0.401	0.380	4.010		
Benzo(b)fluoranthene	0.66	ND	ND	0.289	2.570		
Benzo(k)fluoranthene	0.66	0.404	ND	0.148	1.240		
Chrysene	0.66	0.481	0.414	0.456	4.390		
Dibenz(a,h)anthracene	0.66	ND	ND	ND	ND		

Notes:

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligrams per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The soil laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 and 1.1 (SCDHEC, May 2001 and SCDHEC, February 2011) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Table 2 Laboratory Analytical Results - Groundwater 241 Birch Road (Formerly 288 Birch Road) Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs (1)	Site-Specific Groundwater VISLs	Results Samples Collected 07/22/08						
		(µg/L) ⁽²⁾	A	В					
Volatile Organic Compounds Analyzed by EPA Method 8260B (μg/L)									
Benzene	5	16.24	ND	ND					
Ethylbenzene	700	45.95	ND	ND					
Naphthalene	25	29.33	ND	ND					
Toluene	1000	105,445	ND	ND					
Xylenes, Total	10,000	2,133	ND	ND					
Semivolatile Organic Compounds Ana	lyzed by EPA Method 8270	D (μg/L)							
Benzo(a)anthracene	10	NA	ND	ND					
Benzo(b)fluoranthene	10	NA	ND	ND					
Benzo(k)fluoranthene	10	NA	ND	ND					
Chrysene	10	NA	ND	ND					
Dibenz(a,h)anthracene	10	NA	ND	ND					

Notes:

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - Not Applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix C.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

μg/L - micrograms per liter


VISL - Vapor Intrusion Screening Level

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, February 2016).

⁽²⁾ Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of 1x10⁻⁶, a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information. Bold font indicates the analyte was detected.

Appendix A Multi-Media Selection Process for LBMH





Appendix A - Multi-Media Selection Process for LBMH

Appendix B UST Assessment Report



Attachment 1 South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank (UST) Assessment Report



Submit Completed Form To:
UST Program
SCDHEC
2600 Bull Street
Columbia, South Carolina 29201
Telephone (803) 896-6240

I. OWNERSHIP OF UST (S)	
Beaufort Military Complex Family Housing Owner Name (Corporation, Individual, Public Agency, Other)	
Mailing Address BAY BLVD.	
Beaufort SC 29906 State Zip Code	
Area Code Telephone Number Contact Person	<u>27</u>

II. SITE IDENTIFICATION AND LOCATION

N/A

Permit I.D. # Actus Lend Lease Construction

Facility Name or Company Site Identifier

288 BIRCH

Street Address or State Road (as applicable)

Beaufort, SC 29906

City ZIP County

III. INSURANCE INFORMATION

Insurance	e Statement
	at Permit ID # <u>may</u> qualify to receive state es. Before participation is allowed in the State Clean-up nce of an environmental insurance policy is required. <u>This</u>
Is there now, or has there ever been an insurance UST release? YESNO (check one)	policy or other financial mechanism that covers this
If you answered YES to the above question	on, please complete the following information:
My policy provider is: The policy deductible is: The policy limit is:	
If you have this type of insurance, please include	
I do/do not (circle one) wish to pa	
IV. CERTIFICATION (To be signed by	ov the UST owner/onerator)
certify that I have personally examined and am fami attached documents; and that based on my inquiry of information, I believe that the submitted information	
Name (Type or print.)	
ignature To be completed by Notary Public:	-
worn before me this day of	_, 20
(Name)	_
otary Public for the state of	uth Carolina

•	V. UST ORMATION			· .			÷ . '
-		Tank		Tank 3	Tank 4	Tank 5	Tank 6
A	Product(ex. Gas, Kerosene)	# Z DIE	2 #2 Ex DIESEL				,
B	_	286	ŝ				
C.	Age		1-00		<u> </u>		
D.	Construction Material. (ex. Steel, FRP)	Stee	STEEL	 			
E.	Month/Year of Last Use		DIECL				
F.	Depth (ft.) To Base of Tank	C215	704				
G.	Spill Prevention Equipment Y/N	62 <u>°</u>	72"				
H.	Overfill Prevention Equipment Y/N	N	N .				
I.	Method of Closure Removed/Filled		N	-		-	
J.	Date Tanks Removed/Filled	IC Operation	REMOVED	·			
K.	Visible Corrosion or Pitting Y/N	7-2-67	7-2-07		- :		
L.	Visible Holes Y/N	2	N				
M.	Method of 1	N	N				
	Method of disposal for any USTs removed from the		ttach dispe	osal mani	fests)		
	Recycling - Scrap Stee	1					
N.	Method of disposal for any liquid petroleum, sludges disposal manifests)	, or waster	vaters rem	noved from	n the US	Γs (attacl	1
-	Solidification + 5	LILITY LEGIT	B. He I	ROADHO LA	ND/1	LAND //	EILC
O. I	f any corrosion, pitting, or holes were observed, desc						

VI. PIPING INFORMATION

		Tank 1	Tank 2	Tank 3	Tank 4	Tank 5	Tank 6
A.	Construction Material(ex. Steel, FRP)	Steel	,				
B.	Distance from UST to Dispenser	ļ	ZIEFT	<u> </u>			
C.	Number of Dispensers	NIA	NA				
D.	Type of System Pressure or Suction	-0-	٥				٠
E.	Was Piping Removed from the Ground? Y/N	Electra	PMP				
F.	Visible Corrosion or Pitting Y/N	4	7				
J.	Visible Holes Y/N		-				
I.	Age	12	<i>N</i>				
•		2	N				
•							
	If any corrosion, pitting, or holes were observed, described will be and vent well by con	Cribe the	location a	nd exten	t for each	piping i	un.
	well mildly con	elode	rd.				·10-42
			,		<u> </u>		
	VII. BRIEF SITE DESCRIPTION AND H	ПСТОВ	NT 7				
	——————————————————————————————————————	MO I OF	ΚΥ				
	Home Heating Oil TAN)K -	Pas	IDEA	~~~		
				・シェト			
	·	-		•			·
_				<u> </u>			
				-			
-							

VIII. SITE CONDITIONS

	Yes	No	Ún
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells? If yes, indicate depth and least		X	
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells? If yes, indicate location on site map and describe the odor (strong, mild, etc.)	£		
C. Was water present in the UST excavation, soil borings, or trenches? If yes, how far below land surface (indicate location and depth)?		7	- <u>-</u>
D. Did contaminated soils remain stockpiled on site after closure? If yes, indicate the stockpile location on the site map. Name of DHEC representative authorizing soil removal:		*	
Was a petroleum sheen or free product detected on any excavation or boring waters? If yes, indicate location and thickness.		×	

SCDHEC Lab Certification Number DW: 8400900Z

Sample #	Location	Sample Typ (Soil/Water	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA#
1 .	BOTTOM	5	5 10.50	524	1 /-/-(/)	ECHENADON	
2	SIDE	3	SAND	52"	1340	A. Alanueg	
3	BOTTOM	5	SAND	72"	1350	A. Ayrayey	
5	SIDE	5	SAND	51"	1410		ND 021
6		· ·					
7							
8							
9							
10						• • • • • • • • • • • • • • • • • • • •	
12							
13							
14							
15							
16 17							·
18							
19							
20							

* = Depth Below the Surrounding Land Surface

SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect <u>and</u> store the samples. Also include the preservative used for each sample. Please use the space provided below.

EPA Method 8260 B Volatile Organic Compounds - Presendative: 2ea Sodium Bisulfate lea
- Preservative: Zea Sodium BISUlfate lea
EPA METHOD 8270 Poly AROMATIC HYDROCARBONS
- No Preservative
DNE (1) SIDEWALL And ONE (1) Bottom
- SAmple were secured from tank excavation
Samples were stoned and shipped in AN
ONE (1) SIDEWALF And ONE (1) Bottom SAmple were secured from tank excavation SAmples were stoned and shipped in AN INSURATED COOLER W/ ICE.

XI. RECEPTORS

-		Yes	No
Α.	Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?		
_	If yes, indicate type of receptor, distance, and direction on site map.		X
В.	Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?		
	If yes, indicate type of well, distance, and direction on site map.		1
C.	Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?	·	
	If yes, indicate type of structure, distance, and direction on site map.		/
D.	Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination?		
	If yes, indicate the type of utility, distance, and direction on the site map.		·
E.	Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?		
	If yes, indicate the area of contaminated soil on the site map.		

SUMMARY OF ANALYSIS RESULTS \mathcal{N}/\mathcal{A} Enter the soil analytical data for each soil boring for all COC in the table below and on the following

					COLO IL GIII	T OUT THE TO	HOWING Das
SB-1	SB-2	SB-3		1	T -		
				100-0	35-0	SB-/	SB-8
 	 		 -	 		 	
 	1.	 	 	<u> </u>		 	
	 	 	 	 		ļ ·	<u> </u>
	 	 	 				
 		<u> </u>	<u> </u>			<u> </u>	
					<u> </u>		
			<u> </u>				
<u> </u>			<u> </u>	·			
	i						
	SB-1	SB-1 SB-2			00.4	CD 1 CD C CT C	SB-1 SB-2 SB-3 SB-4 SB-5 SB-6 SB-7

SB-9	SR-10	SD 11	05.40			· · · · · · · · · · · · · · · · · · ·	<u> </u>
	GB-10	30-11	58-12	SB-13	SB-14	SB-15	SB-16
	 -	<u></u>					·
	 						· <u> </u>
		<u> </u>					- <u>-</u>
						-	
				 			
			<u></u>	.			
				<u> </u>			
							;
							· · · · · · · · · · · · · · · · · · ·
	SB-9	SB-9 SB-10	SB-9 SB-10 SB-11	SB-9 SB-10 SB-11 SB-12	SB-9 SB-10 SB-11 SB-12 SB-13	SB-9 SB-10 SB-11 SB-12 SB-13 SB-14	SB-9 SB-10 SB-11 SB-12 SB-13 SB-14 SB-15

SUMMARY OF ANALYSIS RESULTS (cont'd)

NIA

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is . present, indicate the measured thickness to the nearest 0.01 feet.

protont, indicate the measure	o unickness t	o the nearest	0.01 feet.		
CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000			 	 -
Ethylbenzene	700				<u> </u>
Xylenes	10,000	, ,			
Total BTEX	N/A				
MTBE	40				· · · · · · · · · · · · · · · · · · ·
Naphthalene	25				
Benzo(a)anthracene	10				
Benzo(b)flouranthene	10				
Benzo(k)flouranthene	10				
Chrysene	10				
Dibenz(a,h)anthracen e	10				
EDB	.05				
1,2-DCA	.05		·		
Lead	Site specific		·		

ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here) (Please see Form #4)



4310 East Anderson Road Orlando, FL 32812 * 800-851-2560 * Fax 407-856-0886

Client: EPG, INC.

PO BOX 1096

MT PLEASANT, SC 29465

Attn: JOHN MAHONEY

Work Order:

OQG0164

Project: Project Number: LAUREL BAY

EP2362

Sampled:

07/02/07-07/06/07

Received:

07/10/07

LABORATORY REPORT

Sample ID: 290 BIRCH SIDE 04 - Lab Number: OQG0164-04 - Matrix: Solid/Soil

CAS #	Analyte	Result	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	Ву	Method	Batch
Volatile (Organic Compounds by EPA M	lethod 8260B - Co	nt.	***						**********	
	1,2-Dichloroethane-d4 (73-137%)	91 %									
	1-Bromofluorobenzene (59-118%)	82 %				•		-			
	1-Bromofluorobenzene (59-118%)	104 %									•
	Dibromofluoromethane (55-145%)	106 %									
	Dibromofluoromethane (55-145%)	96 %									
-	Foluene-d8 (70-130%)	103 %									
	Foluene-d8 (70-130%)	97 %									
Folynucie 83-32-9	ear Aromatic Hydrocarbons by Acenaphthene		0								
208-96-8	•	905		ug/kg dry	89.2	201	1	07/12/07 15:25	REM	EPA 8270C	7G11007
120-12-7	Acenaphthylene Anthracene	118	Ü	ug/kg dry	118	201	1	07/12/07 15:25	REM	EPA 8270C	7G11007
'		436		ug/kg dry	64.2	201	1	07/12/07 15:25	REM	EPA 8270C	7G11007
56-55-3	Benzo (a) anthracene	79.5	1	ug/kg dry	21.8	201	1	07/12/07 15:25	REM	EPA 8270C	7G11007
205-99-2	Benzo (b) finoranthene	34.5	I	ug/kg dry	21.2	201	1	07/12/07 15:25	REM	EPA 8270C	7G11007
207-08-9	Benzo (k) fluoranthene	21.2	U	ug/kg dry	21.2	201	1	07/12/07 15:25	REM	EPA 8270C	7G11007
191-24-2	Benzo (g,h,i) perylene	20.9	U	ug/kg dry	20.9	201	1	07/12/07 15:25	REM	EPA \$270C	7G11007
50-32-8	Benzo (a) pyrene	24.8	U	ug/kg dry	24.8	201	1 1	07/12/07 15:25	REM	EPA 8270C	7G11007
90-12-0	1-Methylnaphthalene	3460		ug/kg dry	101	201	1	07/12/07 15:25	REM	EPA 8270C	7G11007
218-01-9	Chrysene	65.9	I	ug/kg dry	24.1	201	. 1	07/12/07 15:25	REM	EPA 8270C	7G11007
53-70-3	Dibenz (a,h) anthracene	26.4	υ.	ug/kg dry	26.4	201	1	07/12/07 15:25	REM	EPA 8270C	7G11007
286-44-0	Fluoranthene	231		ug/kg dry	28.9	201	1	07/12/07 15:25	REM	EPA 8270C	7G11007
86-73-7	Fluorene	1470		ug/kg dry	78.8	201	1	07/12/07 15:25	REM	EPA 8270C	7G11007
193-39-5	Indeno (1,2,3-cd) pyrene	26 .1	υ.	ug/kg dry	26.1	201	1	07/12/07 15:25	REM	EPA 8270C	7G11007
91-57-6	2-Methylnaphthalene	4340		ug/kg dry	85.8	201	1	07/12/07 15:25	REM	EPA 8270C	7G11007
91-20-3	Naphthalene	228		ug/kg dry	80.8	201	1	07/12/07 15:25	REM	EPA 8270C	7G11007
85-01-8	Phenauthrene	4250		ug/kg dry	47.5	201	1	07/12/07 15:25	REM	EPA 8270C	7G11007
129-00-0	Pyrene	240		ug/kg dry	40.9	201		07/12/07 [5:25	REM	EPA 8270C	7G11007
Surrogate: 2-1	Fluorobiphenyl (24-121%)	77 %		- - -	•		•				
Surrogate: Ni	trobenzene-d5 (19-111%)	79 %									
Surrogate: Te.	rphenyl-d14 (44-171%)	91 %			•	•					
						•	-				

LABORATORY REPORT

Sample ID: 288 BIRCH BOTTOM 01 - Lab Number: OQG0164-05 - Matrix: Solid/Soil

						<u> </u>		La Conwoon			
CAS#	Analyte	Result	Q	Units	MDL	PQL	Dil . Factor	Analyzed Date/Time	Ву	Method	Batch
General C NA	Chemistry Parameters % Solids	82.5	Q	% . –	0.100	0.100	1	07/12/07 12:45	RRP	EPA 160.3	7G12029
Volatile O	rganic Compounds by EPA M										
-		40,1		ug/kg dry	3.69	10.1	50	07/11/07 22:08	JWT	EPA 8260B	7G12014
100-41-4	Ethylbenzene	1110		ug/kg dry	4.26	10.1	50	07/11/07 22:08	JWT	EPA 8260B	7G12014
91-20-3	Naphthalene	8050		ug/kg dry	11.1	20.1	100	07/12/07 12:56	TWI	EPA 8260B	7G12014
108-88-3	Toluene	8,70 .	U	ug/kg dry	8.70	10.1	50	07/11/07 22:08	JWT	EPA 8260B	7G12014
1330-20-7	Xylenes, total	1250		ug/kg dry	5.23	10,1	50-	07/11/07 22:08	JWT	EPA 8260B	7G12014
Surrogate: 1,2	2-Dichloroethane-d4 (73-137%)	22 44									

TestAmerica - Orlando, FL

Shali Brown

ANALYTICAL TESTING CORPORATION 4310 East Anderson Road Orlando, FL 32812 * 800-851-2560 * Fax 407-856-0886

Client: EPG, INC.

PO BOX 1096

MT PLEASANT, SC 29465

JOHN MAHONEY Attn:

Work Order:

OQG0164

Project:

LAUREL BAY

Project Number: EP2362 Sampled:

07/02/07-07/06/07

07/10/07 Received:

LABORATORY REPORT

Sample ID: 288 BIRCH BOTTOM 01 - Lab Number: OQG0164-05 - Matrix: Solid/Soil

CAS#	Analyte	Result	Q	Units	MDL	PQL	Dil Facto	Analyzed Date/Time	Ву	Method	Batch
Volatile (Organic Compounds by EPA M	lethod 8260B - Co	ont.					Date/lime	_, 		
Surrogate: I	,2-Dichloroethane-d4 (73-137%)	92 %									
	-Bromofluorobenzene (59-118%)	102 %				•					
	-Bromofluorobenzene (59-118%)	102 %									
	ibromofluoromethane (55-145%)	97 %									
	ibromofluoromethane (55-145%)	99 %									
	oluene-d8 (70-130%)	98 %									
	oluene-d8 (70-130%)	97%			•						
Polynucle.	ar Aromatic Hydrocarbons by	EPA Method 827	0								
03-32-3	Acenaphthene	6730		ug/kg dry	897	2030	10	07/13/07 10:16			
208-96-8	Acenaphthylene	1180	U	ug/kg dry	1180	2030	10		REM	EPA \$270C	7G11007
120-12-7	Anthracene	3220		ug/kg dry	646	2030		07/13/07 10:16	REM	EPA 8270C	7G11007
56-55-3	Benzo (a) anthracene	424	ī	ug/kg dry	219	2030	10	07/13/07 10:16	REM	EPA 8270C	7G11007
205-99-2	Benzo (b) fluoranthene	213	บ	ug∕kg dry	213	•	10	07/13/07 10:16	REM	EPA 8270C	7G11007
207-08-9	Benzo (k) fluoranthene	404	1	ug/kg dry	213	2030	10	07/13/07 10:16	REM	EPA 8270C	7G11007
191-24-2	Benzo (g,h,i) perylene	210	י ט	ug/kg dry		2030	10	07/13/07 10:16	REM	EPA 8270C	7G11007
50-32-8	Benzo (a) pyrene	249	ŭ	ug/kg dry	210	2030	10	07/13/07 10:16	REM	EPA 8270C	7G11007
90-12-0	I-Methylnaphthalene	48000	٠.		249	2030	10	07/13/07 10:16	REM	EPA 8270C	7G11007
218-01-9	Chrysene	481		ug/kg dry	1020	2030	10	07/13/07 10.16	REM	EPA 8270C	7G11007
53-70-3	Dibenz (s,h) authracene	266	1	ug/kg dry	242	2030	10	07/13/07 10:16	REM	EPA 8270C	7G11007
206-44-0	Fluoranthene	950	U	ug/kg dry	266	2030	10	07/13/07 10:16	REM	EPA \$270C	7G11007
86-73-7	Fluorene	793	I	ug/kg dry	291	2030	10	07/13/07 10:16	REM	EPA \$270C	7G11007
193-39-5	Indeno (1,2,3-cd) pyrene	793 262	U	ug/kg dry	793	2030	10	07/13/07 10:16	REM	EPA 8270C	7G11007
91-57-6	2-Methylnaphthalene		U	ug/kg dry	262	2030	10	07/13/07 10:16	REM	EPA 8270C	7G11007
91-20-3	Naphthalene	70000		ug/kg dry	864	2030	10	07/13/07 10:16	REM	EPA 8270C	7G11007
85-01-8	Phenanthrene	10200		ug/kg dry	813	2030	10	07/13/07 10:16	REM	EPA 8270C	7G11007
129-00-0	Pyrene	14100		ug/kg dry	478	2030	10	07/13/07 10:16	REM	EPA 8270C	7G11007
	uorobiphenyi (24-121%)	1750	I.	ug/kg dry	411	2030	10	07/13/07 10:16	REM	EPA 8270C	7G11007
	orooipheny (24-121%) benzene-d5 (19-111%)	93 %									
	noenzene-as (19-111%) henyl-dl4 (44-171%)	90 %									
rogue. resp.	menyi-u1+ (44-1/1%)	101 %									

LABORATORY REPORT

Sample ID: 288 BIRCH SIDE 02 - Lab Number: OQG0164-06 - Matrix: Solid/Soil

		All marks many spirites marine a service									
CAS#	Analyte	Resuit	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	Ву	Method	Batch
General C	hemistry Parameters					 	·				
NA ,	% Solids	74.0	Q	%.	0.100	0.100					
Volatile ()	rganic Compounds by EPA	Method \$260B	`		0.100	0.100	1	07/12/07 12:45	RRP	EPA 160.3	7G12029
71-43-2	Benzene	6.61									
100-41-4	Ethylbenzene	_		ug/kg dry	0.0413	0.113	ı	07/11/07 12:13	JWT	EPA 8260B	7G12014
1-20-3		112		ug/kg dry	2.32	5,48	50	07/11/07 22:25	JWT	EPA 8260B	7012014
	Naphthalene	871		ug/kg dry	3.03	£ 40					7G12014
08-88-3	Tolucno	0.0974				5.48	50	07/11/07 22:25	JWT	EPA 8260B	7G12014
330-20-7	Xylenes, total		U	ug/kg dry	0.0974	0.113	. 1	07/11/07 12:13	JWT	EPA 8260B	7G12014
		15.5		ug/kg dry	0.0586	0.113	1	07/11/07 12:13	JWT	TO A SOCOD	
urrogate: 1,2	?-Dichloroethane-d4 (73-137%)	110 %		•			•	0771707 12:13	1.M.I	EPA 8260B	7G12014

TestAmerica - Orlando, FL

Shali Brown

ANALYTICAL TESTING CORPORATION

4310 East Anderson Road Orlando, FL 32812 * 800-851-2560 * Fax 407-856-0886

Client: EPG, INC.

PO BOX 1096

MT PLEASANT, SC 29465

JOHN MAHONEY Attn:

Work Order:

OQG0164

Project: Project Number. LAUREL BAY

EP2362

Sampled:

07/02/07-07/06/07

07/10/07 Received:

LABORATORY REPORT

Sample ID: 288 BIRCH SIDE 02 - Lab Number: OQG0164-06 - Matrix: Solid/Soil

CAS#	Analyte	Result	Q	Units	MDL	PQL	Dil Facto	Analyzed	Ву	Method	Batch
Volatile C	organic Compounds by EPA M	ethod 8260B - C	ont					Date/Time		• • • • • • • • • • • • • • • • • • • •	
Surrogate: 1,	2-Dichloroethane-d4 (73-137%)	87 %	ont.								-
	Bromofluorobenzene (59-118%)	25 %	JĮ								
	Bromofluorobenzene (59-11896)	104 %	_								
	ibromofluoromethane (55-145%)	101 %									
	ibromofluoromethane (55-145%)	96 %									
	luene-d8 (70-130%)	79 %									
	luene-d8 (70-130%)	91 %									
Polynucles	ir Aromatic Hydrocarbons by	EPA Method 827	0								
63-32-9	Accusphthene	6210		ug/kg dry	999	2260	10	07/13/07 10:39	REM	EPA 8270C	7G11007
208-96-8	Acensphthylene	1320	ט	ug/kg dry	1320	2260	10	07/13/07 10:39	REM	EPA 8270C	
120-12-7	Authracene	2930		ug/kg dry	719	2260	10	07/13/07 10:39	REM	EPA 8270C	7G11007
56-55-3	Benzo (a) anthracene	401	I	ug/kg dry	244	2260	10	07/13/07 10:39	REM		7G11007
205-99-2	Benzo (b) fluoranthene	237	U	ug/kg dry	237	2260	10	07/13/07 10:39	REM	EPA 8270C	7G11007
207-08-9	Benzo (k) fluoranthene	237	U	ug/kg dry	237	2260	10	07/13/07 10:39	REM	EPA 8270C	7G11007
191-24-2	Benzo (g,h,i) perylene	234	t	ug/kg dry	234	2260	10	07/13/07 10:39	REM	EPA 8270C	7G11007
50-32-8	Benzo (a) pyrene	278	U	ug/kg dry	278	2260	10	07/13/07 10:39	REM	EPA 8270C	7G11007
90-12-0	1-Methylnaphthalene	44200		ug/kg dry	. 1130	2260	10	07/13/07 10:39	REM	EPA 8270C EPA 8270C	7G11007
218-01-9	Chrysene	414	I	ug/kg dry	270	2260	10	07/13/07 10:39	REM		7G11007
53-70-3	Dibenz (a,h) anthracene	296	ซ	ug/kg dry	296	2260	10	07/13/07 10:39		EPA 8270C	7G11007
206-44-0	Fluoranthene	761	I	ug∕kg dry	324	2260	10	07/13/07 10:39	REM	EPA 8270C	7G11007
86-73-7	Fluorene	883	U	ug/kg dry	883	2260	10		REM	EPA 8270C	7G11007
193-39-5	Indeno (1,2,3-cd) pyrene	292	U	ug/kg dry	292	2260	10	07/13/07 10:39 07/13/07 10:39	REM	EPA 8270C	7G11007
91-57-6	2-Methylmaphthalene	75400		ug/kg dry	962	2260	10	07/13/07 10:39	REM	EPA 8270C	7G11007
91-20-3	Naphthalene	12000		ug/kg dry	906	2260			REM	EPA 8270C	7G11007
85-01-8	Phenauthrene	11800		ug/kg dry	532	2260	10	07/13/07 10:39	REM	EPA 8270C	7G11007
129-00-0	Ругеве	1490	I	ug/kg dry	458		10	07/13/07 10:39	REM	EPA 8270C	7G11007
	uorobiphenyl (24-121%)	77 %	•	-0-6 wj	7.30	2260	10	07/13/07 10:39	REM	EPA 8270C	7G11007
Surrogate: Nitro	benzene-d5 (19-111%)	79 %									
Surrogate: Terpi	henyl-d14 (44-171%)	86 %		ı							

LABORATORY REPORT

Sample ID: 288 BIRCH BOTTOM 03 - Lab Number: OQG0164-07 - Matrix: Solid/Soil

	and the second section of the second section is a second section of the secti										
CAS#	Analyte	Result	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	Ву	Method	Batch
General (Chemistry Parameters	••••••••	••	•••••		· · · · · · · · · · · ·	·				
NA	% Solids	79.0	Q	% ,	0.100	0,100	•	07/10 Mg 10.45		****	
. Volatile ()	rganic Compounds by EPA M	ethod 8260B	•	•	5.100	0,100	1	07/12/07 12:45	RRP	EPA 160.3	7G12029
71-43-2	Benzene	0.539						-			
100-41-4	•			ug/kg dry	0.0474	0.129	1	07/12/07 11:16	JWT	EPA 8260B	7G12014
	Ethylbenzene	6.14		ug∕kg dry	0.0548	0.129	6	07/12/07 11:16	JWT	EPA 8260B	
91-20-3	Naphthalene	589		ug/kg dry	4.40		•			EFA 8200B	7G12014
108-88-3	Tolucne				4.45	8.06	50	07/11/07 22:42	JWT	EPA 8260B	7G12014
1330-20-7		0.112	ប	ug/kg dry	0.112	0.129	1	07/12/07 11:16	JWT	EPA 8260B	7G12014
	Xylenes, total	1.71		ug∕kg đry	0.0673	0.129	1	07/12/07 11:16	Trans.		
Surrogate: 1,2	?-Dichloroethane-d4 (73-137%)	110 %				0.123		0//12/07 11:10	JWT	EPA 8260B	7G12014
	•	11074									

TestAmerica - Orlando, FL

Shali Brown

Test/America

4310 East Anderson Road Orlando, FL 32812 *800-851-2560 * Fax 407-856-0686

Client: EPG, INC.

PO BOX 1096

MT PLEASANT, SC 29465

Attn: JOHN MAHONEY

Work Order:

OQG0164

Project:

LAUREL BAY

Project Number: EP2362

Danip

Sampled: 07/02/07-07/06/07

Received: 07/10/07

LABORATORY REPORT

Sample ID: 288 BIRCH BOTTOM 03 - Lab Number: OQG0164-07 - Matrix: Solid/Soil

CAS#	Analyte	Result	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	Ву	Method	Batch
Volatile O	rganic Compounds by EPA N	fethod 8260B - Co	ont,	•••••		• • • • • • • • • • • • • • • • • • • •	· • • • • • • •	• • • • • • • • • • • • • • • •			
	P-Dichloroethane-d4 (73-137%)	86 %									
	Bromofluorobenzene (59-118%)	84 %									
=	Bromofluorobenzene (59-118%)	104 %									
Surrogate: Die	bromofluoromethane (55-145%)	108 %		ŧ							
-	bromofluoromethane (55-145%)	95 %									•
-	luene-d8 (70-130%)	93 %									
	uene-d8 (70-130%)	98 %									
Polynuclea	r Aromatic Hydrocarbons by	EPA Method 827	0							•	
83-32-9	Acenaphthene	875		ug/kg dry	93.7	211	1	07/13/07 11:02	REM	EPA 8270C	7G11007
208-96-8	Acenaphthylene	124	ប	ug/kg dry	124	211	1	07/13/07 11:02	REM	EPA 8270C	7G11007
120-12-7	Anthracene	455		ug/kg d i y	67.4	211	1	07/13/07 11:02	REM	EPA \$270C	7G11007
56-55-3	Benzo (a) anthracene	380		ug/kg dry	22.9	211	1	07/13/07 11:02	REM	EPA 8270C	7G11007
205-99-2	Benzo (b) fluoranthene	289		ug/kg dry	22.3	211	1	07/13/07 11:02	REM	EPA 8270C	7G11007
207-08-9	Benzo (k) fluoranthene	148	ľ	ug/kg dry 、	22.3	211	1	07/13/07 11:02	REM	EPA 8270C	7G11007
191-24-2	Benzo (g,h,i) perylene	133	I	ug/kg dry	21.9	211	1	07/13/07 11:02	REM	EPA 8270C	7G11007
50-32-8	Benzo (a) pyrene	217		ug/kg dry	26.0	211	1	07/13/07 [1:02	REM	EPA 8270C	7G11007
90-12-0	1-Methylnaphthalene	4070		ug/kg dry	106	211	ı	07/13/07 11:02	REM	EPA 8270C	7G11007
218-01-9	Chrysene	456		ng/kg dry	25.3	211	1	07/13/07 11:02	REM	EPA \$270C	7G11007
53-70-3	Dibenz (a.h) anthracene	27,8	· ʊ	ug/kg dry	27.8	211	1	07/13/07 11:02	REM	EPA \$270C	7G11007
206-44-0	Fluoranthene	720		ug/kg dry	30.4	211	1	07/13/07 11:02	REM	EPA 8270C	7G11007
86-73-7	Fluorene	82.7	U	ug/kg dry	82.7	211	1	07/13/07 11:02	REM	EPA 8270C	7G11007
193-39-5	Indeno (1,2,3-cd) pyrene	138	1	ug/kg dry	27,4	211	1	07/13/07 11:02	REM	EPA 8270C	7G11007
91-57-6	2-Methylnaphthalene	4720		ug/kg dry	90,1	211	1	07/13/07 11:02	REM	EPA 8270C	7G11007
91-20-3	Naphthalene	372		ug/kg dry	84.9	211	1	07/13/07 11:02	REM	EPA 8270C	7G11007
85-01-8	Phenanthrene	2000		ug/kg dry	49.9	·211	1	07/13/07 11:02	REM	EPA 8270C	7G11007
129-00-0	Pyrene	723		ug/kg dry	42.9	211	1	07/13/07 11:02	REM	EPA 8270C	7G11007
Surrogate: 2-Fla	uorobiphenyl (24-121%)	83 %		J-0-7			•	U., 12,00 11.02	24141	- 11 0L/00	1011401
Surrogate: Nitro	benzene-d5 (19-111%)	83 %									
	henyl-d14 (44-171%)	96 %									

LABORATORY REPORT

Sample ID: 288 BIRCH SIDE 04 - Lab Number: OQG0164-08 - Matrix: Solid/Soil

			7								
CAS#	Analyte	Result	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	Ву	Method	Batch
General C	hemistry Parameters		••						•		•••
NA	% Solids	80.3	Q	%	0.100	0.100	1	07/12/07 12:45	RRP	EPA 160.3	7G12029
Volatile O	rganic Compounds by EPA M	lethod 8260B	-		•		_				
71-43-2	Benzene	84.2		ug/kg dry	2.67	7.30	50	07/11/07 22:58	JWT	EPA 8260B	7G12014
100-41-4	Ethylbenzene	675		ug/kg dry	3.09	7.30	50	07/11/07 22:58	JWT	EPA 8260B	7G12014
91-20-3	Naphthalene	8230		ug/kg dry	40.4	73.0	500	07/12/07 14:12	JWT	EPA 8260B	7G12014 7G12014
108-88-3	Toluene	6.31	ט	ug/kg dry	6.31	7.30	50	07/11/07 22:58			
1330-20-7	Valence total		U	•			20	07/11/07 22:38	JWT	EPA 8260B	7G12014
	Xylenes, total	31.6		ug/kg dry	3.79	7_30	50	07/11/07 22:58	JWT	EPA 8260B	7G12014
Surrogate: 1,2	l-Dichloroethane-d4 (73-137%)	86 %									•

TestAmerica - Orlando, FL

Shali Brown

ANALYTICAL TESTING CORPORATION

4310 East Anderson Road Orlando, FL 32812 * 800-851-2560 * Fax 407-856-0896

Client: EPG, INC.

PO BOX 1096

MT PLEASANT, SC 29465

JOHN MAHONEY

Work Order:

OQG0164

Project Project Number: LAUREL BAY

EP2362

Sampled:

07/02/07-07/06/07

07/10/07 Received:

LABORATORY REPORT

Sample ID: 288 BIRCH SIDE 04 - Lab Number: OQG0164-08 - Matrix: Solid/Soil

CAS#	Analyte	Result	Q	Units	MDL	PQL	Dil Facto	Ansived	Ву	Method	Batch
Volatile	Organic Compounds by EPA I	Method 8260B - C	 оп <i>t</i> .			• • • • • • • • • • • • • • • • • • • •	• • • • • •	Date (me	•••••		
	1,2-Dichloroethane-d4 (73-137%)	91 %									
	4-Bromofluorobenzene (59-118%)	102 %									28
	4-Bromofluorobenzene (59-118%)	101 %									
	Dibromofluoromethane (55-145%)	95 %									
	Dibromofluoromethane (55-145%) Toluene-d8 (70-130%)	98 %								-	
	Toluene-d8 (70-130%)	<i>99 </i> %									
		100 %									
83-32-9	ear Aromatic Hydrocarbons by Accesshinese		70								
208-96-8	Accomplished	21600		ug/kg dry	922	2080	10	07/13/07 11:24	REM	EPA 8270C	7G11007
120-12-7	Anthracene	1220	U	ug/kg dry	1220	2080	10	07/13/07 11:24	REM	EPA 8270C	7G11007
56-55-3	Benzo (a) anthracene	8720		ug∕kg dry	663	2080	10	07/13/07 11:24	REM	EPA 8270C	7G11007
205-99-2	Benzo (b) fluoranthene	4010		ug/kg dry	225	2080	10	07/13/07 11:24	REM	EPA 8270C	7G11007
207-08-9		2570		ug/kg dry	219	2080	10	07/13/07 11:24	REM	EPA 8270C	7G11007
191-24-2	Benzo (k) fluoranthene	1240	1	ug/kg dry	219	2080	10	07/13/07 11:24	REM	EPA 8270C	
50-32-8	Benzo (g,h,i) perylene	598	1	ug/kg dry	216	2080	10	07/13/07 11:24	REM	EPA 8270C	7G11007
90-12-0	Benzo (a) pyrene	1820	I	ug/kg dry	256	2080	10	07/13/07 11:24	REM		7G11007
	1-Methylnaphthalene	210000		ug/kg dry	10400	20800	100	07/13/07 18:19		EPA 8270C	7G11007
218-01-9	Chrysene	4390		ug/kg dry	249	2080	100		REM	EPA 8270C	7G11007
53-70-3	Dibenz (a,h) anthracene	273	U	ug/kg dry	273	2080		07/13/07 11:24	REM	EPA 8270C	7G11007
206-44-0	Fluorauthene ·	7690		ug/kg dry	299	2080	10	07/13/07 11:24	REM	EPA 8270C	7G11007
86-73-7	Fluorene	814	υ	ug/kg dry	814		10	07/13/07 11:24	REM	EPA 8270C	7G11007
193-39-5	Indeno (I,2,3-cd) pyrene	664	ī	ug/kg dry	269	2080	10	07/13/07 11:24	REM	EPA 8270C	7G11007
91-57-6	2-Methylnaphthalene	352000	-	ug/kg dry		2080	10	07/13/07 11:24	REM	EPA 8270C	7G11007
91-20-3	Naphthalene	46800		ug/kg dry	8870	20800	100	07/13/07 18:19	REM	EPA 8270C	7G11007
85-01-8	Phenanthrene	43500		•	835	2080	10	07/13/07 11:24	REM	EPA 8270C	7G11007
129 -00 -0	Pyrene	9150		ug/kg dry	491	2080	10	07/13/07 11:24	REM	EPA 8270C	7G11007
Surrogate: 2-F	luorobiphenyl (24-121%)	106 %		ug/kg dry	423	2080	10	07/13/07 11:24	REM	EPA 8270C	7G11007
	robenzene-d5 (19-11196)	100 % 84 %									
	phenyl-d14 (44-171%)	96 %		•							
		<i>70 7</i> 1									

LABORATORY REPORT

Sample ID: 286 BIRCH BOTTOM 01 - Lab Number: OQG0164-09 - Matrix: Solid/Soil

CAS#	Analyte	Result	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	. By	Method	Batch
NA	Chemistry Parameters % Solids	83.3		%.	0.100	0.100			• • • • • • •		•-•••
Volatile O	rganic Compounds by EPA Benzene				0,100	0.100	ı	07/11/07 16:45	RRP	EPA 160,3	7G11027
100-41-4	Ethylbenzene	5.85 190	RL2,I	ug/kg dry	4.29	11.7	50	07/11/07 23:15	JWT	EPA 8260B	7G12014
91-20-3	Naphthalene	2200		ug/kg dry	4.95	11.7	50	07/11/07 23:15	JWT	EPA 8260B	7G12014
108-88-3	Toluene			ug/kg dry	6.47	_117	50	_07/11 / 07_23:15	_IWT	EPA \$260B	7G12014
1330-20-7	Xylenes, total	10.1	U	ug/kg dry	10.1	11.7	50	07/11/07 23:15	JWT	EPA 8260B	7G12014
Surrogale: 1,2	2-Dichloroethane-d4 (73-137%)	154 83 %		ug/kg dry	6.08	11.7	50	07/11/07 23:15	TWL	EPA 8260B	7G12014

TestAmerica - Orlando, FL Shali Brown Project Manager


To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?

Address: City/State/Zip Code: Project Manager: Project Ma
Project Manager: JOHN MAHONEY Telephone Number: Sampler Name: (Print Name) Sampler Signature: Sampler Signature: Matrix Preservation & # of Containers Analyze For: Rush (surcharges may apply) Date Needed: Fax Results: Y N SAMPLE ID SAMPLE ID Project # PD 23 62 Site/Location ID: State: 5 C Report To: Invoice To: Quote #: PO#: Analyze For: QCC Deliverables (Sampler Name) (Sampler Signature: Analyze For: Power Sampler Signature: Analyze For: COC Deliverables (Sampler Name) (Sampler Signature: (Sampler Name) (Sampler Signature: (Sampler Name) (Sampler Name) (Sampler Name) (Sampler Signature: (Sampler Name) (Sampler Name) (Sampler Signature: (Sampler Name) (Sampler Na
Telephone Number: Sampler Name: (Print Name) Sampler Signature: Sampler Signature: Fax: Report To: Invoice To: Sampler Signature: Matrix Preservation & for Containere Analyze For: Rush (surcharges may apply) Date Needed: Fax Results: Y N SAMPLE ID Tat Standard Sampler Signature: Fax: Site/Location ID: State: Comparison of the compari
Sampler Name: (Print Name) Sampler Signature: Sampler Signature: Sampler Signature: Matrix Preservation & # of Containers Analyze For: Report To: Invoice To: Quote #: PO#: TAT Standard Rush (surcharges may apply) Date Needed: Fax Results: Y N SAMPLE ID SAMPLE ID State: S C Report To: Invoice To: Analyze For: Quote #: PO#: Qu
Sampler Name: (Print Name) M2IS CCHEVAR2 N Sampler Signature: Invoice To: Sampler Signature: Quote #: PO#: TAT Standard Quote #: PO#: Rush (surcharges may apply) Date Needed: None
TAT Standard Rush (surcharges may apply) Date Needed: Fax Results: Y N SAMPLE ID Matrix Preservation & # of Containers Analyze For: Quote #: PO#: Quote #: PO#: Quote #: PO#: Analyze For: Quote #: PO#: Quote #: PO#: Analyze For: QC Deliverables
TAT Standard Rush (surcharges may apply) Date Needed: Fax Results: Y N Date Needed: SAMPLE ID Matrix Preservation & # of Containers Analyze For: Analyze For: COC Deliverables Analyze For: Level 2 (Batch QC) Level 4 Other: COC Deliverables Analyze For: COC Deliverables COC Deliverables Analyze For: COC Deliverables Analyze For: COC Deliverables COC Deliverables Analyze For: COC Deliverables Analyze For: COC Deliverables COC Deliverables COC Deliverables Analyze For: COC Deliverables COC Deliverabl
Standard Rush (surcharges may apply) Date Needed: Fax Results: Y N SAMPLE ID SAMPLE ID Analyze For: Analyze
Pate Needed: Fax Results: Y N Page Page Page Page Page Page Page Page
Date Needed: Fax Results: Y N Part
Fax Results: Y N Description Part Par
SAMPLE ID
SAMPLE ID SO S
250 RISCH BOTTOM OF 12-07 1040 G
2 DIVOHDOTONO 172-0711040 G
(1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/
290 Bases 2 - 2 - 0 1 1050 C
/XX K 10 A 1
/XXIX:00%
200 DIRCH BOTTOM 03 7-2-07 1350 C 1 22 x x
288 Birch Sing 04 7-2-67 1410 0 122 x x
86 DiRCH Dorrow 01 7507/1/2017
26 BIRCH SIDE 02 7-5,00 ILIEX 10
pecial instructions:
LABORATORY COMMENTS:
Init Lab Temp:
Hardisher by Mahoney 7/9/07 1520 Received by rungle for 1970 Rec Lab Temp.
Received By:
Received By / Received By
Date: Time: Method of Shipment: FEALY TO TAN

Testamerica ANALYTICAL TESTING CORPORATION

To assist us in using the proper analytical metricist his work being conducted for any state.

Clicate Testing Corporation		_	Compliance Monitoring	rearrance britisher
Client Name EPG		Client#: 2411	Finance Monitoring	
Address:		·	Project Name: LAUREL BAY	
City/State/Zip Code:			Project # EP 23 67	
Project Manager: DOHN MAHO	DINEY		Situation to	
Telephone Number:	Far		Site/Location ID:	State:
Sampler Name: (Print Name) CHRIS TCHEV	HALLIAD.	<u> </u>	Report To:	
Sampler Signature:			Invoice To:	
<u></u>	Matrix Preservation 8	# of Containers	Quote#:	PO#:
TAT Standard Rush (surcharges may apply) Date Needed:	- Drinking Water S - Soil/Solid Specify Other		Analyze For:	QC Deliverables None Level 2 (Batch QC)
Fax Results: Y N De	Field Filtered SL - Studge DW GW - Grountwate WW - Wastewater HNO ₃ HCI NaOH	Wethanol Other (Specify) BIEX + WAPT		Level 3 Level 4 Other:
(COG DIRCH BOTTOM 03 7-507 1510 D				REMARKS
下ので ひばん フジュンチ ロハインにっく フリ	╸ ╂╼╾╂╍┼╍┼	11/2/2/ 1/2/		REMARKS
664 DIRCH DUTTOM O1 76-17 970 12	╌╏╌╌╏╌ ┼╌┼╌	122 * *		
202 BIRCH DIDE MY 176 N7 1030 10	╼╂╼╼╌╂╌╁╌┼╌┼╌	1 2 2 × ×		
20013:PCH MITTOM () 17.6.07/1200 10	╌╂╼╌╂ ╾┼ ┈ ┤╌	12277		/3
200 DIRLH DIDE AS 17 (MIDIO)	╼╂╼╼╂╼┼╼┽╼┥╼	122 + 1		10
400 BIRCH DOTTOM (12 17.1.17/17/2010)	╼╂╼╼╌╂╼┼╼┤ _╍	5 2 2 × ×		1.5
200 BIRCH SIDE OH 7-6071230 1	╾╂╼╼╌╂╼┼╾┤ _╾	127 * *		
	╼╂╌╌╢╌┼╌┤╌	122 x x		
	╼╂╼╼╌╂╼╁╌╁╌┧╶) 8
Special Instructions:				
tof			LABORATORY CON	IMENTS:
Relinfolition By Canady John 107 The	SZO Received by	4 Political 1-7	Init Lab Temp:	2.
Adjusting the first of the state of the stat	730	7 Cale	ス/// T イラ/ /	The state of the s
lelinguished By:		Date:	7/10 Time/:20 Bottles Supplied by	N N/A Fest America: Y N
Date: Tin	ne: Received By	Date:	Time: \$623 259	1060 Fedry 10 TU DI



(Mild Petholeum Odor WAS defected at the bottom of Both UST EXCAVATIONS) 288

CD X TANK 2 BASE 72"

AB X TANK | BASE 62"

BIRCH DRIVE

TANK I EXCAVATION

A-SOIL TEST SIDE SAMPLE @ 49"

B-SOIL TEST BOTTOM SAMPLE @ 62"

X-MILD DIESEL ODOR @ BOTTOM OF EXCAVATION

TANK 2 EXCAVATION

C-SOIL TEST SIDE SAMPLE @ 60"

D-SOIL TEST BOTTOM SAMPLE @ 72"

X-MILD DIESEL ODOR @ BOTTOM OF EXCAVATION

SCALE:

| SCALE: | 1/16'=1'-0' | EPG | INC. |
| SIPPLIER: | P.O. BOX 1096 |
| 288 BIRCH DRIVE | 9/27/2007

Appendix C Laboratory Analytical Report - Groundwater



Pace Analytical Services, Inc. 2225 Riverside Dr. Asheville, NC 28804 (828)254-7176 Pace Analytical Services, Inc. 9800 Kincey Ave. Suite 100 Huntersville, NC 28078 (704)875-9092

ANALYTICAL RESULTS

Project: LAUREL BAY MILITARY HOUSING


Pace Project No.: 9224083

Sample: 286 BIRCH B	Lab ID: 922408	3004 C	collected: 07/22/0	08 11:45	Received: 07	7/24/08 12:45 N	/latrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV PAH by SIM SPE	Analytical Method:	EPA 8270	by SIM Preparat	ion Meth	nod: EPA 3535			
Nitrobenzene-d5 (S)	61 %		50-150	1	07/28/08 00:00	07/30/08 04:23	4165-60-0	
2-Fluorobiphenyl (S)	74 %		50-150	1	07/28/08 00:00	07/30/08 04:23	321-60-8	
Terphenyl-d14 (S)	80 %		50-150	1	07/28/08 00:00	07/30/08 04:23	1718-51-0	
8260 MSV Low Level	Analytical Method:	EPA 8260						
Benzene	ND ug/L		1.0	1		07/29/08 14:16	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		07/29/08 14:16	100-41-4	
Naphthalene	ND ug/L		1.0	1		07/29/08 14:16	91-20-3	
Toluene	ND ug/L		1.0	1		07/29/08 14:16	108-88-3	
m&p-Xylene	ND ug/L		2.0	1		07/29/08 14:16	1330-20-7	
o-Xylene	ND ug/L		1.0	1		07/29/08 14:16	95-47-6	
4-Bromofluorobenzene (S)	95 %		87-109	1		07/29/08 14:16		
Dibromofluoromethane (S)	102 %		85-115	1		07/29/08 14:16		
1,2-Dichloroethane-d4 (S)	104 %		79-120	1		07/29/08 14:16		
Toluene-d8 (S)	101 %		70-120	1		07/29/08 14:16		
(5)	701 /		70 120	•		01125/00 14.10	2001-20-0	
Sample: 288 BIRCH A	Lab ID: 9224083	3005 C	ollected: 07/22/0	8 14:05	Received: 07	7/24/08 12:45 M	1atrix: Water	·
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
3270 MSSV PAH by SIM SPE	Analytical Method:	EPA 8270	by SIM Preparati	on Meth	od: EPA 3535			
Acenaphthene	ND ug/L		2.0	1	07/28/08 00:00	07/30/08 04:51	83-32-9	
Acenaphthylene	ND ug/L		1.5	1	07/28/08 00:00	07/30/08 04:51	208-96-8	
Anthracene	ND ug/L		0.050	1		07/30/08 04:51		
Benzo(a)anthracene	ND ug/L		0.10	1		07/30/08 04:51		
Benzo(a)pyrene	ND ug/L		0.20	1		07/30/08 04:51		
Benzo(b)fluoranthene	ND ug/L		0.30	1		07/30/08 04:51		
Benzo(g,h,i)perylene	ND ug/L		0.20	1		07/30/08 04:51		
Benzo(k)fluoranthene	ND ug/L		0.20	1		07/30/08 04:51		
Chrysene	ND ug/L		0.10	1				
Dibenz(a,h)anthracene	ND ug/L ND ug/L		0.10	1		07/30/08 04:51 07/30/08 04:51		
Fluoranthene	_			1				
Fluorene	ND ug/L		0.30			07/30/08 04:51		
	ND ug/L		0.31	1		07/30/08 04:51		
ndeno(1,2,3-cd)pyrene	ND ug/L		0.20	1		07/30/08 04:51		
-Methylnaphthalene	ND ug/L		2.0	1		07/30/08 04:51		
l-Methylnaphthalene	ND ug/L		2.0	1		07/30/08 04:51		
laphthalene	ND ug/L		1.5	1		07/30/08 04:51		
Phenanthrene	ND ug/L		0.20	1		07/30/08 04:51		
Pyrene	ND ug/L		0.10	1		07/30/08 04:51		
litrobenzene-d5 (S)	28 %		50-150	1		07/30/08 04:51		1g
?-Fluorobiphenyl (S)	52 %		50-150	1		07/30/08 04:51		
erphenyl-d14 (S)	50 %		50-150	1	07/28/08 00:00	07/30/08 04:51	1718-51-0	
260 MSV Low Level	Analytical Method:	EPA 8260						
Senzene	ND ug/L		1.0	1		07/29/08 14:40	71-43-2	

Date: 07/30/2008 03:09 PM

REPORT OF LABORATORY ANALYSIS

Page 7 of 16







Pace Analytical Services, Inc. 2225 Riverside Dr. Asheville, NC 28804 (828)254-7176 Pace Analytical Services, Inc. 9800 Kincey Ave. Suite 100 Huntersville, NC 28078 (704)875-9092

ANALYTICAL RESULTS

Project:

LAUREL BAY MILITARY HOUSING

Pace Project No.:


9224083

Sample: 288 BIRCH A	Lab ID: 92240	83005	Collected: 07/22	2/08 14:05	Received:	07/24/08 12:45	Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method	d: EPA 82	260					
Ethylbenzene	ND ug/L		1.0) 1		07/29/08 14:4	0 100-41-4	
Naphthalene	ND ug/L		1.0	1		07/29/08 14:4	0 91-20-3	
Toluene	ND ug/L		1.0) 1		07/29/08 14:4	0 108-88-3	
m&p-Xylene	ND ug/L		2.0	1		07/29/08 14:4	0 1330-20-7	
o-Xylene	ND ug/L		1.0) 1		07/29/08 14:4	0 95-47-6	
4-Bromofluorobenzene (S)	96 %		87-109	1		07/29/08 14:4	0 460-00-4	
Dibromofluoromethane (S)	102 %		85-11	5 1		07/29/08 14:4	0 1868-53-7	
1,2-Dichloroethane-d4 (S)	105 %		79-120	1		07/29/08 14:4	0 17060-07-0	
Toluene-d8 (S)	100 %		70-120) 1		07/29/08 14:4	0 2037-26-5	
Sample: 288 BIRCH B	Lab ID: 92240	83006	Collected: 07/22	2/08 14:45	Received:	07/24/08 12:45	Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV PAH by SIM SPE	Analytical Method	d: EPA 82	270 by SIM Prepar	ation Meth	nod: EPA 3535			
Acenaphthene	ND ug/L		2.0) 1	07/28/08 00:0	0 07/30/08 05:1	8 83-32-9	
Acenaphthylene	ND ug/L		1.5			0 07/30/08 05:1		
Anthracene	ND ug/L		0.050) 1	07/28/08 00:0	0 07/30/08 05:1	8 120-12-7	
Benzo(a)anthracene	ND ug/L		0.10) 1		0 07/30/08 05:1		
Benzo(a)pyrene	ND ug/L		0.20) 1		0 07/30/08 05:1		
Benzo(b)fluoranthene	ND ug/L		0.30) 1	07/28/08 00:0	0 07/30/08 05:1	8 205-99-2	
Benzo(g,h,i)perylene	ND ug/L		0.20	1	07/28/08 00:0	0 07/30/08 05:1	8 191-24-2	
Benzo(k)fluoranthene	ND ug/L		0.20) 1	07/28/08 00:0	0 07/30/08 05:1	8 207-08-9	
Chrysene	ND ug/L		0.10	1	07/28/08 00:0	0 07/30/08 05:1	8 218-01-9	
Dibenz(a,h)anthracene	ND ug/L		0.20	1	07/28/08 00:0	0 07/30/08 05:1	8 53-70-3	
Fluoranthene	ND ug/L		0.30	1	07/28/08 00:0	0 07/30/08 05:1	8 206-44-0	
Fluorene	ND ug/L		0.31	1	07/28/08 00:0	0 07/30/08 05:1	8 86-73-7	
Indeno(1,2,3-cd)pyrene	ND ug/L		0.20	1	07/28/08 00:0	0 07/30/08 05:1	8 193-39-5	
1-Methylnaphthalene	ND ug/L		2.0	1	07/28/08 00:0	0 07/30/08 05:1	8 90-12-0	
2-Methylnaphthalene	ND ug/L		2.0	1	07/28/08 00:0	0 07/30/08 05:1	8 91-57-6	
Naphthalene	ND ug/L		1.5	1	07/28/08 00:0	0 07/30/08 05:1	8 91-20-3	
Phenanthrene	ND ug/L		0.20	1	07/28/08 00:0	0 07/30/08 05:1	8 85-01-8	
Pyrene	ND ug/L		0.10	1	07/28/08 00:0	0 07/30/08 05:1	8 129-00-0	
Nitrobenzene-d5 (S)	43 %		50-150	1	07/28/08 00:0	0 07/30/08 05:1	8 4165-60-0	1g
2-Fluorobiphenyl (S)	60 %		50-150	1	07/28/08 00:0	0 07/30/08 05:1	8 321-60-8	
Terphenyl-d14 (S)	91 %		50-150	1	07/28/08 00:0	0 07/30/08 05:1	8 1718-51-0	
8260 MSV Low Level	Analytical Method	d: EPA 82	260					
Benzene	ND ug/L		1.0			07/29/08 15:0		
Ethylbenzene	ND ug/L		1.0			07/29/08 15:0		
Naphthalene	ND ug/L		1.0			07/29/08 15:0	4 91-20-3	
Toluene	ND ug/L		1.0			07/29/08 15:0		
m&p-Xylene	ND ug/L		2.0			07/29/08 15:0		
o-Xylene	ND ug/L		1.0			07/29/08 15:0		
4-Bromofluorobenzene (S)	96 %		87-109	1		07/29/08 15:0	4 460-00-4	

Date: 07/30/2008 03:09 PM

REPORT OF LABORATORY ANALYSIS

Page 8 of 16







Pace Analytical Services, Inc. 2225 Riverside Dr. Asheville, NC 28804 (828)254-7176 Pace Analytical Services, Inc. 9800 Kincey Ave. Suite 100 Huntersville, NC 28078 (704)875-9092

ANALYTICAL RESULTS

Project:

LAUREL BAY MILITARY HOUSING


Pace Project No.: 9224083

Sample: 288 BIRCH B	Lab ID: 922	4083006	Collected: 07/22/0	08 14:45	Received: 0	7/24/08 12:45	Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Meth	nod: EPA 8	260					
Dibromofluoromethane (S)	104 %		85-115	1		07/29/08 15:04	1868-53-7	
1,2-Dichloroethane-d4 (S)	105 %		79-120	1		07/29/08 15:0	17060-07-0	
Toluene-d8 (S)	101 %		70-120	1		07/29/08 15:0	1 2037-26-5	
Sample: 290 BIRCH A	Lab ID: 922	4083007	Collected: 07/22/0	8 15:45	Received: 0	7/24/08 12:45	Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV PAH by SIM SPE	Analytical Meth	nod: EPA 8	270 by SIM Preparat	ion Meth	od: EPA 3535			
Acenaphthene	ND ug	/L	2.0	1	07/28/08 00:00	0 07/30/08 05:40	83-32-9	
Acenaphthylene	ND ug	/L	1.5	1	07/28/08 00:00	07/30/08 05:4	3 208-96-8	
Anthracene	ND ug	/L	0.050	1	07/28/08 00:00	07/30/08 05:40	5 120-12-7	
Benzo(a)anthracene	ND ug	/L	0.10	1	07/28/08 00:00	07/30/08 05:40	6 56-55-3	
Benzo(a)pyrene	ND ug	/L	0.20	1	07/28/08 00:00	07/30/08 05:40	5 50-32-8	
Benzo(b)fluoranthene	ND ug	/L	0.30	1	07/28/08 00:00	07/30/08 05:40	3 205-99-2	
Benzo(g,h,i)perylene	ND ug	/L	0.20	1	07/28/08 00:00	07/30/08 05:40	5 191-24-2	
Benzo(k)fluoranthene	ND ug	/L	0.20	1	07/28/08 00:00	07/30/08 05:40	3 207-08-9	
Chrysene	ND ug	/L	0.10	1	07/28/08 00:00	07/30/08 05:40	3 218-01-9	
Dibenz(a,h)anthracene	ND ug	/L	0.20	1	07/28/08 00:00	07/30/08 05:40	5 53-70-3	
Fluoranthene	ND ug	/L	0.30	1	07/28/08 00:00	07/30/08 05:40	3 206-44-0	
Fluorene	ND ug		0.31	1		07/30/08 05:40		
ndeno(1,2,3-cd)pyrene	ND ug	/L	0.20	1	07/28/08 00:00	07/30/08 05:40	3 193-39-5	
I-Methylnaphthalene	ND ug		2.0	1		07/30/08 05:40		
2-Methylnaphthalene	ND ug		2.0	1	07/28/08 00:00	07/30/08 05:40	91-57-6	
Naphthalene	ND ug		1.5	1	07/28/08 00:00	07/30/08 05:40	91-20-3	
Phenanthrene	ND ug		0.20	1		07/30/08 05:40		
Pyrene	ND ug		0.10	1		07/30/08 05:40		
Nitrobenzene-d5 (S)	43 %		50-150	1		0 07/30/08 05:40		1g
2-Fluorobiphenyl (S)	63 %		50-150	1		0 07/30/08 05:40		
Terphenyl-d14 (S)	93 %		50-150	1		07/30/08 05:40		
3260 MSV Low Level	Analytical Meth	od: EPA 82	260					
Benzene	ND ug		1.0	1		07/29/08 15:28		
Ethylbenzene	ND ug		1.0	1		07/29/08 15:28		
Naphthalene	ND ug		1.0	1		07/29/08 15:28		
Toluene	ND ug		1.0	1		07/29/08 15:28		
n&p-Xylene	ND ug		2.0	1		07/29/08 15:28		
o-Xylene	ND ug	/L	1.0	1		07/29/08 15:28		
1-Bromofluorobenzene (S)	97 %		87-109	1		07/29/08 15:28		
Dibromofluoromethane (S)	103 %		85-115	1		07/29/08 15:28		
1,2-Dichloroethane-d4 (S)	105 %		79-120	1		07/29/08 15:28		
Toluene-d8 (S)	100 %		70-120	1		07/29/08 15:28	3 2037-26-5	

Date: 07/30/2008 03:09 PM

REPORT OF LABORATORY ANALYSIS

Page 9 of 16





Appendix D Regulatory Correspondence



BOARD: Paul C. Aughtry, III Chairman

Edwin H. Cooper, III Vice Chairman

Steven G. Kisner Secretary



BOARD:

Henry C. Scott

Glenn A. McCall

M. David Mitchell, MD

Coleman F. Buckhouse, MD

C. Earl Hunter, Commissioner

Promoting and protecting the health of the public and the environment

8 September 2008

Beaufort Military Complex Family Housing ATTN: Kyle Broadfoot 1510 Laurel Bay Blvd. Beaufort, SC 29906

Re:

MCAS - Laurel Bay Housing - 288 Birch

Site ID # 04036

UST Closure Reports received 31 January 2008

Beaufort County

Dear Mr. Broadfoot:

The purpose of this letter is to verify a release of fuel oil at the referenced residence. According to information received by the Department, the source of the release is from past onsite use of fuel oil USTs. To date, initial activities by the facility have included tank removal and soil sampling. Based on the information contained in the closure report, a potential violation of the South Carolina Pollution Control Act has occurred in that there has been an unauthorized release of petroleum to the environment.

Additional assessment activities are required for this site. Specifically the Department requests that a groundwater sample be collected from this site. Please note, the Department approved a groundwater sampling proposal for Laurel Bay submitted by MCAS under separate cover dated 16 June 2008.

Should you have any questions, please contact me at 803-898-3553 (office phone), 803-898-2893 (fax) or bishopma@dhec.sc.gov.

Sincerely,

Michael Bishop, Hydrogeologist Groundwater Quality Section

Bureau of Water

cc:

Region 8 District EQC (via pdf)

MCAS, Commanding Officer, Attention: S-4 NREAO (William Drawdy) (via pdf)

Technical File (via pdf)



C. Earl Hunter, Commissioner

Promoting and protecting the health of the public and the environment.

17 December 2008

Commanding Officer ATTN: S-4 NREAO (Craig Ehde) MCAS PO Box 55001 Beaufort, SC 29904-5001

Re:

MCAS - Laurel Bay Housing - 288 Birch

Site ID # 04036

Groundwater Sampling Results received 6 November 2008

Beaufort County

Dear Mr. Ehde:

Per the Department's request, a groundwater sample was collected from the referenced site. The groundwater results were reported as non-detect. Based on the information and analytical data submitted, the Department recognizes that MCAS has adequately addressed the known environmental contamination identified on the property to date in accordance with the approved scope of work. Consequently, no further investigation is required at this time. Please note, this statement pertains only to the portion of the site addressed in the referenced report and does not apply to other areas of the site and/or any other potential regulatory violations. Further, the Department retains the right to request further investigation if deemed necessary.

Should you have any questions, please contact me at 803-896-4179 (office phone), 803-896-6245 (fax) or cookejt@dhec.sc.gov.

Sincerely,
AST Petroleum Restoration
& Site Environmental Investigations Section
Land Revitalization Division
Bureau of Land and Waste Management
SC Dept. of Health & Environmental Control

Jan T. Cooke, Hydrogeologist

B. Thomas Knight, Manager

CC:

Region 8 District EQC

Tri-Command Communities; Attn: Mr. Robert Bible; 600 Laurel Bay Road Beaufort, SC

29906

Technical File