SUMMARY REPORT
63 ASH STREET (FORMERLY 304 ASH STREET)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid-Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095 SUMMARY REPORT
63 ASH STREET (FORMERLY 304 ASH STREET)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid- Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



**Naval Facilities Engineering Command Atlantic** 

9324 Virginia Avenue Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture 10560 Arrowhead Drive, Suite 500 Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016


CTO WE52

**JUNE 2021** 



# **Table of Contents**

1.0	INTRODUC	TION 1			
1.1 1.2		ND INFORMATION			
2.0	SAMPLING	ACTIVITIES AND RESULTS3			
2.1 2.2 2.3 2.4	2 SOIL ANALYTICAL RESULTS				
3.0	PROPERTY	STATUS5			
4.0	REFERENC	<b>ES</b> 5			
Table Table	_	Tables  Laboratory Analytical Results - Soil  Laboratory Analytical Results - Groundwater			
		Appendices			
Appendix A Appendix B Appendix C Appendix D		Multi-Media Selection Process for LBMH UST Assessment Report Laboratory Analytical Report - Groundwater Regulatory Correspondence			





## **List of Acronyms**

bgs below ground surface

BTEX benzene, toluene, ethylbenzene, and xylenes

CTO Contract Task Order

COPC constituents of potential concern

ft feet

IDIQ Indefinite Delivery, Indefinite Quantity

IGWA Initial Groundwater Assessment

JV Joint Venture

LBMH Laurel Bay Military Housing MCAS Marine Corps Air Station

NAVFAC Mid-Lant Naval Facilities Engineering Command Mid-Atlantic

NFA No Further Action

PAH polynuclear aromatic hydrocarbon QAPP Quality Assurance Program Plan

RBSL risk-based screening level

SCDHEC South Carolina Department of Health and Environmental Control

Site LBMH area at MCAS Beaufort, South Carolina

UST underground storage tank
VISL vapor intrusion screening level



#### 1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).


As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 63 Ash Street (Formerly 304 Ash Street). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

### 1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area





is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

### 1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan* (QAPP) for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, 2016) and the Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management* 



*Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

### 2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 63 Ash Street (Formerly 304 Ash Street). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 304 Ash Street* (MCAS Beaufort, 2012). The UST Assessment Report is provided in Appendix B. Details regarding the IGWA sampling activities at this site are provided in the *Initial Groundwater Investigation Report – May and June 2015* (Resolution Consultants, 2015). The laboratory report that includes the pertinent IGWA analytical results for this site is presented in Appendix C.

### 2.1 UST Removal and Soil Sampling

On August 30, 2012, a single 280 gallon heating oil UST was removed from the front landscaped bed area adjacent to the side walk at 63 Ash Street (Formerly 304 Ash Street). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed, cleaned, and shipped offsite for recycling. There was no visual



evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 5'7" bgs and a single soil sample was collected from that depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

# 2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 63 Ash Street (Formerly 304 Ash Street) were greater than the SCDHEC RBSLs, which indicated further investigation was required. In a letter dated May 15, 2014, SCDHEC requested an IGWA for 63 Ash Street (Formerly 304 Ash Street) to determine if the groundwater was impacted by petroleum COPCs. SCDHEC's request letter is provided in Appendix D.

## 2.3 Groundwater Sampling

On May 28, 2015, a temporary monitoring well was installed at 63 Ash Street (Formerly 304 Ash Street), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the monitoring well was placed in the same general location as the former heating oil UST. The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). Further details are provided in the *Initial Groundwater Investigation Report – May and June 2015* (Resolution Consultants, 2015).



The sampling strategy for this phase of the investigation required a one-time sampling event of the temporarily installed monitoring well. Following well installation and development, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of groundwater sampling, the temporary well was abandoned in accordance with the South Carolina Well Standards and Regulations R.61-71 (SCDHEC, 2016). Field forms are provided in the *Initial Groundwater Investigation Report – May and June 2015* (Resolution Consultants, 2015).

## 2.4 Groundwater Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 2. A copy of the laboratory analytical data report is included in Appendix C.

The groundwater results collected from 63 Ash Street (Formerly 304 Ash Street) were less than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 2), which indicated that the groundwater was not impacted by COPCs associated with the former UST at concentrations that present a potential risk to human health and the environment.

#### 3.0 PROPERTY STATUS

Based on the analytical results for groundwater, SCDHEC made the determination that NFA was required for 63 Ash Street (Formerly 304 Ash Street). This NFA determination was obtained in a letter dated February 22, 2016. SCDHEC's NFA letter is provided in Appendix D.

### 4.0 REFERENCES

Marine Corps Air Station Beaufort, 2012. South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 304 Ash Street, Laurel Bay Military Housing Area, October 2012.

Resolution Consultants, 2014. *Initial Groundwater Investigation Report – May and June 2015* for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina, October 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 2.0*, April 2013.



- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.0*, May 2015.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.
- South Carolina Department of Health and Environmental Control Bureau of Water, 2016. *R.61-71, Well Standards*, June 2016.

# **Tables**



# Table 1 Laboratory Analytical Results - Soil 63 Ash Street (Formerly 304 Ash Street) Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs (1)	Results Sample Collected 8/30/12		
<b>Volatile Organic Compounds Analyz</b>	ed by EPA Method 8260B (mg/kg)			
Benzene	0.003	0.000861		
Ethylbenzene	1.15	0.102		
Naphthalene	0.036	2.27		
Toluene	0.627	0.00237		
Xylenes, Total	13.01	1.37		
Semivolatile Organic Compounds Ar	nalyzed by EPA Method 8270D (mg/kg)			
Benzo(a)anthracene	0.66	0.733		
Benzo(b)fluoranthene	0.66	0.467		
Benzo(k)fluoranthene	0.66	0.203		
Chrysene	0.66	0.665		
Dibenz(a,h)anthracene	0.66	ND		

### Notes:

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligrams per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The soil laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

<sup>&</sup>lt;sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0 (SCDHEC, April 2013).

# Table 2 Laboratory Analytical Results - Groundwater 63 Ash Street (Formerly 304 Ash Street) Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs (1)	Site-Specific Groundwater VISLs (µg/L) <sup>(2)</sup>	Results Sample Collected 05/28/15
<b>Volatile Organic Compounds Analyzed</b>	l by EPA Method 8260B (μg	ı/L)	
Benzene	5	16.24	ND
Ethylbenzene	700	45.95	0.40
Naphthalene	25	29.33	4.3
Toluene	1000	105,445	ND
Xylenes, Total	10,000 2,133		0.53
Semivolatile Organic Compounds Ana	lyzed by EPA Method 8270	D (µg/L)	
Benzo(a)anthracene	10	NA	0.026
Benzo(b)fluoranthene	10	NA	ND
Benzo(k)fluoranthene	10	NA	ND
Chrysene	10	NA	0.024
Dibenz(a,h)anthracene	10	NA	ND

#### Notes:

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - Not Applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix C.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

μg/L - micrograms per liter


VISL - Vapor Intrusion Screening Level

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, February 2016).

<sup>&</sup>lt;sup>(2)</sup> Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of 1x10<sup>-6</sup>, a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

# Appendix A Multi-Media Selection Process for LBMH





**Appendix A - Multi-Media Selection Process for LBMH** 

# Appendix B UST Assessment Report



# Attachment 1

# South Carolina Department of Health and Environmental Control (SCDHEC) **Underground Storage Tank (UST) Assessment Report**

Date Received	
State Use Only	· · · · · · · · · · · · · · · · · · ·

Submit Completed Form To: UST Program SCDHEC 2600 Bull Street Columbia, South Carolina 29201 Telephone (803) 896-7957

I. OWNERSHIP OF UST (S)

MCAS Beaufort, Co	mmanding Officer Attn: NF	EAO (Craig Ehde)	
Owner Name (Corporation	n, Individual, Public Agency, Other)		
P.O. Box 55001 Mailing Address			—
Beaufort,	South Carolina	29904-5001	
City	State	Zip Code	
843	228-7317	Craig Ehde	
Area Code	Telephone Number	Contact Person	

# II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC
Facility Name or Company Site Identifier
304 Ash Street, Laurel Bay Military Housing Area
Street Address or State Road (as applicable)
Beaufort, Beaufort
City County

Attachment 2

# III. INSURANCE INFORMATION

Insurance Statement
The petroleum release reported to DHEC on at Permit ID Number may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. This section must be completed.
Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES NO (check one)
If you answered YES to the above question, please complete the following information:
My policy provider is: The policy deductible is: The policy limit is:
If you have this type of insurance, please include a copy of the policy with this report.
IV. REQUEST FOR SUPERB FUNDING  I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)
V. CERTIFICATION (To be signed by the UST owner)
I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.
Name (Type or print.)
Signature
To be completed by Notary Public:
Sworn before me this day of, 20
(Name)
Notary Public for the state of  Please affix State seal if you are commissioned outside South Carolina

ng oil al 1950s 980s			
al 1950s			
1950s			
980s			
980s			_
	l		
ed			
2012			
			_
		-	See
, , ,	attach dispo	attach disposal manife cleaned and red	attach disposal manifests) cleaned and recycled.

# VII. PIPING INFORMATION

	304Ash		
	Steel		
Construction Material(ex. Steel, FRP)	& Copper		
Distance from UST to Dispenser	N/A		
Number of Dispensers	N/A		
Type of System Pressure or Suction	Suction		
Was Piping Removed from the Ground? Y/N	No		
Visible Corrosion or Pitting Y/N	Yes		
Visible Holes Y/N	No		
Age	Late 1950s		
_	<u></u>	nt for eac	- h ninir
	escribe the location and exten		
If any corrosion, pitting, or holes were observed, do  Corrosion and pitting were found	escribe the location and exten		
Corrosion and pitting were found pipe. Copper supply and return 1  VIII. BRIEF SITE DESCRI The USTs at the residences are command formerly contained fuel oil formerly contained fuel oil formerly.	escribe the location and extension on the surface of the ines were sound.  PTION AND HISTORY instructed of single or heating. These US	Y wall GTs we	steel
If any corrosion, pitting, or holes were observed, do  Corrosion and pitting were found pipe. Copper supply and return 1  VIII. BRIEF SITE DESCRI The USTs at the residences are con	escribe the location and extension on the surface of the ines were sound.  PTION AND HISTORY instructed of single or heating. These US	Y wall GTs we	steel
If any corrosion, pitting, or holes were observed, do  Corrosion and pitting were found pipe. Copper supply and return 1  VIII. BRIEF SITE DESCRI The USTs at the residences are contained fuel oil for	escribe the location and extension on the surface of the ines were sound.  PTION AND HISTORY instructed of single or heating. These US	Y wall GTs we	eel v

# IX. SITE CONDITIONS

	Yes	No_	Unk
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?  If yes, indicate depth and location on the site map.		X	
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?  If yes, indicate location on site map and describe the odor (strong, mild, etc.)		Х	
C. Was water present in the UST excavation, soil borings, or trenches?  If yes, how far below land surface (indicate location and depth)?		Х	
D. Did contaminated soils remain stockpiled on site after closure?  If yes, indicate the stockpile location on the site map.  Name of DHEC representative authorizing soil removal:		Х	
E. Was a petroleum sheen or free product detected on any excavation or boring waters?  If yes, indicate location and thickness.		Х	

# X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA#
304Ash	Excav at fill end	Soil	Sandy	5'7"	8/30/12 1245 hrs	P. Shaw	
8							
9							
10							i
11							
12							
13							<u>.</u>
14							
15							
16							
17							
18							
19							
20							

<sup>\* =</sup> Depth Below the Surrounding Land Surface

# XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect <u>and</u> store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280
and SC DHEC Assessment Guidelines. Sample containers were prepared by the
testing laboratory. The grab method was utilized to fill the sample
containers leaving as little head space as possible and immediately
capped. Soil samples were extracted from area below tank. The
samples were marked, logged, and immediately placed in a sample cooler
packed with ice to maintain an approximate temperature of 4 degrees
Centigrade. Tools were thoroughly cleaned and decontaminated with
the seven step decon process after each use. The samples remained in
custody of SBG-EEG, Inc. until they were transferred to Test America
Incorporated for analysis as documented in the Chain of Custody Record.


# XII. RECEPTORS


		Yes	No
A.	Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?	*X	
	*stormwater draina	ge ca:	hal
	If yes, indicate type of receptor, distance, and direction on site map.		
B.	Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?		Х
	If yes, indicate type of well, distance, and direction on site map.		
C.	Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?		Х
	If yes, indicate type of structure, distance, and direction on site map.		
D.	Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the	*X	
	contamination? *Sewer, water, electricable & fiber o		
	If yes, indicate the type of utility, distance, and direction on the site map.		
E.	Has contaminated soil been identified at a depth less than 3 feet		Х
	below land surface in an area that is not capped by asphalt or concrete?		
	If yes, indicate the area of contaminated soil on the site map.		


# XIII. SITE MAP

You must supply a <u>scaled</u> site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)










Picture 1: Location of UST 304Ash.



Picture 2: UST 304Ash excavation.

# XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

	to come some some some and come and com
CoC UST	304Ash
Benzene	0.000861 mg/kg
Toluene	0.00237 mg/kg
Ethylbenzene	0.102 mg/kg
Xylenes	1.37 mg/kg
Naphthalene	2.27 mg/kg
Benzo (a) anthracene	0.733 mg/kg
Benzo (b) fluoranthene	0.467 mg/kg
Benzo (k) fluoranthene	0.203 mg/kg
Chrysene	0.665 mg/kg
Dibenz (a, h) anthracene	ND
TPH (EPA 3550)	
СоС	
Benzene	
Toluene	
Ethylbenzene	
Xylenes	
Naphthalene	
Benzo (a) anthracene	
Benzo (b) fluoranthene	
Benzo (k) fluoranthene	
Chrysene	
Dibenz (a, h) anthracene	
TPH (EPA 3550)	

SUMMARY OF ANALYSIS RESULTS (cont'd)
Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

	the measured thickness to the hearest 0.01 feet.				
CoC	RBSL	W-1	W-2	W -3	W -4
	(µg/l)				
Free Product	None				
Thickness					
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

# XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here) (Please see Form #4)



# **TestAmerica**

THE LEADER IN ENVIRONMENTAL TESTING

# **ANALYTICAL REPORT**

TestAmerica Laboratories. Inc.

TestAmerica Nashville 2960 Foster Creighton Drive Nashville, TN 37204 Tel: (615)726-0177

TestAmerica Job ID: 490-5630-1

TestAmerica Sample Delivery Group: 1063 Client Project/Site: Laurel Bay Housing

For:

Environmental Enterprise Group 10179 Highway 78 Ladson, South Carolina 29456

Attn: Mr. Tom McElwee

Kuth Haye

Authorized for release by: 9/13/2012 8:46:05 PM

Ken Hayes Project Manager I

ken.hayes@testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

# **Table of Contents**

over Page	1
able of Contents	
ample Summary	3
ase Narrative	
efinitions	5
ient Sample Results	
C Sample Results	
C Association	
nronicle	
ethod Summary	14
ertification Summary	
nain of Custody	
eceipt Checklists	18

# **Sample Summary**

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing

TestAmerica Job ID: 490-5630-1

SDG: 1063

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
490-5630-1	302 Ash	Solid	08/29/12 14:00	09/05/12 08:20
490-5630-2	304 Ash	Solid	08/29/12 12:45	09/05/12 08:20

### **Case Narrative**

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing TestAmerica Job ID: 490-5630-1

SDG: 1063

Job ID: 490-5630-1

Laboratory: TestAmerica Nashville

Narrative

Job Narrative 490-5630-1

#### Comments

No additional comments.

#### Receipt

The samples were received on 9/5/2012 8:20 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.2° C.

#### GC/MS VOA

Method(s) 8260B; Surrogate recovery for the following sample(s) was outside control limits: 304 Ash (490-5630-2). Evidence of matrix interference is present; However, re-extraction and/or re-analysis was required for multiple compounds being over the calibration limit.

Method(s) 8260B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for batch 17848 were outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

Method(s) 8260B: The method blank for batch 19243 contained. Xylenes above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

Method(s) 8260B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with batch 19243. LCS/LCSD was performed for batch precision.

Method(s) 8260B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with batch 19243.

No other analytical or quality issues were noted.

#### GC/MS Semi VOA

Method(s) 8270D: The matrix spike / matrix spike duplicate (MS/MSD) percent recoveries and %RPD for batch 17856 were outside control limits; therefore, they were not reported. LCS recovery was in range.

No other analytical or quality issues were noted.

## Organic Prep

No analytical or quality issues were noted.

#### **VOA Prep**

No analytical or quality issues were noted.

# **Definitions/Glossary**

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing

TestAmerica Job ID: 490-5630-1

SDG: 1063

#### Qualifiers

#### GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
F	MS or MSD exceeds the control limits
X	Surrogate is outside control limits
В	Compound was found in the blank and sample.

#### GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

#### Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
ø	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DL, RA, RE, IN	Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample
EDL	Estimated Detection Limit
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RL	Reporting Limit
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

## **Client Sample Results**

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing

TestAmerica Job ID: 490-5630-1

SDG: 1063

Client Sample ID: 302 Ash

Lab Sample ID: 490-5630-1

Date Collected: 08/29/12 14:00 Date Received: 09/05/12 08:20

**Percent Solids** 

Matrix: Solid Percent Solids: 79.9

Method: 8260B - Volatile Orga Analyte		(GC/MS) Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00198	0.000663	mg/Kg	0	09/05/12 14:30	09/06/12 19:00	
Ethylbenzene	ND		0.00198	0.000663	mg/Kg	*	09/05/12 14:30	09/06/12 19:00	1
Naphthalene	ND		0.00495	0.00168	mg/Kg	O	09/05/12 14:30	09/06/12 19:00	1
Toluene	ND		0.00198	0.000732	mg/Kg	O	09/05/12 14:30	09/06/12 19:00	1
Xylenes, Total	ND		0.00495	0.000663	mg/Kg	ø	09/05/12 14:30	09/06/12 19:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		70 - 130				09/05/12 14:30	09/06/12 19:00	1
4-Bromofluorobenzene (Surr)	94		70 - 130				09/05/12 14:30	09/06/12 19:00	1
Dibromofluoromethane (Surr)	100		70 - 130				09/05/12 14:30	09/06/12 19:00	1
Toluene-d8 (Surr)	92		70 - 130				09/05/12 14:30	09/06/12 19:00	1
Method: 8270D - Semivolatile	Organic Compou	inds (GC/M	S)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.0724	J	0.0835	0.0125	mg/Kg	♦	09/06/12 07:07	09/07/12 17:36	1
Acenaphthylene	0.0587	J	0.0835	0.0112	mg/Kg	\$	09/06/12 07:07	09/07/12 17:36	1
Anthracene	0.0496	J	0.0835	0.0112	mg/Kg	*	09/06/12 07:07	09/07/12 17:36	1
Benzo[a]anthracene	0.112		0.0835	0.0187	mg/Kg	**	09/06/12 07:07	09/07/12 17:36	1
Benzo[a]pyrene	0.0790	J	0.0835	0.0149	mg/Kg	-0	09/06/12 07:07	09/07/12 17:36	1
Benzo[b]fluoranthene	0.119		0.0835	0.0149	mg/Kg	0	09/06/12 07:07	09/07/12 17:36	1
Benzo[g,h,i]perylene	0.0568	J	0.0835	0.0112	mg/Kg	0	09/06/12 07:07	09/07/12 17:36	1
Benzo[k]fluoranthene	0.0574	J	0.0835	0.0174	mg/Kg	0	09/06/12 07:07	09/07/12 17:36	1
Pyrene	0.314		0.0835	0.0149	mg/Kg	<b>\$</b>	09/06/12 07:07	09/07/12 17:36	1
Phenanthrene	0.391		0.0835	0.0112	mg/Kg	0	09/06/12 07:07	09/07/12 17:36	1
Chrysene	0.124		0.0835	0.0112	mg/Kg	**	09/06/12 07:07	09/07/12 17:36	1
Dibenz(a,h)anthracene	ND		0.0835	0.00872	mg/Kg	0	09/06/12 07:07	09/07/12 17:36	1
Fluoranthene	0.191		0.0835	0.0112	mg/Kg	0	09/06/12 07:07	09/07/12 17:36	1
Fluorene	0.155		0.0835	0.0149	mg/Kg	0	09/06/12 07:07	09/07/12 17:36	1
Indeno[1,2,3-cd]pyrene	0.0485	J	0.0835	0.0125	mg/Kg	0	09/06/12 07:07	09/07/12 17:36	1
Naphthalene	ND		0.0835	0.0112	mg/Kg	0	09/06/12 07:07	09/07/12 17:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	62		29 - 120				09/06/12 07:07	09/07/12 17:36	1
Terphenyl-d14 (Surr)	80		13 - 120				09/06/12 07:07	09/07/12 17:36	1
Nitrobenzene-d5 (Surr)	57		27 - 120				09/06/12 07:07	09/07/12 17:36	1
General Chemistry									
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac

09/05/12 13:54

0.10

0.10 %

# **Client Sample Results**

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing

TestAmerica Job ID: 490-5630-1

SDG: 1063

Client Sample ID: 304 Ash

Date Collected: 08/29/12 12:45 Date Received: 09/05/12 08:20 Lab Sample ID: 490-5630-2

Matrix: Solid

Percent Solids: 78.9

Method: 8260B - Volatile Orga Analyte	A SECOND PROPERTY OF THE PARTY	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000861		0.00200	0.000671		Ø	09/05/12 14:30	09/06/12 19:32	1
Ethylbenzene	0.102		0.00200	0.000671	mg/Kg	0	09/05/12 14:30	09/06/12 19:32	1
Naphthalene	2.27		0.308	0.105	mg/Kg	D	09/05/12 14:36	09/12/12 12:38	1
Toluene	0.00237		0.00200	0.000741	mg/Kg	-53	09/05/12 14:30	09/06/12 19:32	1
Xylenes, Total	1.37	В	0.308	0.0419	mg/Kg	-53	09/05/12 14:36	09/12/12 12:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		70 - 130				09/05/12 14:30	09/06/12 19:32	1
1,2-Dichloroethane-d4 (Surr)	87		70 - 130				09/05/12 14:36	09/12/12 12:38	1
4-Bromofluorobenzene (Surr)	158	×	70 - 130				09/05/12 14:30	09/06/12 19:32	1
4-Bromofluorobenzene (Surr)	101		70 - 130				09/05/12 14:36	09/12/12 12:38	1
Dibromofluoromethane (Surr)	99		70 - 130				09/05/12 14:30	09/06/12 19:32	1
Dibromofluoromethane (Surr)	81		70 - 130				09/05/12 14:36	09/12/12 12:38	1
Toluene-d8 (Surr)	148	X	70 - 130				09/05/12 14:30	09/06/12 19:32	1
Toluene-d8 (Surr)	94		70 - 130				09/05/12 14:36	09/12/12 12:38	1
Method: 8270D - Semivolatile	Organic Compou	nds (GC/MS)							
Analyte	the second secon	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.228		0.0844	0.0126	mg/Kg	0	09/06/12 07:07	09/07/12 18:40	1
Acenaphthylene	0.119		0.0844	0.0113	mg/Kg	6	09/06/12 07:07	09/07/12 18:40	1
Anthracene	0.369		0.0844	0.0113	mg/Kg	O	09/06/12 07:07	09/07/12 18:40	1
Benzo[a]anthracene	0.733		0.0844	0.0189	mg/Kg	0	09/06/12 07:07	09/07/12 18:40	1
Benzo[a]pyrene	0.281		0.0844	0.0151	mg/Kg	0	09/06/12 07:07	09/07/12 18:40	1
Benzo[b]fluoranthene	0.467		0.0844	0.0151	mg/Kg	0	09/06/12 07:07	09/07/12 18:40	1
Benzo[g,h,i]perylene	0.0858		0.0844	0.0113	mg/Kg	0	09/06/12 07:07	09/07/12 18:40	1
Benzo[k]fluoranthene	0.203		0.0844	0.0176	mg/Kg	0	09/06/12 07:07	09/07/12 18:40	1
Pyrene	1.52		0.0844	0.0151	mg/Kg	-0	09/06/12 07:07	09/07/12 18:40	1
Phenanthrene	2.07		0.0844	0.0113	mg/Kg	-\$2	09/06/12 07:07	09/07/12 18:40	1
Chrysene	0.665		0.0844	0.0113	mg/Kg	0	09/06/12 07:07	09/07/12 18:40	1
Dibenz(a,h)anthracene	ND		0.0844	0.00881	mg/Kg	0	09/06/12 07:07	09/07/12 18:40	1
Fluoranthene	1.84		0.0844	0.0113	mg/Kg	0	09/06/12 07:07	09/07/12 18:40	1
Fluorene	0.579		0.0844	0.0151	mg/Kg	0	09/06/12 07:07	09/07/12 18:40	1
Indeno[1,2,3-cd]pyrene	0.0891		0.0844	0.0126	mg/Kg	0.	09/06/12 07:07	09/07/12 18:40	1
Naphthalene	0.432		0.0844	0.0113	mg/Kg	0	09/06/12 07:07	09/07/12 18:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	57		29 - 120				09/06/12 07:07	09/07/12 18:40	1
Terphenyl-d14 (Surr)	74		13 - 120				09/06/12 07:07	09/07/12 18:40	1
Nitrobenzene-d5 (Surr)	53		27 - 120				09/06/12 07:07	09/07/12 18:40	1
General Chemistry									
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	79		0.10	0.10	%			09/05/12 13:54	1

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing

TestAmerica Job ID: 490-5630-1

SDG: 1063

#### Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: 490-5523-A-10-C MS

Matrix: Solid

Analysis Batch: 17848

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 17644

	Sample	Sample	Spike	MS	MS				%Rec.
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits
Benzene	0.00394		0.0506	0.02388		mg/Kg	\$	39	31 - 143
Ethylbenzene	0.00123	J	0.0506	0.01106	F	mg/Kg	O	19	23 - 161
Naphthalene	ND		0.0506	0.002868	JF	mg/Kg	¢	6	10 - 176
Toluene	0.00418		0.0506	0.01531	F	mg/Kg	0	22	30 - 155
Xylenes, Total	0.00152	J	0.152	0.02539	F	mg/Kg	0	16	25 - 162

MS MS

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	101		70 - 130
4-Bromofluorobenzene (Surr)	93		70 - 130
Dibromofluoromethane (Surr)	101		70 - 130
Toluene-d8 (Surr)	92		70 - 130

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 17644

Matrix: Solid

Analysis Batch: 17848

Lab Sample ID: 490-5523-A-10-D MSD

	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	0.00394		0.0479	0.03308		mg/Kg	ø	61	31 - 143	32	50
Ethylbenzene	0.00123	J	0.0479	0.01642		mg/Kg	\$	32	23 - 161	39	50
Naphthalene	ND		0.0479	0.004168	JF	mg/Kg	***	9	10 - 176	37	50
Toluene	0.00418		0.0479	0.02317		mg/Kg	0	40	30 - 155	41	50
Xylenes, Total	0.00152	J	0.144	0.04061		mg/Kg	0	27	25 - 162	46	50

MSD MSD

93

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		70 - 130
4-Bromofluorobenzene (Surr)	96		70 - 130
Dibromofluoromethane (Surr)	102		70 - 130
Toluene-d8 (Surr)	94		70 - 130

Client Sample ID: Method Blank

Prep Type: Total/NA

Analysis Batch: 17848

Matrix: Solid

Toluene-d8 (Surr)

Lab Sample ID: MB 490-17848/6

MB

	IVID	INID							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.000670	mg/Kg			09/06/12 13:14	1
Ethylbenzene	ND		0.00200	0.000670	mg/Kg			09/06/12 13:14	1
Naphthalene	ND		0.00500	0.00170	mg/Kg			09/06/12 13:14	1
Toluene	ND		0.00200	0.000740	mg/Kg			09/06/12 13:14	1
Xylenes, Total	ND		0.00500	0.000670	mg/Kg			09/06/12 13:14	1

MR MR Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 1,2-Dichloroethane-d4 (Surr) 97 70 - 130 09/06/12 13:14 70 - 130 96 09/06/12 13:14 4-Bromofluorobenzene (Surr) Dibromofluoromethane (Surr) 99 70 - 130 09/06/12 13:14

70 - 130

09/06/12 13:14

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing

TestAmerica Job ID: 490-5630-1

SDG: 1063

#### Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-17848/3

Matrix: Solid

Analysis Batch: 17848

Client Sample ID: Lab Control Sample Prep Type: Total/NA

	Spike	LCS	LCS				%Rec.
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits
Benzene	0.0500	0.05887		mg/Kg		118	75 - 127
Ethylbenzene	0.0500	0.05471		mg/Kg		109	80 - 134
Naphthalene	0.0500	0.05185		mg/Kg		104	69 - 150
Toluene	0.0500	0.05348		mg/Kg		107	80 - 132
Xylenes, Total	0.150	0.1645		mg/Kg		110	80 - 137

LCS LCS

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		70 - 130
4-Bromofluorobenzene (Surr)	94		70 - 130
Dibromofluoromethane (Surr)	101		70 - 130
Toluene-d8 (Surr)	89		70 - 130

Lab Sample ID: LCSD 490-17848/4

Matrix: Solid

Analysis Batch: 17848

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

	Spike	LCSD	LCSD				%Rec.		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	0.0500	0.05618		mg/Kg		112	75 - 127	5	50
Ethylbenzene	0.0500	0.05183		mg/Kg		104	80 - 134	5	50
Naphthalene	0.0500	0.04879		mg/Kg		98	69 - 150	6	50
Toluene	0.0500	0.05085		mg/Kg		102	80 - 132	5	50
Xylenes, Total	0.150	0.1542		mg/Kg		103	80 - 137	6	50

LCSD LCSD

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		70 - 130
4-Bromofluorobenzene (Surr)	94		70 - 130
Dibromofluoromethane (Surr)	102		70 - 130
Toluene-d8 (Surr)	94		70 - 130

Lab Sample ID: MB 490-19243/7

Matrix: Solid

Analysis Batch: 19243

Client Sample ID: Method Blank

Prep Type: Total/NA

	MID	III.D							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.100	0.0340	mg/Kg			09/12/12 12:08	1
Ethylbenzene	ND		0.100	0.0340	mg/Kg			09/12/12 12:08	1
Naphthalene	ND		0.250	0.0850	mg/Kg			09/12/12 12:08	1
Toluene	ND		0.100	0.0370	mg/Kg			09/12/12 12:08	1
Xylenes, Total	0.04278	J	0.250	0.0340	mg/Kg			09/12/12 12:08	1

	MB MB				
Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93	70 - 130		09/12/12 12:08	1
4-Bromofluorobenzene (Surr)	104	70 - 130		09/12/12 12:08	1
Dibromofluoromethane (Surr)	80	70 - 130		09/12/12 12:08	1
Toluene-d8 (Surr)	94	70 - 130		09/12/12 12:08	1

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing

TestAmerica Job ID: 490-5630-1

SDG: 1063

#### Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-19243/3

Matrix: Solid

Analysis Batch: 19243

Client Sample ID: Lab Control Sample Prep Type: Total/NA

Unit	D		
	D	%Rec	Limits
mg/Kg		103	75 - 127
mg/Kg		112	80 - 134
mg/Kg		121	69 - 150
mg/Kg		95	80 - 132
mg/Kg		110	80 - 137
	mg/Kg mg/Kg mg/Kg mg/Kg	mg/Kg mg/Kg mg/Kg mg/Kg	mg/Kg 103 mg/Kg 112 mg/Kg 121 mg/Kg 95

LCS LCS

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		70 - 130
4-Bromofluorobenzene (Surr)	103		70 - 130
Dibromofluoromethane (Surr)	93		70 - 130
Toluene-d8 (Surr)	89		70 - 130

Lab Sample ID: LCSD 490-19243/4

Matrix: Solid

Analysis Batch: 19243

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

	Spike	LCSD	LCSD				%Rec.		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	0.0500	0.05166		mg/Kg		103	75 - 127	1	50
Ethylbenzene	0.0500	0.05648		mg/Kg		113	80 - 134	1	50
Naphthalene	0.0500	0.06217		mg/Kg		124	69 - 150	3	50
Toluene	0.0500	0.04900		mg/Kg		98	80 - 132	3	50
Xylenes, Total	0.150	0.1680		mg/Kg		112	80 - 137	2	50

LCSD LCSD

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	93		70 - 130
4-Bromofluorobenzene (Surr)	108		70 - 130
Dibromofluoromethane (Surr)	92		70 - 130
Toluene-d8 (Surr)	90		70 - 130

#### Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 490-17856/1-A

Matrix: Solid

Analysis Batch: 18351

Client Sample ID: Method Blank Prep Type: Total/NA

Prep Batch: 17856

Tillalyele Balein 1880 !	мв	мв						i iop Dato.	
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0670	0.0100	mg/Kg		09/06/12 07:07	09/07/12 17:15	1
Acenaphthylene	ND		0.0670	0.00900	mg/Kg		09/06/12 07:07	09/07/12 17:15	1
Anthracene	ND		0.0670	0.00900	mg/Kg		09/06/12 07:07	09/07/12 17:15	1
Benzo[a]anthracene	ND		0.0670	0.0150	mg/Kg		09/06/12 07:07	09/07/12 17:15	1
Benzo[a]pyrene	ND		0.0670	0.0120	mg/Kg		09/06/12 07:07	09/07/12 17:15	1
Benzo[b]fluoranthene	ND		0.0670	0.0120	mg/Kg		09/06/12 07:07	09/07/12 17:15	1
Benzo[g,h,i]perylene	ND		0.0670	0.00900	mg/Kg		09/06/12 07:07	09/07/12 17:15	1
Benzo[k]fluoranthene	ND		0.0670	0.0140	mg/Kg		09/06/12 07:07	09/07/12 17:15	1
Pyrene	ND		0.0670	0.0120	mg/Kg		09/06/12 07:07	09/07/12 17:15	1
Phenanthrene	ND		0.0670	0.00900	mg/Kg		09/06/12 07:07	09/07/12 17:15	1
Chrysene	ND		0.0670	0.00900	mg/Kg		09/06/12 07:07	09/07/12 17:15	1
Dibenz(a,h)anthracene	ND		0.0670	0.00700	mg/Kg		09/06/12 07:07	09/07/12 17:15	1
Fluoranthene	ND		0.0670	0.00900	mg/Kg		09/06/12 07:07	09/07/12 17:15	1

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing

TestAmerica Job ID: 490-5630-1

SDG: 1063

#### Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-17856/1-A

Matrix: Solid

Analysis Batch: 18351

Client Sample ID: Method Blank Prep Type: Total/NA

Prep Batch: 17856

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluorene	ND		0.0670	0.0120	mg/Kg		09/06/12 07:07	09/07/12 17:15	1
Indeno[1,2,3-cd]pyrene	ND		0.0670	0.0100	mg/Kg		09/06/12 07:07	09/07/12 17:15	1
Naphthalene	ND		0.0670	0.00900	mg/Kg		09/06/12 07:07	09/07/12 17:15	1

MB MB

Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	52	29 - 120	09/06/12 07:07	09/07/12 17:15	1
Terphenyl-d14 (Surr)	76	13 - 120	09/06/12 07:07	09/07/12 17:15	1
Nitrobenzene-d5 (Surr)	50	27 - 120	09/06/12 07:07	09/07/12 17:15	1

Lab Sample ID: LCS 490-17856/2-A

Matrix: Solid

Analysis Batch: 18351

Client Sample ID: Lab Control Sample

Prep Type: Total/NA Prep Batch: 17856

	Spike	LCS	LCS				%Rec.
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits
Acenaphthylene	1.67	1.043		mg/Kg		63	38 - 120
Anthracene	1.67	1.066		mg/Kg		64	46 - 124
Benzo[a]anthracene	1.67	1.023		mg/Kg		61	45 - 120
Benzo[a]pyrene	1.67	1.082		mg/Kg		65	45 - 120
Benzo[b]fluoranthene	1.67	0.9871		mg/Kg		59	42 - 120
Benzo[g,h,i]perylene	1.67	0.9472		mg/Kg		57	38 - 120
Benzo[k]fluoranthene	1.67	1.062		mg/Kg		64	42 - 120
Pyrene	1.67	1.062		mg/Kg		64	43 - 120
Phenanthrene	1.67	0.9924		mg/Kg		60	45 - 120
Chrysene	1.67	1.044		mg/Kg		63	43 - 120
Dibenz(a,h)anthracene	1.67	0.8675		mg/Kg		52	32 - 128
Fluoranthene	1.67	0.9947		mg/Kg		60	46 - 120
Fluorene	1.67	1.004		mg/Kg		60	42 - 120
Indeno[1,2,3-cd]pyrene	1.67	0.9313		mg/Kg		56	41 - 121
Naphthalene	1.67	1.054		mg/Kg		63	32 - 120

LCS LCS

Surrogate	%Recovery	Qualifier	Limits
2-Fluorobiphenyl (Surr)	46		29 - 120
Terphenyl-d14 (Surr)	64		13 - 120
Nitrobenzene-d5 (Surr)	45		27 - 120

#### Method: Moisture - Percent Moisture

Lab Sample ID: 490-5523-B-1 DU

Matrix: Solid

Analysis Batch: 17581

	Sample	Sample	DU	DU				RPD
Analyte	Result	Qualifier	Result	Qualifier	Unit	D	RPD	Limit
Percent Solids	93		94		%		0.8	20

Client Sample ID: Duplicate

Prep Type: Total/NA

# **QC Association Summary**

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing

TestAmerica Job ID: 490-5630-1 SDG: 1063

#### GC/MS VOA

Den		-	ah	. 4	70	LAA
Pre	D D	aı	CH		11	244

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-5523-A-10-C MS	Matrix Spike	Total/NA	Solid	5035	
490-5523-A-10-D-MSD	Matrix Snike Dunlicate	Total/NA	Solid	5035	

#### Prep Batch: 17758

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-5630-1	302 Ash	Total/NA	Solid	5035	
490-5630-2	304 Ash	Total/NA	Solid	5035	

#### Prep Batch: 17763

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-5630-2	304 Ash	Total/NA	Solid	5035	

#### Analysis Batch: 17848

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-5523-A-10-C MS	Matrix Spike	Total/NA	Solid	8260B	17644
490-5523-A-10-D MSD	Matrix Spike Duplicate	Total/NA	Solid	8260B	17644
490-5630-1	302 Ash	Total/NA	Solid	8260B	17758
490-5630-2	304 Ash	Total/NA	Solid	8260B	17758
LCS 490-17848/3	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 490-17848/4	Lab Control Sample Dup	Total/NA	Solid	8260B	
MB 490-17848/6	Method Blank	Total/NA	Solid	8260B	

#### Analysis Batch: 19243

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-5630-2	304 Ash	Total/NA	Solid	8260B	17763
LCS 490-19243/3	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 490-19243/4	Lab Control Sample Dup	Total/NA	Solid	8260B	
MB 490-19243/7	Method Blank	Total/NA	Solid	8260B	

#### GC/MS Semi VOA

#### Prep Batch: 17856

Client Sample ID	Prep Type	Matrix	Method	Prep Batch
302 Ash	Total/NA	Solid	3550C	
304 Ash	Total/NA	Solid	3550C	
Lab Control Sample	Total/NA	Solid	3550C	
Method Blank	Total/NA	Solid	3550C	
	302 Ash 304 Ash Lab Control Sample	302 Ash         Total/NA           304 Ash         Total/NA           Lab Control Sample         Total/NA	302 Ash         Total/NA         Solid           304 Ash         Total/NA         Solid           Lab Control Sample         Total/NA         Solid	302 Ash         Total/NA         Solid         3550C           304 Ash         Total/NA         Solid         3550C           Lab Control Sample         Total/NA         Solid         3550C

# Analysis Batch: 18351

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-5630-1	302 Ash	Total/NA	Solid	8270D	17856
490-5630-2	304 Ash	Total/NA	Solid	8270D	17856
LCS 490-17856/2-A	Lab Control Sample	Total/NA	Solid	8270D	17856
MB 490-17856/1-A	Method Blank	Total/NA	Solid	8270D	17856

#### **General Chemistry**

#### Analysis Batch: 17581

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-5523-B-1 DU	Duplicate	Total/NA	Solid	Moisture	
490-5630-1	302 Ash	Total/NA	Solid	Moisture	
490-5630-2	304 Ash	Total/NA	Solid	Moisture	

#### Lab Chronicle

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing

TestAmerica Job ID: 490-5630-1

SDG: 1063

Client Sample ID: 302 Ash

Date Collected: 08/29/12 14:00

Date Received: 09/05/12 08:20

Lab Sample ID: 490-5630-1

Matrix: Solid

Percent Solids: 79.9

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			17758	09/05/12 14:30	TP	TAL NSH
Total/NA	Analysis	8260B		1	17848	09/06/12 19:00	AF	TAL NSH
Total/NA	Prep	3550C			17856	09/06/12 07:07	AK	TAL NSH
Total/NA	Analysis	8270D		1	18351	09/07/12 17:36	WS	TAL NSH
Total/NA	Analysis	Moisture		1	17581	09/05/12 13:54	RS	TAL NSH

Client Sample ID: 304 Ash

Date Collected: 08/29/12 12:45

Date Received: 09/05/12 08:20

Lab Sample ID: 490-5630-2

Matrix: Solid

Percent Solids: 78.9

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			17758	09/05/12 14:30	TP	TAL NSH
Total/NA	Analysis	8260B		1	17848	09/06/12 19:32	AF	TAL NSH
Total/NA	Prep	5035			17763	09/05/12 14:36	TP	TAL NSH
Total/NA	Analysis	8260B		1	19243	09/12/12 12:38	AF	TAL NSH
Total/NA	Prep	3550C			17856	09/06/12 07:07	AK	TAL NSH
Total/NA	Analysis	8270D		1	18351	09/07/12 18:40	WS	TAL NSH
Total/NA	Analysis	Moisture		1	17581	09/05/12 13:54	RS	TAL NSH

#### Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

# **Method Summary**

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing

TestAmerica Job ID: 490-5630-1

SDG: 1063

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL NSH
8270D	Semivolatile Organic Compounds (GC/MS)	SW846	TAL NSH
Moisture	Percent Moisture	EPA	TAL NSH

#### Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

# **Certification Summary**

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing

TestAmerica Job ID: 490-5630-1 SDG: 1063

Laboratory: TestAmerica Nashville

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
	ACIL		393	10-30-12
A2LA	ISO/IEC 17025		0453.07	12-31-13
Alabama	State Program	4	41150	05-31-13
Alaska (UST)	State Program	10	UST-087	07-24-13
Arizona	State Program	9	AZ0473	05-05-13
Arkansas DEQ	State Program	6	88-0737	04-25-13
California	NELAC	9	1168CA	10-31-12
Canadian Assoc Lab Accred (CALA)	Canada		3744	03-08-14
Colorado	State Program	8	N/A	02-28-13
Connecticut	State Program	1	PH-0220	12-31-13
Florida	NELAC	4	E87358	06-30-13
Illinois	NELAC	5	200010	12-09-12
lowa	State Program	7	131	05-01-14
Kansas	NELAC	7	E-10229	10-31-12
Kentucky	State Program	4	90038	12-31-12
Kentucky (UST)	State Program	4	19	09-15-13
Louisiana	NELAC	6	LA110014	12-31-12
Louisiana	NELAC	6	30613	06-30-13
Maryland	State Program	3	316	03-31-13
Massachusetts	State Program	1	M-TN032	06-30-13
Minnesota	NELAC	5	047-999-345	12-31-12
Mississippi	State Program	4	N/A	06-30-13
Montana (UST)	State Program	8	NA	01-01-15
Nevada	State Program	9	TN00032	09-30-13
New Hampshire	NELAC	1	2963	10-09-12
New Jersey	NELAC	2	TN965	06-30-13
New York	NELAC	2	11342	04-01-13
North Carolina DENR	State Program	4	387	12-31-12
North Dakota	State Program	8	R-146	06-30-13
Ohio VAP	State Program	5	CL0033	01-19-14
Oklahoma	State Program	6	9412	08-31-13
Oregon	NELAC	10	TN200001	04-30-13
Pennsylvania	NELAC	3	68-00585	06-30-13
Rhode Island	State Program	1	LAO00268	12-30-12
South Carolina	State Program	4	84009 (001)	02-28-13
South Carolina	State Program	4	84009 (002)	02-23-14
Tennessee	State Program	4	2008	02-23-14
Texas	NELAC	6	T104704077-09-TX	08-31-13
JSDA	Federal	· ·	S-48469	11-02-13
Utah	NELAC	8	TAN	06-30-13
Virginia	NELAC	3	460152	06-14-13
Washington	State Program	10	C789	07-19-13
West Virginia DEP	State Program	3	219	02-28-13
		5	998020430	08-31-13
Visconsin	State Program	J	330020430	00-31-13

Nashville, TN

## COOLER RECEIPT FORM



	0-5630 Chain of
1. Tracking # 8562 (last 4 digits, FedEx)	
Courier:IR Gun ID <u>17960357</u>	
2. Temperature of rep. sample or temp blank when opened:	ius
3. If item #2 temperature is 0°C or less, was the representative sample or temp blank frozen?	YESNO.NA
4. Were custody seals on outside of cooler?  If yes, how many and where:  2 frant & Deuk	YESNONA
V	ESNONA
	ESNONA
I certify that I opened the cooler and answered questions 1-6 (intial)	
7. Were custody seals on containers: YES and Intact	YESNO.
Were these signed and dated correctly?	YESNO
8. Packing mat'l used? Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert Pape	r Other None
9. Cooling process: (Ce) Ice-pack Ice (direct contact) Dry ice	
10. Did all containers arrive in good condition (unbroken)?	ESINONA
11. Were all container labels complete (#, date, signed, pres., etc)?	ES NONA
12. Did all container labels and tags agree with custody papers?	(ES)NONA
13a. Were VOA vials received?	(ES).NONA
b. Was there any observable headspace present in any VOA vial?	YESNO. NA
14. Was there a Trip Blank in this cooler? YES. (NO).NA If multiple coolers, seq	
Learnify that I unloaded the cooler and answered questions 7-14 (intial)	and _
15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level?	YESNO.(NA)
b. Did the bottle labels indicate that the correct preservatives were used	ES NONA
16. Was residual chlorine present?	YESNO. NA
Learning that I checked for chlorine and pH as per SOP and answered questions 15-16 (intial)	@
17. Were custody papers properly filled out (ink, signed, etc)?	YES NO NA
18. Did you sign the custody papers in the appropriate place?	ESNONA
19. Were correct containers used for the analysis requested?	ESNONA
20. Was sufficient amount of sample sent in each container?	ESNONA
I certify that I entered this project into LIMS and answered questions 17-20 (intial)	(W)
I certify that I attached a label with the unique LIMS number to each container (intial)	(10)
21. Were there Non-Conformance issues at login? YES. NO Was a PIPE generated? YES.	NO').#

Loc: 490 **5630** 

## **Login Sample Receipt Checklist**

Client: Environmental Enterprise Group

Job Number: 490-5630-1 SDG Number: 1063

List Source: TestAmerica Nashville

Login Number: 5630 List Number: 1

Creator: McBride, Mike

Creator: McBride, Mike		
Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.2°c
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	N/A	
Multiphasic samples are not present.	True	

Samples do not require splitting or compositing.

Residual Chlorine Checked.

True

N/A

# ATTACHMENT A

# **UST Certificate of Disposal**

# **CONTRACTOR**

Small Business Group, Inc. 10179 Highway 78 Ladson, SC 29456

TEL (843) 879-0403 FAX (843) 879-0401

# **TANK ID & LOCATION**

UST 304Ash; 304 Ash Street, Laurel Bay Housing Area, MCAS Beaufort, S.C.

# **DISPOSAL LOCATION**

Coastal Auto Salvage Co., Inc. 130 Laurel Bay Road Beaufort, S.C. 29906

TYPE OF TANK	SIZE (GAL)
Steel	280

# **CLEANING/DISPOSAL METHOD**

The tank and piping were unearthed, cut open, cleaned with a pressure washer, cut into sections, and recycled.

# **DISPOSAL CERTIFICATION**

I certify that the above tank, piping and equipment has been properly cleaned and disposed of.

7.0120ee / 9/20/12 (Name) (Date)

# Appendix C Laboratory Analytical Report - Groundwater



# **Volatile Organic Compounds by GC/MS**

Client: AECOM - Resolution Consultants

Description: BEALB304TW01WG20150528

Laboratory ID: QE29035-010

Matrix: Aqueous

Date Sampled:05/28/2015 1330 Date Received: 05/29/2015

5030B

Run Prep Method

1

Analytical Method Dilution Analysis Date Analyst Prep Date Batch 8260B 1 06/02/2015 1824 EH1 76315

CAS Analytical **Parameter** Result Q LOQ LOD **DL Units Run** Number Method U Benzene 71-43-2 8260B 0.45 5.0 0.45 0.21 ug/L 0.17 ug/L Ethylbenzene 100-41-4 8260B 0.40 5.0 0.51 J Naphthalene 91-20-3 8260B 4.3 5.0 0.96 0.32 ug/L Toluene 8260B U 5.0 108-88-3 0.48 0.48 0.16 ug/L **Xylenes (total)** 1330-20-7 8260B 0.53 5.0 0.57 0.19 ug/L

Surrogate	Run 1 / Q % Recovery	Acceptance Limits	
Bromofluorobenzene	97	75-120	
1,2-Dichloroethane-d4	88	70-120	
Toluene-d8	101	85-120	
Dibromofluoromethane	99	85-115	

PQL = Practical quantitation limit
ND = Not detected at or above the MDL

B = Detected in the method blank J = Estimated result < PQL and  $\geq$  MDL E = Quantitation of compound exceeded the calibration range P = The RPD between two GC columns exceeds 40%

H = Out of holding timeN = Recovery is out of criteria

Q = Surrogate failure L = LCS/LCSD failure S = MS/MSD failure

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Shealy Environmental Services, Inc.
106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Level 1 Report v2.1

# Semivolatile Organic Compounds by GC/MS (SIM)

Client: AECOM - Resolution Consultants

Description: BEALB304TW01WG20150528

Laboratory ID: QE29035-010

Matrix: Aqueous

Date Sampled: 05/28/2015 1330 Date Received: 05/29/2015

Run Prep Method Analytical Method Dilution Analysis Date Analyst **Prep Date** Batch 1 3520C 8270D (SIM) 06/02/2015 2219 RBH 06/01/2015 1430 76221

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL Units Run
Benzo(a)anthracene	56-55-3	8270D (SIM)	0.026	J	0.20	0.040	0.019 ug/L 1
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	0.040	U	0.20	0.040	0.019 ug/L 1
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	0.040	U	0.20	0.040	0.024 ug/L 1
Chrysene	218-01-9	8270D (SIM)	0.024	J	0.20	0.040	0.021 ug/L 1
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	0.080	U	0.20	0.080	0.040 ug/L 1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
2-Methylnaphthalene-d10		76	15-139
Fluoranthene-d10		56	23-154

PQL = Practical quantitation limit ND = Not detected at or above the MDL B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range P =The RPD between two GC columns exceeds 40%

H = Out of holding time N = Recovery is out of criteria

Q = Surrogate failure L = LCS/LCSD failure S = MS/MSD failure

 $J = Estimated result < PQL and <math>\geq MDL$ Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Shealy Environmental Services, Inc. 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Level 1 Report v2.1

# Appendix D Regulatory Correspondence





May 15, 2014

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: IGWA

Laurel Bay Underground Storage Tank Assessment Reports for: See attached sheet

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tank Assessment Reports for the addresses listed above. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

The Department has reviewed the referenced assessment reports. The submitted analytical results indicate that petroleum constituents are above established Risk-Based Screening Levels and additional investigation is warranted. Specifically, the Department requests that a groundwater sampling proposal be generated to determine if there has been an impact to groundwater at this site.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at kriegkm@dhec.sc.gov or 803-898-0255.

Sincerely,

Kent Krieg

Department of Defense Corrective Action Section

Bureau of Land and Waste Management

South Carolina Department of Health and Environmental Control

Cc: Russell Berry (via email)
Craig Ehde (via email)

,



PROMOTE PROTECT PROSPER
Catherine B. Templeton, Director

Attachment to:

Krieg to Drawdy Subject: IGWA

Dated 5/15/2014

Laurel Bay Underground Storage Tank Assessment Reports for: (121 addresses/139 tanks)

137 Laurel Bay Tank 2	387 Acorn
139 Laurel Bay	392 Acorn Tank 2
229 Cypress Tank 2	396 Acorn Tank 1
261 Beech Tank 1 •	396 Acorn Tank 2
261 Beech Tank 3	430 Elderberry
273 Birch Tank 1	433 Elderberry
273 Birch Tank 2	439 Elderberry
273 Birch Tank 3	440 Elderberry
276 Birch Tank 2	442 Elderberry
278 Birch Tank 2	443 Elderberry
291 Birch Tank 2	444 Elderberry Tank 1
300 Ash	445 Elderberry
304 Ash *	446 Elderberry
314 Ash Tank 1	448 Elderberry
314 Ash Tank 2	449 Elderberry
322 Ash Tank 2 *	451 Elderberry
323 Ash	453 Elderberry
324 Ash *	456 Elderberry Tank 1
325 Ash Tank 1 •	456 Elderberry Tank 2
325 Ash Tank 2	458 Elderberry Tank 1
326 Ash •	458 Elderberry Tank 3
336 Ash	464 Dogwood
339 Ash	466 Dogwood
343 Ash Tank 1 *	467 Dogwood
344 Ash Tank 1	468 Dogwood
348 Ash *	469 Dogwood
349 Ash Tank 1	471 Dogwood Tank 2
353 Ash Tank 1 *	471 Dogwood Tank 3
362 Aspen *	475 Dogwood Tank 1
376 Aspen	475 Dogwood Tank 2
380 Aspen *	516 Laurel Bay Tank 1 (UST#03747)
383 Aspen Tank 2 <sup>4</sup>	518 Laurel Bay

# Laurel Bay Underground Storage Tank Assessment Reports for: (121 addresses/139 tanks) cont.

531 Laurel Bay	1219 Cardinal	
532 Laurel Bay	1272 Albatross	
635 Dahlia Tank 2	1305 Eagle	
638 Dahlia	1353 Cardinal	
640 Dahlia Tank 1	1356 Cardinal	
640 Dahlia Tank 2	1357 Cardinal	
645 Dahlia	1359 Cardinal	
647 Dahlia	1360 Cardinal	
648 Dahlia Tank 2	1361 Cardinal	
650 Dahlia Tank 1	1368 Cardinal	
650 Dahlia Tank 2	1370 Cardinal Tank 1	
652 Dahlia Tank 1	1377 Dove	
652 Dahlia Tank 2	1381 Dove	
760 Althea	1382 Dove	
763 Althea	1384 Dove	
771 Althea	1385 Dove	
927 Albacore	1389 Dove	
1015 Foxglove	1391 Dove	
1046 Gardenia	1392 Dove	
1062 Gardenia Tank 2	1393 Dove Tank 1	
1070 Heather	1393 Dove Tank 2	
1072 Heather	1406 Eagle	
1102 Iris Tank 1	1407 Eagle Tank 1	
1107 Iris	1411 Eagle Tank 1	
1126 Iris	1411 Eagle Tank 2	
1129 Iris	1412 Eagle	
1132 Iris	1413 Albatross	
1133 Iris Tank 1	1414 Albatross	
1138 Iris	1422 Albatross	
1144 Iris Tank 1	1425 Albatross	
1144 Iris Tank 2	1426 Albatross	
1148 Iris Tank 1	1432 Dove	
1148 Iris Tank 2	1434 Dove	
1161 Jasmine	1436 Dove	
1167 Jasmine	1438 Dove Tank 1	
1170 Jasmine	1440 Dove	
1190 Bobwhite	1442 Dove Tank 1	
1192 Bobwhite		



#### Catherine E. Heigel, Director

#### Promoting and protecting the health of the public and the environment

Division of Waste Management Bureau of Land and Waste Management

February 22, 2016

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: Approval and Concurrence with Draft Final Initial Groundwater Investigation Report-May and June 2015

Laurel Bay Military Housing Area Multiple Properties

Dated October 2015

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received groundwater data in the above referenced Groundwater Investigation Report for the addresses attached. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

Per the Department's request, groundwater samples were collected from the attached referenced addresses. The Department reviewed the groundwater data and previous investigations and it agrees with the conclusions and recommendations included in the document. To further assess the impact to groundwater, permanent wells should be installed at the 52 stated addresses. For the remaining 91 addresses, there is no indication of contamination on the property and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at petruslb@dhec.sc.gov or 803-898-0294.

Sincerely,

Laurel Petrus

LIRA

RCRA Federal Facilities Section

Attachment: Specific Property Recommendations

Cc: Russell Berry, EQC Region 8 (via email)

Shawn Dolan, Resolution Consultants (via email)

Bryan Beck, NAVFAC MIDATLANTIC (via email)

Craig Ehde (via email)

Attachment to: Petrus to Drawdy

Subject: Draft Final Initial Groundwater Investigation Report-May and June 2015

Specific Property Recommendations

Dated February 22, 2016

# Draft Final Initial Groundwater Investigation Report for (143 addresses)

273 Birch Drive	1192 Bobwhite Drive	
325 Ash Street	1194 Bobwhite Drive	
326 Ash Street	1272 Albatross Drive	
336 Ash Street	1352 Cardinal Lane	
343 Ash Street	1356 Cardinal Lane	
353 Ash Street	1359 Cardinal Lane	
430 Elderberry Drive	1360 Cardinal Lane	
440 Elderberry Drive	1362 Cardinal Lane	
456 Elderberry Drive	1370 Cardinal Lane	
458 Elderberry Drive	1382 Dove Lane	
468 Dogwood Drive	1384 Dove lane	
518 Laurel Bay Blvd	1385 Dove Lane	
635 Dahlia Drive	1389 Dove Lane	
638 Dahlia Drive	1392 Dove Lane	
640 Dahlia Drive	1393 Dove Lane	
647 Dahlia Drive	1407 Eagle Lane	
648 Dahlia Drive	1411 Eagle Lane	
650 Dahlia Drive	1418 Albatross Drive	
652 Dahlia Drive	1420 Albatross Drive	
760 Althea Street	1426 Albatross Drive	
1102 Iris Lane	1429 Albatross Drive	
1132 Iris Lane	1434 Dove Lane	
1133 Iris Lane	1436 Dove Lane	
1144 Iris Lane	1440 Dove Lane	
1148 Iris Lane	1442 Dove Lane	
1186 Bobwhite Drive	1444 Dove Lane	
No Fur	ther Action recommendation (91 addresses):	
137 Laurel Bay Blvd	771 Althea Street	
139 Laurel Bay Blvd 927 Albacore Street		
229 Cypress Street	1015 Foxglove Street	
261 Beech Street	1046 Gardenia Drive	
276 Birch Drive	1062 Gardenia Drive	
278 Birch Drive	1070 Heather Street	
291 Birch Drive	1072 Heather Street	

300 Ash Street	1107 Iris Lane	
304 Ash Street	1126 Iris Lane	
314 Ash Street	1129 Iris Lane	
322 Ash Street	1138 Iris Lane	***************************************
323 Ash Street	1161 Jasmine Street	
324 Ash Street	1167 Jasmine Street	
339 Ash Street	1170 Jasmine Street	
344 Ash Street	1190 Bobwhite Drive	
348 Ash Street	1219 Cardinal Lane	
349 Ash Street	1305 Eagle Lane	
362 Aspen Street	1353 Cardinal Lane	
376 Aspen Street	1354 Cardinal Lane	
380 Aspen Street	1357 Cardinal Lane	-
383 Aspen Street	1361 Cardinal Lane	
387 Acorn Drive	1364 Cardinal Lane	
392 Acorn Drive	1368 Cardinal Lane	
396 Acorn Drive	1377 Dove Lane	
433 Elderberry Drive	1381 Dove Lane	
439 Elderberry Drive	1391 Dove Lane	
442 Elderberry Drive	1403 Eagle Lane	
443 Elderberry Drive	1404 Eagle Lane	
444 Elderberry Drive	1405 Eagle Lane	
445 Elderberry Drive	1406 Eagle Lane	
446 Elderberry Drive	1408 Eagle Lane	
448 Elderberry Drive	1410 Eagle Lane	
449 Elderberry Drive	1412 Eagle Lane	
451 Elderberry Drive	1413 Albatross Drive	770
453 Elderberry Drive	1414 Albatross Drive	
464 Dogwood Drive	1417 Albatross Drive	
466 Dogwood Drive	1421 Albatross Drive	
467 Dogwood Drive	1422 Albatross Drive	103
469 Dogwood Drive	1425 Albatross Drive	
471 Dogwood Drive	1427 Albatross Drive	
475 Dogwood Drive	1430 Dove Lane	
516 Laurel Bay Blvd	1432 Dove Lane	
531 Laurel Bay Blvd	1438 Dove Lane	
532 Laurel Bay Blvd	1453 Cardinal Lane	
645 Dahlia Drive	1455 Cardinal Lane	
763 Althea Street		

Attachment to: Petrus to Drawdy

Subject: Draft Final Initial Groundwater Investigation Report-May and June 2015

Specific Property Recommendations Dated February 22, 2016, Page 2