

SUMMARY REPORT
93 ASH STREET (FORMERLY 308 ASH STREET)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid-Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT
93 ASH STREET (FORMERLY 308 ASH STREET)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid- Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue
Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture
10560 Arrowhead Drive, Suite 500
Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016
CTO WE52
JUNE 2021

Table of Contents

1.0	INTRODUCTION.....	1
1.1	BACKGROUND INFORMATION.....	1
1.2	UST REMOVAL AND ASSESSMENT PROCESS.....	2
2.0	SAMPLING ACTIVITIES AND RESULTS.....	3
2.1	UST REMOVAL AND SOIL SAMPLING	3
2.2	SOIL ANALYTICAL RESULTS.....	4
3.0	PROPERTY STATUS	4
4.0	REFERENCES.....	4

Table

Table 1	Laboratory Analytical Results - Soil
---------	--------------------------------------

Appendices

Appendix A	Multi-Media Selection Process for LBMH
Appendix B	UST Assessment Report
Appendix C	Regulatory Correspondence

List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level

1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 93 Ash Street (Formerly 308 Ash Street). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*

Division (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 93 Ash Street (Formerly 308 Ash Street). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 308 Ash Street* (MCAS Beaufort, 2011). The UST Assessment Report is provided in Appendix B.

2.1 UST Removal and Soil Sampling

On June 27, 2011, a single 280 gallon heating oil UST was removed from the front landscaped area adjacent to the driveway at 93 Ash Street (Formerly 308 Ash Street). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 5'10" bgs and a single soil sample was collected from that depth. The

sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 93 Ash Street (Formerly 308 Ash Street) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment.

3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 93 Ash Street (Formerly 308 Ash Street). This NFA determination was obtained in a letter dated July 1, 2015. SCDHEC's NFA letter is provided in Appendix C.

4.0 REFERENCES

Marine Corps Air Station Beaufort, 2011. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 308 Ash Street, Laurel Bay Military Housing Area*, September 2011.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

Table

Table 1
Laboratory Analytical Results - Soil
93 Ash Street (Formerly 308 Ash Street)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾	Results Sample Collected 06/27/11
Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)		
Benzene	0.003	ND
Ethylbenzene	1.15	ND
Naphthalene	0.036	0.0104
Toluene	0.627	ND
Xylenes, Total	13.01	ND
Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)		
Benzo(a)anthracene	0.66	ND
Benzo(b)fluoranthene	0.66	ND
Benzo(k)fluoranthene	0.66	ND
Chrysene	0.66	ND
Dibenz(a,h)anthracene	0.66	ND

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0 and 3.1 (SCDHEC, May 2015 and SCDHEC, February 2016) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

Appendix A
Multi-Media Selection Process for LBMH



Appendix A - Multi-Media Selection Process for LBMH

Appendix B
UST Assessment Report

Attachment 1

South Carolina Department of Health and Environmental Control (SCDHEC)
Underground Storage Tank (UST) Assessment Report

Date Received
State Use Only

Submit Completed Form To:
UST Program
SCDHEC
2600 Bull Street
Columbia, South Carolina 29201
Telephone (803) 896-7957

I. OWNERSHIP OF UST (S)

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)		
Owner Name (Corporation, Individual, Public Agency, Other)		
P.O. Box 55001		
Mailing Address		
Beaufort,	South Carolina	29904-5001
City	State	Zip Code
843	228-7317	Craig Ehde
Area Code	Telephone Number	Contact Person

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #	
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC	
Facility Name or Company Site Identifier	
308 Ash Street, Laurel Bay Military Housing Area	
Street Address or State Road (as applicable)	
Beaufort,	Beaufort
City	County

Attachment 2

III. INSURANCE INFORMATION

Insurance Statement

The petroleum release reported to DHEC on _____ at Permit ID Number _____ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES _____ NO _____ (check one)

If you answered YES to the above question, please complete the following information:

My policy provider is: _____

The policy deductible is: _____

The policy limit is: _____

If you have this type of insurance, please include a copy of the policy with this report.

IV. REQUEST FOR SUPERB FUNDING

I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)

V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

To be completed by Notary Public:

Sworn before me this _____ day of _____, 20____

(Name)

Notary Public for the state of _____
Please affix State seal if you are commissioned outside South Carolina

VI. UST INFORMATION

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity...(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material...(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....

308Ash				
Heating oil				
280 gal				
Late 1950s				
Steel				
Mid 1980s				
5'10"				
No				
No				
Removed				
6/27/11				
Yes				
Yes				

- M. Method of disposal for any USTs removed from the ground (attach disposal manifests)
UST 308Ash was removed from the ground, cleaned and recycled. See Attachment "A."
-
- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)
Contaminated water was pumped from UST 308Ash and disposed by MCAS.
-
- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST
Corrosion, pitting and holes were found throughout the tank.

VII. PIPING INFORMATION

A. Construction Material..(ex. Steel, FRP).....

B. Distance from UST to Dispenser.....

C. Number of Dispensers.....

D. Type of System Pressure or Suction.....

E. Was Piping Removed from the Ground? Y/N

F. Visible Corrosion or Pitting Y/N.....

G. Visible Holes Y/N.....

H. Age.....

I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

308Ash				
Steel & Copper				
N/A				
N/A				
Suction				
No				
Yes				
No				
Late 1950s				

Corrosion and pitting were found on the surface of the steel vent
pipe. Copper supply and return lines were sound.

VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel
and formerly contained fuel oil for heating. These USTs were
installed in the late 1950s and last used in the mid 1980s.

IX. SITE CONDITIONS

	Yes	No	Unk
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells? If yes, indicate depth and location on the site map.		X	
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells? If yes, indicate location on site map and describe the odor (strong, mild, etc.)		X	
C. Was water present in the UST excavation, soil borings, or trenches? If yes, how far below land surface (indicate location and depth)?		X	
D. Did contaminated soils remain stockpiled on site after closure? If yes, indicate the stockpile location on the site map. Name of DHEC representative authorizing soil removal:		X	
E. Was a petroleum sheen or free product detected on any excavation or boring waters? If yes, indicate location and thickness.		X	

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
308Ash	Excav at fill end	Soil	Sandy	5'10"	6/27/11 1315 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

* = Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.

XII. RECEPTORS

	Yes	No
A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system? *~550' to stormwater canal If yes, indicate type of receptor, distance, and direction on site map.	*X	
B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system? If yes, indicate type of well, distance, and direction on site map.		X
C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system? If yes, indicate type of structure, distance, and direction on site map.		X
D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? *Sewer, water, electricity, cable & fiber optic If yes, indicate the type of utility, distance, and direction on the site map.	*X	
E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete? If yes, indicate the area of contaminated soil on the site map.		X


XIII. SITE MAP

You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)



308 ASH ST.



SBG-EEG, Inc.


398 E. 5th North Street, Suite C
Summerville SC 29483-6954

Ph. (843) 875-1930

Drawn By: L. DiAsio

Dwg Date: JULY 2011

**FIGURE 1: LOCATION MAP
308 ASH STREET
LAUREL BAY, BEAUFORT SC**




STORMWATER DRAINAGE
CANAL $\approx 550'$

308 ASH ST.
LAUREL BAY MILITARY HOUSING
MCAS BEAUFORT, SC

UST 308ASH

ASPHALT
DRIVEWAY



SBG-EEG

10179 HWY 78
LADSON, SC 29456

ph. (843) 879-0400


FIGURE 2 SITE MAP
308 ASH ST., LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC



DWG DATE JULY 2011



STORMWATER DRAINAGE
CANAL $\approx$ 550'



308 ASH ST.
LAUREL BAY MILITARY HOUSING
MCAS BEAUFORT, SC



UST 308ASH WAS
34" BELOW GRADE.

SBG-EEG

10179 HWY 78
LADSON, SC 29456

ph. (843) 879-0400

FIGURE 3 UST SAMPLE LOCATIONS
308 ASH ST., LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE JULY 2011



Picture 1: Location of UST 308Ash.



Picture 2: UST 308Ash excavation in progress.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	UST	308Ash						
Benzene		ND						
Toluene		ND						
Ethylbenzene		ND						
Xylenes		ND						
Naphthalene		0.0104 mg/kg						
Benzo (a) anthracene		ND						
Benzo (b) fluoranthene		ND						
Benzo (k) fluoranthene		ND						
Chrysene		ND						
Dibenz (a, h) anthracene		ND						
TPH (EPA 3550)								

CoC								
Benzene								
Toluene								
Ethylbenzene								
Xylenes								
Naphthalene								
Benzo (a) anthracene								
Benzo (b) fluoranthene								
Benzo (k) fluoranthene								
Chrysene								
Dibenz (a, h) anthracene								
TPH (EPA 3550)								

SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here)
(Please see Form #4)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Nashville

2960 Foster Creighton Road

Nashville, TN 37204

Tel: 800-765-0980

TestAmerica Job ID: NUG0346

Client Project/Site: [none]

Client Project Description: Laurel Bay Housing Project

For:

EEG - Small Business Group, Inc. (2449)

10179 Highway 78

Ladson, SC 29456

Attn: Tom McElwee



Authorized for release by:

07/19/2011 02:28:15 PM

Ken A. Hayes

Senior Project Manager

ken.hayes@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

**Ask
The
Expert**

Visit us at:

www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Definitions	4
Client Sample Results	5
QC Sample Results	11
QC Association	19
Chronicle	21
Method Summary	23
Certification Summary	24
Chain of Custody	25

Sample Summary

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
NUG0346-01	308 Ash	Soil	06/27/11 13:15	07/02/11 08:30
NUG0346-02	318 Ash	Soil	06/28/11 12:15	07/02/11 08:30
NUG0346-03	321 Ash	Soil	06/29/11 12:45	07/02/11 08:30
NUG0346-04	747 Bluebell	Soil	06/30/11 11:15	07/02/11 08:30

Definitions/Glossary

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Qualifiers

GCMS Volatiles

Qualifier	Qualifier Description
J	Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.
ZX	Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.

GCMS Semivolatiles

Qualifier	Qualifier Description
J	Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis.
EPA	United States Environmental Protection Agency
ND	Not Detected above the reporting level.
MDL	Method Detection Limit
RL	Reporting Limit
RE, RE1 (etc.)	Indicates a Re-extraction or Reanalysis of the sample.
%R	Percent Recovery
RPD	Relative Percent Difference, a measure of the relative difference between two points.

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Client Sample ID: 308 Ash

Lab Sample ID: NUG0346-01

Date Collected: 06/27/11 13:15

Matrix: Soil

Date Received: 07/02/11 08:30

Percent Solids: 77.8

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00238	0.00131	mg/kg dry	☼	06/27/11 13:15	07/06/11 18:21	1.00
Ethylbenzene	ND		0.00238	0.00117	mg/kg dry	☼	06/27/11 13:15	07/06/11 18:21	1.00
Naphthalene	0.0104		0.00595	0.00202	mg/kg dry	☼	06/27/11 13:15	07/06/11 18:21	1.00
Toluene	ND		0.00238	0.00106	mg/kg dry	☼	06/27/11 13:15	07/06/11 18:21	1.00
Xylenes, total	ND		0.00595	0.00226	mg/kg dry	☼	06/27/11 13:15	07/06/11 18:21	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	92		67 - 138	06/27/11 13:15	07/06/11 18:21	1.00
Dibromofluoromethane	99		75 - 125	06/27/11 13:15	07/06/11 18:21	1.00
Toluene-d8	96		76 - 129	06/27/11 13:15	07/06/11 18:21	1.00
4-Bromofluorobenzene	100		67 - 147	06/27/11 13:15	07/06/11 18:21	1.00

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0843	0.0176	mg/kg dry	☼	07/05/11 13:00	07/06/11 06:31	1.00
Acenaphthylene	ND		0.0843	0.0252	mg/kg dry	☼	07/05/11 13:00	07/06/11 06:31	1.00
Anthracene	ND		0.0843	0.0113	mg/kg dry	☼	07/05/11 13:00	07/06/11 06:31	1.00
Benzo (a) anthracene	ND		0.0843	0.0138	mg/kg dry	☼	07/05/11 13:00	07/06/11 06:31	1.00
Benzo (a) pyrene	ND		0.0843	0.0101	mg/kg dry	☼	07/05/11 13:00	07/06/11 06:31	1.00
Benzo (b) fluoranthene	ND		0.0843	0.0478	mg/kg dry	☼	07/05/11 13:00	07/06/11 06:31	1.00
Benzo (g,h,i) perylene	ND		0.0843	0.0113	mg/kg dry	☼	07/05/11 13:00	07/06/11 06:31	1.00
Benzo (k) fluoranthene	ND		0.0843	0.0466	mg/kg dry	☼	07/05/11 13:00	07/06/11 06:31	1.00
Chrysene	ND		0.0843	0.0390	mg/kg dry	☼	07/05/11 13:00	07/06/11 06:31	1.00
Dibenz (a,h) anthracene	ND		0.0843	0.0189	mg/kg dry	☼	07/05/11 13:00	07/06/11 06:31	1.00
Fluoranthene	ND		0.0843	0.0138	mg/kg dry	☼	07/05/11 13:00	07/06/11 06:31	1.00
Fluorene	ND		0.0843	0.0252	mg/kg dry	☼	07/05/11 13:00	07/06/11 06:31	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0843	0.0390	mg/kg dry	☼	07/05/11 13:00	07/06/11 06:31	1.00
Naphthalene	ND		0.0843	0.0176	mg/kg dry	☼	07/05/11 13:00	07/06/11 06:31	1.00
Phenanthrene	ND		0.0843	0.0126	mg/kg dry	☼	07/05/11 13:00	07/06/11 06:31	1.00
Pyrene	ND		0.0843	0.0289	mg/kg dry	☼	07/05/11 13:00	07/06/11 06:31	1.00
1-Methylnaphthalene	ND		0.0843	0.0151	mg/kg dry	☼	07/05/11 13:00	07/06/11 06:31	1.00
2-Methylnaphthalene	ND		0.0843	0.0264	mg/kg dry	☼	07/05/11 13:00	07/06/11 06:31	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Terphenyl-d14	76		18 - 120	07/05/11 13:00	07/06/11 06:31	1.00
2-Fluorobiphenyl	56		14 - 120	07/05/11 13:00	07/06/11 06:31	1.00
Nitrobenzene-d5	53		17 - 120	07/05/11 13:00	07/06/11 06:31	1.00

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	77.8		0.500	0.500	%		07/13/11 15:38	07/14/11 12:26	1.00

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Client Sample ID: 318 Ash

Lab Sample ID: NUG0346-02

Date Collected: 06/28/11 12:15

Matrix: Soil

Date Received: 07/02/11 08:30

Percent Solids: 83.9

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00203	0.00112	mg/kg dry	⊛	06/28/11 12:15	07/06/11 18:53	1.00
Ethylbenzene	0.0132		0.00203	0.000994	mg/kg dry	⊛	06/28/11 12:15	07/06/11 18:53	1.00
Naphthalene	0.0140		0.00507	0.00172	mg/kg dry	⊛	06/28/11 12:15	07/06/11 18:53	1.00
Toluene	0.00122	J	0.00203	0.000902	mg/kg dry	⊛	06/28/11 12:15	07/06/11 18:53	1.00
Xylenes, total	0.0120		0.00507	0.00193	mg/kg dry	⊛	06/28/11 12:15	07/06/11 18:53	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	84		67 - 138	06/28/11 12:15	07/06/11 18:53	1.00
Dibromofluoromethane	92		75 - 125	06/28/11 12:15	07/06/11 18:53	1.00
Toluene-d8	112		76 - 129	06/28/11 12:15	07/06/11 18:53	1.00
4-Bromofluorobenzene	328	ZX	67 - 147	06/28/11 12:15	07/06/11 18:53	1.00

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0794	0.0166	mg/kg dry	⊛	07/05/11 13:00	07/06/11 06:51	1.00
Acenaphthylene	ND		0.0794	0.0237	mg/kg dry	⊛	07/05/11 13:00	07/06/11 06:51	1.00
Anthracene	0.421		0.0794	0.0107	mg/kg dry	⊛	07/05/11 13:00	07/06/11 06:51	1.00
Benzo (a) anthracene	0.0581	J	0.0794	0.0130	mg/kg dry	⊛	07/05/11 13:00	07/06/11 06:51	1.00
Benzo (a) pyrene	ND		0.0794	0.00948	mg/kg dry	⊛	07/05/11 13:00	07/06/11 06:51	1.00
Benzo (b) fluoranthene	ND		0.0794	0.0450	mg/kg dry	⊛	07/05/11 13:00	07/06/11 06:51	1.00
Benzo (g,h,i) perylene	ND		0.0794	0.0107	mg/kg dry	⊛	07/05/11 13:00	07/06/11 06:51	1.00
Benzo (k) fluoranthene	ND		0.0794	0.0439	mg/kg dry	⊛	07/05/11 13:00	07/06/11 06:51	1.00
Chrysene	0.0834		0.0794	0.0367	mg/kg dry	⊛	07/05/11 13:00	07/06/11 06:51	1.00
Dibenz (a,h) anthracene	ND		0.0794	0.0178	mg/kg dry	⊛	07/05/11 13:00	07/06/11 06:51	1.00
Fluoranthene	0.181		0.0794	0.0130	mg/kg dry	⊛	07/05/11 13:00	07/06/11 06:51	1.00
Fluorene	1.41		0.0794	0.0237	mg/kg dry	⊛	07/05/11 13:00	07/06/11 06:51	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0794	0.0367	mg/kg dry	⊛	07/05/11 13:00	07/06/11 06:51	1.00
Naphthalene	0.157		0.0794	0.0166	mg/kg dry	⊛	07/05/11 13:00	07/06/11 06:51	1.00
Phenanthrene	3.46		0.0794	0.0119	mg/kg dry	⊛	07/05/11 13:00	07/06/11 06:51	1.00
Pyrene	0.449		0.0794	0.0273	mg/kg dry	⊛	07/05/11 13:00	07/06/11 06:51	1.00
1-Methylnaphthalene	0.707		0.0794	0.0142	mg/kg dry	⊛	07/05/11 13:00	07/06/11 06:51	1.00
2-Methylnaphthalene	0.810		0.0794	0.0249	mg/kg dry	⊛	07/05/11 13:00	07/06/11 06:51	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Terphenyl-d14	87		18 - 120	07/05/11 13:00	07/06/11 06:51	1.00
2-Fluorobiphenyl	57		14 - 120	07/05/11 13:00	07/06/11 06:51	1.00
Nitrobenzene-d5	54		17 - 120	07/05/11 13:00	07/06/11 06:51	1.00

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	83.9		0.500	0.500	%		07/13/11 15:38	07/14/11 12:26	1.00

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Client Sample ID: 321 Ash

Lab Sample ID: NUG0346-03

Date Collected: 06/29/11 12:45

Matrix: Soil

Date Received: 07/02/11 08:30

Percent Solids: 79.8

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00243	0.00134	mg/kg dry	☼	06/29/11 12:45	07/06/11 19:25	1.00
Ethylbenzene	0.0620		0.00243	0.00119	mg/kg dry	☼	06/29/11 12:45	07/06/11 19:25	1.00
Toluene	ND		0.00243	0.00108	mg/kg dry	☼	06/29/11 12:45	07/06/11 19:25	1.00
Xylenes, total	0.0283		0.00608	0.00231	mg/kg dry	☼	06/29/11 12:45	07/06/11 19:25	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	75		67 - 138	06/29/11 12:45	07/06/11 19:25	1.00
Dibromofluoromethane	78		75 - 125	06/29/11 12:45	07/06/11 19:25	1.00
Toluene-d8	130	ZX	76 - 129	06/29/11 12:45	07/06/11 19:25	1.00
4-Bromofluorobenzene	574	ZX	67 - 147	06/29/11 12:45	07/06/11 19:25	1.00

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	4.12		0.317	0.108	mg/kg dry	☼	06/29/11 12:45	07/12/11 15:42	50.0

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	119		67 - 138	06/29/11 12:45	07/12/11 15:42	50.0
Dibromofluoromethane	95		75 - 125	06/29/11 12:45	07/12/11 15:42	50.0
Toluene-d8	99		76 - 129	06/29/11 12:45	07/12/11 15:42	50.0
4-Bromofluorobenzene	106		67 - 147	06/29/11 12:45	07/12/11 15:42	50.0

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.406		0.0820	0.0171	mg/kg dry	☼	07/05/11 13:00	07/06/11 07:11	1.00
Acenaphthylene	ND		0.0820	0.0245	mg/kg dry	☼	07/05/11 13:00	07/06/11 07:11	1.00
Anthracene	0.213		0.0820	0.0110	mg/kg dry	☼	07/05/11 13:00	07/06/11 07:11	1.00
Benzo (a) anthracene	0.120		0.0820	0.0135	mg/kg dry	☼	07/05/11 13:00	07/06/11 07:11	1.00
Benzo (a) pyrene	0.0579	J	0.0820	0.00979	mg/kg dry	☼	07/05/11 13:00	07/06/11 07:11	1.00
Benzo (b) fluoranthene	0.0837		0.0820	0.0465	mg/kg dry	☼	07/05/11 13:00	07/06/11 07:11	1.00
Benzo (g,h,i) perylene	ND		0.0820	0.0110	mg/kg dry	☼	07/05/11 13:00	07/06/11 07:11	1.00
Benzo (k) fluoranthene	0.0453	J	0.0820	0.0453	mg/kg dry	☼	07/05/11 13:00	07/06/11 07:11	1.00
Chrysene	0.128		0.0820	0.0380	mg/kg dry	☼	07/05/11 13:00	07/06/11 07:11	1.00
Dibenz (a,h) anthracene	ND		0.0820	0.0184	mg/kg dry	☼	07/05/11 13:00	07/06/11 07:11	1.00
Fluoranthene	0.311		0.0820	0.0135	mg/kg dry	☼	07/05/11 13:00	07/06/11 07:11	1.00
Fluorene	1.33		0.0820	0.0245	mg/kg dry	☼	07/05/11 13:00	07/06/11 07:11	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0820	0.0380	mg/kg dry	☼	07/05/11 13:00	07/06/11 07:11	1.00
Naphthalene	0.670		0.0820	0.0171	mg/kg dry	☼	07/05/11 13:00	07/06/11 07:11	1.00
Phenanthrene	3.17		0.0820	0.0122	mg/kg dry	☼	07/05/11 13:00	07/06/11 07:11	1.00
Pyrene	0.468		0.0820	0.0282	mg/kg dry	☼	07/05/11 13:00	07/06/11 07:11	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Terphenyl-d14	93		18 - 120	07/05/11 13:00	07/06/11 07:11	1.00
2-Fluorobiphenyl	55		14 - 120	07/05/11 13:00	07/06/11 07:11	1.00
Nitrobenzene-d5	60		17 - 120	07/05/11 13:00	07/06/11 07:11	1.00

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	4.21		0.410	0.0735	mg/kg dry	☼	07/05/11 13:00	07/06/11 10:53	5.00
2-Methylnaphthalene	8.14		0.410	0.129	mg/kg dry	☼	07/05/11 13:00	07/06/11 10:53	5.00

TestAmerica Nashville

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)

TestAmerica Job ID: NUG0346

Project/Site: [none]

Client Sample ID: 321 Ash

Lab Sample ID: NUG0346-03

Date Collected: 06/29/11 12:45

Matrix: Soil

Date Received: 07/02/11 08:30

Percent Solids: 79.8

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	79.8		0.500	0.500	%		07/13/11 15:38	07/14/11 12:26	1.00

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Client Sample ID: 747 Bluebell

Lab Sample ID: NUG0346-04

Date Collected: 06/30/11 11:15

Matrix: Soil

Date Received: 07/02/11 08:30

Percent Solids: 75.3

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00218	0.00120	mg/kg dry	☼	06/30/11 11:15	07/06/11 19:57	1.00
Toluene	0.00178	J	0.00218	0.000972	mg/kg dry	☼	06/30/11 11:15	07/06/11 19:57	1.00
Xylenes, total	0.137		0.00546	0.00208	mg/kg dry	☼	06/30/11 11:15	07/06/11 19:57	1.00
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	80		67 - 138				06/30/11 11:15	07/06/11 19:57	1.00
Dibromofluoromethane	85		75 - 125				06/30/11 11:15	07/06/11 19:57	1.00
Toluene-d8	150	ZX	76 - 129				06/30/11 11:15	07/06/11 19:57	1.00
4-Bromofluorobenzene	260	ZX	67 - 147				06/30/11 11:15	07/06/11 19:57	1.00

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	0.409		0.113	0.0552	mg/kg dry	☼	06/30/11 11:15	07/12/11 15:14	50.0
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	122		67 - 138				06/30/11 11:15	07/12/11 15:14	50.0
Dibromofluoromethane	95		75 - 125				06/30/11 11:15	07/12/11 15:14	50.0
Toluene-d8	98		76 - 129				06/30/11 11:15	07/12/11 15:14	50.0
4-Bromofluorobenzene	109		67 - 147				06/30/11 11:15	07/12/11 15:14	50.0

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B - RE2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	11.7		0.563	0.191	mg/kg dry	☼	06/30/11 11:15	07/14/11 01:25	100
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	106		67 - 138				06/30/11 11:15	07/14/11 01:25	100
Dibromofluoromethane	94		75 - 125				06/30/11 11:15	07/14/11 01:25	100
Toluene-d8	67	ZX	76 - 129				06/30/11 11:15	07/14/11 01:25	100
4-Bromofluorobenzene	107		67 - 147				06/30/11 11:15	07/14/11 01:25	100

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	1.93		0.869	0.182	mg/kg dry	☼	07/05/11 13:00	07/06/11 11:13	10.0
Acenaphthylene	1.07		0.869	0.259	mg/kg dry	☼	07/05/11 13:00	07/06/11 11:13	10.0
Anthracene	0.847	J	0.869	0.117	mg/kg dry	☼	07/05/11 13:00	07/06/11 11:13	10.0
Benzo (a) anthracene	ND		0.869	0.143	mg/kg dry	☼	07/05/11 13:00	07/06/11 11:13	10.0
Benzo (a) pyrene	ND		0.869	0.104	mg/kg dry	☼	07/05/11 13:00	07/06/11 11:13	10.0
Benzo (b) fluoranthene	ND		0.869	0.493	mg/kg dry	☼	07/05/11 13:00	07/06/11 11:13	10.0
Benzo (g,h,i) perylene	ND		0.869	0.117	mg/kg dry	☼	07/05/11 13:00	07/06/11 11:13	10.0
Benzo (k) fluoranthene	ND		0.869	0.480	mg/kg dry	☼	07/05/11 13:00	07/06/11 11:13	10.0
Chrysene	ND		0.869	0.402	mg/kg dry	☼	07/05/11 13:00	07/06/11 11:13	10.0
Dibenz (a,h) anthracene	ND		0.869	0.195	mg/kg dry	☼	07/05/11 13:00	07/06/11 11:13	10.0
Fluoranthene	ND		0.869	0.143	mg/kg dry	☼	07/05/11 13:00	07/06/11 11:13	10.0
Fluorene	6.52		0.869	0.259	mg/kg dry	☼	07/05/11 13:00	07/06/11 11:13	10.0
Indeno (1,2,3-cd) pyrene	ND		0.869	0.402	mg/kg dry	☼	07/05/11 13:00	07/06/11 11:13	10.0
Naphthalene	8.48		0.869	0.182	mg/kg dry	☼	07/05/11 13:00	07/06/11 11:13	10.0
Phenanthrene	10.8		0.869	0.130	mg/kg dry	☼	07/05/11 13:00	07/06/11 11:13	10.0
Pyrene	0.636	J	0.869	0.298	mg/kg dry	☼	07/05/11 13:00	07/06/11 11:13	10.0
1-Methylnaphthalene	27.1		0.869	0.156	mg/kg dry	☼	07/05/11 13:00	07/06/11 11:13	10.0

TestAmerica Nashville

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Client Sample ID: 747 Bluebell

Lab Sample ID: NUG0346-04

Date Collected: 06/30/11 11:15

Matrix: Soil

Date Received: 07/02/11 08:30

Percent Solids: 75.3

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Terphenyl-d14	88		18 - 120	07/05/11 13:00	07/06/11 11:13	10.0
2-Fluorobiphenyl	63		14 - 120	07/05/11 13:00	07/06/11 11:13	10.0
Nitrobenzene-d5	100		17 - 120	07/05/11 13:00	07/06/11 11:13	10.0

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D - RE2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Methylnaphthalene	48.5		1.74	0.545	mg/kg dry	☼	07/05/11 13:00	07/06/11 12:01	20.0

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	75.3		0.500	0.500	%	—	07/13/11 15:38	07/14/11 12:26	1.00

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Lab Sample ID: 11G0464-BLK1

Matrix: Soil

Analysis Batch: U012052

Client Sample ID: Method Blank

Prep Type: Total

Prep Batch: 11G0464_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.00110	mg/kg wet		07/06/11 11:37	07/06/11 14:36	1.00
Ethylbenzene	ND		0.00200	0.000980	mg/kg wet		07/06/11 11:37	07/06/11 14:36	1.00
Naphthalene	ND		0.00500	0.00170	mg/kg wet		07/06/11 11:37	07/06/11 14:36	1.00
Toluene	ND		0.00200	0.000890	mg/kg wet		07/06/11 11:37	07/06/11 14:36	1.00
Xylenes, total	ND		0.00500	0.00190	mg/kg wet		07/06/11 11:37	07/06/11 14:36	1.00

Surrogate	Blank % Recovery	Blank Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	93		67 - 138	07/06/11 11:37	07/06/11 14:36	1.00
Dibromofluoromethane	102		75 - 125	07/06/11 11:37	07/06/11 14:36	1.00
Toluene-d8	93		76 - 129	07/06/11 11:37	07/06/11 14:36	1.00
4-Bromofluorobenzene	98		67 - 147	07/06/11 11:37	07/06/11 14:36	1.00

Lab Sample ID: 11G0464-BS1

Matrix: Soil

Analysis Batch: U012052

Client Sample ID: Lab Control Sample

Prep Type: Total

Prep Batch: 11G0464_P

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
Benzene	50.0	53.6		ug/kg		107	78 - 126
Ethylbenzene	50.0	57.4		ug/kg		115	79 - 130
Naphthalene	50.0	43.6		ug/kg		87	72 - 150
Toluene	50.0	56.2		ug/kg		112	76 - 126
Xylenes, total	150	177		ug/kg		118	80 - 130

Surrogate	LCS % Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4	86		67 - 138
Dibromofluoromethane	98		75 - 125
Toluene-d8	94		76 - 129
4-Bromofluorobenzene	88		67 - 147

Lab Sample ID: 11G0464-BSD1

Matrix: Soil

Analysis Batch: U012052

Client Sample ID: Lab Control Sample Dup

Prep Type: Total

Prep Batch: 11G0464_P

Analyte	Spike Added	LCS Dup Result	LCS Dup Qualifier	Unit	D	% Rec	% Rec. Limits	RPD	RPD Limit
Benzene	50.0	52.0		ug/kg		104	78 - 126	3	50
Ethylbenzene	50.0	57.2		ug/kg		114	79 - 130	0.5	50
Naphthalene	50.0	43.2		ug/kg		86	72 - 150	1	50
Toluene	50.0	56.1		ug/kg		112	76 - 126	0.2	50
Xylenes, total	150	176		ug/kg		117	80 - 130	1	50

Surrogate	LCS Dup % Recovery	LCS Dup Qualifier	Limits
1,2-Dichloroethane-d4	82		67 - 138
Dibromofluoromethane	93		75 - 125
Toluene-d8	95		76 - 129
4-Bromofluorobenzene	90		67 - 147

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B (Continued)

Lab Sample ID: 11G0464-MS1

Matrix: Soil

Analysis Batch: U012052

Client Sample ID: Matrix Spike

Prep Type: Total

Prep Batch: 11G0464_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Result	Matrix Spike Qualifier	Unit	D	% Rec	% Rec. Limits
Benzene	ND		0.0595	0.0539		mg/kg dry	☼	91	42 - 141
Ethylbenzene	ND		0.0595	0.0519		mg/kg dry	☼	87	21 - 165
Naphthalene	ND		0.0595	0.0126		mg/kg dry	☼	21	10 - 160
Toluene	ND		0.0595	0.0546		mg/kg dry	☼	92	45 - 145
Xylenes, total	ND		0.178	0.147		mg/kg dry	☼	82	31 - 159

Surrogate	Matrix Spike % Recovery	Matrix Spike Qualifier	Matrix Spike Limits
1,2-Dichloroethane-d4	84		67 - 138
Dibromofluoromethane	92		75 - 125
Toluene-d8	99		76 - 129
4-Bromofluorobenzene	98		67 - 147

Lab Sample ID: 11G0464-MSD1

Matrix: Soil

Analysis Batch: U012052

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total

Prep Batch: 11G0464_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Dup Result	Matrix Spike Dup Qualifier	Unit	D	% Rec	% Rec. Limits	RPD	RPD Limit
Benzene	ND		0.0595	0.0693		mg/kg dry	☼	116	42 - 141	25	50
Ethylbenzene	ND		0.0595	0.0654		mg/kg dry	☼	110	21 - 165	23	50
Naphthalene	ND		0.0595	0.0156		mg/kg dry	☼	26	10 - 160	21	50
Toluene	ND		0.0595	0.0685		mg/kg dry	☼	115	45 - 145	23	50
Xylenes, total	ND		0.178	0.187		mg/kg dry	☼	105	31 - 159	24	50

Surrogate	Matrix Spike Dup % Recovery	Matrix Spike Dup Qualifier	Matrix Spike Dup Limits
1,2-Dichloroethane-d4	95		67 - 138
Dibromofluoromethane	108		75 - 125
Toluene-d8	107		76 - 129
4-Bromofluorobenzene	98		67 - 147

Lab Sample ID: 11G1211-BLK1

Matrix: Soil

Analysis Batch: U012543

Client Sample ID: Method Blank

Prep Type: Total

Prep Batch: 11G1211_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.00110	mg/kg wet		07/07/11 12:07	07/12/11 14:17	1.00
Ethylbenzene	ND		0.00200	0.000980	mg/kg wet		07/07/11 12:07	07/12/11 14:17	1.00
Naphthalene	ND		0.00500	0.00170	mg/kg wet		07/07/11 12:07	07/12/11 14:17	1.00
Toluene	ND		0.00200	0.000890	mg/kg wet		07/07/11 12:07	07/12/11 14:17	1.00
Xylenes, total	ND		0.00500	0.00190	mg/kg wet		07/07/11 12:07	07/12/11 14:17	1.00

Surrogate	Blank % Recovery	Blank Qualifier	Blank Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	122		67 - 138	07/07/11 12:07	07/12/11 14:17	1.00
Dibromofluoromethane	104		75 - 125	07/07/11 12:07	07/12/11 14:17	1.00
Toluene-d8	100		76 - 129	07/07/11 12:07	07/12/11 14:17	1.00
4-Bromofluorobenzene	103		67 - 147	07/07/11 12:07	07/12/11 14:17	1.00

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B (Continued)

Lab Sample ID: 11G1211-BLK2

Matrix: Soil

Analysis Batch: U012543

Client Sample ID: Method Blank

Prep Type: Total

Prep Batch: 11G1211_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.100	0.0550	mg/kg wet		07/07/11 12:07	07/12/11 14:45	50.0
Ethylbenzene	ND		0.100	0.0490	mg/kg wet		07/07/11 12:07	07/12/11 14:45	50.0
Naphthalene	ND		0.250	0.0850	mg/kg wet		07/07/11 12:07	07/12/11 14:45	50.0
Toluene	ND		0.100	0.0445	mg/kg wet		07/07/11 12:07	07/12/11 14:45	50.0
Xylenes, total	ND		0.250	0.0950	mg/kg wet		07/07/11 12:07	07/12/11 14:45	50.0

Surrogate	Blank % Recovery	Blank Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	122		67 - 138	07/07/11 12:07	07/12/11 14:45	50.0
Dibromofluoromethane	94		75 - 125	07/07/11 12:07	07/12/11 14:45	50.0
Toluene-d8	98		76 - 129	07/07/11 12:07	07/12/11 14:45	50.0
4-Bromofluorobenzene	103		67 - 147	07/07/11 12:07	07/12/11 14:45	50.0

Lab Sample ID: 11G1211-BS1

Matrix: Soil

Analysis Batch: U012543

Client Sample ID: Lab Control Sample

Prep Type: Total

Prep Batch: 11G1211_P

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
Benzene	50.0	49.4		ug/kg		99	78 - 126
Ethylbenzene	50.0	52.0		ug/kg		104	79 - 130
Naphthalene	50.0	56.5		ug/kg		113	72 - 150
Toluene	50.0	51.9		ug/kg		104	76 - 126
Xylenes, total	150	151		ug/kg		101	80 - 130

Surrogate	LCS % Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4	119		67 - 138
Dibromofluoromethane	105		75 - 125
Toluene-d8	98		76 - 129
4-Bromofluorobenzene	102		67 - 147

Lab Sample ID: 11G1211-BSD1

Matrix: Soil

Analysis Batch: U012543

Client Sample ID: Lab Control Sample Dup

Prep Type: Total

Prep Batch: 11G1211_P

Analyte	Spike Added	LCS Dup Result	LCS Dup Qualifier	Unit	D	% Rec	% Rec. Limits	RPD	RPD Limit
Benzene	50.0	48.1		ug/kg		96	78 - 126	3	50
Ethylbenzene	50.0	50.2		ug/kg		100	79 - 130	4	50
Naphthalene	50.0	55.5		ug/kg		111	72 - 150	2	50
Toluene	50.0	50.4		ug/kg		101	76 - 126	3	50
Xylenes, total	150	146		ug/kg		97	80 - 130	4	50

Surrogate	LCS Dup % Recovery	LCS Dup Qualifier	Limits
1,2-Dichloroethane-d4	119		67 - 138
Dibromofluoromethane	105		75 - 125
Toluene-d8	99		76 - 129
4-Bromofluorobenzene	101		67 - 147

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B (Continued)

Lab Sample ID: 11G1211-MS1

Matrix: Soil

Analysis Batch: U012543

Client Sample ID: 321 Ash

Prep Type: Total

Prep Batch: 11G1211_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Result	Matrix Spike Qualifier	Unit	D	% Rec	% Rec. Limits
Benzene	ND		3.17	2.62		mg/kg dry	☼	83	42 - 141
Ethylbenzene	0.0710		3.17	2.87		mg/kg dry	☼	88	21 - 165
Naphthalene	4.12		3.17	7.91		mg/kg dry	☼	119	10 - 160
Toluene	ND		3.17	2.74		mg/kg dry	☼	87	45 - 145
Xylenes, total	ND		9.51	8.17		mg/kg dry	☼	86	31 - 159

Surrogate	Matrix Spike % Recovery	Matrix Spike Qualifier	Matrix Spike Limits
1,2-Dichloroethane-d4	116		67 - 138
Dibromofluoromethane	98		75 - 125
Toluene-d8	98		76 - 129
4-Bromofluorobenzene	107		67 - 147

Lab Sample ID: 11G1211-MSD1

Matrix: Soil

Analysis Batch: U012543

Client Sample ID: 321 Ash

Prep Type: Total

Prep Batch: 11G1211_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Dup Result	Matrix Spike Dup Qualifier	Unit	D	% Rec	% Rec. Limits	RPD	RPD Limit
Benzene	ND		3.17	2.53		mg/kg dry	☼	80	42 - 141	3	50
Ethylbenzene	0.0710		3.17	2.79		mg/kg dry	☼	86	21 - 165	3	50
Naphthalene	4.12		3.17	7.52		mg/kg dry	☼	107	10 - 160	5	50
Toluene	ND		3.17	2.68		mg/kg dry	☼	84	45 - 145	2	50
Xylenes, total	ND		9.51	7.93		mg/kg dry	☼	83	31 - 159	3	50

Surrogate	Matrix Spike Dup % Recovery	Matrix Spike Dup Qualifier	Matrix Spike Dup Limits
1,2-Dichloroethane-d4	114		67 - 138
Dibromofluoromethane	100		75 - 125
Toluene-d8	100		76 - 129
4-Bromofluorobenzene	105		67 - 147

Lab Sample ID: 11G3394-BLK1

Matrix: Soil

Analysis Batch: U012524

Client Sample ID: Method Blank

Prep Type: Total

Prep Batch: 11G3394_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.00110	mg/kg wet		07/13/11 18:39	07/13/11 23:20	1.00
Ethylbenzene	ND		0.00200	0.000980	mg/kg wet		07/13/11 18:39	07/13/11 23:20	1.00
Naphthalene	ND		0.00500	0.00170	mg/kg wet		07/13/11 18:39	07/13/11 23:20	1.00
Toluene	ND		0.00200	0.000890	mg/kg wet		07/13/11 18:39	07/13/11 23:20	1.00
Xylenes, total	ND		0.00500	0.00190	mg/kg wet		07/13/11 18:39	07/13/11 23:20	1.00

Surrogate	Blank % Recovery	Blank Qualifier	Blank Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	100		67 - 138	07/13/11 18:39	07/13/11 23:20	1.00
Dibromofluoromethane	78		75 - 125	07/13/11 18:39	07/13/11 23:20	1.00
Toluene-d8	102		76 - 129	07/13/11 18:39	07/13/11 23:20	1.00
4-Bromofluorobenzene	100		67 - 147	07/13/11 18:39	07/13/11 23:20	1.00

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B (Continued)

Lab Sample ID: 11G3394-BLK2

Matrix: Soil

Analysis Batch: U012524

Client Sample ID: Method Blank

Prep Type: Total

Prep Batch: 11G3394_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.100	0.0550	mg/kg wet		07/13/11 18:39	07/14/11 00:54	50.0
Ethylbenzene	ND		0.100	0.0490	mg/kg wet		07/13/11 18:39	07/14/11 00:54	50.0
Naphthalene	ND		0.250	0.0850	mg/kg wet		07/13/11 18:39	07/14/11 00:54	50.0
Toluene	ND		0.100	0.0445	mg/kg wet		07/13/11 18:39	07/14/11 00:54	50.0
Xylenes, total	ND		0.250	0.0950	mg/kg wet		07/13/11 18:39	07/14/11 00:54	50.0

Surrogate	Blank % Recovery	Blank Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	87		67 - 138	07/13/11 18:39	07/14/11 00:54	50.0
Dibromofluoromethane	99		75 - 125	07/13/11 18:39	07/14/11 00:54	50.0
Toluene-d8	99		76 - 129	07/13/11 18:39	07/14/11 00:54	50.0
4-Bromofluorobenzene	102		67 - 147	07/13/11 18:39	07/14/11 00:54	50.0

Lab Sample ID: 11G3394-BS1

Matrix: Soil

Analysis Batch: U012524

Client Sample ID: Lab Control Sample

Prep Type: Total

Prep Batch: 11G3394_P

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
Benzene	50.0	51.9		ug/kg		104	78 - 126
Ethylbenzene	50.0	55.4		ug/kg		111	79 - 130
Naphthalene	50.0	58.6		ug/kg		117	72 - 150
Toluene	50.0	53.7		ug/kg		107	76 - 126
Xylenes, total	150	166		ug/kg		110	80 - 130

Surrogate	LCS % Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4	100		67 - 138
Dibromofluoromethane	95		75 - 125
Toluene-d8	100		76 - 129
4-Bromofluorobenzene	101		67 - 147

Lab Sample ID: 11G3394-MS1

Matrix: Soil

Analysis Batch: U012524

Client Sample ID: 747 Bluebell

Prep Type: Total

Prep Batch: 11G3394_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Result	Matrix Spike Qualifier	Unit	D	% Rec	% Rec. Limits
Benzene	ND		6.64	7.28		mg/kg dry	☼	110	42 - 141
Ethylbenzene	0.436		6.64	8.39		mg/kg dry	☼	120	21 - 165
Naphthalene	11.7		6.64	21.5		mg/kg dry	☼	148	10 - 160
Toluene	ND		6.64	7.66		mg/kg dry	☼	115	45 - 145
Xylenes, total	ND		19.9	23.5		mg/kg dry	☼	118	31 - 159

Surrogate	Matrix Spike % Recovery	Matrix Spike Qualifier	Limits
1,2-Dichloroethane-d4	82		67 - 138
Dibromofluoromethane	78		75 - 125
Toluene-d8	99		76 - 129
4-Bromofluorobenzene	106		67 - 147

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B (Continued)

Lab Sample ID: 11G3394-MSD1

Matrix: Soil

Analysis Batch: U012524

Client Sample ID: 747 Bluebell

Prep Type: Total

Prep Batch: 11G3394_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Dup Result	Matrix Spike Dup Qualifier	Unit	D	% Rec	% Rec. Limits	RPD	RPD Limit
Benzene	ND		6.64	6.60		mg/kg dry	☼	99	42 - 141	10	50
Ethylbenzene	0.436		6.64	7.53		mg/kg dry	☼	107	21 - 165	11	50
Naphthalene	11.7		6.64	20.8		mg/kg dry	☼	136	10 - 160	4	50
Toluene	ND		6.64	7.24		mg/kg dry	☼	109	45 - 145	6	50
Xylenes, total	ND		19.9	21.3		mg/kg dry	☼	107	31 - 159	10	50

Surrogate	Matrix Spike Dup % Recovery	Matrix Spike Dup Qualifier	Matrix Spike Dup Limits
1,2-Dichloroethane-d4	104		67 - 138
Dibromofluoromethane	90		75 - 125
Toluene-d8	101		76 - 129
4-Bromofluorobenzene	107		67 - 147

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Lab Sample ID: 11G0601-BLK1

Matrix: Soil

Analysis Batch: 11G0601

Client Sample ID: Method Blank

Prep Type: Total

Prep Batch: 11G0601_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0670	0.0140	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Acenaphthylene	ND		0.0670	0.0200	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Anthracene	ND		0.0670	0.00900	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Benzo (a) anthracene	ND		0.0670	0.0110	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Benzo (a) pyrene	ND		0.0670	0.00800	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Benzo (b) fluoranthene	ND		0.0670	0.0380	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Benzo (g,h,i) perylene	ND		0.0670	0.00900	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Benzo (k) fluoranthene	ND		0.0670	0.0370	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Chrysene	ND		0.0670	0.0310	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Dibenz (a,h) anthracene	ND		0.0670	0.0150	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Fluoranthene	ND		0.0670	0.0110	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Fluorene	ND		0.0670	0.0200	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0670	0.0310	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Naphthalene	ND		0.0670	0.0140	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Phenanthrene	ND		0.0670	0.0100	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Pyrene	ND		0.0670	0.0230	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
1-Methylnaphthalene	ND		0.0670	0.0120	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
2-Methylnaphthalene	ND		0.0670	0.0210	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00

Surrogate	Blank % Recovery	Blank Qualifier	Blank Limits	Prepared	Analyzed	Dil Fac
Terphenyl-d14	88		18 - 120	07/05/11 13:00	07/06/11 02:57	1.00
2-Fluorobiphenyl	60		14 - 120	07/05/11 13:00	07/06/11 02:57	1.00
Nitrobenzene-d5	57		17 - 120	07/05/11 13:00	07/06/11 02:57	1.00

Lab Sample ID: 11G0601-BS1

Matrix: Soil

Analysis Batch: 11G0601

Client Sample ID: Lab Control Sample

Prep Type: Total

Prep Batch: 11G0601_P

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
Acenaphthene	1.67	1.26		mg/kg wet		76	49 - 120

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D (Continued)

Lab Sample ID: 11G0601-BS1

Matrix: Soil

Analysis Batch: 11G0601

Client Sample ID: Lab Control Sample

Prep Type: Total

Prep Batch: 11G0601_P

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec.	
							Limits	
Acenaphthylene	1.67	1.28		mg/kg wet		77	52 - 120	
Anthracene	1.67	1.39		mg/kg wet		84	58 - 120	
Benzo (a) anthracene	1.67	1.41		mg/kg wet		85	57 - 120	
Benzo (a) pyrene	1.67	1.55		mg/kg wet		93	55 - 120	
Benzo (b) fluoranthene	1.67	1.58		mg/kg wet		95	51 - 123	
Benzo (g,h,i) perylene	1.67	1.44		mg/kg wet		87	49 - 121	
Benzo (k) fluoranthene	1.67	1.34		mg/kg wet		80	42 - 129	
Chrysene	1.67	1.41		mg/kg wet		85	55 - 120	
Dibenz (a,h) anthracene	1.67	1.43		mg/kg wet		86	50 - 123	
Fluoranthene	1.67	1.41		mg/kg wet		85	58 - 120	
Fluorene	1.67	1.34		mg/kg wet		81	54 - 120	
Indeno (1,2,3-cd) pyrene	1.67	1.42		mg/kg wet		85	50 - 122	
Naphthalene	1.67	1.23		mg/kg wet		74	28 - 120	
Phenanthrene	1.67	1.36		mg/kg wet		82	56 - 120	
Pyrene	1.67	1.38		mg/kg wet		83	56 - 120	
1-Methylnaphthalene	1.67	0.929		mg/kg wet		56	36 - 120	
2-Methylnaphthalene	1.67	1.11		mg/kg wet		66	36 - 120	

Surrogate	LCS % Recovery	LCS Qualifier	Limits
Terphenyl-d14	86		18 - 120
2-Fluorobiphenyl	62		14 - 120
Nitrobenzene-d5	50		17 - 120

Lab Sample ID: 11G0601-MS1

Matrix: Soil

Analysis Batch: 11G0601

Client Sample ID: Matrix Spike

Prep Type: Total

Prep Batch: 11G0601_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Result	Matrix Spike Qualifier	Unit	D	% Rec	% Rec.	
									Limits	
Acenaphthene	ND		2.52	1.79		mg/kg dry	☼	71	42 - 120	
Acenaphthylene	ND		2.52	1.83		mg/kg dry	☼	73	32 - 120	
Anthracene	ND		2.52	2.03		mg/kg dry	☼	81	10 - 200	
Benzo (a) anthracene	0.0649		2.52	2.03		mg/kg dry	☼	78	41 - 120	
Benzo (a) pyrene	0.0679		2.52	2.14		mg/kg dry	☼	82	33 - 121	
Benzo (b) fluoranthene	0.0709		2.52	2.28		mg/kg dry	☼	88	26 - 137	
Benzo (g,h,i) perylene	ND		2.52	1.84		mg/kg dry	☼	73	21 - 124	
Benzo (k) fluoranthene	0.0605		2.52	1.83		mg/kg dry	☼	70	14 - 140	
Chrysene	0.0639		2.52	2.05		mg/kg dry	☼	79	28 - 123	
Dibenz (a,h) anthracene	ND		2.52	1.90		mg/kg dry	☼	75	25 - 127	
Fluoranthene	0.0724		2.52	2.05		mg/kg dry	☼	79	38 - 120	
Fluorene	ND		2.52	1.93		mg/kg dry	☼	77	41 - 120	
Indeno (1,2,3-cd) pyrene	ND		2.52	1.96		mg/kg dry	☼	78	25 - 123	
Naphthalene	ND		2.52	1.75		mg/kg dry	☼	70	25 - 120	
Phenanthrene	ND		2.52	1.99		mg/kg dry	☼	79	37 - 120	
Pyrene	0.0768		2.52	2.08		mg/kg dry	☼	80	29 - 125	
1-Methylnaphthalene	ND		2.52	1.32		mg/kg dry	☼	53	19 - 120	
2-Methylnaphthalene	ND		2.52	1.57		mg/kg dry	☼	63	11 - 120	

Surrogate	Matrix Spike % Recovery	Matrix Spike Qualifier	Limits
Terphenyl-d14	77		18 - 120

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D (Continued)

Lab Sample ID: 11G0601-MS1

Matrix: Soil

Analysis Batch: 11G0601

Client Sample ID: Matrix Spike

Prep Type: Total

Prep Batch: 11G0601_P

Surrogate	Matrix Spike	Matrix Spike	Limits
	% Recovery	Qualifier	
2-Fluorobiphenyl	54		14 - 120
Nitrobenzene-d5	49		17 - 120

Lab Sample ID: 11G0601-MSD1

Matrix: Soil

Analysis Batch: 11G0601

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total

Prep Batch: 11G0601_P

Analyte	Sample	Sample	Spike	Matrix Spike Dup	Matrix Spike Dup	Unit	D	% Rec.		RPD	
	Result	Qualifier	Added	Result	Qualifier			% Rec	Limits	RPD	Limit
Acenaphthene	ND		2.50	1.55		mg/kg dry	*	62	42 - 120	14	40
Acenaphthylene	ND		2.50	1.56		mg/kg dry	*	63	32 - 120	16	30
Anthracene	ND		2.50	1.73		mg/kg dry	*	69	10 - 200	16	50
Benzo (a) anthracene	0.0649		2.50	1.76		mg/kg dry	*	68	41 - 120	14	30
Benzo (a) pyrene	0.0679		2.50	1.90		mg/kg dry	*	73	33 - 121	12	33
Benzo (b) fluoranthene	0.0709		2.50	2.14		mg/kg dry	*	83	26 - 137	6	42
Benzo (g,h,i) perylene	ND		2.50	1.63		mg/kg dry	*	65	21 - 124	12	32
Benzo (k) fluoranthene	0.0605		2.50	1.40		mg/kg dry	*	54	14 - 140	27	39
Chrysene	0.0639		2.50	1.73		mg/kg dry	*	67	28 - 123	17	34
Dibenz (a,h) anthracene	ND		2.50	1.64		mg/kg dry	*	65	25 - 127	15	31
Fluoranthene	0.0724		2.50	1.86		mg/kg dry	*	72	38 - 120	9	35
Fluorene	ND		2.50	1.63		mg/kg dry	*	65	41 - 120	17	37
Indeno (1,2,3-cd) pyrene	ND		2.50	1.67		mg/kg dry	*	67	25 - 123	16	32
Naphthalene	ND		2.50	1.59		mg/kg dry	*	63	25 - 120	10	42
Phenanthrene	ND		2.50	1.72		mg/kg dry	*	69	37 - 120	14	32
Pyrene	0.0768		2.50	1.89		mg/kg dry	*	73	29 - 125	9	40
1-Methylnaphthalene	ND		2.50	1.21		mg/kg dry	*	48	19 - 120	9	45
2-Methylnaphthalene	ND		2.50	1.44		mg/kg dry	*	57	11 - 120	9	50

Surrogate	Matrix Spike Dup	Matrix Spike Dup	Limits
	% Recovery	Qualifier	
Terphenyl-d14	65		18 - 120
2-Fluorobiphenyl	46		14 - 120
Nitrobenzene-d5	46		17 - 120

Method: SW-846 - General Chemistry Parameters

Lab Sample ID: 11G2361-DUP1

Matrix: Soil

Analysis Batch: 11G2361

Client Sample ID: Duplicate

Prep Type: Total

Prep Batch: 11G2361_P

Analyte	Sample	Sample	Duplicate	Duplicate	Unit	D	RPD	
	Result	Qualifier	Result	Qualifier			RPD	Limit
% Dry Solids	73.1		72.9		%		0.2	20

QC Association Summary

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

GCMS Volatiles

Analysis Batch: U012052

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G0464-BS1	Lab Control Sample	Total	Soil	SW846 8260B	11G0464_P
11G0464-BSD1	Lab Control Sample Dup	Total	Soil	SW846 8260B	11G0464_P
11G0464-BLK1	Method Blank	Total	Soil	SW846 8260B	11G0464_P
NUG0346-01	308 Ash	Total	Soil	SW846 8260B	11G0464_P
NUG0346-02	318 Ash	Total	Soil	SW846 8260B	11G0464_P
NUG0346-03	321 Ash	Total	Soil	SW846 8260B	11G0464_P
NUG0346-04	747 Bluebell	Total	Soil	SW846 8260B	11G0464_P
11G0464-MS1	Matrix Spike	Total	Soil	SW846 8260B	11G0464_P
11G0464-MSD1	Matrix Spike Duplicate	Total	Soil	SW846 8260B	11G0464_P

Analysis Batch: U012524

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G3394-BS1	Lab Control Sample	Total	Soil	SW846 8260B	11G3394_P
11G3394-BLK1	Method Blank	Total	Soil	SW846 8260B	11G3394_P
11G3394-BLK2	Method Blank	Total	Soil	SW846 8260B	11G3394_P
NUG0346-04 - RE2	747 Bluebell	Total	Soil	SW846 8260B	11G3394_P
11G3394-MS1	747 Bluebell	Total	Soil	SW846 8260B	11G3394_P
11G3394-MSD1	747 Bluebell	Total	Soil	SW846 8260B	11G3394_P

Analysis Batch: U012543

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G1211-BS1	Lab Control Sample	Total	Soil	SW846 8260B	11G1211_P
11G1211-BSD1	Lab Control Sample Dup	Total	Soil	SW846 8260B	11G1211_P
11G1211-BLK1	Method Blank	Total	Soil	SW846 8260B	11G1211_P
11G1211-BLK2	Method Blank	Total	Soil	SW846 8260B	11G1211_P
NUG0346-04 - RE1	747 Bluebell	Total	Soil	SW846 8260B	11G1211_P
NUG0346-03 - RE1	321 Ash	Total	Soil	SW846 8260B	11G1211_P
11G1211-MS1	321 Ash	Total	Soil	SW846 8260B	11G1211_P
11G1211-MSD1	321 Ash	Total	Soil	SW846 8260B	11G1211_P

Prep Batch: 11G0464_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G0464-BS1	Lab Control Sample	Total	Soil	EPA 5035	
11G0464-BSD1	Lab Control Sample Dup	Total	Soil	EPA 5035	
11G0464-BLK1	Method Blank	Total	Soil	EPA 5035	
NUG0346-01	308 Ash	Total	Soil	EPA 5035	
NUG0346-02	318 Ash	Total	Soil	EPA 5035	
NUG0346-03	321 Ash	Total	Soil	EPA 5035	
NUG0346-04	747 Bluebell	Total	Soil	EPA 5035	
11G0464-MS1	Matrix Spike	Total	Soil	EPA 5035	
11G0464-MSD1	Matrix Spike Duplicate	Total	Soil	EPA 5035	

Prep Batch: 11G1211_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G1211-BS1	Lab Control Sample	Total	Soil	EPA 5035	
11G1211-BSD1	Lab Control Sample Dup	Total	Soil	EPA 5035	
11G1211-BLK1	Method Blank	Total	Soil	EPA 5035	
11G1211-BLK2	Method Blank	Total	Soil	EPA 5035	
NUG0346-04 - RE1	747 Bluebell	Total	Soil	EPA 5035	
NUG0346-03 - RE1	321 Ash	Total	Soil	EPA 5035	
11G1211-MS1	321 Ash	Total	Soil	EPA 5035	
11G1211-MSD1	321 Ash	Total	Soil	EPA 5035	

TestAmerica Nashville

QC Association Summary

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

GCMS Volatiles (Continued)

Prep Batch: 11G3394_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G3394-BS1	Lab Control Sample	Total	Soil	EPA 5035	
11G3394-BLK1	Method Blank	Total	Soil	EPA 5035	
11G3394-BLK2	Method Blank	Total	Soil	EPA 5035	
NUG0346-04 - RE2	747 Bluebell	Total	Soil	EPA 5035	
11G3394-MS1	747 Bluebell	Total	Soil	EPA 5035	
11G3394-MSD1	747 Bluebell	Total	Soil	EPA 5035	

GCMS Semivolatiles

Analysis Batch: 11G0601

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G0601-BLK1	Method Blank	Total	Soil	SW846 8270D	11G0601_P
11G0601-BS1	Lab Control Sample	Total	Soil	SW846 8270D	11G0601_P
11G0601-MS1	Matrix Spike	Total	Soil	SW846 8270D	11G0601_P
11G0601-MSD1	Matrix Spike Duplicate	Total	Soil	SW846 8270D	11G0601_P
NUG0346-01	308 Ash	Total	Soil	SW846 8270D	11G0601_P
NUG0346-02	318 Ash	Total	Soil	SW846 8270D	11G0601_P
NUG0346-03	321 Ash	Total	Soil	SW846 8270D	11G0601_P
NUG0346-03 - RE1	321 Ash	Total	Soil	SW846 8270D	11G0601_P
NUG0346-04 - RE1	747 Bluebell	Total	Soil	SW846 8270D	11G0601_P
NUG0346-04 - RE2	747 Bluebell	Total	Soil	SW846 8270D	11G0601_P

Prep Batch: 11G0601_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G0601-BLK1	Method Blank	Total	Soil	EPA 3550C	
11G0601-BS1	Lab Control Sample	Total	Soil	EPA 3550C	
11G0601-MS1	Matrix Spike	Total	Soil	EPA 3550C	
11G0601-MSD1	Matrix Spike Duplicate	Total	Soil	EPA 3550C	
NUG0346-01	308 Ash	Total	Soil	EPA 3550C	
NUG0346-02	318 Ash	Total	Soil	EPA 3550C	
NUG0346-03	321 Ash	Total	Soil	EPA 3550C	
NUG0346-03 - RE1	321 Ash	Total	Soil	EPA 3550C	
NUG0346-04 - RE1	747 Bluebell	Total	Soil	EPA 3550C	
NUG0346-04 - RE2	747 Bluebell	Total	Soil	EPA 3550C	

Extractions

Analysis Batch: 11G2361

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G2361-DUP1	Duplicate	Total	Soil	SW-846	11G2361_P
NUG0346-01	308 Ash	Total	Soil	SW-846	11G2361_P
NUG0346-02	318 Ash	Total	Soil	SW-846	11G2361_P
NUG0346-03	321 Ash	Total	Soil	SW-846	11G2361_P
NUG0346-04	747 Bluebell	Total	Soil	SW-846	11G2361_P

Prep Batch: 11G2361_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G2361-DUP1	Duplicate	Total	Soil	% Solids	
NUG0346-01	308 Ash	Total	Soil	% Solids	
NUG0346-02	318 Ash	Total	Soil	% Solids	
NUG0346-03	321 Ash	Total	Soil	% Solids	
NUG0346-04	747 Bluebell	Total	Soil	% Solids	

TestAmerica Nashville

Lab Chronicle

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Client Sample ID: 308 Ash

Date Collected: 06/27/11 13:15

Date Received: 07/02/11 08:30

Lab Sample ID: NUG0346-01

Matrix: Soil

Percent Solids: 77.8

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035		0.926	11G0464_P	06/27/11 13:15	AAN	TAL NSH
Total	Analysis	SW846 8260B		1.00	U012052	07/06/11 18:21	MJH	TAL NSH
Total	Prep	EPA 3550C		0.979	11G0601_P	07/05/11 13:00	JJR	TAL NSH
Total	Analysis	SW846 8270D		1.00	11G0601	07/06/11 06:31	BES	TAL NSH
Total	Prep	% Solids		1.00	11G2361_P	07/13/11 15:38	RRS	TAL NSH
Total	Analysis	SW-846		1.00	11G2361	07/14/11 12:26	AMS	TAL NSH

Client Sample ID: 318 Ash

Date Collected: 06/28/11 12:15

Date Received: 07/02/11 08:30

Lab Sample ID: NUG0346-02

Matrix: Soil

Percent Solids: 83.9

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035		0.850	11G0464_P	06/28/11 12:15	AAN	TAL NSH
Total	Analysis	SW846 8260B		1.00	U012052	07/06/11 18:53	MJH	TAL NSH
Total	Prep	EPA 3550C		0.994	11G0601_P	07/05/11 13:00	JJR	TAL NSH
Total	Analysis	SW846 8270D		1.00	11G0601	07/06/11 06:51	BES	TAL NSH
Total	Prep	% Solids		1.00	11G2361_P	07/13/11 15:38	RRS	TAL NSH
Total	Analysis	SW-846		1.00	11G2361	07/14/11 12:26	AMS	TAL NSH

Client Sample ID: 321 Ash

Date Collected: 06/29/11 12:45

Date Received: 07/02/11 08:30

Lab Sample ID: NUG0346-03

Matrix: Soil

Percent Solids: 79.8

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035		0.971	11G0464_P	06/29/11 12:45	AAN	TAL NSH
Total	Analysis	SW846 8260B		1.00	U012052	07/06/11 19:25	MJH	TAL NSH
Total	Prep	EPA 5035	RE1	1.01	11G1211_P	06/29/11 12:45	AAN	TAL NSH
Total	Analysis	SW846 8260B	RE1	50.0	U012543	07/12/11 15:42	MJH	TAL NSH
Total	Prep	EPA 3550C		0.977	11G0601_P	07/05/11 13:00	JJR	TAL NSH
Total	Analysis	SW846 8270D		1.00	11G0601	07/06/11 07:11	BES	TAL NSH
Total	Prep	EPA 3550C	RE1	0.977	11G0601_P	07/05/11 13:00	JJR	TAL NSH
Total	Analysis	SW846 8270D	RE1	5.00	11G0601	07/06/11 10:53	BES	TAL NSH
Total	Prep	% Solids		1.00	11G2361_P	07/13/11 15:38	RRS	TAL NSH
Total	Analysis	SW-846		1.00	11G2361	07/14/11 12:26	AMS	TAL NSH

Client Sample ID: 747 Bluebell

Date Collected: 06/30/11 11:15

Date Received: 07/02/11 08:30

Lab Sample ID: NUG0346-04

Matrix: Soil

Percent Solids: 75.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035		0.822	11G0464_P	06/30/11 11:15	AAN	TAL NSH
Total	Analysis	SW846 8260B		1.00	U012052	07/06/11 19:57	MJH	TAL NSH
Total	Prep	EPA 5035	RE1	0.847	11G1211_P	06/30/11 11:15	AAN	TAL NSH
Total	Analysis	SW846 8260B	RE1	50.0	U012543	07/12/11 15:14	MJH	TAL NSH
Total	Prep	EPA 5035	RE2	0.847	11G3394_P	06/30/11 11:15	AAN	TAL NSH

TestAmerica Nashville

Lab Chronicle

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Client Sample ID: 747 Bluebell

Lab Sample ID: NUG0346-04

Date Collected: 06/30/11 11:15

Matrix: Soil

Date Received: 07/02/11 08:30

Percent Solids: 75.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total	Analysis	SW846 8260B	RE2	100	U012524	07/14/11 01:25	MJH	TAL NSH
Total	Prep	EPA 3550C	RE1	0.977	11G0601_P	07/05/11 13:00	JJR	TAL NSH
Total	Analysis	SW846 8270D	RE1	10.0	11G0601	07/06/11 11:13	BES	TAL NSH
Total	Prep	EPA 3550C	RE2	0.977	11G0601_P	07/05/11 13:00	JJR	TAL NSH
Total	Analysis	SW846 8270D	RE2	20.0	11G0601	07/06/11 12:01	BES	TAL NSH
Total	Prep	% Solids		1.00	11G2361_P	07/13/11 15:38	RRS	TAL NSH
Total	Analysis	SW-846		1.00	11G2361	07/14/11 12:26	AMS	TAL NSH

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Road, Nashville, TN 37204, TEL 800-765-0980

Method Summary

Client: EEG - Small Business Group, Inc. (2449)

TestAmerica Job ID: NUG0346

Project/Site: [none]

Method	Method Description	Protocol	Laboratory
SW-846	General Chemistry Parameters		TAL NSH
SW846 8260B	Volatile Organic Compounds by EPA Method 8260B		TAL NSH
SW846 8270D	Polyaromatic Hydrocarbons by EPA 8270D		TAL NSH

Protocol References:

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Road, Nashville, TN 37204, TEL 800-765-0980

Certification Summary

Client: EEG - Small Business Group, Inc. (2449)

TestAmerica Job ID: NUG0346

Project/Site: [none]

Laboratory	Authority	Program	EPA Region	Certification ID
TestAmerica Nashville	A2LA	ISO/IEC 17025		0453.07
TestAmerica Nashville	A2LA	WY UST		453.07
TestAmerica Nashville	AIHA	IHLAP		100790
TestAmerica Nashville	Alabama	State Program	4	41150
TestAmerica Nashville	Alaska	Alaska UST	10	UST-087
TestAmerica Nashville	Arizona	State Program	9	AZ0473
TestAmerica Nashville	Arkansas	State Program	6	88-0737
TestAmerica Nashville	CALA	CALA		3744
TestAmerica Nashville	California	NELAC	9	1168CA
TestAmerica Nashville	Colorado	State Program	8	N/A
TestAmerica Nashville	Connecticut	State Program	1	PH-0220
TestAmerica Nashville	Florida	NELAC	4	E87358
TestAmerica Nashville	Illinois	NELAC	5	200010
TestAmerica Nashville	Iowa	State Program	7	131
TestAmerica Nashville	Kansas	NELAC	7	E-10229
TestAmerica Nashville	Kentucky	Kentucky UST	4	19
TestAmerica Nashville	Kentucky	State Program	4	90038
TestAmerica Nashville	Louisiana	NELAC	6	LA100011
TestAmerica Nashville	Louisiana	NELAC	6	30613
TestAmerica Nashville	Maryland	State Program	3	316
TestAmerica Nashville	Massachusetts	State Program	1	M-TN032
TestAmerica Nashville	Minnesota	NELAC	5	047-999-345
TestAmerica Nashville	Mississippi	State Program	4	N/A
TestAmerica Nashville	Montana	MT DEQ UST	8	NA
TestAmerica Nashville	Nevada	State Program	9	TN00032
TestAmerica Nashville	New Hampshire	NELAC	1	2963
TestAmerica Nashville	New Jersey	NELAC	2	TN965
TestAmerica Nashville	New York	NELAC	2	11342
TestAmerica Nashville	North Carolina	North Carolina DENR	4	387
TestAmerica Nashville	North Dakota	State Program	8	R-146
TestAmerica Nashville	Ohio	OVAP	5	CL0033
TestAmerica Nashville	Oklahoma	State Program	6	9412
TestAmerica Nashville	Oregon	NELAC	10	TN200001
TestAmerica Nashville	Pennsylvania	NELAC	3	68-00585
TestAmerica Nashville	Rhode Island	State Program	1	LAO00268
TestAmerica Nashville	South Carolina	State Program	4	84009
TestAmerica Nashville	South Carolina	State Program	4	84009
TestAmerica Nashville	Tennessee	State Program	4	2008
TestAmerica Nashville	Texas	NELAC	6	T104704077-09-TX
TestAmerica Nashville	USDA	USDA		S-48469
TestAmerica Nashville	Utah	NELAC	8	TAN
TestAmerica Nashville	Virginia	NELAC Secondary AB	3	460152
TestAmerica Nashville	Virginia	State Program	3	00323
TestAmerica Nashville	Washington	State Program	10	C789
TestAmerica Nashville	West Virginia	West Virginia DEP	3	219
TestAmerica Nashville	Wisconsin	State Program	5	998020430

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.

Phone: 615-726-0177
Toll Free: 800-765-0980
FAX: 615-726-3404

Compliance Monitoring?	Yes _____	No _____
Enforcement Action?	Yes _____	No _____

PO#: 1027

Project ID: Laurel Bay Housing Project

Sampler Signature:

FAX NO: 343 879-0401

2.2097
Pratt School
03/11/14

2.2097
Pratt School
03/11/14

Preservative

1

[illegible]

Laboratory Comments:

Temperature Upon Receipt: VOCs Free of Headspace?

人

Relinquished by: <i>[Signature]</i>	Date: 7/1/11	Time: 1000	Received by: <i>Pedex</i>	Date: 7-2-11	Time: 8:30
Relinquished by:	Date:	Time:	Received by Testimony	Date:	Time:

ATTACHMENT A

UST Certificate of Disposal

CONTRACTOR

Small Business Group, Inc.
10179 Highway 78
Ladson, SC 29456

TEL (843) 879-0403
FAX (843) 879-0401

TANK ID & LOCATION

UST 308Ash; 308 Ash Street, Laurel Bay Housing Area, MCAS Beaufort, S.C.

DISPOSAL LOCATION

Coastal Auto Salvage Co., Inc.
130 Laurel Bay Road
Beaufort, S.C. 29906

TYPE OF TANK

SIZE (GAL)

Steel

280

CLEANING/DISPOSAL METHOD

The tank and piping were unearthed, cut open, cleaned with a pressure washer, cut into sections, and recycled.

DISPOSAL CERTIFICATION

I certify that the above tank, piping and equipment has been properly cleaned and disposed of.



(Name)

1 7/25/11

(Date)

Appendix C

Regulatory Correspondence



Catherine E. Heigel, Director

Promoting and protecting the health of the public and the environment

July 1, 2015

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: No Further Action
Laurel Bay Underground Storage Tank Assessment Reports for:
See attached sheet

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the referenced Underground Storage Tanks (USTs) Assessment Reports for the addresses listed above. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

The Department has reviewed the referenced assessment reports and agrees there is no indication of soil or groundwater contamination on these properties, and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at kriegkm@dhec.sc.gov or 803-898-0255.

Sincerely,

Kent Krieg
Department of Defense Corrective Action Section
Bureau of Land and Waste Management
South Carolina Department of Health and Environmental Control

Cc: Russell Berry (via email)
Craig Ehde (via email)
Bryan Beck (via email)



Catherine E. Heigel, Director

Promoting and protecting the health of the public and the environment

Attachment to: Krieg to Drawdy
Subject: NFA
Dated 7/1/2015

Laurel Bay Underground Storage Tank Assessment Reports for: (153 addresses/161 tanks)

111 Birch	363 Aspen
123 Banyan	364 Aspen
131 Banyan	366 Aspen
134 Banyan	369 Aspen
145 Laurel Bay	373 Aspen
150 Laurel Bay	381 Aspen
153 Laurel Bay	401 Elderberry
154 Laurel Bay	402 Elderberry
155 Laurel Bay	404 Elderberry
200 Balsam	410 Elderberry
202 Balsam	420 Elderberry
203 Balsam	424 Elderberry
208 Balsam	435 Elderberry Tank 3
210 Balsam	452 Elderberry
211 Balsam	460 Elderberry
220 Cypress	465 Dogwood
222 Cypress	477 Laurel Bay
223 Cypress	487 Laurel Bay
252 Beech Tank 2	513 Laurel Bay
271 Beech Tank 1	519 Laurel Bay
271 Beech Tank 2	524 Laurel Bay
284 Birch Tank 1	535 Laurel Bay
284 Birch Tank 2	553 Dahlia
308 Ash	590 Aster
311 Ash	591 Aster
312 Ash	610 Dahlia
317 Ash	612 Dahlia
318 Ash	628 Dahlia
337 Ash	636 Dahlia
351 Ash Tank 1	637 Dahlia Tank 1
351 Ash Tank 2	637 Dahlia Tank 2
355 Ash Tank 1	641 Dahlia
355 Ash Tank 2	642 Dahlia Tank 1
360 Aspen	642 Dahlia Tank 2

Laurel Bay Underground Storage Tank Assessment Reports for: (153 addresses/161 tanks) cont.

655 Camellia	920 Albacore
662 Camellia	922 Barracuda Tank 1
683 Camellia	922 Barracuda Tank 2
684 Camellia	924 Albacore
689 Abelia	925 Albacore
694 Abelia	926 Albacore
695 Abelia	930 Albacore
741 Blue Bell	931 Albacore
742 Blue Bell	933 Albacore
755 Althea	936 Albacore
757 Althea	938 Albacore
776 Laurel Bay	939 Albacore
777 Azalea	940 Albacore
779 Laurel Bay	1010 Foxglove
781 Laurel Bay	1066 Gardenia
802 Azalea	1068 Gardenia
816 Azalea	1071 Heather Tank 2
822 Azalea	1100 Iris Tank 2
823 Azalea	1128 Iris
825 Azalea	1178 Bobwhite
828 Azalea	1204 Cardinal
837 Azalea	1208 Cardinal
851 Dolphin	1209 Cardinal
856 Dolphin	1210 Cardinal
857 Dolphin	1215 Cardinal
861 Dolphin	1216 Cardinal
864 Dolphin	1217 Cardinal Tank 1
868 Dolphin	1217 Cardinal Tank 2
872 Dolphin	1233 Dove
879 Cobia	1244 Dove
886 Cobia	1250 Dove
888 Cobia	1252 Dove
889 Cobia	1254 Dove
901 Barracuda	1256 Dove
902 Barracuda	1258 Dove
903 Barracuda	1263 Dove
904 Barracuda	1269 Dove
909 Barracuda	1276 Dove
910 Barracuda	1283 Dove
914 Barracuda	1285 Dove
915 Barracuda	1288 Eagle

Laurel Bay Underground Storage Tank Assessment Reports for: (153 addresses/161 tanks) cont.

1296 Eagle	1330 Albatross
1307 Eagle	1331 Albatross
1321 Albatross	1333 Albatross
1322 Albatross	1334 Albatross
1327 Albatross	1335 Albatross
1328 Albatross	