

SUMMARY REPORT
171 ASH STREET (FORMERLY 318 ASH STREET)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid-Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT
171 ASH STREET (FORMERLY 318 ASH STREET)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid- Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue
Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture
10560 Arrowhead Drive, Suite 500
Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016
CTO WE52
JUNE 2021

Table of Contents

1.0	INTRODUCTION.....	1
1.1	BACKGROUND INFORMATION.....	1
1.2	UST REMOVAL AND ASSESSMENT PROCESS.....	2
2.0	SAMPLING ACTIVITIES AND RESULTS.....	3
2.1	UST REMOVAL AND SOIL SAMPLING	3
2.2	SOIL ANALYTICAL RESULTS.....	4
3.0	PROPERTY STATUS	4
4.0	REFERENCES.....	4

Table

Table 1 Laboratory Analytical Results - Soil

Appendices

- | | |
|------------|--|
| Appendix A | Multi-Media Selection Process for LBMH |
| Appendix B | UST Assesment Report |
| Appendix C | Regulatory Correspondence |

List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level

1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 171 Ash Street (Formerly 318 Ash Street). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*

Division (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 171 Ash Street (Formerly 318 Ash Street). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 318 Ash Street* (MCAS Beaufort, 2011). The UST Assessment Report is provided in Appendix B.

2.1 UST Removal and Soil Sampling

On June 28, 2011, a single 280 gallon heating oil UST was removed from the landscaped area adjacent to the driveway at 171 Ash Street (Formerly 318 Ash Street). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of

the UST was 5'10" bgs and a single soil sample was collected from that depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 171 Ash Street (Formerly 318 Ash Street) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment.

3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 171 Ash Street (Formerly 317 Ash Street). This NFA determination was obtained in a letter dated July 1, 2015. SCDHEC's NFA letter is provided in Appendix C.

4.0 REFERENCES

Marine Corps Air Station Beaufort, 2011. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 318 Ash Street, Laurel Bay Military Housing Area*, September 2011.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

Table

Table 1
Laboratory Analytical Results - Soil
171 Ash Street (Formerly 318 Ash Street)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾	Results Sample Collected 06/28/11
Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)		
Benzene	0.003	ND
Ethylbenzene	1.15	0.0132
Naphthalene	0.036	0.0140
Toluene	0.627	0.00122
Xylenes, Total	13.01	0.0120
Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)		
Benzo(a)anthracene	0.66	0.0581
Benzo(b)fluoranthene	0.66	ND
Benzo(k)fluoranthene	0.66	ND
Chrysene	0.66	0.0834
Dibenz(a,h)anthracene	0.66	ND

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0 and 3.1 (SCDHEC, May 2015 and SCDHEC, February 2016) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

Appendix A
Multi-Media Selection Process for LBMH



Appendix A - Multi-Media Selection Process for LBMH

Appendix B
UST Assessment Report

Rec'd 9/13/11

Attachment 1

South Carolina Department of Health and Environmental Control (SCDHEC)
Underground Storage Tank (UST) Assessment Report

Date Received

State Use Only

Submit Completed Form To:
UST Program
SCDHEC
2600 Bull Street
Columbia, South Carolina 29201
Telephone (803) 896-7957

I. OWNERSHIP OF UST (S)

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)
Owner Name (Corporation, Individual, Public Agency, Other)

P.O. Box 55001
Mailing Address

Beaufort,	South Carolina	29904-5001
City	State	Zip Code
843	228-7317	Craig Ehde
Area Code	Telephone Number	Contact Person

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #

Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC
Facility Name or Company Site Identifier

318 Ash Street, Laurel Bay Military Housing Area
Street Address or State Road (as applicable)

Beaufort,	Beaufort
City	County

Attachment 2

III. INSURANCE INFORMATION

Insurance Statement

The petroleum release reported to DHEC on _____ at Permit ID Number _____ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? **YES** **NO** (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: _____

The policy deductible is: _____

The policy limit is: _____

If you have this type of insurance, please include a copy of the policy with this report.

IV. REQUEST FOR SUPERB FUNDING

I **DO / DO NOT** wish to participate in the SUPERB Program. (Circle one.)

V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.) _____

Signature _____

To be completed by Notary Public:

Sworn before me this _____ day of _____, 20 ____

(Name)

Notary Public for the state of _____.
Please affix State seal if you are commissioned outside South Carolina

VI. UST INFORMATION

- A. Product...(ex. Gas, Kerosene).....
 - B. Capacity..(ex. 1k, 2k).....
 - C. Age.....
 - D. Construction Material..(ex. Steel, FRP).....
 - E. Month/Year of Last Use.....
 - F. Depth (ft.) To Base of Tank.....
 - G. Spill Prevention Equipment Y/N.....
 - H. Overfill Prevention Equipment Y/N.....
 - I. Method of Closure Removed/Filled.....
 - J. Date Tanks Removed/Filled.....
 - K. Visible Corrosion or Pitting Y/N.....
 - L. Visible Holes Y/N.....
 - M. Method of disposal for any USTs removed from the ground (attach disposal manifests)

UST 318Ash was removed from the ground, cleaned and recycled. See Attachment "A."
-

318Ash			
Heating oil			
280 gal			
Late 1950s			
Steel			
Mid 1980s			
5'10"			
No			
No			
Removed			
6/28/11			
Yes			
Yes			

- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)

Contaminated water was pumped from UST 318Ash and disposed by MCAS.

- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST

Corrosion, pitting and holes were found throughout the tank.

VII. PIPING INFORMATION

- A. Construction Material..(ex. Steel, FRP).....
- B. Distance from UST to Dispenser.....
- C. Number of Dispensers.....
- D. Type of System Pressure or Suction.....
- E. Was Piping Removed from the Ground? Y/N
- F. Visible Corrosion or Pitting Y/N.....
- G. Visible Holes Y/N.....
- H. Age.....
- I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

318Ash				
Steel & Copper				
N/A				
N/A				
Suction				
No				
Yes				
No				
Late 1950s				

Corrosion and pitting were found on the surface of the steel vent pipe. Copper supply and return lines were sound.

VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

IX. SITE CONDITIONS

	Yes	No	Unk
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells? If yes, indicate depth and location on the site map.	<input checked="" type="checkbox"/>		
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells? If yes, indicate location on site map and describe the odor (strong, mild, etc.)	<input checked="" type="checkbox"/>		
C. Was water present in the UST excavation, soil borings, or trenches? If yes, how far below land surface (indicate location and depth)?	<input checked="" type="checkbox"/>		
D. Did contaminated soils remain stockpiled on site after closure? If yes, indicate the stockpile location on the site map. Name of DHEC representative authorizing soil removal:	<input checked="" type="checkbox"/>		
E. Was a petroleum sheen or free product detected on any excavation or boring waters? If yes, indicate location and thickness.	<input checked="" type="checkbox"/>		

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
318Ash	Excav at fill end	Soil	Sandy	5'10"	6/28/11 1215 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

* = Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.


XII. RECEPTORS

	Yes	No
A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system? If yes, indicate type of receptor, distance, and direction on site map.	*X	
B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system? If yes, indicate type of well, distance, and direction on site map.		X
C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system? If yes, indicate type of structure, distance, and direction on site map.		X
D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? If yes, indicate the type of utility, distance, and direction on the site map.	*X	
E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete? If yes, indicate the area of contaminated soil on the site map.		X

XIII. SITE MAP

You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)



318 ASH ST.

0 100 200 400 600 800 1,000
 Feet

SBG-EEG, Inc.

398 E. 5th North Street, Suite C
 Summerville SC 29483-6954

Ph. (843) 875-1930


Drawn By: L. DiAsio

Dwg Date: JULY 2011

**FIGURE 1: LOCATION MAP
 318 ASH STREET
 LAUREL BAY, BEAUFORT SC**



STORMWATER DRAINAGE
CANAL ≈790'



GRAPHIC SCALE
0 5' 10' 20'

SBG-EEG
10179 HWY 78
LADSON, SC 29456
ph. (843) 879-0400

FIGURE 2 SITE MAP
318 ASH ST., LAUREL BAY
MCAS BEAUFORT SC


SCALE: GRAPHIC

DWG DATE JULY 2011

STORMWATER DRAINAGE
CANAL ≈790'



318 ASH ST.
LAUREL BAY MILITARY HOUSING
MCAS BEAUFORT, SC



GRAPHIC SCALE
0 5'

UST 318ASH WAS
34" BELOW GRADE.

SBG-EEG
10179 HWY 78
LADSON, SC 29456

ph. (843) 879-0400

FIGURE 3 UST SAMPLE LOCATIONS
318 ASH ST., LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE JULY 2011



Picture 1: Location of UST 318Ash.



Picture 2: UST 318Ash excavation in progress.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	UST	318Ash						
Benzene		ND						
Toluene		0.00122 mg/kg						
Ethylbenzene		0.0132 mg/kg						
Xylenes		0.0120 mg/kg						
Naphthalene		0.0140 mg/kg						
Benzo (a) anthracene		0.0581 mg/kg						
Benzo (b) fluoranthene		ND						
Benzo (k) fluoranthene		ND						
Chrysene		0.0834 mg/kg						
Dibenz (a, h) anthracene		ND						
TPH (EPA 3550)								

CoC								
Benzene								
Toluene								
Ethylbenzene								
Xylenes								
Naphthalene								
Benzo (a) anthracene								
Benzo (b) fluoranthene								
Benzo (k) fluoranthene								
Chrysene								
Dibenz (a, h) anthracene								
TPH (EPA 3550)								

SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL ($\mu\text{g/l}$)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here)
(Please see Form #4)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Nashville

2960 Foster Creighton Road

Nashville, TN 37204

Tel: 800-765-0980

TestAmerica Job ID: NUG0346

Client Project/Site: [none]

Client Project Description: Laurel Bay Housing Project

For:

EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456

Attn: Tom McElwee



Authorized for release by:
07/19/2011 02:28:15 PM

Ken A. Hayes
Senior Project Manager
ken.hayes@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Definitions	4
Client Sample Results	5
QC Sample Results	11
QC Association	19
Chronicle	21
Method Summary	23
Certification Summary	24
Chain of Custody	25

Sample Summary

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
NUG0346-01	308 Ash	Soil	06/27/11 13:15	07/02/11 08:30
NUG0346-02	318 Ash	Soil	06/28/11 12:15	07/02/11 08:30
NUG0346-03	321 Ash	Soil	06/29/11 12:45	07/02/11 08:30
NUG0346-04	747 Bluebell	Soil	06/30/11 11:15	07/02/11 08:30

Definitions/Glossary

Client: EEG - Small Business Group, Inc. (2449)

Project/Site: [none]

TestAmerica Job ID: NUG0346

Qualifiers

GCMS Volatiles

Qualifier	Qualifier Description
J	Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.
ZX	Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.

GCMS Semivolatiles

Qualifier	Qualifier Description
J	Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
⊗	Listed under the "D" column to designate that the result is reported on a dry weight basis.
EPA	United States Environmental Protection Agency
ND	Not Detected above the reporting level.
MDL	Method Detection Limit
RL	Reporting Limit
RE, RE1 (etc.)	Indicates a Re-extraction or Reanalysis of the sample.
%R	Percent Recovery
RPD	Relative Percent Difference, a measure of the relative difference between two points.

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
 Project/Site: [none]

TestAmerica Job ID: NUG0346

Client Sample ID: 308 Ash
 Date Collected: 06/27/11 13:15
 Date Received: 07/02/11 08:30

Lab Sample ID: NUG0346-01
 Matrix: Soil
 Percent Solids: 77.8

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00238	0.00131	mg/kg dry	⊗	06/27/11 13:15	07/06/11 18:21	1.00
Ethylbenzene	ND		0.00238	0.00117	mg/kg dry	⊗	06/27/11 13:15	07/06/11 18:21	1.00
Naphthalene	0.0104			0.00595	mg/kg dry	⊗	06/27/11 13:15	07/06/11 18:21	1.00
Toluene	ND		0.00238	0.00106	mg/kg dry	⊗	06/27/11 13:15	07/06/11 18:21	1.00
Xylenes, total	ND		0.00595	0.00226	mg/kg dry	⊗	06/27/11 13:15	07/06/11 18:21	1.00
Surrogate	% Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	92			67 - 138			06/27/11 13:15	07/06/11 18:21	1.00
Dibromofluoromethane	99			75 - 125			06/27/11 13:15	07/06/11 18:21	1.00
Toluene-d8	96			76 - 129			06/27/11 13:15	07/06/11 18:21	1.00
4-Bromofluorobenzene	100			67 - 147			06/27/11 13:15	07/06/11 18:21	1.00

Method: SW846 8270D - Polycyclic Aromatic Hydrocarbons by EPA 8270D

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0843	0.0176	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:31	1.00
Acenaphthylene	ND		0.0843	0.0252	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:31	1.00
Anthracene	ND		0.0843	0.0113	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:31	1.00
Benzo (a) anthracene	ND		0.0843	0.0138	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:31	1.00
Benzo (a) pyrene	ND		0.0843	0.0101	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:31	1.00
Benzo (b) fluoranthene	ND		0.0843	0.0478	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:31	1.00
Benzo (g,h,i) perylene	ND		0.0843	0.0113	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:31	1.00
Benzo (k) fluoranthene	ND		0.0843	0.0466	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:31	1.00
Chrysene	ND		0.0843	0.0390	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:31	1.00
Dibenz (a,h) anthracene	ND		0.0843	0.0189	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:31	1.00
Fluoranthene	ND		0.0843	0.0138	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:31	1.00
Fluorene	ND		0.0843	0.0252	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:31	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0843	0.0390	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:31	1.00
Naphthalene	ND		0.0843	0.0176	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:31	1.00
Phenanthrene	ND		0.0843	0.0126	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:31	1.00
Pyrene	ND		0.0843	0.0289	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:31	1.00
1-Methylnaphthalene	ND		0.0843	0.0151	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:31	1.00
2-Methylnaphthalene	ND		0.0843	0.0264	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:31	1.00
Surrogate	% Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
Terphenyl-d14	76			18 - 120			07/05/11 13:00	07/06/11 06:31	1.00
2-Fluorobiphenyl	56			14 - 120			07/05/11 13:00	07/06/11 06:31	1.00
Nitrobenzene-d5	53			17 - 120			07/05/11 13:00	07/06/11 06:31	1.00

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	77.8		0.500	0.500	%		07/13/11 15:38	07/14/11 12:26	1.00

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
 Project/Site: [none]

TestAmerica Job ID: NUG0346

Client Sample ID: 318 Ash
 Date Collected: 06/28/11 12:15
 Date Received: 07/02/11 08:30

Lab Sample ID: NUG0346-02
 Matrix: Soil
 Percent Solids: 83.9

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00203	0.00112	mg/kg dry	⊗	06/28/11 12:15	07/06/11 18:53	1.00
Ethylbenzene	0.0132		0.00203	0.000994	mg/kg dry	⊗	06/28/11 12:15	07/06/11 18:53	1.00
Naphthalene	0.0140		0.00507	0.00172	mg/kg dry	⊗	06/28/11 12:15	07/06/11 18:53	1.00
Toluene	0.00122 J		0.00203	0.000902	mg/kg dry	⊗	06/28/11 12:15	07/06/11 18:53	1.00
Xylenes, total	0.0120		0.00507	0.00193	mg/kg dry	⊗	06/28/11 12:15	07/06/11 18:53	1.00
Surrogate	% Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	84			67 - 138			06/28/11 12:15	07/06/11 18:53	1.00
Dibromofluoromethane	92			75 - 125			06/28/11 12:15	07/06/11 18:53	1.00
Toluene-d8	112			76 - 129			06/28/11 12:15	07/06/11 18:53	1.00
4-Bromofluorobenzene	328 ZX			67 - 147			06/28/11 12:15	07/06/11 18:53	1.00

Method: SW846 8270D - Polycyclic Aromatic Hydrocarbons by EPA 8270D

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0794	0.0166	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:51	1.00
Acenaphthylene	ND		0.0794	0.0237	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:51	1.00
Anthracene	0.421		0.0794	0.0107	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:51	1.00
Benzo (a) anthracene	0.0581 J		0.0794	0.0130	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:51	1.00
Benzo (a) pyrene	ND		0.0794	0.00948	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:51	1.00
Benzo (b) fluoranthene	ND		0.0794	0.0450	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:51	1.00
Benzo (g,h,i) perylene	ND		0.0794	0.0107	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:51	1.00
Benzo (k) fluoranthene	ND		0.0794	0.0439	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:51	1.00
Chrysene	0.0834		0.0794	0.0367	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:51	1.00
Dibenz (a,h) anthracene	ND		0.0794	0.0178	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:51	1.00
Fluoranthene	0.181		0.0794	0.0130	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:51	1.00
Fluorene	1.41		0.0794	0.0237	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:51	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0794	0.0367	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:51	1.00
Naphthalene	0.157		0.0794	0.0166	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:51	1.00
Phenanthrene	3.46		0.0794	0.0119	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:51	1.00
Pyrene	0.449		0.0794	0.0273	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:51	1.00
1-Methylnaphthalene	0.707		0.0794	0.0142	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:51	1.00
2-Methylnaphthalene	0.810		0.0794	0.0249	mg/kg dry	⊗	07/05/11 13:00	07/06/11 06:51	1.00
Surrogate	% Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
Terphenyl-d14	87			18 - 120			07/05/11 13:00	07/06/11 06:51	1.00
2-Fluorobiphenyl	57			14 - 120			07/05/11 13:00	07/06/11 06:51	1.00
Nitrobenzene-d5	54			17 - 120			07/05/11 13:00	07/06/11 06:51	1.00

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	83.9		0.500	0.500	%		07/13/11 15:38	07/14/11 12:26	1.00

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
 Project/Site: [none]

TestAmerica Job ID: NUG0346

Client Sample ID: 321 Ash

Date Collected: 06/29/11 12:45
 Date Received: 07/02/11 08:30

Lab Sample ID: NUG0346-03

Matrix: Soil

Percent Solids: 79.8

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00243	0.00134	mg/kg dry	⊗	06/29/11 12:45	07/06/11 19:25	1.00
Ethylbenzene	0.0620		0.00243	0.00119	mg/kg dry	⊗	06/29/11 12:45	07/06/11 19:25	1.00
Toluene	ND		0.00243	0.00108	mg/kg dry	⊗	06/29/11 12:45	07/06/11 19:25	1.00
Xylenes, total	0.0283		0.00608	0.00231	mg/kg dry	⊗	06/29/11 12:45	07/06/11 19:25	1.00
Surrogate	% Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	75			67 - 138			06/29/11 12:45	07/06/11 19:25	1.00
Dibromofluoromethane	78			75 - 125			06/29/11 12:45	07/06/11 19:25	1.00
Toluene-d8	130	ZX		76 - 129			06/29/11 12:45	07/06/11 19:25	1.00
4-Bromofluorobenzene	574	ZX		67 - 147			06/29/11 12:45	07/06/11 19:25	1.00

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	4.12		0.317	0.108	mg/kg dry	⊗	06/29/11 12:45	07/12/11 15:42	50.0
Surrogate	% Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	119			67 - 138			06/29/11 12:45	07/12/11 15:42	50.0
Dibromofluoromethane	95			75 - 125			06/29/11 12:45	07/12/11 15:42	50.0
Toluene-d8	99			76 - 129			06/29/11 12:45	07/12/11 15:42	50.0
4-Bromofluorobenzene	106			67 - 147			06/29/11 12:45	07/12/11 15:42	50.0

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.406		0.0820	0.0171	mg/kg dry	⊗	07/05/11 13:00	07/06/11 07:11	1.00
Acenaphthylene	ND		0.0820	0.0245	mg/kg dry	⊗	07/05/11 13:00	07/06/11 07:11	1.00
Anthracene	0.213		0.0820	0.0110	mg/kg dry	⊗	07/05/11 13:00	07/06/11 07:11	1.00
Benzo (a) anthracene	0.120		0.0820	0.0135	mg/kg dry	⊗	07/05/11 13:00	07/06/11 07:11	1.00
Benzo (a) pyrene	0.0579	J	0.0820	0.00979	mg/kg dry	⊗	07/05/11 13:00	07/06/11 07:11	1.00
Benzo (b) fluoranthene	0.0837		0.0820	0.0465	mg/kg dry	⊗	07/05/11 13:00	07/06/11 07:11	1.00
Benzo (g,h,i) perylene	ND		0.0820	0.0110	mg/kg dry	⊗	07/05/11 13:00	07/06/11 07:11	1.00
Benzo (k) fluoranthene	0.0453	J	0.0820	0.0453	mg/kg dry	⊗	07/05/11 13:00	07/06/11 07:11	1.00
Chrysene	0.128		0.0820	0.0380	mg/kg dry	⊗	07/05/11 13:00	07/06/11 07:11	1.00
Dibenz (a,h) anthracene	ND		0.0820	0.0184	mg/kg dry	⊗	07/05/11 13:00	07/06/11 07:11	1.00
Fluoranthene	0.311		0.0820	0.0135	mg/kg dry	⊗	07/05/11 13:00	07/06/11 07:11	1.00
Fluorene	1.33		0.0820	0.0245	mg/kg dry	⊗	07/05/11 13:00	07/06/11 07:11	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0820	0.0380	mg/kg dry	⊗	07/05/11 13:00	07/06/11 07:11	1.00
Naphthalene	0.670		0.0820	0.0171	mg/kg dry	⊗	07/05/11 13:00	07/06/11 07:11	1.00
Phenanthrene	3.17		0.0820	0.0122	mg/kg dry	⊗	07/05/11 13:00	07/06/11 07:11	1.00
Pyrene	0.468		0.0820	0.0282	mg/kg dry	⊗	07/05/11 13:00	07/06/11 07:11	1.00
Surrogate	% Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
Terphenyl-d14	93			18 - 120			07/05/11 13:00	07/06/11 07:11	1.00
2-Fluorobiphenyl	55			14 - 120			07/05/11 13:00	07/06/11 07:11	1.00
Nitrobenzene-d5	60			17 - 120			07/05/11 13:00	07/06/11 07:11	1.00

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	4.21		0.410	0.0735	mg/kg dry	⊗	07/05/11 13:00	07/06/11 10:53	5.00
2-Methylnaphthalene	8.14		0.410	0.129	mg/kg dry	⊗	07/05/11 13:00	07/06/11 10:53	5.00

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Client Sample ID: 321 Ash

Date Collected: 06/29/11 12:45
Date Received: 07/02/11 08:30

Lab Sample ID: NUG0346-03

Matrix: Soil

Percent Solids: 79.8

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	79.8		0.500	0.500	%		07/13/11 15:38	07/14/11 12:26	1.00

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
 Project/Site: [none]

TestAmerica Job ID: NUG0346

Client Sample ID: 747 Bluebell

Lab Sample ID: NUG0346-04

Date Collected: 06/30/11 11:15
 Date Received: 07/02/11 08:30

Matrix: Soil

Percent Solids: 75.3

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00218	0.00120	mg/kg dry	⊗	06/30/11 11:15	07/06/11 19:57	1.00
Toluene	0.00178	J	0.00218	0.000972	mg/kg dry	⊗	06/30/11 11:15	07/06/11 19:57	1.00
Xylenes, total	0.137		0.00546	0.00208	mg/kg dry	⊗	06/30/11 11:15	07/06/11 19:57	1.00
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	80		67 - 138				06/30/11 11:15	07/06/11 19:57	1.00
Dibromofluoromethane	85		75 - 125				06/30/11 11:15	07/06/11 19:57	1.00
Toluene-d8	150	ZX	76 - 129				06/30/11 11:15	07/06/11 19:57	1.00
4-Bromofluorobenzene	260	ZX	67 - 147				06/30/11 11:15	07/06/11 19:57	1.00

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	0.409		0.113	0.0552	mg/kg dry	⊗	06/30/11 11:15	07/12/11 15:14	50.0
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	122		67 - 138				06/30/11 11:15	07/12/11 15:14	50.0
Dibromofluoromethane	95		75 - 125				06/30/11 11:15	07/12/11 15:14	50.0
Toluene-d8	98		76 - 129				06/30/11 11:15	07/12/11 15:14	50.0
4-Bromofluorobenzene	109		67 - 147				06/30/11 11:15	07/12/11 15:14	50.0

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B - RE2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	11.7		0.563	0.191	mg/kg dry	⊗	06/30/11 11:15	07/14/11 01:25	100
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	106		67 - 138				06/30/11 11:15	07/14/11 01:25	100
Dibromofluoromethane	94		75 - 125				06/30/11 11:15	07/14/11 01:25	100
Toluene-d8	67	ZX	76 - 129				06/30/11 11:15	07/14/11 01:25	100
4-Bromofluorobenzene	107		67 - 147				06/30/11 11:15	07/14/11 01:25	100

Method: SW846 8270D - Polycyclic Aromatic Hydrocarbons by EPA 8270D - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	1.93		0.869	0.182	mg/kg dry	⊗	07/05/11 13:00	07/06/11 11:13	10.0
Acenaphthylene	1.07		0.869	0.259	mg/kg dry	⊗	07/05/11 13:00	07/06/11 11:13	10.0
Anthracene	0.847	J	0.869	0.117	mg/kg dry	⊗	07/05/11 13:00	07/06/11 11:13	10.0
Benzo (a) anthracene	ND		0.869	0.143	mg/kg dry	⊗	07/05/11 13:00	07/06/11 11:13	10.0
Benzo (a) pyrene	ND		0.869	0.104	mg/kg dry	⊗	07/05/11 13:00	07/06/11 11:13	10.0
Benzo (b) fluoranthene	ND		0.869	0.493	mg/kg dry	⊗	07/05/11 13:00	07/06/11 11:13	10.0
Benzo (g,h,i) perylene	ND		0.869	0.117	mg/kg dry	⊗	07/05/11 13:00	07/06/11 11:13	10.0
Benzo (k) fluoranthene	ND		0.869	0.480	mg/kg dry	⊗	07/05/11 13:00	07/06/11 11:13	10.0
Chrysene	ND		0.869	0.402	mg/kg dry	⊗	07/05/11 13:00	07/06/11 11:13	10.0
Dibenz (a,h) anthracene	ND		0.869	0.195	mg/kg dry	⊗	07/05/11 13:00	07/06/11 11:13	10.0
Fluoranthene	ND		0.869	0.143	mg/kg dry	⊗	07/05/11 13:00	07/06/11 11:13	10.0
Fluorene	6.52		0.869	0.259	mg/kg dry	⊗	07/05/11 13:00	07/06/11 11:13	10.0
Indeno (1,2,3-cd) pyrene	ND		0.869	0.402	mg/kg dry	⊗	07/05/11 13:00	07/06/11 11:13	10.0
Naphthalene	8.48		0.869	0.182	mg/kg dry	⊗	07/05/11 13:00	07/06/11 11:13	10.0
Phenanthrene	10.8		0.869	0.130	mg/kg dry	⊗	07/05/11 13:00	07/06/11 11:13	10.0
Pyrene	0.636	J	0.869	0.298	mg/kg dry	⊗	07/05/11 13:00	07/06/11 11:13	10.0
1-Methylnaphthalene	27.1		0.869	0.156	mg/kg dry	⊗	07/05/11 13:00	07/06/11 11:13	10.0

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Client Sample ID: 747 Bluebell

Date Collected: 06/30/11 11:15
Date Received: 07/02/11 08:30

Lab Sample ID: NUG0346-04

Matrix: Soil

Percent Solids: 75.3

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Terphenyl-d14	88		18 - 120	07/05/11 13:00	07/06/11 11:13	10.0
2-Fluorobiphenyl	63		14 - 120	07/05/11 13:00	07/06/11 11:13	10.0
Nitrobenzene-d5	100		17 - 120	07/05/11 13:00	07/06/11 11:13	10.0

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D - RE2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Methylnaphthalene	48.5		1.74	0.545	mg/kg dry	⊗	07/05/11 13:00	07/06/11 12:01	20.0

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	75.3		0.500	0.500	%	D	07/13/11 15:38	07/14/11 12:26	1.00

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
 Project/Site: [none]

TestAmerica Job ID: NUG0346

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Lab Sample ID: 11G0464-BLK1

Matrix: Soil

Analysis Batch: U012052

Client Sample ID: Method Blank

Prep Type: Total

Prep Batch: 11G0464_P

Analyte	Blank	Blank	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene			ND		0.00200	0.00110	mg/kg wet		07/06/11 11:37	07/06/11 14:36	1.00
Ethylbenzene			ND		0.00200	0.000980	mg/kg wet		07/06/11 11:37	07/06/11 14:36	1.00
Naphthalene			ND		0.00500	0.00170	mg/kg wet		07/06/11 11:37	07/06/11 14:36	1.00
Toluene			ND		0.00200	0.000890	mg/kg wet		07/06/11 11:37	07/06/11 14:36	1.00
Xylenes, total			ND		0.00500	0.00190	mg/kg wet		07/06/11 11:37	07/06/11 14:36	1.00

Blank **Blank**

Surrogate	Blank	Blank	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4			93		67 - 138	07/06/11 11:37	07/06/11 14:36	1.00
Dibromofluoromethane			102		75 - 125	07/06/11 11:37	07/06/11 14:36	1.00
Toluene-d8			93		76 - 129	07/06/11 11:37	07/06/11 14:36	1.00
4-Bromofluorobenzene			98		67 - 147	07/06/11 11:37	07/06/11 14:36	1.00

Lab Sample ID: 11G0464-BS1

Matrix: Soil

Analysis Batch: U012052

Client Sample ID: Lab Control Sample

Prep Type: Total

Prep Batch: 11G0464_P

Analyte	Spike	LCS	LCS	Added	Result	Qualifier	Unit	D	% Rec	Limits	% Rec.
Benzene				50.0	53.6		ug/kg		107	78 - 126	
Ethylbenzene				50.0	57.4		ug/kg		115	79 - 130	
Naphthalene				50.0	43.6		ug/kg		87	72 - 150	
Toluene				50.0	56.2		ug/kg		112	76 - 126	
Xylenes, total				150	177		ug/kg		118	80 - 130	

LCS **LCS**

Surrogate	% Recovery	Qualifier	Limits
1,2-Dichloroethane-d4	86		67 - 138
Dibromofluoromethane	98		75 - 125
Toluene-d8	94		76 - 129
4-Bromofluorobenzene	88		67 - 147

Lab Sample ID: 11G0464-BSD1

Matrix: Soil

Analysis Batch: U012052

Client Sample ID: Lab Control Sample Dup

Prep Type: Total

Prep Batch: 11G0464_P

Analyte	Spike	LCS Dup	LCS Dup	Added	Result	Qualifier	Unit	D	% Rec	Limits	RPD	Limit
Benzene				50.0	52.0		ug/kg		104	78 - 126	3	50
Ethylbenzene				50.0	57.2		ug/kg		114	79 - 130	0.5	50
Naphthalene				50.0	43.2		ug/kg		86	72 - 150	1	50
Toluene				50.0	56.1		ug/kg		112	76 - 126	0.2	50
Xylenes, total				150	176		ug/kg		117	80 - 130	1	50

LCS Dup **LCS Dup**

Surrogate	% Recovery	Qualifier	Limits
1,2-Dichloroethane-d4	82		67 - 138
Dibromofluoromethane	93		75 - 125
Toluene-d8	95		76 - 129
4-Bromofluorobenzene	90		67 - 147

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
 Project/Site: [none]

TestAmerica Job ID: NUG0346

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B (Continued)

Lab Sample ID: 11G0464-MS1

Matrix: Soil

Analysis Batch: U012052

Client Sample ID: Matrix Spike

Prep Type: Total

Prep Batch: 11G0464_P

Analyte	Sample	Sample	Spike	Matrix Spike	Matrix Spike	% Rec.			
	Result	Qualifier	Added	Result	Qualifier	Unit	D	% Rec	Limits
Benzene	ND		0.0595	0.0539		mg/kg dry	⊗	91	42 - 141
Ethylbenzene	ND		0.0595	0.0519		mg/kg dry	⊗	87	21 - 165
Naphthalene	ND		0.0595	0.0126		mg/kg dry	⊗	21	10 - 160
Toluene	ND		0.0595	0.0546		mg/kg dry	⊗	92	45 - 145
Xylenes, total	ND		0.178	0.147		mg/kg dry	⊗	82	31 - 159
Surrogate		Matrix Spike	Matrix Spike						
		% Recovery	Qualifier		Limits				
1,2-Dichloroethane-d4		84		67 - 138					
Dibromofluoromethane		92		75 - 125					
Toluene-d8		99		76 - 129					
4-Bromofluorobenzene		98		67 - 147					

Lab Sample ID: 11G0464-MSD1

Matrix: Soil

Analysis Batch: U012052

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total

Prep Batch: 11G0464_P

Analyte	Sample	Sample	Spike	Matrix Spike Dup	Matrix Spike Dup	% Rec.			RPD	Limit
	Result	Qualifier	Added	Result	Qualifier	Unit	D	% Rec	Limits	RPD
Benzene	ND		0.0595	0.0693		mg/kg dry	⊗	116	42 - 141	25
Ethylbenzene	ND		0.0595	0.0654		mg/kg dry	⊗	110	21 - 165	23
Naphthalene	ND		0.0595	0.0156		mg/kg dry	⊗	26	10 - 160	21
Toluene	ND		0.0595	0.0685		mg/kg dry	⊗	115	45 - 145	23
Xylenes, total	ND		0.178	0.187		mg/kg dry	⊗	105	31 - 159	24
Surrogate		Matrix Spike Dup	Matrix Spike Dup							
		% Recovery	Qualifier		Limits					
1,2-Dichloroethane-d4		95		67 - 138						
Dibromofluoromethane		108		75 - 125						
Toluene-d8		107		76 - 129						
4-Bromofluorobenzene		98		67 - 147						

Lab Sample ID: 11G1211-BLK1

Matrix: Soil

Analysis Batch: U012543

Client Sample ID: Method Blank

Prep Type: Total

Prep Batch: 11G1211_P

Analyte	Blank	Blank	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier					Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.00110	mg/kg wet		07/07/11 12:07	07/12/11 14:17	1.00
Ethylbenzene	ND		0.00200	0.000980	mg/kg wet		07/07/11 12:07	07/12/11 14:17	1.00
Naphthalene	ND		0.00500	0.00170	mg/kg wet		07/07/11 12:07	07/12/11 14:17	1.00
Toluene	ND		0.00200	0.000890	mg/kg wet		07/07/11 12:07	07/12/11 14:17	1.00
Xylenes, total	ND		0.00500	0.00190	mg/kg wet		07/07/11 12:07	07/12/11 14:17	1.00
Surrogate		Blank	Blank				Prepared	Analyzed	Dil Fac
		% Recovery	Qualifier		Limits				
1,2-Dichloroethane-d4		122		67 - 138			07/07/11 12:07	07/12/11 14:17	1.00
Dibromofluoromethane		104		75 - 125			07/07/11 12:07	07/12/11 14:17	1.00
Toluene-d8		100		76 - 129			07/07/11 12:07	07/12/11 14:17	1.00
4-Bromofluorobenzene		103		67 - 147			07/07/11 12:07	07/12/11 14:17	1.00

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B (Continued)

Lab Sample ID: 11G1211-BLK2

Matrix: Soil

Analysis Batch: U012543

Client Sample ID: Method Blank

Prep Type: Total

Prep Batch: 11G1211_P

Analyte	Blank	Blank	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	ND		0.100	0.0550	mg/kg wet		07/07/11 12:07	07/12/11 14:45	50.0
Ethylbenzene	ND		0.100	0.0490	mg/kg wet		07/07/11 12:07	07/12/11 14:45	50.0
Naphthalene	ND		0.250	0.0850	mg/kg wet		07/07/11 12:07	07/12/11 14:45	50.0
Toluene	ND		0.100	0.0445	mg/kg wet		07/07/11 12:07	07/12/11 14:45	50.0
Xylenes, total	ND		0.250	0.0950	mg/kg wet		07/07/11 12:07	07/12/11 14:45	50.0

Surrogate	Blank	Blank	% Recovery	Qualifier	Limits		Prepared	Analyzed	Dil Fac
	% Recovery	Qualifier							
1,2-Dichloroethane-d4	122		67 - 138				07/07/11 12:07	07/12/11 14:45	50.0
Dibromofluoromethane	94		75 - 125				07/07/11 12:07	07/12/11 14:45	50.0
Toluene-d8	98		76 - 129				07/07/11 12:07	07/12/11 14:45	50.0
4-Bromofluorobenzene	103		67 - 147				07/07/11 12:07	07/12/11 14:45	50.0

Lab Sample ID: 11G1211-BS1

Matrix: Soil

Analysis Batch: U012543

Client Sample ID: Lab Control Sample

Prep Type: Total

Prep Batch: 11G1211_P

Analyte	Spike	LCS		Unit	D	% Rec	Limits	
		Added	Result					
Benzene		50.0	49.4	ug/kg		99	78 - 126	
Ethylbenzene		50.0	52.0	ug/kg		104	79 - 130	
Naphthalene		50.0	56.5	ug/kg		113	72 - 150	
Toluene		50.0	51.9	ug/kg		104	76 - 126	
Xylenes, total		150	151	ug/kg		101	80 - 130	

Surrogate	LCS		% Recovery	Qualifier	Limits		Prepared	Analyzed	Dil Fac
	LCS	LCS							
1,2-Dichloroethane-d4	119		67 - 138						
Dibromofluoromethane	105		75 - 125						
Toluene-d8	98		76 - 129						
4-Bromofluorobenzene	102		67 - 147						

Lab Sample ID: 11G1211-BSD1

Matrix: Soil

Analysis Batch: U012543

Client Sample ID: Lab Control Sample Dup

Prep Type: Total

Prep Batch: 11G1211_P

Analyte	Spike	LCS Dup		Unit	D	% Rec	Limits	RPD	Limit
		Added	Result						
Benzene		50.0	48.1	ug/kg		96	78 - 126	3	50
Ethylbenzene		50.0	50.2	ug/kg		100	79 - 130	4	50
Naphthalene		50.0	55.5	ug/kg		111	72 - 150	2	50
Toluene		50.0	50.4	ug/kg		101	76 - 126	3	50
Xylenes, total		150	146	ug/kg		97	80 - 130	4	50

Surrogate	LCS Dup		% Recovery	Qualifier	Limits		Prepared	Analyzed	Dil Fac
	LCS Dup	LCS Dup							
1,2-Dichloroethane-d4	119		67 - 138						
Dibromofluoromethane	105		75 - 125						
Toluene-d8	99		76 - 129						
4-Bromofluorobenzene	101		67 - 147						

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
 Project/Site: [none]

TestAmerica Job ID: NUG0346

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B (Continued)

Lab Sample ID: 11G1211-MS1

Matrix: Soil

Analysis Batch: U012543

Client Sample ID: 321 Ash

Prep Type: Total

Prep Batch: 11G1211_P

Analyte	Sample	Sample	Spike	Matrix Spike	Matrix Spike	% Rec.			
	Result	Qualifier	Added	Result	Qualifier	Unit	D	% Rec	Limits
Benzene	ND		3.17	2.62		mg/kg dry	⊗	83	42 - 141
Ethylbenzene	0.0710		3.17	2.87		mg/kg dry	⊗	88	21 - 165
Naphthalene	4.12		3.17	7.91		mg/kg dry	⊗	119	10 - 160
Toluene	ND		3.17	2.74		mg/kg dry	⊗	87	45 - 145
Xylenes, total	ND		9.51	8.17		mg/kg dry	⊗	86	31 - 159
Surrogate		Matrix Spike	Matrix Spike						
		% Recovery	Qualifier		Limits				
1,2-Dichloroethane-d4	116			67 - 138					
Dibromofluoromethane	98			75 - 125					
Toluene-d8	98			76 - 129					
4-Bromofluorobenzene	107			67 - 147					

Lab Sample ID: 11G1211-MSD1

Matrix: Soil

Analysis Batch: U012543

Client Sample ID: 321 Ash

Prep Type: Total

Prep Batch: 11G1211_P

Analyte	Sample	Sample	Spike	Matrix Spike Dup	Matrix Spike Dup	% Rec.			RPD	Limit	
	Result	Qualifier	Added	Result	Qualifier	Unit	D	% Rec	Limits	RPD	
Benzene	ND		3.17	2.53		mg/kg dry	⊗	80	42 - 141	3	50
Ethylbenzene	0.0710		3.17	2.79		mg/kg dry	⊗	86	21 - 165	3	50
Naphthalene	4.12		3.17	7.52		mg/kg dry	⊗	107	10 - 160	5	50
Toluene	ND		3.17	2.68		mg/kg dry	⊗	84	45 - 145	2	50
Xylenes, total	ND		9.51	7.93		mg/kg dry	⊗	83	31 - 159	3	50
Surrogate		Matrix Spike Dup	Matrix Spike Dup								
		% Recovery	Qualifier		Limits						
1,2-Dichloroethane-d4	114			67 - 138							
Dibromofluoromethane	100			75 - 125							
Toluene-d8	100			76 - 129							
4-Bromofluorobenzene	105			67 - 147							

Lab Sample ID: 11G3394-BLK1

Matrix: Soil

Analysis Batch: U012524

Client Sample ID: Method Blank

Prep Type: Total

Prep Batch: 11G3394_P

Analyte	Blank	Blank	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier					Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.00110	mg/kg wet		07/13/11 18:39	07/13/11 23:20	1.00
Ethylbenzene	ND		0.00200	0.000980	mg/kg wet		07/13/11 18:39	07/13/11 23:20	1.00
Naphthalene	ND		0.00500	0.00170	mg/kg wet		07/13/11 18:39	07/13/11 23:20	1.00
Toluene	ND		0.00200	0.000890	mg/kg wet		07/13/11 18:39	07/13/11 23:20	1.00
Xylenes, total	ND		0.00500	0.00190	mg/kg wet		07/13/11 18:39	07/13/11 23:20	1.00
Surrogate		Blank	Blank				Prepared	Analyzed	Dil Fac
		% Recovery	Qualifier		Limits				
1,2-Dichloroethane-d4	100			67 - 138			07/13/11 18:39	07/13/11 23:20	1.00
Dibromofluoromethane	78			75 - 125			07/13/11 18:39	07/13/11 23:20	1.00
Toluene-d8	102			76 - 129			07/13/11 18:39	07/13/11 23:20	1.00
4-Bromofluorobenzene	100			67 - 147			07/13/11 18:39	07/13/11 23:20	1.00

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
 Project/Site: [none]

TestAmerica Job ID: NUG0346

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B (Continued)

Lab Sample ID: 11G3394-BLK2

Matrix: Soil

Analysis Batch: U012524

Client Sample ID: Method Blank

Prep Type: Total

Prep Batch: 11G3394_P

Analyte	Blank	Blank	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier									
Benzene	ND		0.100		0.0550	mg/kg wet		07/13/11 18:39	07/14/11 00:54		50.0
Ethylbenzene	ND		0.100		0.0490	mg/kg wet		07/13/11 18:39	07/14/11 00:54		50.0
Naphthalene	ND		0.250		0.0850	mg/kg wet		07/13/11 18:39	07/14/11 00:54		50.0
Toluene	ND		0.100		0.0445	mg/kg wet		07/13/11 18:39	07/14/11 00:54		50.0
Xylenes, total	ND		0.250		0.0950	mg/kg wet		07/13/11 18:39	07/14/11 00:54		50.0

Surrogate	Blank	Blank	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
1,2-Dichloroethane-d4	87		67 - 138			07/13/11 18:39	07/14/11 00:54	50.0
Dibromofluoromethane	99		75 - 125			07/13/11 18:39	07/14/11 00:54	50.0
Toluene-d8	99		76 - 129			07/13/11 18:39	07/14/11 00:54	50.0
4-Bromofluorobenzene	102		67 - 147			07/13/11 18:39	07/14/11 00:54	50.0

Lab Sample ID: 11G3394-BS1

Matrix: Soil

Analysis Batch: U012524

Client Sample ID: Lab Control Sample

Prep Type: Total

Prep Batch: 11G3394_P

Analyte	Blank	Blank	Spike	LCS	LCS	Added	Result	Qualifier	Unit	D	% Rec	Limits
	Result	Qualifier	Added	Result	Qualifier							
Benzene	ND		50.0	51.9		ug/kg				104	78 - 126	
Ethylbenzene	ND		50.0	55.4		ug/kg				111	79 - 130	
Naphthalene	ND		50.0	58.6		ug/kg				117	72 - 150	
Toluene	ND		50.0	53.7		ug/kg				107	76 - 126	
Xylenes, total	ND		150	166		ug/kg				110	80 - 130	

Surrogate	Blank	Blank	LCS	LCS	Limits	% Recovery	Qualifier
	Result	Qualifier	Added	Result	Qualifier		
1,2-Dichloroethane-d4	100		67 - 138				
Dibromofluoromethane	95		75 - 125				
Toluene-d8	100		76 - 129				
4-Bromofluorobenzene	101		67 - 147				

Lab Sample ID: 11G3394-MS1

Matrix: Soil

Analysis Batch: U012524

Client Sample ID: 747 Bluebell

Prep Type: Total

Prep Batch: 11G3394_P

Analyte	Sample	Sample	Spike	Matrix Spike	Matrix Spike	Result	Qualifier	Unit	D	% Rec	Limits
	Result	Qualifier	Added	Result	Qualifier						
Benzene	ND		6.64	7.28		mg/kg dry	⊗	110	42 - 141		
Ethylbenzene	0.436		6.64	8.39		mg/kg dry	⊗	120	21 - 165		
Naphthalene	11.7		6.64	21.5		mg/kg dry	⊗	148	10 - 160		
Toluene	ND		6.64	7.66		mg/kg dry	⊗	115	45 - 145		
Xylenes, total	ND		19.9	23.5		mg/kg dry	⊗	118	31 - 159		

Surrogate	Matrix Spike	Matrix Spike	Limits	% Recovery	Qualifier
	Result	Qualifier	Added		
1,2-Dichloroethane-d4	82		67 - 138		
Dibromofluoromethane	78		75 - 125		
Toluene-d8	99		76 - 129		
4-Bromofluorobenzene	106		67 - 147		

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B (Continued)

Lab Sample ID: 11G3394-MSD1

Matrix: Soil

Analysis Batch: U012524

Client Sample ID: 747 Bluebell

Prep Type: Total

Prep Batch: 11G3394_P

Analyte	Sample	Sample	Spike	Matrix Spike Dup	Matrix Spike Dup				% Rec.	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier	Unit	D	% Rec	Limits	RPD	Limit
Benzene	ND		6.64	6.60		mg/kg dry	⊗	99	42 - 141	10	50
Ethylbenzene	0.436		6.64	7.53		mg/kg dry	⊗	107	21 - 165	11	50
Naphthalene	11.7		6.64	20.8		mg/kg dry	⊗	136	10 - 160	4	50
Toluene	ND		6.64	7.24		mg/kg dry	⊗	109	45 - 145	6	50
Xylenes, total	ND		19.9	21.3		mg/kg dry	⊗	107	31 - 159	10	50
Surrogate		Matrix Spike Dup	Matrix Spike Dup								
		% Recovery	Qualifier	Limits							
1,2-Dichloroethane-d4		104		67 - 138							
Dibromofluoromethane		90		75 - 125							
Toluene-d8		101		76 - 129							
4-Bromofluorobenzene		107		67 - 147							

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Lab Sample ID: 11G0601-BLK1

Matrix: Soil

Analysis Batch: 11G0601

Client Sample ID: Method Blank

Prep Type: Total

Prep Batch: 11G0601_P

Analyte	Blank	Blank	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Acenaphthene	ND		0.0670	0.0140	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Acenaphthylene	ND		0.0670	0.0200	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Anthracene	ND		0.0670	0.00900	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Benzo (a) anthracene	ND		0.0670	0.0110	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Benzo (a) pyrene	ND		0.0670	0.00800	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Benzo (b) fluoranthene	ND		0.0670	0.0380	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Benzo (g,h,i) perylene	ND		0.0670	0.00900	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Benzo (k) fluoranthene	ND		0.0670	0.0370	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Chrysene	ND		0.0670	0.0310	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Dibenz (a,h) anthracene	ND		0.0670	0.0150	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Fluoranthene	ND		0.0670	0.0110	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Fluorene	ND		0.0670	0.0200	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0670	0.0310	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Naphthalene	ND		0.0670	0.0140	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Phenanthrene	ND		0.0670	0.0100	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Pyrene	ND		0.0670	0.0230	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
1-Methylnaphthalene	ND		0.0670	0.0120	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
2-Methylnaphthalene	ND		0.0670	0.0210	mg/kg wet		07/05/11 13:00	07/06/11 02:57	1.00
Surrogate		Blank	Blank				Prepared	Analyzed	Dil Fac
		% Recovery	Qualifier	Limits					
Terphenyl-d14		88		18 - 120			07/05/11 13:00	07/06/11 02:57	1.00
2-Fluorobiphenyl		60		14 - 120			07/05/11 13:00	07/06/11 02:57	1.00
Nitrobenzene-d5		57		17 - 120			07/05/11 13:00	07/06/11 02:57	1.00

Lab Sample ID: 11G0601-BS1

Matrix: Soil

Analysis Batch: 11G0601

Client Sample ID: Lab Control Sample

Prep Type: Total

Prep Batch: 11G0601_P

Analyte	Spike	LCS	LCS				% Rec.
	Added	Result	Qualifier	Unit	D	% Rec	
Acenaphthene	1.67	1.26		mg/kg wet	76	49 - 120	

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
 Project/Site: [none]

TestAmerica Job ID: NUG0346

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D (Continued)

Lab Sample ID: 11G0601-BS1

Matrix: Soil

Analysis Batch: 11G0601

Client Sample ID: Lab Control Sample

Prep Type: Total

Prep Batch: 11G0601_P

% Rec.

Analyte	Spike	LCS		Unit	D	% Rec	Limits
	Added	Result	Qualifier				
Acenaphthylene	1.67	1.28		mg/kg wet		77	52 - 120
Anthracene	1.67	1.39		mg/kg wet		84	58 - 120
Benzo (a) anthracene	1.67	1.41		mg/kg wet		85	57 - 120
Benzo (a) pyrene	1.67	1.55		mg/kg wet		93	55 - 120
Benzo (b) fluoranthene	1.67	1.58		mg/kg wet		95	51 - 123
Benzo (g,h,i) perylene	1.67	1.44		mg/kg wet		87	49 - 121
Benzo (k) fluoranthene	1.67	1.34		mg/kg wet		80	42 - 129
Chrysene	1.67	1.41		mg/kg wet		85	55 - 120
Dibenz (a,h) anthracene	1.67	1.43		mg/kg wet		86	50 - 123
Fluoranthene	1.67	1.41		mg/kg wet		85	58 - 120
Fluorene	1.67	1.34		mg/kg wet		81	54 - 120
Indeno (1,2,3-cd) pyrene	1.67	1.42		mg/kg wet		85	50 - 122
Naphthalene	1.67	1.23		mg/kg wet		74	28 - 120
Phenanthrene	1.67	1.36		mg/kg wet		82	56 - 120
Pyrene	1.67	1.38		mg/kg wet		83	56 - 120
1-Methylnaphthalene	1.67	0.929		mg/kg wet		56	36 - 120
2-Methylnaphthalene	1.67	1.11		mg/kg wet		66	36 - 120

LCS LCS

Surrogate	Spike	LCS		Limits
	Added	% Recovery	Qualifier	
Terphenyl-d14	86			18 - 120
2-Fluorobiphenyl	62			14 - 120
Nitrobenzene-d5	50			17 - 120

Lab Sample ID: 11G0601-MS1

Matrix: Soil

Analysis Batch: 11G0601

Client Sample ID: Matrix Spike

Prep Type: Total

Prep Batch: 11G0601_P

Analyte	Sample	Sample	Spike	Matrix Spike	Matrix Spike	% Rec.			Limits
	Result	Qualifier	Added	Result	Qualifier	Unit	D	% Rec	
Acenaphthene	ND		2.52	1.79		mg/kg dry	⊗	71	42 - 120
Acenaphthylene	ND		2.52	1.83		mg/kg dry	⊗	73	32 - 120
Anthracene	ND		2.52	2.03		mg/kg dry	⊗	81	10 - 200
Benzo (a) anthracene	0.0649		2.52	2.03		mg/kg dry	⊗	78	41 - 120
Benzo (a) pyrene	0.0679		2.52	2.14		mg/kg dry	⊗	82	33 - 121
Benzo (b) fluoranthene	0.0709		2.52	2.28		mg/kg dry	⊗	88	26 - 137
Benzo (g,h,i) perylene	ND		2.52	1.84		mg/kg dry	⊗	73	21 - 124
Benzo (k) fluoranthene	0.0605		2.52	1.83		mg/kg dry	⊗	70	14 - 140
Chrysene	0.0639		2.52	2.05		mg/kg dry	⊗	79	28 - 123
Dibenz (a,h) anthracene	ND		2.52	1.90		mg/kg dry	⊗	75	25 - 127
Fluoranthene	0.0724		2.52	2.05		mg/kg dry	⊗	79	38 - 120
Fluorene	ND		2.52	1.93		mg/kg dry	⊗	77	41 - 120
Indeno (1,2,3-cd) pyrene	ND		2.52	1.96		mg/kg dry	⊗	78	25 - 123
Naphthalene	ND		2.52	1.75		mg/kg dry	⊗	70	25 - 120
Phenanthrene	ND		2.52	1.99		mg/kg dry	⊗	79	37 - 120
Pyrene	0.0768		2.52	2.08		mg/kg dry	⊗	80	29 - 125
1-Methylnaphthalene	ND		2.52	1.32		mg/kg dry	⊗	53	19 - 120
2-Methylnaphthalene	ND		2.52	1.57		mg/kg dry	⊗	63	11 - 120

Matrix Spike Matrix Spike

Surrogate	Spike	Matrix Spike		Limits
	Added	% Recovery	Qualifier	
Terphenyl-d14	77			18 - 120

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
 Project/Site: [none]

TestAmerica Job ID: NUG0346

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D (Continued)

Lab Sample ID: 11G0601-MS1

Matrix: Soil

Analysis Batch: 11G0601

Client Sample ID: Matrix Spike

Prep Type: Total

Prep Batch: 11G0601_P

Surrogate	Matrix Spike	Matrix Spike	Limits
	% Recovery	Qualifier	
2-Fluorobiphenyl	54		14 - 120
Nitrobenzene-d5	49		17 - 120

Lab Sample ID: 11G0601-MSD1

Matrix: Soil

Analysis Batch: 11G0601

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total

Prep Batch: 11G0601_P

Analyte	Sample	Sample	Spike	Matrix Spike Dup	Matrix Spike Dup	Unit	D	% Rec	Limits	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier						
Acenaphthene	ND		2.50	1.55		mg/kg dry	⊗	62	42 - 120	14	40
Acenaphthylene	ND		2.50	1.56		mg/kg dry	⊗	63	32 - 120	16	30
Anthracene	ND		2.50	1.73		mg/kg dry	⊗	69	10 - 200	16	50
Benzo (a) anthracene	0.0649		2.50	1.76		mg/kg dry	⊗	68	41 - 120	14	30
Benzo (a) pyrene	0.0679		2.50	1.90		mg/kg dry	⊗	73	33 - 121	12	33
Benzo (b) fluoranthene	0.0709		2.50	2.14		mg/kg dry	⊗	83	26 - 137	6	42
Benzo (g,h,i) perylene	ND		2.50	1.63		mg/kg dry	⊗	65	21 - 124	12	32
Benzo (k) fluoranthene	0.0605		2.50	1.40		mg/kg dry	⊗	54	14 - 140	27	39
Chrysene	0.0639		2.50	1.73		mg/kg dry	⊗	67	28 - 123	17	34
Dibenz (a,h) anthracene	ND		2.50	1.64		mg/kg dry	⊗	65	25 - 127	15	31
Fluoranthene	0.0724		2.50	1.86		mg/kg dry	⊗	72	38 - 120	9	35
Fluorene	ND		2.50	1.63		mg/kg dry	⊗	65	41 - 120	17	37
Indeno (1,2,3-cd) pyrene	ND		2.50	1.67		mg/kg dry	⊗	67	25 - 123	16	32
Naphthalene	ND		2.50	1.59		mg/kg dry	⊗	63	25 - 120	10	42
Phenanthrene	ND		2.50	1.72		mg/kg dry	⊗	69	37 - 120	14	32
Pyrene	0.0768		2.50	1.89		mg/kg dry	⊗	73	29 - 125	9	40
1-Methylnaphthalene	ND		2.50	1.21		mg/kg dry	⊗	48	19 - 120	9	45
2-Methylnaphthalene	ND		2.50	1.44		mg/kg dry	⊗	57	11 - 120	9	50

Method: SW-846 - General Chemistry Parameters

Lab Sample ID: 11G2361-DUP1

Matrix: Soil

Analysis Batch: 11G2361

Client Sample ID: Duplicate

Prep Type: Total

Prep Batch: 11G2361_P

Analyte	Sample	Sample	Duplicate	Duplicate	Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
% Dry Solids	73.1		72.9		%	⊗	0.2	20

QC Association Summary

Client: EEG - Small Business Group, Inc. (2449)
 Project/Site: [none]

TestAmerica Job ID: NUG0346

GCMS Volatiles

Analysis Batch: U012052

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G0464-BS1	Lab Control Sample	Total	Soil	SW846 8260B	11G0464_P
11G0464-BSD1	Lab Control Sample Dup	Total	Soil	SW846 8260B	11G0464_P
11G0464-BLK1	Method Blank	Total	Soil	SW846 8260B	11G0464_P
NUG0346-01	308 Ash	Total	Soil	SW846 8260B	11G0464_P
NUG0346-02	318 Ash	Total	Soil	SW846 8260B	11G0464_P
NUG0346-03	321 Ash	Total	Soil	SW846 8260B	11G0464_P
NUG0346-04	747 Bluebell	Total	Soil	SW846 8260B	11G0464_P
11G0464-MS1	Matrix Spike	Total	Soil	SW846 8260B	11G0464_P
11G0464-MSD1	Matrix Spike Duplicate	Total	Soil	SW846 8260B	11G0464_P

Analysis Batch: U012524

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G3394-BS1	Lab Control Sample	Total	Soil	SW846 8260B	11G3394_P
11G3394-BLK1	Method Blank	Total	Soil	SW846 8260B	11G3394_P
11G3394-BLK2	Method Blank	Total	Soil	SW846 8260B	11G3394_P
NUG0346-04 - RE2	747 Bluebell	Total	Soil	SW846 8260B	11G3394_P
11G3394-MS1	747 Bluebell	Total	Soil	SW846 8260B	11G3394_P
11G3394-MSD1	747 Bluebell	Total	Soil	SW846 8260B	11G3394_P

Analysis Batch: U012543

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G1211-BS1	Lab Control Sample	Total	Soil	SW846 8260B	11G1211_P
11G1211-BSD1	Lab Control Sample Dup	Total	Soil	SW846 8260B	11G1211_P
11G1211-BLK1	Method Blank	Total	Soil	SW846 8260B	11G1211_P
11G1211-BLK2	Method Blank	Total	Soil	SW846 8260B	11G1211_P
NUG0346-04 - RE1	747 Bluebell	Total	Soil	SW846 8260B	11G1211_P
NUG0346-03 - RE1	321 Ash	Total	Soil	SW846 8260B	11G1211_P
11G1211-MS1	321 Ash	Total	Soil	SW846 8260B	11G1211_P
11G1211-MSD1	321 Ash	Total	Soil	SW846 8260B	11G1211_P

Prep Batch: 11G0464_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G0464-BS1	Lab Control Sample	Total	Soil	EPA 5035	
11G0464-BSD1	Lab Control Sample Dup	Total	Soil	EPA 5035	
11G0464-BLK1	Method Blank	Total	Soil	EPA 5035	
NUG0346-01	308 Ash	Total	Soil	EPA 5035	
NUG0346-02	318 Ash	Total	Soil	EPA 5035	
NUG0346-03	321 Ash	Total	Soil	EPA 5035	
NUG0346-04	747 Bluebell	Total	Soil	EPA 5035	
11G0464-MS1	Matrix Spike	Total	Soil	EPA 5035	
11G0464-MSD1	Matrix Spike Duplicate	Total	Soil	EPA 5035	

Prep Batch: 11G1211_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G1211-BS1	Lab Control Sample	Total	Soil	EPA 5035	
11G1211-BSD1	Lab Control Sample Dup	Total	Soil	EPA 5035	
11G1211-BLK1	Method Blank	Total	Soil	EPA 5035	
11G1211-BLK2	Method Blank	Total	Soil	EPA 5035	
NUG0346-04 - RE1	747 Bluebell	Total	Soil	EPA 5035	
NUG0346-03 - RE1	321 Ash	Total	Soil	EPA 5035	
11G1211-MS1	321 Ash	Total	Soil	EPA 5035	
11G1211-MSD1	321 Ash	Total	Soil	EPA 5035	

QC Association Summary

Client: EEG - Small Business Group, Inc. (2449)
 Project/Site: [none]

TestAmerica Job ID: NUG0346

GCMS Volatiles (Continued)

Prep Batch: 11G3394_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G3394-BS1	Lab Control Sample	Total	Soil	EPA 5035	
11G3394-BLK1	Method Blank	Total	Soil	EPA 5035	
11G3394-BLK2	Method Blank	Total	Soil	EPA 5035	
NUG0346-04 - RE2	747 Bluebell	Total	Soil	EPA 5035	
11G3394-MS1	747 Bluebell	Total	Soil	EPA 5035	
11G3394-MSD1	747 Bluebell	Total	Soil	EPA 5035	

GCMS Semivolatiles

Analysis Batch: 11G0601

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G0601-BLK1	Method Blank	Total	Soil	SW846 8270D	11G0601_P
11G0601-BS1	Lab Control Sample	Total	Soil	SW846 8270D	11G0601_P
11G0601-MS1	Matrix Spike	Total	Soil	SW846 8270D	11G0601_P
11G0601-MSD1	Matrix Spike Duplicate	Total	Soil	SW846 8270D	11G0601_P
NUG0346-01	308 Ash	Total	Soil	SW846 8270D	11G0601_P
NUG0346-02	318 Ash	Total	Soil	SW846 8270D	11G0601_P
NUG0346-03	321 Ash	Total	Soil	SW846 8270D	11G0601_P
NUG0346-03 - RE1	321 Ash	Total	Soil	SW846 8270D	11G0601_P
NUG0346-04 - RE1	747 Bluebell	Total	Soil	SW846 8270D	11G0601_P
NUG0346-04 - RE2	747 Bluebell	Total	Soil	SW846 8270D	11G0601_P

Prep Batch: 11G0601_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G0601-BLK1	Method Blank	Total	Soil	EPA 3550C	
11G0601-BS1	Lab Control Sample	Total	Soil	EPA 3550C	
11G0601-MS1	Matrix Spike	Total	Soil	EPA 3550C	
11G0601-MSD1	Matrix Spike Duplicate	Total	Soil	EPA 3550C	
NUG0346-01	308 Ash	Total	Soil	EPA 3550C	
NUG0346-02	318 Ash	Total	Soil	EPA 3550C	
NUG0346-03	321 Ash	Total	Soil	EPA 3550C	
NUG0346-03 - RE1	321 Ash	Total	Soil	EPA 3550C	
NUG0346-04 - RE1	747 Bluebell	Total	Soil	EPA 3550C	
NUG0346-04 - RE2	747 Bluebell	Total	Soil	EPA 3550C	

Extractions

Analysis Batch: 11G2361

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G2361-DUP1	Duplicate	Total	Soil	SW-846	11G2361_P
NUG0346-01	308 Ash	Total	Soil	SW-846	11G2361_P
NUG0346-02	318 Ash	Total	Soil	SW-846	11G2361_P
NUG0346-03	321 Ash	Total	Soil	SW-846	11G2361_P
NUG0346-04	747 Bluebell	Total	Soil	SW-846	11G2361_P

Prep Batch: 11G2361_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G2361-DUP1	Duplicate	Total	Soil	% Solids	
NUG0346-01	308 Ash	Total	Soil	% Solids	
NUG0346-02	318 Ash	Total	Soil	% Solids	
NUG0346-03	321 Ash	Total	Soil	% Solids	
NUG0346-04	747 Bluebell	Total	Soil	% Solids	

TestAmerica Nashville

Lab Chronicle

Client: EEG - Small Business Group, Inc. (2449)
 Project/Site: [none]

TestAmerica Job ID: NUG0346

Client Sample ID: 308 Ash

Date Collected: 06/27/11 13:15

Date Received: 07/02/11 08:30

Lab Sample ID: NUG0346-01

Matrix: Soil

Percent Solids: 77.8

Prep Type	Batch	Batch	Dilution	Batch	Prepared			
	Type	Method	Run	Factor	Number	Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035		0.926	11G0464_P	06/27/11 13:15	AAN	TAL NSH
Total	Analysis	SW846 8260B		1.00	U012052	07/06/11 18:21	MJH	TAL NSH
Total	Prep	EPA 3550C		0.979	11G0601_P	07/05/11 13:00	JJR	TAL NSH
Total	Analysis	SW846 8270D		1.00	11G0601	07/06/11 06:31	BES	TAL NSH
Total	Prep	% Solids		1.00	11G2361_P	07/13/11 15:38	RRS	TAL NSH
Total	Analysis	SW-846		1.00	11G2361	07/14/11 12:26	AMS	TAL NSH

Client Sample ID: 318 Ash

Date Collected: 06/28/11 12:15

Date Received: 07/02/11 08:30

Lab Sample ID: NUG0346-02

Matrix: Soil

Percent Solids: 83.9

Prep Type	Batch	Batch	Dilution	Batch	Prepared			
	Type	Method	Run	Factor	Number	Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035		0.850	11G0464_P	06/28/11 12:15	AAN	TAL NSH
Total	Analysis	SW846 8260B		1.00	U012052	07/06/11 18:53	MJH	TAL NSH
Total	Prep	EPA 3550C		0.994	11G0601_P	07/05/11 13:00	JJR	TAL NSH
Total	Analysis	SW846 8270D		1.00	11G0601	07/06/11 06:51	BES	TAL NSH
Total	Prep	% Solids		1.00	11G2361_P	07/13/11 15:38	RRS	TAL NSH
Total	Analysis	SW-846		1.00	11G2361	07/14/11 12:26	AMS	TAL NSH

Client Sample ID: 321 Ash

Date Collected: 06/29/11 12:45

Date Received: 07/02/11 08:30

Lab Sample ID: NUG0346-03

Matrix: Soil

Percent Solids: 79.8

Prep Type	Batch	Batch	Dilution	Batch	Prepared			
	Type	Method	Run	Factor	Number	Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035		0.971	11G0464_P	06/29/11 12:45	AAN	TAL NSH
Total	Analysis	SW846 8260B		1.00	U012052	07/06/11 19:25	MJH	TAL NSH
Total	Prep	EPA 5035	RE1	1.01	11G1211_P	06/29/11 12:45	AAN	TAL NSH
Total	Analysis	SW846 8260B	RE1	50.0	U012543	07/12/11 15:42	MJH	TAL NSH
Total	Prep	EPA 3550C		0.977	11G0601_P	07/05/11 13:00	JJR	TAL NSH
Total	Analysis	SW846 8270D		1.00	11G0601	07/06/11 07:11	BES	TAL NSH
Total	Prep	EPA 3550C	RE1	0.977	11G0601_P	07/05/11 13:00	JJR	TAL NSH
Total	Analysis	SW846 8270D	RE1	5.00	11G0601	07/06/11 10:53	BES	TAL NSH
Total	Prep	% Solids		1.00	11G2361_P	07/13/11 15:38	RRS	TAL NSH
Total	Analysis	SW-846		1.00	11G2361	07/14/11 12:26	AMS	TAL NSH

Client Sample ID: 747 Bluebell

Date Collected: 06/30/11 11:15

Date Received: 07/02/11 08:30

Lab Sample ID: NUG0346-04

Matrix: Soil

Percent Solids: 75.3

Prep Type	Batch	Batch	Dilution	Batch	Prepared			
	Type	Method	Run	Factor	Number	Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035		0.822	11G0464_P	06/30/11 11:15	AAN	TAL NSH
Total	Analysis	SW846 8260B		1.00	U012052	07/06/11 19:57	MJH	TAL NSH
Total	Prep	EPA 5035	RE1	0.847	11G1211_P	06/30/11 11:15	AAN	TAL NSH
Total	Analysis	SW846 8260B	RE1	50.0	U012543	07/12/11 15:14	MJH	TAL NSH
Total	Prep	EPA 5035	RE2	0.847	11G3394_P	06/30/11 11:15	AAN	TAL NSH

TestAmerica Nashville

Lab Chronicle

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Client Sample ID: 747 Bluebell

Date Collected: 06/30/11 11:15

Date Received: 07/02/11 08:30

Lab Sample ID: NUG0346-04

Matrix: Soil

Percent Solids: 75.3

Prep Type	Batch	Batch	Dilution	Batch	Prepared	Analyst	Lab
	Type	Method	Run	Factor	Number	Or Analyzed	
Total	Analysis	SW846 8260B	RE2	100	U012524	07/14/11 01:25	MJH
Total	Prep	EPA 3550C	RE1	0.977	11G0601_P	07/05/11 13:00	JJR
Total	Analysis	SW846 8270D	RE1	10.0	11G0601	07/06/11 11:13	BES
Total	Prep	EPA 3550C	RE2	0.977	11G0601_P	07/05/11 13:00	JJR
Total	Analysis	SW846 8270D	RE2	20.0	11G0601	07/06/11 12:01	BES
Total	Prep	% Solids		1.00	11G2361_P	07/13/11 15:38	RRS
Total	Analysis	SW-846		1.00	11G2361	07/14/11 12:26	AMS

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Road, Nashville, TN 37204, TEL 800-765-0980

Method Summary

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG0346

Method	Method Description	Protocol	Laboratory
SW-846	General Chemistry Parameters	TAL NSH	
SW846 8260B	Volatile Organic Compounds by EPA Method 8260B	TAL NSH	
SW846 8270D	Polyaromatic Hydrocarbons by EPA 8270D	TAL NSH	

Protocol References:

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Road, Nashville, TN 37204, TEL 800-765-0980

Certification Summary

Client: EEG - Small Business Group, Inc. (2449)
 Project/Site: [none]

TestAmerica Job ID: NUG0346

Laboratory	Authority	Program	EPA Region	Certification ID
TestAmerica Nashville	A2LA	ISO/IEC 17025		0453.07
TestAmerica Nashville	A2LA	WY UST		453.07
TestAmerica Nashville	AIHA	IHLAP		100790
TestAmerica Nashville	Alabama	State Program	4	41150
TestAmerica Nashville	Alaska	Alaska UST	10	UST-087
TestAmerica Nashville	Arizona	State Program	9	AZ0473
TestAmerica Nashville	Arkansas	State Program	6	88-0737
TestAmerica Nashville	CALA	CALA		3744
TestAmerica Nashville	California	NELAC	9	1168CA
TestAmerica Nashville	Colorado	State Program	8	N/A
TestAmerica Nashville	Connecticut	State Program	1	PH-0220
TestAmerica Nashville	Florida	NELAC	4	E87358
TestAmerica Nashville	Illinois	NELAC	5	200010
TestAmerica Nashville	Iowa	State Program	7	131
TestAmerica Nashville	Kansas	NELAC	7	E-10229
TestAmerica Nashville	Kentucky	Kentucky UST	4	19
TestAmerica Nashville	Kentucky	State Program	4	90038
TestAmerica Nashville	Louisiana	NELAC	6	LA100011
TestAmerica Nashville	Louisiana	NELAC	6	30613
TestAmerica Nashville	Maryland	State Program	3	316
TestAmerica Nashville	Massachusetts	State Program	1	M-TN032
TestAmerica Nashville	Minnesota	NELAC	5	047-999-345
TestAmerica Nashville	Mississippi	State Program	4	N/A
TestAmerica Nashville	Montana	MT DEQ UST	8	NA
TestAmerica Nashville	Nevada	State Program	9	TN00032
TestAmerica Nashville	New Hampshire	NELAC	1	2963
TestAmerica Nashville	New Jersey	NELAC	2	TN965
TestAmerica Nashville	New York	NELAC	2	11342
TestAmerica Nashville	North Carolina	North Carolina DENR	4	387
TestAmerica Nashville	North Dakota	State Program	8	R-146
TestAmerica Nashville	Ohio	OVAP	5	CL0033
TestAmerica Nashville	Oklahoma	State Program	6	9412
TestAmerica Nashville	Oregon	NELAC	10	TN200001
TestAmerica Nashville	Pennsylvania	NELAC	3	68-00585
TestAmerica Nashville	Rhode Island	State Program	1	LA000268
TestAmerica Nashville	South Carolina	State Program	4	84009
TestAmerica Nashville	South Carolina	State Program	4	84009
TestAmerica Nashville	Tennessee	State Program	4	2008
TestAmerica Nashville	Texas	NELAC	6	T104704077-09-TX
TestAmerica Nashville	USDA	USDA		S-48469
TestAmerica Nashville	Utah	NELAC	8	TAN
TestAmerica Nashville	Virginia	NELAC Secondary AB	3	460152
TestAmerica Nashville	Virginia	State Program	3	00323
TestAmerica Nashville	Washington	State Program	10	C789
TestAmerica Nashville	West Virginia	West Virginia DEP	3	219
TestAmerica Nashville	Wisconsin	State Program	5	998020430

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.

ATTACHMENT A

UST Certificate of Disposal

CONTRACTOR

Small Business Group, Inc.
10179 Highway 78
Ladson, SC 29456

TEL (843) 879-0403
FAX (843) 879-0401

TANK ID & LOCATION

UST 318Ash; 318 Ash Street, Laurel Bay Housing Area, MCAS Beaufort, S.C.

DISPOSAL LOCATION

Coastal Auto Salvage Co., Inc.
130 Laurel Bay Road
Beaufort, S.C. 29906

<u>TYPE OF TANK</u>	<u>SIZE (GAL)</u>
Steel	280

CLEANING/DISPOSAL METHOD

The tank and piping were unearthed, cut open, cleaned with a pressure washer, cut into sections, and recycled.

DISPOSAL CERTIFICATION

I certify that the above tank, piping and equipment has been properly cleaned and disposed of.

T.L. Elsner, 7/25/11
(Name) (Date)

Appendix C
Regulatory Correspondence



Catherine E. Heigel, Director

Promoting and protecting the health of the public and the environment

July 1, 2015

Commanding Officer

Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: No Further Action

Laurel Bay Underground Storage Tank Assessment Reports for:
See attached sheet

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the referenced Underground Storage Tanks (USTs) Assessment Reports for the addresses listed above. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 *et seq.*, as amended).

The Department has reviewed the referenced assessment reports and agrees there is no indication of soil or groundwater contamination on these properties, and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at kriegkm@dhec.sc.gov or 803-898-0255.

Sincerely,

Kent Krieg
Department of Defense Corrective Action Section
Bureau of Land and Waste Management
South Carolina Department of Health and Environmental Control

Cc: Russell Berry (via email)
Craig Ehde (via email)
Bryan Beck (via email)



Catherine E. Heigel, Director

Promoting and protecting the health of the public and the environment

Attachment to: Krieg to Drawdy
Subject: NFA
Dated 7/1/2015

Laurel Bay Underground Storage Tank Assessment Reports for: (153 addresses/161 tanks)

111 Birch	363 Aspen
123 Banyan	364 Aspen
131 Banyan	366 Aspen
134 Banyan	369 Aspen
145 Laurel Bay	373 Aspen
150 Laurel Bay	381 Aspen
153 Laurel Bay	401 Elderberry
154 Laurel Bay	402 Elderberry
155 Laurel Bay	404 Elderberry
200 Balsam	410 Elderberry
202 Balsam	420 Elderberry
203 Balsam	424 Elderberry
208 Balsam	435 Elderberry Tank 3
210 Balsam	452 Elderberry
211 Balsam	460 Elderberry
220 Cypress	465 Dogwood
222 Cypress	477 Laurel Bay
223 Cypress	487 Laurel Bay
252 Beech Tank 2	513 Laurel Bay
271 Beech Tank 1	519 Laurel Bay
271 Beech Tank 2	524 Laurel Bay
284 Birch Tank 1	535 Laurel Bay
284 Birch Tank 2	553 Dahlia
308 Ash	590 Aster
311 Ash	591 Aster
312 Ash	610 Dahlia
317 Ash	612 Dahlia
318 Ash	628 Dahlia
337 Ash	636 Dahlia
351 Ash Tank 1	637 Dahlia Tank 1
351 Ash Tank 2	637 Dahlia Tank 2
355 Ash Tank 1	641 Dahlia
355 Ash Tank 2	642 Dahlia Tank 1
360 Aspen	642 Dahlia Tank 2

Laurel Bay Underground Storage Tank Assessment Reports for: (153 addresses/161 tanks) cont.

655 Camellia	920 Albacore
662 Camellia	922 Barracuda Tank 1
683 Camellia	922 Barracuda Tank 2
684 Camellia	924 Albacore
689 Abelia	925 Albacore
694 Abelia	926 Albacore
695 Abelia	930 Albacore
741 Blue Bell	931 Albacore
742 Blue Bell	933 Albacore
755 Althea	936 Albacore
757 Althea	938 Albacore
776 Laurel Bay	939 Albacore
777 Azalea	940 Albacore
779 Laurel Bay	1010 Foxglove
781 Laurel Bay	1066 Gardenia
802 Azalea	1068 Gardenia
816 Azalea	1071 Heather Tank 2
822 Azalea	1100 Iris Tank 2
823 Azalea	1128 Iris
825 Azalea	1178 Bobwhite
828 Azalea	1204 Cardinal
837 Azalea	1208 Cardinal
851 Dolphin	1209 Cardinal
856 Dolphin	1210 Cardinal
857 Dolphin	1215 Cardinal
861 Dolphin	1216 Cardinal
864 Dolphin	1217 Cardinal Tank 1
868 Dolphin	1217 Cardinal Tank 2
872 Dolphin	1233 Dove
879 Cobia	1244 Dove
886 Cobia	1250 Dove
888 Cobia	1252 Dove
889 Cobia	1254 Dove
901 Barracuda	1256 Dove
902 Barracuda	1258 Dove
903 Barracuda	1263 Dove
904 Barracuda	1269 Dove
909 Barracuda	1276 Dove
910 Barracuda	1283 Dove
914 Barracuda	1285 Dove
915 Barracuda	1288 Eagle

Laurel Bay Underground Storage Tank Assessment Reports for: (153 addresses/161 tanks) cont.

1296 Eagle	1330 Albatross
1307 Eagle	1331 Albatross
1321 Albatross	1333 Albatross
1322 Albatross	1334 Albatross
1327 Albatross	1335 Albatross
1328 Albatross	