SUMMARY REPORT 66 FOXGLOVE STREET (FORMERLY 1009 FOXGLOVE STREET) LAUREL BAY MILITARY HOUSING AREA MARINE CORPS AIR STATION BEAUFORT BEAUFORT, SC

> Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid-Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT 66 FOXGLOVE STREET (FORMERLY 1009 FOXGLOVE STREET) LAUREL BAY MILITARY HOUSING AREA MARINE CORPS AIR STATION BEAUFORT BEAUFORT, SC

> Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid- Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture 10560 Arrowhead Drive, Suite 500 Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016 CTO WE52 JUNE 2021



#### Table of Contents

1.0	INTRODUCTION	. 1
1.1 1.2	Background Information UST Removal and Assessment Process	
2.0	SAMPLING ACTIVITIES AND RESULTS	. 3
2.1 2.2	UST REMOVAL AND SOIL SAMPLING Soil Analytical Results	
3.0	PROPERTY STATUS	. 4
4.0	REFERENCES	. 4

#### Table

Table 1	Laboratory	Analytical	Results - Soil
	Laboratory	ranaryticar	Results Soll

#### Appendices

- Appendix A Multi-Media Selection Process for LBMH
- Appendix B UST Assesment Report
- Appendix C Regulatory Correspondence



#### List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
СТО	Contract Task Order
COPC	constituents of potential concern
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level



#### 1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 66 Foxglove Street (Formerly 1009 Foxglove Street). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

#### 1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area



is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

#### 1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service,* (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management* 



Summary Report 66 Foxglove Street (Formerly 1009 Foxglove Street) Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort June 2021

*Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

#### 2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 66 Foxglove Street (Formerly 1009 Foxglove Street). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 1009 Foxglove Street* (MCAS Beaufort, 2009). The UST Assessment Report is provided in Appendix B.

#### 2.1 UST Removal and Soil Sampling

On May 12, 2009, a single 280 gallon heating oil UST was removed from the landscaped area adjacent to the concrete porch at 66 Foxglove Street (Formerly 1009 Foxglove Street). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 6'1" bgs and a single soil sample was collected from that



depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

#### 2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 66 Foxglove Street (Formerly 1009 Foxglove Street) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment.

#### 3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 66 Foxglove Street (Formerly 1009 Foxglove Street). This NFA determination was obtained in a letter dated July 22, 2009. SCDHEC's NFA letter is provided in Appendix C.

#### 4.0 REFERENCES

- Marine Corps Air Station Beaufort, 2009. South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 1009 Foxglove Street, Laurel Bay Military Housing Area, June 2009.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 2.0*, April 2013.



- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.0*, May 2015.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service, March 2018.

Table



# Table 1Laboratory Analytical Results - Soil66 Foxglove Street (Formerly 1009 Foxglove Street)Laurel Bay Military Housing AreaMarine Corps Air Station BeaufortBeaufort, South Carolina

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Results Sample Collected 05/12/09				
Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)						
Benzene	0.003	ND				
Ethylbenzene	1.15	ND				
Naphthalene	0.036	ND				
Toluene	0.627	ND				
Xylenes, Total	13.01	ND				
Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)						
Benzo(a)anthracene	0.66	ND				
Benzo(b)fluoranthene	0.66	ND				
Benzo(k)fluoranthene	0.66	ND				
Chrysene	0.66	ND				
Dibenz(a,h)anthracene	0.66	ND				

#### Notes:

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 and 1.1 (SCDHEC, May 2001 and SCDHEC, February 2011) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

Appendix A Multi-Media Selection Process for LBMH





**Appendix A - Multi-Media Selection Process for LBMH** 

Appendix B UST Assessment Report



Attachment 1

#### South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank (UST) Assessment Report

Date Received State Use Only	Submit Completed Form To: UST Program SCDHEC 2600 Bull Street Columbia, South Carolina 29201 Telephone (803) 896-7957
OU224 HEA	JUN 2 9 2009
I. OWNERSHIP	SITE ASSESSMENT, REMEDIATION & REVITALIZATION
MCAS Beaufort, Commanding Officer Attn: N	REAO (Craig Ehde)

Mailing Address	2	
Beaufort,	South Carolina	29904-5001
City	State	Zip Code
843	228-7317	Craig Ehde
Area Code	Telephone Number	Contact Person

#### II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #

Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC Facility Name or Company Site Identifier

1009 Foxglove St., Laurel Bay Military Housing Area

Street Address or State Road (as applicable)

Beaufort,

City

County

Attachment 2

#### **Insurance Statement**

The petroleum release reported to DHEC on \_\_\_\_\_\_ at Permit ID Number \_\_\_\_\_ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.** 

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES\_\_\_\_ NO\_\_\_\_ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: \_\_\_\_\_\_ The policy deductible is: \_\_\_\_\_\_ The policy limit is: \_\_\_\_\_\_

If you have this type of insurance, please include a copy of the policy with this report.

## IV. REQUEST FOR SUPERB FUNDING

I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)

#### V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

# To be completed by Notary Public:

Sworn before me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_

(Name)

Notary Public for the state of \_\_\_\_\_\_. Please affix State seal if you are commissioned outside South Carolina

#### VI. UST INFORMATION

	VI. USI INFORMATION	1009Foxglove
A.	Product(ex. Gas, Kerosene)	Heating Oil
B.	Capacity(ex. 1k, 2k)	280 gal
C.	Age	Late 1950s
D.	Construction Material(ex. Steel, FRP)	Steel
E.	Month/Year of Last Use	Mid 1980s
F.	Depth (ft.) To Base of Tank	6'1"
G.	Spill Prevention Equipment Y/N	No
H.	Overfill Prevention Equipment Y/N	No
I.	Method of Closure Removed/Filled	Removed
J.	Date Tanks Removed/Filled	5/12/09
K.	Visible Corrosion or Pitting Y/N	Yes
L.	Visible Holes Y/N	Yes

M. Method of disposal for any USTs removed from the ground (attach disposal manifests) UST 1009Foxglove was removed from the ground and disposed of at a Subtitle D landfill. See Attachment "A."

N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests) UST 1009Foxglove had been previously filled with sand by others.

O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST Corrosion, pitting and holes were found on the entire surface.

# VII. PIPING INFORMATION

		1009Foxglove
		Steel &
A.	Construction Material(ex. Steel, FRP)	Copper
B.	Distance from UST to Dispenser	N/A
C.	Number of Dispensers	N/A
D.	Type of System Pressure or Suction	Suction
E.	Was Piping Removed from the Ground? Y/N	Yes
F.	Visible Corrosion or Pitting Y/N	Yes
G.	Visible Holes Y/N	No
H.	Age	Late 1950s
I.	If any corrosion, pitting, or holes were observed,	describe the location and extent for each piping run.

Corrosion and pitting were found on the surface of the steel vent pipe. The copper supply and return lines were sound.

## **VIII. BRIEF SITE DESCRIPTION AND HISTORY**

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

# IX. SITE CONDITIONS

	Yes	No	Unk
<ul> <li>A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?</li> <li>If yes, indicate depth and location on the site map.</li> </ul>		х	
<ul> <li>B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?</li> <li>If yes, indicate location on site map and describe the odor (strong,</li> </ul>		х	
mild, etc.) C. Was water present in the UST excavation, soil borings, or trenches? If yes, how far below land surface (indicate location and depth)?		x	
D. Did contaminated soils remain stockpiled on site after closure?		x	
If yes, indicate the stockpile location on the site map. Name of DHEC representative authorizing soil removal:			
<ul><li>E. Was a petroleum sheen or free product detected on any excavation or boring waters?</li><li>If yes, indicate location and thickness.</li></ul>		х	

# X. SAMPLE INFORMATION

# A. SCDHEC Lab Certification Number 96012001

Β.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
1009 Foxglove	Excav at fill end	Soil	Sandy	6'1"	5/12/09 1340 hrs	P. Shaw	
8							
9						4	
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

\* = Depth Below the Surrounding Land Surface

#### XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect <u>and</u> store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.


# **XII. RECEPTORS**


r=====		Yes	No
А.	Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?		x
	If yes, indicate type of receptor, distance, and direction on site map.		
B.	Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?		х
	If yes, indicate type of well, distance, and direction on site map.		
C.	Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?		x
	If yes, indicate type of structure, distance, and direction on site map.		
D.	Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the	X*	
	contamination? *Sewer and water.		
	If yes, indicate the type of utility, distance, and direction on the site map.		
E.	Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?		х
	If yes, indicate the area of contaminated soil on the site map.		


#### XIII. SITE MAP

You must supply a <u>scaled</u> site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)









Picture 1: Location of UST 1009Foxglove prior to excavation. No photograph is available of the tank.

#### XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

-	
CoC	1009 Foxglove
Benzene	ND
Toluene	ND
Ethylbenzene	ND
Xylenes	ND
Naphthalene	ND
Benzo (a) anthracene	ND
Benzo (b) fluoranthene	ND
Benzo (k) fluoranthene	ND
Chrysene	ND
Dibenz (a, h) anthracene	ND
ТРН (ЕРА 3550)	
CoC	
Benzene	
Toluene	
Ethylbenzene	
Xylenes	
Naphthalene	
Benzo (a) anthracene	
Benzo (b) fluoranthene	
Benzo (k) fluoranthene	
Chrysene	
Dibenz (a, h) anthracene	
ТРН (ЕРА 3550)	

SUMMARY OF ANALYSIS RESULTS (cont'd) Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	<b>W</b> -1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700	į			
Xylenes	10,000				
Total BTEX	N/A				
МТВЕ	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

#### XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here) (Please see Form #4)



THE LEADER IN ENVIRONMENTAL TESTING

May 29, 2009 1:10:39PM

1005 Foxglove

1008 Foxglove 1009 Foxglove

1014 Foxglove

1013 Foxglove

1017 Foxglove

Client: Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456 Attn: Tom McElwee

SAMPLE IDENTIFICATION

Work Order:NSE1331Project Name:Laurel Bay Housing ProjectProject Nbr:[none]P/O Nbr:0829Date Received:05/15/09

 P/O Nbr:
 0829

 Date Received:
 05/15/09

 LAB NUMBER
 COLLECTION DATE AND TIME

 NSE1331-01
 05/11/09 13:20

 NSE1331-02
 05/12/09 10:10

 NSE1331-03
 05/12/09 13:40

05/12/09 10:10 05/12/09 13:40 05/13/09 10:15 05/13/09 14:40 05/14/09 10:10

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

NSE1331-04

NSE1331-05

NSE1331-06

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated. Estimated uncertainty is available upon request. This report has been electronically signed. Report Approved By:

athy Gartner

Cathy Gartner

Project Management

**TestAmerica** 

THE LEADER IN ENVIRONMENTAL TESTING

Client Small Business Group, Inc. (2449) 10179 Highway 78

Ladson, SC 29456

Attn Tom McElwee

Work Order:	NSE1331
Project Name:	Laurel Bay Housing Project
Project Number:	[none]
Received:	05/15/09 08:15

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSE1331-01 (1005 Fox	glove - Soil) Sa	ampled:	05/11/09 13:20					
General Chemistry Parameters								
% Dry Solids	96.2		%	0.500	1	05/28/09 09:06	SW-846	9053977
Selected Volatile Organic Compounds	by EPA Method	8260B						
Benzene	ND		mg/kg dry	0.00225	1	05/22/09 23:31	SW846 8260B	9053563
Ethylbenzene	ND		mg/kg dry	0.00225	1	05/22/09 23:31	SW846 8260B	9053563
Naphthalene	ND		mg/kg dry	0.00564	1	05/22/09 23:31	SW846 8260B	9053563
Toluene	ND		mg/kg dry	0.00225	1	05/22/09 23:31	SW846 8260B	9053563
Xylenes, total	ND		mg/kg dry	0.00564	1	05/22/09 23:31	SW846 8260B	9053563
Surr: 1,2-Dichloroethane-d4 (41-150%)	94 %					05/22/09 23:31	SW846 8260B	9053563
Surr: Dibromofluoromethane (55-139%)	100 %					05/22/09 23:31	SW846 8260B	9053563
Surr: Toluene-d8 (57-148%)	99 %					05/22/09 23:31	SW846 8260B	9053563
Surr: 4-Bromofluorobenzene (58-150%)	105 %					05/22/09 23:31	SW846 8260B	9053563
Polyaromatic Hydrocarbons by EPA 82	.70D							
Acenaphthene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	9052613
Acenaphthylene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	9052613
Anthracene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	9052613
Benzo (a) anthracene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	9052613
Benzo (a) pyrene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	9052613
Benzo (b) fluoranthene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	9052613
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	9052613
Benzo (k) fluoranthene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	9052613
Chrysene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	9052613
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	9052613
Fluoranthene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	9052613
Fluorenc	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	9052613
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	9052613
Naphthalene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	9052613
Phenanthrene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	9052613
Pyrene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	9052613
l-Methylnaphthalene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	9052613
2-Methylnaphthalene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	9052613
Surr: Terphenyl-d14 (26-128%)	79 %					05/21/09 18:37	SW846 8270D	9052613
Surr: 2-Fluorobiphenyl (19-109%)	65 %					05/21/09 18:37	SW846 8270D	9052613
Surr: Nitrobenzene-d5 (22-104%)	68 %					05/21/09 18:37	SW846 8270D	9052613

**TestAmerica** 

THE LEADER IN ENVIRONMENTAL TESTING

Client Small Business Group, Inc. (2449) 10179 Highway 78

Ladson, SC 29456

Tom McElwee Attn

Work Order:	NSE1331
Project Name:	Laurel Bay Housing Project
Project Number:	[none]
Received:	05/15/09 08:15

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Analyte	Kesun	riag	Units	1711XL2	racioi	Date Thire	Michiga	Datti
Sample ID: NSE1331-02 (1008 Fox	glove - Soil) S	ampled: (	05/12/09 10:10					
General Chemistry Parameters								
% Dry Solids	73.8		%	0.500	1	05/28/09 09:06	SW-846	9053977
Selected Volatile Organic Compounds	by EPA Method	8260B						
Benzene	ND		mg/kg dry	0.00266	1	05/23/09 00:02	SW846 8260B	9053563
Ethylbenzene	ND		mg/kg dry	0.00266	1	05/23/09 00:02	SW846 8260B	9053563
Naphthalene	ND		mg/kg dry	0.00666	1	05/23/09 00:02	SW846 8260B	9053563
Toluene	ND		mg/kg dry	0.00266	1	05/23/09 00:02	SW846 8260B	9053563
Xylenes, total	ND		mg/kg dry	0.00666	1	05/23/09 00:02	SW846 8260B	9053563
Surr: 1,2-Dichloroethane-d4 (41-150%)	91 %					05/23/09 00:02	SW846 8260B	905356.
Surr: Dibromofluoromethane (55-139%)	100 %					05/23/09 00:02	SW846 8260B	905356.
Surr: Toluene-d8 (57-148%)	96 %					05/23/09 00:02	SW846 8260B	905356.
Surr: 4-Bromofluorobenzene (58-150%)	117 %					05/23/09 00:02	SW846 8260B	905356.
Polyaromatic Hydrocarbons by EPA 82	70D							
Acenaphthene	ND		mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	9052613
Acenaphthylene	ND		mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	9052613
Anthracene	ND		mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	9052613
Benzo (a) anthracene	ND		mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	9052613
Benzo (a) pyrene	ND		mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	9052613
Benzo (b) fluoranthene	ND		mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	9052613
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	9052613
Benzo (k) fluoranthene	ND		mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	9052613
Chrysene	ND		mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	9052613
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	9052613
Fluoranthene	ND		mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	9052613
Fluorene	ND		mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	9052613
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	9052613
Naphthalene	ND		mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	9052613
Phenanthrene	ND		mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	9052613
Pyrcnc	ND		mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	9052613
1-Methylnaphthalene	ND		mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	9052613
2-Methylnaphthalene	ND		mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	9052613
Surr: Terphenyl-d14 (26-128%)	80 %					05/21/09 19:00	SW846 8270D	9052613
Surr: 2-Fluorobiphenyl (19-109%)	70 %					05/21/09 19:00	SW846 8270D	9052613
Surr: Nitrobenzene-d5 (22-104%)	77 %					05/21/09 19:00	SW846 8270D	9052613

**TestAmerica** 

THE LEADER IN ENVIRONMENTAL TESTING

Client Small Business Group, Inc. (2449)

10179 Highway 78

Ladson, SC 29456

Attn Tom McElwee

Work Order:	NSE1331
Project Name:	Laurel Bay Housing Project
Project Number:	[nonc]
Received:	05/15/09 08:15

				MDI	Dilution	Analysis	Mathod	
Analyte	Result	Flag	Units	MRL	Factor	Date/Time	Method	Batch
Sample ID: NSE1331-03 (1009 Fox	glove - Soil) Sa	mpled:	05/12/09 13:40					
General Chemistry Parameters								
% Dry Solids	87.5		%	0.500	1	05/28/09 09:06	SW-846	9053977
Selected Volatile Organic Compounds	by EPA Method	8260B						
Benzene	ND		mg/kg dry	0.00230	1	05/23/09 00:32	SW846 8260B	9053563
Ethylbenzene	ND		mg/kg dry	0.00230	1	05/23/09 00:32	SW846 8260B	9053563
Naphthalene	ND		mg/kg dry	0.00575	1	05/23/09 00:32	SW846 8260B	9053563
Toluene	ND		mg/kg dry	0.00230	1	05/23/09 00:32	SW846 8260B	9053563
Xylenes, total	ND		mg/kg dry	0.00575	1	05/23/09 00:32	SW846 8260B	9053563
Surr: 1,2-Dichloroethane-d4 (41-150%)	97 %					05/23/09 00:32	SW846 8260B	9053563
Surr: Dibromofluoromethane (55-139%)	100 %					05/23/09 00:32	SW846 8260B	9053563
Surr: Toluene-d8 (57-148%)	98 %					05/23/09 00:32	SW846 8260B	9053563
Surr: 4-Bromofluorobenzene (58-150%)	119 %					05/23/09 00:32	SW846 8260B	9053563
Polyaromatic Hydrocarbons by EPA 82	270D							
Acenaphthene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Acenaphthylene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Anthracene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Benzo (a) anthracene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Benzo (a) pyrene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Benzo (b) fluoranthene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Benzo (k) fluoranthene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Chrysene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Fluoranthene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Fluorene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Naphthalene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Phenanthrene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Pyrene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
1-Methylnaphthalene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
2-Methylnaphthalene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Surr: Terphenyl-d14 (26-128%)	80 %					05/21/09 19:23	SW846 8270D	9052613
Surr: 2-Fluorobiphenyl (19-109%)	67 %					05/21/09 19:23	SW846 8270D	9052613
Surr: Nitrobenzene-d5 (22-104%)	73 %					05/21/09 19:23	SW846 8270D	9052613



THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 \* 800-765-0980 \* Fax 615-726-3404

Client Small Business Group, Inc. (2449)

10179 Highway 78

Ladson, SC 29456

Attn Tom McElwee

Work Order:NSE1331Project Name:Laurel Bay Housing ProjectProject Number:[none]Received:05/15/09 08:15

#### ANALYTICAL REPORT

					Dilution	Analysis		
Analyte	Result	Flag	Units	MRL	Factor	Date/Time	Method	Batch
Sample ID: NSE1331-04 (1014 Fox	glove - Soil) Sa	ampled:	05/13/09 10:15					
General Chemistry Parameters								
% Dry Solids	95.2		%	0.500	1	05/28/09 09:06	SW-846	9053977
Selected Volatile Organic Compounds	by EPA Method	8260B						
Benzene	ND		mg/kg dry	0.00216	1	05/23/09 01:03	SW846 8260B	9053563
Ethylbenzene	ND		mg/kg dry	0.00216	1	05/23/09 01:03	SW846 8260B	9053563
Naphthalene	ND		mg/kg dry	0.00539	1	05/23/09 01:03	SW846 8260B	9053563
Toluene	ND		mg/kg dry	0.00216	1	05/23/09 01:03	SW846 8260B	9053563
Xylenes, total	ND		mg/kg dry	0.00539	1	05/23/09 01:03	SW846 8260B	9053563
Surr: 1,2-Dichloroethane-d4 (41-150%)	96 %					05/23/09 01:03	SW846 8260B	9053563
Surr: Dibromofluoromethane (55-139%)	101 %					05/23/09 01:03	SW846 8260B	905356.
Surr: Toluene-d8 (57-148%)	97 %					05/23/09 01:03	SW846 8260B	905356.
Surr: 4-Bromofluorobenzene (58-150%)	101 %					05/23/09 01:03	SW846 8260B	905356.
Polyaromatic Hydrocarbons by EPA 82	270D							
Acenaphthene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Acenaphthylene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Anthracene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Benzo (a) anthracene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Benzo (a) pyrenc	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Benzo (b) fluoranthene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Benzo (k) fluoranthene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Chrysene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Fluoranthene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Fluorenc	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Naphthalene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Phenanthrene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Pyrene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
1-Methylnaphthalenc	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
2-Methylnaphthalene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Surr: Terphenyl-d14 (26-128%)	83 %					05/21/09 19:46	SW846 8270D	905261
Surr: 2-Fluorobiphenyl (19-109%)	72 %					05/21/09 19:46	SW846 8270D	905261.
Surr: Nitrobenzene-d5 (22-104%)	78 %					05/21/09 19:46	SW846 8270D	9052613

,

<u>TestAmerica</u>

THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 \* 800-765-0980 \* Fax 615-726-3404

Client Small Business Group, Inc. (2449)

10179 Highway 78

Ladson, SC 29456

Attn Tom McElwee

Work Order:	NSE1331
Project Name:	Laurel Bay Housing Project
Project Number:	[none]
Received:	05/15/09 08:15

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSE1331-05 (1013 Fox	glove - Soil) S	ampled:	05/13/09 14:40					
General Chemistry Parameters								
% Dry Solids	95.5		%	0.500	1	05/28/09 09:06	SW-846	9053977
Selected Volatile Organic Compounds	by EPA Method	8260B						
Benzene	ND		mg/kg dry	0.00198	1	05/23/09 01:34	SW846 8260B	9053563
Ethylbenzene	ND		mg/kg dry	0.00198	1	05/23/09 01:34	SW846 8260B	9053563
Naphthalene	ND		mg/kg dry	0.00496	1	05/23/09 01:34	SW846 8260B	9053563
Toluene	ND		mg/kg dry	0.00198	1	05/23/09 01:34	SW846 8260B	9053563
Xylenes, total	ND		mg/kg dry	0.00496	1	05/23/09 01:34	SW846 8260B	9053563
Surr: 1,2-Dichloroethane-d4 (41-150%)	93 %					05/23/09 01:34	SW846 8260B	9053563
Surr: Dibromofluoromethane (55-139%)	99 %					05/23/09 01:34	SW846 8260B	9053563
Surr: Toluene-d8 (57-148%)	98 %					05/23/09 01:34	SW846 8260B	9053563
Surr: 4-Bromofluorobenzene (58-150%)	99 %					05/23/09 01:34	SW846 8260B	9053563
Polyaromatic Hydrocarbons by EPA 82	270D							
Acenaphthene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Acenaphthylene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Anthracene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Benzo (a) anthracene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Benzo (a) pyrene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Benzo (b) fluoranthene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Benzo (k) fluoranthene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Chrysene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Fluoranthene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Fluorenc	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Naphthalene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Phenanthrene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Pyrene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
1-Methylnaphthalene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
2-Methylnaphthalene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Surr: Terphenyl-d14 (26-128%)	72 %		-			05/21/09 20:09	SW846 8270D	9052613
Surr: 2-Fluorobiphenyl (19-109%)	61 %					05/21/09 20:09	SW846 8270D	9052613
Surr: Nitrobenzene-d5 (22-104%)	64 %					05/21/09 20:09	SW846 8270D	9052613

**TestAmerica** 

THE LEADER IN ENVIRONMENTAL TESTING

Client Small Business Group, Inc. (2449)

10179 Highway 78

Ladson, SC 29456

Attn Tom McElwee

Work Order:	NSE1331
Project Name:	Laurel Bay Housing Project
Project Number:	[none]
Received:	05/15/09 08:15

#### ANALYTICAL REPORT

Analyta			<b>T</b> T */	MDI	Dilution	Analysis Data/Time	Method	Datch
Analyte	Result	Flag	Units	MRL	Factor	Date/Time	Ivietnoa	Batch
Sample ID: NSE1331-06 (1017 Fox	glove - Soil) S	ampled: (	05/14/09 10:10					
General Chemistry Parameters								
% Dry Solids	85.9		%	0.500	1	05/28/09 09:06	SW-846	9053977
Selected Volatile Organic Compounds	by EPA Method	8260B						
Benzene	ND		mg/kg dry	0.00269	1	05/23/09 02:04	SW846 8260B	9053563
Ethylbenzene	ND		mg/kg dry	0.00269	1	05/23/09 02:04	SW846 8260B	9053563
Naphthalene	ND		mg/kg dry	0.00672	1	05/23/09 02:04	SW846 8260B	9053563
Toluene	ND		mg/kg dry	0.00269	1	05/23/09 02:04	SW846 8260B	9053563
Xylenes, total	ND		mg/kg dry	0.00672	1	05/23/09 02:04	SW846 8260B	9053563
Surr: 1,2-Dichloroethane-d4 (41-150%)	93 %					05/23/09 02:04	SW846 8260B	9053563
Surr: Dibromofluoromethane (55-139%)	100 %					05/23/09 02:04	SW846 8260B	9053563
Surr: Toluene-d8 (57-148%)	98 %					05/23/09 02:04	SW846 8260B	9053563
Surr: 4-Bromofluorobenzene (58-150%)	<b>99</b> %					05/23/09 02:04	SW846 8260B	9053563
Polyaromatic Hydrocarbons by EPA 82	270D							
Acenaphthene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613
Acenaphthylene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613
Anthracene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613
Benzo (a) anthracene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613
Benzo (a) pyrene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613
Benzo (b) fluoranthene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613
Benzo (k) fluoranthene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613
Chrysene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613
Fluoranthene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613
Fluorene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613
Naphthalene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613
Phenanthrene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613
Pyrene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613
1-Methylnaphthalene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613
2-Methylnaphthalene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613
Surr: Terphenyl-d14 (26-128%)	77 %					05/21/09 20:31	SW846 8270D	9052613
Surr: 2-Fluorobiphenyl (19-109%)	69 %					05/21/09 20:31	SW846 8270D	9052613
Surr: Nitrobenzene-d5 (22-104%)	76 %					05/21/09 20:31	SW846 8270D	9052613

THE LEADER IN ENVIRONMENTAL TESTING

Client Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456 Attn Tom McElwee Work Order:NSE1331Project Name:Laurel Bay Housing ProjectProject Number:[none]Received:05/15/09 08:15

#### SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
Polyaromatic Hydrocarbons by E	PA 8270D						
SW846 8270D	9052613	NSE1331-01	30.37	1.00	05/21/09 11:10	TEM	EPA 3550B
SW846 8270D	9052613	NSE1331-02	30.71	1.00	05/21/09 11:10	TEM	EPA 3550B
SW846 8270D	9052613	NSE1331-03	30.42	1.00	05/21/09 11:10	TEM	EPA 3550B
SW846 8270D	9052613	NSE1331-04	30.03	1.00	05/21/09 11:10	TEM	EPA 3550B
SW846 8270D	9052613	NSE1331-05	30.33	1.00	05/21/09 11:10	TEM	EPA 3550B
SW846 8270D	9052613	NSE1331-06	30.41	1.00	05/21/09 11:10	TEM	EPA 3550B
Selected Volatile Organic Compo	ounds by EPA Method	8260B					
SW846 8260B	9053563	NSE1331-01	4.61	5.00	05/11/09 13:20	JRL	EPA 5035
SW846 8260B	9053563	NSE1331-02	5.09	5.00	05/12/09 10:10	JRL	EPA 5035
SW846 8260B	9053563	NSE1331-03	4.97	5.00	05/12/09 13:40	JRL	EPA 5035
SW846 8260B	9053563	NSE1331-04	4.87	5.00	05/13/09 10:15	JRL	EPA 5035
SW846 8260B	9053563	NSE1331-05	5.28	5.00	05/13/09 14:40	JRL	EPA 5035
SW846 8260B	9053563	NSE1331-06	4.33	5.00	05/14/09 10:10	JRL	EPA 5035

THE LEADER IN ENVIRONMENTAL TESTING

Client Small Business Group, Inc. (2449)

10179 Highway 78

Ladson, SC 29456

Attn Tom McElwee

Work Order:NSE1331Project Name:Laurel Bay Housing ProjectProject Number:[none]Received:05/15/09 08:15

#### PROJECT QUALITY CONTROL DATA Blank

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
Selected Volatile Organic Compo	ounds by EPA Method	l 8260B				
9053563-BLK1	-					
Benzene	<0.000670		mg/kg wet	9053563	9053563-BLK1	05/22/09 20:26
Ethylbenzene	<0.000670		mg/kg wet	9053563	9053563-BLK1	05/22/09 20:26
Naphthalene	< 0.00151		mg/kg wet	9053563	9053563-BLK1	05/22/09 20:26
Toluene	<0.000670		mg/kg wet	9053563	9053563-BLK1	05/22/09 20:26
Xylenes, total	< 0.00172		mg/kg wet	9053563	9053563-BLK1	05/22/09 20:26
Surrogate: 1,2-Dichloroethane-d4	95%			9053563	9053563-BLK1	05/22/09 20:26
Surrogate: Dibromofluoromethane	101%			9053563	9053563-BLK1	05/22/09 20:26
Surrogate: Toluene-d8	98%			9053563	9053563-BLK1	05/22/09 20:26
Surrogate: 4-Bromofluorobenzene	129%			9053563	9053563-BLK1	05/22/09 20:26
Polyaromatic Hydrocarbons by I	EPA 8270D					
9052613-BLK1						
Acenaphthene	< 0.0310		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Acenaphthylene	< 0.0320		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Anthracene	< 0.0330		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Benzo (a) anthracene	< 0.0380		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Benzo (a) pyrene	<0.0290		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Benzo (b) fluoranthene	< 0.0320		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Benzo (g,h,i) perylene	<0.0290		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Benzo (k) fluoranthene	<0.0290		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Chrysene	< 0.0390		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Dibenz (a,h) anthracene	< 0.0310		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Fluoranthene	< 0.0340		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Fluorene	<0.0390		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Indeno (1,2,3-cd) pyrene	< 0.0310		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Naphthalene	< 0.0410		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Phenanthrene	< 0.0340		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Pyrene	< 0.0410		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
1-Methylnaphthalene	< 0.0320		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
2-Methylnaphthalene	< 0.0330		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Surrogate: Terphenyl-d14	85%			9052613	9052613-BLK1	05/21/09 17:06
Surrogate: 2-Fluorobiphenyl	65%			9052613	9052613-BLK1	05/21/09 17:06
Surrogate: Nitrobenzene-d5	69%			9052613	9052613-BLK1	05/21/09 17:06

THE LEADER IN ENVIRONMENTAL TESTING

Client Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456 Attn Tom McElwee Work Order:NSE1331Project Name:Laurel Bay Housing ProjectProject Number:[none]Received:05/15/09 08:15

#### PROJECT QUALITY CONTROL DATA

Duplicate

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	% Rec.	Analyzed Date/Time
General Chemistry Parameters 9053977-DUP1 % Dry Solids	80.5	81.2		%	0.9	20	9053977	NSE1323-18		05/28/09 09:06

THE LEADER IN ENVIRONMENTAL TESTING

Client Small Business Group, Inc. (2449) 10179 Highway 78

Ladson, SC 29456

Attn Tom McElwee

Work Order:NSE1331Project Name:Laurel Bay Housing ProjectProject Number:[nonc]Received:05/15/09 08:15

### PROJECT QUALITY CONTROL DATA

LCS

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Selected Volatile Organic Compou	nds by EPA Method 82	60B						
9053563-BS1								
Benzene	50.0	53.2		ug/kg	106%	76 - 130	9053563	05/22/09 18:23
Ethylbenzene	50.0	56.9		ug/kg	114%	80 - 128	9053563	05/22/09 18:23
Naphthalene	50.0	55.5		ug/kg	111%	63 - 144	9053563	05/22/09 18:23
Toluene	50.0	53.4		ug/kg	107%	80 - 125	9053563	05/22/09 18:23
Xylenes, total	150	167		ug/kg	112%	79 - 130	9053563	05/22/09 18:23
Surrogate: 1,2-Dichloroethane-d4	50.0	47.8			96%	41 - 150	9053563	05/22/09 18:23
Surrogate: Dibromofluoromethane	50.0	51.0			102%	55 - 139	9053563	05/22/09 18:23
Surrogate: Toluene-d8	50.0	49.8			100%	57 - 148	9053563	05/22/09 18:23
Surrogate: 4-Bromofluorobenzene	50.0	58.4			117%	58 - 150	9053563	05/22/09 18:23
Polyaromatic Hydrocarbons by EP	PA 8270D							
9052613-BS1								
Acenaphthene	1.67	1.26		mg/kg wet	76%	52 - 106	9052613	05/21/09 17:28
Acenaphthylene	1.67	1.54		mg/kg wet	92%	53 - 109	9052613	05/21/09 17:28
Anthracene	1.67	1.52		mg/kg wet	91%	54 - 124	9052613	05/21/09 17:28
Benzo (a) anthracene	1.67	1.46		mg/kg wet	87%	53 - 111	9052613	05/21/09 17:28
Benzo (a) pyrene	1.67	1.51		mg/kg wet	90%	52 - 122	9052613	05/21/09 17:28
Benzo (b) fluoranthene	1.67	1.61		mg/kg wet	97%	48 - 115	9052613	05/21/09 17:28
Benzo (g,h,i) perylene	1.67	1.58		mg/kg wet	95%	46 - 114	9052613	05/21/09 17:28
Benzo (k) fluoranthene	1.67	1.31		mg/kg wet	79%	41 - 121	9052613	05/21/09 17:28
Chrysene	1.67	1.42		mg/kg wet	85%	49 - 113	9052613	05/21/09 17:28
Dibenz (a,h) anthracene	1.67	1.54		mg/kg wet	93%	47 - 117	9052613	05/21/09 17:28
Fluoranthene	1.67	1.47		mg/kg wet	88%	52 - 113	9052613	05/21/09 17:28
Fluorene	1.67	1.47		mg/kg wet	88%	54 - 107	9052613	05/21/09 17:28
Indeno (1,2,3-cd) pyrene	1.67	1.56		mg/kg wet	93%	47 - 115	9052613	05/21/09 17:28
Naphthalene	1.67	1.49		mg/kg wet	89%	34 - 107	9052613	05/21/09 17:28
Phenanthrene	1.67	1.32		mg/kg wet	79%	53 - 108	9052613	05/21/09 17:28
Pyrene	1.67	1.33		mg/kg wet	80%	54 - 113	9052613	05/21/09 17:28
1-Methylnaphthalene	1.67	1.30		mg/kg wet	78%	36 - 100	9052613	05/21/09 17:28
2-Methylnaphthalene	1.67	1.42		mg/kg wet	85%	42 - 112	9052613	05/21/09 17:28
Surrogate: Terphenyl-d14	1.67	1.45			87%	26 - 128	9052613	05/21/09 17:28
Surrogate: 2-Fluorobiphenyl	1.67	1.42			85%	19 - 109	9052613	05/21/09 17:28
Surrogate: Nitrobenzene-d5	1.67	1.50			90%	22 - 104	9052613	05/21/09 17:28

THE LEADER IN ENVIRONMENTAL TESTING

Client Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456

Attn Tom McElwee

Work Order:	NSE1331
Project Name:	Laurel Bay Housing Project
Project Number:	[none]
Received:	05/15/09 08:15

### PROJECT QUALITY CONTROL DATA

#### LCS Dup

Analyte	Orig. Val. Duplicate Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Selected Volatile Organic Comp	ounds by EPA Method 8260B									
9053563-BSD1										
Benzene	51.1	ug/kg	50.0	102%	76 - 130	4	43	9053563		05/22/09 18:54
Ethylbenzene	55.2	ug/kg	50.0	110%	80 - 128	3	48	9053563		05/22/09 18:54
Naphthalene	56.0	ug/kg	50.0	112%	63 - 144	0.8	50	9053563		05/22/09 18:54
Toluene	51.2	ug/kg	50.0	102%	80 - 125	4	44	9053563		05/22/09 18:54
Xylenes, total	162	ug/kg	150	108%	79 - 130	4	48	9053563		05/22/09 18:54
Surrogate: 1,2-Dichloroethane-d4	47.0	ug/kg	50.0	94%	41 - 150			9053563		05/22/09 18:54
Surrogate: Dibromofluoromethane	50.6	ug/kg	50.0	101%	55 - 139			9053563		05/22/09 18:54
Surrogate: Toluene-d8	49.0	ug/kg	50.0	98%	57 - 148			9053563		05/22/09 18:54
Surrogate: 4-Bromofluorobenzene	60.2	ug/kg	50.0	120%	58 - 150			9053563		05/22/09 18:54

**TestAmerica** 

THE LEADER IN ENVIRONMENTAL TESTING

Small Business Group, Inc. (2449) NSE1331 Client Work Order: 10179 Highway 78 Laurel Bay Housing Project Project Name: Ladson, SC 29456 [none] Project Number: Tom McElwee 05/15/09 08:15 Received: Attn

PROJECT QUALITY CONTROL DATA Matrix Spike										
Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Selected Volatile Organic Compo	unds by EPA Me	thod 8260B								
9053563-MS1										
Benzene	ND	36.6		ug/kg	50.0	73%	33 - 146	9053563	NSE1337-03	05/23/09 04:07
Ethylbenzene	ND	37.7		ug/kg	50.0	75%	16 - 160	9053563	NSE1337-03	05/23/09 04:07
Naphthalene	ND	25.5		ug/kg	50.0	51%	10 - 151	9053563	NSE1337-03	05/23/09 04:07
Toluene	ND	35.1		ug/kg	50.0	70%	30 - 145	9053563	NSE1337-03	05/23/09 04:07
Xylenes, total	ND	109		ug/kg	150	73%	16 - 159	9053563	NSE1337-03	05/23/09 04:07
Surrogate: 1,2-Dichloroethane-d4		48.4		ug/kg	50.0	97%	41 - 150	9053563	NSE1337-03	05/23/09 04:07
Surrogate: Dibromofluoromethane		50.9		ug/kg	50.0	102%	55 - 139	9053563	NSE1337-03	05/23/09 04:07
Surrogate: Toluene-d8		48.8		ug/kg	50.0	98%	57 - 148	9053563	NSE1337-03	05/23/09 04:07
Surrogate: 4-Bromofluorobenzene		49.4		ug/kg	50.0	99%	58 - 150	9053563	NSE1337-03	05/23/09 04:07
Polyaromatic Hydrocarbons by E	CPA 8270D									
9052613-MS1										
Acenaphthene	ND	1.28		mg/kg dry	1.71	75%	28 - 117	9052613	NSE1331-01	05/21/09 17:51
Acenaphthylene	ND	1.56		mg/kg dry	1.71	91%	33 - 113	9052613	NSE1331-01	05/21/09 17:51
Anthracene	ND	1.50		mg/kg dry	1.71	88%	31 - 131	9052613	NSE1331-01	05/21/09 17:51
Benzo (a) anthracene	ND	1.47		mg/kg dry	1.71	86%	29 - 124	9052613	NSE1331-01	05/21/09 17:51
Benzo (a) pyrene	ND	1.48		mg/kg dry	1.71	86%	30 - 127	9052613	NSE1331-01	05/21/09 17:51
Benzo (b) fluoranthene	ND	1.70		mg/kg dry	1.71	99%	26 - 128	9052613	NSE1331-01	05/21/09 17:51
Benzo (g,h,i) perylene	ND	1.59		mg/kg dry	1.71	93%	21 - 122	9052613	NSE1331-01	05/21/09 17:51
Benzo (k) fluoranthene	ND	1.37		mg/kg dry	1.71	80%	20 - 130	9052613	NSE1331-01	05/21/09 17:51
Chrysene	ND	1.44		mg/kg dry	1.71	84%	30 - 119	9052613	NSE1331-01	05/21/09 17:51
Dibenz (a,h) anthracene	ND	1.57		mg/kg dry	1.71	92%	27 - 122	9052613	NSE1331-01	05/21/09 17:51
Fluoranthene	ND	1.50		mg/kg dry	1.71	88%	23 - 132	9052613	NSE1331-01	05/21/09 17:51
Fluorene	ND	1.53		mg/kg dry	1.71	89%	38 - 110	9052613	NSE1331-01	05/21/09 17:51
Indeno (1,2,3-cd) pyrene	ND	1.57		mg/kg dry	1.71	92%	24 - 122	9052613	NSE1331-01	05/21/09 17:51
Naphthalene	ND	1.46		mg/kg dry	1.71	85%	14 - 117	9052613	NSE1331-01	05/21/09 17:51
Phenanthrene	0.0435	1.36		mg/kg dry	1.71	77%	21 - 130	9052613	NSE1331-01	05/21/09 17:51
Pyrene	ND	1.42		mg/kg dry	1.71	83%	24 - 133	9052613	NSE1331-01	05/21/09 17:51
1-Methylnaphthalene	ND	1.38		mg/kg dry	1.71	81%	10 - 121	9052613	NSE1331-01	05/21/09 17:51
2-Methylnaphthalene	ND	1.51		mg/kg dry	1.71	88%	26 - 116	9052613	NSE1331-01	05/21/09 17:51
Surrogate: Terphenyl-d14		1.51		mg/kg dry	1.71	88%	26 - 128	9052613	NSE1331-01	05/21/09 17:51
Surrogate: 2-Fluorobiphenyl		1.36		mg/kg dry	1.71	79%	19 - 109	9052613	NSE1331-01	05/21/09 17:51
Surrogate: Nitrobenzene-d5		1.45		mg/kg dry	1.71	85%	22 - 104	9052613	NSE1331-01	05/21/09 17:51

**TestAmerica** 

THE LEADER IN ENVIRONMENTAL TESTING

Client Small Business Group, Inc. (2449) 10179 Highway 78

Ladson, SC 29456

Tom McElwee Attn

Work Order: NSE1331 Laurel Bay Housing Project Project Name: [none] Project Number: Received: 05/15/09 08:15

#### PROJECT QUALITY CONTROL DATA Matrix Spike Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Selected Volatile Organic Comp	ounds by EPA	Method 826	60 <b>B</b>									
9053563-MSD1												
Benzene	ND	40.5		ug/kg	50.0	81%	33 - 146	10	43	9053563	NSE1337-03	05/23/09 04:38
Ethylbenzene	ND	41.3		ug/kg	50.0	83%	16 - 160	9	48	9053563	NSE1337-03	05/23/09 04:38
Naphthalene	ND	28.1		ug/kg	50.0	56%	10 - 151	10	50	9053563	NSE1337-03	05/23/09 04:38
Toluene	ND	39.2		ug/kg	50.0	78%	30 - 145	11	44	9053563	NSE1337-03	05/23/09 04:38
Xylenes, total	ND	120		ug/kg	150	80%	16 - 159	9	48	9053563	NSE1337-03	05/23/09 04:38
Surrogate: 1,2-Dichloroethane-d4		48.5		ug/kg	50.0	97%	41 - 150			9053563	NSE1337-03	05/23/09 04:38
Surrogate: Dibromofluoromethane		51.0		ug/kg	50.0	102%	55 - 139			9053563	NSE1337-03	05/23/09 04:38
Surrogate: Toluene-d8		49.4		ug/kg	50.0	99%	57 - 148			9053563	NSE1337-03	05/23/09 04:38
Surrogate: 4-Bromofluorobenzene		48.1		ug/kg	50.0	96%	58 - 150			9053563	NSE1337-03	05/23/09 04:38
Polyaromatic Hydrocarbons by	EPA 8270D											
9052613-MSD1												
Acenaphthene	ND	1.25		mg/kg dry	1.71	73%	28 - 117	3	33	9052613	NSE1331-01	05/21/09 18:14
Acenaphthylene	ND	1.47		mg/kg dry	1.71	86%	33 - 113	6	38	9052613	NSE1331-01	05/21/09 18:14
Anthracene	ND	1.46		mg/kg dry	1.71	85%	31 - 131	3	32	9052613	NSE1331-01	05/21/09 18:14
Benzo (a) anthracene	ND	1.54		mg/kg dry	1.71	90%	29 - 124	5	26	9052613	NSE1331-01	05/21/09 18:14
Benzo (a) pyrene	ND	1.50		mg/kg dry	1.71	87%	30 - 127	1	31	9052613	NSE1331-01	05/21/09 18:14
Benzo (b) fluoranthene	ND	1.56		mg/kg dry	1.71	91%	26 - 128	9	37	9052613	NSE1331-01	05/21/09 18:14
Benzo (g,h,i) perylene	ND	1.55		mg/kg dry	1.71	90%	21 - 122	3	28	9052613	NSE1331-01	05/21/09 18:14
Benzo (k) fluoranthene	ND	1.53		mg/kg dry	1.71	89%	20 - 130	11	35	9052613	NSE1331-01	05/21/09 18:14
Chrysene	ND	1.51		mg/kg dry	1.71	88%	30 - 119	5	31	9052613	NSE1331-01	05/21/09 18:14
Dibenz (a,h) anthracene	ND	1.51		mg/kg dry	1.71	88%	27 - 122	4	32	9052613	NSE1331-01	05/21/09 18:14
Fluoranthene	ND	1.63		mg/kg dry	1.71	95%	23 - 132	8	36	9052613	NSE1331-01	05/21/09 18:14
Fluorene	ND	1.51		mg/kg dry	1.71	88%	38 - 110	1	35	9052613	NSE1331-01	05/21/09 18:14
Indeno (1,2,3-cd) pyrene	ND	1.54		mg/kg dry	1,71	90%	24 - 122	2	28	9052613	NSE1331-01	05/21/09 18:14
Naphthalene	ND	1.44		mg/kg dry	1.71	84%	14 - 117	1	34	9052613	NSE1331-01	05/21/09 18:14
Phenanthrene	0.0435	1.41		mg/kg dry	1.71	80%	21 - 130	3	33	9052613	NSE1331-01	05/21/09 18:14
Pyrene	ND	1.54		mg/kg dry	1.71	90%	24 - 133	8	36	9052613	NSE1331-01	05/21/09 18:14
1-Methylnaphthalene	ND	1.31		mg/kg dry	1.71	76%	10 - 121	5	34	9052613	NSE1331-01	05/21/09 18:14
2-Methylnaphthalene	ND	1.47		mg/kg dry	1.71	86%	26 - 116	3	33	9052613	NSE1331-01	05/21/09 18:14
Surrogate: Terphenyl-d14		1.57		mg/kg dry	1.71	92%	26 - 128			9052613	NSE1331-01	05/21/09 18:14
Surrogate: 2-Fluorobiphenyl		1.36		mg/kg dry	1.71	80%	19 - 109			9052613	NSE1331-01	05/21/09 18:14
Surrogate: Nitrobenzene-d5		1.42		mg/kg dry	1.71	83%	22 - 104			9052613	NSE1331-01	05/21/09 18:14



THE LEADER IN ENVIRONMENTAL TESTING

Client	Small Business Group, Inc. (2449)	Work Order:	NSE1331
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[nonc]
Attn	Tom McElwce	Received:	05/15/09 08:15

#### **TestAmerica** Nashville

#### **CERTIFICATION SUMMARY**

Method	Matrix	AIHA	Nelac	South Carolina
SW846 8260B	Soil	N/A	х	Х
SW846 8270D	Soil			Х
SW-846	Soil			



THE LEADER IN ENVIRONMENTAL TESTING

Client	Small Business Group, Inc. (2449)	Work Order:	NSE1331
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	05/15/09 08:15

#### **DATA QUALIFIERS AND DEFINITIONS**

ND

Not detected at the reporting limit (or method detection limit if shown)

#### **METHOD MODIFICATION NOTES**

NSE1331 06/01/09 23 59																															
<b>Test</b> Amer		Nashville 2960 Fost Nashville,	er Cre	ighton					Free	e: 61 e: 80 k: 61	0-76	5-09	980							m	assist t ethods, i gulatory	s thi	s wor	k bein							
Client Name/Account #:	EEG # 2449															_							C	ompli	ance N	lonitor	ing?		Yes_	N	io _
Address:	10179 Highway	78																						Enfor	cemen	t Actio	m?		Yes	N	_o
City/State/Zip:	Ledson, SC 294	56										_						Sit	e Stal	e: <u>S</u>	<u> </u>			_							
Project Manager:	Tom McElwee a	nall: mcelw	ee@ee	ginc.ne	nt											_ /			PO	#:		8	20	1_							
Telephone Number:	843.412.2097					Fax	No.:		247	3-	- 8	<u>87</u> °	<u> </u>	04	YE	) [		TAC	luote	#:						_					_
Sampler Name: (Print)	PRA	4,5	iha	r w												_		Pro	ject i	D: La	urel Bay	Ho	using	Proje	ct						
Sampler Signature:	K	PN!	-				_									_			oject												
• •		1				Г	₹	Pn	-	ative		2	-	M	latri	x		<b></b>	· · · ·				An	alyze	For:					<b></b>	_
		1	B		T		B			1	Τ		T	Τ	Т	Τ	Τ	10g		Т		Т	_		T	T	Τ	T		-13	П
			Shipped				M			w Label		lottor.				1		82601								1				Ĩ	
	_	σ	5) 110				Nesa				1	2						Ę								1				9	
1	1 9		1	1 1		ĕİ	14	141	814	818	14	16	-	Į		Ì	1	Ž	•	ξÌ	1	ł	i	1	1	ł	1	1	1	1.5	
	Samp	Samp	Conta		Composite	Field Fiftere fre		3	S I		128	S P		N N				t		1/28-					1					TAT HSH	
		lime	No. of	Grab	E .		,∣₹	HCI (Blue	NaOH (O	H,SO, Gla	None (Bla	Other (S	Ground	Varia Dinki-		3	1 Mar	BTEX		ξ								1			
Sample ID / Description			2		<u> </u>	<u> </u>	_		2 ]		+	- · ·	0	\$ 0	10	0	<u>₽</u>					-			<u> </u>	+		<u> </u>		<u>_</u>	4
1005 Foxslour	5/11/09	1320	7	X			2			+-	2	_	$\vdash$	_	+	+		3	13	2		_			<b>_</b>	—	4	<u> </u>			4
1008 Foxclour	5712/09	1010	5	1		_	3	╪╌┤	_	+-	2	-	$\vdash$	+	4-	+	<u> </u>	2	13			_	2			4	$\perp$	$\rightarrow$	$\rightarrow$		4
1004 Forglour	5/12/09	1340	5	X			þ	┥┥	4	4-	3	_			$\perp$	┶		3	3			ŀ	2		<b> </b>	1	_	-+	$\perp$		$\downarrow$
1014 FOXCOUR	5/13/09	1015	5	X			2				3					1		2	3				ý.								
1013 Fox love	5/13/09	1440	5	X			13				2	1						3	13	_			5			1					
1017 Foxclove	5/14/09	1010	5	<u>1X</u>			2		_		2	11						3		2			0								Ι
5																	ľ										Τ				Т
											T				Τ							Т					Τ	-			T
	1					Т	Τ	Π		Τ	T			-		F						T			$\uparrow$	1	T				Ť
			t	1-1			1	$\mathbf{T}$	$\uparrow$	╈	$\uparrow$			$\top$	+	$\uparrow$			1			+			+	1_	+				+
Special instructions:	.i	<u></u>	<b></b>		à		i	d a f i	Rhina				h <b>h</b> a			 Ei	EDE	·	- <b></b>	La		nper	ature	Upon	Receip	nt:	3.	7		~	-
Relinquished by:	Date	1-	Ti	me I	Receiv				andu	nent:			Т	C	Date		T	Λ Tim	10	-	vO	US F	198 0	nea	Ispace	r :	9.	•		Y,	-
A RUL	5/14/	05	17	00		rc		¥																							
Relinquished by:	Date		1.		Receiv				a:	······			$\uparrow$	5/0	Date	m	18	Tin 3/6	18												
L	1		L	I	Ľ		9	1						<u>-71</u>	7		10	//-	2_					·							

### ATTACHMENT A



# **NON-HAZARDOUS MANIFEST**

Pie	ase print or type. (Form designed for use on elite (12-pitch) typewriter.)												CVM	l					
Γ	NON-HAZARDOUS MANIFEST	PA ID No.	1 1	1		Mar Docum	nifest nent N	ło.	2. Pag of	e 1									
	3. Generator's Name and Mailing Address MCAS, Beaufort Laurel Bay Housing	100	85479																
	Beaufort SC 29904           4. Generator's Phone         843 228-6460		B. State	General	·														
		6.	US	EPA ID	Number				C. State Transporter's ID										
	EEG. inc.						_		D. Transporter's Phone 843 879-0411 E. State Transporter's ID										
	7. Transporter 2 Company Name 5.	8. IIII		EPA ID	Number.		ł	1.	F. Tran		<u> </u>								
ł	9. Designated Facility Name and Site Address	L   _   10.	US	EPÁ ID I	lumber		-			e Facility'	· · · · ·			<u>.</u>					
	HICKORY HILL LANDFILL ROUTE 1, BOX 121		H. Facil	ity's Phor	1e		<del>ېنې ا</del>												
	RIDGELAND SC 29896							84	3 967	4643									
	11. Description of Waste Materials								ainers	1	13. Fotal	14. Unit	I. Misc. Comment	te.					
	a Heating Oil Tank filled with Sand		<u></u>			╈	<u>N</u>	)	Type	<u>Q</u>	vanitity 80	Wt./Vol.	WISC. COMMEN	15					
GE	WM Profile # 10	26558	c			0	0	1											
N E R	b.																		
GENERATOR	WM Profile #						1	1											
R	c.				<u> </u>	-+-		1	┠╸╹━┥	┝──┸╼╍┦	ار میلیم بالد. ا			<u>خب ہے</u> ر					
	WM Profile #						Ι	<u>ا</u> .		1	. 1								
	d.																		
	WM Profile #																		
	J. Additional Descriptions for Materials Listed Above K. Disposal Locat												· · · ·						
	Landfill Solidification Cell											Level							
	Bio Remediation Grid													A					
	15. Special Handling Instructions and Additional Information 5 TARKS )1003 Bobwhite 3) 1008 Fars love 5) 1000 Bobw 01005 Farslove 4) 1009 Farslove 5) 1000 Bobw																		
	Purchase Order # EMERGENCY CONTACT:																		
	16. GENERATOR'S CERTIFICATION: I hereby certify that the above-described materials are not hazardous wastes as defined by 40 CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged, and are in proper condition for transportation according to applicable regulations.																		
	Charles H. Herron	S	ignatur	no "On ha	behalf c	of ک	7	Ι,	Ale	N	ξ		Month Day Ye	-					
R	17. Transporter 1 Acknowledgement of Receipt of Materials																		
TRANSPOR	Printed/Typed Name Signature												Month Day Ye	∋ar IOr					
P	<u>Sames to Idwin</u> B. Transporter 2 Acknowledgement of Receipt of Materials													ц					
Ř T E R	Printed/Typed Name	s	ignatur	re			·				<u> </u>	<u></u>	Month Day Ye	əar I					
	19. Certificate of Final Treatment/Disposal		·				<del></del>	<u> </u>	···	- <u></u>	<del>, , , , , , , , , , , , , , , , , , , </del>	<del>17, 111</del>	<u>▲</u>						
FACI	I certify, on behalf of the above listed treatmen was managed in compliance with all applicable																		
ļ	20. Facitility Owner or Operator: Certification of receipt of non-hazardou	us materiā	ls cove	ered by	this ma	nifest						1997 - 1997 -							
Ŷ	Printed/Typed Name	S	ignatur HU	Û	In	\$							Month Day Ye	17					

## #2 - GENERATOR #1 COPY

Appendix C Regulatory Correspondence





**C. Earl Hunter, Commissioner** Promoting and protecting the health of the public and the environment.

July 22, 2009

Commanding Officer ATTN: S-4 NREAO (Craig Ehde) MCAS PO Box 55001 Beaufort, SC 29904-5001

Re: MCAS – Laurel Bay Housing – 1009 Foxglove St. Site ID # 04224 UST Closure Reports received June 29, 2009 No Further Action

Dear Mr. Ehde:

The Department has reviewed the referenced closure report. Based upon the geotechnical data in the referenced report, the soil samples are non-detect and/or below risk based screening levels.

As the Department did not specifically request this data, and the work conducted at this site received no prior review by the Department, we cannot provide any comments on the completeness of the work performed or the overall environmental conditions of the site. Based on the information and analytical data submitted, there is no evidence to indicate that a violation of the Pollution Control Act has occurred. Consequently, no investigation will be required at this time. Please note, this statement pertains only to the data submitted and does not apply to other areas of the site and/or any other potential regulatory violations. Further, the Department retains the right to request further investigation if deemed necessary.

Should you have any questions, please contact me at 803-896-4179 (office phone) or cookeit@dhec.sc.gov.

Sincerely,

Jan T. Cooke, Hydrogeologist B. Thomas Knight, Manager AST Petroleum Restoration & Site Environmental Investigations Section Division of Site Assessment, Remediation & Revitalization Bureau of Land and Waste Management

cc: Region 8 District EQC