SUMMARY REPORT
130 FOXGLOVE STREET (FORMERLY 1017 FOXGLOVE STREET)

LAUREL BAY MILITARY HOUSING AREA

MARINE CORPS AIR STATION BEAUFORT

BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid-Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095 SUMMARY REPORT
130 FOXGLOVE STREET (FORMERLY 1017 FOXGLOVE STREET)

LAUREL BAY MILITARY HOUSING AREA

MARINE CORPS AIR STATION BEAUFORT

BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid- Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture 10560 Arrowhead Drive, Suite 500 Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016

CTO WE52

JUNE 2021



Table of Contents

1.0	INTRODUC	TION1
1.1 1.2		ND INFORMATION
2.0	SAMPLING	ACTIVITIES AND RESULTS
2.1 2.2		VAL AND SOIL SAMPLING
3.0	PROPERTY	STATUS4
4.0	REFERENC	ES4
Table	1	Table Laboratory Analytical Results - Soil
		Appendices
Appen Appen Appen	dix B	Multi-Media Selection Process for LBMH UST Assesment Report Regulatory Correspondence





List of Acronyms

bgs below ground surface

BTEX benzene, toluene, ethylbenzene, and xylenes

CTO Contract Task Order

COPC constituents of potential concern

IDIQ Indefinite Delivery, Indefinite Quantity

IGWA Initial Groundwater Assessment

JV Joint Venture

LBMH Laurel Bay Military Housing MCAS Marine Corps Air Station

NAVFAC Mid-Lant Naval Facilities Engineering Command Mid-Atlantic

NFA No Further Action

PAH polynuclear aromatic hydrocarbon

QAPP Quality Assurance Program Plan

RBSL risk-based screening level

SCDHEC South Carolina Department of Health and Environmental Control

Site LBMH area at MCAS Beaufort, South Carolina

UST underground storage tank

VISL vapor intrusion screening level



1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 130 Foxglove Street (Formerly 1017 Foxglove Street). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area





is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service,* (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*



Division (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 130 Foxglove Street (Formerly 1017 Foxglove Street). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 1017 Foxglove Street* (MCAS Beaufort, 2009). The UST Assessment Report is provided in Appendix B.

2.1 UST Removal and Soil Sampling

On May 14, 2009, a single 280 gallon heating oil UST was removed from the landscaped area adjacent to the concrete porch at 130 Foxglove Street (Formerly 1017 Foxglove Street). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 6'4" bgs and a single soil sample was collected from that



depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 130 Foxglove Street (Formerly 1017 Foxglove Street) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment.

3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 130 Foxglove Street (Formerly 1017 Foxglove Street). This NFA determination was obtained in a letter dated February 17, 2010. SCDHEC's NFA letter is provided in Appendix C.

4.0 REFERENCES

Marine Corps Air Station Beaufort, 2009. South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 1017 Foxglove Street, Laurel Bay Military Housing Area, September 2009.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 2.0*, April 2013.





- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.0*, May 2015.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

Table



Table 1

Laboratory Analytical Results - Soil 130 Foxglove Street (Formerly 1017 Foxglove Street)

Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs (1)	Results Sample Collected 05/14/09				
Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)						
Benzene	0.003	ND				
Ethylbenzene	1.15	ND				
Naphthalene	0.036	ND				
Toluene	0.627	ND				
Xylenes, Total	13.01	ND				
Semivolatile Organic Compounds Anal	yzed by EPA Method 8270D (mg/kg)					
Benzo(a)anthracene	0.66	ND				
Benzo(b)fluoranthene	0.66	ND				
Benzo(k)fluoranthene	0.66	ND				
Chrysene	0.66	ND				
Dibenz(a,h)anthracene	0.66	ND				

Notes:

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.


RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 and 1.1 (SCDHEC, May 2001 and SCDHEC, February 2011) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Appendix A Multi-Media Selection Process for LBMH





Appendix A - Multi-Media Selection Process for LBMH

Appendix B UST Assessment Report



South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank (UST) Assessment Report



Submit Completed Form To:
UST Program
SCDHEC
2600 Bull Street
Columbia, South Carolina 29201
Telephone (803) 896-795

SEP 2 3 2009

SITE ASSESSMENT, REMEDIATION & REVITALIZATION

I. OWNERSHIP OF UST (S)

MCAS Beaufort, Com	manding Officer Attn: N	NREAO (Craig Ehde)
Owner Name (Corporation, P.O. Box 55001	Individual, Public Agency, Other)	
Mailing Address		
Beaufort,	South Carolina	29904-5001
City	State	Zip Code
843	228-7317	Craig Ehde
Area Code	Telephone Number	Contact Person

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #							
Laurel Bay Military	Housing Area,	Marine	Corps	Air	Station,	Beaufort,	SC
Facility Name or Company Si							
1017 Foxglove St.,	Laurel Bay Mili	itary Ho	ousing	Are	a		
Street Address or State Road (as applicable)						
Beaufort,	Beaufort						
City	County						

Attachment 2

III. INSURANCE INFORMATION

Insurance Statement
The petroleum release reported to DHEC on at Permit ID Number may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. This section must be completed.
Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES NO (check one)
If you answered YES to the above question, please complete the following information:
My policy provider is: The policy deductible is: The policy limit is:
If you have this type of insurance, please include a copy of the policy with this report.
IV. REQUEST FOR SUPERB FUNDING
I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)
V. CERTIFICATION (To be signed by the UST owner)
I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.
Name (Type or print.)
Signature
To be completed by Notary Public:
Sworn before me this day of, 20
(Name)
Notary Public for the state of Please affix State seal if you are commissioned outside South Carolina

VI. UST INFORMATION	1017Foxglove
Product(ex. Gas, Kerosene)	Heating Oil
Capacity(ex. 1k, 2k)	280 gal
Age	Late 1950s
Construction Material(ex. Steel, FRP)	Steel
Month/Year of Last Use	Mid 1980s
Depth (ft.) To Base of Tank	6'4"
Spill Prevention Equipment Y/N	No
Overfill Prevention Equipment Y/N	No
Method of Closure Removed/Filled	Removed
Date Tanks Removed/Filled	5/14/09
Visible Corrosion or Pitting Y/N	Yes
Visible Holes Y/N	Yes
Method of disposal for any USTs removed from the UST 1017Foxglove was removed from	
Subtitle D landfill. See Attachme	nt "A."
Method of disposal for any liquid petroleum, sludge disposal manifests) UST 1017Foxglove was previously f	,

tank.

VII. PIPING INFORMATION

	1017Foxglove
	Steel &
Construction Material(ex. Steel, FRP)	Copper
Distance from UST to Dispenser	N/A
Number of Dispensers	N/A
Type of System Pressure or Suction	Suction
Was Piping Removed from the Ground? Y/N	Yes
Visible Corrosion or Pitting Y/N	Yes
Visible Holes Y/N	No
Age	Late 1950s
Corrosion and pitting were foun pipe. The copper supply and ret	d on the surface of the steel ve
VIII. BRIEF SITE DESCR	
and formerly contained fuel oil	_
installed in the late 1950s and 1	last used in the mid 1980s.

IX. SITE CONDITIONS

		Yes	No	Unk
A.	Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells? If yes, indicate depth and location on the site map.		х	
B.	Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells? If yes, indicate location on site map and describe the odor (strong, mild, etc.)		х	
C.	Was water present in the UST excavation, soil borings, or trenches? If yes, how far below land surface (indicate location and depth)?		Х	
D.	Did contaminated soils remain stockpiled on site after closure? If yes, indicate the stockpile location on the site map. Name of DHEC representative authorizing soil removal:		х	
Е.	Was a petroleum sheen or free product detected on any excavation or boring waters? If yes, indicate location and thickness.		х	

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 96012001

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA#
1017 Foxglove	Excav at fill end	Soil	Sandy	6'4"	5/14/09 1010 hrs	P. Shaw	
			,	:			
							:
8							
9							
10							
11							
12							
13					-		
14							
15							
16							
17							
18							
19							
20							

^{* =} Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect <u>and</u> store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280
and SC DHEC Assessment Guidelines. Sample containers were prepared by the
testing laboratory. The grab method was utilized to fill the sample
containers leaving as little head space as possible and immediately
capped. Soil samples were extracted from area below tank. The
samples were marked, logged, and immediately placed in a sample cooler
packed with ice to maintain an approximate temperature of 4 degrees
Centigrade. Tools were thoroughly cleaned and decontaminated with
the seven step decon process after each use. The samples remained in
custody of SBG-EEG, Inc. until they were transferred to Test America
Incorporated for analysis as documented in the Chain of Custody Record.


XII. RECEPTORS

Yes No Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system? Х If yes, indicate type of receptor, distance, and direction on site map. B. Are there any public, private, or irrigation water supply wells within Х 1000 feet of the UST system? If yes, indicate type of well, distance, and direction on site map. C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system? Х If yes, indicate type of structure, distance, and direction on site map. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? Х* *Sewer and water. If yes, indicate the type of utility, distance, and direction on the site E. Has contaminated soil been identified at a depth less than 3 feet Х below land surface in an area that is not capped by asphalt or concrete? If yes, indicate the area of contaminated soil on the site map.


XIII. SITE MAP


You must supply a <u>scaled</u> site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)










SBG-EEG 10179 HWY 78 LADSON, SC 29456

FIGURE 2 SITE MAP 1017 FOXGLOVE ST., LAUREL BAY MCAS BEAUFORT SC

ph. (843) 879-0400 SCALE: GRAPHIC

DWG DATE MAY 2009





Picture 1: Location of UST 1017Foxglove prior to digging.



Picture 2: UST 1017Foxglove during removal from the excavation.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

СоС	1017 Foxglove
Benzene	ND ND
Toluene	ND
Ethylbenzene	ND
Xylenes	ND
Naphthalene	ND
Benzo (a) anthracene	ND
Benzo (b) fluoranthene	ND ND
Benzo (k) fluoranthene	ND
Chrysene	ND
Dibenz (a, h) anthracene	ND
TPH (EPA 3550)	
СоС	
Benzene	
Toluene	
Ethylbenzene	
Xylenes	
Naphthalene	
Benzo (a) anthracene	
Benzo (b) fluoranthene	
Benzo (k) fluoranthene	
Chrysene	
Dibenz (a, h) anthracene	
TPH (EPA 3550)	

SUMMARY OF ANALYSIS RESULTS (cont'd)
Enter the ground water analytical data for each sample for all CoC in the table below. If free product

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
МТВЕ	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h)	10				

.05

5

Site

specific

anthracene

EDB

Lead

1,2-DCA

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here) (Please see Form #4)





May 29, 2009

1:10:39PM

Client:

Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Attn:

Tom McElwee

Work Order:

NSE1331

Project Name:

Laurel Bay Housing Project

Project Nbr:

[none]

P/O Nbr:

0829 05/15/09

Date Received:

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME				
1005 Foxglove	NSE1331-01	05/11/09 13:20				
1008 Foxglove	NSE1331-02	05/12/09 10:10				
1009 Foxglove	NSE1331-03	05/12/09 13:40				
1014 Foxglove	NSE1331-04	05/13/09 10:15				
1013 Foxglove	NSE1331-05	05/13/09 14:40				
1017 Foxglove	NSE1331-06	05/14/09 10:10				

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.


athy Gartner

This report has been electronically signed.

Report Approved By:

Cathy Gartner

Project Management





Client Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSE1331

Project Name:


Laurel Bay Housing Project

Project Number: [none]

Received:

05/15/09 08:15

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batcl
Sample ID: NSE1331-01 (1005 Fox	alove - Soil) S		/11/09 13-20					
General Chemistry Parameters	giove - Soil) Sa	ampicu. 05/	11/0/ 13.20					
•	06.3		0/	0.500	1	05/20/00 00:07	CW 946	006207
% Dry Solids	96.2		%	0.500	1	05/28/09 09:06	SW-846	905397
Selected Volatile Organic Compounds	by EPA Method	8260B						
Benzene	ND		mg/kg dry	0.00225	1	05/22/09 23:31	SW846 8260B	905356
Ethylbenzene	ND		mg/kg dry	0.00225	1	05/22/09 23:31	SW846 8260B	905356
Naphthalene	ND		mg/kg dry	0.00564	1	05/22/09 23:31	SW846 8260B	905356
Toluene	ND		mg/kg dry	0.00225	1	05/22/09 23:31	SW846 8260B	905356
Xylenes, total	ND		mg/kg dry	0.00564	1	05/22/09 23:31	SW846 8260B	905356
Surr: 1,2-Dichloroethane-d4 (41-150%)	94 %					05/22/09 23:31	SW846 8260B	905356
Surr: Dibromofluoromethane (55-139%)	100 %					05/22/09 23:31	SW846 8260B	90535
Surr: Toluene-d8 (57-148%)	99 %					05/22/09 23:31	SW846 8260B	90535
Surr: 4-Bromofluorobenzene (58-150%)	105 %					05/22/09 23:31	SW846 8260B	90535
Polyaromatic Hydrocarbons by EPA 82	:70D							
Acenaphthene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	905261
Acenaphthylene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	905261
Anthracene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	905261
Benzo (a) anthracene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	905261
Benzo (a) pyrene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	905261
Benzo (b) fluoranthene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	905261
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	905261
Benzo (k) fluoranthene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	905261
Chrysene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	905261
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	905261
Fluoranthene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	905261
Fluorene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	905261
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	905261
Naphthalene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	905261
Phenanthrene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	905261
Pyrene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	905261
1-Methylnaphthalene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	905261
2-Methylnaphthalene	ND		mg/kg dry	0.0688	1	05/21/09 18:37	SW846 8270D	905261
Surr: Terphenyl-d14 (26-128%)	79 %		<i>D D</i> ,		-	05/21/09 18:37	SW846 8270D	90526
Surr: 2-Fluorobiphenyl (19-109%)	65 %					05/21/09 18:37	SW846 8270D	90526
Surr: Nitrobenzene-d5 (22-104%)	68 %					05/21/09 18:37	SW846 8270D	90526





Small Business Group, Inc. (2449) Client

> 10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSE1331

Project Name:


Laurel Bay Housing Project

[none] Project Number:

Received:

05/15/09 08:15

Analyte	Result	Flag Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSE1331-02 (1008 Fox	glove - Soil) S	ampled: 05/12/09 10:10					
General Chemistry Parameters	giove - Son, S	ampica. 05/12/07 10:10					
•	73.8	%	0.500	1	05/28/09 09:06	SW-846	905397
% Dry Solids	/3.8	70	0.300	ı	03/28/09 09.00	3 W -040	903397
Selected Volatile Organic Compounds l	by EPA Method	8260B					
Benzene	ND	mg/kg dry	0.00266	1	05/23/09 00:02	SW846 8260B	905356
Ethylbenzene	ND	mg/kg dry	0.00266	1	05/23/09 00:02	SW846 8260B	905356.
Naphthalene	ND	mg/kg dry	0.00666	1	05/23/09 00:02	SW846 8260B	9053563
Toluene	ND	mg/kg dry	0.00266	1	05/23/09 00:02	SW846 8260B	9053563
Xylenes, total	ND	mg/kg dry	0.00666	1	05/23/09 00:02	SW846 8260B	9053563
Surr: 1,2-Dichloroethane-d4 (41-150%)	91 %				05/23/09 00:02	SW846 8260B	905356
Surr: Dibromofluoromethane (55-139%)	100 %				05/23/09 00:02	SW846 8260B	905356
Surr: Toluene-d8 (57-148%)	96 %				05/23/09 00:02	SW846 8260B	905356
Surr: 4-Bromofluorobenzene (58-150%)	117 %				05/23/09 00:02	SW846 8260B	905356
Polyaromatic Hydrocarbons by EPA 82	70D						
Acenaphthene	ND	mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	905261
Acenaphthylene	ND	mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	905261
Anthracene	ND	mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	905261
Benzo (a) anthracene	ND	mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	905261
Benzo (a) pyrene	ND	mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	905261
Benzo (b) fluoranthene	ND	mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	905261
Benzo (g,h,i) perylene	ND	mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	905261
Benzo (k) fluoranthene	ND	mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	9052613
Chrysene	ND	mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	905261
Dibenz (a,h) anthracene	ND	mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	905261
Fluoranthene	ND	mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	905261
Fluorene	ND	mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	905261
Indeno (1,2,3-cd) pyrene	ND	mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	905261
Naphthalene	ND	mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	905261
Phenanthrene	ND	mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	905261
Pyrene	ND	mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	905261
l-Methylnaphthalene	ND	mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	905261
2-Methylnaphthalene	ND	mg/kg dry	0.0887	1	05/21/09 19:00	SW846 8270D	905261
Surr: Terphenyl-d14 (26-128%)	80 %			•	05/21/09 19:00	SW846 8270D	905261
Surr: 2-Fluorobiphenyl (19-109%)	70 %				05/21/09 19:00	SW846 8270D	905261
Surr: Nitrobenzene-d5 (22-104%)	77 %				05/21/09 19:00	SW846 8270D	905261





Client Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSE1331

Project Name:


Laurel Bay Housing Project

Project Number: [none]

Received:

05/15/09 08:15

			ANALYTICAL REP	ORT				
Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSE1331-03 (1009 Fox	glove - Soil) Sa	ampled:	05/12/09 13:40					
General Chemistry Parameters								
% Dry Solids	87.5		%	0.500	1	05/28/09 09:06	SW-846	9053977
Selected Volatile Organic Compounds	by EPA Method	8260B						
Benzene	ND		mg/kg dry	0.00230	1	05/23/09 00:32	SW846 8260B	9053563
Ethylbenzene	ND		mg/kg dry	0.00230	1	05/23/09 00:32	SW846 8260B	9053563
Naphthalene	ND		mg/kg dry	0.00575	1	05/23/09 00:32	SW846 8260B	9053563
Toluene	ND		mg/kg dry	0.00230	1	05/23/09 00:32	SW846 8260B	9053563
Xylenes, total	ND		mg/kg dry	0.00575	1	05/23/09 00:32	SW846 8260B	9053563
Surr: 1,2-Dichloroethane-d4 (41-150%)	97 %					05/23/09 00:32	SW846 8260B	9053563
Surr: Dibromofluoromethane (55-139%)	100 %					05/23/09 00:32	SW846 8260B	9053563
Surr: Toluene-d8 (57-148%)	98 %					05/23/09 00:32	SW846 8260B	9053563
Surr: 4-Bromofluorobenzene (58-150%)	119 %					05/23/09 00:32	SW846 8260B	9053563
Polyaromatic Hydrocarbons by EPA 82	270D							
Acenaphthene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Acenaphthylene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Anthracene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Benzo (a) anthracene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Benzo (a) pyrene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Benzo (b) fluoranthene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Benzo (k) fluoranthene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Chrysene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Fluoranthene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Fluorene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Naphthalene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Phenanthrene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Pyrene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
1-Methylnaphthalene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
2-Methylnaphthalene	ND		mg/kg dry	0.0755	1	05/21/09 19:23	SW846 8270D	9052613
Surr: Terphenyl-d14 (26-128%)	80 %					05/21/09 19:23	SW846 8270D	9052613
Surr: 2-Fluorobiphenyl (19-109%)	67 %					05/21/09 19:23	SW846 8270D	9052613
Surr: Nitrobenzene-d5 (22-104%)	73 %					05/21/09 19:23	SW846 8270D	9052613





Client Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSE1331

Project Name:

Laurel Bay Housing Project


Project Number: [1

[none]

Received:

05/15/09 08:15

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSE1331-04 (1014 Fox	glove - Soil) S		05/13/00 10-15					
General Chemistry Parameters	giove - Sony S	ampicu.	03/13/07 10.13					
•	0.7.4		0./	0.500		05/00/00 00 06	GIV 046	005000
% Dry Solids	95.2		%	0.500	1	05/28/09 09:06	SW-846	9053977
Selected Volatile Organic Compounds	by EPA Method	8260B						
Benzene	ND		mg/kg dry	0.00216	1	05/23/09 01:03	SW846 8260B	9053563
Ethylbenzene	ND		mg/kg dry	0.00216	1	05/23/09 01:03	SW846 8260B	9053563
Naphthalene	ND		mg/kg dry	0.00539	1	05/23/09 01:03	SW846 8260B	9053563
Toluene	ND		mg/kg dry	0.00216	1	05/23/09 01:03	SW846 8260B	9053563
Xylenes, total	ND		mg/kg dry	0.00539	1	05/23/09 01:03	SW846 8260B	9053563
Surr: 1,2-Dichloroethane-d4 (41-150%)	96 %					05/23/09 01:03	SW846 8260B	9053563
Surr: Dibromofluoromethane (55-139%)	101 %					05/23/09 01:03	SW846 8260B	9053563
Surr: Toluene-d8 (57-148%)	97 %					05/23/09 01:03	SW846 8260B	9053563
Surr: 4-Bromofluorobenzene (58-150%)	101 %					05/23/09 01:03	SW846 8260B	9053563
Polyaromatic Hydrocarbons by EPA 82	.70D							
Acenaphthene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Acenaphthylene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Anthracene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Benzo (a) anthracene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Benzo (a) pyrenc	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Benzo (b) fluoranthene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Benzo (k) fluoranthene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Chrysene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Fluoranthene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Fluorene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Naphthalene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Phenanthrene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Pyrene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
1-Methylnaphthalene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
2-Methylnaphthalene	ND		mg/kg dry	0.0703	1	05/21/09 19:46	SW846 8270D	9052613
Surr: Terphenyl-d14 (26-128%)	83 %		<i>0'0</i>)	0.0,00	-	05/21/09 19:46	SW846 8270D	9052613
Surr: 2-Fluorobiphenyl (19-109%)	72 %					05/21/09 19:46	SW846 8270D	9052613
Surr: Nitrobenzene-d5 (22-104%)	78 %					05/21/09 19:46	SW846 8270D	9052613





Small Business Group, Inc. (2449)

10179 Highway 78

Client

Attn

Ladson, SC 29456 Tom McElwee

Work Order:

NSE1331

Project Name:


Laurel Bay Housing Project

[none] Project Number:

Received:

05/15/09 08:15

					Dilution	Analysis		
Analyte	Result	Flag	Units	MRL	Factor	Date/Time	Method	Batch
Sample ID: NSE1331-05 (1013 Fox	glove - Soil) Sa	ampled: (5/13/09 14:40					
General Chemistry Parameters								
% Dry Solids	95.5		%	0.500	1	05/28/09 09:06	SW-846	9053977
Selected Volatile Organic Compounds l	by EPA Method	8260B						
Benzene	ND		mg/kg dry	0.00198	1	05/23/09 01:34	SW846 8260B	9053563
Ethylbenzene	ND		mg/kg dry	0.00198	1	05/23/09 01:34	SW846 8260B	9053563
Naphthalene	ND		mg/kg dry	0.00496	1	05/23/09 01:34	SW846 8260B	9053563
Toluene	ND		mg/kg dry	0.00198	1	05/23/09 01:34	SW846 8260B	9053563
Xylenes, total	ND		mg/kg dry	0.00496	1	05/23/09 01:34	SW846 8260B	9053563
Surr: 1,2-Dichloroethane-d4 (41-150%)	93 %					05/23/09 01:34	SW846 8260B	905356.
Surr: Dibromofluoromethane (55-139%)	99 %					05/23/09 01:34	SW846 8260B	905356.
Surr: Toluene-d8 (57-148%)	98 %					05/23/09 01:34	SW846 8260B	905356.
Surr: 4-Bromofluorobenzene (58-150%)	99 %					05/23/09 01:34	SW846 8260B	905356.
Polyaromatic Hydrocarbons by EPA 82	70D							
Acenaphthene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Acenaphthylene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Anthracene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Benzo (a) anthracene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Benzo (a) pyrene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Benzo (b) fluoranthene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Benzo (k) fluoranthene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Chrysene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Fluoranthene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Fluorene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Naphthalene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Phenanthrene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Pyrene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
1-Methylnaphthalene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
2-Methylnaphthalene	ND		mg/kg dry	0.0694	1	05/21/09 20:09	SW846 8270D	9052613
Surr: Terphenyl-d14 (26-128%)	72 %					05/21/09 20:09	SW846 8270D	905261.
Surr: 2-Fluorobiphenyl (19-109%)	61 %					05/21/09 20:09	SW846 8270D	905261.
Surr: Nitrobenzene-d5 (22-104%)	64 %					05/21/09 20:09	SW846 8270D	905261.



NSE1331

Laurel Bay Housing Project



Small Business Group, Inc. (2449) Client

> 10179 Highway 78 Ladson, SC 29456

Tom McElwee


Attn

Work Order: Project Name:

> Project Number: [none]

05/15/09 08:15 Received:

ANALYTICAL REPORT													
Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch					
Sample ID: NSE1331-06 (1017 Fox	glove - Soil) S	ampled:	05/14/09 10:10										
General Chemistry Parameters													
% Dry Solids	85.9		%	0.500	1	05/28/09 09:06	SW-846	9053977					
Selected Volatile Organic Compounds	by EPA Method	8260B											
Benzene	ND		mg/kg dry	0.00269	1	05/23/09 02:04	SW846 8260B	9053563					
Ethylbenzene	ND		mg/kg dry	0.00269	1	05/23/09 02:04	SW846 8260B	9053563					
Naphthalene	ND		mg/kg dry	0.00672	1	05/23/09 02:04	SW846 8260B	9053563					
Toluene	ND		mg/kg dry	0.00269	1	05/23/09 02:04	SW846 8260B	9053563					
Xylenes, total	ND		mg/kg dry	0.00672	1	05/23/09 02:04	SW846 8260B	9053563					
Surr: 1,2-Dichloroethane-d4 (41-150%)	93 %					05/23/09 02:04	SW846 8260B	9053563					
Surr: Dibromofluoromethane (55-139%)	100 %					05/23/09 02:04	SW846 8260B	9053563					
Surr: Toluene-d8 (57-148%)	98 %					05/23/09 02:04	SW846 8260B	9053563					
Surr: 4-Bromofluorobenzene (58-150%)	99 %					05/23/09 02:04	SW846 8260B	9053563					
Polyaromatic Hydrocarbons by EPA 82	70D												
Acenaphthene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613					
Acenaphthylene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613					
Anthracene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613					
Benzo (a) anthracene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613					
Benzo (a) pyrene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613					
Benzo (b) fluoranthene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613					
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613					
Benzo (k) fluoranthene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613					
Chrysene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613					
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613					
Fluoranthene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613					
Fluorene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613					
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613					
Naphthalene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613					
Phenanthrene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613					
Pyrene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613					
1-Methylnaphthalene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613					
2-Methylnaphthalene	ND		mg/kg dry	0.0769	1	05/21/09 20:31	SW846 8270D	9052613					
Surr: Terphenyl-d14 (26-128%)	77 %		-			05/21/09 20:31	SW846 8270D	9052613					
Surr: 2-Fluorobiphenyl (19-109%)	69 %					05/21/09 20:31	SW846 8270D	9052613					
Surr: Nitrobenzene-d5 (22-104%)	76 %					05/21/09 20:31	SW846 8270D	9052613					





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSE1331

Project Name:

Laurel Bay Housing Project


Project Number: [none]

Received:

05/15/09 08:15

SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
Polyaromatic Hydrocarbons by EPA	A 8270D						
SW846 8270D	9052613	NSE1331-01	30.37	1.00	05/21/09 11:10	TEM	EPA 3550B
SW846 8270D	9052613	NSE1331-02	30.71	1.00	05/21/09 11:10	TEM	EPA 3550B
SW846 8270D	9052613	NSE1331-03	30.42	1.00	05/21/09 11:10	TEM	EPA 3550B
SW846 8270D	9052613	NSE1331-04	30.03	1.00	05/21/09 11:10	TEM	EPA 3550B
SW846 8270D	9052613	NSE1331-05	30.33	1.00	05/21/09 11:10	TEM	EPA 3550B
SW846 8270D	9052613	NSE1331-06	30.41	1.00	05/21/09 11:10	TEM	EPA 3550B
Selected Volatile Organic Compoun	nds by EPA Method	8260B					
SW846 8260B	9053563	NSE1331-01	4.61	5.00	05/11/09 13:20	JRL	EPA 5035
SW846 8260B	9053563	NSE1331-02	5.09	5.00	05/12/09 10:10	JRL	EPA 5035
SW846 8260B	9053563	NSE1331-03	4.97	5.00	05/12/09 13:40	JRL	EPA 5035
SW846 8260B	9053563	NSE1331-04	4.87	5.00	05/13/09 10:15	JRL	EPA 5035
SW846 8260B	9053563	NSE1331-05	5.28	5.00	05/13/09 14:40	JRL	EPA 5035
SW846 8260B	9053563	NSE1331-06	4.33	5.00	05/14/09 10:10	JRL	EPA 5035





Client Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSE1331

Project Name:

Laurel Bay Housing Project


Project Number: [none]

Received:

05/15/09 08:15

PROJECT QUALITY CONTROL DATA Blank

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
Selected Volatile Organic Compo	ounds by EPA Method	l 8260B				
9053563-BLK1						
Benzene	< 0.000670		mg/kg wet	9053563	9053563-BLK1	05/22/09 20:26
Ethylbenzene	< 0.000670		mg/kg wet	9053563	9053563-BLK1	05/22/09 20:26
Naphthalene	< 0.00151		mg/kg wet	9053563	9053563-BLK1	05/22/09 20:26
Toluene	< 0.000670		mg/kg wet	9053563	9053563-BLK1	05/22/09 20:26
Xylenes, total	< 0.00172		mg/kg wet	9053563	9053563-BLK1	05/22/09 20:26
Surrogate: 1,2-Dichloroethane-d4	95%			9053563	9053563-BLK1	05/22/09 20:26
Surrogate: Dibromofluoromethane	101%			9053563	9053563-BLK1	05/22/09 20:26
Surrogate: Toluene-d8	98%			9053563	9053563-BLK1	05/22/09 20:26
Surrogate: 4-Bromofluorobenzene	129%			9053563	9053563-BLK1	05/22/09 20:26
Polyaromatic Hydrocarbons by F	EPA 8270D					
0052613-BLK1						
Acenaphthene	< 0.0310		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Acenaphthylene	< 0.0320		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Anthracene	< 0.0330		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Benzo (a) anthracene	< 0.0380		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Benzo (a) pyrene	< 0.0290		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Benzo (b) fluoranthene	< 0.0320		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Benzo (g,h,i) perylene	< 0.0290		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Benzo (k) fluoranthene	< 0.0290		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Chrysene	< 0.0390		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Dibenz (a,h) anthracene	< 0.0310		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Fluoranthene	< 0.0340		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Fluorene	< 0.0390		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Indeno (1,2,3-cd) pyrene	< 0.0310		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Naphthalene	< 0.0410		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Phenanthrene	< 0.0340		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Pyrene	< 0.0410		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
1-Methylnaphthalene	< 0.0320		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
2-Methylnaphthalene	< 0.0330		mg/kg wet	9052613	9052613-BLK1	05/21/09 17:06
Surrogate: Terphenyl-d14	85%			9052613	9052613-BLK1	05/21/09 17:06
Surrogate: 2-Fluorobiphenyl	65%			9052613	9052613-BLK1	05/21/09 17:06
Surrogate: Nitrobenzene-d5	69%			9052613	9052613-BLK1	05/21/09 17:06





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSE1331

Project Name:

Laurel Bay Housing Project

Project Number: [none]


Received:

05/15/09 08:15

PROJECT QUALITY CONTROL DATA

Duplicate

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	% Rec.	Analyzed Date/Time
General Chemistry Parameters 9053977-DUP1										
% Dry Solids	80.5	81.2		%	0.9	20	9053977	NSE1323-18		05/28/09 09:06





Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Client

Attn

Work Order:

NSE1331

Project Name:

Laurel Bay Housing Project


Project Number: [none]

Received: 05/1

05/15/09 08:15

PROJECT QUALITY CONTROL DATA LCS

Analyta	Known Vol	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Analyte	Known Val.		Ų	Units	70 NCC.	7.00.60	Daten	Date: I IIII
Selected Volatile Organic Compound	nds by EPA Method 82	60B						
9053563-BS1								
Benzene	50.0	53.2		ug/kg	106%	76 - 130	9053563	05/22/09 18:23
Ethylbenzene	50.0	56.9		ug/kg	114%	80 - 128	9053563	05/22/09 18:23
Naphthalene	50.0	55.5		ug/kg	111%	63 - 144	9053563	05/22/09 18:23
Toluene	50.0	53.4		ug/kg	107%	80 - 125	9053563	05/22/09 18:23
Xylenes, total	150	167		ug/kg	112%	79 - 130	9053563	05/22/09 18:23
Surrogate: 1,2-Dichloroethane-d4	50.0	47.8			96%	41 - 150	9053563	05/22/09 18:23
Surrogate: Dibromofluoromethane	50.0	51.0			102%	55 - 139	9053563	05/22/09 18:23
Surrogate: Toluene-d8	50.0	49.8			100%	57 - 148	9053563	05/22/09 18:23
Surrogate: 4-Bromofluorobenzene	50.0	58.4			117%	58 - 150	9053563	05/22/09 18:23
Polyaromatic Hydrocarbons by EP	A 8270D							
9052613-BS1								
Acenaphthene	1.67	1.26		mg/kg wet	76%	52 - 106	9052613	05/21/09 17:28
Acenaphthylene	1.67	1.54		mg/kg wet	92%	53 - 109	9052613	05/21/09 17:28
Anthracene	1.67	1.52		mg/kg wet	91%	54 - 124	9052613	05/21/09 17:28
Benzo (a) anthracene	1.67	1.46		mg/kg wet	87%	53 - 111	9052613	05/21/09 17:28
Benzo (a) pyrene	1.67	1.51		mg/kg wet	90%	52 - 122	9052613	05/21/09 17:28
Benzo (b) fluoranthene	1.67	1.61		mg/kg wet	97%	48 - 115	9052613	05/21/09 17:28
Benzo (g,h,i) perylene	1.67	1.58		mg/kg wet	95%	46 - 114	9052613	05/21/09 17:28
Benzo (k) fluoranthene	1.67	1.31		mg/kg wet	79%	41 - 121	9052613	05/21/09 17:28
Chrysene	1.67	1.42		mg/kg wet	85%	49 - 113	9052613	05/21/09 17:28
Dibenz (a,h) anthracene	1.67	1.54		mg/kg wet	93%	47 - 117	9052613	05/21/09 17:28
Fluoranthene	1.67	1.47		mg/kg wet	88%	52 - 113	9052613	05/21/09 17:28
Fluorene	1.67	1.47		mg/kg wet	88%	54 - 107	9052613	05/21/09 17:28
Indeno (1,2,3-cd) pyrene	1.67	1.56		mg/kg wet	93%	47 - 115	9052613	05/21/09 17:28
Naphthalene	1.67	1.49		mg/kg wet	89%	34 - 107	9052613	05/21/09 17:28
Phenanthrene	1.67	1.32		mg/kg wet	79%	53 - 108	9052613	05/21/09 17:28
Pyrene	1.67	1.33		mg/kg wet	80%	54 - 113	9052613	05/21/09 17:28
1-Methylnaphthalene	1.67	1.30		mg/kg wet	78%	36 - 100	9052613	05/21/09 17:28
2-Methylnaphthalene	1.67	1.42		mg/kg wet	85%	42 - 112	9052613	05/21/09 17:28
Surrogate: Terphenyl-d14	1.67	1.45			87%	26 - 128	9052613	05/21/09 17:28
Surrogate: 2-Fluorobiphenyl	1.67	1.42			85%	19 - 109	9052613	05/21/09 17:28
Surrogate: Nitrobenzene-d5	1.67	1.50			90%	22 - 104	9052613	05/21/09 17:28





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSE1331

Project Name:

Laurel Bay Housing Project


Project Number: [none]

Received:

05/15/09 08:15

PROJECT QUALITY CONTROL DATA LCS Dup

Analyte	Orig. Val. Duplicate Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Selected Volatile Organic Compound	s by EPA Method 8260B									
9053563-BSD1										
Benzene	51.1	ug/kg	50.0	102%	76 - 130	4	43	9053563		05/22/09 18:54
Ethylbenzene	55.2	ug/kg	50.0	110%	80 - 128	3	48	9053563		05/22/09 18:54
Naphthalene	56.0	ug/kg	50.0	112%	63 - 144	0.8	50	9053563		05/22/09 18:54
Toluene	51.2	ug/kg	50.0	102%	80 - 125	4	44	9053563		05/22/09 18:54
Xylenes, total	162	ug/kg	150	108%	79 - 130	4	48	9053563		05/22/09 18:54
Surrogate: 1,2-Dichloroethane-d4	47.0	ug/kg	50.0	94%	41 - 150			9053563		05/22/09 18:54
Surrogate: Dibromofluoromethane	50.6	ug/kg	50.0	101%	55 - 139			9053563		05/22/09 18:54
Surrogate: Toluene-d8	49.0	ug/kg	50.0	98%	57 - 148			9053563		05/22/09 18:54
Surrogate: 4-Bromofluorobenzene	60.2	ug/kg	50.0	120%	58 - 150			9053563		05/22/09 18:54





Client Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSE1331

Project Name:

Laurel Bay Housing Project


Project Number: [no Received: 05/

[none]

05/15/09 08:15

PROJECT QUALITY CONTROL DATA Matrix Spike

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Selected Volatile Organic Compo	unds by EPA Me	thod 8260B								• •
9053563-MS1	•									
Benzene	ND	36.6		ug/kg	50.0	73%	33 - 146	9053563	NSE1337-03	05/23/09 04:07
Ethylbenzene	ND	37.7		ug/kg	50.0	75%	16 - 160	9053563	NSE1337-03	05/23/09 04:07
Naphthalene	ND	25.5		ug/kg	50.0	51%	10 - 151	9053563	NSE1337-03	05/23/09 04:07
Toluene	ND	35.1		ug/kg	50.0	70%	30 - 145	9053563	NSE1337-03	05/23/09 04:07
Xylenes, total	ND	109		ug/kg	150	73%	16 - 159	9053563	NSE1337-03	05/23/09 04:07
Surrogate: 1,2-Dichloroethane-d4		48.4		ug/kg	50.0	97%	41 - 150	9053563	NSE1337-03	05/23/09 04:07
Surrogate: Dibromofluoromethane		50.9		ug/kg	50.0	102%	55 - 139	9053563	NSE1337-03	05/23/09 04:07
Surrogate: Toluene-d8		48.8		ug/kg	50.0	98%	57 - 148	9053563	NSE1337-03	05/23/09 04:07
Surrogate: 4-Bromofluorobenzene		49.4		ug/kg	50.0	99%	58 - 150	9053563	NSE1337-03	05/23/09 04:07
Polyaromatic Hydrocarbons by E	CPA 8270D									
9052613-MS1										
Acenaphthene	ND	1.28		mg/kg dry	1.71	75%	28 - 117	9052613	NSE1331-01	05/21/09 17:51
Acenaphthylene	ND	1.56		mg/kg dry	1.71	91%	33 - 113	9052613	NSE1331-01	05/21/09 17:51
Anthracene	ND	1.50		mg/kg dry	1.71	88%	31 - 131	9052613	NSE1331-01	05/21/09 17:51
Benzo (a) anthracene	ND	1.47		mg/kg dry	1.71	86%	29 - 124	9052613	NSE1331-01	05/21/09 17:51
Benzo (a) pyrene	ND	1.48		mg/kg dry	1.71	86%	30 - 127	9052613	NSE1331-01	05/21/09 17:51
Benzo (b) fluoranthene	ND	1.70		mg/kg dry	1.71	99%	26 - 128	9052613	NSE1331-01	05/21/09 17:51
Benzo (g,h,i) perylene	ND	1.59		mg/kg dry	1.71	93%	21 - 122	9052613	NSE1331-01	05/21/09 17:51
Benzo (k) fluoranthene	ND	1.37		mg/kg dry	1.71	80%	20 - 130	9052613	NSE1331-01	05/21/09 17:51
Chrysene	ND	1.44		mg/kg dry	1.71	84%	30 - 119	9052613	NSE1331-01	05/21/09 17:51
Dibenz (a,h) anthracene	ND	1.57		mg/kg dry	1.71	92%	27 - 122	9052613	NSE1331-01	05/21/09 17:51
Fluoranthene	ND	1.50		mg/kg dry	1.71	88%	23 - 132	9052613	NSE1331-01	05/21/09 17:51
Fluorene	ND	1.53		mg/kg dry	1.71	89%	38 - 110	9052613	NSE1331-01	05/21/09 17:51
Indeno (1,2,3-cd) pyrene	ND	1.57		mg/kg dry	1.71	92%	24 - 122	9052613	NSE1331-01	05/21/09 17:51
Naphthalene	ND	1.46		mg/kg dry	1.71	85%	14 - 117	9052613	NSE1331-01	05/21/09 17:51
Phenanthrene	0.0435	1.36		mg/kg dry	1.71	77%	21 - 130	9052613	NSE1331-01	05/21/09 17:51
Pyrene	ND	1.42		mg/kg dry	1.71	83%	24 - 133	9052613	NSE1331-01	05/21/09 17:51
1-Methylnaphthalene	ND	1.38		mg/kg dry	1.71	81%	10 - 121	9052613	NSE1331-01	05/21/09 17:51
2-Methylnaphthalene	ND	1.51		mg/kg dry	1.71	88%	26 - 116	9052613	NSE1331-01	05/21/09 17:51
Surrogate: Terphenyl-d14		1.51		mg/kg dry	1.71	88%	26 - 128	9052613	NSE1331-01	05/21/09 17:51
Surrogate: 2-Fluorobiphenyl		1.36		mg/kg dry	1.71	79%	19 - 109	9052613	NSE1331-01	05/21/09 17:51
Surrogate: Nitrobenzene-d5		1.45		mg/kg dry	1.71	85%	22 - 104	9052613	NSE1331-01	05/21/09 17:51





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSE1331

Project Name:

Laurel Bay Housing Project

Project Number: [none]

Received:

05/15/09 08:15

PROJECT QUALITY CONTROL DATA Matrix Spike Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Selected Volatile Organic Compoun	de hy FPA	Method 824	inr									
9053563-MSD1	us by El A	Michiga 620	UD									
Benzene	ND	40.5		ug/kg	50.0	81%	33 - 146	10	43	9053563	NSE1337-03	05/23/09 04:38
Ethylbenzene	ND	41.3		ug/kg	50.0	83%	16 - 160	9	48	9053563	NSE1337-03	05/23/09 04:38
Naphthalene	ND	28.1		ug/kg	50.0	56%	10 - 151	10	50	9053563	NSE1337-03	05/23/09 04:38
Toluene	ND	39.2		ug/kg	50.0	78%	30 - 145	11	44	9053563	NSE1337-03	05/23/09 04:38
Xylenes, total	ND	120		ug/kg	150	80%	16 - 159	9	48	9053563	NSE1337-03	05/23/09 04:38
Surrogate: 1,2-Dichloroethane-d4		48.5		ug/kg	50.0	97%	41 - 150			9053563	NSE1337-03	05/23/09 04:38
Surrogate: Dibromofluoromethane		51.0		ug/kg	50.0	102%	55 - 139			9053563	NSE1337-03	05/23/09 04:38
Surrogate: Toluene-d8		49.4		ug/kg	50.0	99%	57 - 148			9053563	NSE1337-03	05/23/09 04:38
Surrogate: 4-Bromofluorobenzene		48.1		ug/kg	50.0	96%	58 - 150			9053563	NSE1337-03	05/23/09 04:38
Polyaromatic Hydrocarbons by EPA	8270D											
9052613-MSD1												
Acenaphthene	ND	1.25		mg/kg dry	1.71	73%	28 - 117	3	33	9052613	NSE1331-01	05/21/09 18:14
Acenaphthylene	ND	1.47		mg/kg dry	1.71	86%	33 - 113	6	38	9052613	NSE1331-01	05/21/09 18:14
Anthracene	ND	1.46		mg/kg dry	1.71	85%	31 - 131	3	32	9052613	NSE1331-01	05/21/09 18:14
Benzo (a) anthracene	ND	1.54		mg/kg dry	1.71	90%	29 - 124	5	26	9052613	NSE1331-01	05/21/09 18:14
Benzo (a) pyrene	ND	1.50		mg/kg dry	1.71	87%	30 - 127	1	31	9052613	NSE1331-01	05/21/09 18:14
Benzo (b) fluoranthene	ND	1.56		mg/kg dry	1.71	91%	26 - 128	9	37	9052613	NSE1331-01	05/21/09 18:14
Benzo (g,h,i) perylene	ND	1.55		mg/kg dry	1.71	90%	21 - 122	3	28	9052613	NSE1331-01	05/21/09 18:14
Benzo (k) fluoranthene	ND	1.53		mg/kg dry	1.71	89%	20 - 130	11	35	9052613	NSE1331-01	05/21/09 18:14
Chrysene	ND	1.51		mg/kg dry	1.71	88%	30 - 119	5	31	9052613	NSE1331-01	05/21/09 18:14
Dibenz (a,h) anthracene	ND	1.51		mg/kg dry	1.71	88%	27 - 122	4	32	9052613	NSE1331-01	05/21/09 18:14
Fluoranthene	ND	1.63		mg/kg dry	1.71	95%	23 - 132	8	36	9052613	NSE1331-01	05/21/09 18:14
Fluorene	ND	1.51		mg/kg dry	1.71	88%	38 - 110	1	35	9052613	NSE1331-01	05/21/09 18:14
Indeno (1,2,3-cd) pyrene	ND	1.54		mg/kg dry	1.71	90%	24 - 122	2	28	9052613	NSE1331-01	05/21/09 18:14
Naphthalene	ND	1.44		mg/kg dry	1.71	84%	14 - 117	1	34	9052613	NSE1331-01	05/21/09 18:14
Phenanthrene	0.0435	1.41		mg/kg dry	1.71	80%	21 - 130	3	33	9052613	NSE1331-01	05/21/09 18:14
Pyrene	ND	1.54		mg/kg dry	1.71	90%	24 - 133	8	36	9052613	NSE1331-01	05/21/09 18:14
1-Methylnaphthalene	ND	1.31		mg/kg dry	1.71	76%	10 - 121	5	34	9052613	NSE1331-01	05/21/09 18:14
2-Methylnaphthalene	ND	1.47		mg/kg dry	1.71	86%	26 - 116	3	33	9052613	NSE1331-01	05/21/09 18:14
Surrogate: Terphenyl-d14		1.57		mg/kg dry	1.71	92%	26 - 128			9052613	NSE1331-01	05/21/09 18:14
Surrogate: 2-Fluorobiphenyl		1.36		mg/kg dry	1.71	80%	19 - 109			9052613	NSE1331-01	05/21/09 18:14
Surrogate: Nitrobenzene-d5		1.42		mg/kg dry	1.71	83%	22 - 104			9052613	NSE1331-01	05/21/09 18:14



2960 Foster Creighton Road Nashville, TN 37204 * 800-765-0980 * Fax 615-726-3404

Client Small Business Group, Inc. (2449)

10179 Highway 78

Ladson, SC 29456

Tom McElwee

Work Order:

NSE1331

Project Name:

Laurel Bay Housing Project

Project Number: [none]

Received:

05/15/09 08:15

CERTIFICATION SUMMARY

TestAmerica Nashville

Attn

 Method
 Matrix
 AIHA
 Nelac
 South Carolina

 SW846 8260B
 Soil
 N/A
 X
 X

 SW846 8270D
 Soil
 X
 X

 SW-846
 Soil
 X
 X



2960 Foster Creighton Road Nashville, TN 37204 * 800-765-0980 * Fax 615-726-3404

Client Small Business Group, Inc. (2449)

10179 Highway 78

Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NSE1331

Project Name:

Laurel Bay Housing Project

Project Number: [none]

Received:

05/15/09 08:15

DATA QUALIFIERS AND DEFINITIONS

ND Not detected at the reporting limit (or method detection limit if shown)

METHOD MODIFICATION NOTES

TestAmer		Nashville I 2960 Foste Nashville,	r Creig	hton				Free	: 800	-726- -765- -726-	0980							metho	ods, is		k being	roper ar g condu					
Client Name/Account #:	EEG # 2449																			(Compli	ance Mo	onitorin	g?	Yes	s	_ No
Address:	10179 Highway	78												_						-	Enforc	cement.	Action	?	Yes	s	_ No
City/State/Zip:	Ladson, SC 294	56											_			Site	State:	SC									
Project Manager:	Tom McElwee a	mail: mcelw	e@eeg	inc.net										_ ,			PO#:		02	72	۹						
Telephone Number:	843.412,2097				_ F	ax No.	:_ _ S	34-	<u>3 -</u>	<u>87</u>	9.	-0	40	1		TA Q	iote #:										
Sampler Name: (Print)	PRA	#18	hA	W_										_		Proj	ect ID:	Laure	l Bay F	lousing	Projec	ztt					
Sampler Signature:	<i>A</i>	DNI-												_		Pro	ject #:										
		11				戉	Pr	eserve	tive	\leq	Ī		Matrix							A	nalyze	For:					1_
	77	P	peddiyys Shipped			N.C.		abel)	low Label)	(F)					7.	oth - 8260E	i, h										Schedule)
Sample ID / Description	Date Samp	Time Samp	No. of Conta	Grab	Field Fiftere	ice HMO (Bed La	HCI (Blue Lab	NeOH (Orang H-SO, Plastic	H,SO, Glass	None (Black L.	Groundester	Wastewater	Orinking Weter Studge	Soil	Other (specify)	BTEX + Neigh	PAH - 8270										RUSH TAT (
1005 FOXSLOUR	5/11/09	1320	5	X	\perp		2			21						3	て			T							
1008 Foxclour	5/12/09	1010	5	X		13	2		$oxed{oxed}$	31						3	4			2						T	П
1009 Foxglour	5/12/09	1340	5	X		lh				2 1						3	2			1		Γ					
1814 FOXCLOUR	5713/09	1015	5	시					Ш	<u> </u>	L					2	ď			u							
1013 Foxclove	5/13/09	1440	5	X					Ш	या	1_	Ш				3	3			15							
1017 Foxclove	5/14/09	1010	5	시			4			या	_	Ц	丄			<u>3</u>	$\boldsymbol{\gamma}$			10	<u> </u>						
3				\perp		$oldsymbol{ol}}}}}}}}}}}}}}}}}}$	$\perp \downarrow$		$\perp \downarrow$		<u> </u>								L_								
						나	4-4		$\perp \! \! \perp$				\bot	\perp					<u> </u>	<u> </u>	L	<u> </u>			<u> </u>		L
	<u> </u>						Щ	\perp	11	\perp	<u> </u>	П	7	二							<u> </u>						L
	<u> </u>	1		\perp							1_	Ш		!									احظ	<u></u>		<u> </u>	上
Special Instructions:	Date	lac	Time	- 1	ceived i	by: /		Shipm	ent:				Date	FE	DEX	Time)	Labo	Temp	Comme erature Free c	Upon	Receipt Ispace?	3	;. ?		-	Υ .
Relinquished by:	3/17/ Det	7	Time		eceived	Ca		:a:				5/	Date 15/1		E	Time	2		·								

ATTACHMENT A



NON-HAZARDOUS MANIF

Cenal

1100	ase plint of type. (Form designed to use on enter (12-pitch) typewnier.)	Q. 2.												
ĺ	NON-RAZARDOUS MANIFEST	Manifest Document No.	2. Pag of ?											
	3. Generator's Name and Mailing Address			MNA	1 11 11									
	Beautient SE 2000a		B. State	Generator's ID										
l	4. Generator's Phone 5. Transporter 1 Company Name 6. US EPA ID Number		C. State	e Transporter's ID										
	ESG. mc.	111	D. Transporter's Phone											
l	7. Transporter 2 Company Name 8. US EPA ID Number			Transporter's ID										
		F. Transporter's Phone 10. US EPA ID Number G. State Facility's ID												
l	Designated Facility Name and Site Address 10. US EPA ID Number		G. State	e Facility's ID										
	MOSCARY HILL LANDIFILE ROUTE 1, BOX 121		H. Facil	ity's Phone										
	ENTAGELAND SC 29936				3 907-	46/43								
	11. Description of Waste Materials	12. Cont	ainers I Type	13. Total Quantity	14. Unit Wt./Vol.	I. Misc. Comments								
	afkeating Old Tanti Blad with Sand		1,700		111.7101.									
	WM Profile #	0 0 1		930										
G E	WM Profile # 「如此」	- N N N 1 8	Ш		1									
GENERATOR	b.													
Ä	WM Profile #		1											
R	c.		 											
	WM Profile #													
	d.													
	WM Profile #	111												
	J. Additional Descriptions for Materials Listed Above		K. Dis	sposal Location	<u> </u>									
	Landfill Solidification		Cell		Leve	1								
					2010	,								
	Bio Remediation		Grid											
		1017 /												
	Purchase Order # 3) 1023 Foxs (sup EMERGENCY CONTACT	1017	der p	९ कियर										
Ι,	Purchase Order # 3) 1023 Foys (sup EMERGENCY CONTACT	Г:												
	16. GENERATOR'S CERTIFICATION:		,	· · · · · · · · · · · · · · · · · · ·										
	I hereby certify that the above-described materials are not hazardous													
	applicable state law, have been fully and accurately described, classi	ified and p	acka	ged, and are	in prop	er condition								
	for transportation according to applicable regulations.				_									
	Printed/Typed Name Signature "On behalf of					Month Day Year								
Т	17. Transporter 1 Acknowledgement of Receipt of Materials	id . ma	-1	* swe .										
Ř	Printed/Typed Name Signature	, A .				Month Day Year								
A N S P	Ligmes Baidwin Granus V	9 Delice	Aug son_			01310121019								
O R	18. Transporter 2 Acknowledgement of Receipt of Materials													
E	Printed/Typed Name Signature					Month Day Year								
H	19. Certificate of Final Treatment/Disposal				<u></u>	1_1_1_1								
F	I certify, on behalf of the above listed treatment facility, that to the bes	st of mv kı	owle	dge, the abov	/e-des	cribed waste								
A C	was managed in compliance with all applicable laws, regulations, per													
Ļ	20. Facitilty Owner or Operator: Certification of receipt of non-hazardous materials covered by this mar	nifest												
Ť Y	Printed/Typed Name Signature	· ·	_			Month Day Year								
	Take Collins Take (1)	1.5			ı	CHER BALL P								

Appendix C Regulatory Correspondence





C. Earl Hunter, Commissioner

Promoting and protecting the health of the public and the environment

Bureau of Land and Waste Management Division of Waste Management

February 17, 2010

Commanding Officer Attention: NREAO Mr. William A. Drawdy United States Marine Corp Air Station Post Office Box 55001 Beaufort, SC 29904-5001

RE:

No Further Action

Laurel Bay Underground Storage Tank Assessment Report for:

- 1013 Foxglove St.
- 1014 Foxglove St.
- 1017 Foxglove St.

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tanks (USTs) Assessment Report on September 23, 2009 for the addresses listed above.

The Department has reviewed the referenced assessment report and agrees there is no indication of soil or groundwater contamination on this property, and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corp Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at picketcn@dhec.sc.gov or 803-896-4131.

Sincerely,
Christ Rickty

Christi Pickett

Corrective Action Engineering Section Bureau of Land and Waste Management

South Carolina Department of Health and Environmental Control

cc:

Laurel Rhoten (via email) Craig Ehde (via email)