SUMMARY REPORT
207 GARDENIA DRIVE (FORMERLY 1053 GARDENIA DRIVE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid-Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095 SUMMARY REPORT
207 GARDENIA DRIVE (FORMERLY 1053 GARDENIA DRIVE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid- Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture 10560 Arrowhead Drive, Suite 500 Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016

CTO WE52

JUNE 2021



Table of Contents

1.0	INTRODUC	TION 1
1.1 1.2		ND INFORMATION
2.0	SAMPLING	ACTIVITIES AND RESULTS 3
2.1 2.2 2.3 2.4	SOIL ANALY GROUNDWA	VAL AND SOIL SAMPLING
3.0	PROPERTY	STATUS 5
4.0	REFERENCI	ES5
Table Table		Tables Laboratory Analytical Results - Soil Laboratory Analytical Results - Groundwater
		Appendices
Appen Appen Appen Appen	dix B dix C	Multi-Media Selection Process for LBMH UST Assessment Report Laboratory Analytical Report - Groundwater Regulatory Correspondence





List of Acronyms

bgs below ground surface

BTEX benzene, toluene, ethylbenzene, and xylenes

CTO Contract Task Order

COPC constituents of potential concern

ft feet

IDIQ Indefinite Delivery, Indefinite Quantity

IGWA Initial Groundwater Assessment

JV Joint Venture

LBMH Laurel Bay Military Housing MCAS Marine Corps Air Station

NAVFAC Mid-Lant Naval Facilities Engineering Command Mid-Atlantic

NFA No Further Action

PAH polynuclear aromatic hydrocarbon QAPP Quality Assurance Program Plan

RBSL risk-based screening level

SCDHEC South Carolina Department of Health and Environmental Control

Site LBMH area at MCAS Beaufort, South Carolina

UST underground storage tank

VISL vapor intrusion screening level



1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).


As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 207 Gardenia Drive (Formerly 1053 Gardenia Drive). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area





is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan* (QAPP) for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, 2016) and the Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*



Division (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 207 Gardenia Drive (Formerly 1053 Gardenia Drive). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 1053 Gardenia Drive* (MCAS Beaufort, 2009). The UST Assessment Report is provided in Appendix B. Details regarding the IGWA sampling activities at this site are provided in the *Initial Groundwater Investigation Report – July 2013* (Resolution Consultants, 2015). The laboratory report that includes the pertinent IGWA analytical results for this site is presented in Appendix C.

2.1 UST Removal and Soil Sampling

On June 2, 2009, a single 280 gallon heating oil UST was removed from the landscaped area adjacent to the driveway at 207 Gardenia Drive (Formerly 1053 Gardenia Drive). The former UST location is indicated in Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed, cleaned, and shipped offsite for recycling. There was no visual evidence



(i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 5'9" bgs and a single soil sample was collected from that depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 207 Gardenia Drive (Formerly 1053 Gardenia Drive) were greater than the SCDHEC RBSLs, which indicated further investigation was required. In a letter dated August 19, 2009, SCDHEC requested an IGWA for 207 Gardenia Drive (Formerly 1053 Gardenia Drive) to determine if the groundwater was impacted by petroleum COPCs. SCDHEC's request letter is provided in Appendix D.

2.3 Groundwater Sampling

On July 24, 2013, a temporary monitoring well was installed at 207 Gardenia Drive (Formerly 1053 Gardenia Drive), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the monitoring well was placed in the same general location as the former heating oil UST. The former UST location is indicated in Figures 2 and 3 of the UST Assessment Report (Appendix B). Further details are provided in the *Initial Groundwater Investigation Report – July 2013* (Resolution Consultants, 2015).



The sampling strategy for this phase of the investigation required a one-time sampling event of the temporarily installed monitoring well. Following well installation and development, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of groundwater sampling, the temporary well was abandoned in accordance with the South Carolina Well Standards and Regulations R.61-71 (SCDHEC, 2016). Field forms are provided in the *Initial Groundwater Investigation Report – July 2013* (Resolution Consultants, 2015).

2.4 Groundwater Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 2. A copy of the laboratory analytical data report is included in Appendix C.

The groundwater results collected from 207 Gardenia Drive (Formerly 1053 Gardenia Drive) were less than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 2), which indicated that the groundwater was not impacted by COPCs associated with the former UST at concentrations that present a potential risk to human health and the environment.

3.0 PROPERTY STATUS

Based on the analytical results for groundwater, SCDHEC made the determination that NFA was required for 207 Gardenia Drive (Formerly 1053 Gardenia Drive). This NFA determination was obtained in a letter dated August 6, 2015. SCDHEC's NFA letter is provided in Appendix D.

4.0 REFERENCES

- Marine Corps Air Station Beaufort, 2009. South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report 1053 Gardenia Drive, Laurel Bay Military Housing Area, August 2009.
- Resolution Consultants, 2015. *Initial Groundwater Investigation Report July 2013 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, June 2015.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 2.0*, April 2013.





- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.0*, May 2015.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.
- South Carolina Department of Health and Environmental Control Bureau of Water, 2016. *R.61-71, Well Standards*, June 2016.

Tables



Table 1

Laboratory Analytical Results - Soil 207 Gardenia Drive (Formerly 1053 Gardenia Drive) Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs (1)	Results Sample Collected 06/02/09
Volatile Organic Compounds Analyze	d by EPA Method 8260B (mg/kg)	
Benzene	0.003	ND
Ethylbenzene	1.15	0.525
Naphthalene	0.036	18.3
Toluene	0.627	0.00434
Xylenes, Total	13.01	2.47
Semivolatile Organic Compounds Ana	alyzed by EPA Method 8270D (mg/kg)	
Benzo(a)anthracene	0.66	0.468
Benzo(b)fluoranthene	0.66	ND
Benzo(k)fluoranthene	0.66	ND
Chrysene	0.66	0.468
Dibenz(a,h)anthracene	0.66	ND

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 and 1.1 (SCDHEC, May 2001 and SCDHEC, February 2011) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligrams per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The soil laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

Table 2

Laboratory Analytical Results - Groundwater 207 Gardenia Drive (Formerly 1053 Gardenia Drive) Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs (1)	Site-Specific Groundwater VISLs (µg/L) ⁽²⁾	Results Sample Collected 07/25/13
Volatile Organic Compounds Analyzed	by EPA Method 8260B (μg	/L)	
Benzene	5	16.24	ND
Ethylbenzene	700	45.95	ND
Naphthalene	25	29.33	0.16
Toluene	1000	105,445	ND
Xylenes, Total	10,000	2,133	ND
Semivolatile Organic Compounds Ana	lyzed by EPA Method 82700) (μg/L)	
Benzo(a)anthracene	10	NA	ND
Benzo(b)fluoranthene	10	NA	ND
Benzo(k)fluoranthene	10	NA	ND
Chrysene	10	NA	ND
Dibenz(a,h)anthracene	10	NA	ND

Notes:

(2) Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of 1x10⁻⁶, a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - Not Applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix C.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control


μg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, February 2016).

Appendix A Multi-Media Selection Process for LBMH






Appendix A - Multi-Media Selection Process for LBMH

Appendix B UST Assessment Report



South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank (UST) Assessment Report



o valel

Submit Completed Form To: UST Program SCDHEC 2600 Bull Street Columbia, South Carolina 29201 Telephone (803) 896-7957

RECEIVED

AUG 1 7 2009

SITE ASSESSMENT, REMEDIATION & REVITALIZATION

I. OWNERSHIP OF UST (S)

	ommanding Officer Attn: NREA	O (Craig Ehde)						
Owner Name (Corporation, Individual, Public Agency, Other)								
P.O. Box 55001 Mailing Address								
Beaufort,	South Carolina	29904-5001						
City	State	Zip Code						
843	228-7317	Craig Ehde						
Area Code	Telephone Number	Contact Person						

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC
Facility Name or Company Site Identifier
1053 Gardenia St., Laurel Bay Military Housing Area
Street Address or State Road (as applicable)
Beaufort, Beaufort
City County

Attachment 2

III. INSURANCE INFORMATION

Insurance Statement					
The petroleum release reported to DHEC on at Permit ID Number may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. This section must be completed.					
Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES NO (check one)					
If you answered YES to the above question, please complete the following information:					
My policy provider is: The policy deductible is: The policy limit is:					
If you have this type of insurance, please include a copy of the policy with this report.					
IV. REQUEST FOR SUPERB FUNDING					
I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)					
V. CERTIFICATION (To be signed by the UST owner)					
I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.					
Name (Type or print.)					
Signature					
To be completed by Notary Public:					
Sworn before me this day of, 20					
(Name)					
Notary Public for the state of Please affix State seal if you are commissioned outside South Carolina					

T 1T	TION THEODRE AND CAN					
VI.	UST INFORMATION	1053Gardeni	a			
Produ	ict(ex. Gas, Kerosene)	Heating Oil				
	city(ex. 1k, 2k)	280 gal		_		
Age		Late 1950s				
Const	ruction Material(ex. Steel, FRP)	Steel				
Montl	h/Year of Last Use	Mid 1980s				
Depth	ı (ft.) To Base of Tank	5'9"				
Spill l	Prevention Equipment Y/N	No				
Overf	ill Prevention Equipment Y/N	No				
Metho	od of Closure Removed/Filled	Removed				
Date 1	Tanks Removed/Filled	6/2/09				
Visibl	le Corrosion or Pitting Y/N	Yes		E		
Visibl	le Holes Y/N	Yes				
Metho UST	od of disposal for any USTs removed from the 1053Gardenia was removed from	ground (attach dis the ground a	sposal mand dis	anifests) sposed	of at	a
Sub	title "D" landfill. See Attachm	ent "A."				
dispos	od of disposal for any liquid petroleum, sludge sal manifests) I 1053Gardenia had previously be				`	
	corrosion, pitting, or holes were observed, des crosion, pitting and holes were					

VII. PIPING INFORMATION

		1053Gardenia
		Steel &
(Construction Material(ex. Steel, FRP)	Copper
Ι	Distance from UST to Dispenser	N/A
1	Number of Dispensers	N/A
7	Гуре of System Pressure or Suction	Suction
V	Was Piping Removed from the Ground? Y/N	Yes
7	Visible Corrosion or Pitting Y/N	Yes
7	Visible Holes Y/N	No
A	Age	Late 1950s
Ι	f any corrosion, pitting, or holes were observed, des	
I	fany corrosion, pitting, or holes were observed, des <u>Corrosion and pitting were found</u> pipe. The copper supply and retur	on the surface of the steel ver
- -	Corrosion and pitting were found	on the surface of the steel ver
I -	Corrosion and pitting were found	on the surface of the steel verent lines were sound. PTION AND HISTORY
I -	Corrosion and pitting were found pipe. The copper supply and return VIII. BRIEF SITE DESCRI	on the surface of the steel verson lines were sound. PTION AND HISTORY structed of single wall steel
I	Corrosion and pitting were found pipe. The copper supply and return the copper supply and return the USTs at the residences are controls.	on the surface of the steel versus on lines were sound. PTION AND HISTORY structed of single wall steel r heating. These USTs were
I	Corrosion and pitting were found pipe. The copper supply and return the co	on the surface of the steel versus on lines were sound. PTION AND HISTORY structed of single wall steel r heating. These USTs were
I	Corrosion and pitting were found pipe. The copper supply and return the co	on the surface of the steel versus on lines were sound. PTION AND HISTORY structed of single wall steel r heating. These USTs were
I	Corrosion and pitting were found pipe. The copper supply and return the co	on the surface of the steel versus on lines were sound. PTION AND HISTORY structed of single wall steel r heating. These USTs were

IX. SITE CONDITIONS

	Yes	No	Unk
A. Were any petroleum-stained or contaminated soils found in the U excavation, soil borings, trenches, or monitoring wells? If yes, indicate depth and location on the site map.	JST	х	
B. Were any petroleum odors detected in the excavation, soil boring trenches, or monitoring wells? Mild odor noted in excavati If yes, indicate location on site map and describe the odor (strong, mild, etc.)	X Ion		
C. Was water present in the UST excavation, soil borings, or trenched If yes, how far below land surface (indicate location and depth)?	es?	Х	
D. Did contaminated soils remain stockpiled on site after closure? If yes, indicate the stockpile location on the site map. Name of DHEC representative authorizing soil removal:		х	
E. Was a petroleum sheen or free product detected on any excavation or boring waters? If yes, indicate location and thickness.	n	Х	

X. **SAMPLE INFORMATION**

SCDHEC Lab Certification Number 96012001 A.

B.							
Sample #		Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA#
1053 Gardenia	Excav at afill end	Soil	Sandy	5'9"	6/2/09 1200 hrs	P. Shaw	
8							
9	<u> </u>						
10							
11							
12							i
13							
14							
15							
16							
17							
18							
19							
20							

^{* =} Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect <u>and</u> store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280
and SC DHEC Assessment Guidelines. Sample containers were prepared by th
testing laboratory. The grab method was utilized to fill the sample
containers leaving as little head space as possible and immediately
capped. Soil samples were extracted from area below tank. The
samples were marked, logged, and immediately placed in a sample cooler
packed with ice to maintain an approximate temperature of 4 degrees
Centigrade. Tools were thoroughly cleaned and decontaminated with
the seven step decon process after each use. The samples remained in
custody of SBG-EEG, Inc. until they were transferred to Test America
Incorporated for analysis as documented in the Chain of Custody Record.


XII. RECEPTORS


		Yes	No
A.	Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?		х
	If yes, indicate type of receptor, distance, and direction on site map.		
В.	Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?		х
	If yes, indicate type of well, distance, and direction on site map.		
C.	Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?		х
	If yes, indicate type of structure, distance, and direction on site map.		
D.	Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? *Sewer and water.	Х*	
	If yes, indicate the type of utility, distance, and direction on the site map.		
E.	Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?		Х
	If yes, indicate the area of contaminated soil on the site map.		


XIII. SITE MAP

You must supply a <u>scaled</u> site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)









Picture 1: UST 1053Gardenia was located under the plants in the foreground.



Picture 2: UST 1053Gardenia during removal.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC UST	1053 Gardenia
Benzene	ND
Toluene	0.00434 mg/kg
Ethylbenzene	0.525 mg/kg
Xylenes	2.47 mg/kg
Naphthalene	18.3 mg/kg
Benzo (a) anthracene	0.468 mg/kg
Benzo (b) fluoranthene	ND
Benzo (k) fluoranthene	ND
Chrysene	0.468 mg/kg
Dibenz (a, h) anthracene	ND
TPH (EPA 3550)	
СоС	
Benzene	
Toluene	
Ethylbenzene	
Xylenes	
Naphthalene	
Benzo (a) anthracene	
Benzo (b) fluoranthene	
Benzo (k) fluoranthene	
Chrysene	
Dibenz (a, h) anthracene	
TPH (EPA 3550)	


SUMMARY OF ANALYSIS RESULTS (cont'd)
Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC RBSL							
LOC		W-1	W-2	W -3	W -4		
	(µg/l)						
Free Product							
Thickness	None						
Benzene	5						
Toluene	1,000						
Ethylbenzene	700						
Xylenes	10,000						
Total BTEX	N/A						
MTBE	40						
Naphthalene	25						
Benzo (a) anthracene	10						
Benzo (b) flouranthene	10						
Benzo (k) flouranthene	10						
Chrysene	10						
Dibenz (a, h) anthracene	10						
EDB	.05						
1,2-DCA	5						
Lead	Site specific						

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here) (Please see Form #4)





June 19, 2009

6:33:24PM

Client:

EEG - Small Business Group, Inc. (2449)

10179 Highway 78

Ladson, SC 29456

Attn:

Tom McElwee

Work Order:

NSF0579

Project Name:

Laurel Bay Housing Project

Project Nbr: P/O Nbr:

[none] 0829

Date Received: 06/05/09

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
1050 Gardenia	NSF0579-01	06/01/09 09:45
1052 Gardenia	NSF0579-02	06/01/09 12:10
1053 Gardenia	NSF0579-03	06/02/09 12:00
1055 Gardenia	NSF0579-04	06/02/09 14:45
1059 Gardenia-1	NSF0579-05	06/03/09 11:15
1059 Gardenia-2	NSF0579-06	06/03/09 14:00
1058 Gardenia-1	NSF0579-07	06/03/09 11:05
1058 Gardenia-2	NSF0579-08	06/03/09 14:15

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

South Carolina Certification Number: 84009001

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.


This report has been electronically signed.

Lemos a Hage

Report Approved By:

Ken A. Hayes

Senior Project Manager





Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NSF0579

Project Name:


Laurel Bay Housing Project

Project Number: [none]

Received: 06/05/09 08:00

ANALYTICAL REPORT

Analyte	Result F	lag Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Analyte	Result F	iag Units	····	ractor	Date, Trine		Daten
Sample ID: NSF0579-01 (1050 Gar	denia - Soil) Samp	led: 06/01/09 09:45					
General Chemistry Parameters							
% Dry Solids	84.6	%	0.500	1	06/17/09 09:02	SW-846	9062596
Selected Volatile Organic Compounds	by EPA Method 8260	В					
Benzene	ND	mg/kg dry	0.00263	1	06/11/09 17:10	SW846 8260B	9061083
Ethylbenzene	ND	mg/kg dry	0.00263	1	06/11/09 17:10	SW846 8260B	9061083
Naphthalene	ND	mg/kg dry	0.00657	1	06/11/09 17:10	SW846 8260B	9061083
Toluene	ND	mg/kg dry	0.00263	1	06/11/09 17:10	SW846 8260B	9061083
Xylenes, total	ND	mg/kg dry	0.00657	1	06/11/09 17:10	SW846 8260B	9061083
Surr: 1,2-Dichloroethane-d4 (67-138%)	94 %				06/11/09 17:10	SW846 8260B	9061083
Surr: Dibromofluoromethane (75-125%)	95 %				06/11/09 17:10	SW846 8260B	9061083
Surr: Toluene-d8 (76-129%)	105 %				06/11/09 17:10	SW846 8260B	9061083
Surr: 4-Bromofluorobenzene (67-147%)	105 %				06/11/09 17:10	SW846 8260B	9061083
Polyaromatic Hydrocarbons by EPA 82	70D						
Acenaphthene	ND	mg/kg dry	0.0778	1	06/16/09 17:35	SW846 8270D	9061227
Acenaphthylene	ND	mg/kg dry	0.0778	1	06/16/09 17:35	SW846 8270D	9061227
Anthracene	ND	mg/kg dry	0.0778	1	06/16/09 17:35	SW846 8270D	9061227
Benzo (a) anthracene	ND	mg/kg dry	0.0778	1	06/16/09 17:35	SW846 8270D	9061227
Benzo (a) pyrene	ND	mg/kg dry	0.0778	1	06/16/09 17:35	SW846 8270D	9061227
Benzo (b) fluoranthene	ND	mg/kg dry	0.0778	1	06/16/09 17:35	SW846 8270D	9061227
Benzo (g,h,i) perylene	ND	mg/kg dry	0.0778	1	06/16/09 17:35	SW846 8270D	9061227
Benzo (k) fluoranthene	ND	mg/kg dry	0.0778	1	06/16/09 17:35	SW846 8270D	9061227
Chrysene	ND	mg/kg dry	0.0778	1	06/16/09 17:35	SW846 8270D	9061227
Dibenz (a,h) anthracene	ND	mg/kg dry	0.0778	1	06/16/09 17:35	SW846 8270D	9061227
Fluoranthene	ND	mg/kg dry	0.0778	1	06/16/09 17:35	SW846 8270D	9061227
Fluorene	ND	mg/kg dry	0.0778	1	06/16/09 17:35	SW846 8270D	9061227
Indeno (1,2,3-cd) pyrene	ND	mg/kg dry	0.0778	1	06/16/09 17:35	SW846 8270D	9061227
Naphthalene	ND	mg/kg dry	0.0778	1	06/16/09 17:35	SW846 8270D	9061227
Phenanthrene	ND	mg/kg dry	0.0778	1	06/16/09 17:35	SW846 8270D	9061227
Pyrene	ND	mg/kg dry	0.0778	1	06/16/09 17:35	SW846 8270D	9061227
1-Methylnaphthalene	ND	mg/kg dry	0.0778	1	06/16/09 17:35	SW846 8270D	9061227
2-Methylnaphthalene	ND	mg/kg dry	0.0778	1	06/16/09 17:35	SW846 8270D	9061227
Surr: Terphenyl-d14 (18-120%)	85 %				06/16/09 17:35	SW846 8270D	9061227
Surr: 2-Fluorobiphenyl (14-120%)	71 %				06/16/09 17:35	SW846 8270D	9061227
Surr: Nitrobenzene-d5 (17-120%)	71 %				06/16/09 17:35	SW846 8270D	9061227





Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

10179 Highway 78

Tom McElwee

Attn

Work Order:

NSF0579

Project Name:

Laurel Bay Housing Project

Project Number:

[none]

Received: 06/05/09 08:00

ANALYTICAL REPORT

					Dilution	Analysis		
Analyte	Result	Flag	Units	MRL	Factor	Date/Time	Method	Batch
Sample ID: NSF0579-02 (1052 Ga	rdenia - Soil) S	ampled:	06/01/09 12:10					
General Chemistry Parameters								
% Dry Solids	79.5		%	0.500	1	06/17/09 09:02	SW-846	9062596
Selected Volatile Organic Compounds	by EPA Method	8260B						
Benzene	ND		mg/kg dry	0.00208	1	06/12/09 18:02	SW846 8260B	9062578
Ethylbenzene	ND		mg/kg dry	0.00208	1	06/12/09 18:02	SW846 8260B	9062578
Naphthalene	0.00895		mg/kg dry	0.00520	1	06/12/09 18:02	SW846 8260B	9062578
Toluene	ND		mg/kg dry	0.00208	1	06/12/09 18:02	SW846 8260B	9062578
Xylenes, total	ND		mg/kg dry	0.00520	1	06/12/09 18:02	SW846 8260B	9062578
Surr: 1,2-Dichloroethane-d4 (67-138%)	71 %					06/12/09 18:02	SW846 8260B	9062578
Surr: Dibromofluoromethane (75-125%)	90 %					06/12/09 18:02	SW846 8260B	9062578
Surr: Toluene-d8 (76-129%)	81 %					06/12/09 18:02	SW846 8260B	9062578
Surr: 4-Bromofluorobenzene (67-147%)	131 %					06/12/09 18:02	SW846 8260B	9062578
Polyaromatic Hydrocarbons by EPA 8	270D							
Acenaphthene	ND		mg/kg dry	0.0836	1	06/16/09 17:57	SW846 8270D	9061227
Acenaphthylene	ND		mg/kg dry	0.0836	1	06/16/09 17:57	SW846 8270D	9061227
Anthracene	ND		mg/kg dry	0.0836	1	06/16/09 17:57	SW846 8270D	9061227
Benzo (a) anthracene	ND		mg/kg dry	0.0836	1	06/16/09 17:57	SW846 8270D	9061227
Benzo (a) pyrene	ND		mg/kg dry	0.0836	1	06/16/09 17:57	SW846 8270D	9061227
Benzo (b) fluoranthene	ND		mg/kg dry	0.0836	1	06/16/09 17:57	SW846 8270D	9061227
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0836	1	06/16/09 17:57	SW846 8270D	9061227
Benzo (k) fluoranthene	ND		mg/kg dry	0.0836	1	06/16/09 17:57	SW846 8270D	9061227
Chrysene	ND		mg/kg dry	0.0836	1	06/16/09 17:57	SW846 8270D	9061227
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0836	1	06/16/09 17:57	SW846 8270D	9061227
Fluoranthene	ND		mg/kg dry	0.0836	1	06/16/09 17:57	SW846 8270D	9061227
Fluorene	ND		mg/kg dry	0.0836	1	06/16/09 17:57	SW846 8270D	9061227
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0836	1	06/16/09 17:57	SW846 8270D	9061227
Naphthalene	ND		mg/kg dry	0.0836	1	06/16/09 17:57	SW846 8270D	9061227
Phenanthrene	ND		mg/kg dry	0.0836	1	06/16/09 17:57	SW846 8270D	9061227
Pyrene	ND		mg/kg dry	0.0836	1	06/16/09 17:57	SW846 8270D	9061227
1-Methylnaphthalene	ND		mg/kg dry	0.0836	1	06/16/09 17:57	SW846 8270D	9061227
2-Methylnaphthalene	ND		mg/kg dry	0.0836	1	06/16/09 17:57	SW846 8270D	9061227
Surr: Terphenyl-d14 (18-120%)	74 %		mg/kg ury	0.0050	•	06/16/09 17:57	SW846 8270D	9061227
Surr: 2-Fluorobiphenyl (14-120%)	48 %					06/16/09 17:57	SW846 8270D	9061227
Surr: Nitrobenzene-d5 (17-120%)	45 %					06/16/09 17:57	SW846 8270D	9061227



Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NSF0579

Project Name:

Laurel Bay Housing Project


Project Number:

[none]

Received: 06/05/09 08:00

ANA	IV	TICA1	REP	ORT

					Dilution	Analysis		
Analyte	Result	Flag	Units	MRL	Factor	Date/Time	Method	Batch
Sample ID: NSF0579-03 (1053 Ga	rdenia - Soil) S	ampled:	06/02/09 12:00					
General Chemistry Parameters								
% Dry Solids	80.4		%	0.500	1	06/17/09 09:02	SW-846	9062596
Selected Volatile Organic Compounds	by EPA Method	8260B						
Benzene	ND		mg/kg dry	0.00214	1	06/11/09 18:12	SW846 8260B	9061083
Ethylbenzene	0.525		mg/kg dry	0.108	50	06/13/09 17:53	SW846 8260B	9062562
Naphthalene	18.3	B 1	mg/kg dry	5.42	1000	06/13/09 18:24	SW846 8260B	9062562
Toluene	0.00434	Δ.	mg/kg dry	0.00214	1	06/11/09 18:12	SW846 8260B	9061083
Xylenes, total	2.47		mg/kg dry	0.271	50	06/13/09 17:53	SW846 8260B	9062562
Surr: 1,2-Dichloroethane-d4 (67-138%)	96 %		mg/kg ury	0.271	50	06/11/09 18:12	SW846 8260B	9061083
Surr: 1,2-Dichloroethane-d4 (67-138%) Surr: 1,2-Dichloroethane-d4 (67-138%)	85 %					06/13/09 17:53	SW846 8260B	9062562
Surr: 1,2-Dichloroethane-d4 (67-138%)	86 %					06/13/09 17:33	SW846 8260B	9062562
Surr: Dibromofluoromethane (75-125%)	100 %					06/11/09 18:12	SW846 8260B	9061083
Surr: Dibromofluoromethane (75-125%)	90 %					06/13/09 17:53	SW846 8260B	9062562
Surr: Dibromofluoromethane (75-125%)	91 %					06/13/09 18:24	SW846 8260B	9062562
Surr: Toluene-d8 (76-129%)	165 %	ZX				06/11/09 18:12	SW846 8260B	9061083
Surr: Toluene-d8 (76-129%)	104 %					06/13/09 17:53	SW846 8260B	9062562
Surr: Toluene-d8 (76-129%)	104 %					06/13/09 18:24	SW846 8260B	9062562
Surr: 4-Bromofluorobenzene (67-147%)	249 %	ZX				06/11/09 18:12	SW846 8260B	9061083
Surr: 4-Bromofluorobenzene (67-147%)	133 %					06/13/09 17:53	SW846 8260B	9062562
Surr: 4-Bromofluorobenzene (67-147%)	127 %					06/13/09 18:24	SW846 8260B	9062562
Polyaromatic Hydrocarbons by EPA 82	270D							
Acenaphthene	2.92		mg/kg dry	0.413	5	06/17/09 09:43	SW846 8270D	9061227
Acenaphthylene	ND		mg/kg dry	0.413	5	06/17/09 09:43	SW846 8270D	9061227
Anthracene	1.80		mg/kg dry	0.413	5	06/17/09 09:43	SW846 8270D	9061227
Benzo (a) anthracene	0.468		mg/kg dry	0.413	5	06/17/09 09:43	SW846 8270D	9061227
Benzo (a) pyrene	ND		mg/kg dry	0.413	5	06/17/09 09:43	SW846 8270D	9061227
Benzo (b) fluoranthene	ND		mg/kg dry	0.413	5	06/17/09 09:43	SW846 8270D	9061227
Benzo (g,h,i) perylene	ND		mg/kg dry	0.413	5	06/17/09 09:43	SW846 8270D	9061227
Benzo (k) fluoranthene	ND		mg/kg dry	0.413	5	06/17/09 09:43	SW846 8270D	9061227
	0.468			0.413	5	06/17/09 09:43	SW846 8270D	9061227
Chrysene			mg/kg dry					
Dibenz (a,h) anthracene	ND		mg/kg dry	0.413	5	06/17/09 09:43	SW846 8270D	9061227
Fluoranthene	1.42		mg/kg dry	0.413	5	06/17/09 09:43	SW846 8270D	9061227
Fluorene	5.19		mg/kg dry	0.413	5	06/17/09 09:43	SW846 8270D	9061227
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.413	5	06/17/09 09:43	SW846 8270D	9061227
Naphthalene	13.0		mg/kg dry	0.413	5	06/17/09 09:43	SW846 8270D	9061227
Phenanthrene	9.54		mg/kg dry	0.413	5	06/17/09 09:43	SW846 8270D	9061227
Pyrene	2.15		mg/kg dry	0.413	5	06/17/09 09:43	SW846 8270D	9061227
1-Methylnaphthalene	29.0		mg/kg dry	4.13	50	06/17/09 11:52	SW846 8270D	9061227
2-Methylnaphthalene	44.2		mg/kg dry	4.13	50	06/17/09 11:52	SW846 8270D	9061227
Surr: Terphenyl-d14 (18-120%)	113 %					06/17/09 09:43	SW846 8270D	9061227
Surr: 2-Fluorobiphenyl (14-120%)	104 %					06/17/09 09:43	SW846 8270D	9061227
Surr: Nitrobenzene-d5 (17-120%)	92 %					06/17/09 09:43	SW846 8270D	9061227





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

10179 Highway 78


Work Order: Project Name: NSF0579

Laurel Bay Housing Project

Project Number: [none]

Received: 06/05/09 08:00

			ANALYTICAL REP	ORT				
Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSF0579-04 (1055 Ga	rdenia - Soil)	Sampled:	06/02/09 14:45					
General Chemistry Parameters								
% Dry Solids	66.7		%	0.500	1	06/17/09 09:02	SW-846	9062596
Selected Volatile Organic Compounds	by EPA Method	1 8260B						
Benzene	ND		mg/kg dry	0.00264	1	06/11/09 18:43	SW846 8260B	9061083
Ethylbenzene	0.268		mg/kg dry	0.128	50	06/13/09 18:55	SW846 8260B	9062562
Naphthalene	3.59	В1	mg/kg dry	0.320	50	06/13/09 18:55	SW846 8260B	9062562
Toluene	ND		mg/kg dry	0.00264	1	06/11/09 18:43	SW846 8260B	9061083
Xylenes, total	0.0135	CF7	mg/kg dry	0.00660	1	06/11/09 18:43	SW846 8260B	9061083
Surr: 1,2-Dichloroethane-d4 (67-138%)	90 %					06/11/09 18:43	SW846 8260B	9061083
Surr: 1,2-Dichloroethane-d4 (67-138%)	82 %					06/13/09 18:55	SW846 8260B	9062562
Surr: Dibromofluoromethane (75-125%)	91 %					06/11/09 18:43	SW846 8260B	9061083
Surr: Dibromofluoromethane (75-125%)	91 %					06/13/09 18:55	SW846 8260B	9062562
Surr: Toluene-d8 (76-129%)	166 %	ZX				06/11/09 18:43	SW846 8260B	906108.
Surr: Toluene-d8 (76-129%)	103 %					06/13/09 18:55	SW846 8260B	9062562
Surr: 4-Bromofluorobenzene (67-147%)	158 %	ZX				06/11/09 18:43	SW846 8260B	9061083
Surr: 4-Bromofluorobenzene (67-147%)	124 %					06/13/09 18:55	SW846 8260B	9062562
Polyaromatic Hydrocarbons by EPA 82	270D							
Acenaphthene	2.56		mg/kg dry	0.501	5	06/17/09 10:04	SW846 8270D	9061227
Acenaphthylene	ND		mg/kg dry	0.501	5	06/17/09 10:04	SW846 8270D	9061227
Anthracene	ND		mg/kg dry	0.501	5	06/17/09 10:04	SW846 8270D	9061227
Benzo (a) anthracene	0.813		mg/kg dry	0.501	5	06/17/09 10:04	SW846 8270D	9061227
Benzo (a) pyrene	ND		mg/kg dry	0.501	5	06/17/09 10:04	SW846 8270D	9061227
Benzo (b) fluoranthene	ND		mg/kg dry	0.501	5	06/17/09 10:04	SW846 8270D	9061227
Benzo (g,h,i) perylene	ND		mg/kg dry	0.501	5	06/17/09 10:04	SW846 8270D	9061227
Benzo (k) fluoranthene	ND		mg/kg dry	0.501	5	06/17/09 10:04	SW846 8270D	9061227
Chrysene	0.661		mg/kg dry	0.501	5	06/17/09 10:04	SW846 8270D	9061227
Dibenz (a,h) anthracene	ND		mg/kg dry	0.501	5	06/17/09 10:04	SW846 8270D	9061227
Fluoranthene	2.39		mg/kg dry	0.501	5	06/17/09 10:04	SW846 8270D	9061227
Fluorene	4.75		mg/kg dry	0.501	5	06/17/09 10:04	SW846 8270D	9061227
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.501	5	06/17/09 10:04	SW846 8270D	9061227
Naphthalene	8.45		mg/kg dry	0.501	5	06/17/09 10:04	SW846 8270D	9061227
Phenanthrene	8.81		mg/kg dry	0.501	5	06/17/09 10:04	SW846 8270D	9061227
Pyrene	2.14		mg/kg dry	0.501	5	06/17/09 10:04	SW846 8270D	9061227
1-Methylnaphthalene	25.5		mg/kg dry	5.01	50	06/17/09 12:14	SW846 8270D	9061227
2-Methylnaphthalene	39.9		mg/kg dry	5.01	50	06/17/09 12:14	SW846 8270D	9061227
Surr: Terphenyl-d14 (18-120%)	104 %		e y	2.01	50	06/17/09 10:04	SW846 8270D	9061227
Surr: 2-Fluorobiphenyl (14-120%)	99 %					06/17/09 10:04	SW846 8270D	9061227
Surr: Nitrobenzene-d5 (17-120%)	94 %					06/17/09 10:04	SW846 8270D	9061227





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSF0579

[none]

Project Name:

Laurel Bay Housing Project

Project Number: Received:

06/05/09 08:00

			111111111111111111111111111111111111111	TORT				
Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSF0579-05 (1059 Ga	rdenia-1 - Soil) Sampled	: 06/03/09 11:15					
General Chemistry Parameters								
% Dry Solids	78.8		%	0.500	1	06/17/09 09:02	SW-846	9062596
Selected Volatile Organic Compounds	by EPA Method	8260B						
Benzene	0.00631		mg/kg dry	0.00221	1	06/11/09 19:14	SW846 8260B	9061083
Ethylbenzene	1.64		mg/kg dry	0.112	50	06/13/09 19:57	SW846 8260B	9062562
Naphthalene	11.1	B1	mg/kg dry	0.280	50	06/13/09 19:57	SW846 8260B	9062562
Toluene	0.00277		mg/kg dry	0.00221	1	06/11/09 19:14	SW846 8260B	9061083
Xylenes, total	2.44		mg/kg dry	0.280	50	06/13/09 19:57	SW846 8260B	9062562
Surr: 1,2-Dichloroethane-d4 (67-138%)	86 %					06/11/09 19:14	SW846 8260B	9061083
Surr: 1,2-Dichloroethane-d4 (67-138%)	83 %					06/13/09 19:57	SW846 8260B	9062562
Surr: Dibromofluoromethane (75-125%)	95 %					06/11/09 19:14	SW846 8260B	9061083
Surr: Dibromofluoromethane (75-125%)	90 %					06/13/09 19:57	SW846 8260B	9062562
Surr: Toluene-d8 (76-129%)	581 %	ZX				06/11/09 19:14	SW846 8260B	9061083
Surr: Toluene-d8 (76-129%)	107 %					06/13/09 19:57	SW846 8260B	9062562
Surr: 4-Bromofluorobenzene (67-147%)	2710 %	ZX				06/11/09 19:14	SW846 8260B	9061083
Surr: 4-Bromofluorobenzene (67-147%)	133 %					06/13/09 19:57	SW846 8260B	9062562
Polyaromatic Hydrocarbons by EPA 82	270D							
Acenaphthene	4.42		mg/kg dry	0.424	5	06/17/09 10:25	SW846 8270D	9061227
Acenaphthylene	ND		mg/kg dry	0.424	5	06/17/09 10:25	SW846 8270D	9061227
Anthracene	3.43		mg/kg dry	0.424	5	06/17/09 10:25	SW846 8270D	9061227
Benzo (a) anthracene	4.35		mg/kg dry	0.424	5	06/17/09 10:25	SW846 8270D	9061227
Benzo (a) pyrene	1.63		mg/kg dry	0.424	5	06/17/09 10:25	SW846 8270D	9061227
Benzo (b) fluoranthene	1.97		mg/kg dry	0.424	5	06/17/09 10:25	SW846 8270D	9061227
Benzo (g,h,i) perylene	ND		mg/kg dry	0.424	5	06/17/09 10:25	SW846 8270D	9061227
Benzo (k) fluoranthene	1.73		mg/kg dry	0.424	5	06/17/09 10:25	SW846 8270D	9061227
Chrysene	3.69		mg/kg dry	0.424	5	06/17/09 10:25	SW846 8270D	9061227
Dibenz (a,h) anthracene	ND		mg/kg dry	0.424	5	06/17/09 10:25	SW846 8270D	9061227
Fluoranthene	13.6		mg/kg dry	0.424	5	06/17/09 10:25	SW846 8270D	9061227
Fluorene	9.09		mg/kg dry	0.424	5	06/17/09 10:25	SW846 8270D	9061227
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.424	5	06/17/09 10:25	SW846 8270D	9061227
Naphthalene	14.6		mg/kg dry	0.424	5	06/17/09 10:25	SW846 8270D	9061227
Phenanthrene	19.2		mg/kg dry	4.24	50	06/17/09 12:35	SW846 8270D	9061227
Pyrene	12.3		mg/kg dry	0.424	5	06/17/09 10:25	SW846 8270D	9061227
1-Methylnaphthalene	35.9		mg/kg dry	4.24	50	06/17/09 12:35	SW846 8270D	9061227
2-Methylnaphthalene	60.9		mg/kg dry	4.24	50	06/17/09 12:35	SW846 8270D	9061227
Surr: Terphenyl-d14 (18-120%)	106 %		<i>5 5 J</i>			06/17/09 10:25	SW846 8270D	9061227
Surr: 2-Fluorobiphenyl (14-120%)	84 %					06/17/09 10:25	SW846 8270D	9061227
Surr: Nitrobenzene-d5 (17-120%)	143 %					06/17/09 10:25	SW846 8270D	9061227



10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSF0579

Project Name:

Laurel Bay Housing Project


Project Number: [

[none]

Received:

06/05/09 08:00

					Dilution	Analysis		
Analyte	Result	Flag	Units	MRL	Factor	Date/Time	Method	Batch
Sample ID: NSF0579-06 (1059 Ga	rdenia-2 - Soil) Sampled:	06/03/09 14:00					
General Chemistry Parameters								
% Dry Solids	82.7		%	0.500	1	06/17/09 09:02	SW-846	9062596
Selected Volatile Organic Compounds	by EPA Method	l 8260B						
Benzene	ND	RL1	mg/kg dry	0.109	50	06/15/09 19:46	SW846 8260B	9062585
Ethylbenzene	4.98		mg/kg dry	0.109	50	06/15/09 19:46	SW846 8260B	9062585
Naphthalene	31.7		mg/kg dry	5.47	1000	06/15/09 20:16	SW846 8260B	9062585
Toluene	0.0134		mg/kg dry	0.00203	1	06/11/09 19:45	SW846 8260B	9061083
Xylenes, total	12.0		mg/kg dry	0.273	50	06/15/09 19:46	SW846 8260B	9062585
Surr: 1,2-Dichloroethane-d4 (67-138%)	47 %	ZX		0.273		06/11/09 19:45	SW846 8260B	9061083
Surr: 1,2-Dichloroethane-d4 (67-138%)	86 %	221				06/15/09 19:46	SW846 8260B	9062583
Surr: 1,2-Dichloroethane-d4 (67-138%)	83 %					06/15/09 20:16	SW846 8260B	9062583
Surr: Dibromofluoromethane (75-125%)	57 %	ZX				06/11/09 19:45	SW846 8260B	906108.
Surr: Dibromofluoromethane (75-125%)	90 %					06/15/09 19:46	SW846 8260B	9062583
Surr: Dibromofluoromethane (75-125%)	85 %					06/15/09 20:16	SW846 8260B	9062583
Surr: Toluene-d8 (76-129%)	311 %	ZX				06/11/09 19:45	SW846 8260B	906108.
Surr: Toluene-d8 (76-129%)	108 %					06/15/09 19:46	SW846 8260B	9062583
Surr: Toluene-d8 (76-129%)	102 %					06/15/09 20:16	SW846 8260B	9062583
Surr: 4-Bromofluorobenzene (67-147%)	449 %	ZX				06/11/09 19:45	SW846 8260B	906108.
Surr: 4-Bromofluorobenzene (67-147%)	123 %					06/15/09 19:46	SW846 8260B	9062583
Surr: 4-Bromofluorobenzene (67-147%)	99 %					06/15/09 20:16	SW846 8260B	9062583
Polyaromatic Hydrocarbons by EPA 8	270D							
Acenaphthene	4.83		mg/kg dry	0.401	5	06/17/09 10:47	SW846 8270D	9061227
Acenaphthylene	ND		mg/kg dry	0.401	5	06/17/09 10:47	SW846 8270D	9061227
Anthracene	ND		mg/kg dry	0.401	5	06/17/09 10:47	SW846 8270D	9061227
Benzo (a) anthracene	ND		mg/kg dry	0.401	5	06/17/09 10:47	SW846 8270D	9061227
Benzo (a) pyrene	ND		mg/kg dry	0.401	5	06/17/09 10:47	SW846 8270D	9061227
Benzo (b) fluoranthene	ND		mg/kg dry	0.401	5	06/17/09 10:47	SW846 8270D	9061227
Benzo (g,h,i) perylene	ND		mg/kg dry	0.401	5	06/17/09 10:47	SW846 8270D	9061227
Benzo (k) fluoranthene	ND		mg/kg dry	0.401	5	06/17/09 10:47	SW846 8270D	9061227
						06/17/09 10:47	SW846 8270D	9061227
Chrysene	ND		mg/kg dry	0.401	5			
Dibenz (a,h) anthracene	ND		mg/kg dry	0.401	5	06/17/09 10:47	SW846 8270D	9061227
Fluoranthene	0.401		mg/kg dry	0.401	5	06/17/09 10:47	SW846 8270D	9061227
Fluorene	9.73		mg/kg dry	0.401	5	06/17/09 10:47	SW846 8270D	9061227
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.401	5	06/17/09 10:47	SW846 8270D	9061227
Naphthalene	19.8		mg/kg dry	4.01	50	06/17/09 12:57	SW846 8270D	9061227
Phenanthrene	17.6		mg/kg dry	0.401	5	06/17/09 10:47	SW846 8270D	9061227
Pyrene	1.51		mg/kg dry	0.401	5	06/17/09 10:47	SW846 8270D	9061227
1-Methylnaphthalene	55.3		mg/kg dry	4.01	50	06/17/09 12:57	SW846 8270D	9061227
2-Methylnaphthalene	86.5		mg/kg dry	4.01	50	06/17/09 12:57	SW846 8270D	9061227
Surr: Terphenyl-d14 (18-120%)	113 %					06/17/09 10:47	SW846 8270D	906122
Surr: 2-Fluorobiphenyl (14-120%)	82 %					06/17/09 10:47	SW846 8270D	906122
Surr: Nitrobenzene-d5 (17-120%)	129 %					06/17/09 10:47	SW846 8270D	906122





10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NSF0579 Laurel Bay Housing Project Project Name:

[none] Project Number:

06/05/09 08:00 Received:

		ANALYTICAL REP	ORT				
Analyte	Result	Flag Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSF0579-07 (1058 Ga	rdenia-1 - Soil)	Sampled: 06/03/09 11:05					
General Chemistry Parameters							
% Dry Solids	84.1	%	0.500	1	06/17/09 09:02	SW-846	9062596
Selected Volatile Organic Compounds	by EPA Method	8260B					
Benzene	ND	mg/kg dry	0.00188	1	06/12/09 18:33	SW846 8260B	9062578
Ethylbenzene	ND	mg/kg dry	0.00188	1	06/12/09 18:33	SW846 8260B	9062578
Naphthalene	0.0193	mg/kg dry	0.00470	1	06/12/09 18:33	SW846 8260B	9062578
Toluene	ND	mg/kg dry	0.00188	1	06/12/09 18:33	SW846 8260B	9062578
Xylenes, total	ND	mg/kg dry	0.00470	1	06/12/09 18:33	SW846 8260B	9062578
Surr: 1,2-Dichloroethane-d4 (67-138%)	84 %				06/12/09 18:33	SW846 8260B	9062578
Surr: Dibromofluoromethane (75-125%)	90 %				06/12/09 18:33	SW846 8260B	9062578
Surr: Toluene-d8 (76-129%)	110 %				06/12/09 18:33	SW846 8260B	9062578
Surr: 4-Bromofluorobenzene (67-147%)	124 %				06/12/09 18:33	SW846 8260B	9062578
Polyaromatic Hydrocarbons by EPA 82	270D						
Acenaphthene	ND	mg/kg dry	0.397	5	06/17/09 11:09	SW846 8270D	9061227
Acenaphthylene	ND	mg/kg dry	0.397	5	06/17/09 11:09	SW846 8270D	9061227
Anthracene	0.673	mg/kg d r y	0.397	5	06/17/09 11:09	SW846 8270D	9061227
Benzo (a) anthracene	2.04	mg/kg dry	0.397	5	06/17/09 11:09	SW846 8270D	9061227
Benzo (a) pyrene	0.762	mg/kg dry	0.397	5	06/17/09 11:09	SW846 8270D	9061227
Benzo (b) fluoranthene	1.09	mg/kg dry	0.397	5	06/17/09 11:09	SW846 8270D	9061227
Benzo (g,h,i) perylene	ND	mg/kg dry	0.397	5	06/17/09 11:09	SW846 8270D	9061227
Benzo (k) fluoranthene	0.831	mg/kg dr y	0.397	5	06/17/09 11:09	SW846 8270D	9061227
Chrysene	1.16	mg/kg dry	0.397	5	06/17/09 11:09	SW846 8270D	9061227
Dibenz (a,h) anthracene	ND	mg/kg dry	0.397	5	06/17/09 11:09	SW846 8270D	9061227
Fluoranthene	7.17	mg/kg dry	0.397	5	06/17/09 11:09	SW846 8270D	9061227
Fluorene	ND	mg/kg dry	0.397	5	06/17/09 11:09	SW846 8270D	9061227
Indeno (1,2,3-cd) pyrene	ND	mg/kg dry	0.397	5	06/17/09 11:09	SW846 8270D	9061227
Naphthalene	ND	mg/kg dry	0.397	5	06/17/09 11:09	SW846 8270D	9061227
Phenanthrene	3.42	mg/kg dry	0.397	5	06/17/09 11:09	SW846 8270D	9061227
Pyrene	4.66	mg/kg dry	0.397	5	06/17/09 11:09	SW846 8270D	9061227
1-Methylnaphthalene	ND	mg/kg dry	0.397	5	06/17/09 11:09	SW846 8270D	9061227
2-Methylnaphthalene	ND	mg/kg dry	0.397	5	06/17/09 11:09	SW846 8270D	9061227
Surr: Terphenyl-d14 (18-120%)	77 %				06/17/09 11:09	SW846 8270D	9061227
Surr: 2-Fluorobiphenyl (14-120%)	58 %				06/17/09 11:09	SW846 8270D	9061227
Surr: Nitrobenzene-d5 (17-120%)	62 %				06/17/09 11:09	SW846 8270D	9061227





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSF0579

Project Name:

Laurel Bay Housing Project

Project Number: Received: [none] 06/05/09 08:00

		ANALYTICAL REPO	įKI				
Analyte	Result Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSF0579-08 (1058 Gar	rdenia-2 - Soil) Sampled	: 06/03/09 14:15					
General Chemistry Parameters							
% Dry Solids	85.7	%	0.500	1	06/17/09 09:02	SW-846	9062596
Selected Volatile Organic Compounds	by EPA Method 8260B						
Benzene	ND	mg/kg dry	0.00222	1	06/13/09 16:51	SW846 8260B	9062562
Ethylbenzene	ND	mg/kg dry	0.00222	1	06/13/09 16:51	SW846 8260B	9062562
Naphthalene	ND	mg/kg dry	0.00555	1	06/13/09 16:51	SW846 8260B	9062562
Toluene	ND	mg/kg dry	0.00222	1	06/13/09 16:51	SW846 8260B	9062562
Xylenes, total	ND	mg/kg dry	0.00555	1	06/13/09 16:51	SW846 8260B	9062562
Surr: 1,2-Dichloroethane-d4 (67-138%)	86 %				06/13/09 16:51	SW846 8260B	9062562
Surr: Dibromofluoromethane (75-125%)	93 %				06/13/09 16:51	SW846 8260B	9062562
Surr: Toluene-d8 (76-129%)	105 %				06/13/09 16:51	SW846 8260B	9062562
Surr: 4-Bromofluorobenzene (67-147%)	101 %				06/13/09 16:51	SW846 8260B	9062562
Polyaromatic Hydrocarbons by EPA 82	270D						
Acenaphthene	ND	mg/kg dry	0.0771	1	06/16/09 20:07	SW846 8270D	9061227
Acenaphthylene	ND	mg/kg dry	0.0771	1	06/16/09 20:07	SW846 8270D	9061227
Anthracene	ND	mg/kg dry	0.0771	1	06/16/09 20:07	SW846 8270D	9061227
Benzo (a) anthracene	ND	mg/kg dry	0.0771	1	06/16/09 20:07	SW846 8270D	9061227
Benzo (a) pyrene	ND	mg/kg dry	0.0771	1	06/16/09 20:07	SW846 8270D	9061227
Benzo (b) fluoranthene	ND	mg/kg dry	0.0771	1	06/16/09 20:07	SW846 8270D	9061227
Benzo (g,h,i) perylene	ND	mg/kg dry	0.0771	1	06/16/09 20:07	SW846 8270D	9061227
Benzo (k) fluoranthene	ND	mg/kg dry	0.0771	1	06/16/09 20:07	SW846 8270D	9061227
Chrysene	ND	mg/kg dry	0.0771	1	06/16/09 20:07	SW846 8270D	9061227
Dibenz (a,h) anthracene	ND	mg/kg dry	0.0771	1	06/16/09 20:07	SW846 8270D	9061227
Fluoranthene	ND	mg/kg dry	0.0771	1	06/16/09 20:07	SW846 8270D	9061227
Fluorene	ND	mg/kg dry	0.0771	1	06/16/09 20:07	SW846 8270D	9061227
Indeno (1,2,3-cd) pyrene	ND	mg/kg dry	0.0771	1	06/16/09 20:07	SW846 8270D	9061227
Naphthalene	ND	mg/kg dry	0.0771	1	06/16/09 20:07	SW846 8270D	9061227
Phenanthrene	ND	mg/kg dry	0.0771	1	06/16/09 20:07	SW846 8270D	9061227
Pyrene	ND	mg/kg dry	0.0771	1	06/16/09 20:07	SW846 8270D	9061227
l-Methylnaphthalene	ND	mg/kg dry	0.0771	1	06/16/09 20:07	SW846 8270D	9061227
2-Methylnaphthalene	ND	mg/kg dry	0.0771	1	06/16/09 20:07	SW846 8270D	9061227
Surr: Terphenyl-d14 (18-120%)	90 %				06/16/09 20:07	SW846 8270D	9061227
Surr: 2-Fluorobiphenyl (14-120%)	65 %				06/16/09 20:07	SW846 8270D	9061227
Surr: Nitrobenzene-d5 (17-120%)	67 %				06/16/09 20:07	SW846 8270D	9061227



10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order: NSF0579

Project Name: Laurel Bay Housing Project

Project Number: [none]

Received: 06/05/09 08:00

SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
Polyaromatic Hydrocarbons by EPA 8270	DD						
SW846 8270D	9061227	NSF0579-01	30.54	1.00	06/09/09 08:32	JNS	EPA 3550B
SW846 8270D	9061227	NSF0579-02	30.24	1.00	06/09/09 08:32	JNS	EPA 3550B
SW846 8270D	9061227	NSF0579-03	30.29	1.00	06/09/09 08:32	JNS	EPA 3550B
SW846 8270D	9061227	NSF0579-03RE1	30.29	1.00	06/09/09 08:32	JNS	EPA 3550B
SW846 8270D	9061227	NSF0579-03RE2	30.29	1.00	06/09/09 08:32	JNS	EPA 3550B
SW846 8270D	9061227	NSF0579-04	30.05	1.00	06/09/09 08:32	JNS	EPA 3550B
SW846 8270D	9061227	NSF0579-04RE1	30.05	1.00	06/09/09 08:32	JNS	EPA 3550B
SW846 8270D	9061227	NSF0579-04RE2	30.05	1.00	06/09/09 08:32	JNS	EPA 3550B
SW846 8270D	9061227	NSF0579-05	30.05	1.00	06/09/09 08:32	JNS	EPA 3550B
SW846 8270D	9061227	NSF0579-05RE1	30.05	1.00	06/09/09 08:32	JNS	EPA 3550B
SW846 8270D	9061227	NSF0579-05RE2	30.05	1.00	06/09/09 08:32	JNS	EPA 3550B
SW846 8270D	9061227	NSF0579-06	30.33	1.00	06/09/09 08:32	JNS	EPA 3550B
SW846 8270D	9061227	NSF0579-06RE1	30.33	1.00	06/09/09 08:32	JNS	EPA 3550B
SW846 8270D	9061227	NSF0579-06RE2	30.33	1.00	06/09/09 08:32	JNS	EPA 3550B
SW846 8270D	9061227	NSF0579-07	30.11	1.00	06/09/09 08:32	JNS	EPA 3550B
SW846 8270D	9061227	NSF0579-07RE1	30.11	1.00	06/09/09 08:32	JNS	EPA 3550B
SW846 8270D	9061227	NSF0579-08	30.43	1.00	06/09/09 08:32	JNS	EPA 3550B
Selected Volatile Organic Compounds by	EPA Method 82	50B					
SW846 8260B	9061083	NSF0579-01	4.50	5.00	06/01/09 09:45	СНН	EPA 5035
SW846 8260B	9061083	NSF0579-02	6.75	5.00	06/01/09 12:10	СНН	EPA 5035
SW846 8260B	9062578	NSF0579-02RE1	6.05	5.00	06/01/09 12:10	СНН	EPA 5035
SW846 8260B	9061083	NSF0579-03	5.81	5.00	06/02/09 12:00	СНН	EPA 5035
SW846 8260B	9062562	NSF0579-03RE1	5.74	5.00	06/02/09 12:00	CHH	EPA 5035
SW846 8260B	9062562	NSF0579-03RE2	5.74	5.00	06/02/09 12:00	СНН	EPA 5035
SW846 8260B	9061083	NSF0579-04	5.68	5.00	06/02/09 14:45	CHH	EPA 5035
SW846 8260B	9062562	NSF0579-04RE1	5.86	5.00	06/02/09 14:45	СНН	EPA 5035
SW846 8260B	9062562	NSF0579-04RE2	5.86	5.00	06/02/09 14:45	CHH	EPA 5035
SW846 8260B	9061083	NSF0579-05	5.73	5.00	06/03/09 11:15	СНН	EPA 5035
SW846 8260B	9062562	NSF0579-05RE1	5.66	5.00	06/03/09 11:15	CHH	EPA 5035
SW846 8260B	9062562	NSF0579-05RE2	5.66	5.00	06/03/09 11:15	СНН	EPA 5035
SW846 8260B	9061083	NSF0579-06	5.97	5.00	06/03/09 14:00	CHH	EPA 5035
SW846 8260B	9062585	NSF0579-06RE1	5.53	5.00	06/03/09 14:00	СНН	EPA 5035
SW846 8260B	9062585	NSF0579-06RE2	5.53	5.00	06/03/09 14:00	СНН	EPA 5035
SW846 8260B	9061083	NSF0579-07	6.34	5.00	06/03/09 11:05	СНН	EPA 5035
SW846 8260B	9062578	NSF0579-07RE1	6.33	5.00	06/03/09 11:05	СНН	EPA 5035
SW846 8260B	9061083	NSF0579-08	6.59	5.00	06/03/09 14:15	СНН	EPA 5035
SW846 8260B	9062562	NSF0579-08RE1	5.26	5.00	06/03/09 14:15	CHH	EPA 5035



10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order: NSF0579

Project Name: L


Laurel Bay Housing Project

Project Number: [none]

Received: 06/05/09 08:00

PROJECT QUALITY CONTROL DATA Blank

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time	
Selected Volatile Organic Compo	ounds by EPA Method	8260B					
9061083-BLK1							
Benzene	< 0.000670		mg/kg wet	9061083	9061083-BLK1	06/11/09 16:39	
Ethylbenzene	< 0.000670		mg/kg wet	9061083	9061083-BLK1	06/11/09 16:39	
Naphthalene	< 0.00170		mg/kg wet	9061083	9061083-BLK1	06/11/09 16:39	
Toluene	< 0.000400		mg/kg wet	9061083	9061083-BLK1	06/11/09 16:39	
Xylenes, total	< 0.00130		mg/kg wet	9061083	9061083-BLK1	06/11/09 16:39	
Surrogate: 1,2-Dichloroethane-d4	95%			9061083	9061083-BLK1	06/11/09 16:39	
Surrogate: Dibromofluoromethane	97%			9061083	9061083-BLK1	06/11/09 16:39	
Surrogate: Toluene-d8	105%			9061083	9061083-BLK1	06/11/09 16:39	
Surrogate: 4-Bromofluorobenzene	112%			9061083	9061083-BLK1	06/11/09 16:39	
9062562-BLK1							
Benzene	< 0.000670		mg/kg wet	9062562	9062562-BLK1	06/13/09 16:20	
Ethylbenzene	< 0.000670		mg/kg wet	9062562	9062562-BLK1	06/13/09 16:20	
Naphthalene	0.00499	В	mg/kg wet	9062562	9062562-BLK1	06/13/09 16:20	
Toluene	< 0.000400		mg/kg wet	9062562	9062562-BLK1	06/13/09 16:20	
Xylenes, total	< 0.00130		mg/kg wet	9062562	9062562-BLK1	06/13/09 16:20	
Surrogate: 1,2-Dichloroethane-d4	88%			9062562	9062562-BLK1	06/13/09 16:20	
Surrogate: Dibromofluoromethane	95%			9062562	9062562-BLK1	06/13/09 16:20	
Surrogate: Toluene-d8	103%			9062562	9062562-BLK1	06/13/09 16:20	
Surrogate: 4-Bromofluorobenzene	131%			9062562	9062562-BLK1	06/13/09 16:20	
9062578-BLK1							
Benzene	< 0.000670		mg/kg wet	9062578	9062578-BLK1	06/12/09 17:31	
Ethylbenzene	< 0.000670		mg/kg wet	9062578	9062578-BLK1	06/12/09 17:31	
Naphthalene	< 0.00170		mg/kg wet	9062578	9062578-BLK1	06/12/09 17:31	
Toluene	< 0.000400		mg/kg wet	9062578	9062578-BLK1	06/12/09 17:31	
Xylenes, total	< 0.00130		mg/kg wet	9062578	9062578-BLK1	06/12/09 17:31	
Surrogate: 1,2-Dichloroethane-d4	86%			9062578	9062578-BLK1	06/12/09 17:31	
Surrogate: Dibromofluoromethane	94%			9062578	9062578-BLK1	06/12/09 17:31	
Surrogate: Toluene-d8	105%			9062578	9062578-BLK1	06/12/09 17:31	
Surrogate: 4-Bromofluorobenzene	100%			9062578	9062578-BLK1	06/12/09 17:31	
9062585-BLK1							
Benzene	< 0.000670		mg/kg wet	9062585	9062585-BLK1	06/15/09 17:41	
Ethylbenzene	< 0.000670		mg/kg wet	9062585	9062585-BLK1	06/15/09 17:41	
Naphthalene	< 0.00170		mg/kg wet	9062585	9062585-BLK1	06/15/09 17:41	
Toluene	< 0.000400		mg/kg wet	9062585	9062585-BLK1	06/15/09 17:41	
Xylenes, total	< 0.00130		mg/kg wet	9062585	9062585-BLK1	06/15/09 17:41	
Surrogate: 1,2-Dichloroethane-d4	85%			9062585	9062585-BLK1	06/15/09 17:41	
Surrogate: Dibromofluoromethane	90%			9062585	9062585-BLK1	06/15/09 17:41	
Surrogate: Toluene-d8	99%			9062585	9062585-BLK1	06/15/09 17:41	
Surrogate: 4-Bromofluorobenzene	112%			9062585	9062585-BLK1	06/15/09 17:41	





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSF0579

Project Name:

Laurel Bay Housing Project


Project Number:

[none]

Received: 06/05/09 08:00

PROJECT QUALITY CONTROL DATA Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
Selected Volatile Organic Com	pounds by EPA Method	8260B				
Polyaromatic Hydrocarbons by	y EPA 8270D					
9061227-BLK1						
Acenaphthene	< 0.0320		mg/kg wet	9061227	9061227-BLK1	06/16/09 16:08
Acenaphthylene	< 0.0310		mg/kg wet	9061227	9061227-BLK1	06/16/09 16:08
Anthracene	< 0.0330		mg/kg wet	9061227	9061227-BLK1	06/16/09 16:08
Benzo (a) anthracene	< 0.0380		mg/kg wet	9061227	9061227-BLK1	06/16/09 16:08
Benzo (a) pyrene	< 0.0300		mg/kg wet	9061227	9061227-BLK1	06/16/09 16:08
Benzo (b) fluoranthene	< 0.0300		mg/kg wet	9061227	9061227-BLK1	06/16/09 16:08
Benzo (g,h,i) perylene	< 0.0300		mg/kg wet	9061227	9061227-BLK1	06/16/09 16:08
Benzo (k) fluoranthene	< 0.0300		mg/kg wet	9061227	9061227-BLK1	06/16/09 16:08
Chrysene	< 0.0400		mg/kg wet	9061227	9061227-BLK1	06/16/09 16:08
Dibenz (a,h) anthracene	< 0.0310		mg/kg wet	9061227	9061227-BLK1	06/16/09 16:08
Fluoranthene	< 0.0340		mg/kg wet	9061227	9061227-BLK1	06/16/09 16:08
Fluorene	< 0.0360		mg/kg wet	9061227	9061227-BLK1	06/16/09 16:08
Indeno (1,2,3-cd) pyrene	< 0.0310		mg/kg wet	9061227	9061227-BLK1	06/16/09 16:08
Naphthalene	< 0.0410		mg/kg wet	9061227	9061227-BLK1	06/16/09 16:08
Phenanthrene	< 0.0340		mg/kg wet	9061227	9061227-BLK1	06/16/09 16:08
Pyrene	< 0.0410		mg/kg wet	9061227	9061227-BLK1	06/16/09 16:08
1-Methylnaphthalene	< 0.0320		mg/kg wet	9061227	9061227-BLK1	06/16/09 16:08
2-Methylnaphthalene	< 0.0330		mg/kg wet	9061227	9061227-BLK1	06/16/09 16:08
Surrogate: Terphenyl-d14	110%			9061227	9061227-BLK1	06/16/09 16:08
Surrogate: 2-Fluorobiphenyl	91%			9061227	9061227-BLK1	06/16/09 16:08
Surrogate: Nitrobenzene-d5	84%			9061227	9061227-BLK1	06/16/09 16:08





EEG - Small Business Group, Inc. (2449) Client

10179 Highway 78

Attn

Ladson, SC 29456 Tom McElwee

Work Order:

NSF0579

Project Name:

Laurel Bay Housing Project

Project Number:


[none]

06/05/09 08:00 Received:

PROJECT QUALITY CONTROL DATA

Duplicate

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	% Rec.	Analyzed Date/Time
General Chemistry Parameters										
9062596-DUP1 % Dry Solids	96.6	96.3		%	0.3	20	9062596	NSF0559-01		06/17/09 09:02





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSF0579

Project Name:

Laurel Bay Housing Project

Project Number: [none]

Received:

06/05/09 08:00

PROJECT QUALITY CONTROL DATA LCS

								
Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Selected Volatile Organic Compoun	nds by EPA Method 82	60 B						
9061083-BS1								
Benzene	50.0	44.8		ug/kg	90%	78 - 126	9061083	06/11/09 14:35
Ethylbenzene	50.0	51.8		ug/kg	104%	79 - 130	9061083	06/11/09 14:35
Naphthalene	50.0	48.1		ug/kg	96%	72 - 150	9061083	06/11/09 14:35
Toluene	50.0	51.0		ug/kg	102%	76 - 126	9061083	06/11/09 14:35
Xylenes, total	150	160		ug/kg	106%	80 - 130	9061083	06/11/09 14:35
Surrogate: 1,2-Dichloroethane-d4	50.0	48.4			97%	67 - 138	9061083	06/11/09 14:35
Surrogate: Dibromofluoromethane	50.0	48.2			96%	75 - 125	9061083	06/11/09 14:35
Surrogate: Toluene-d8	50.0	52.8			106%	76 - 129	9061083	06/11/09 14:35
Surrogate: 4-Bromofluorobenzene	50.0	46.9			94%	67 - 147	9061083	06/11/09 14:35
9062562-BS1								
Benzene	50.0	45.3		ug/kg	91%	78 - 126	9062562	06/13/09 14:10
Ethylbenzene	50.0	51.4		ug/kg	103%	79 - 130	9062562	06/13/09 14:10
Naphthalene	50.0	57.7		ug/kg	115%	72 - 150	9062562	06/13/09 14:10
Toluene	50.0	50.1		ug/kg	100%	76 - 126	9062562	06/13/09 14:10
Xylenes, total	150	155		ug/kg	103%	80 - 130	9062562	06/13/09 14:10
Surrogate: 1,2-Dichloroethane-d4	50.0	43.8			88%	67 - 138	9062562	06/13/09 14:10
Surrogate: Dibromofluoromethane	50.0	47.9			96%	75 - 125	9062562	06/13/09 14:10
Surrogate: Toluene-d8 Surrogate: 4-Bromofluorobenzene	50.0 50.0	51.6 48.5			103% 97%	76 - 129 67 - 147	9062562 9062562	06/13/09 14:10 06/13/09 14:10
9062578-BS1 Benzene	50.0	49.0		ua/ka	98%	78 - 126	9062578	06/12/09 15:28
Ethylbenzene	50.0	55.5		ug/kg ug/kg	111%	79 - 130	9062578	06/12/09 15:28
Naphthalene	50.0	61.5		ug/kg ug/kg	123%	72 - 150	9062578	06/12/09 15:28
Toluene	50.0	55.0		ug/kg ug/kg	110%	76 - 126	9062578	06/12/09 15:28
Xylenes, total	150	167		ug/kg ug/kg	111%	80 - 130	9062578	06/12/09 15:28
Surrogate: 1,2-Dichloroethane-d4	50.0	43.8		ug/kg	88%	67 - 138	9062578	06/12/09 15:28
Surrogate: Dibromofluoromethane	50.0	47.8			96%	75 - 125	9062578	06/12/09 15:28
Surrogate: Toluene-d8	50.0	53.0			106%	76 - 129	9062578	06/12/09 15:28
Surrogate: 4-Bromofluorobenzene	50.0	61.0			122%	67 - 147	9062578	06/12/09 15:28
9062585-BS1								
Benzene	50.0	52.1		ug/kg	104%	78 - 126	9062585	06/15/09 15:36
Ethylbenzene	50.0	53.0		ug/kg	106%	79 - 130	9062585	06/15/09 15:36
Naphthalene	50.0	58.7		ug/kg	117%	72 - 150	9062585	06/15/09 15:36
Toluene	50.0	53.2		ug/kg	106%	76 - 126	9062585	06/15/09 15:36
Xylenes, total	150	158		ug/kg	105%	80 - 130	9062585	06/15/09 15:36
Surrogate: 1,2-Dichloroethane-d4	50.0	44.8			90%	67 - 138	9062585	06/15/09 15:36
Surrogate: Dibromofluoromethane	50.0	48.9			98%	75 - 125	9062585	06/15/09 15:36
Surrogate: Toluene-d8	50.0	50.0			100%	76 - 129	9062585	06/15/09 15:36
Surrogate: 4-Bromofluorobenzene	50.0	50.3			101%	67 - 147	9062585	06/15/09 15:36



10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSF0579

Project Name:

Laurel Bay Housing Project

Project Number: [none]

Received:

06/05/09 08:00

PROJECT QUALITY CONTROL DATA LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Selected Volatile Organic Compo	ounds by EPA Method 82	60B				• • •		
Polyaromatic Hydrocarbons by F	EPA 8270D							
9061227-BS1								
Acenaphthene	1.67	1.48		mg/kg wet	89%	49 - 120	9061227	06/16/09 16:3
Acenaphthylene	1.67	1.52		mg/kg wet	91%	52 - 120	9061227	06/16/09 16:3
Anthracene	1.67	1.68		mg/kg wet	101%	58 - 120	9061227	06/16/09 16:3
Benzo (a) anthracene	1.67	1.55		mg/kg wet	93%	57 - 120	9061227	06/16/09 16:3
Benzo (a) pyrene	1.67	1.62		mg/kg wet	97%	55 - 120	9061227	06/16/09 16:3
Benzo (b) fluoranthene	1.67	1.54		mg/kg wet	93%	51 - 123	9061227	06/16/09 16:3
Benzo (g,h,i) perylene	1.67	1.61		mg/kg wet	96%	49 - 121	9061227	06/16/09 16:3
Benzo (k) fluoranthene	1.67	1.64		mg/kg wet	98%	42 - 129	9061227	06/16/09 16:3
Chrysene	1.67	1.58		mg/kg wet	95%	55 - 120	9061227	06/16/09 16:3
Dibenz (a,h) anthracene	1.67	1.62		mg/kg wet	97%	50 - 123	9061227	06/16/09 16:3
Fluoranthene	1.67	1.52		mg/kg wet	91%	58 - 120	9061227	06/16/09 16:3
Fluorene	1.67	1.50		mg/kg wet	90%	54 - 120	9061227	06/16/09 16:3
Indeno (1,2,3-cd) pyrene	1.67	1.66		mg/kg wet	100%	50 - 122	9061227	06/16/09 16:30
Naphthalene	1.67	1.27		mg/kg wet	76%	28 - 107	9061227	06/16/09 16:3
Phenanthrene	1.67	1.51		mg/kg wet	91%	56 - 120	9061227	06/16/09 16:3
Pyrene	1.67	1.65		mg/kg wet	99%	56 - 120	9061227	06/16/09 16:3
1-Methylnaphthalene	1.67	1.19		mg/kg wet	71%	36 - 120	9061227	06/16/09 16:3
2-Methylnaphthalene	1.67	1.35		mg/kg wet	81%	36 - 120	9061227	06/16/09 16:3
Surrogate: Terphenyl-d14	1.67	1.67			100%	18 - 120	9061227	06/16/09 16:3
Surrogate: 2-Fluorobiphenyl	1.67	1.46			88%	14 - 120	9061227	06/16/09 16:3
Surrogate: Nitrobenzene-d5	1.67	1.25			75%	17 - 120	9061227	06/16/09 16:3

NSF0579

Laurel Bay Housing Project



EEG - Small Business Group, Inc. (2449) Client

> 10179 Highway 78 Ladson, SC 29456

Tom McElwee


Attn

Work Order: Project Name:

> Project Number: [none] 06/05/09 08:00 Received:

PROJECT QUALITY CONTROL DATA LCS Dup

				LCS								
Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Selected Volatile Organic Compour	nds by EPA	Method 820	60B									
9061083-BSD1												
Benzene		45.9		ug/kg	50.0	92%	78 - 126	2	50	9061083		06/11/09 15:
Ethylbenzene		53.8		ug/kg	50.0	108%	79 - 130	4	50	9061083		06/11/09 15:
Naphthalene		50.7		ug/kg	50.0	101%	72 - 150	5	50	9061083		06/11/09 15:
Toluene		52.8		ug/kg	50.0	106%	76 - 126	3	50	9061083		06/11/09 15:
Xylenes, total		169		ug/kg	150	113%	80 - 130	6	50	9061083		06/11/09 15:
Surrogate: 1,2-Dichloroethane-d4		47.4		ug/kg	50.0	95%	67 - 138			9061083		06/11/09 15:
Surrogate: Dibromofluoromethane		48.3		ug/kg	50.0	97%	75 - 125			9061083		06/11/09 15:
Surrogate: Toluene-d8		54.2		ug/kg	50.0	108%	76 - 129			9061083		06/11/09 15:
Surrogate: 4-Bromofluorobenzene		46.1		ug/kg	50.0	92%	67 - 147			9061083		06/11/09 15:
9062562-BSD1												
Benzene		49.6		ug/kg	50.0	99%	78 - 126	9	50	9062562		06/13/09 14:
Ethylbenzene		55.6		ug/kg	50.0	111%	79 - 130	8	50	9062562		06/13/09 14:
Naphthalene		61.9		ug/kg	50.0	124%	72 - 150	7	50	9062562		06/13/09 14:
Toluene		53.6		ug/kg	50.0	107%	76 - 126	7	50	9062562		06/13/09 14:
Xylenes, total		170		ug/kg	150	113%	80 - 130	9	50	9062562		06/13/09 14:
Surrogate: 1,2-Dichloroethane-d4		44.5		ug/kg	50.0	89%	67 - 138			9062562		06/13/09 14:
Surrogate: Dibromofluoromethane		48.1		ug/kg	50.0	96%	75 - 125			9062562		06/13/09 14:
Surrogate: Toluene-d8		52.0		ug/kg	50.0	104%	76 - 129			9062562		06/13/09 14:
Surrogate: 4-Bromofluorobenzene		60.7		ug/kg	50.0	121%	67 - 147			9062562		06/13/09 14:
9062578-BSD1												
Benzene		48.4		ug/kg	50.0	97%	78 - 126	1	50	9062578		06/12/09 15:
Ethylbenzene		54.8		ug/kg	50.0	110%	79 - 130	1	50	9062578		06/12/09 15:
Naphthalene		61.1		ug/kg	50.0	122%	72 - 150	0.7	50	9062578		06/12/09 15:
Toluene		54.2		ug/kg	50.0	108%	76 - 126	1	50	9062578		06/12/09 15:
Xylenes, total		167		ug/kg	150	111%	80 - 130	0.2	50	9062578		06/12/09 15:
Surrogate: 1,2-Dichloroethane-d4		42.5		ug/kg	50.0	85%	67 - 138			9062578		06/12/09 15:
Surrogate: Dibromofluoromethane		46.8		ug/kg	50.0	94%	75 - 125			9062578		06/12/09 15:
Surrogate: Toluene-d8		52.9		ug/kg	50.0	106%	76 - 129			9062578		06/12/09 15:
Surrogate: 4-Bromofluorobenzene		49.1		ug/kg	50.0	98%	67 - 147			9062578		06/12/09 15:
9062585-BSD1												
Benzene		43.9		ug/kg	50.0	88%	78 - 126	17	50	9062585		06/15/09 16:
Ethylbenzene		45.8		ug/kg	50.0	92%	79 - 130	14	50	9062585		06/15/09 16:
Naphthalene		53.0		ug/kg	50.0	106%	72 - 150	10	50	9062585		06/15/09 16:
Toluene		46.4		ug/kg	50.0	93%	76 - 126	14	50	9062585		06/15/09 16:
Xylenes, total		133		ug/kg	150	88%	80 - 130	18	50	9062585		06/15/09 16:
Surrogate: 1,2-Dichloroethane-d4		43.5		ug/kg	50.0	87%	67 - 138			9062585		06/15/09 16:
Surrogate: Dibromofluoromethane		46.2		ug/kg	50.0	92%	75 - 125			9062585		06/15/09 16:
Surrogate: Toluene-d8		49.7		ug/kg	50.0	99%	76 - 129			9062585		06/15/09 16:





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSF0579

Project Name:

Laurel Bay Housing Project

Project Number:

[none]

Received: 06/05/09 08:00

PROJECT QUALITY CONTROL DATA

LCS Dup - Cont.

Analyte	Orig. Val.	Duplicate	Q	Units			Target Range	RPD Limit	Batch	Sample Duplicated	Analyzed Date/Time
Selected Volatile Organic Compound	ds by EPA N	Method 826	60B								
9062585-BSD1											
Surrogate: 4-Bromofluorobenzene		51.3		ug/kg	50.0	103%	67 - 147		9062585		06/15/09 16:05



10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSF0579

Project Name:

Received:


Laurel Bay Housing Project

Project Number: [none]

06/05/09 08:00

PROJECT QUALITY CONTROL DATA Matrix Spike

				Matrix Spik		··· ··· · ·	Tar4		Cor1-	A no1 J
Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Selected Volatile Organic Compo	unds by EPA Met	thod 8260B								
9061083-MS1										
Benzene	0.386	3.72		mg/kg wet	3.43	97%	42 - 141	9061083	NSF0613-04RE	06/11/09 23:52
Ethylbenzene	0.327	4.55		mg/kg wet	3.43	123%	21 - 165	9061083	NSF0613-04RE	06/11/09 23:52
Naphthalene	0.637	4.74		mg/kg wet	3.43	120%	10 - 160	9061083	NSF0613-04RE	06/11/09 23:52
Toluene	1.06	5.00		mg/kg wet	3.43	115%	45 - 145	9061083	NSF0613-04RE	06/11/09 23:52
Xylenes, total	1.57	14.5		mg/kg wet	10.3	126%	31 - 159	9061083	NSF0613-04RE	06/11/09 23:52
Surrogate: 1,2-Dichloroethane-d4		41.4		ug/kg	50.0	83%	67 - 138	9061083	NSF0613-04RE	06/11/09 23:52
Surrogate: Dibromofluoromethane		45.2		ug/kg	50.0	90%	75 - 125	9061083	1 NSF0613-04RE	06/11/09 23:52
Surrogate: Toluene-d8		53.1		ug/kg	50.0	106%	76 - 129	9061083	NSF0613-04RE	06/11/09 23:52
Surrogate: 4-Bromofluorobenzene		62.2		ug/kg	50.0	124%	67 - 147	9061083	NSF0613-04RE 1	06/11/09 23:52
9062585-MS1										
Benzene	ND	2.46		mg/kg wet	2.50	98%	42 - 141	9062585	NSF0678-01RE	06/16/09 01:12
Ethylbenzene	ND	2.46		mg/kg wet	2.50	98%	21 - 165	9062585	NSF0678-01RE	06/16/09 01:12
Naphthalene	ND	2.28		mg/kg wet	2.50	91%	10 - 160	9062585	NSF0678-01RE	06/16/09 01:12
Toluene	ND	2.42		mg/kg wet	2.50	97%	45 - 145	9062585	NSF0678-01RE	06/16/09 01:12
Xylenes, total	ND	7.80		mg/kg wet	7.50	104%	31 - 159	9062585	NSF0678-01RE	06/16/09 01:12
Surrogate: 1,2-Dichloroethane-d4		43.0		ug/kg	50.0	86%	67 - 138	9062585	NSF0678-01RE	06/16/09 01:12
Surrogate: Dibromofluoromethane		47.6		ug/kg	50.0	95%	75 - 125	9062585	NSF0678-01RE	06/16/09 01:12
Surrogate: Toluene-d8		49.6		ug/kg	50.0	99%	76 - 129	9062585	NSF0678-01RE	06/16/09 01:12
Surrogate: 4-Bromofluorobenzene		50.0		ug/kg	50.0	100%	67 - 147	9062585	NSF0678-01RE 1	06/16/09 01:12
Polyaromatic Hydrocarbons by E	PA 8270D									
9061227-MS1				_						
Acenaphthene	ND	1.11		mg/kg wet	1.64	68%	42 - 120	9061227	NSF0661-05	06/16/09 16:52
Acenaphthylene	ND	1.14		mg/kg wet	1.64	70%	32 - 120	9061227	NSF0661-05	06/16/09 16:52
Anthracene	ND	1.25		mg/kg wet	1.64	76%	10 - 200	9061227	NSF0661-05	06/16/09 16:52
Benzo (a) anthracene	0.0538	1.28		mg/kg wet	1.64	75%	41 - 120	9061227	NSF0661-05	06/16/09 16:52
Benzo (a) pyrene	0.0339	1.22		mg/kg wet	1.64	73%	33 - 121	9061227	NSF0661-05	06/16/09 16:52
Benzo (b) fluoranthene	0.0843	1.35		mg/kg wet	1.64	78%	26 - 137	9061227	NSF0661-05	06/16/09 16:52





10179 Highway 78 Ladson, SC 29456

Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NSF0579

Project Name:

Laurel Bay Housing Project

Project Number: [none]

Received:

06/05/09 08:00

PROJECT QUALITY CONTROL DATA Matrix Spike - Cont.

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Polyaromatic Hydrocarbons by	EPA 8270D									
9061227-MS1										
Benzo (g,h,i) perylene	0.0535	1.22		mg/kg wet	1.64	71%	21 - 124	9061227	NSF0661-05	06/16/09 16:52
Benzo (k) fluoranthene	0.0538	1.21		mg/kg wet	1.64	70%	14 - 140	9061227	NSF0661-05	06/16/09 16:52
Chrysene	0.0707	1.31		mg/kg wet	1.64	76%	28 - 123	9061227	NSF0661-05	06/16/09 16:52
Dibenz (a,h) anthracene	ND	1.21		mg/kg wet	1.64	74%	25 - 127	9061227	NSF0661-05	06/16/09 16:52
Fluoranthene	0.127	1.29		mg/kg wet	1.64	71%	38 - 120	9061227	NSF0661-05	06/16/09 16:52
Fluorene	ND	1.18		mg/kg wet	1.64	72%	41 - 120	9061227	NSF0661-05	06/16/09 16:52
Indeno (1,2,3-cd) pyrene	0.0458	1.25		mg/kg wet	1.64	74%	25 - 123	9061227	NSF0661-05	06/16/09 16:52
Naphthalene	ND	0.948		mg/kg wet	1.64	58%	25 - 120	9061227	NSF0661-05	06/16/09 16:52
Phenanthrene	ND	1.20		mg/kg wet	1.64	73%	37 - 120	9061227	NSF0661-05	06/16/09 16:52
Pyrene	0.0870	1.26		mg/kg wet	1.64	72%	29 - 125	9061227	NSF0661-05	06/16/09 16:52
1-Methylnaphthalene	ND	0.916		mg/kg wet	1.64	56%	19 - 120	9061227	NSF0661-05	06/16/09 16:52
2-Methylnaphthalene	ND	1.00		mg/kg wet	1.64	61%	11 - 120	9061227	NSF0661-05	06/16/09 16:52
Surrogate: Terphenyl-d14		1.30		mg/kg wet	1.64	79%	18 - 120	9061227	NSF0661-05	06/16/09 16:52
Surrogate: 2-Fluorobiphenyl		1.13		mg/kg wet	1.64	69%	14 - 120	9061227	NSF0661-05	06/16/09 16:52
Surrogate: Nitrobenzene-d5		0.986		mg/kg wet	1.64	60%	17 - 120	9061227	NSF0661-05	06/16/09 16:52



10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSF0579


Project Name:

Laurel Bay Housing Project

Project Number: Received: [none] 06/05/09 08:00

PROJECT QUALITY CONTROL DATA Matrix Spike Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Selected Volatile Organic Comp	ounds by EPA N	Method 8	260B									
9061083-MSD1	·											
Benzene	0.386	3.58		mg/kg wet	3.43	93%	42 - 141	4	50	9061083	NSF0613-04RE	06/12/09 00:23
Ethylbenzene	0.327	4.35		mg/kg wet	3.43	117%	21 - 165	4	50	9061083	NSF0613-04RE	06/12/09 00:23
Naphthalene	0.637	4.45		mg/kg wet	3.43	111%	10 - 160	6	50	9061083	l NSF0613-04RE	06/12/09 00:23
Toluene	1.06	4.82		mg/kg wet	3.43	110%	45 - 145	4	50	9061083	l NSF0613-04RE	06/12/09 00:23
Xylenes, total	1.57	13.8		mg/kg wet	10.3	118%	31 - 159	5	50	9061083	NSF0613-04RE	06/12/09 00:23
Surrogate: 1,2-Dichloroethane-d4		40.6		ug/kg	50.0	81%	67 - 138			9061083	NSF0613-04RE	06/12/09 00:23
Surrogate: Dibromofluoromethane		45.6		ug/kg	50.0	91%	75 - 125			9061083	NSF0613-04RE	06/12/09 00:23
Surrogate: Toluene-d8		52.9		ug/kg	50.0	106%	76 - 129			9061083	NSF0613-04RE	06/12/09 00:23
Surrogate: 4-Bromofluorobenzene		61.2		ug/kg	50.0	122%	67 - 147			9061083	NSF0613-04RE 1	06/12/09 00:23
9062585-MSD1												
Benzene	ND	1.48		mg/kg wet	2.50	59%	42 - 141	50	50	9062585	NSF0678-01RE	06/16/09 01:42
Ethylbenzene	ND	0.608	R	mg/kg wet	2.50	24%	21 - 165	121	50	9062585	NSF0678-01RE	06/16/09 01:42
Naphthalene	ND	0.998	R	mg/kg wet	2.50	40%	10 - 160	78	50	9062585	NSF0678-01RE	06/16/09 01:42
Toluene	ND	1.04	M8, R2	mg/kg wet	2.50	42%	45 - 145	80	50	9062585	NSF0678-01RE	06/16/09 01:42
Xylenes, total	ND	1.74	M8, R2	mg/kg wet	7.50	23%	31 - 159	127	50	9062585	NSF0678-01RE	06/16/09 01:42
Surrogate: 1,2-Dichloroethane-d4		39.7		ug/kg	50.0	79%	67 - 138			9062585	NSF0678-01RE	06/16/09 01:42
Surrogate: Dibromofluoromethane		44.6		ug/kg	50.0	89%	75 - 125			9062585	NSF0678-01RE	06/16/09 01:42
Surrogate: Toluene-d8		49.8		ug/kg	50.0	100%	76 - 129			9062585	NSF0678-01RE	06/16/09 01:42
Surrogate: 4-Bromofluorobenzene		50.7		ug/kg	50.0	101%	67 - 147			9062585	NSF0678-01RE 1	06/16/09 01:42
Polyaromatic Hydrocarbons by	EPA 8270D											
9061227-MSD1												
Acenaphthene	ND	1.49		mg/kg wet	1.64	91%	42 - 120	29	40	9061227	NSF0661-05	06/16/09 17:13
Acenaphthylene	ND	1.50		mg/kg wet	1.64	91%	32 - 120	27	30	9061227	NSF0661-05	06/16/09 17:13
Anthracene	ND	1.65		mg/kg wet	1.64	100%	10 - 200	28	50	9061227	NSF0661-05	06/16/09 17:13
Benzo (a) anthracene	0.0538	1.69		mg/kg wet	1.64	100%	41 - 120	28	30	9061227	NSF0661-05	06/16/09 17:13
Benzo (a) pyrene	0.0339	1.67		mg/kg wet	1.64	100%	33 - 121	31	33	9061227	NSF0661-05	06/16/09 17:13
Benzo (b) fluoranthene	0.0843	1.82		mg/kg wet	1.64	105%	26 - 137	29	42	9061227	NSF0661-05	06/16/09 17:13
Benzo (g,h,i) perylene	0.0535	1.58		mg/kg wet	1.64	93%	21 - 124	26	32	9061227	NSF0661-05	06/16/09 17:13
Benzo (k) fluoranthene	0.0538	1.98	M1	mg/kg wet	1.64	117%	14 - 140	49	39	9061227	NSF0661-05	06/16/09 17:13





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSF0579

Project Name:

Laurel Bay Housing Project


Project Number: [none]

Received:

06/05/09 08:00

PROJECT QUALITY CONTROL DATA Matrix Spike Dup - Cont.

Analyte	Orig. Val.	Duplicate	Q Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
D.l											
Polyaromatic Hydrocarbons b	Dy EPA 82/0D										
9061227-MSD1											
Chrysene	0.0707	1.77	mg/kg wet	1.64	104%	28 - 123	30	34	9061227	NSF0661-05	06/16/09 17:13
Dibenz (a,h) anthracene	ND	1.59	mg/kg wet	1.64	97%	25 - 127	27	31	9061227	NSF0661-05	06/16/09 17:13
Fluoranthene	0.127	1.81	mg/kg wet	1.64	102%	38 - 120	34	35	9061227	NSF0661-05	06/16/09 17:13
Fluorene	ND	1.53	mg/kg wet	1.64	93%	41 - 120	25	37	9061227	NSF0661-05	06/16/09 17:13
Indeno (1,2,3-cd) pyrene	0.0458	1.64	mg/kg wet	1.64	97%	25 - 123	27	32	9061227	NSF0661-05	06/16/09 17:13
Naphthalene	ND	1.18	mg/kg wet	1.64	72%	25 - 120	22	42	9061227	NSF0661-05	06/16/09 17:13
Phenanthrene	ND	1.61	mg/kg wet	1.64	98%	37 - 120	29	32	9061227	NSF0661-05	06/16/09 17:13
Pyrene	0.0870	1.66	mg/kg wet	1.64	95%	29 - 125	27	40	9061227	NSF0661-05	06/16/09 17:13
1-Methylnaphthalene	ND	1.14	mg/kg wet	1.64	69%	19 - 120	22	45	9061227	NSF0661-05	06/16/09 17:13
2-Methylnaphthalene	ND	1.25	mg/kg wet	1.64	76%	11 - 120	22	50	9061227	NSF0661-05	06/16/09 17:13
Surrogate: Terphenyl-d14		1.41	mg/kg wet	1.64	86%	18 - 120			9061227	NSF0661-05	06/16/09 17:13
Surrogate: 2-Fluorobiphenyl		1.32	mg/kg wet	1.64	81%	14 - 120			9061227	NSF0661-05	06/16/09 17:13
Surrogate: Nitrobenzene-d5		1.08	mg/kg wet	1.64	66%	17 - 120			9061227	NSF0661-05	06/16/09 17:13





10179 Highway 78

Ladson, SC 29456

Attn Tom McElwee

Work Order:

Received:

NSF0579

Project Name:

Laurel Bay Housing Project

Project Number:


Line

06/05/09 08:00

CERTIFICATION SUMMARY

TestAmerica Nashville

Method	Matrix	AIHA	Nelac	South Carolina	
SW846 8260B	Soil	N/A	X	X	
SW846 8270D	Soil			X	
SW-846	Soil				





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order: NSF0579

Project Name: Laurel Bay Housing Project

Project Number: [none]

Received: 06/05/09 08:00

DATA QUALIFIERS AND DEFINITIONS

B A	Analyte was	detected in	n the asso	ciated M	lethod Blank.
-----	-------------	-------------	------------	----------	---------------

Analyte was detected in the associated method blank. Analyte concentration in the sample is greater than 10x the concentration

found in the method blank.

CF7 Result may be elevated due to carry over from previously analyzed sample.

M1 The MS and/or MSD were above the acceptance limits due to sample matrix interference. See Blank Spike (LCS).

M8 The MS and/or MSD were below the acceptance limits. See Blank Spike (LCS).

R The RPD exceeded the method control limit. The individual analyte QA/QC recoveries, however, were within acceptance limits.

R2 The RPD exceeded the acceptance limit.

RL1 Reporting limit raised due to sample matrix effects.

ZX Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.

ND Not detected at the reporting limit (or method detection limit if shown)

METHOD MODIFICATION NOTES

NSF0579

06/19/09 23:59

Nashville Division 2960 Foster Creighton Nashville, TN 37204 Phone: 615-726-0177 Toll Free: 800-765-0980 Fax: 615-726-3404 To assist us in using the proper analytical methods, is this work being conducted for regulators numbers?

	The state of the s		Masilaine,	114 57 2	.04				,	an.	010-,	20-34	U 4						regui	tory pu	hoses	ı f						
	Client Name/Account #:	EEG # 2449																			C	Complia	ance Mo	onitoring	a ?	Yes		No
	Address:	10179 Highway	78																			Enforc	ement	Action?	<i>t</i>	Yes		No
	City/State/Zip:	Ladson, SC 294	56									·					Site	State:										
	Project Manager:	Tom McElwee e	mail: mcelw	ee@eeg	jinc.n	et												PO#:		28:	29							
	Telephone Number:						Fa	x No.:	84	<u>3-</u>	87	9-0	<u> </u>	01			TA Qu	ote #:										
	Sampler Name: (Print)	1h	off.	Shi	RU	<u>၂</u>											Proje	ect ID:	Laure	Bay H	ousing	Projec	at .					
	Sampler Signature:	RG															Pro	ject #:										
							[Z	Plese	rvativ	/e	F		Mat	rix						Ar	nalyze	For:					
27 1567	ample ID/ Description 1050 GARDENIA 1053 GARDENIA 1053 GARDENIA 1053 GARDENIA 1053 GARDENIA-1 1058 GARDENIA-1	6/1/09 6/2/09 6/2/09 6/3/09 6/3/09 6/4/09		99999 G Gontainers Shipped	XXXXX Grab	Composite	Field Filtered	loe HNO ₃ (Red Label)	N N N N N N N N NO HOL (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)		ス I ス I ス I I	Groundwater	Drinking Water	Shudge X X X X X X X X X X X X X X X X X X X		WWWWWWBTEX + Napth - 82605	SON SON DEAH - 8270C										RUSH TAT (Pre-Schedule)
							=					+4	_	\bot														\prod
												Ш																\equiv
F	Relinquished by	6/9/	69	Tim	0	Recei	ved by	y: y TestA	<u> </u>	ipme	nt:				109 Ite	EDE	X Time		Labo		erature	Upon	Receipt	t: '	3-7	760	_ `	•

ATTACHMENT A



NON-HAZARDOUS MANIFEST

CYADAR

2 Consented News and Maille Add	Do	Manifest ocument No.	2. Pag	e 1			
3. Generator's Name and Mailing Address CAS, Beautor Laurel Bay Housing	I TENED			fest Num	ber A	108	85472
## Reaction			B. State	Generat	or's ID		
5. Transporter 1 Company Name 6.	US EPA ID Number	Committee and Control	C. State	Transpo	rter's ID		A providence of the company of the second of
EEG, Inc.			mire tracking	sporter's	A SHARING TO A STORE OF	13 879	0411
7. Transporter 2 Company Name 8.	US EPA ID Number	The second second	E. State	Transpo			
			F. Trans	sporter's l	Phone		k Sojian i
Designated Facility Name and Site Address 10.	US EPA ID Number		G. State	Facility's	ID		
HICKORY HILL LANDFILL ROUTE 1, BOX 121			H. Facil	ty's Phon		an anatom	
11. Description of Waste Materials		12. Cont	ainere	g-majared	CALL STREET	3 987-	4043
The second secon		A	Type	T Qu	13. otal antity	14. Unit Wt:/Vol.	Misc. Comments
a-Heating Oil Tank filled with Sand WM Profile # 1026		0.04	20	1.0	16	TN	Huffel
WM Profile # 10208	XXXV	0 0 1					
b. WM Profile #					11		
Myddianaen og en	and the second of the subject of the second of the second	l di		rings		A Land	and the same of the same of
C							
WM Profile #		1 1 1		1 1	1.1		
	a special are to the party of the contract to the state of the state o		in a superior	<u> </u>	900		grand of the state
		A TEST				N. A.	
WM Profile #					11		
J. Additional Descriptions for Materials Listed Above		100	K. Dis	posal Lo	ocation		
Landfill Solidification			Cell			Leve	
Bio Remediation			Grid				
15. Special Handling Instructions and Additional Information	ARDENIA HARDENIA EMERGENCY CONTACT:	4350	05	5	GAR	ed R	wid wiA
Houses Purchase Order # 3 1000 GARdenseA			A STATE OF THE PARTY.	THE THE PARTY OF	The second secon	70257	A STATE OF THE STA
16. GENERATOR'S CERTIFICATION: I hereby certify that the above-described materials	are not hazardous	wastes a	s defir ackac	ned by	y 40 CF nd are	R Par	t 261 or any per condition
16. GENERATOR'S CERTIFICATION: I hereby certify that the above-described materials applicable state law, have been fully and accurate for transportation according to applicable regulation.	s are not hazardous ly described, classifi ons.	wastes a ied and p	s defir ackag	ned by jed, a	y 40 CF nd are	R Par in prop	t 261 or any per condition
16. GENERATOR'S CERTIFICATION: I hereby certify that the above-described materials applicable state law, have been fully and accurate for transportation according to applicable regulatio Printed/Typed Name Printed/Typed Name	s are not hazardous ly described, classifi	wastes a ied and p	s defir ackag	ned by jed, a	y 40 CF nd are	R Par in prop	t 261 or any per condition
16. GENERATOR'S CERTIFICATION: I hereby certify that the above-described materials applicable state law, have been fully and accurate for transportation according to applicable regulation. Printed/Typed Name William A. Draway	s are not hazardous ly described, classifi ons.	wastes a ied and p	s defir ackag	ned by jed, a	y 40 CF nd are	R Par in prop	er condition
16. GENERATOR'S CERTIFICATION: I hereby certify that the above-described materials applicable state law, have been fully and accurate for transportation according to applicable regulation. Printed/Typed Name Printed/Typed Name Transporter 1 Acknowledgement of Receipt of Materials	s are not hazardous ly described, classifi ons. Signature "On behalf of"	wastes a jed and p	s defii ackaç	ned by jed, a	y 40 CF nd are	R Par in prop	Month Day Yea
16. GENERATOR'S CERTIFICATION: I hereby certify that the above-described materials applicable state law, have been fully and accurate for transportation according to applicable regulation. Printed/Typed Name Draw A. Draw A.	s are not hazardous ly described, classifi ons.	wastes a ied and p	s definackaç	ned by led, a	y 40 CF nd are	R Par	er condition
16. GENERATOR'S CERTIFICATION: I hereby certify that the above-described materials applicable state law, have been fully and accurate for transportation according to applicable regulation. Printed/Typed Name 17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name	s are not hazardous ly described, classifi ons. Signature "On behalf of"	wastes a ied and p	s definackaç	ned by	y 40 CF nd are	FR Par	Month Day Yea
16. GENERATOR'S CERTIFICATION: I hereby certify that the above-described materials applicable state law, have been fully and accurate for transportation according to applicable regulation. Printed/Typed Name 17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name	s are not hazardous ly described, classifi ons. Signature "On behalf of"	wastes a jed and p	s definackaç	ned by	y 40 CF nd are	FR Par	Month Day Yea Month Day Yea Month Day Yea
16. GENERATOR'S CERTIFICATION: I hereby certify that the above-described materials applicable state law, have been fully and accurate for transportation according to applicable regulation. Printed/Typed Name 17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name 18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name	s are not hazardous ly described, classifi ons. Signature "On behalt of" Signature	wastes a jed and p	s definackaç	ned by	y 40 CF nd are	FR Par	Month Day Yea Month Day Yea Month Day Yea
16. GENERATOR'S CERTIFICATION: I hereby certify that the above-described materials applicable state law, have been fully and accurate for transportation according to applicable regulation. Printed/Typed Name 17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name 18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name	s are not hazardous by described, classifiens. Signature "On behalt of" Signature Signature	t of my kr	ackaç	dge, th	nd are	in prop	Month Day Yea Month Day Yea Month Day Yea Month Day Yea
16. GENERATOR'S CERTIFICATION: I hereby certify that the above-described materials applicable state law, have been fully and accurate for transportation according to applicable regulation. Printed/Typed Name 17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name 18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name 19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment face	s are not hazardous ly described, classifiens. Signature "On behalt of" Signature Signature Signature cility, that to the besines, regulations, perm	t of my kr	ackaç	dge, th	nd are	in prop	Month Day Yea Month Day Yea Month Day Yea Month Day Yea

Appendix C Laboratory Analytical Report - Groundwater



Volatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants

Description: BEALB1053TW01WG20130725

Laboratory ID: OG26003-003

Matrix: Aqueous

Date Sampled: 07/25/2013 1145

Date Received: 07/26/2013

Run Prep Method Analytical Method Dilution Analysis Date Analyst Prep Date Batch 5030B 8260B 08/03/2013 1514 MLH 26441

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzene	71-43-2	8260B	ND		0.50	0.25	0.027	ug/L	1
Ethylbenzene	100-41-4	8260B	ND		0.50	0.25	0.17	ug/L	1
Naphthalene	91-20-3	8260B	0.16	BJ	0.50	0.25	0.12	ug/L	1
Toluene	108-88-3	8260B	ND		0.50	0.25	0.17	ug/L	1
Xylenes (total)	1330-20-7	8260B	ND		0.50	0.25	0.17	ug/L	1
Surrogate	Run 1 Accepta Q % Recovery Limit								

_	Surrogate	Q	% Recovery	Limits	
	1,2-Dichloroethane-d4		102	70-120	
	Toluene-d8		97	85-120	
	Bromofluorobenzene		111	75-120	
	Dibromofluoromethane		100	85-115	

PQL = Practical quantitation limit ND = Not detected at or above the MDL B = Detected in the method blank $J = Estimated result < PQL and >_MDL$

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

E = Quantitation of compound exceeded the calibration range P = The RPD between two GC columns exceeds 40%

H = Out of holding time N = Recovery is out of criteria

Q = Surrogate failure L = LCS/LCSD failure S = MS/MSD failure

Semivolatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants

Description: BEALB1053TW01WG20130725

Laboratory ID: OG26003-003

Matrix: Aqueous

Date Sampled: 07/25/2013 1145

Terphenyl-d14

Date Received: 07/26/2013

65

Run Prep Method 1 3520C	Analytical Method 8270D	Dilution 1	Analysis D 07/30/2013	,		ate)13 1434	Batch 26002				
Parameter			CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzo(a)anthracene			56-55-3	8270D	ND		0.22	0.11	0.088	ug/L	1
Benzo(b)fluoranthene			205-99-2	8270D	ND		0.22	0.11	0.094	ug/L	1
Benzo(k)fluoranthene			207-08-9	8270D	ND		0.22	0.11	0.099	ug/L	1
Chrysene			218-01-9	8270D	ND		0.22	0.11	0.058	ug/L	1
Dibenzo(a,h)anthracene			53-70-3	8270D	ND		0.22	0.11	0.062	ug/L	1
Surrogate	Q	Run % Recov									
2-Fluorobiphenyl		51	50-1	10				•		•	
Nitrobenzene-d5		48	40-1	10							

50-135

PQL = Practical quantitation limit
ND = Not detected at or above the MDL

B = Detected in the method blank
J = Estimated result < PQL and >_MDL

 $\label{eq:power_power} E = \mbox{Quantitation of compound exceeded the calibration range} \\ P = \mbox{The RPD between two GC columns exceeds 40\%}$

H = Out of holding time N = Recovery is out of criteria Q = Surrogate failure L = LCS/LCSD failure S = MS/MSD failure

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Shealy Environmental Services, Inc.

Appendix D Regulatory Correspondence





C. Earl Hunter, Commissioner

Promoting and protecting the health of the public and the environment.

August 19, 2009

Commanding Officer ATTN: S-4 NREAO (Craig Ehde) MCAS PO Box 55001 Beaufort, SC 29904-5001

Re:

MCAS - Laurel Bay Housing - 1053 Gardenia St.

Site ID # 04261

UST Closure Reports received August 17, 2009

Beaufort County

Dear Mr. Ehde:

The purpose of this letter is to verify a release of fuel oil at the referenced residence. According to information received by the Department, the source of the release is from past onsite use of fuel oil USTs. To date, initial activities by the facility have included tank removal and soil sampling. Based on the information contained in the closure report, a potential violation of the South Carolina Pollution Control Act has occurred in that there has been an unauthorized release of petroleum to the environment.

Additional assessment activities are required for this site. Specifically the Department requests that a groundwater sample be collected from this site. Please note, the Department approved a groundwater-sampling proposal for Laurel Bay submitted by MCAS under separate cover dated 16 June 2008.

Should you have any questions, please contact me at 803-896-4179 (office phone), 803-896-6245 (fax) or cookeit@dhec.sc.gov.

Şiŋcerely,

Jan T. Cooke, Hydrogeologist

AST Petroleum Restoration

& Site Environmental Investigations Section

Land Revitalization Division

Bureau of Land and Waste Management

SC Dept. of Health & Environmental Control

cc: Region 8 District EQC

Tri-Command Communities; Attn: Mr. Robert Bible; 600 Laurel Bay Road Beaufort, SC

29906

Technical File



Catherine E. Heigel, Director Promoting and protecting the health of the public and the environment

Division of Waste Management Bureau of Land and Waste Management

August 6, 2015

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: Approval Response to Comments and Concurrence with Final Initial Groundwater Investigation Report-July 2013

Laurel Bay Military Housing Area Multiple Properties

Dated June 2015

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received groundwater data in the above referenced Groundwater Investigation Report for the addresses attached. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

Per the Department's request, groundwater samples were collected from the attached referenced addresses. The Department reviewed the groundwater data and previous investigations and it agrees with the conclusions and recommendations included in the document. To further assess the impact to groundwater, permanent wells should be installed at the 10 stated addresses. For the remaining 25 addresses, there is no indication of contamination on the property and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at petruslb@dhec.sc.gov or 803-898-0294.

Sincerely,

Laurel Petrus

FURX

RCRA Federal Facilities Section

Attachment: Specific Property Recommendations

Cc: Russell Berry, EQC Region 8 (via email)

Shawn Dolan, Resolution Consultants (via email)
Bryan Beck, NAVFAC MIDATLANTIC (via email)

Craig Ehde (via email)

Attachment to: Petrus to Drawdy

Subject: Draft Final Initial Groundwater Investigation Report-July 2013

Specifice Property Recommendations Dated August 6, 2015

Draft Final Initial Groundwater Investigation Report for (35 addresses/38 tanks)

Permanent Monito	ring Well Investigation recommendation (10 addresses/11 tanks)
119 Banyan	156 Laurel Bay
128 Banyan	1033 Foxglove
132 Banyan	1055 Gardenia
135 Birch	1059 Gardenia
148 Laurel Bay	1168 Jasmine
	her Action recommendation (25 addresses/27 tanks):
115 Banyan	386 Acorn
116 Banyan	395 Acorn
120 Banyan	399 Acorn
124 Banyan	1021 Foxglove
125 Banyan	1027 Foxglove
136 Birch	1030 Foxglove
140 Laurel Bay	1032 Foxglove
144 Laurel Bay	1053 Gardenia
152 Laurel Bay	1058 Gardenia
160 Cypress	1061 Gardenia
263 Beech	1166 Jasmine
203 Deecii	
269 Birch	1169 Jasmine