

SUMMARY REPORT  
220 IRIS LANE (FORMERLY 1111 IRIS LANE)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC

Revision: 0  
Prepared for:

Department of the Navy  
Naval Facilities Engineering Command, Mid-Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT  
220 IRIS LANE (FORMERLY 1111 IRIS LANE)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC

Revision: 0  
Prepared for:

Department of the Navy  
Naval Facilities Engineering Command, Mid- Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture  
10560 Arrowhead Drive, Suite 500  
Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016  
CTO WE52  
JUNE 2021

---

## Table of Contents

1.0	INTRODUCTION.....	1
1.1	BACKGROUND INFORMATION.....	1
1.2	UST REMOVAL AND ASSESSMENT PROCESS.....	2
2.0	SAMPLING ACTIVITIES AND RESULTS.....	3
2.1	UST REMOVAL AND SOIL SAMPLING .....	3
2.2	SOIL ANALYTICAL RESULTS.....	4
3.0	PROPERTY STATUS .....	4
4.0	REFERENCES.....	4

## Table

Table 1              Laboratory Analytical Results - Soil

## Appendices

- |            |  |
|------------|--|
| Appendix A | Multi-Media Selection Process for LBMH |
| Appendix B | UST Assesment Report                   |
| Appendix C | Regulatory Correspondence              |

---

### List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level

---

## 1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 220 Iris Lane (Formerly 1111 Iris Lane). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

### 1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

---

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

## 1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*

---

*Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

## 2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 220 Iris Lane (Formerly 1111 Iris Lane). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 1111 Iris Lane* (MCAS Beaufort, 2009). The UST Assessment Report is provided in Appendix B.

### 2.1 UST Removal and Soil Sampling

On June 17, 2009, two 280 gallon heating oil USTs were removed from the front yard adjacent to the house at 220 Iris Lane (Formerly 1111 Iris Lane). The former UST locations are indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The USTs were removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removals. According to the UST Assessment Report (Appendix B), the depths to the bases of the USTs were 6'2" (Tank 1) and 4'3" (Tank 2) bgs and a single soil sample was collected for

---

each from that depth. The samples were collected from the fill port side of the former USTs to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of each excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

## 2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST locations (Tanks 1 and 2) were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from the former UST locations (Tanks 1 and 2) at 220 Iris Lane (Formerly 1111 Iris Lane) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former USTs at concentrations that presented a potential risk to human health and the environment.

## 3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 220 Iris Lane (Formerly 1111 Iris Lane). This NFA determination was obtained in a letter dated March 11, 2010. SCDHEC's NFA letter is provided in Appendix C.

## 4.0 REFERENCES

Marine Corps Air Station Beaufort, 2009. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 1111 Iris Lane, Laurel Bay Military Housing Area*, September 2009.

---

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

## **Table**

**Table 1**  
**Laboratory Analytical Results - Soil**  
**220 Iris Lane (Formerly 1111 Iris Lane)**  
**Laurel Bay Military Housing Area**  
**Marine Corps Air Station Beaufort**  
**Beaufort, South Carolina**

<b>Constituent</b>	<b>SCDHEC RBSLs<sup>(1)</sup></b>	<b>Results</b>	
		<b>Samples Collected 06/17/09</b>	<b>1111 Iris-1</b>
<b>Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)</b>			
Benzene	0.003	ND	ND
Ethylbenzene	1.15	ND	ND
Naphthalene	0.036	ND	ND
Toluene	0.627	ND	ND
Xylenes, Total	13.01	ND	ND
<b>Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)</b>			
Benzo(a)anthracene	0.66	ND	ND
Benzo(b)fluoranthene	0.66	ND	ND
Benzo(k)fluoranthene	0.66	ND	ND
Chrysene	0.66	ND	ND
Dibenz(a,h)anthracene	0.66	ND	ND

**Notes:**

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 and 1.1 (SCDHEC, May 2001 and SCDHEC, February 2011) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

**Appendix A**  
**Multi-Media Selection Process for LBMH**



## Appendix A - Multi-Media Selection Process for LBMH

**Appendix B**  
**UST Assessment Report**

South Carolina Department of Health and Environmental Control (SCDHEC)  
**Underground Storage Tank (UST) Assessment Report**

Date Received

State Use Only

Submit Completed Form To:  
 UST Program  
 SCDHEC  
 2600 Bull Street  
 Columbia, South Carolina 29201  
 Telephone (803) 896-7957

**RECEIVED**

SEP 23 2009

SITE ASSESSMENT,  
 REMEDIATION &  
 REVITALIZATION

**I. OWNERSHIP OF UST (S)**

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)  
 Owner Name (Corporation, Individual, Public Agency, Other)

P.O. Box 55001  
 Mailing Address

Beaufort,	South Carolina	29904-5001
City	State	Zip Code
843	228-7317	Craig Ehde
Area Code	Telephone Number	Contact Person

**II. SITE IDENTIFICATION AND LOCATION**

Permit I.D. #  
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC  
 Facility Name or Company Site Identifier

1111 Iris Lane, Laurel Bay Military Housing Area  
 Street Address or State Road (as applicable)

Beaufort,  
 City

Beaufort  
 County

### III. INSURANCE INFORMATION

#### Insurance Statement

The petroleum release reported to DHEC on \_\_\_\_\_ at Permit ID Number \_\_\_\_\_ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? **YES** \_\_\_\_ **NO** \_\_\_\_ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: \_\_\_\_\_  
The policy deductible is: \_\_\_\_\_  
The policy limit is: \_\_\_\_\_

If you have this type of insurance, please include a copy of the policy with this report.

### IV. REQUEST FOR SUPERB FUNDING

I **DO / DO NOT** wish to participate in the SUPERB Program. (Circle one.)

### V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.) \_\_\_\_\_

Signature \_\_\_\_\_

#### To be completed by Notary Public:

Sworn before me this \_\_\_\_\_ day of \_\_\_\_\_, 20 \_\_\_\_\_

\_\_\_\_\_  
(Name)

Notary Public for the state of \_\_\_\_\_.  
*Please affix State seal if you are commissioned outside South Carolina*

## VI. UST INFORMATION

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity..(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material..(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....

1111Iris-1		1111Iris-2	
Heating oil		Heating oil	
280 gal		280 gal	
Late 1950s		Late 1950s	
Steel		Steel	
Mid 1980s		Mid 1980s	
6' 2"		4' 3"	
No		No	
No		No	
Removed		Removed	
6/17/09		6/17/09	
Yes		Yes	
Yes		Yes	

- M. Method of disposal for any USTs removed from the ground (attach disposal manifests)
 

USTs 1111Iris-1 and 1111Iris-2 were removed from the ground and disposed of at a Subtitle "D" landfill. See Attachment "A."
- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)
 

Both tanks had been previously filled with sand by others.
- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST
 

Corrosion, pitting and holes were found through out both tanks.

## VII. PIPING INFORMATION

- A. Construction Material..(ex. Steel, FRP).....
- B. Distance from UST to Dispenser.....
- C. Number of Dispensers.....
- D. Type of System Pressure or Suction.....
- E. Was Piping Removed from the Ground? Y/N
- F. Visible Corrosion or Pitting Y/N.....
- G. Visible Holes Y/N.....
- H. Age.....
- I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

1111Iris-1		1111Iris-2	
Steel & Copper		Steel & Copper	
N/A		N/A	
N/A		N/A	
Suction		Suction	
Yes		Yes	
Yes		Yes	
No		No	
Late 1950s		Late 1950s	

Corrosion and pitting were found on the surface of the steel vent pipes. Copper supply and return lines were sound.

---



---



---

## VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

---



---



---

## IX. SITE CONDITIONS

	Yes	No	Unk
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?  If yes, indicate depth and location on the site map.	<input checked="" type="checkbox"/>		
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?  If yes, indicate location on site map and describe the odor (strong, mild, etc.)	<input checked="" type="checkbox"/>		
C. Was water present in the UST excavation, soil borings, or trenches?  If yes, how far below land surface (indicate location and depth)?	<input checked="" type="checkbox"/>		
D. Did contaminated soils remain stockpiled on site after closure?  If yes, indicate the stockpile location on the site map.  Name of DHEC representative authorizing soil removal:	<input checked="" type="checkbox"/>		
E. Was a petroleum sheen or free product detected on any excavation or boring waters?  If yes, indicate location and thickness.	<input checked="" type="checkbox"/>		

## X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 96012001

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
1110 Iris-1	Excav at fill end	Soil	Sandy	6' 2"	6/17/09 0925 hrs	P. Shaw	
1110 Iris-2	Excav at fill end	Soil	Sandy	4' 3"	6/17/09 1100 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

\* = Depth Below the Surrounding Land Surface

## **XI. SAMPLING METHODOLOGY**

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.

---

---

---

---

---

---

---

---

---

## XII. RECEPTORS

	Yes	No
A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?  If yes, indicate type of receptor, distance, and direction on site map.	X	
B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?  If yes, indicate type of well, distance, and direction on site map.		X
C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?  If yes, indicate type of structure, distance, and direction on site map.		X
D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination?  *Sewer and water.  If yes, indicate the type of utility, distance, and direction on the site map.	X*	
E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?  If yes, indicate the area of contaminated soil on the site map.		X

### **XIII. SITE MAP**

**You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.**

(Attach Site Map Here)



**1111 IRIS LANE**


0 150 300 600 900 1,200  
Feet

**SBG-EEG, Inc.**  
Small Business Group, Inc.  
10179 Hwy 78  
Ladson, SC 29456  
Ph. (843) 879-0400  
  
Drawn By: L. DiAsio  
Dwg Date: July 2009

**FIGURE 1: LOCATION MAP  
1111 IRIS LANE, LAUREL BAY  
MCAS BEAUFORT SC**



↖ BROAD RIVER ~635'



GRAPHIC SCALE  
0 5' 10' 20'

**SBG-EEG**  
10179 HWY 78  
LADSON, SC 29456

ph. (843) 879-0400

FIGURE 2 SITE MAP  
1111 IRIS LANE, LAUREL BAY  
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE JULY 2009

1111 IRIS LANE

BROAD RIVER ~635'


CONCRETE  
PORCH

GRASS


SEWER

WATER

UST 1111IRIS-1,  
280 GAL.



SOIL SAMPLE  
1111 IRIS-1



SOIL SAMPLE  
1111 IRIS-2

UST 1111IRIS-2,  
280 GAL.

UST 1111IRIS-1 WAS  
38" BELOW GRADE.

UST 1111IRIS-2 WAS  
15" BELOW GRADE.

GRAPHIC SCALE  
0 5'

**SBG-EEG**  
10179 HWY 78  
LADSON, SC 29456

ph. (843) 879-0400

FIGURE 3 UST SAMPLE LOCATIONS  
1111 IRIS LANE, LAUREL BAY  
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE JULY 2009



Picture 1: Location of USTs 1111Iris-1 and -2 before removal.



Picture2:UST's 1111 Iris-1 & 2 after removal and during site restoration.

#### XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	USTs	1111Iris-1		1111Iris-2			
Benzene	ND			ND			
Toluene	ND			ND			
Ethylbenzene	ND			ND			
Xylenes	ND			ND			
Naphthalene	ND			ND			
Benzo (a) anthracene	ND			ND			
Benzo (b) fluoranthene	ND			ND			
Benzo (k) fluoranthene	ND			ND			
Chrysene	ND			ND			
Dibenz (a, h) anthracene	ND			ND			
TPH (EPA 3550)							

CoC							
Benzene							
Toluene							
Ethylbenzene							
Xylenes							
Naphthalene							
Benzo (a) anthracene							
Benzo (b) fluoranthene							
Benzo (k) fluoranthene							
Chrysene							
Dibenz (a, h) anthracene							
TPH (EPA 3550)							

### SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL ( $\mu\text{g/l}$ )	W-1	W-2	W -3	W -4
<b>Free Product Thickness</b>	<b>None</b>				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
<b>Total BTEX</b>	<b>N/A</b>				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

## **XV. ANALYTICAL RESULTS**

**You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.**

(Attach Certified Analytical Results and Chain-of-Custody Here)  
(Please see Form #4)

June 30, 2009 6:05:14PM

Client: EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn: Tom McElwee

Work Order: NSF1964  
Project Name: Laurel Bay Housing Project  
Project Nbr: [none]  
P/O Nbr: 08087  
Date Received: 06/19/09

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
1070 Heather	NSF1964-01	06/15/09 09:50
1072 Heather	NSF1964-02	06/15/09 10:00
1077 Heather	NSF1964-03	06/16/09 09:25
1104 Iris	NSF1964-04	06/16/09 09:50
1110 Iris	NSF1964-05	06/16/09 15:25
1111 Iris-1	NSF1964-06	06/17/09 09:25
1111 Iris-2	NSF1964-07	06/17/09 11:00
1107 Iris	NSF1964-08	06/17/09 10:00
1114 Iris	NSF1964-09	06/17/09 14:25
1126 Iris	NSF1964-10	06/18/09 11:40
1132 Iris	NSF1964-11	06/18/09 11:50

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

South Carolina Certification Number: 84009001

The Chain(s) of Custody, 3 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.

This report has been electronically signed.

Report Approved By:



Ken A. Hayes

Senior Project Manager

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSF1964  
Project Name: Laurcl Bay Housing Project  
Project Number: [none]  
Received: 06/19/09 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NSF1964-01 (1070 Heather - Soil) Sampled: 06/15/09 09:50</b>								
General Chemistry Parameters								
% Dry Solids	77.7		%	0.500	1	06/30/09 09:15	SW-846	9064652
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00182	1	06/24/09 03:14	SW846 8260B	9064047
Ethylbenzene	0.0307		mg/kg dry	0.00182	1	06/24/09 03:14	SW846 8260B	9064047
Naphthalene	0.258	E	mg/kg dry	0.00454	1	06/24/09 03:14	SW846 8260B	9064047
Toluene	ND		mg/kg dry	0.00182	1	06/24/09 03:14	SW846 8260B	9064047
Xylenes, total	0.0309		mg/kg dry	0.00454	1	06/24/09 03:14	SW846 8260B	9064047
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	89 %					06/24/09 03:14	SW846 8260B	9064047
<i>Surr: Dibromofluoromethane (75-125%)</i>	103 %					06/24/09 03:14	SW846 8260B	9064047
<i>Surr: Toluene-d8 (76-129%)</i>	109 %					06/24/09 03:14	SW846 8260B	9064047
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	125 %					06/24/09 03:14	SW846 8260B	9064047
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	ND		mg/kg dry	0.0862	1	06/26/09 01:29	SW846 8270D	9063817
Acenaphthylene	ND		mg/kg dry	0.0862	1	06/26/09 01:29	SW846 8270D	9063817
Anthracene	0.124		mg/kg dry	0.0862	1	06/26/09 01:29	SW846 8270D	9063817
Benzo (a) anthracene	0.0935		mg/kg dry	0.0862	1	06/26/09 01:29	SW846 8270D	9063817
Benzo (a) pyrene	ND		mg/kg dry	0.0862	1	06/26/09 01:29	SW846 8270D	9063817
Benzo (b) fluoranthene	ND		mg/kg dry	0.0862	1	06/26/09 01:29	SW846 8270D	9063817
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0862	1	06/26/09 01:29	SW846 8270D	9063817
Benzo (k) fluoranthene	ND		mg/kg dry	0.0862	1	06/26/09 01:29	SW846 8270D	9063817
Chrysene	ND		mg/kg dry	0.0862	1	06/26/09 01:29	SW846 8270D	9063817
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0862	1	06/26/09 01:29	SW846 8270D	9063817
Fluoranthene	0.229		mg/kg dry	0.0862	1	06/26/09 01:29	SW846 8270D	9063817
Fluorene	ND		mg/kg dry	0.0862	1	06/26/09 01:29	SW846 8270D	9063817
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0862	1	06/26/09 01:29	SW846 8270D	9063817
Naphthalene	0.554		mg/kg dry	0.0862	1	06/26/09 01:29	SW846 8270D	9063817
Phenanthrene	1.42		mg/kg dry	0.0862	1	06/26/09 01:29	SW846 8270D	9063817
Pyrene	0.320		mg/kg dry	0.0862	1	06/26/09 01:29	SW846 8270D	9063817
1-Methylnaphthalene	3.46		mg/kg dry	0.0862	1	06/26/09 01:29	SW846 8270D	9063817
2-Methylnaphthalene	4.35		mg/kg dry	0.172	2	06/26/09 14:33	SW846 8270D	9063817
<i>Surr: Terphenyl-d14 (18-120%)</i>	86 %					06/26/09 01:29	SW846 8270D	9063817
<i>Surr: 2-Fluorobiphenyl (14-120%)</i>	67 %					06/26/09 01:29	SW846 8270D	9063817
<i>Surr: Nitrobenzene-d5 (17-120%)</i>	70 %					06/26/09 01:29	SW846 8270D	9063817

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSF1964
	10179 Highway 78	Project Name:	Laurcl Bay Housing Project
	Ladson, SC 29456	Project Number:	[nonc]
Attn	Tom McElwee	Received:	06/19/09 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NSF1964-02 (1072 Heather - Soil) Sampled: 06/15/09 10:00</b>								
General Chemistry Parameters								
% Dry Solids	<b>84.1</b>		%	0.500	1	06/30/09 09:15	SW-846	9064652
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	<b>0.0726</b>		mg/kg dry	0.00189	1	06/24/09 03:43	SW846 8260B	9064047
Ethylbenzene	<b>0.254</b>		mg/kg dry	0.0962	50	06/24/09 16:52	SW846 8260B	9064048
Naphthalene	<b>78.6</b>		mg/kg dry	4.81	1000	06/24/09 17:22	SW846 8260B	9064048
Toluene	<b>0.180</b>	B	mg/kg dry	0.0962	50	06/24/09 16:52	SW846 8260B	9064048
Xylenes, total	<b>0.987</b>		mg/kg dry	0.241	50	06/24/09 16:52	SW846 8260B	9064048
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	91 %					06/24/09 03:43	SW846 8260B	9064047
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	95 %					06/24/09 16:52	SW846 8260B	9064048
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	79 %					06/24/09 17:22	SW846 8260B	9064048
<i>Surr: Dibromofluoromethane (75-125%)</i>	102 %					06/24/09 03:43	SW846 8260B	9064047
<i>Surr: Dibromofluoromethane (75-125%)</i>	95 %					06/24/09 16:52	SW846 8260B	9064048
<i>Surr: Dibromofluoromethane (75-125%)</i>	85 %					06/24/09 17:22	SW846 8260B	9064048
<i>Surr: Toluene-d8 (76-129%)</i>	903 %	ZX				06/24/09 03:43	SW846 8260B	9064047
<i>Surr: Toluene-d8 (76-129%)</i>	99 %					06/24/09 16:52	SW846 8260B	9064048
<i>Surr: Toluene-d8 (76-129%)</i>	101 %					06/24/09 17:22	SW846 8260B	9064048
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	376 %	ZX				06/24/09 03:43	SW846 8260B	9064047
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	97 %					06/24/09 16:52	SW846 8260B	9064048
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	100 %					06/24/09 17:22	SW846 8260B	9064048
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	<b>1.30</b>		mg/kg dry	0.0775	1	06/26/09 01:51	SW846 8270D	9063817
Acenaphthylene	<b>0.360</b>		mg/kg dry	0.0775	1	06/26/09 01:51	SW846 8270D	9063817
Anthracene	<b>0.967</b>		mg/kg dry	0.0775	1	06/26/09 01:51	SW846 8270D	9063817
Benzo (a) anthracene	<b>0.519</b>		mg/kg dry	0.0775	1	06/26/09 01:51	SW846 8270D	9063817
Benzo (a) pyrene	<b>0.185</b>		mg/kg dry	0.0775	1	06/26/09 01:51	SW846 8270D	9063817
Benzo (b) fluoranthene	<b>0.204</b>		mg/kg dry	0.0775	1	06/26/09 01:51	SW846 8270D	9063817
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0775	1	06/26/09 01:51	SW846 8270D	9063817
Benzo (k) fluoranthene	<b>0.210</b>		mg/kg dry	0.0775	1	06/26/09 01:51	SW846 8270D	9063817
Chrysene	<b>0.501</b>		mg/kg dry	0.0775	1	06/26/09 01:51	SW846 8270D	9063817
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0775	1	06/26/09 01:51	SW846 8270D	9063817
Fluoranthene	<b>1.99</b>		mg/kg dry	0.0775	1	06/26/09 01:51	SW846 8270D	9063817
Fluorene	<b>2.75</b>		mg/kg dry	0.0775	1	06/26/09 01:51	SW846 8270D	9063817
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0775	1	06/26/09 01:51	SW846 8270D	9063817
Naphthalene	<b>6.18</b>		mg/kg dry	0.388	5	06/26/09 14:56	SW846 8270D	9063817
Phenanthrene	<b>7.31</b>		mg/kg dry	0.388	5	06/26/09 14:56	SW846 8270D	9063817
Pyrene	<b>2.50</b>		mg/kg dry	0.0775	1	06/26/09 01:51	SW846 8270D	9063817
1-Methylnaphthalene	<b>35.8</b>		mg/kg dry	1.94	25	06/26/09 16:50	SW846 8270D	9063817
2-Methylnaphthalene	<b>54.9</b>		mg/kg dry	1.94	25	06/26/09 16:50	SW846 8270D	9063817
<i>Surr: Terphenyl-d14 (18-120%)</i>	93 %					06/26/09 01:51	SW846 8270D	9063817
<i>Surr: 2-Fluorobiphenyl (14-120%)</i>	79 %					06/26/09 01:51	SW846 8270D	9063817
<i>Surr: Nitrobenzene-d5 (17-120%)</i>	49 %					06/26/09 01:51	SW846 8270D	9063817

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSF1964  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/19/09 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NSF1964-03 (1077 Heather - Soil) Sampled: 06/16/09 09:25</b>								
General Chemistry Parameters								
% Dry Solids	80.6		%	0.500	1	06/30/09 09:15	SW-846	9064652
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00166	1	06/24/09 15:23	SW846 8260B	9064048
Ethylbenzene	0.0276		mg/kg dry	0.00166	1	06/24/09 15:23	SW846 8260B	9064048
Naphthalene	0.110		mg/kg dry	0.00415	1	06/24/09 15:23	SW846 8260B	9064048
Toluene	ND		mg/kg dry	0.00166	1	06/24/09 15:23	SW846 8260B	9064048
Xylenes, total	0.0285		mg/kg dry	0.00415	1	06/24/09 15:23	SW846 8260B	9064048
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	88 %					06/24/09 15:23	SW846 8260B	9064048
<i>Surr: Dibromofluoromethane (75-125%)</i>	102 %					06/24/09 15:23	SW846 8260B	9064048
<i>Surr: Toluene-d8 (76-129%)</i>	125 %					06/24/09 15:23	SW846 8260B	9064048
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	459 %	ZX				06/24/09 15:23	SW846 8260B	9064048
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	ND		mg/kg dry	0.0828	1	06/26/09 02:14	SW846 8270D	9063817
Acenaphthylene	ND		mg/kg dry	0.0828	1	06/26/09 02:14	SW846 8270D	9063817
Anthracene	ND		mg/kg dry	0.0828	1	06/26/09 02:14	SW846 8270D	9063817
Benzo (a) anthracene	ND		mg/kg dry	0.0828	1	06/26/09 02:14	SW846 8270D	9063817
Benzo (a) pyrene	ND		mg/kg dry	0.0828	1	06/26/09 02:14	SW846 8270D	9063817
Benzo (b) fluoranthene	ND		mg/kg dry	0.0828	1	06/26/09 02:14	SW846 8270D	9063817
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0828	1	06/26/09 02:14	SW846 8270D	9063817
Benzo (k) fluoranthene	ND		mg/kg dry	0.0828	1	06/26/09 02:14	SW846 8270D	9063817
Chrysene	ND		mg/kg dry	0.0828	1	06/26/09 02:14	SW846 8270D	9063817
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0828	1	06/26/09 02:14	SW846 8270D	9063817
Fluoranthene	ND		mg/kg dry	0.0828	1	06/26/09 02:14	SW846 8270D	9063817
Fluorene	ND		mg/kg dry	0.0828	1	06/26/09 02:14	SW846 8270D	9063817
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0828	1	06/26/09 02:14	SW846 8270D	9063817
Naphthalene	ND		mg/kg dry	0.0828	1	06/26/09 02:14	SW846 8270D	9063817
Phenanthrene	0.733		mg/kg dry	0.0828	1	06/26/09 02:14	SW846 8270D	9063817
Pyrene	ND		mg/kg dry	0.0828	1	06/26/09 02:14	SW846 8270D	9063817
1-Methylnaphthalene	0.793		mg/kg dry	0.0828	1	06/26/09 02:14	SW846 8270D	9063817
2-Methylnaphthalene	1.21		mg/kg dry	0.0828	1	06/26/09 02:14	SW846 8270D	9063817
<i>Surr: Terphenyl-d14 (18-120%)</i>	70 %					06/26/09 02:14	SW846 8270D	9063817
<i>Surr: 2-Fluorobiphenyl (14-120%)</i>	56 %					06/26/09 02:14	SW846 8270D	9063817
<i>Surr: Nitrobenzene-d5 (17-120%)</i>	54 %					06/26/09 02:14	SW846 8270D	9063817

Client EEG - Small Business Group, Inc. (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSF1964  
 Project Name: Laurel Bay Housing Project  
 Project Number: [nonc]  
 Received: 06/19/09 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NSF1964-04 (1104 Iris - Soil) Sampled: 06/16/09 09:50</b>								
General Chemistry Parameters								
% Dry Solids	81.1		%	0.500	1	06/30/09 09:15	SW-846	9064652
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00183	1	06/24/09 15:53	SW846 8260B	9064048
Ethylbenzene	0.00379		mg/kg dry	0.00183	1	06/24/09 15:53	SW846 8260B	9064048
Naphthalene	0.0718		mg/kg dry	0.00458	1	06/24/09 15:53	SW846 8260B	9064048
Toluene	ND		mg/kg dry	0.00183	1	06/24/09 15:53	SW846 8260B	9064048
Xylenes, total	0.00994		mg/kg dry	0.00458	1	06/24/09 15:53	SW846 8260B	9064048
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	84 %					06/24/09 15:53	SW846 8260B	9064048
<i>Surr: Dibromofluoromethane (75-125%)</i>	92 %					06/24/09 15:53	SW846 8260B	9064048
<i>Surr: Toluene-d8 (76-129%)</i>	108 %					06/24/09 15:53	SW846 8260B	9064048
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	109 %					06/24/09 15:53	SW846 8260B	9064048
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	ND		mg/kg dry	0.0812	1	06/26/09 02:36	SW846 8270D	9063817
Acenaphthylene	ND		mg/kg dry	0.0812	1	06/26/09 02:36	SW846 8270D	9063817
Anthracene	0.830		mg/kg dry	0.0812	1	06/26/09 02:36	SW846 8270D	9063817
Benzo (a) anthracene	1.41		mg/kg dry	0.0812	1	06/26/09 02:36	SW846 8270D	9063817
Benzo (a) pyrene	0.666		mg/kg dry	0.0812	1	06/26/09 02:36	SW846 8270D	9063817
Benzo (b) fluoranthene	0.793		mg/kg dry	0.0812	1	06/26/09 02:36	SW846 8270D	9063817
Benzo (g,h,i) perylene	0.228		mg/kg dry	0.0812	1	06/26/09 02:36	SW846 8270D	9063817
Benzo (k) fluoranthene	0.673		mg/kg dry	0.0812	1	06/26/09 02:36	SW846 8270D	9063817
Chrysene	1.50		mg/kg dry	0.0812	1	06/26/09 02:36	SW846 8270D	9063817
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0812	1	06/26/09 02:36	SW846 8270D	9063817
Fluoranthene	3.21		mg/kg dry	0.0812	1	06/26/09 02:36	SW846 8270D	9063817
Fluorene	ND		mg/kg dry	0.0812	1	06/26/09 02:36	SW846 8270D	9063817
Indeno (1,2,3-cd) pyrene	0.245		mg/kg dry	0.0812	1	06/26/09 02:36	SW846 8270D	9063817
Naphthalene	1.37		mg/kg dry	0.0812	1	06/26/09 02:36	SW846 8270D	9063817
Phenanthrene	6.01		mg/kg dry	0.406	5	06/26/09 15:18	SW846 8270D	9063817
Pyrene	3.86		mg/kg dry	0.0812	1	06/26/09 02:36	SW846 8270D	9063817
1-Methylnaphthalene	10.1		mg/kg dry	0.406	5	06/26/09 15:18	SW846 8270D	9063817
2-Methylnaphthalene	15.2		mg/kg dry	0.406	5	06/26/09 15:18	SW846 8270D	9063817
<i>Surr: Terphenyl-d14 (18-120%)</i>	78 %					06/26/09 02:36	SW846 8270D	9063817
<i>Surr: 2-Fluorobiphenyl (14-120%)</i>	72 %					06/26/09 02:36	SW846 8270D	9063817
<i>Surr: Nitrobenzene-d5 (17-120%)</i>	44 %					06/26/09 02:36	SW846 8270D	9063817

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSF1964  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/19/09 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NSF1964-05 (1110 Iris - Soil) Sampled: 06/16/09 15:25</b>								
General Chemistry Parameters								
% Dry Solids	77.3		%	0.500	1	06/30/09 09:15	SW-846	9064652
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00206	1	06/25/09 16:41	SW846 8260B	9064251
Ethylbenzene	ND		mg/kg dry	0.00206	1	06/25/09 16:41	SW846 8260B	9064251
Naphthalene	ND	RL1	mg/kg dry	0.266	50	06/28/09 04:52	SW846 8260B	9064427
Toluene	ND		mg/kg dry	0.00206	1	06/25/09 16:41	SW846 8260B	9064251
Xylenes, total	ND		mg/kg dry	0.00515	1	06/25/09 16:41	SW846 8260B	9064251
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	104 %					06/25/09 16:41	SW846 8260B	9064251
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	99 %					06/28/09 04:52	SW846 8260B	9064427
<i>Surr: Dibromoformmethane (75-125%)</i>	113 %					06/25/09 16:41	SW846 8260B	9064251
<i>Surr: Dibromoformmethane (75-125%)</i>	119 %					06/28/09 04:52	SW846 8260B	9064427
<i>Surr: Toluene-d8 (76-129%)</i>	116 %					06/25/09 16:41	SW846 8260B	9064251
<i>Surr: Toluene-d8 (76-129%)</i>	96 %					06/28/09 04:52	SW846 8260B	9064427
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	112 %					06/25/09 16:41	SW846 8260B	9064251
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	105 %					06/28/09 04:52	SW846 8260B	9064427
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	ND		mg/kg dry	0.169	2	06/26/09 12:16	SW846 8270D	9063817
Acenaphthylene	ND		mg/kg dry	0.169	2	06/26/09 12:16	SW846 8270D	9063817
Anthracene	ND		mg/kg dry	0.169	2	06/26/09 12:16	SW846 8270D	9063817
Benzo (a) anthracene	ND		mg/kg dry	0.169	2	06/26/09 12:16	SW846 8270D	9063817
Benzo (a) pyrene	ND		mg/kg dry	0.169	2	06/26/09 12:16	SW846 8270D	9063817
Benzo (b) fluoranthene	ND		mg/kg dry	0.169	2	06/26/09 12:16	SW846 8270D	9063817
Benzo (g,h,i) perylene	0.206		mg/kg dry	0.169	2	06/26/09 12:16	SW846 8270D	9063817
Benzo (k) fluoranthene	ND		mg/kg dry	0.169	2	06/26/09 12:16	SW846 8270D	9063817
Chrysene	ND		mg/kg dry	0.169	2	06/26/09 12:16	SW846 8270D	9063817
Dibenz (a,h) anthracene	ND		mg/kg dry	0.169	2	06/26/09 12:16	SW846 8270D	9063817
Fluoranthene	ND		mg/kg dry	0.169	2	06/26/09 12:16	SW846 8270D	9063817
Fluorene	ND		mg/kg dry	0.169	2	06/26/09 12:16	SW846 8270D	9063817
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.169	2	06/26/09 12:16	SW846 8270D	9063817
Naphthalene	ND		mg/kg dry	0.169	2	06/26/09 12:16	SW846 8270D	9063817
Phenanthrene	ND		mg/kg dry	0.169	2	06/26/09 12:16	SW846 8270D	9063817
Pyrene	0.368		mg/kg dry	0.169	2	06/26/09 12:16	SW846 8270D	9063817
1-Methylnaphthalene	ND		mg/kg dry	0.169	2	06/26/09 12:16	SW846 8270D	9063817
2-Methylnaphthalene	ND		mg/kg dry	0.169	2	06/26/09 12:16	SW846 8270D	9063817
<i>Surr: Terphenyl-d14 (18-120%)</i>	73 %					06/26/09 12:16	SW846 8270D	9063817
<i>Surr: 2-Fluorobiphenyl (14-120%)</i>	58 %					06/26/09 12:16	SW846 8270D	9063817
<i>Surr: Nitrobenzene-d5 (17-120%)</i>	43 %					06/26/09 12:16	SW846 8270D	9063817

Client EEG - Small Business Group, Inc. (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NSF1964  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 06/19/09 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NSF1964-06 (1111 Iris-1 - Soil) Sampled: 06/17/09 09:25</b>								
General Chemistry Parameters								
% Dry Solids	82.8		%	0.500	1	06/30/09 09:15	SW-846	9064652
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00193	1	06/24/09 18:34	SW846 8260B	9064048
Ethylbenzene	ND		mg/kg dry	0.00193	1	06/24/09 18:34	SW846 8260B	9064048
Naphthalene	ND		mg/kg dry	0.00483	1	06/24/09 18:34	SW846 8260B	9064048
Toluene	ND		mg/kg dry	0.00193	1	06/24/09 18:34	SW846 8260B	9064048
Xylenes, total	ND		mg/kg dry	0.00483	1	06/24/09 18:34	SW846 8260B	9064048
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	90 %					06/24/09 18:34	SW846 8260B	9064048
<i>Surr: Dibromofluoromethane (75-125%)</i>	92 %					06/24/09 18:34	SW846 8260B	9064048
<i>Surr: Toluene-d8 (76-129%)</i>	99 %					06/24/09 18:34	SW846 8260B	9064048
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	103 %					06/24/09 18:34	SW846 8260B	9064048
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	ND		mg/kg dry	0.0809	1	06/26/09 12:38	SW846 8270D	9063817
Acenaphthylene	ND		mg/kg dry	0.0809	1	06/26/09 12:38	SW846 8270D	9063817
Anthracene	ND		mg/kg dry	0.0809	1	06/26/09 12:38	SW846 8270D	9063817
Benzo (a) anthracene	ND		mg/kg dry	0.0809	1	06/26/09 12:38	SW846 8270D	9063817
Benzo (a) pyrene	ND		mg/kg dry	0.0809	1	06/26/09 12:38	SW846 8270D	9063817
Benzo (b) fluoranthene	ND		mg/kg dry	0.0809	1	06/26/09 12:38	SW846 8270D	9063817
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0809	1	06/26/09 12:38	SW846 8270D	9063817
Benzo (k) fluoranthene	ND		mg/kg dry	0.0809	1	06/26/09 12:38	SW846 8270D	9063817
Chrysene	ND		mg/kg dry	0.0809	1	06/26/09 12:38	SW846 8270D	9063817
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0809	1	06/26/09 12:38	SW846 8270D	9063817
Fluoranthene	ND		mg/kg dry	0.0809	1	06/26/09 12:38	SW846 8270D	9063817
Fluorene	ND		mg/kg dry	0.0809	1	06/26/09 12:38	SW846 8270D	9063817
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0809	1	06/26/09 12:38	SW846 8270D	9063817
Naphthalene	ND		mg/kg dry	0.0809	1	06/26/09 12:38	SW846 8270D	9063817
Phenanthrene	ND		mg/kg dry	0.0809	1	06/26/09 12:38	SW846 8270D	9063817
Pyrene	ND		mg/kg dry	0.0809	1	06/26/09 12:38	SW846 8270D	9063817
1-Methylnaphthalene	ND		mg/kg dry	0.0809	1	06/26/09 12:38	SW846 8270D	9063817
2-Methylnaphthalene	ND		mg/kg dry	0.0809	1	06/26/09 12:38	SW846 8270D	9063817
<i>Surr: Terphenyl-d14 (18-120%)</i>	70 %					06/26/09 12:38	SW846 8270D	9063817
<i>Surr: 2-Fluorobiphenyl (14-120%)</i>	57 %					06/26/09 12:38	SW846 8270D	9063817
<i>Surr: Nitrobenzene-d5 (17-120%)</i>	59 %					06/26/09 12:38	SW846 8270D	9063817

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSF1964  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/19/09 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NSF1964-07 (1111 Iris-2 - Soil) Sampled: 06/17/09 11:00</b>								
General Chemistry Parameters								
% Dry Solids	85.0		%	0.500	1	06/30/09 09:15	SW-846	9064652
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00210	1	06/24/09 19:03	SW846 8260B	9064048
Ethylbenzene	ND		mg/kg dry	0.00210	1	06/24/09 19:03	SW846 8260B	9064048
Naphthalene	ND		mg/kg dry	0.00526	1	06/24/09 19:03	SW846 8260B	9064048
Toluene	ND		mg/kg dry	0.00210	1	06/24/09 19:03	SW846 8260B	9064048
Xylenes, total	ND		mg/kg dry	0.00526	1	06/24/09 19:03	SW846 8260B	9064048
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	91 %					06/24/09 19:03	SW846 8260B	9064048
<i>Surr: Dibromofluoromethane (75-125%)</i>	94 %					06/24/09 19:03	SW846 8260B	9064048
<i>Surr: Toluene-d8 (76-129%)</i>	100 %					06/24/09 19:03	SW846 8260B	9064048
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	100 %					06/24/09 19:03	SW846 8260B	9064048
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	ND		mg/kg dry	0.0781	1	06/26/09 13:01	SW846 8270D	9063817
Acenaphthylene	ND		mg/kg dry	0.0781	1	06/26/09 13:01	SW846 8270D	9063817
Anthracene	ND		mg/kg dry	0.0781	1	06/26/09 13:01	SW846 8270D	9063817
Benzo (a) anthracene	ND		mg/kg dry	0.0781	1	06/26/09 13:01	SW846 8270D	9063817
Benzo (a) pyrene	ND		mg/kg dry	0.0781	1	06/26/09 13:01	SW846 8270D	9063817
Benzo (b) fluoranthene	ND		mg/kg dry	0.0781	1	06/26/09 13:01	SW846 8270D	9063817
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0781	1	06/26/09 13:01	SW846 8270D	9063817
Benzo (k) fluoranthene	ND		mg/kg dry	0.0781	1	06/26/09 13:01	SW846 8270D	9063817
Chrysene	ND		mg/kg dry	0.0781	1	06/26/09 13:01	SW846 8270D	9063817
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0781	1	06/26/09 13:01	SW846 8270D	9063817
Fluoranthene	ND		mg/kg dry	0.0781	1	06/26/09 13:01	SW846 8270D	9063817
Fluorene	ND		mg/kg dry	0.0781	1	06/26/09 13:01	SW846 8270D	9063817
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0781	1	06/26/09 13:01	SW846 8270D	9063817
Naphthalene	ND		mg/kg dry	0.0781	1	06/26/09 13:01	SW846 8270D	9063817
Phenanthrene	ND		mg/kg dry	0.0781	1	06/26/09 13:01	SW846 8270D	9063817
Pyrene	ND		mg/kg dry	0.0781	1	06/26/09 13:01	SW846 8270D	9063817
1-Methylnaphthalene	ND		mg/kg dry	0.0781	1	06/26/09 13:01	SW846 8270D	9063817
2-Methylnaphthalene	ND		mg/kg dry	0.0781	1	06/26/09 13:01	SW846 8270D	9063817
<i>Surr: Terphenyl-d14 (18-120%)</i>	69 %					06/26/09 13:01	SW846 8270D	9063817
<i>Surr: 2-Fluorobiphenyl (14-120%)</i>	65 %					06/26/09 13:01	SW846 8270D	9063817
<i>Surr: Nitrobenzene-d5 (17-120%)</i>	63 %					06/26/09 13:01	SW846 8270D	9063817

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456

Attn Tom McElwee

Work Order: NSF1964  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/19/09 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NSF1964-08 (1107 Iris - Soil) Sampled: 06/17/09 10:00</b>								
General Chemistry Parameters								
% Dry Solids	86.8		%	0.500	1	06/30/09 09:15	SW-846	9064652
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	0.00818		mg/kg dry	0.00207	1	06/24/09 19:33	SW846 8260B	9064048
Ethylbenzene	2.76		mg/kg dry	0.110	50	06/25/09 18:57	SW846 8260B	9064251
Naphthalene	21.9		mg/kg dry	5.52	1000	06/25/09 20:09	SW846 8260B	9064251
Toluene	0.0136	B	mg/kg dry	0.00207	1	06/24/09 19:33	SW846 8260B	9064048
Xylenes, total	6.80		mg/kg dry	0.276	50	06/25/09 18:57	SW846 8260B	9064251
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	97 %					06/24/09 19:33	SW846 8260B	9064048
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	98 %					06/25/09 18:57	SW846 8260B	9064251
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	93 %					06/25/09 20:09	SW846 8260B	9064251
<i>Surr: Dibromofluoromethane (75-125%)</i>	104 %					06/24/09 19:33	SW846 8260B	9064048
<i>Surr: Dibromofluoromethane (75-125%)</i>	98 %					06/25/09 18:57	SW846 8260B	9064251
<i>Surr: Dibromofluoromethane (75-125%)</i>	97 %					06/25/09 20:09	SW846 8260B	9064251
<i>Surr: Toluene-d8 (76-129%)</i>	122 %					06/24/09 19:33	SW846 8260B	9064048
<i>Surr: Toluene-d8 (76-129%)</i>	103 %					06/25/09 18:57	SW846 8260B	9064251
<i>Surr: Toluene-d8 (76-129%)</i>	98 %					06/25/09 20:09	SW846 8260B	9064251
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	319 %	ZX				06/24/09 19:33	SW846 8260B	9064048
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	115 %					06/25/09 18:57	SW846 8260B	9064251
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	95 %					06/25/09 20:09	SW846 8260B	9064251
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	ND		mg/kg dry	0.383	5	06/26/09 15:41	SW846 8270D	9063817
Acenaphthylene	ND		mg/kg dry	0.383	5	06/26/09 15:41	SW846 8270D	9063817
Anthracene	1.28		mg/kg dry	0.383	5	06/26/09 15:41	SW846 8270D	9063817
Benzo (a) anthracene	1.02		mg/kg dry	0.383	5	06/26/09 15:41	SW846 8270D	9063817
Benzo (a) pyrene	0.467		mg/kg dry	0.383	5	06/26/09 15:41	SW846 8270D	9063817
Benzo (b) fluoranthene	0.514		mg/kg dry	0.383	5	06/26/09 15:41	SW846 8270D	9063817
Benzo (g,h,i) perlylene	ND		mg/kg dry	0.383	5	06/26/09 15:41	SW846 8270D	9063817
Benzo (k) fluoranthene	0.511		mg/kg dry	0.383	5	06/26/09 15:41	SW846 8270D	9063817
Chrysene	0.912		mg/kg dry	0.383	5	06/26/09 15:41	SW846 8270D	9063817
Dibenz (a,h) anthracene	ND		mg/kg dry	0.383	5	06/26/09 15:41	SW846 8270D	9063817
Fluoranthene	2.53		mg/kg dry	0.383	5	06/26/09 15:41	SW846 8270D	9063817
Fluorene	ND		mg/kg dry	0.383	5	06/26/09 15:41	SW846 8270D	9063817
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.383	5	06/26/09 15:41	SW846 8270D	9063817
Naphthalene	7.48		mg/kg dry	0.383	5	06/26/09 15:41	SW846 8270D	9063817
Phenanthrene	8.74		mg/kg dry	0.383	5	06/26/09 15:41	SW846 8270D	9063817
Pyrene	3.00		mg/kg dry	0.383	5	06/26/09 15:41	SW846 8270D	9063817
1-Methylnaphthalene	17.1		mg/kg dry	1.91	25	06/27/09 05:09	SW846 8270D	9063817
2-Methylnaphthalene	26.1		mg/kg dry	1.91	25	06/27/09 05:09	SW846 8270D	9063817
<i>Surr: Terphenyl-d14 (18-120%)</i>	61 %					06/26/09 15:41	SW846 8270D	9063817
<i>Surr: 2-Fluorobiphenyl (14-120%)</i>	62 %					06/26/09 15:41	SW846 8270D	9063817
<i>Surr: Nitrobenzene-d5 (17-120%)</i>	45 %					06/26/09 15:41	SW846 8270D	9063817

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSF1964
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	06/19/09 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NSF1964-09 (1114 Iris - Soil) Sampled: 06/17/09 14:25</b>								
General Chemistry Parameters								
% Dry Solids	<b>78.0</b>		%	0.500	1	06/30/09 09:15	SW-846	9064652
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00234	1	06/25/09 15:42	SW846 8260B	9064251
Ethylbenzene	ND		mg/kg dry	0.00234	1	06/25/09 15:42	SW846 8260B	9064251
Naphthalene	ND		mg/kg dry	0.00586	1	06/25/09 15:42	SW846 8260B	9064251
Toluene	<b>0.00245</b>		mg/kg dry	0.00234	1	06/25/09 15:42	SW846 8260B	9064251
Xylenes, total	ND		mg/kg dry	0.00586	1	06/25/09 15:42	SW846 8260B	9064251
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	84 %					06/25/09 15:42	SW846 8260B	9064251
<i>Surr: Dibromofluoromethane (75-125%)</i>	93 %					06/25/09 15:42	SW846 8260B	9064251
<i>Surr: Toluene-d8 (76-129%)</i>	103 %					06/25/09 15:42	SW846 8260B	9064251
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	115 %					06/25/09 15:42	SW846 8260B	9064251
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	ND		mg/kg dry	0.168	2	06/26/09 13:24	SW846 8270D	9063817
Acenaphthylene	ND		mg/kg dry	0.168	2	06/26/09 13:24	SW846 8270D	9063817
Anthracene	ND		mg/kg dry	0.168	2	06/26/09 13:24	SW846 8270D	9063817
Benzo (a) anthracene	ND		mg/kg dry	0.168	2	06/26/09 13:24	SW846 8270D	9063817
Benzo (a) pyrene	ND		mg/kg dry	0.168	2	06/26/09 13:24	SW846 8270D	9063817
Benzo (b) fluoranthene	ND		mg/kg dry	0.168	2	06/26/09 13:24	SW846 8270D	9063817
Benzo (g,h,i) perylene	<b>0.282</b>		mg/kg dry	0.168	2	06/26/09 13:24	SW846 8270D	9063817
Benzo (k) fluoranthene	ND		mg/kg dry	0.168	2	06/26/09 13:24	SW846 8270D	9063817
Chrysene	ND		mg/kg dry	0.168	2	06/26/09 13:24	SW846 8270D	9063817
Dibenz (a,h) anthracene	ND		mg/kg dry	0.168	2	06/26/09 13:24	SW846 8270D	9063817
Fluoranthene	ND		mg/kg dry	0.168	2	06/26/09 13:24	SW846 8270D	9063817
Fluorene	ND		mg/kg dry	0.168	2	06/26/09 13:24	SW846 8270D	9063817
Indeno (1,2,3-cd) pyrene	<b>0.253</b>		mg/kg dry	0.168	2	06/26/09 13:24	SW846 8270D	9063817
Naphthalene	ND		mg/kg dry	0.168	2	06/26/09 13:24	SW846 8270D	9063817
Phenanthrene	ND		mg/kg dry	0.168	2	06/26/09 13:24	SW846 8270D	9063817
Pyrene	ND		mg/kg dry	0.168	2	06/26/09 13:24	SW846 8270D	9063817
1-Methylnaphthalene	ND		mg/kg dry	0.168	2	06/26/09 13:24	SW846 8270D	9063817
2-Methylnaphthalene	ND		mg/kg dry	0.168	2	06/26/09 13:24	SW846 8270D	9063817
<i>Surr: Terphenyl-d14 (18-120%)</i>	68 %					06/26/09 13:24	SW846 8270D	9063817
<i>Surr: 2-Fluorobiphenyl (14-120%)</i>	52 %					06/26/09 13:24	SW846 8270D	9063817
<i>Surr: Nitrobenzene-d5 (17-120%)</i>	53 %					06/26/09 13:24	SW846 8270D	9063817

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSF1964  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/19/09 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NSF1964-10 (1126 Iris - Soil) Sampled: 06/18/09 11:40</b>								
General Chemistry Parameters								
% Dry Solids	78.3		%	0.500	1	06/30/09 09:15	SW-846	9064652
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00169	1	06/24/09 20:32	SW846 8260B	9064048
Ethylbenzene	0.0469		mg/kg dry	0.00169	1	06/24/09 20:32	SW846 8260B	9064048
Naphthalene	3.13		mg/kg dry	0.290	50	06/25/09 18:28	SW846 8260B	9064251
Toluene	0.00209	B	mg/kg dry	0.00169	1	06/24/09 20:32	SW846 8260B	9064048
Xylenes, total	0.232		mg/kg dry	0.00422	1	06/24/09 20:32	SW846 8260B	9064048
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	106 %					06/24/09 20:32	SW846 8260B	9064048
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	97 %					06/25/09 18:28	SW846 8260B	9064251
<i>Surr: Dibromoformmethane (75-125%)</i>	115 %					06/24/09 20:32	SW846 8260B	9064048
<i>Surr: Dibromoformmethane (75-125%)</i>	97 %					06/25/09 18:28	SW846 8260B	9064251
<i>Surr: Toluene-d8 (76-129%)</i>	114 %					06/24/09 20:32	SW846 8260B	9064048
<i>Surr: Toluene-d8 (76-129%)</i>	93 %					06/25/09 18:28	SW846 8260B	9064251
<i>Surr: 4-Bromoformbenzene (67-147%)</i>	210 %	ZX				06/24/09 20:32	SW846 8260B	9064048
<i>Surr: 4-Bromoformbenzene (67-147%)</i>	102 %					06/25/09 18:28	SW846 8260B	9064251
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	ND		mg/kg dry	0.0830	1	06/26/09 13:47	SW846 8270D	9063817
Acenaphthylene	ND		mg/kg dry	0.0830	1	06/26/09 13:47	SW846 8270D	9063817
Anthracene	0.233		mg/kg dry	0.0830	1	06/26/09 13:47	SW846 8270D	9063817
Benzo (a) anthracene	0.120		mg/kg dry	0.0830	1	06/26/09 13:47	SW846 8270D	9063817
Benzo (a) pyrene	ND		mg/kg dry	0.0830	1	06/26/09 13:47	SW846 8270D	9063817
Benzo (b) fluoranthene	ND		mg/kg dry	0.0830	1	06/26/09 13:47	SW846 8270D	9063817
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0830	1	06/26/09 13:47	SW846 8270D	9063817
Benzo (k) fluoranthene	ND		mg/kg dry	0.0830	1	06/26/09 13:47	SW846 8270D	9063817
Chrysene	0.115		mg/kg dry	0.0830	1	06/26/09 13:47	SW846 8270D	9063817
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0830	1	06/26/09 13:47	SW846 8270D	9063817
Fluoranthene	0.350		mg/kg dry	0.0830	1	06/26/09 13:47	SW846 8270D	9063817
Fluorene	ND		mg/kg dry	0.0830	1	06/26/09 13:47	SW846 8270D	9063817
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0830	1	06/26/09 13:47	SW846 8270D	9063817
Naphthalene	ND		mg/kg dry	0.0830	1	06/26/09 13:47	SW846 8270D	9063817
Phenanthrene	1.33		mg/kg dry	0.0830	1	06/26/09 13:47	SW846 8270D	9063817
Pyrene	0.447		mg/kg dry	0.0830	1	06/26/09 13:47	SW846 8270D	9063817
1-Methylnaphthalene	1.92		mg/kg dry	0.0830	1	06/26/09 13:47	SW846 8270D	9063817
2-Methylnaphthalene	1.91		mg/kg dry	0.0830	1	06/26/09 13:47	SW846 8270D	9063817
<i>Surr: Terphenyl-d14 (18-120%)</i>	74 %					06/26/09 13:47	SW846 8270D	9063817
<i>Surr: 2-Fluorobiphenyl (14-120%)</i>	63 %					06/26/09 13:47	SW846 8270D	9063817
<i>Surr: Nitrobenzene-d5 (17-120%)</i>	58 %					06/26/09 13:47	SW846 8270D	9063817

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSF1964  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/19/09 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
<b>Sample ID: NSF1964-11 (1132 Iris - Soil) Sampled: 06/18/09 11:50</b>								
General Chemistry Parameters								
% Dry Solids	81.7		%	0.500	1	06/30/09 09:15	SW-846	9064652
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00221	1	06/24/09 21:02	SW846 8260B	9064048
Ethylbenzene	1.48		mg/kg dry	0.109	50	06/24/09 21:32	SW846 8260B	9064048
Naphthalene	10.5	MHA	mg/kg dry	0.272	50	06/24/09 21:32	SW846 8260B	9064048
Toluene	0.00881	B	mg/kg dry	0.00221	1	06/24/09 21:02	SW846 8260B	9064048
Xylenes, total	7.89		mg/kg dry	0.272	50	06/24/09 21:32	SW846 8260B	9064048
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	91 %					06/24/09 21:02	SW846 8260B	9064048
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	97 %					06/24/09 21:32	SW846 8260B	9064048
<i>Surr: Dibromofluoromethane (75-125%)</i>	96 %					06/24/09 21:02	SW846 8260B	9064048
<i>Surr: Dibromofluoromethane (75-125%)</i>	98 %					06/24/09 21:32	SW846 8260B	9064048
<i>Surr: Toluene-d8 (76-129%)</i>	106 %					06/24/09 21:02	SW846 8260B	9064048
<i>Surr: Toluene-d8 (76-129%)</i>	104 %					06/24/09 21:32	SW846 8260B	9064048
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	94 %					06/24/09 21:02	SW846 8260B	9064048
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	122 %					06/24/09 21:32	SW846 8260B	9064048
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	1.10		mg/kg dry	0.0808	1	06/26/09 14:10	SW846 8270D	9063817
Acenaphthylene	0.455		mg/kg dry	0.0808	1	06/26/09 14:10	SW846 8270D	9063817
Anthracene	0.569		mg/kg dry	0.0808	1	06/26/09 14:10	SW846 8270D	9063817
Benzo (a) anthracene	0.625		mg/kg dry	0.0808	1	06/26/09 14:10	SW846 8270D	9063817
Benzo (a) pyrene	0.252		mg/kg dry	0.0808	1	06/26/09 14:10	SW846 8270D	9063817
Benzo (b) fluoranthene	0.341		mg/kg dry	0.0808	1	06/26/09 14:10	SW846 8270D	9063817
Benzo (g,h,i) perylene	0.0808		mg/kg dry	0.0808	1	06/26/09 14:10	SW846 8270D	9063817
Benzo (k) fluoranthene	ND		mg/kg dry	0.0808	1	06/26/09 14:10	SW846 8270D	9063817
Chrysene	0.673		mg/kg dry	0.0808	1	06/26/09 14:10	SW846 8270D	9063817
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0808	1	06/26/09 14:10	SW846 8270D	9063817
Fluoranthene	1.39		mg/kg dry	0.0808	1	06/26/09 14:10	SW846 8270D	9063817
Fluorene	2.16		mg/kg dry	0.0808	1	06/26/09 14:10	SW846 8270D	9063817
Indeno (1,2,3-cd) pyrene	0.0813		mg/kg dry	0.0808	1	06/26/09 14:10	SW846 8270D	9063817
Naphthalene	3.78		mg/kg dry	0.0808	1	06/26/09 14:10	SW846 8270D	9063817
Phenanthrene	7.18		mg/kg dry	0.404	5	06/26/09 16:27	SW846 8270D	9063817
Pyrene	1.95		mg/kg dry	0.0808	1	06/26/09 14:10	SW846 8270D	9063817
1-Methylnaphthalene	31.4		mg/kg dry	2.02	25	06/27/09 05:31	SW846 8270D	9063817
2-Methylnaphthalene	46.9		mg/kg dry	2.02	25	06/27/09 05:31	SW846 8270D	9063817
<i>Surr: Terphenyl-d14 (18-120%)</i>	79 %					06/26/09 14:10	SW846 8270D	9063817
<i>Surr: 2-Fluorobiphenyl (14-120%)</i>	62 %					06/26/09 14:10	SW846 8270D	9063817
<i>Surr: Nitrobenzene-d5 (17-120%)</i>	54 %					06/26/09 14:10	SW846 8270D	9063817

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSF1964  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/19/09 08:00

## SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>							
SW846 8270D	9063817	NSF1964-01	30.00	1.00	06/24/09 01:35	TEM	EPA 3550C
SW846 8270D	9063817	NSF1964-01RE1	30.00	1.00	06/24/09 01:35	TEM	EPA 3550C
SW846 8270D	9063817	NSF1964-02	30.83	1.00	06/24/09 01:35	TEM	EPA 3550C
SW846 8270D	9063817	NSF1964-02RE1	30.83	1.00	06/24/09 01:35	TEM	EPA 3550C
SW846 8270D	9063817	NSF1964-02RE2	30.83	1.00	06/24/09 01:35	TEM	EPA 3550C
SW846 8270D	9063817	NSF1964-03	30.11	1.00	06/24/09 01:35	TEM	EPA 3550C
SW846 8270D	9063817	NSF1964-04	30.51	1.00	06/24/09 01:35	TEM	EPA 3550C
SW846 8270D	9063817	NSF1964-04RE1	30.51	1.00	06/24/09 01:35	TEM	EPA 3550C
SW846 8270D	9063817	NSF1964-05	30.85	1.00	06/24/09 01:35	TEM	EPA 3550C
SW846 8270D	9063817	NSF1964-06	30.00	1.00	06/24/09 01:35	TEM	EPA 3550C
SW846 8270D	9063817	NSF1964-07	30.29	1.00	06/24/09 01:35	TEM	EPA 3550C
SW846 8270D	9063817	NSF1964-08	30.24	1.00	06/24/09 01:35	TEM	EPA 3550C
SW846 8270D	9063817	NSF1964-08RE1	30.24	1.00	06/24/09 01:35	TEM	EPA 3550C
SW846 8270D	9063817	NSF1964-09	30.70	1.00	06/24/09 01:35	TEM	EPA 3550C
SW846 8270D	9063817	NSF1964-10	30.91	1.00	06/24/09 01:35	TEM	EPA 3550C
SW846 8270D	9063817	NSF1964-11	30.43	1.00	06/24/09 01:35	TEM	EPA 3550C
SW846 8270D	9063817	NSF1964-11RE1	30.43	1.00	06/24/09 01:35	TEM	EPA 3550C
SW846 8270D	9063817	NSF1964-11RE2	30.43	1.00	06/24/09 01:35	TEM	EPA 3550C
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>							
SW846 8260B	9064047	NSF1964-01	7.08	5.00	06/15/09 09:50	CHH	EPA 5035
SW846 8260B	9064048	NSF1964-01RE1	6.73	5.00	06/15/09 09:50	CHH	EPA 5035
SW846 8260B	9064047	NSF1964-02	6.29	5.00	06/15/09 10:00	CHH	EPA 5035
SW846 8260B	9064048	NSF1964-02RE1	6.18	5.00	06/15/09 10:00	CHH	EPA 5035
SW846 8260B	9064048	NSF1964-02RE2	6.18	5.00	06/15/09 10:00	CHH	EPA 5035
SW846 8260B	9064047	NSF1964-03	7.89	5.00	06/16/09 09:25	CHH	EPA 5035
SW846 8260B	9064048	NSF1964-03RE1	7.47	5.00	06/16/09 09:25	CHH	EPA 5035
SW846 8260B	9064047	NSF1964-04	6.70	5.00	06/16/09 09:50	CHH	EPA 5035
SW846 8260B	9064048	NSF1964-04RE1	6.73	5.00	06/16/09 09:50	CHH	EPA 5035
SW846 8260B	9064048	NSF1964-05	5.84	5.00	06/16/09 15:25	CHH	EPA 5035
SW846 8260B	9064251	NSF1964-05RE1	6.28	5.00	06/16/09 15:25	CHH	EPA 5035
SW846 8260B	9064427	NSF1964-05RE2	6.09	5.00	06/16/09 15:25	CHH	EPA 5035
SW846 8260B	9064048	NSF1964-06	6.25	5.00	06/17/09 09:25	CHH	EPA 5035
SW846 8260B	9064048	NSF1964-07	5.59	5.00	06/17/09 11:00	CHH	EPA 5035
SW846 8260B	9064048	NSF1964-08	5.56	5.00	06/17/09 10:00	CHH	EPA 5035
SW846 8260B	9064251	NSF1964-08RE1	5.22	5.00	06/17/09 10:00	CHH	EPA 5035
SW846 8260B	9064251	NSF1964-08RE2	5.22	5.00	06/17/09 10:00	CHH	EPA 5035
SW846 8260B	9064048	NSF1964-09	5.10	5.00	06/17/09 14:25	CHH	EPA 5035
SW846 8260B	9064251	NSF1964-09RE1	5.47	5.00	06/17/09 14:25	CHH	EPA 5035
SW846 8260B	9064048	NSF1964-10	7.57	5.00	06/18/09 11:40	CHH	EPA 5035
SW846 8260B	9064251	NSF1964-10RE1	5.51	5.00	06/18/09 11:40	CHH	EPA 5035
SW846 8260B	9064048	NSF1964-11	5.53	5.00	06/18/09 11:50	CHH	EPA 5035
SW846 8260B	9064048	NSF1964-11RE1	5.63	5.00	06/18/09 11:50	CHH	EPA 5035

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSF1964  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/19/09 08:00

## PROJECT QUALITY CONTROL DATA Blank

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>						
<b>9064047-BLK1</b>						
Benzene	<0.000670		mg/kg wet	9064047	9064047-BLK1	06/24/09 02:44
Ethylbenzene	<0.000670		mg/kg wet	9064047	9064047-BLK1	06/24/09 02:44
Naphthalene	<0.00170		mg/kg wet	9064047	9064047-BLK1	06/24/09 02:44
Toluene	0.000780	B	mg/kg wet	9064047	9064047-BLK1	06/24/09 02:44
Xylenes, total	<0.00130		mg/kg wet	9064047	9064047-BLK1	06/24/09 02:44
<i>Surrogate: 1,2-Dichloroethane-d4</i>	82%			9064047	9064047-BLK1	06/24/09 02:44
<i>Surrogate: Dibromofluoromethane</i>	89%			9064047	9064047-BLK1	06/24/09 02:44
<i>Surrogate: Toluene-d8</i>	102%			9064047	9064047-BLK1	06/24/09 02:44
<i>Surrogate: 4-Bromofluorobenzene</i>	107%			9064047	9064047-BLK1	06/24/09 02:44
<b>9064048-BLK1</b>						
Benzene	<0.000670		mg/kg wet	9064048	9064048-BLK1	06/24/09 14:44
Ethylbenzene	<0.000670		mg/kg wet	9064048	9064048-BLK1	06/24/09 14:44
Naphthalene	<0.00170		mg/kg wet	9064048	9064048-BLK1	06/24/09 14:44
Toluene	0.000690	B	mg/kg wet	9064048	9064048-BLK1	06/24/09 14:44
Xylenes, total	<0.00130		mg/kg wet	9064048	9064048-BLK1	06/24/09 14:44
<i>Surrogate: 1,2-Dichloroethane-d4</i>	87%			9064048	9064048-BLK1	06/24/09 14:44
<i>Surrogate: Dibromofluoromethane</i>	96%			9064048	9064048-BLK1	06/24/09 14:44
<i>Surrogate: Toluene-d8</i>	98%			9064048	9064048-BLK1	06/24/09 14:44
<i>Surrogate: 4-Bromofluorobenzene</i>	106%			9064048	9064048-BLK1	06/24/09 14:44
<b>9064251-BLK1</b>						
Benzene	<0.000670		mg/kg wet	9064251	9064251-BLK1	06/25/09 15:10
Ethylbenzene	<0.000670		mg/kg wet	9064251	9064251-BLK1	06/25/09 15:10
Naphthalene	<0.00170		mg/kg wet	9064251	9064251-BLK1	06/25/09 15:10
Toluene	<0.000400		mg/kg wet	9064251	9064251-BLK1	06/25/09 15:10
Xylenes, total	<0.00130		mg/kg wet	9064251	9064251-BLK1	06/25/09 15:10
<i>Surrogate: 1,2-Dichloroethane-d4</i>	91%			9064251	9064251-BLK1	06/25/09 15:10
<i>Surrogate: Dibromofluoromethane</i>	96%			9064251	9064251-BLK1	06/25/09 15:10
<i>Surrogate: Toluene-d8</i>	102%			9064251	9064251-BLK1	06/25/09 15:10
<i>Surrogate: 4-Bromofluorobenzene</i>	103%			9064251	9064251-BLK1	06/25/09 15:10
<b>9064251-BLK2</b>						
Benzene	<0.000670		mg/kg wet	9064251	9064251-BLK2	06/26/09 02:34
Ethylbenzene	<0.000670		mg/kg wet	9064251	9064251-BLK2	06/26/09 02:34
Naphthalene	<0.00170		mg/kg wet	9064251	9064251-BLK2	06/26/09 02:34
Toluene	<0.000400		mg/kg wet	9064251	9064251-BLK2	06/26/09 02:34
Xylenes, total	<0.00130		mg/kg wet	9064251	9064251-BLK2	06/26/09 02:34
<i>Surrogate: 1,2-Dichloroethane-d4</i>	87%			9064251	9064251-BLK2	06/26/09 02:34
<i>Surrogate: Dibromofluoromethane</i>	96%			9064251	9064251-BLK2	06/26/09 02:34
<i>Surrogate: Toluene-d8</i>	95%			9064251	9064251-BLK2	06/26/09 02:34
<i>Surrogate: 4-Bromofluorobenzene</i>	105%			9064251	9064251-BLK2	06/26/09 02:34

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSF1964
	10179 Highway 78	Project Name:	Laurcl Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	06/19/09 08:00

## PROJECT QUALITY CONTROL DATA Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

### Selected Volatile Organic Compounds by EPA Method 8260B

#### 9064427-BLK1

Benzene	<0.0335		mg/kg wet	9064427	9064427-BLK1	06/28/09 01:52
Ethylbenzene	<0.0335		mg/kg wet	9064427	9064427-BLK1	06/28/09 01:52
Naphthalene	<0.0850		mg/kg wet	9064427	9064427-BLK1	06/28/09 01:52
Toluene	<0.0200		mg/kg wet	9064427	9064427-BLK1	06/28/09 01:52
Xylenes, total	<0.0650		mg/kg wet	9064427	9064427-BLK1	06/28/09 01:52
Surrogate: 1,2-Dichloroethane-d4	100%			9064427	9064427-BLK1	06/28/09 01:52
Surrogate: Dibromofluoromethane	122%			9064427	9064427-BLK1	06/28/09 01:52
Surrogate: Toluene-d8	94%			9064427	9064427-BLK1	06/28/09 01:52
Surrogate: 4-Bromofluorobenzene	105%			9064427	9064427-BLK1	06/28/09 01:52

### Polyaromatic Hydrocarbons by EPA 8270D

#### 9063817-BLK1

Acenaphthene	<0.0320		mg/kg wet	9063817	9063817-BLK1	06/25/09 23:36
Acenaphthylene	<0.0310		mg/kg wet	9063817	9063817-BLK1	06/25/09 23:36
Anthracene	<0.0330		mg/kg wet	9063817	9063817-BLK1	06/25/09 23:36
Benzo (a) anthracene	<0.0380		mg/kg wet	9063817	9063817-BLK1	06/25/09 23:36
Benzo (a) pyrene	<0.0300		mg/kg wet	9063817	9063817-BLK1	06/25/09 23:36
Benzo (b) fluoranthene	<0.0300		mg/kg wet	9063817	9063817-BLK1	06/25/09 23:36
Benzo (g,h,i) perylene	<0.0300		mg/kg wet	9063817	9063817-BLK1	06/25/09 23:36
Benzo (k) fluoranthene	<0.0300		mg/kg wet	9063817	9063817-BLK1	06/25/09 23:36
Chrysene	<0.0400		mg/kg wet	9063817	9063817-BLK1	06/25/09 23:36
Dibenz (a,h) anthracene	<0.0310		mg/kg wet	9063817	9063817-BLK1	06/25/09 23:36
Fluoranthene	<0.0340		mg/kg wet	9063817	9063817-BLK1	06/25/09 23:36
Fluorene	<0.0360		mg/kg wet	9063817	9063817-BLK1	06/25/09 23:36
Indeno (1,2,3-cd) pyrene	<0.0310		mg/kg wet	9063817	9063817-BLK1	06/25/09 23:36
Naphthalene	<0.0410		mg/kg wet	9063817	9063817-BLK1	06/25/09 23:36
Phenanthrene	<0.0340		mg/kg wet	9063817	9063817-BLK1	06/25/09 23:36
Pyrene	<0.0410		mg/kg wet	9063817	9063817-BLK1	06/25/09 23:36
Surrogate: Terphenyl-d14	73%			9063817	9063817-BLK1	06/25/09 23:36
Surrogate: 2-Fluorobiphenyl	54%			9063817	9063817-BLK1	06/25/09 23:36
Surrogate: Nitrobenzene-d5	55%			9063817	9063817-BLK1	06/25/09 23:36

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSF1964  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/19/09 08:00

**PROJECT QUALITY CONTROL DATA**  
**Duplicate**

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	% Rec.	Analyzed Date/Time
<b>General Chemistry Parameters</b>										
<b>9064652-DUP1</b>										
% Dry Solids	84.7	84.2		%	0.6	20	9064652	NSF1917-01		06/30/09 09:15

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSF1964  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/19/09 08:00

**PROJECT QUALITY CONTROL DATA**  
**LCS**

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>								
<b>9064047-BS1</b>								
Benzene	50.0	47.0		ug/kg	94%	78 - 126	9064047	06/24/09 00:46
Ethylbenzene	50.0	52.3		ug/kg	105%	79 - 130	9064047	06/24/09 00:46
Naphthalene	50.0	47.1		ug/kg	94%	72 - 150	9064047	06/24/09 00:46
Toluene	50.0	49.6		ug/kg	99%	76 - 126	9064047	06/24/09 00:46
Xylenes, total	150	160		ug/kg	107%	80 - 130	9064047	06/24/09 00:46
<i>Surrogate: 1,2-Dichloroethane-d4</i>	50.0	40.2			80%	67 - 138	9064047	06/24/09 00:46
<i>Surrogate: Dibromofluoromethane</i>	50.0	45.9			92%	75 - 125	9064047	06/24/09 00:46
<i>Surrogate: Toluene-d8</i>	50.0	49.5			99%	76 - 129	9064047	06/24/09 00:46
<i>Surrogate: 4-Bromofluorobenzene</i>	50.0	52.8			106%	67 - 147	9064047	06/24/09 00:46
<b>9064048-BS1</b>								
Benzene	50.0	49.4		ug/kg	99%	78 - 126	9064048	06/24/09 12:46
Ethylbenzene	50.0	51.9		ug/kg	104%	79 - 130	9064048	06/24/09 12:46
Naphthalene	50.0	55.7		ug/kg	111%	72 - 150	9064048	06/24/09 12:46
Toluene	50.0	50.8		ug/kg	102%	76 - 126	9064048	06/24/09 12:46
Xylenes, total	150	153		ug/kg	102%	80 - 130	9064048	06/24/09 12:46
<i>Surrogate: 1,2-Dichloroethane-d4</i>	50.0	41.5			83%	67 - 138	9064048	06/24/09 12:46
<i>Surrogate: Dibromofluoromethane</i>	50.0	47.1			94%	75 - 125	9064048	06/24/09 12:46
<i>Surrogate: Toluene-d8</i>	50.0	50.1			100%	76 - 129	9064048	06/24/09 12:46
<i>Surrogate: 4-Bromofluorobenzene</i>	50.0	50.8			102%	67 - 147	9064048	06/24/09 12:46
<b>9064251-BS1</b>								
Benzene	50.0	45.2		ug/kg	90%	78 - 126	9064251	06/25/09 13:11
Ethylbenzene	50.0	49.3		ug/kg	99%	79 - 130	9064251	06/25/09 13:11
Naphthalene	50.0	53.3		ug/kg	107%	72 - 150	9064251	06/25/09 13:11
Toluene	50.0	47.2		ug/kg	94%	76 - 126	9064251	06/25/09 13:11
Xylenes, total	150	154		ug/kg	102%	80 - 130	9064251	06/25/09 13:11
<i>Surrogate: 1,2-Dichloroethane-d4</i>	50.0	42.5			85%	67 - 138	9064251	06/25/09 13:11
<i>Surrogate: Dibromofluoromethane</i>	50.0	47.6			95%	75 - 125	9064251	06/25/09 13:11
<i>Surrogate: Toluene-d8</i>	50.0	49.8			100%	76 - 129	9064251	06/25/09 13:11
<i>Surrogate: 4-Bromofluorobenzene</i>	50.0	49.5			99%	67 - 147	9064251	06/25/09 13:11
<b>9064251-BS2</b>								
Benzene	50.0	48.5		ug/kg	97%	78 - 126	9064251	06/26/09 00:36
Ethylbenzene	50.0	51.8		ug/kg	104%	79 - 130	9064251	06/26/09 00:36
Naphthalene	50.0	60.8		ug/kg	122%	72 - 150	9064251	06/26/09 00:36
Toluene	50.0	50.2		ug/kg	100%	76 - 126	9064251	06/26/09 00:36
Xylenes, total	150	161		ug/kg	107%	80 - 130	9064251	06/26/09 00:36
<i>Surrogate: 1,2-Dichloroethane-d4</i>	50.0	43.4			87%	67 - 138	9064251	06/26/09 00:36
<i>Surrogate: Dibromofluoromethane</i>	50.0	46.3			93%	75 - 125	9064251	06/26/09 00:36
<i>Surrogate: Toluene-d8</i>	50.0	49.3			99%	76 - 129	9064251	06/26/09 00:36
<i>Surrogate: 4-Bromofluorobenzene</i>	50.0	47.5			95%	67 - 147	9064251	06/26/09 00:36

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSF1964  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/19/09 08:00

## PROJECT QUALITY CONTROL DATA LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>								
<b>9064427-BS1</b>								
Benzene	50.0	52.9		ug/kg	106%	78 - 126	9064427	06/27/09 23:22
Ethylbenzene	50.0	53.4		ug/kg	107%	79 - 130	9064427	06/27/09 23:22
Naphthalene	50.0	57.3		ug/kg	115%	72 - 150	9064427	06/27/09 23:22
Toluene	50.0	51.4		ug/kg	103%	76 - 126	9064427	06/27/09 23:22
Xylenes, total	150	157		ug/kg	105%	80 - 130	9064427	06/27/09 23:22
<i>Surrogate: 1,2-Dichloroethane-d4</i>	25.0	24.4			98%	67 - 138	9064427	06/27/09 23:22
<i>Surrogate: Dibromofluoromethane</i>	25.0	24.7			99%	75 - 125	9064427	06/27/09 23:22
<i>Surrogate: Toluene-d8</i>	25.0	25.0			100%	76 - 129	9064427	06/27/09 23:22
<i>Surrogate: 4-Bromofluorobenzene</i>	25.0	25.4			102%	67 - 147	9064427	06/27/09 23:22

## Polyaromatic Hydrocarbons by EPA 8270D

<b>9063817-BS1</b>								
Acenaphthene	1.67	1.44		mg/kg wet	87%	49 - 120	9063817	06/25/09 23:59
Acenaphthylene	1.67	1.46		mg/kg wet	87%	52 - 120	9063817	06/25/09 23:59
Anthracene	1.67	1.63		mg/kg wet	98%	58 - 120	9063817	06/25/09 23:59
Benzo (a) anthracene	1.67	1.51		mg/kg wet	90%	57 - 120	9063817	06/25/09 23:59
Benzo (a) pyrene	1.67	1.58		mg/kg wet	95%	55 - 120	9063817	06/25/09 23:59
Benzo (b) fluoranthene	1.67	1.60		mg/kg wet	96%	51 - 123	9063817	06/25/09 23:59
Benzo (g,h,i) perylene	1.67	1.47		mg/kg wet	88%	49 - 121	9063817	06/25/09 23:59
Benzo (k) fluoranthene	1.67	1.44		mg/kg wet	86%	42 - 129	9063817	06/25/09 23:59
Chrysene	1.67	1.47		mg/kg wet	88%	55 - 120	9063817	06/25/09 23:59
Dibenz (a,h) anthracene	1.67	1.46		mg/kg wet	88%	50 - 123	9063817	06/25/09 23:59
Fluoranthene	1.67	1.50		mg/kg wet	90%	58 - 120	9063817	06/25/09 23:59
Fluorene	1.67	1.49		mg/kg wet	89%	54 - 120	9063817	06/25/09 23:59
Indeno (1,2,3-cd) pyrene	1.67	1.48		mg/kg wet	89%	50 - 122	9063817	06/25/09 23:59
Naphthalene	1.67	1.18		mg/kg wet	70%	28 - 107	9063817	06/25/09 23:59
Phenanthrene	1.67	1.45		mg/kg wet	87%	56 - 120	9063817	06/25/09 23:59
Pyrene	1.67	1.61		mg/kg wet	97%	56 - 120	9063817	06/25/09 23:59
<i>Surrogate: Terphenyl-d14</i>	1.67	1.46			87%	18 - 120	9063817	06/25/09 23:59
<i>Surrogate: 2-Fluorobiphenyl</i>	1.67	1.14			68%	14 - 120	9063817	06/25/09 23:59
<i>Surrogate: Nitrobenzene-d5</i>	1.67	1.05			63%	17 - 120	9063817	06/25/09 23:59

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSF1964  
Project Name: Laurel Bay Housing Project  
Project Number: [nonc]  
Received: 06/19/09 08:00

**PROJECT QUALITY CONTROL DATA**  
**LCS Dup**

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>												
<b>9064047-BSD1</b>												
Benzene	48.3			ug/kg	50.0	97%	78 - 126	3	50	9064047		06/24/09 01:16
Ethylbenzene	50.9			ug/kg	50.0	102%	79 - 130	3	50	9064047		06/24/09 01:16
Naphthalene	51.8			ug/kg	50.0	104%	72 - 150	10	50	9064047		06/24/09 01:16
Toluene	51.2			ug/kg	50.0	102%	76 - 126	3	50	9064047		06/24/09 01:16
Xylenes, total	150			ug/kg	150	100%	80 - 130	7	50	9064047		06/24/09 01:16
Surrogate: 1,2-Dichloroethane-d4	40.2			ug/kg	50.0	80%	67 - 138			9064047		06/24/09 01:16
Surrogate: Dibromofluoromethane	46.2			ug/kg	50.0	92%	75 - 125			9064047		06/24/09 01:16
Surrogate: Toluene-d8	51.1			ug/kg	50.0	102%	76 - 129			9064047		06/24/09 01:16
Surrogate: 4-Bromofluorobenzene	51.8			ug/kg	50.0	104%	67 - 147			9064047		06/24/09 01:16
<b>9064048-BSD1</b>												
Benzene	52.2			ug/kg	50.0	104%	78 - 126	6	50	9064048		06/24/09 13:16
Ethylbenzene	55.8			ug/kg	50.0	112%	79 - 130	7	50	9064048		06/24/09 13:16
Naphthalene	52.9			ug/kg	50.0	106%	72 - 150	5	50	9064048		06/24/09 13:16
Toluene	49.8			ug/kg	50.0	100%	76 - 126	2	50	9064048		06/24/09 13:16
Xylenes, total	177			ug/kg	150	118%	80 - 130	15	50	9064048		06/24/09 13:16
Surrogate: 1,2-Dichloroethane-d4	43.8			ug/kg	50.0	88%	67 - 138			9064048		06/24/09 13:16
Surrogate: Dibromofluoromethane	50.5			ug/kg	50.0	101%	75 - 125			9064048		06/24/09 13:16
Surrogate: Toluene-d8	48.4			ug/kg	50.0	97%	76 - 129			9064048		06/24/09 13:16
Surrogate: 4-Bromofluorobenzene	50.1			ug/kg	50.0	100%	67 - 147			9064048		06/24/09 13:16
<b>9064427-BSD1</b>												
Benzene	50.5			ug/kg	50.0	101%	78 - 126	5	50	9064427		06/27/09 23:52
Ethylbenzene	51.8			ug/kg	50.0	104%	79 - 130	3	50	9064427		06/27/09 23:52
Naphthalene	58.0			ug/kg	50.0	116%	72 - 150	1	50	9064427		06/27/09 23:52
Toluene	49.5			ug/kg	50.0	99%	76 - 126	4	50	9064427		06/27/09 23:52
Xylenes, total	152			ug/kg	150	101%	80 - 130	3	50	9064427		06/27/09 23:52
Surrogate: 1,2-Dichloroethane-d4	24.4			ug/kg	25.0	97%	67 - 138			9064427		06/27/09 23:52
Surrogate: Dibromofluoromethane	24.8			ug/kg	25.0	99%	75 - 125			9064427		06/27/09 23:52
Surrogate: Toluene-d8	25.2			ug/kg	25.0	101%	76 - 129			9064427		06/27/09 23:52
Surrogate: 4-Bromofluorobenzene	25.8			ug/kg	25.0	103%	67 - 147			9064427		06/27/09 23:52

Client	EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456	Work Order:	NSF1964
		Project Name:	Laurel Bay Housing Project
		Project Number:	[none]
Attn	Tom McElwee	Received:	06/19/09 08:00

**PROJECT QUALITY CONTROL DATA**  
**Matrix Spike**

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>										
<b>9064048-MS1</b>										
Benzene										
Benzene	ND	2.55		mg/kg dry	2.72	94%	42 - 141	9064048	NSF1964-11RE 1	06/24/09 22:01
Ethylbenzene	1.48	3.57		mg/kg dry	2.72	77%	21 - 165	9064048	NSF1964-11RE 1	06/24/09 22:01
Naphthalene	10.5	10.3	MHA	mg/kg dry	2.72	-10%	10 - 160	9064048	NSF1964-11RE 1	06/24/09 22:01
Toluene	0.0669	2.34		mg/kg dry	2.72	84%	45 - 145	9064048	NSF1964-11RE 1	06/24/09 22:01
Xylenes, total	7.89	12.9		mg/kg dry	8.15	62%	31 - 159	9064048	NSF1964-11RE 1	06/24/09 22:01
<i>Surrogate: 1,2-Dichloroethane-d4</i>		46.6		ug/kg	50.0	93%	67 - 138	9064048	NSF1964-11RE 1	06/24/09 22:01
<i>Surrogate: Dibromofluoromethane</i>		50.2		ug/kg	50.0	100%	75 - 125	9064048	NSF1964-11RE 1	06/24/09 22:01
<i>Surrogate: Toluene-d8</i>		50.0		ug/kg	50.0	100%	76 - 129	9064048	NSF1964-11RE 1	06/24/09 22:01
<i>Surrogate: 4-Bromofluorobenzene</i>		55.7		ug/kg	50.0	111%	67 - 147	9064048	NSF1964-11RE 1	06/24/09 22:01
<b>9064251-MS1</b>										
Benzene										
Benzene	ND	1.36		mg/kg wet	1.75	78%	42 - 141	9064251	NSF2093-14RE 1	06/26/09 09:28
Ethylbenzene	ND	1.37		mg/kg wet	1.75	78%	21 - 165	9064251	NSF2093-14RE 1	06/26/09 09:28
Naphthalene	ND	1.06		mg/kg wet	1.75	60%	10 - 160	9064251	NSF2093-14RE 1	06/26/09 09:28
Toluene	ND	1.08		mg/kg wet	1.75	62%	45 - 145	9064251	NSF2093-14RE 1	06/26/09 09:28
Xylenes, total	ND	4.81		mg/kg wet	5.26	91%	31 - 159	9064251	NSF2093-14RE 1	06/26/09 09:28
<i>Surrogate: 1,2-Dichloroethane-d4</i>		49.5		ug/kg	50.0	99%	67 - 138	9064251	NSF2093-14RE 1	06/26/09 09:28
<i>Surrogate: Dibromofluoromethane</i>		51.4		ug/kg	50.0	103%	75 - 125	9064251	NSF2093-14RE 1	06/26/09 09:28
<i>Surrogate: Toluene-d8</i>		43.2		ug/kg	50.0	86%	76 - 129	9064251	NSF2093-14RE 1	06/26/09 09:28
<i>Surrogate: 4-Bromofluorobenzene</i>		52.3		ug/kg	50.0	105%	67 - 147	9064251	NSF2093-14RE 1	06/26/09 09:28

**Polyaromatic Hydrocarbons by EPA 8270D**

9063817-MS1	Acenaphthene	ND	1.30	mg/kg dry	1.90	69%	42 - 120	9063817	NSF1899-01	06/26/09 00:21
	Acenaphthylene	ND	1.31	mg/kg dry	1.90	69%	32 - 120	9063817	NSF1899-01	06/26/09 00:21
	Anthracene	ND	1.39	mg/kg dry	1.90	73%	10 - 200	9063817	NSF1899-01	06/26/09 00:21
	Benzo (a) anthracene	ND	1.30	mg/kg dry	1.90	69%	41 - 120	9063817	NSF1899-01	06/26/09 00:21
	Benzo (a) pyrene	ND	1.32	mg/kg dry	1.90	70%	33 - 121	9063817	NSF1899-01	06/26/09 00:21
	Benzo (b) fluoranthene	ND	1.41	mg/kg dry	1.90	75%	26 - 137	9063817	NSF1899-01	06/26/09 00:21

Client EEG - Small Business Group, Inc. (2449) Work Order: NSF1964  
10179 Highway 78 Project Name: Laurel Bay Housing Project  
Ladson, SC 29456 Project Number: [none]  
Attn Tom McElwee Received: 06/19/09 08:00

**PROJECT QUALITY CONTROL DATA**  
**Matrix Spike - Cont.**

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>										
<b>9063817-MS1</b>										
Benzo (g,h,i) perylene	ND	1.29		mg/kg dry	1.90	68%	21 - 124	9063817	NSF1899-01	06/26/09 00:21
Benzo (k) fluoranthene	ND	1.18		mg/kg dry	1.90	62%	14 - 140	9063817	NSF1899-01	06/26/09 00:21
Chrysene	ND	1.26		mg/kg dry	1.90	67%	28 - 123	9063817	NSF1899-01	06/26/09 00:21
Dibenz (a,h) anthracene	ND	1.29		mg/kg dry	1.90	68%	25 - 127	9063817	NSF1899-01	06/26/09 00:21
Fluoranthene	ND	1.28		mg/kg dry	1.90	68%	38 - 120	9063817	NSF1899-01	06/26/09 00:21
Fluorene	ND	1.28		mg/kg dry	1.90	68%	41 - 120	9063817	NSF1899-01	06/26/09 00:21
Indeno (1,2,3-cd) pyrene	ND	1.30		mg/kg dry	1.90	68%	25 - 123	9063817	NSF1899-01	06/26/09 00:21
Naphthalene	ND	1.09		mg/kg dry	1.90	57%	25 - 120	9063817	NSF1899-01	06/26/09 00:21
Phenanthrene	ND	1.27		mg/kg dry	1.90	67%	37 - 120	9063817	NSF1899-01	06/26/09 00:21
Pyrene	ND	1.35		mg/kg dry	1.90	71%	29 - 125	9063817	NSF1899-01	06/26/09 00:21
<i>Surrogate: Terphenyl-d14</i>		1.31		mg/kg dry	1.90	69%	18 - 120	9063817	NSF1899-01	06/26/09 00:21
<i>Surrogate: 2-Fluorobiphenyl</i>		1.19		mg/kg dry	1.90	63%	14 - 120	9063817	NSF1899-01	06/26/09 00:21
<i>Surrogate: Nitrobenzene-d5</i>		1.12		mg/kg dry	1.90	59%	17 - 120	9063817	NSF1899-01	06/26/09 00:21

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSF1964
	10179 Highway 78	Project Name:	Laurcl Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	06/19/09 08:00

### PROJECT QUALITY CONTROL DATA

#### Matrix Spike Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Selected Volatile Organic Compounds by EPA Method 8260B</b>												
<b>9064048-MSD1</b>												
Benzene												
Benzene	ND	2.78		mg/kg dry	2.72	102%	42 - 141	8	50	9064048	NSF1964-11RE 1	06/24/09 22:31
Ethylbenzene	1.48	3.91		mg/kg dry	2.72	89%	21 - 165	9	50	9064048	NSF1964-11RE 1	06/24/09 22:31
Naphthalene	10.5	11.2		mg/kg dry	2.72	26%	10 - 160	9	50	9064048	NSF1964-11RE 1	06/24/09 22:31
Toluene	0.0669	2.67		mg/kg dry	2.72	96%	45 - 145	13	50	9064048	NSF1964-11RE 1	06/24/09 22:31
Xylenes, total	7.89	14.3		mg/kg dry	8.15	79%	31 - 159	10	50	9064048	NSF1964-11RE 1	06/24/09 22:31
Surrogate: 1,2-Dichloroethane-d4	45.0			ug/kg	50.0	90%	67 - 138			9064048	NSF1964-11RE 1	06/24/09 22:31
Surrogate: Dibromofluoromethane	48.5			ug/kg	50.0	97%	75 - 125			9064048	NSF1964-11RE 1	06/24/09 22:31
Surrogate: Toluene-d8	52.1			ug/kg	50.0	104%	76 - 129			9064048	NSF1964-11RE 1	06/24/09 22:31
Surrogate: 4-Bromofluorobenzene	59.4			ug/kg	50.0	119%	67 - 147			9064048	NSF1964-11RE 1	06/24/09 22:31
<b>9064251-MSD1</b>												
Benzene												
Benzene	ND	1.32		mg/kg wet	1.75	75%	42 - 141	3	50	9064251	NSF2093-14RE 1	06/26/09 09:58
Ethylbenzene	ND	1.56		mg/kg wet	1.75	89%	21 - 165	13	50	9064251	NSF2093-14RE 1	06/26/09 09:58
Naphthalene	ND	1.46		mg/kg wet	1.75	83%	10 - 160	32	50	9064251	NSF2093-14RE 1	06/26/09 09:58
Toluene	ND	1.24		mg/kg wet	1.75	71%	45 - 145	13	50	9064251	NSF2093-14RE 1	06/26/09 09:58
Xylenes, total	ND	5.27		mg/kg wet	5.26	100%	31 - 159	9	50	9064251	NSF2093-14RE 1	06/26/09 09:58
Surrogate: 1,2-Dichloroethane-d4	48.8			ug/kg	50.0	98%	67 - 138			9064251	NSF2093-14RE 1	06/26/09 09:58
Surrogate: Dibromofluoromethane	49.5			ug/kg	50.0	99%	75 - 125			9064251	NSF2093-14RE 1	06/26/09 09:58
Surrogate: Toluene-d8	44.5			ug/kg	50.0	89%	76 - 129			9064251	NSF2093-14RE 1	06/26/09 09:58
Surrogate: 4-Bromofluorobenzene	51.2			ug/kg	50.0	102%	67 - 147			9064251	NSF2093-14RE 1	06/26/09 09:58
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>												
<b>9063817-MSD1</b>												
Acenaphthene												
Acenaphthylene	ND	1.29		mg/kg dry	1.87	69%	42 - 120	1	40	9063817	NSF1899-01	06/26/09 00:43
Anthracene	ND	1.49		mg/kg dry	1.87	69%	32 - 120	1	30	9063817	NSF1899-01	06/26/09 00:43
Benzo (a) anthracene	ND	1.38		mg/kg dry	1.87	74%	41 - 120	6	30	9063817	NSF1899-01	06/26/09 00:43
Benzo (a) pyrene	ND	1.42		mg/kg dry	1.87	76%	33 - 121	7	33	9063817	NSF1899-01	06/26/09 00:43
Benzo (b) fluoranthene	ND	1.42		mg/kg dry	1.87	76%	26 - 137	0.09	42	9063817	NSF1899-01	06/26/09 00:43
Benzo (g,h,i) perylene	ND	1.35		mg/kg dry	1.87	72%	21 - 124	4	32	9063817	NSF1899-01	06/26/09 00:43
Benzo (k) fluoranthene	ND	1.37		mg/kg dry	1.87	73%	14 - 140	14	39	9063817	NSF1899-01	06/26/09 00:43

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSF1964  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/19/09 08:00

**PROJECT QUALITY CONTROL DATA**  
**Matrix Spike Dup - Cont.**

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	Target % Rec.	Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>												
<b>9063817-MSD1</b>												
Chrysene	ND	1.36		mg/kg dry	1.87	73%	28 - 123	8	34	9063817	NSF1899-01	06/26/09 00:43
Dibenz (a,h) anthracene	ND	1.35		mg/kg dry	1.87	72%	25 - 127	4	31	9063817	NSF1899-01	06/26/09 00:43
Fluoranthene	ND	1.36		mg/kg dry	1.87	73%	38 - 120	6	35	9063817	NSF1899-01	06/26/09 00:43
Fluorene	ND	1.30		mg/kg dry	1.87	69%	41 - 120	1	37	9063817	NSF1899-01	06/26/09 00:43
Indeno (1,2,3-cd) pyrene	ND	1.35		mg/kg dry	1.87	72%	25 - 123	4	32	9063817	NSF1899-01	06/26/09 00:43
Naphthalene	ND	1.03		mg/kg dry	1.87	55%	25 - 120	5	42	9063817	NSF1899-01	06/26/09 00:43
Phenanthrene	ND	1.34		mg/kg dry	1.87	71%	37 - 120	5	32	9063817	NSF1899-01	06/26/09 00:43
Pyrene	ND	1.48		mg/kg dry	1.87	79%	29 - 125	9	40	9063817	NSF1899-01	06/26/09 00:43
<i>Surrogate: Terphenyl-d14</i>		1.33		mg/kg dry	1.87	71%	18 - 120			9063817	NSF1899-01	06/26/09 00:43
<i>Surrogate: 2-Fluorobiphenyl</i>		1.15		mg/kg dry	1.87	61%	14 - 120			9063817	NSF1899-01	06/26/09 00:43
<i>Surrogate: Nitrobenzene-d5</i>		1.13		mg/kg dry	1.87	60%	17 - 120			9063817	NSF1899-01	06/26/09 00:43

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NSF1964  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/19/09 08:00

## CERTIFICATION SUMMARY

### TestAmerica Nashville

Method	Matrix	AIHA	Nelac	South Carolina
SW846 8260B	Soil	N/A	X	X
SW846 8270D	Soil			X
SW-846	Soil			

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSF1964
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	06/19/09 08:00

## DATA QUALIFIERS AND DEFINITIONS

- B** Analyte was detected in the associated Method Blank.
- E** Concentration exceeds the calibration range and therefore result is semi-quantitative.
- MHA** Due to high levels of analyte in the sample, the MS/MSD calculation does not provide useful spike recovery information. See Blank Spike (LCS).
- RL1** Reporting limit raised due to sample matrix effects.
- ZX** Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.
- ND** Not detected at the reporting limit (or method detection limit if shown)

## METHOD MODIFICATION NOTES

NSF1964

07/06/09 23:59



Nashville Division  
2960 Foster Creighton  
Nashville, TN 37204

Phone: 615-726-0177  
Toll Free: 800-765-0980  
Fax: 615-726-3404

Client Name/Account #: EEG # 2449

Address: 10179 Highway 78

City/State/Zip: Ladson, SC 29456

Project Manager: Tom McElwee email: mcelwee@eeginc.net

Telephone Number: 843.412.2097

Fax No.: 843-879-0401

Sampler Name: (Print) Pratt Shaw

Sampler Signature:

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?

Compliance Monitoring?

Yes  No 

Enforcement Action?

Yes  No 

Site State: SC

PO#: 0829

TA Quote #:

Project ID: Laurel Bay Housing Project

Project #:

Analyze For:

RUSH/TAT (Pre-Schedule)

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Ice	HNO <sub>3</sub> (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H <sub>2</sub> SO <sub>4</sub> Plastic (Yellow Label)	H <sub>2</sub> SO <sub>4</sub> Glass (Yellow Label)	None (Black Label)	Other (Specify) H <sub>2</sub> O <sub>2</sub> (2%)	Preservative			Matrix			Analyze For:									
															Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (Specify):	BTEX + Naph - 8260E	PAH - 8270C								
1070 Heather	6/15/09	0950	5	X																										NSF1964-01
1072 Heathern	6/15/09	1000	5	X																										02
1077 Heather	6/16/09	0925	5	X																										03
1104 Iris	6/16/09	0950	5	X																										04
1110 Iris	6/16/09	1525	5	X																										05
1111 Iris - 1	6/17/09	0925	5	X																										06
1111 Iris - 2	6/17/09	1100	5	X																										07
1107 Iris	6/17/09	1000	5	X																										08
1114 Iris	6/17/09	1425	5	X																										09
1126 Iris	6/18/09	1140	5	X																										10

Special Instructions:

Laboratory Comments:

Temperature Upon Receipt: 13°C  
VOCs Free of Headspace?

Y

Relinquished by:	Date	Time	Method of Shipment:		FEDEX	Date	Time
			Received by:	Received by TestAmerica:			
	6/18/09	1900	Fred				
Relinquished by:	Date	Time	Received by TestAmerica:		Date	Time	
			mike Bl		6-19-09	0800	



**Nashville Division  
2960 Foster Creighton  
Nashville, TN 37204**

**Phone:** 615-726-0177  
**Toll Free:** 800-765-0980  
**Fax:** 615-726-3404

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?

**Client Name/Account #:** EEG # 2449

**Address:** 10179 Highway 78

**City/State/Zip:** Ladson, SC 29456

Project Manager: Tom McElwee email: mcelwee@eeqinc.net

**Telephone Number:** 843.412.2097

Fax No.: 843-879-0401

**Compliance Monitoring?**

Yes       No

**Enforcement Action?**

**Yes**      **No**

**Site State:** SC

PO#:

TA Quote #:

**Project ID:** Laurel Bay Housing Project

**Project #**

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Preservative	Matrix	Analyze For:
1132 Iris	6/18/09	1150	5	X		
				HNO <sub>3</sub> (Red Label) N/250		
				HCl (Blue Label)		
				NaOH (Orange Label)		
				H <sub>2</sub> SO <sub>4</sub> Plastic (Yellow Label)		
				H <sub>2</sub> SO <sub>4</sub> Glass(Yellow Label)		
				None (Black Label)		
				Other (Specify) Methanol		
				Groundwater		
				Wastewater		
				Drinking Water		
				Sludge		
				Soil		
				Other (specify):		
					(3) BTEX + Naph - 82505	
					N PAH - 8270C	
						RGA-11

**Special Instructions:**

**Laboratory Comments:**

**Temperature Upon Receipt:  
VOCs Free of Headspace?**

Method of Shipment:					
Relinquished by:	Date	Time	Received by:	Date	Time
	10/18/09	1900	Fredrex		
Relinquished by:	Date	Time	Received by TestAmerica:	Date	Time
			under Bl	6-19-09	0800

ATTACHMENT A



# NON-HAZARDOUS MANIFEST

CWM

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

<b>NON-HAZARDOUS MANIFEST</b>		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1		
3. Generator's Name and Mailing Address <b>MCAS, Beaufort Laurel Bay Housing Beaufort SC 29904</b>				A. Manifest Number <b>WMNA</b>	<b>10885477</b>	
4. Generator's Phone <b>843 228-6460</b>				B. State Generator's ID		
5. Transporter 1 Company Name <b>EEG, Inc.</b>		6. US EPA ID Number		C. State Transporter's ID		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone	<b>843 879-0411</b>	
9. Designated Facility Name and Site Address <b>HICKORY HILL LANDFILL ROUTE 1, BOX 121 RIDGE LAND SC 29936</b>		10. US EPA ID Number		E. State Transporter's ID		
11. Description of Waste Materials <b>a Heating Oil Tank filled with Sand</b>		12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	I. Misc. Comments	
<b>GENERATOR</b>	WM Profile #	<b>102655SC</b>	<b>0 0 1</b>	<b>5.62</b>		
	b.	WM Profile #				
	c.	WM Profile #				
	d.	WM Profile #				
J. Additional Descriptions for Materials Listed Above Landfill _____ Solidification _____ Bio Remediation _____		K. Disposal Location Cell _____ Level _____ Grid _____				
15. Special Handling Instructions and Additional Information <b>GEA. UST's from: Purchase Order # D1111 Iris - 1</b>		<b>2) 1111 Iris - 2 3) 1107 Iris - 2 4) 1126 Iris 5) 1132 Iris 6) 1138 Iris EMERGENCY CONTACT:</b>				
16. GENERATOR'S CERTIFICATION: I hereby certify that the above-described materials are not hazardous wastes as defined by 40 CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged, and are in proper condition for transportation according to applicable regulations.						
Printed/Typed Name <b>W.C. Duke, Jr.</b>		Signature "On behalf of" <b>[Signature]</b>		Month Day Year <b>10/25/09</b>		
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year		
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year		
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.						
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest. Printed/Typed Name <b>Jan Collins</b>		Signature <b>[Signature]</b>		Month Day Year <b>10/25/09</b>		

**Appendix C**  
**Regulatory Correspondence**



C. Earl Hunter, Commissioner

*Promoting and protecting the health of the public and the environment.*

Bureau of Land and Waste Management  
Division of Waste Management

March 11, 2010

Commanding Officer  
Attention: NREAO Mr. William A. Drawdy  
United States Marine Corp Air Station  
Post Office Box 55001  
Beaufort, SC 29904-5001

RE: **No Further Action**  
Laurel Bay Underground Storage Tank Assessment Report for:  
• 1111 Iris

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tanks (USTs) Assessment Report on September 23, 2009 for the addresses listed above.

The Department has reviewed the referenced assessment report and agrees there is no indication of soil or groundwater contamination on this property, and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corp Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at [picketcn@dhec.sc.gov](mailto:picketcn@dhec.sc.gov) or 803-896-4131.

Sincerely,

Christi Pickett  
Corrective Action Engineering Section  
Bureau of Land and Waste Management  
South Carolina Department of Health and Environmental Control

cc: Laurel Rhoten (via email)  
Craig Ehde (via email)