SUMMARY REPORT 247 IRIS LANE (FORMERLY 1118 IRIS LANE) LAUREL BAY MILITARY HOUSING AREA MARINE CORPS AIR STATION BEAUFORT BEAUFORT, SC

> Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid-Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

**JUNE 2021** 

SUMMARY REPORT 247 IRIS LANE (FORMERLY 1118 IRIS LANE) LAUREL BAY MILITARY HOUSING AREA MARINE CORPS AIR STATION BEAUFORT BEAUFORT, SC

> Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid- Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture 10560 Arrowhead Drive, Suite 500 Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016 CTO WE52 JUNE 2021



Summary Report 247 Iris Lane (Formerly 1118 Iris Lane) Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort June 2021

### **Table of Contents**

1.0	INTRODUCTION	1
1.1 1.2	Background Information UST Removal and Assessment Process	
2.0	SAMPLING ACTIVITIES AND RESULTS	3
2.1	UST REMOVAL AND SOIL SAMPLING	.4
2.2	SOIL ANALYTICAL RESULTS	.4
2.3	INITIAL GROUNDWATER SAMPLING	.5
2.4	INITIAL GROUNDWATER ANALYTICAL RESULTS	
2.5	Permanent Well Groundwater Sampling	
2.6	Permanent Well Groundwater Analytical Results	.6
3.0	PROPERTY STATUS	6
4.0	REFERENCES	6

### Tables

Table 1	Laboratory Analytical Results - Soil
Table 2	Laboratory Analytical Results - Initial Groundwater
Table 3	Laboratory Analytical Results - Permanent Monitoring Well Groundwater

### Appendices

- Appendix A Multi-Media Selection Process for LBMH
- Appendix B UST Assessment Report
- Appendix C Laboratory Analytical Report Initial Groundwater
- Appendix D Analytical Data Permanent Well Groundwater
- Appendix E Regulatory Correspondence



### List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
СТО	Contract Task Order
COPC	constituents of potential concern
ft	feet
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level



### 1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 247 Iris Lane (Formerly 1118 Iris Lane). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

### 1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area



is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential heating oil USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

### 1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, February 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management* 



*Division* (SCDHEC, February 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, April 2013) and were revised again in Revision 3.0 (SCDHEC, May 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The IGWA sampling process utilizes temporary groundwater sampling points that are typically installed and sampled within the same day. The intent of the sampling point is to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations may require additional delineation of COPCs in groundwater. These sampling points are not subjected to the same installation standards as permanent monitoring wells and, as such; the data obtained from the IGWA wells can sometimes be biased high and is considered preliminary data. In order to confirm the presence of any impact to groundwater, a permanent well is installed where IGWA sampling has indicated the presence of COPCs is in excess of the SCDHEC RBSLs for groundwater. If COPCs are found to be present in the permanent well, additional permanent wells are installed to delineate the extent of impact to groundwater and a sampling program is established. Groundwater analytical results from permanent wells are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

### 2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 247 Iris Lane (Formerly 1118 Iris Lane). The sampling activities at 247 Iris Lane (Formerly 1118 Iris Lane) comprised a soil investigation, IGWA sampling and installation and sampling of a permanent well. Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 1118 Iris Lane* (MCAS Beaufort, 2008). The UST Assessment Report is provided in Appendix B. Details regarding the IGWA sampling activities at this site are provided in the *Investigation of Ground Water at Leaking Heating Oil UST Sites* (Pandey Environmental, 2008). The laboratory report that includes the pertinent IGWA analytical results for this site is presented in Appendix C. Details regarding the permanent well installation and sampling



activities at this site are provided in the *Report of Findings for Laurel Bay Military Housing Area Investigation of Potential Impacts to Groundwater from Former Heating Oil Underground Storage Tanks* (Tetra Tech NUS, Inc, 2010). The pertinent groundwater analytical results for this site is presented in Appendix D.

### 2.1 UST Removal and Soil Sampling

On August 8, 2007, a single 280 gallon heating oil UST was removed from the front landscaped bed area at 247 Iris Lane (Formerly 1118 Iris Lane). The former UST location is indicated on the figures of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 4'9" bgs and a single soil sample was collected from that depth. An additional soil sample was collected from a side wall of the excavation. The samples were collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, soil samples were collected from the base and the side of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

### 2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 247 Iris Lane (Formerly 1118 Iris Lane) were greater than the SCDHEC RBSLs, which indicated further investigation was required. In a letter dated July 16, 2008, SCDHEC requested an IGWA for 247 Iris Lane (Formerly 1118 Iris Lane) to determine if the groundwater was impacted by petroleum COPCs. SCDHEC's request letter is provided in Appendix E.



### 2.3 Initial Groundwater Sampling

On July 25, 2008, three temporary monitoring wells were installed at 247 Iris Lane (Formerly 1118 Iris Lane), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the monitoring wells were placed in the same general location as the former heating oil UST. The former UST location is indicated on the figures of the UST Assessment Report (Appendix B). Further details are provided in the *Investigation of Ground Water at Leaking Heating Oil UST Sites* (Pandey Environmental, 2008).

The sampling strategy for this phase of the investigation required a one-time sampling event of the temporarily installed monitoring wells. Following well installation, groundwater samples were collected using screen point sampling methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of groundwater sampling, the temporary wells were abandoned in accordance with the South Carolina Well Standards and Regulations R.61-71.H-I (SCDHEC, 2016). Field forms are provided in the *Investigation of Ground Water at Leaking Heating Oil UST Sites* (Pandey Environmental, 2008).

### 2.4 Initial Groundwater Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 2. A copy of the laboratory analytical data report is included in Appendix C.

The groundwater results collected from 247 Iris Lane (Formerly 1118 Iris Lane) were not greater than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 2); however, SCDHEC requested further investigation at the property. In a letter dated December 10, 2008, SCDHEC recommended a permanent well be installed for 247 Iris Lane (Formerly 1118 Iris Lane) to verify the results of the temporary well samples. SCDHEC's request letter is provided in Appendix E.

### 2.5 Permanent Well Groundwater Sampling

On February 17, 2010, three permanent monitoring wells were installed at 247 Iris Lane (Formerly 1118 Iris Lane), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the monitoring wells were placed in the same general location as the former heating oil UST and the IGWA sample



locations. The former UST location is indicated on the figures of the UST Assessment Report (Appendix B). Further details are provided in the *Report of Findings for Laurel Bay Military Housing Area Investigation of Potential Impacts to Groundwater from Former Heating Oil Underground Storage Tanks* (Tetra Tech NUS, Inc, 2010).

The sampling strategy for this phase of the investigation required a one-time sampling event of the permanent monitoring wells. Following well installation and development, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Field forms are provided in the *Report of Findings for Laurel Bay Military Housing Area Investigation of Potential Impacts to Groundwater from Former Heating Oil Underground Storage Tanks* (Tetra Tech NUS, Inc, 2010).

### 2.6 Permanent Well Groundwater Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 3. A copy of the analytical data is included in Appendix D.

The groundwater results collected from 247 Iris Lane (Formerly 1118 Iris Lane) were less than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 3), which indicated that the groundwater was not impacted by COPCs associated with the former UST at concentrations that present a potential risk to human health and the environment.

### 3.0 **PROPERTY STATUS**

Based on the analytical results for groundwater collected from the permanent monitoring wells, SCDHEC made the determination that NFA was required for 247 Iris Lane (Formerly 1118 Iris Lane). This NFA determination was obtained in a letter dated April 6, 2011. SCDHEC's NFA letter is provided in Appendix E.

### 4.0 **REFERENCES**

Marine Corps Air Station Beaufort, 2008. South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 1118 Iris Lane, Laurel Bay Military Housing Area, January 2008.



- Pandey Environmental, 2008. Investigation of Ground Water at Leaking Heating Oil UST Sites for Laurel Bay Military Housing Area, Multiple Properties, Marine Corps Air Station Beaufort, Beaufort, South Carolina, November 2008.
- Tetra Tech NUS, Inc, 2010. *Report of Findings for Laurel Bay Military Housing Area Investigation of Potential Impacts to Groundwater from Former Heating Oil Underground Storage Tanks*, July 2010.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 2.0*, April 2013.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.0*, May 2015.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations,* March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service, March 2018.
- South Carolina Department of Health and Environmental Control Bureau of Water, 2016. *R.61-71, Well Standards*, June 2016.

Tables



# Table 1Laboratory Analytical Results - Soil247 Iris Lane (Formerly 1118 Iris Lane)Laurel Bay Military Housing AreaMarine Corps Air Station BeaufortBeaufort, South Carolina

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Results Sample Collected 08/08/07			
Constituent	SUDHEC RESES	1118 Iris Bottom-01	1118 Iris Side-02		
Volatile Organic Compounds Analyze	d by EPA Method 8260B (mg/kg)				
Benzene	0.003	0.0112	ND		
Ethylbenzene	1.15	0.0982	ND		
Naphthalene	0.036	0.653	0.000710		
Toluene	0.627	0.0905	0.000418		
Xylenes, Total	13.01	0.575	0.000424		
Semivolatile Organic Compounds An	alyzed by EPA Method 8270C (mg/kg)				
Benzo(a)anthracene	0.066	3.26	ND		
Benzo(b)fluoranthene	0.066	2.42	ND		
Benzo(k)fluoranthene	0.066	1.96	ND		
Chrysene	0.066	3.86	ND		
Dibenz(a,h)anthracene	0.066	0.169	ND		

### Notes:

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 (SCDHEC, May 2001).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligrams per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The soil laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

### Table 2 Laboratory Analytical Results - Initial Groundwater 247 Iris Lane (Formerly 1118 Iris Lane) Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs (1)	Site-Specific Groundwater VISLs	Results Sample Collected 07/25/08						
		(µg/L) <sup>(2)</sup>	1118 Iris A	1118 Iris B	1118 Iris C				
Volatile Organic Compounds Analyzed by EPA Method 8260B (µg/L)									
Benzene	5	16.24	ND	ND	ND				
Ethylbenzene	700	45.95	ND	ND	ND				
Naphthalene	25	29.33	ND	ND	ND				
Toluene	1000	105,445	ND	ND	ND				
Xylenes, Total	10,000	2,133	ND	ND	ND				
Semivolatile Organic Compounds An	alyzed by EPA Method 8	270D (µg/L)							
Benzo(a)anthracene	10	NA	ND	ND	0.12				
Benzo(b)fluoranthene	10	NA	ND	ND	ND				
Benzo(k)fluoranthene	10	NA	ND	ND	ND				
Chrysene	10	NA	ND	ND	0.12				
Dibenz(a,h)anthracene	10	NA	ND	ND	ND				

### Notes:

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 (SCDHEC, May 2001).

<sup>(2)</sup> Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of 1x10<sup>-6</sup>, a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - not applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix C.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

µg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

## Table 3 Laboratory Analytical Results - Permanent Well Groundwater 247 Iris Lane (Formerly 1118 Iris Lane) Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Site-Specific Groundwater VISLs	Results Sample Collected 03/02/10 and 03/03/10						
		(µg/L) <sup>(2)</sup>	LBMW124 03/02/10	LBMW125 03/03/10	LBMW126 03/03/10				
Volatile Organic Compounds Analyzed by EPA Method 8260B (µg/L)									
Benzene	5	16.24	ND	ND	ND				
Ethylbenzene	700	45.95	ND	ND	ND				
Naphthalene	25	29.33	ND	ND	ND				
Toluene	1000	105,445	ND	ND	ND				
Xylenes, Total	10,000	2,133	ND	ND	ND				
Semivolatile Organic Compounds Ana	lyzed by EPA Method 82	70D (µg/L)							
Benzo(a)anthracene	10	NA	ND	ND	ND				
Benzo(b)fluoranthene	10	NA	ND	ND	ND				
Benzo(k)fluoranthene	10	NA	ND	ND	ND				
Chrysene	10	NA	ND	ND	ND				
Dibenz(a,h)anthracene	10	NA	ND	ND	ND				

#### Notes:

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 (SCDHEC, May 2001).

 $^{(2)}$  Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of  $1 \times 10^{-6}$ , a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - not applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix D.

RBSL - Risk-Based Screening Level


SCDHEC - South Carolina Department Of Health and Environmental Control

µg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

Appendix A Multi-Media Selection Process for LBMH





### **Appendix A - Multi-Media Selection Process for LBMH**

Appendix B UST Assessment Report



Underground Storage	alth and Environmental Control (SCDHEC) <b>Fank (UST) Assessment Report</b> Submit Completed Form To: UST Program SCDHEC 2600 Bull Street Columbia, South Carolina 29201 Telephone (803) 896-6240
I. OWNERSHIP OF UST (S)	
Bennfort Military Compley Owner Name (Corporation, Individual, Public Agency, 1510 LANREL BAY BEVI Mailing Address <u>Benn Cort</u> <u>5C</u> City <u>State</u> 843 <u>37</u> Area Code Telephone Numb	29906 Zip Code 49-3305 Kule Renaderant
<u> </u>	OCATION
N/A Permit I.D. # <u>Actus LEND Lease</u> Facility Name or Company Site Identifier_ <u>Street Address or State Road (as applicable)</u> <u>Beaufort</u> , SC 29906 City ZIP	

Attachment 2

III. INSURANCE INFORMATION

### **Insurance Statement**

The petroleum release reported to DHEC on  $\frac{\nu/\mu}{\mu}$  at Permit ID # may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. This section must be completed.

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES\_\_\_\_ NO\_\_\_\_ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: \_\_\_\_\_ The policy deductible is: \_\_\_\_\_ The policy limit is:

If you have this type of insurance, please include a copy of the policy with this report.

And ·

I do/do not (circle one) wish to participate in the Superb Program.

### IV. CERTIFICATION (To be signed by the UST owner/operator.)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

To be completed by Notary Public:

Sworn before me this \_\_\_\_\_ day of \_\_\_\_\_ , 20

(Name)

Signature

Notary Public for the state of \_\_\_\_\_\_ Please affix State seal if you are commissioned outside South Carolina

•	V. UST INFORMATION	Tank 1	Tai	Tank 3	Tank 4	Tank 5	Tank 6	]
A.	Product(ex. Gas, Kerosene)	#Z DIESE		· · · · · · · · · · · · · · · · · · ·			· · · ·	
B.	Capacity. (ex. 1k, 2k)	358g.						
C.	Age							
D.	Construction Material(ex. Steel, FRP)	Steel						   
E.	Month/Year of Last Use							
F.	Depth (ft.) To Base of Tank	57"			 ·	·		
G.	Spill Prevention Equipment Y/N	N						
H.	Overfill Prevention Equipment Y/N	N						
I.	Method of Closure Removed Filled	Reinoved						
J.	Date Tanks Removed/Filled							
K.	Visible Corrosion or Pitting Y/N	8-8-7						
- 	Visible Holes Y/N	N						
•	· .	No						
<b>1</b> .	Method of disposal for any USTs removed from the gr	ound (atta	ch dispos	sal manif	fests)	<u> [</u>	<u></u>	

N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)

Solidefication + Subtitle D LANDFILL

O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST  $\underline{TRNK}$   $\underline{UQS}$   $\underline{F:IIED}$   $\underline{w/o:}/\underline{FWATEF}$ 

15

### VI. PIP. ; INFORMATION

	a ser a s A ser a s A ser a s	Tank 1	Tank 2	Tank 3	Tank 4	Tank 5	Tank 6	
Α.	Construction Material(ex. Steel, FRP)	Steel						
В.	Distance from UST to Dispenser	NIA						
C.	Number of Dispensers							
D.	Type of System Pressure or Suction	-0- Electra						
E.	Was Piping Removed from the Ground? Y/N	PUMP						
F.	Visible Corrosion or Pitting Y/N	N			.			
G.	Visible Holes Y/N	N						
H.	Age							
		· .		——				

I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

### VII. BRIEF SITE DESCRIPTION AND HISTORY

Home HEATING DIP TANK - RESIDENTIAL

### VIII. SITE CO. .TIONS

	Yes	No	Unk
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?			
If yes, indicate depth and location on the site map.		X	-
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?			
If yes, indicate location on site map and describe the odor (strong, mild, etc.)		×	
C. Was water present in the UST excavation, soil borings, or trenches?			
If yes, how far below land surface (indicate location and depth)?		x	
D. Did contaminated soils remain stockpiled on site after closure?			
If yes, indicate the stockpile location on the site map.			
Name of DHEC representative authorizing soil removal:			
		Χ.	
E. Was a petroleum sheen or free product detected on any excavation or boring waters?			
If yes, indicate location and thickness.		x	

### IX. SAN LE INFORMATION

•

**A**:

SCDHEC Lab Certification Number DW: 84009002

B			Y				
Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
1	BOTTOM	5	Spuld	_	000		
2	Side	5 5	SANd		8-8-7 8-8-7	M. DNes	$\frac{NV}{\sqrt{D}}$
3	Sinc		Sand		8-0-1	H. Jones,	ND
4	······		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		
5				·   ·····			
6			<u> </u>				
7				<b> </b>			
8				· · · · · · · · · · · · · · · · · · ·	·		
9							
10 .							
11							
12							
13							
14							
15						/	
16							
17							
18							
19							
20							

\* = Depth Below the Surrounding Land Surface

### SAMPLING METHODOLC \_ Y

X.

Provide a detailed description of the methods used to collect <u>and</u> store the samples. Also include the preservative used for each sample. Please use the space provided below.

Volatile ORGANic Compounds Method 8260 B Reservative: 24 Sodium BISUlfate leA EPA METHOD Poly AROMATIC Hydro CARBONS 8270 No PRESERVATIVE

ONe SIDEWA1. ONE And Bottom were Secured excavation from TANK A LJPRP-Δ Com. toned AND Shipped AN INSURATED Cooler 61 ICF.

XI. RECEPTL S

F===		Yes	No
A	. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?		
	If yes, indicate type of receptor, distance, and direction on site map.		X
В.	Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?		
	If yes, indicate type of well, distance, and direction on site map.		i i
C.	Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?		
	If yes, indicate type of structure, distance, and direction on site map.		1
D.	Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination?		
	If yes, indicate the type of utility, distance, and direction on the site map.		1
E.	Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?		i
	If yes, indicate the area of contaminated soil on the site map.		


### SUMMARY OF ANALYSIS RESULTS


NA

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.


			the second s					
CoC	SB-1	SB-2	SB-3	SB-4	SB-5	SB-6	SB-7	SB-8
Benzene						· ·		
Toluene						<u> </u>		
Ethylbenzene						<u> </u>		
Xylenes								
Naphthalene					··			
Benzo(a)anthracene	<u> </u>							·
Benzo(b)flouranthene								
Benzo(k)flouranthene								
Chrysene .								
Dibenz(a,h)anthracene								
TPH (EPA 3550)	i i						·· <u>·····</u>	

CoC	SB-9	SB-10	SB-11	SB-12	SB-13	SB-14	SB-15	SB-16
Benzene								
Toluene								
Ethylbenzene								
Xylenes								
Naphthaiene								
Benzo(a)anthracene								
Benzo(b)flouranthene								
Benzo(k)flouranthene					•	·	<u> </u>	
Chrysene		ľ			Ì			
Dibenz(a,h)anthracene						İ		
TPH (EPA 3550)				·				









### ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here) (Please see Form #4)



THE LEADER IN ENVIRONMENTAL TESTING

4310 East Anderson Road Orlando, FL 32812 \* 800-851-2560 \* Fax 407-856-0886

Client:	EPG, INC.	Work Order:	OQH0568	Sampled:	08/08/07-08/10/07
	PO BOX 1096	Project:	LAUREL BAY	Received:	08/23/07
	MT PLEASANT, SC 29465	Project Number:	EP-2362		
A +*	IOUN MALIONEV				

Attn: JOHN MAHONEY

### LABORATORY REPORT Sample ID: 1044 GARDENIA-SIDE-02 - Lab Number: OQH0568-02 - Matrix: Solid/Soil

CAS#	Analyte	Result	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	Ву	Method	Batch
	Organic Compounds by EPA		0B								
1-43-2	Benzene	0.0924	Q,U	ug/kg dry	0.0924	0.253	1	08/28/07 17:41	JWT	EPA 8260B	7H27020
30-41-4	Ethylbenzene	0.107	Q,U	ug/kg dry	0.107	0.253	1	08/28/07 17:41	JWT	EPA 8260B	7H27020
1-20-3	Naphthalene	0.162	Q,I	ug/kg dry	0.140	0.253	1	08/28/07 17:41	JWT	EPA 8260B	7H27020
38-88-3	Toluene	0.253	Q	ug/kg dry	0.218	0.253	1	08/28/07 17:41	TWL	EPA 8260B	7H27020
330-2 <b>0</b> -7	Xylenes, total	0.131	Q'N	ug/kg dry	0.131	0.253	1	08/28/07 17:41	JWT	EPA 8260B	7H27020
irrogate: .	1,2-Dichloroethane-d4 (73-137%)	124 %									
(rrogate: 4	4-Bromofluorobenzene (59-118%)	94 %						1. J.			
trrogate: I	Dibromofluoromethane (55-145%)	109 %									
irrogate:	Toluene-d8 (80-117%)	97 %									
<b>Feneral</b> (	Chemistry Parameters % Dry Solids	92.1	SPS	%	0.500	0.500	1	08/24/07 16:05	AEB	SW-846	7085830
'elvaren	natic Hydrocarbons by EPA 8	270C									
1-32-9	Acenaphthene	0.0389	U	mg/kg dry	0.0389	0.0724	1	08/30/07 22:45	RLB	SW846 8270	C7085613
)8-96-8	Acenaphthylene	0.0475	U	mg/kg dry	0.0475	0.0724	1	08/30/07 22:45	RLB	SW846 8270	C7085613
<b>!0-12-7</b>	Anthracene	0.0601	I	mg/kg dry	0.0432	0.0724	1	08/30/07 22:45	RLB	SW846 8270	C7085613
i-55-3	Benzo (a) anthracene	0.644	J4	mg/kg dry	0.0400	0.0724	1	08/30/07 22:45	RLB	SW846 8270	C7085613
1-32-8	Benzo (a) pyrene	0.291		mg/kg dry	0.0432	0.0724	1	08/30/07 22:45	RLB	SW846 8270	C7085613
15-99-2	Benzo (b) fluoranthene	0.360		mg/kg dry	0.0410	0.0724	I	08/30/07 22:45	RLB	SW846 8270	C7085613
1-24-2	Benzo (g,h,i) perylene	0.0936		mg/kg dry	0.0292	0.0724	1	08/30/07 22:45	RLB	SW846 8270	C7085613
17-08-9	Benzo (k) fluoranthene	0.337		mg/kg dry	0.0497	0.0724	1	08/30/07 22:45	RLB	SW846 8270	C7085613
8-01-9	Chrysene	0.719	J4	mg/kg dry	0.0421	0.0724	1	08/30/07 22:45	RLB	SW846 8270	C7085613
-70-3	Dibenz (a,h) anthracene	0.0281	U	mg/kg dry	0.0281	0.0724	1	08/30/07 22:45	RLB	SW846 8270	C7085613
6-44-0	Fluoranthene	1.27	J4	mg/kg dry	0.0454	0.0724	1	08/30/07 22:45	RLB	SW846 8270	C7085613
-73-7	Fluorene	0.0464	U	mg/kg dry	0.0464	0.0724	1	08/30/07 22:45	RLB	SW846 8270	C7085613
3-39-5	Indeno (1,2,3-cd) pyrene	0.113		mg/kg dry	0.0367	0.0724	1	08/30/07 22:45	RLB	SW846 8270	C7085613
-20-3	Naphthalene	0.0432	U	mg/kg dry	0.0432	0.0724	1	08/30/07 22:45	RLB	SW846 8270	C7085613
-01-8	Phenanthrene	0.187		mg/kg dry	0.0432	0.0724	1	08/30/07 22:45	RLB	SW846 8270	
9-00-0	Pyrene	1.03	J4	mg/kg dry	0.0508	0.0724	1	08/30/07 22:45	RLB	SW846 8270	
-12-0	1-Methylnaphthalene	0.0389	U	mg/kg dry	0.0389	0.0724	1	08/30/07 22:45	RLB	SW846 8270	
-57-6	2-Methylnaphthalene	0.0389	υ	mg/kg dry	0.0389	0.0724	1	08/30/07 22:45	RLB	SW846 8270	
rrogate: 1	Terphenyl-d14 (49-123%)	55 %	- 	· · · · · · · · · · · · · · · · · · ·	·		-				
	2-Fluorobiphenyl (30-93%)	49 %									
	Vitrobenzene-d5 (34-87%)	54 %									

### LABORATORY REPORT

### Sample ID: 1118 IRIS-BOTTOM-01 - Lab Number: OQH0568-03 - Matrix: Solid/Soil

AS #	Алајуте	Result	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	By	Method	Batch
eneral	Chemistry Parameters % Solids	83.4	Q	%.	0.100	0.100	1	08/24/07 16:05	RRP	EPA 160.3	7H24048
o <b>latile</b> ( 43-2	Organic Compounds by EF Benzene	PA Method 826 11.2	50 <b>B</b> Q,rl2,i	ug/kg dry	4.89	13.3	50	08/29/07 16:34	JWT	EPA 8260B	7H27020
)-41-4	Ethylbenzene	98.2	Q,RL2	ug/kg dry	5.65	13.3	50	08/29/07 16:34	JWT	EPA 8260B	7H27020

**TestAmerica - Orlando, FL** Enid Ortiz For Shali Brown

Project Manager

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

4310 East Anderson Road Orlando, FL 32812 \* 800-851-2560 \* Fax 407-856-0886

Client	EPG, INC.	Work Order:	OQH0568	Sampled:	08/08/07-08/10/07
	PO BOX 1096	Project:	LAUREL BAY	Received:	08/23/07
	MT PLEASANT, SC-29465	-Project Number:			
Attn:	JOHN MAHONEY				

### LABORATORY REPORT Sample ID: 1118 IRIS-BOTTOM-01 - Lab Number: OQH0568-03 - Matrix: Solid/Soil

CAS #	Analyte	Result	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	Ву	Method	Batch
	Organic Compounds by EPA						50	000007 16 24		EB4 02(0D	
1-20-3	Naphthalene	653	Q.RL2	ug/kg dry	7.37	13.3	50	08/29/07 16:34	JWT	EPA 8260B	7H27020
)8-88-3	Toluene	90.5	Q.RL2	ug/kg dry	11.5	13.3	50	08/29/07 16:34	JWT	EPA 8260B	7H27020
130-20-7	Xylenes, total	575	Q.RL2	ug/kg dry	6.93	13.3	50	08/29/07 16:34	TWL	EPA 8260B	7H27020
	1,2-Dichloroethane-d4 (73-137%)	97 %								÷	
	4-Bromofluorobenzene (59-118%)	103 %									
	Dibromofluoromethane (55-145%)	98 %									
-	Toluene-d8 (80-117%)	97 %									
	Chemistry Parameters				0.000	0.500		00104107 1605		011/ 0.47	2005020
olids	% Dry Solids	83.4	SPS	%	0.500	0.500	1	08/24/07 16:05	AEB	SW-846	7085830
olyaron 1-32-9	natic Hydrocarbons by EPA 8 Acenaphthene	270C 0.0423	U	mg/kg dry	0.0423	0.0787	1	08/30/07 23:09	RLB	SW846 8270	C7095613
18-96-8	Acenaphinene	0.0423	U TI	mg/kg dry mg/kg dry	0.0423	0.0787	t	08/30/07 23:09	RLB	SW846 8270	
:0-12-7	Anthracene	0.0517		mg/kg dry	0.0470	0.0787	1	08/30/07 23:09	RLB	SW846 8270	
i-55-3	Benzo (a) anthracene	3.26		mg/kg dry mg/kg dry	0.0435	0.0787	1	08/30/07 23:09	RLB	SW846 8270	-
1-32-8	•••	1.71		mg/kg dry mg/kg dry	0.0435	0.0787	1	08/30/07 23:09	RLB	SW846 8270	
	Benzo (a) pyrene	2.42			0.0470	0.0787		08/30/07 23:09	RLB	SW846 8270	
15-99-2	Benzo (b) fluoranthene			mg/kg dry		• • • • • • •	1				
1-24-2	Benzo (g,h,l) perylene	0.663		mg/kg dry	0.0317	0.0787	1	08/30/07 23:09	RLB	SW846 8270	
7-08-9	Benzo (k) fluoranthene	1.96		mg/kg dry	0.0541	0.0787	1	08/30/07 23:09	RLB	SW846 8270	
8-01-9	Chrysene	3.86		mg/kg dry	0.0458	0.0787	1	08/30/07 23:09	RLB	SW846 8270	
-70-3	Dibenz (a,h) anthracene	0.169		mg/kg dry	0.0306	0.0787	1	08/30/07 23:09	RLB	SW846 8270	
6-44-0	Fluoranthene	9.58		mg/kg dry	0.197	0.315	4	08/31/07 11:11	RLB	SW846 8270	
-73-7	Fluorene	0.0505	U	mg/kg dry	0.0505	0.0787	1	08/30/07 23:09	RLB	SW846 8270	
3-39-5	Indeno (1,2,3-cd) pyrene	0.783		mg/kg dry	0.0400	0.0787	1	08/30/07 23:09	RLB	SW846 8270	C7085613
-20-3	Naphthalene	0.0470	U	mg/kg dry	0.0470	0.0787	1	08/30/07 23:09	RLB	SW846 8270	C7085613
-01-8	Phenanthrene	3.51		mg/kg dry	0.0470	0.0787	1	08/30/07 23:09	RLB	SW846 8270	C7085613
9-00-0	Pyrene	7.33		mg/kg dry	0.110	0.157	2	08/31/07 10:24	RLB	SW846 8270	C7085613
-12-0	1-Methylnaphthalene	0.400		mg/kg dry	0.0423	0.0787	1	08/30/07 23:09	RLB	SW846 8270	C7085613
-57-6	2-Methylnaphthalene	0.399		mg/kg dry	0.0423	0.0787	1	08/30/07 23:09	RLB	SW846 8270	C7085613
rrogate: 2	Terphenyl-d14 (49-123%)	59 %									
rrogate: 2	2-Fluorobiphenyl (30-93%)	52 %									
rrogate: l	Nitrobenzene-d5 (34-87%)	59 %			• •	• .					

LABORATORY REPORT

Sample ID: 1118 IRIS-SIDE-02 - Lab Number: OQH0568-04 - Matrix: Solid/Soil

AS #	Analyte	Result	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	Ву	Method	Batch
eneral	Chemistry Parameters										
•	% Solids	90.6	Q	%.	0.100	0.100	1	08/24/07 16:05	RRP	EPA 160.3	7H24048
olatile (	Organic Compounds by EP.	A Method 826	)B								
43-2	Benzene	0.127	Q,U	ug/kg dry	0.127	0.348	I	08/27/07 18:59	JWT	EPA 8260B	7H27020
)-41-4	Ethylbenzene	0.147	Q,U	ug/kg dry	0.147	0.348	1	08/27/07 18:59	JWT	EPA 8260B	7H27020
20-3	Naphthalene	0.710	Q	ug/kg dry	0.192	0.348	1	08/27/07 18:59	JWT	EPA 8260B	7H27020

TestAmerica - Orlando, FL

Enid Ortiz For Shali Brown

Project Manager

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

4310 East Anderson Road Orlando, FL 32812 \* 800-851-2560 \* Fax 407-856-0886 120

Client:	EPG, INC.		Work Order:	OQH0568		Sampled:	08/08/07-08/10/07
	PO BOX 1096		Project:	LAUREL BAY		Received:	08/23/07
	MT PLEASANT, SC 29465		 Project Number:	<u>EP 2362</u>	<u> </u>		· · · · · · · · · · · · · · · · · · ·

JOHN MAHONEY Attn:

### LABORATORY REPORT Sample ID: 1118 IRIS-SIDE-02 - Lab Number: OQH0568-04 - Matrix: Solid/Soil

CAS #	Алајуте	Result	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	By	Method	Batch
/olatile ()	Organic Compounds by EPA	Method 826	0B - Co	nt.							
08-88-3	Toluene	0.418	Q	ug/kg dry	0.301	0.348	1	08/27/07 18:59	JWT	EPA 8260B	7H27020
330-20-7	Xylenes, total	0.424	Q	ug/kg dry	0.181	0.348	1	08/27/07 18:59	JWT	EPA 8260B	7H27020
urrogate: I,	2-Dichloroethane-d4 (73-137%)	110 %									•
urrogate: 4	-Bromofluorobenzene (59-118%)	101 %									
irrogate: D	bibromofluoromethane (55-145%)	112 %									
urrogate: T	oluene-d8 (80-117%)	108 %									
Jeneral C	Chemistry Parameters										
olids	% Dry Solids	90.6	SPS	%	0.500	0.500	1	08/24/07 16:05	AEB	SW-846	7085830
	atic Hydrocarbons by EPA 8										
3-32-9	Acenaphthene	0.0394	U	mg/kg dry	0.0394	0.0734	1	08/30/07 23:33	RLB	SW846 8270	
8-96-8	Acenaphthylene	0.0482	U	mg/kg dry	0.0482	0.0734	1	08/30/07 23:33	RLB	SW846 8270	
20-12-7	Anthracene	0.0438	U	mg/kg dry	0.0438	0.0734	1	08/30/07 23:33	RLB	SW846 8270	
5-55-3	Benzo (a) anthracene	0.0405	U	mg/kg dry	0.0405	0.0734	1	08/30/07 23:33	RLB	SW846 8270	
)-32-8	Benzo (a) pyrene	0.0438	U	mg/kg dry	0.0438	0.0734	1	08/30/07 23:33	RLB	SW846 8270	
)5-9 <b>9-2</b>	Benzo (b) fluoranthene	0.0416	U	mg/kg dry	0.0416	0.0734	1	08/30/07 23:33	RLB	SW846 8270	
01-24-2	Benzo (g,h,i) perylene	0.0296	U	mg/kg dry	0.0296	0.0734	1	08/30/07 23:33	RLB	SW846 8270	C7085613
07-08-9	Benzo (k) fluoranthene	0.0504	U	mg/kg dry	0.0504	0.0734	1	08/30/07 23:33	RLB	SW846 8270	C7085613
.8-01-9	Chrysene	0.0427	U	mg/kg dry	0.0427	0.0734	1	08/30/07 23:33	RLB	SW846 8270	C7085613
-70-3	Dibenz (a,h) anthracene	0.0285	U	mg/kg dry	0.0285	0.0734	1	08/30/07 23:33	RLB	SW846 8270	C7085613
6-44-0	Fluoranthene	0.0460	U	mg/kg dry	0.0460	0.0734	1	08/30/07 23:33	RLB	SW846 8270	C7085613
-73-7	Fluorene	0.0471	U·	mg/kg dry	0.0471	0.0734	1	08/30/07 23:33	RLB	SW846 8270	C7085613
3-39-5	Indeno (1,2,3-cd) pyrene	0.0372	U	mg/kg dry	0.0372	0.0734	1	08/30/07 23:33	RLB	SW846 8270	C7085613
-20-3	Naphthalene	0.0438	U	mg/kg dry	0.0438	0.0734	1	08/30/07 23:33	RLB	SW846 8270	C7085613
-01-8	Phenanthrene	0.0438	U	mg/kg dry	0.0438	0.0734	1	08/30/07 23:33	RLB	SW846 8270	C7085613
9-00-0	Pyrene	0.0515	U	mg/kg dry	0.0515	0.0734	I	08/30/07 23:33	RLB	SW846 8270	C7085613
-12-0	1-Methylnaphthalene	0.0394	U	mg/kg dry	0.0394	0.0734	1	08/30/07 23:33	RLB	SW846 8270	C7085613
-57-6	2-Methylnaphthalene	0.0394	U	mg/kg dry	0.0394	0.0734	1	08/30/07 23:33	RLB	SW846 8270	C7085613
rrogate: Te	erphenyl-d14 (49-123%)	64 %									
rrogate: 2-	Fluorobiphenyl (30-93%)	53 %			· .						
rrogate: N	itrobenzene-d5 (34-87%)	59 %									

### LABORATORY REPORT Sample ID: 1071 HEATHER-BOTTOM 01 - Lab Number: OQH0568-05 - Matrix: Solid/Soil

	Jun	pic in tori it.		DOIL		5 1 1 di 110 0 i		000,00	Traction Don			
AS #	Analyte	· · · · ·	Result	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	By	Method	Batch
eneral	Chemistry Para	meters			- <b></b> -		к					
¥.,	% Solids	, •	82.7	Q	%.	0.100	0.100	1	08/24/07 16:05	RRP	EPA 160.3	7H24048
platile (	Organic Compo	unds by EPA M	ethod 826	60B					-			
-43-2	Benzene	•	0.124	Q,U	ug/kg dry	0.124	0.338	t	08/27/07 19:16	JWT	EPA 8260B	7H27020
)-41-4	Ethylbenzene		0.143	Q,U	ug/kg dry	0.143	0.338	1	08/27/07 19:16	JWT	EPA 8260B	7H27020
20-3	Naphthalene		0.622	Q	ug/kg dry	0.187	0.338	1	08/27/07 19:16	JWT	EPA 8260B	7H27020
3-88-3	Toluene		0.419	· Q ·	ug/kg dry	0.292	0.338	1 -	08/27/07 19:16	JWT	EPA 8260B	7H27020
30-20-7	Xylenes, total	•	0.176	Q,I	ug/kg dry	0.176	0.338	1	08/27/07 19:16	JWT	EPA 8260B	7H27020
		• .				•						

TestAmerica - Orlando, FL

Enid Ortiz For Shali Brown

Project Manager

TestAmeri	са	, F														To ase is this	Hist us i	n using	the pro	per ana	<b>ilytical</b> n	nethods, y purpos		·
ANALYTICAL TESTING CORPO	ORATION	1																bliance						<b></b> -
Client Name									Cli	ent#				- 2-										
Address:	1		······											-	Project	t Name:	LA	URE	B	AY_		·		_
City/State/Zip Code:		<b>1</b>													Pi	roject#:	E	- 23	362	•				
Project Manager:	-70	hn		11/0	ah	OK	e	4						s.	ite/Loca							State:	ŚĆ	-
Telephone Number:							F	ec_												Ma	hc	nec	1	-
Sampler Name: (Print Name)	MAC	ドレ	) ON	ses				-						• •		oice To:				<u></u>	<u>~_~`</u> ¥	<u></u>	1	-
Sampler Signature:														-		Quote #:					PO		<u> </u>	-
·		ř.		Γ	Matrix	Pres	arvai	ion 8	# cf (	Conta	iner			. 40 Marchinese a			ze For					*. 		
	8-18-7	3:00 4:00	ى بى ق	i Filtered Studee DW - Distance Water	uage UW - Unninning Water Sroundwater S - SolySolid Wastewater Specify Other	6			10		C P Other (Specify)		~	THE BEE									AC Deliverables         None         X/ Level 2         (Batch QC)         Level 3         Level 4         Other:         REMARKS         -01         -03	
	8-2-2								1	2	2	と	K									1	-04	1
0 1071 Heather - Bottom	819-7	3:00	G						1	2	2	X	×	·	1					· <u> </u>	1	1	-05	1
1071 Heather- SiDE.02								T	1	2	2	×	メ	·	1			<b> </b>			+	1	-00	1
	5107	- ·	_						1,	2		×	K	· }	<u> </u>							<u> </u>	-67	1
	3702		_				+		1,	2	2	×	*					<u> </u>	<u> </u>		<b> </b>	╋╼──		1
	8-20.7						1	╈	T	2	2	×	L	· }	<b> </b>					<u> </u>		<b></b>	-08	1
	8707	1.30	6				╈		$\frac{1}{1}$		2	2	X					<u> </u>		<u>}</u>	<u>†</u>	<b> </b>	-09 -10	1
Special Instructions: Relinquisted by: Maltourf Relinquisted by:		8/27 8/27/ 9/27/ Date:	107	Time:		Rece	ived	By:	n	u	Q	L	]	Date:	236-	Time:	'S 3D	Ir Fi Custo Bottle	hit Lab lec Lat dy Sea s Supp Z(0	A RY COI Temp: Temp Is: Y blied by 43 nipmen	ろ、 N (Test/ ろし・	N/A America: ARLO		
•••	<u>.</u>		, <u>.</u>					<b>f</b> .i.,					<u> </u>			<u>, u 1 pJ.</u>				-ihuneu	<u>r.C</u>			rhil,

Appendix C Laboratory Analytical Report - Initial Groundwater





Pace Analytical Services, Inc. 2225 Riverside Dr. Asheville, NC 28804 (828)254-7176

Pace Analytical Services, Inc. 9800 Kincey Ave. Suite 100 Huntersville, NC 28078 (704)875-9092

# ANALYTICAL RESULTS

Project: LAUREL BAY SAMPLING 7/25/08

Pace Project No .: 9224353

Sample: 1036 IRIS C	Lab (D: 922	4353003	Collected: 07/2	5/08 (	08:45	Received:	07/29/08 14:15	Matrix: Water	
Parameters	Results	Units	Report Limit	: 1	DF	Prepared	Analyzed	CAS No.	Qua
8270 MSSV PAH by SIM SPE	Analytical Meth	iod: EPA 8	270 by SIM Prepar	ation	Meth				
Indeno(1,2,3-cd)pyrene	ND ug/			_					
1-Methylnaphthalene	ND ug/		0.20		1	07/31/08 00:00	0 08/12/08 00:0	2 193-39-5	
2-Methylnaphthalene	ND ug/		2.0		1	07/31/08 00:00	0 08/12/08 00:0	2 90-12-0	
Naphthalene	ND ug/		2.0		1	07/31/08 00:00	0 08/12/08 00:0	2 91-57-6	
Phenanthrene	ND ug/		1.5		1 1	07/31/08 00:00	0 08/12/08 00:0	2 91-20-3	
Pyrene	ND ug/l		0.20		1 (	07/31/08 00:00	08/12/08 00:0	2 85-01-8	
Nitrobenzene-d5 (S)	49 %	L.	0.10	1	1 (	07/31/08 00:00	) 08/12/08 00:0	2 129-00-0	
2-Fluorobiphenyl (S)			50-150	1	1 (	07/31/08 00:00	08/12/08 00:02	2 4165-60 0	1.
Terphenyl-d14 (S)	71 % 71 %		50-150	1	1 (	07/31/08 00:00	08/12/08 00:02	2 321-60-8	1g
			50-150	1	1 (	07/31/08 00:00	08/12/08 00:02	2 1718-51-0	
8260 MSV Low Level	Analytical Metho	od: EPA 82	<b>50</b> ···						
Benzene	ND ug/L								
Ethylbenzene	ND ug/L		1.0	1			07/31/08 21:09	71-43-2	
Naphthalene	ND ug/L		1.0	1			07/31/08 21:09	100-41-4	
Toluene			1.0	1			07/31/08 21:09	91-20-3	
m&p-Xylene	ND ug/L		1.0	1			07/31/08 21:09	108-88 3	
o-Xylene	ND ug/L		2.0	1			07/31/08 21:09	1320 20 7	
4-Bromofluorobenzene (S)	ND ug/L		1.0	1			07/31/08 21:09	1330-20-7	
Dibromofluoromethane (S)	95 %		87-109	1			07/31/08 21:09		
I,2-Dichloroethane-d4 (S)	102 %		85-115	1			07/21/08 21:09	460-00-4	
Foluene-d8 (S)	104 %		79-120	1			07/31/08 21:09	1868-53-7	
	99 %		70-120	1		•	07/31/08 21:09 07/31/08 21:09	1/060-07-0 2027 26 5	
							01101100 21.09	2037-20-5	
Sample: 1118 IRIS A	Lab ID: 922435	53004	Collected: 07/25/0	0.00				_	
Parameters				8 09;4	40 F	Received: 07/	29/08 14:15 M	atrix: Water	
	Results	Units	Report Limit	DF		Prepared	Analyzed	CAS No.	Qual
270 MSSV PAH by SIM SPE	Analytical Method:	: EPA 8270	by SIM Preparation						
cenaphthene			by Sim Freparatio	on Me	ethod:	EPA 3535			
cenaphthylene	ND ug/L		2.0	1	07/	31/08 00:00	08/12/08 00:25	83 33 0	
nthracene	ND ug/L		1.5	1	07/	31/08 00:00	08/12/08 00:25	00-02-9 209 06 0	
enzo(a)anthracene	ND ug/L		0.050	1	07/	31/08 00:00	08/12/08 00:25	200-90-8	
enzo(a)pyrene	ND ug/L		0.10	1	07/	31/08 00:00	08/12/08 00:25	120-12-7	
enzo(b)fluoranthene	ND ug/L		0.20	1	07/	31/08 00:00 (	)8/12/08 00:25	56-55-3	
nzo(g,h,i)perylene	ND ug/L		0.30	1	07/	31/08 00:00 (	08/12/08 00:25	50-32-8	
nzo(k)fluoranthene	ND ug/L		0.20	1	07/		08/12/08 00:25	205-99-2	
	ND ug/L		0.20	1	077		8/12/08 00:25	191-24-2	
	ND ug/L		0.10	1	0773	31/08 00:00 0	8/12/08 00:25	207-08-9	
penz(a,h)anthracene	ND ug/L		0.20		07/3	31/08/00:00 0	8/12/08 00:25	218-01-9	
oranthene	ND ug/L		0.30	1	07/3	31/08 00:00 0	8/12/08 00:25	53-70-3	
lorene	ND ug/L			1	07/3	0 00:00 81/08	8/12/08 00:25 2	206-44-0	
eno(1,2,3-cd)pyrene	ND ug/L		0.31	1	07/3	1/08 00:00 0	8/12/08 00:25 8	6-73-7	
lethylnaphthalene	ND ug/L		0.20	1	07/3	1/08 00:00 0	8/12/08 00:25 1	93-39-5	
lethyinaphthalene	ND ug/L		2.0	1	07/3	1/08/00:00 01	8/12/08 00:25 9	0-12-0	
ohthalene	ND ug/L		2.0	1	07/3	1/08 00:00 08	8/12/08 00:25 9	1-57-6	
enanthrene			1.5	1	07/3	1/08/00:00 08	8/12/08 00:25 9	1-20-3	
enanuirene	AID Leg 9								
ene	ND ug/L ND ug/L		0.20	1	07/3	1/08 00:00 08	3/12/08 00:25 8	5-01-8	

Date: 08/12/2008 05:42 PM

# REPORT OF LABORATORY ANALYSIS

Page 6 of 23

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc..

.

*i*nela

ace Analy www.pacelabs.com

Pace Analytical Services, Inc. 2225 Riverside Dr. Asheville, NC 28804 (828)254-7176 Pace Analytical Services, Inc. 9800 Kincey Ave. Suite 100 Huntersville, NC 28078 (704)875-9092

#### **ANALYTICAL RESULTS**

Project: LAUREL BAY SAMPLING 7/25/08

Pace Project No.: 9224353

Sample: 1118 IRIS A	Lab ID: 9224	353004	Collected: 07/25/	08 09:40	Received: 07	7/29/08 14:15	Matrix: Wate	r
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No	. Qu
8270 MSSV PAH by SIM SPE	Analytical Metho	od: EPA 8	270 by SIM Preparat	iion Meth	od: EPA 3535			
Nitrobenzene-d5 (S)	34 %		50-150	1	07/31/08 00:00	08/12/08 00:25	5 4165-60 <b>-</b> 0	1g
2-Fluorobiphenyl (S)	61 %		50-150	1	07/31/08 00:00	08/12/08 00:25	5 321-60-8	
Terphenyl-d14 (S)	80 %		50-150	1	07/31/08 00:00	08/12/08 00:25	5 1718-51-0	
8260 MSV Low Level	Analytical Metho	xd: EPA 8	260					
Benzene	ND ug/i	-	1.0	1		07/31/08 21:33	71-43-2	
Ethylbenzene	ND ug/L	-	1.0	1		07/31/08 21:33	100-41-4	
Naphthalene	ND ug/L	-	1.0	1		07/31/08 21:33	91-20-3	
Toluene	ND ug/L		1.0	1		07/31/08 21:33	108-88-3	
m&p-Xylene	ND ug/L	-	2.0	1		07/31/08 21:33		
o-Xylene	ND ug/L		1.0	1		07/31/08 21:33		
4-Bromofluorobenzene (S)	98 %		87-109	1		07/31/08 21:33		
Dibromofluoromethane (S)	104 %		85-115	1		07/31/08 21:33		
1,2-Dichloroethane-d4 (S)	106 %		79-120	1		07/31/08 21:33		n
Toluene-d8 (S)	100 %		70-120	1		07/31/08 21:33		5
				·				
Sample: 1118 IRIS B	Lab ID: 9224:	353005	Collected: 07/25/0	8 10:00	Received: 07	/29/08 14:15	Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qua
8270 MSSV PAH by SIM SPE	Analytical Metho	d: EPA 82	70 by SIM Preparati	ion Meth	od: EPA 3535			
Acenaphthene	ND ug/L		2.0	1	07/31/08 00:00	08/12/08 00:49	83-32-9	
Acenaphthylene	ND ug/L		1.5	1	07/31/08 00:00	08/12/08 00:49	208-96-8	
Anthracene	ND ug/L		0.050	1	07/31/08 00:00	08/12/08 00:49	120-12-7	
Benzo(a)anthracene	ND ug/L		0.10	1		08/12/08 00:49		
Benzo(a)pyrene	ND ug/L		0.20	1		08/12/08 00:49		
Benzo(b)fluoranthene	ND ug/L		0.30	1		08/12/08 00:49		
Benzo(g,h,i)perylene	ND ug/L		0.20	1		08/12/08 00:49		
Benzo(k)fluoranthene	ND ug/L		0.20	1		08/12/08 00:49		
Chrysene	ND ug/L		0.10	י 1	07/31/08 00:00			
Dibenz(a,h)anthracene	ND ug/L		0.20					
Fluoranthene	-			1		08/12/08 00:49		
luorene	ND ug/L		0.30	1		08/12/08 00:49		
ndeno(1,2,3-cd)pyrene	ND ug/L		0.31	1	07/31/08 00:00			
	ND ug/L		0.20	1		08/12/08 00:49		
I-Methylnaphthalene	ND ug/L		2.0	1		08/12/08 00:49		
2-Methylnaphthalene	ND ug/L		2.0	1	07/31/08 00:00			
Naphthalene	ND ug/L		1.5		07/31/08 00:00			
Phenanthrene	ND ug/L		0.20		07/31/08 00:00			
<sup>o</sup> yrene	ND ug/L		0.10	1	07/31/08 00:00	08/12/08 00:49	129-00-0	
Nitrobenzene-d5 (S)	72 %		50-150	1	07/31/08 00:00	08/12/08 00:49	4165-60-0	
2-Fluorobiphenyl (S)	73 %		50-150	1	07/31/08 00:00	08/12/08 00:49	321-60-8	
erphenyl-d14 (S)	83 %		50-150	1	07/31/08 00:00	08/12/08 00:49	1718-51-0	
260 MSV Low Level	Analytical Metho	d: EPA 82	60					
Benzene	ND ug/L		1.0	1		07/31/08 21:56	71-43-2	
ate: 08/12/2008 05:42 PM			LABORATORY					Page 7 o

#### **REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc.,



ace Analytical www.pacelabs.com

Pace Analytical Services, Inc. 2225 Riverside Dr. Asheville, NC 28804 (828)254-7176

Pace Analytical Services, Inc. 9800 Kincey Ave. Suite 100 Huntersville, NC 28078 (704)875-9092

÷

# ANALYTICAL RESULTS

Project: LAUREL BAY SAMPLING 7/25/08

Pace Project No.: 9224353

Sample: 1118 IRIS B	Lab ID: 922	4353005	Collected: 07/2	25/08 10	):00 Received:	07/29/08 14:15	Matrix: Water	
Parameters	Results	Units	Report Lim	it Di			CAS No.	0
8260 MSV Low Level	Analytical Meth	nod: EPA 8						Qua
Ethylbenzene								
Naphthalene	ND ug		1.	0 1		07/31/08 21:5	6 100-41-4	
Toluene	ND ug/		1.	01		07/31/08 21:5		
m&p-Xylene	ND ug/		1.	01		07/31/08 21:5		
o-Xylene	ND ug/		2.	0 1		07/31/08 21:5		
4-Bromofluorobenzene (S)	ND ug/	Ľ	<u>,</u> 1.	0 1		07/31/08 21:5	6 06 47 c	
Dibromofluoromethane (S)	97 %	,	87-10	91		07/31/08 21:5		
1,2-Dichloroethane-d4 (S)	99 %		85-11	51		07/31/08 21:5		
Toluene-d8 (S)	99 %		79-120	) 1				
	100 %		70-120	-		07/31/08 21:50 07/31/08 21:50	3 7060-07-0	
						0110110021.3	2037-20-3	
Sample: 1118 IRIS C	Lab ID: 9224	353006	Collected: 07/25	/08 10	10 Received: /	07/29/08 14:15		
Parameters	Results	Units				J7729/08 14:15	Matrix: Water	
270 MSSV DALLE OUL			Report Limit		Prepared	Analyzed	CAS No.	Qual
270 MSSV PAH by SIM SPE	Analytical Metho	id: EPA 827	70 by SIM Prepara	ation Me	thod: EPA 3535			
cenaphthene	ND ug/L					_		
cenaphthylene	ND ug/L		2.0 1.5	-	07/31/08 00:00	0 08/12/08 01:13	83-32-9	
nthracene	ND ug/L			•	07/31/08 00:00	08/12/08 01:13	208-96-8	
enzo(a)anthracene	0.12 ug/L		0.050	1	07/31/08 00:00	08/12/08 01:13	120-12-7	
enzo(a)pyrene	ND ug/L		0.10	1	07/31/08 00:00	08/12/08 01:13	56-55-3	
enzo(b)fluoranthene	ND ug/L		0.20	1	07/31/08 00:00	08/12/08 01:13	50-32-8	
enzo(g,h,i)perylene	ND ug/L		0.30	1	07/31/08 00:00	08/12/08 01:13	205-99-2	
enzo(k)fluoranthene	ND ug/L		0.20	1	07/31/08 00:00	08/12/08 01:13	191-24-2	
hrysene	0.12 ug/L		0.20	1	07/31/08 00:00	08/12/08 01:13	207-08-9	
ibenz(a,h)anthracene	-		0.10	1	07/31/08 00:00	08/12/08 01:13	218-01-9	
uoranthene	ND ug/L		0.20	1	07/31/08 00:00	08/12/08 01:13	53-70-3	
uorene	ND ug/L		0.30	1	07/31/08 00:00	08/12/08 01:13	206-44-0	
deno(1,2,3-cd)pyrene	ND ug/L		0.31	1	07/31/08 00:00	08/12/08 01:13	86-73-7	
Methylnaphthaiene	ND ug/L		0.20	1	07/31/08 00:00	08/12/08 01:13	193-30 5	
Methylnaphthalene	ND ug/L		2.0	1	07/31/08 00:00	08/12/08 01:13	00 12 0	
phthalene	ND ug/L		2.0	1	07/31/08 00:00	08/12/08 01:13	01 57 0	
enanthrene	ND ug/L		1.5	1	07/31/08 00:00	08/12/08 01:13	91-07-0	
rene	ND ug/L		0.20	1	07/31/08 00:00	08/12/08 01:13	91-20-3	
	ND ug/L		0.10	1	07/31/08 00:00	08/12/08 01:13	85-01-8	
robenzene-d5 (S)	68 %		50-150	1	07/31/08 00.00	08/12/08 01:13	129-00-0	
luorobiphenyl (S)	78 %		50-150	1	07/31/08 00:00	08/12/08 01:13	4165-60-0	
phenyl-d14 (S)	103 %		50-150	1	07/31/08 00:00	08/12/08 01:13	321-60-8	
60 MSV Low Level	Analytical Method:	EPA 8260		•	01101100-00.00	08/12/08 01:13	1718-51-0	
nzene								
ylbenzene	ND ug/L		1.0	1		07/31/08 22:20	71-43-2	
phthalene	ND ug/L		1.0	1		07/31/08 22:20		
Jene	ND ug/L		1.0	1		07/31/08 22:20		
p-Xylene	ND ug/L		1.0	1		07/31/08 22:20		
viene	ND ug/L		2.0	1		07/31/08 22:20		
	ND ug/L		1.0	1		07/31/08 22:20 9		
romofluorobenzene (S)	96 %		1.0	1		()// <b>//////////////////////////////////</b>		

Date: 08/12/2008 05:42 PM

ι,

# REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.. Page 8 of 23

L,



ce Analytica www.pacelebs.com

Pace Analyticur Services, Inc. 2225 Riverside Dr. Asheville, NC 28804 (828)254-7176 Pace Analytical Services, inc. 9800 Kincey Ave. Suile 100 Huntersville, NC 28078 (704)875-9092

## ANALYTICAL RESULTS

Project: LAUREL BAY SAMPLING 7/25/08

Pace Project No.: 9224353

Sample: 1118 IRIS C	Lab ID: 922435	3006	Collected: 07/25/0	08 10:10	Received: 07	7/29/08 14:15	Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method	EPA 826	0					
Dibromofluoromethane (S)	104 %		85-115	1		07/31/08 22:20	1868-53-7	
1,2-Dichloroethane-d4 (S)	104 %		79-120	1		07/31/08 22:20	17060-07-0	
Toluene-d8 (S)	99 %		70-120	1		07/31/08 22:20		
Sample: 1120 IRIS A	Lab ID: 922435	3007	Collected: 07/25/0	08 10:40	Received: 07	7/29/08 14:15	Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV PAH by SIM SPE	Analytical Method:	EPA 827	0 by SIM Preparat	ion Meth	od: EPA 3535			
Acenaphthene	ND ug/L		2.0	1	07/31/08 00:00	08/12/08 01:36	83-32-9	
Acenaphthylene	ND ug/L		1.5	1		08/12/08 01:36		
Anthracene	ND ug/L		0.050	1	07/31/08 00:00	08/12/08 01:36	120-12-7	
Benzo(a)anthracene	ND ug/L		0.10	1		08/12/08 01:36		
Benzo(a)pyrene	ND ug/L		0.20	1		08/12/08 01:36		
Benzo(b)fluoranthene	ND ug/L		0.30	1		08/12/08 01:36		
Benzo(g,h,i)perylene	ND ug/L		0.20	1		08/12/08 01:36		
Benzo(k)fluoranthene	ND ug/L		0.20	1		08/12/08 01:36		
Chrysene	ND ug/L		0.10	1		08/12/08 01:36		
Dibenz(a,h)anthracene	ND ug/L		0.20	1		08/12/08 01:36		
Fluoranthene	ND ug/L		0.30	1		08/12/08 01:36		
Fluorene	ND ug/L		0.31	1		08/12/08 01:36		
Indeno(1,2,3-cd)pyrene	ND ug/L		0.20	1		08/12/08 01:36		
1-Methylnaphthalene	ND ug/L		2.0	1		08/12/08 01:36		
2-Methylnaphthalene	ND ug/L		2.0	1		08/12/08 01:36		
Naphthalene	ND ug/L		1.5	1		08/12/08 01:36		
Phenanthrene	ND ug/L		0.20	1		08/12/08 01:36		
Pyrene	ND ug/L		0.20	1		08/12/08 01:36		
Nitrobenzene-d5 (S)	52 %		50-150	1		08/12/08 01:36		
2-Fluorobiphenyl (S)	53 %		50-150 50-150	1		08/12/08 01:36		
Terphenyl-d14 (S)	63 %		50-150	1		08/12/08 01:36		
8260 MSV Low Level	Analytical Method:	EPA 826	0					
Benzene	ND ug/L		1.0	1		08/01/08 01:31	71-43-2	
Ethylbenzene	ND ug/L		1.0	1		08/01/08 01:31	100-41-4	
Naphthalene	ND ug/L		1.0	1		08/01/08 01:31	91-20-3	
Toluene	ND ug/L		1.0	1		08/01/08 01:31	108-88-3	
m&p-Xylene	ND ug/L		2.0	1		08/01/08 01:31	1330-20-7	
о-Хуlепе	ND ug/L		1.0	1		08/01/08 01:31	95-47-6	
4-Bromofluorobenzene (S)	94 %		87-109	1		08/01/08 01:31	460-00-4	
Dibromofluoromethane (S)	103 %		85-115	1		08/01/08 01:31	1868-53-7	
1,2-Dichloroethane-d4 (S)	103 %		79-120	1		08/01/08 01:31		
Toluene-d8 (S)	101 %		70-120	1		08/01/08 01:31		

Date: 08/12/2008 05:42 PM

## **REPORT OF LABORATORY ANALYSIS**

Page 9 of 23

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc..



Appendix D Analytical Data – Permanent Well Groundwater



## TABLE 4-1

#### SUMMARY OF ANALYTICAL RESULTS FOR GROUNDWATER REPORT OF FINDINGS - LAUREL BAY MILITARY HOUSING MCAS BEAUFORT, SOUTH CAROLINA PAGE 8 OF 12

		282 Birch Road	1118 Iris Lane			
LOCATION	South Carolina	LBTW123	LBMW124	LBMW125	LBMW126	
SAMPLE ID	State Screening	BEA-LB282GW1230210	BEA-LB1118GW1240310	BEA-LB1118GW1250310	BEA-LB1118GW1260310	
SAMPLE DATE	Values <sup>(1)</sup>	20100224	20100302	20100303	20100303	
PAHS (UG/L)						
1-METHYLNAPHTHALENE	10	26.2	0.612 U	1.15 U	1.06 U	
2-METHYLNAPHTHALENE	10	38.8	0.612 U	1.15 U	1.06 U	
ACENAPHTHENE	NC	0.667 U	0.633 U	1.15 U	1.06 U	
ACENAPHTHYLENE	NC	0.43 U	0.408 U	1.15 U	1.06 U	
ANTHRACENE	NC	0.43 U	0.408 U	1.15 U	1.06 U	
BENZO(A)ANTHRACENE	10	0.43 U	0.408 U	1.15 U	1.06 U	
BENZO(A)PYRENE	10	0.43 U	0.408 U	1.15 U	1.06 U	
BENZO(B)FLUORANTHENE	10	0.43 U	0.408 U	1.15 U	1.06 U	
BENZO(G,H,I)PERYLENE	NC	0.43 U	0.408 U	1.15 U	1.06 U	
BENZO(K)FLUORANTHENE	10	0.43 U	0.408 U	1.15 U	1.06 U	
CHRYSENE	10	0.43 U	0.408 U	1.15 U	1.06 U	
DIBENZO(A,H)ANTHRACENE	10	0.43 U	0.408 U	1.15 U	1.06 U	
FLUORANTHENE	NC	0.43 U	0.408 U	1.15 U	1.06 U	
FLUORENE	NC	1.42	0.408 U	1.15 U	1.06 U	
INDENO(1,2,3-CD)PYRENE	NC	0.43 U	0.408 U	1.15 U	1.06 U	
PHENANTHRENE	NC	0.844 J	0.408 U	1.15 U	1.06 U	
PYRENE	NC	0.645 U	0.612 U	1.15 U	1.06 U	
VOCS (UG/L)						
BENZENE	5	0.6 U	0.6 U	0.6 U	0.6 U	
ETHYLBENZENE	700	1.24	0.5 U	0.5 U	0.5 U	
METHYL TERT-BUTYL ETHER <sup>(2)</sup>	40					
NAPHTHALENE	25	31.3	0.5 U	0.5 U	0.5 U	
TOLUENE	1000	0.5 U	0.5 U	0.5 U	0.5 U	
TOTAL XYLENES	10000	3.03	0.6 U	0.6 U	0.6 U	

Appendix E Regulatory Correspondence



BOARD: Paul C. Aughtry, III Chairman

Edwin H. Cooper, III Vice Chairman

Steven G. Kisner Secretary D H E C

Henry C. Scott M. David Mitchell, MD Glenn A. McCall

BOARD:

Coleman F. Buckhouse, MD

C. Earl Hunter, Commissioner Promoting and protecting the health of the public and the environment

16 July 2008

Beaufort Military Complex Family Housing ATTN: Kyle Broadfoot 1510 Laurel Bay Blvd. Beaufort, SC 29906

Re: MCAS – Laurel Bay Housing – 1118 Iris Lane Site ID # 03933 UST Closure Reports received 31 January 2008 Beaufort County

Dear Mr. Broadfoot:

The purpose of this letter is to verify a release of fuel oil at the referenced residence. According to information received by the Department, the source of the release is from past onsite use of fuel oil USTs. To date, initial activities by the facility have included tank removal and soil sampling. Based on the information contained in the closure report, a potential violation of the South Carolina Pollution Control Act has occurred in that there has been an unauthorized release of petroleum to the environment.

Additional assessment activities are required for this site. Specifically the Department requests that a groundwater sample be collected from this site. Please note, the Department approved a groundwater sampling proposal for Laurel Bay submitted by MCAS under separate cover dated 16 June 2008.

Should you have any questions, please contact me at 803-898-3553 (office phone), 803-898-2893 (fax) or bishopma@dhec.sc.gov.

Sincerely,

Michael Bishop, Hydrogeologist Groundwater Quality Section Bureau of Water

cc:

Region 8 District EQC (via pdf) MCAS, Commanding Officer, Attention: S-4 NREAO (William Drawdy) (via pdf) Technical File



C. Earl Hunter, Commissioner Promoting and protecting the health of the public and the environment.

## 10 December 2008

Commanding Officer ATTN: S-4 NREAO (Craig Ehde) MCAS PO Box 55001 Beaufort, SC 29904-5001

Re: MCAS – Laurel Bay Housing –1118 Iris **Site ID # 03933** Groundwater Sampling Results received 6 November 2008 Beaufort County

Dear Mr. Ehde:

The Department has completed review of the referenced document. The submitted analytical results indicates that Benzo(a)anthracene is above the established Risk-Based Screening Levels for Tapwater and additional investigative and/or remedial actions are warranted.

The Department recommends that a permanent groundwater monitoring well be installed to verify the results of the temporary groundwater monitoring well. Please submit the proposal to conduct the necessary assessment and/or remedial measures at this site no later than 29 February 2009.

Should you have any questions, please contact me at 803-896-4179 (office phone), 803-896-6245 (fax) or cookejt@dhec.sc.gov.

Sincerely,

and Cooke

Jan T. Cooke, Hydrogeologist AST Petroleum Restoration & Site Environmental Investigations Section Land Revitalization Division Bureau of Land and Waste Management SC Dept. of Health & Environmental Control

cc: Region 8 District EQC Tri-Command Communities; Attn: Mr. Robert Bible; 600 Laurel Bay Road Beaufort, SC 29906 Technical File BOARD: Paul C. Aughtry, III Chairman Edwin H. Cooper, III

Vice Chairman Steven G. Kisner Secretary



Received 4/14/11

BOARD: Henry C. Scott

M. David Mitchell, MD

Glenn A. McCall

Coleman F. Buckhouse, MD

C. Earl Hunter, Commissioner Promoting and protecting the health of the public and the environment

> Bureau of Land and Waste Management Division of Waste Management

April 6, 2011

Commanding Officer Attention: NREAO Mr. William A. Drawdy United States Marine Corps Air Station Post Office Box 55001 Beaufort, South Carolina 29904-5001

Facility: Marine Corps Air Station, Beaufort EPA ID #: SC1 750 216 169

RE: Review Report of Findings for Laurel Bay Military Housing Area Dated July 2010 and Well Installation and Sampling Work Plan for Laurel Bay Military Housing Dated March 2011

Dear Mr. Drawdy:

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Report of Findings for Laurel Bay Military Housing Area on July 23, 2010 and Addendum to Well Installation and Sampling Work Plan for Laurel Bay Military Housing on March 4, 2011. Heating oil stored in underground storage tanks (USTs) historically heated homes in Laurel Bay. The USTs are no longer used for storing heating oil, and MCAS Beaufort is currently removing these USTs and evaluating their integrity. This Report of Findings and Well Installation and Sampling Work Plan document the groundwater conditions following limited soil sampling and temporary monitoring wells showed evidence of groundwater contamination related to some of the heating oil USTs.

Based on this review, the Department has generated the attached memorandum by Michael W. Danielsen from the Federal Facilities Groundwater Section. The response to the Department's comments may be addressed by submitting revised pages to be inserted into the original document, or by submitting another document. If new or revised pages are submitted, please indicate whether each submitted page is a revision to an existing page in the original document or a new page not contained in the original document. Each revised page should be coded. For example, 32(R-7/30/07) would be page 32, revised 7/30/07. In addition to revisions, please provide a summary of the comment responses and revision pages.

Please note that the Department's review is based on available information provided by the MCAS. Any information found to be contradictory to this decision might require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions regarding this issue, please contact me at (803) 896-6675 or petruslb@dhec.sc.gov.

Sincerely,

а К г

Yal BRIT

Laurel B. Petrus, Environmental Engineer Associate Corrective Action Engineering Section

Attachments

cc: Michael W. Danielsen, Hydrogeologist Russell Berry, EQC Region 8 Dan Owens, NAVFAC SE



South Carolina Department of Health and Environmental Control Federal Facilities Groundwater Section 2600 Bull Street Columbia, SC 29201 Telephone (803) 896-4000 Fax (803) 896-4002

## MEMORANDUM

- TO: Laurel Petrus, Environmental Engineer Associate Corrective Action Engineering Section Division of Waste Management Bureau of Land and Waste Management
- FROM: Michael W. Danielsen, Hydrogeologist Federal Facilities Groundwater Section Division of Waste Management Bureau of Land and Waste Management

Mut

- **DATE:** April 5, 2011
- RE: Marine Corps Air Station (MCAS) Beaufort, South Carolina SC1 750 216 169

Report of Findings for Laurel Bay Military Housing Area Dated July 2010 (Received July 23, 2010)

Addendum to Well Installation and Sampling Work Plan for Laurel Bay Military Housing Area Dated March 2011 (Received March 4, 2011)

The above referenced Findings Report provides information from the installation of 35 monitoring wells as part of an ongoing effort to remove underground residential heating oil tanks (USTs) from the Laurel Bay Military Housing Area.

The Addendum to Well Installation and Sampling Work Plan provides the proposed well installation locations and sampling recommended in the Finding Report.

The documents referenced above have been reviewed with respect to the S.C. Pollution Control Act 48-1-10 and the S.C. Hazardous Waste Management Act, and other appropriate guidance documents.

Please see the attached comments.

CC: BLWM file # 50500

DDII0107.MWD

Page I of 5

Report of Findings for Laurel Bay Military Housing Area and Addendum to Well Installation and Sampling Work Plan for Laurel Bay Military Housing Area MCAS Federal Facilities Groundwater Section Comments prepared by Michael W. Danielsen April 5, 2011

## **Report of Findings for Laurel Bay Military Housing Area**

## 1. Page 11 Section 6.0, Recommendations

This section recommends no further action (NFA), annual monitoring, or expansion of the monitoring well network as follows:

NFA for:

- 201 Balsam Street,
- 390 Acorn Drive,
- 391 Acorn Drive,
- 299 Birch Lane,
- 1118 Iris Lane,

Annual groundwater monitoring for benzene, toluene, ethylene, xylene (BTEX), naphthalene, and polyaromatic hydrocarbons (PAH) at:

- 398 Acorn Drive,
- 388 Acorn Drive,
- 441 Elderberry Lane,
- 282 Birch Road,
- 1054 Gardenia Drive,

Expansion of the monitoring well networks and performance of annual groundwater monitoring for 1-methylnapthalene, 2-methylnapthalene, and/or naphthalene at the following:

- 437 Elderberry Lane- Install three additional monitoring wells downgradient of MW133.
- 1472 Cardinal Lane- Install three additional monitoring wells sidegradient and downgradient of MW130 to bound the contaminant plume.

In addition, all new monitoring wells will be sampled for BTEX, naphthalene, and PAH.