SUMMARY REPORT 392 IRIS LANE (FORMERLY 1131 IRIS LANE) LAUREL BAY MILITARY HOUSING AREA MARINE CORPS AIR STATION BEAUFORT BEAUFORT, SC

> Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid-Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT 392 IRIS LANE (FORMERLY 1131 IRIS LANE) LAUREL BAY MILITARY HOUSING AREA MARINE CORPS AIR STATION BEAUFORT BEAUFORT, SC

> Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid- Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture 10560 Arrowhead Drive, Suite 500 Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016 CTO WE52 JUNE 2021



Summary Report 392 Iris Lane (Formerly 1131 Iris Lane) Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort June 2021

Table of Contents

1.0		. 1
1.1 1.2	BACKGROUND INFORMATION UST REMOVAL AND ASSESSMENT PROCESS	.1 .2
2.0	SAMPLING ACTIVITIES AND RESULTS	. 3
2.1	UST REMOVAL AND SOIL SAMPLING	.3
2.2	SOIL ANALYTICAL RESULTS	.4
2.3	GROUNDWATER SAMPLING	.4
2.4	GROUNDWATER ANALYTICAL RESULTS	.5
3.0	PROPERTY STATUS	. 5
4.0	REFERENCES	. 5

Tables

Table 1	Laboratory Analytical Results - Soil
Table 2	Laboratory Analytical Results - Groundwater

Appendices

- Appendix A Multi-Media Selection Process for LBMH
- Appendix B UST Assessment Report
- Appendix C Laboratory Analytical Report Groundwater
- Appendix D Regulatory Correspondence



List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
СТО	Contract Task Order
COPC	constituents of potential concern
ft	feet
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level



1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 392 Iris Lane (Formerly 1131 Iris Lane). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area



is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service,* (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*



Division (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 392 Iris Lane (Formerly 1131 Iris Lane). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 1131 Iris Lane* (MCAS Beaufort, 2008). The UST Assessment Report is provided in Appendix B. Details regarding the IGWA sampling activities at this site are provided in the *Investigation of Ground Water at Leaking Heating Oil UST Sites Report* (Resolution Consultants, 2008). The laboratory report that includes the pertinent IGWA analytical results for this site is presented in Appendix C.

2.1 UST Removal and Soil Sampling

On August 17, 2007, a single 280 gallon heating oil UST was removed from the front of the house at 392 Iris Lane (Formerly 1131 Iris Lane). The former UST location is indicated in the figure of the UST Assessment Report (Appendix B). The UST was removed, cleaned, and shipped offsite for recycling. There was no visual evidence (i.e., staining or sheen) of



petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 5'8" bgs and a single soil sample was collected from that depth. An additional soil sample was collected from the side of the excavation at depth of 4'8" bgs. The samples were collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base and side of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 392 Iris Lane (Formerly 1131 Iris Lane) were greater than the SCDHEC RBSLs, which indicated further investigation was required. In a letter dated July 16, 2008, SCDHEC requested an IGWA for 392 Iris Lane (Formerly 1131 Iris Lane) to determine if the groundwater was impacted by petroleum COPCs. SCDHEC's request letter is provided in Appendix D.

2.3 Groundwater Sampling

On July 28, 2008, a temporary monitoring well was installed at 392 Iris Lane (Formerly 1131 Iris Lane), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the monitoring well was placed in the same general location as the former heating oil UST. The former UST location is indicated in the figure of the UST Assessment Report (Appendix B). Further details are provided in the *Investigation of Ground Water at Leaking Heating Oil UST Sites Report* (Resolution Consultants, 2008).



The sampling strategy for this phase of the investigation required a one-time sampling event of the temporarily installed monitoring well. Following well installation and development, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of groundwater sampling, the temporary well was abandoned in accordance with the South Carolina Well Standards and Regulations R.61-71 (SCDHEC, 2016). Field forms are provided in the *Investigation of Ground Water at Leaking Heating Oil UST Sites Report* (Resolution Consultants, 2008).

2.4 Groundwater Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 2. A copy of the laboratory analytical data report is included in Appendix C.

The groundwater results collected from 392 Iris Lane (Formerly 1131 Iris Lane) were less than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 2), which indicated that the groundwater was not impacted by COPCs associated with the former UST at concentrations that present a potential risk to human health and the environment.

3.0 PROPERTY STATUS

Based on the analytical results for groundwater, SCDHEC made the determination that NFA was required for 392 Iris Lane (Formerly 1131 Iris Lane). This NFA determination was obtained in a letter dated December 18, 2008. SCDHEC's NFA letter is provided in Appendix D.

4.0 **REFERENCES**

- Marine Corps Air Station Beaufort, 2008. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report 1131 Iris Lane, Laurel Bay Military Housing Area*, January 2008.
- Resolution Consultants, 2008. *Investigation of Ground Water at Leaking Heating Oil UST Sites Report for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, November 2008.



- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 2.0*, April 2013.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.0*, May 2015.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations,* March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.
- South Carolina Department of Health and Environmental Control Bureau of Water, 2016. *R.61-71, Well Standards*, June 2016.

Tables



Table 1

Laboratory Analytical Results - Soil 392 Iris Lane (Formerly 1131 Iris Lane) Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent		Results Samples Collected 08/17/07	
Constituent	SCDHEC RBSLS	1131 Iris Bottom 01	1131 Iris Side 02
Volatile Organic Compounds Analyzed	l by EPA Method 8260B (mg/kg)	•	
Benzene	0.003	0.000133	0.000192
Ethylbenzene	1.15	0.000428	0.000522
Naphthalene	0.036	0.00172	0.00186
Toluene	0.627	0.000383	0.000645
Xylenes, Total	13.01	0.000312	0.000652
Semivolatile Organic Compounds Ana	lyzed by EPA Method 8270D (mg/kg)	-	
Benzo(a)anthracene	0.66	0.129	ND
Benzo(b)fluoranthene	0.66	0.197	ND
Benzo(k)fluoranthene	0.66	0.236	ND
Chrysene	0.66	0.187	ND
Dibenz(a,h)anthracene	0.66	ND	ND

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 and 1.1 (SCDHEC, May 2001 and SCDHEC, February 2011) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligrams per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The soil laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

Table 2Laboratory Analytical Results - Groundwater392 Iris Lane (Formerly 1131 Iris Lane)Laurel Bay Military Housing AreaMarine Corps Air Station BeaufortBeaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾	Site-Specific Groundwater VISLs (µg/L) ⁽²⁾	Results Sample Collected 07/28/08
Volatile Organic Compounds Analyzed	by EPA Method 8260B (μg/L)	
Benzene	5	16.24	ND
Ethylbenzene	700	45.95	ND
Naphthalene	25	29.33	ND
Toluene	1000	105,445	ND
Xylenes, Total	10,000	2,133	ND
Semivolatile Organic Compounds Ana	lyzed by EPA Method 822	70D (µg/L)	
Benzo(a)anthracene	10	NA	ND
Benzo(b)fluoranthene	10	NA	ND
Benzo(k)fluoranthene	10	NA	ND
Chrysene	10	NA	ND
Dibenz(a,h)anthracene	10	NA	ND

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, February 2016).

⁽²⁾ Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of 1x10⁻⁶, a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - Not Applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix C.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

µg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

Appendix A Multi-Media Selection Process for LBMH





Appendix A - Multi-Media Selection Process for LBMH

Appendix B UST Assessment Report



Attachment 1 South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank (UST) Assessment Report

	å	State	Use Only		100
		-74			
Date Received	1.0			-	

Submit Completed Form To: UST Program SCDHEC 2600 Bull Street Columbia, South Carolina 29201 Telephone (803) 896-6240

I. OWNERSHIP OF UST (S)

WIEL Mail	(Corporation, Indiv	Idual, Public Agency, Other)	
Mailing Ad	Beaufort Mil	itary Complex Famil	y Housing
31.	1510 Laurel	Bay Blvd.	
City		State	Zip Code
man Carla	Beaufort	SC	29906
-ica Code	042 270 2205	Telephone Number	Contact Person
			<u> </u>

II. SITE IDENTIFICATION AND LOCATION

Permit I.	.D. # N/A			
acility	Name or Company Site Ide	Actus Lend I	ease, LLC	_
Street Ad	Idress or State Road (as ap	1/3/	IRIS	
1.2.	Beaufort, SC	29906	Beaufort	
JITY		ZIP	County	

Attachment 2 III. INSURANCE INFORMATION

Insurance Statement
The petroleum release reported to DHEC on <u>N/A</u> at Permit ID $\#$ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. This section must be completed.
Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES NO (check one) If you answered YES to the above question, please complete the following information:
My policy provider is: The policy deductible is: The policy limit is:
If you have this type of insurance, please include a copy of the policy with this report.
And
I do/do not (circle one) wish to participate in the Superb Program.

IV. CERTIFICATION (To be signed by the UST owner/operator.)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

To be completed by Notary Public:

Sworn before me this _____ day of _____, 20

(Name)

Notary Public for the state of _______ Please affix State seal if you are commissioned outside South Carolina

V. UST INFORMATION

Tank 1

Tank 2

Tank 3

Tank 4

.

Tank 5

Tank 6

А.	Product(ex. Gas, Kerosene)	#2 Fuel	
B.	Capacity(ex. 1k, 2k)	280 G	
C.	Age		
D.	Construction Material(ex. Steel, FRP)	Steel	
E.	Month/Year of Last Use		1
F.	Depth (ft.) To Base of Tank	68"	
G.	Spill Prevention Equipment Y/N	N	
H.	Overfill Prevention Equipment Y/N	N	
I.	Method of Closure Removed/Filled	Remove 1	
J.	Date Tanks Removed/Filled	alula	-
K.	Visible Corrosion or Pitting Y/N	0/17/07	-
L.	Visible Holes Y/N	N	-

M. Method of disposal for any USTs removed from the ground (attach disposal manifests)

Recycling: Scrap Steel

N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests) Republic- Broadhurst Landfill

Solidification & Subtitle D Landfill

O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST

UST HAD PREVIOUSLY BEEN ABANDONED IN PLACE FILLED WITH SAND.

VI. PIPING INFORMATION

v *. *

. •

Α.	Construction Material(ex. Steel, FRP)
В.	Distance from UST to Dispenser
C.	Number of Dispensers
D.	Type of System Pressure or Suction
E.	Was Piping Removed from the Ground? Y/N
F.	Visible Corrosion or Pitting Y/N
G.	Visible Holes <u>Y/N</u>
H.	Age

Tank 1	Tank 2	Tank 3	Tank 4	Tank 5	Tank 6
Stee/					
NIA					
-0-	e .	a			
Electo	ρ				
Y					
N					
N					

I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

VII. BRIEF SITE DESCRIPTION AND HISTORY

RESIDENTIAL HOME HEATING OIL TANK

VIII. SITE CON TIONS

	Yes	No	Unk
 A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells? If yes, indicate depth and location on the site map. 		×	-2
 B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells? If yes, indicate location on site map and describe the odor (strong, mild, etc.) 		×	
C. Was water present in the UST excavation, soil borings, or trenches? If yes, how far below land surface (indicate location and depth)?		×	
 D. Did contaminated soils remain stockpiled on site after closure? If yes, indicate the stockpile location on the site map. Name of DHEC representative authorizing soil removal: 		×	
3. Was a petroleum sheen or free product detected on any excavation or boring waters? If yes, indicate location and thickness.		x	

IX. SAM LE INFORMATION

Α.

SCDHEC Lab Certification Number DW: 84009002

Sample#	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
						M. Jones	
1	Bottom	5	SANd	68"	8-17-07 -	A. MANUCY	ND
2	SIDE	5	SAND	56"	8-17-07	A MANNEY	ND
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

* = Depth Below the Surrounding Land Surface

SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect <u>and</u> store the samples. Also include the preservative used for each sample. Please use the space provided below.

EPA Method 8260B : Volatile Organic Compounds

- Preservatives: 2 ea. Sodium Bisulfate; 1 ea. Methanol

EPA Method 8270 : Polyaromatic Hydrocarbons

_ No Preservative

X.

One (1) sidewall and one (1) bottom sample were secured from each UST excavation. Samples were stored and shipped in an insulated cooler with wet Ice.

XI. RECEPTC_.S

		Yes	No
А.	Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?		
	If yes, indicate type of receptor, distance, and direction on site map.		×
B.	Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?		
	If yes, indicate type of well, distance, and direction on site map.		V
C.	Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?		
	If yes, indicate type of structure, distance, and direction on site map.		1
D.	Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination?		
	If yes, indicate the type of utility, distance, and direction on the site map.		~
Ξ.	Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?		1
	If yes, indicate the area of contaminated soil on the site map.		

.

SITE MAP

You must supply a <u>scaled</u> site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)

IJI A_B TANK I BASE 68'' LANE	
A_B TANK I BASE 68''	
LANE /	
56'' E @ 68'' N	
	<u>G INC.</u>
	EP(







SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	SB-1	SB-2	SB-3	SB-4	SB-5	SB-6	SB-7	SB-8
Benzene								
Toluene				1				
Ethylbenzene				1				
Xylenes								
Naphthalene								
Benzo(a)anthracene								
Benzo(b)flouranthene		1			1			
Benzo(k)flouranthene								
Chrysene								
Dibenz(a,h)anthracene								
TPH (EPA 3550)	1							

CoC	SB-9	SB-10	SB-11	SB-12	SB-13	SB-14	SB-15	SB-16
Benzene								
Toluene								
Ethylbenzene								
Xylenes		1						
Naphthalene								
Benzo(a)anthracene								
Benzo(b)flouranthene								
Benzo(k)flouranthene					2			
Chrysene								
Dibenz(a,h)anthracene								
ГРН (ЕРА 3550)								

SUMMARY OF ANALYSIS RESULTS (cont'd)

NIA

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000	81 			
Total BTEX	N/A				
МТВЕ	40				
Naphthalene	25				
Benzo(a)anthracene	10				
Benzo(b)flouranthene	10				
Benzo(k)flouranthene	10				
Chrysene	10				
Dibenz(a,h)anthracen e	10				
EDB	.05				
1,2-DCA	.05				
Lead	Site specific				

ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

> (Attach Certified Analytical Results and Chain-of-Custody Here) (Please see Form #4)

Client Name Address	EPG	;							с	lient	#:	_		_	-	Proie	act Nat	me:)	ALL	REI	sining (RAV	/		annan 2006 a thay an ann an ann ann
City/State/Zip Code						<u></u> .											Projec	.	E	2-2	26	.7.	un	and the second se		and days farming an Lorence and new Charles (2) 2100
Project Manager	Joh	MA	hor	ner	1	¥472042 10073					2 Manufacture and	and the same	Called Constraints			Site/Lo	cation	ID:				NATE OF STREET	CALIFORNIA AND AND AND	S	tate:	
Telephone Number			e Bristowikow	a patricipation of	i	2401204	F	BX:					o to second according	ça contra a conserva	-	F	Report	To:	$\langle \rangle$	nh	1	M	nh	SIN	PI	/
Sampler Name: (Print Name)	MAC	K	To	ne	5	Saurifinati w			Contrast Callery	INCOMPLO	le (Looka		and Londo and	wate Proto Actions		In	voica	To:		Salard	du se la conse	arbrauces	a Soci and		-1	laisten mensalin manaa ennamerikaranga
Sampler Signature:	Mac	11	05	ne	2	Dont See	Andrea Sertenos	ondraume a	WHO AND A CONT		0 20110		and an	Aminus Patron	990 .		Quote	a 5%.		du binter	undre kaller Prokonstan	man herri senar	Di	Cotto		andlar of the grant in Allen and a strend of the state
	utterningersa militarione	enciety and about these	1		Matrix	Pres	AIVE	ation	8 # of	Cor	ntaine	are gaza	16 176332	1978.S	p	Mart Frankry	An	alvza	For		BUIES CENTS	and a standard		907970, CD 1	13.5806	and the second sec
AT Standard Rush (surcharges may apply) Dats Nooded: Fax Results: Y N SAMPLE ID	Date Sampled	Time Sampled	G = Grab, C = Composite	Field Fittered	SL - Shudge DW - Drinking Water GW - Groundwater S - Soil/Solid WW - Wastewater Specify Other	HNO3	-ICI	KaOH	1 ₂ SO ₄	Normano	Vone		BTEN	Paul FAMPTH-82	11. 82 70	/				/	/		1	1		OC Deliverables None Level 2 (Betch QC) Level 3 Level 4 Other:
1131 1Ris- BOTTOM-01	8-17-7	1:00	G				-	alter e			22		×	x	-					En Solman trip		1	anglerm		32	
91131-18is SiDE-02	8-17.7	1:00	C				A DOLLARDON D		T	1	22	- 2	K	a	1	1				******	T I SHU (SICTORIANS			accelana 1	02	2029-0
1062 GARDENIA -BOTTOM- 01	8.20.7	10:30	G					anje profit. je		1	2:	2	×	8	1	1	1-		- and the second	18 101-00-00	1	1.000	-	6	23	
1062 GARDENIA - S:DE-02	8-20-7	10:30	C							2	2 5	2	R	x	Constant Aug		1			per Statesternin		1		C	54	and Linn Calif York Parallel an and down with married and a second statement of the second second second second
1135-1Ris-Bottom-01	8.20-7	3:00	G			T			T	1	2	2 7	x	x	1	1			-	ne pocesimo-s		1	CTHESE ON LOCAL		25	an the second
1135 12:5 -SIDE - 02	8-20-2	3:00	C		4	T	I		T	1	2	2	K	L	T	1		Ť	SHORE AND A	20, 00000-003000		historican	-	10	56	an the second
1135 1723 Botton.01	8-20.7	3:15	G		Building				1	1	2 2	-1 >	e	K	Conservation of the local division of the lo	1	T			17400 (Class	in a fost rynchastar.	TOWOTLANKS	1	1	77	59995145346000007535996099726997149743
2 1135 112:5-SiDE-02	8-20.7	3:15	C		R				0	19	12	12	. /	R									and a succe	6	28	ner konstanten, et den er om en
Carcine Countries and the country of the	Description of surgraphy.	ALL OF SALWARD THEY ARRING		No.	li and the second se				Τ	T					Art Delivery		over a none		1	na ministrer militeter		199 250 METHOD	and areans		-	an tana kana kana kana kana kana kana ka
				8													T					-			reaction of the	Samuel Section 2
Reinguished by Canone 4	1	B-23. Date:	07	- /< Time:	510	Rece	Tived	The state	32	a	l	1-17	L)	Date:	230.	1 Time	31. A	010	LABC II F	DRATC nit Lab lec La focy Se	DRY CO D Temp b Tem als: 1	DMME p: (p:	NTS: ,G N	N/A	V N
Reingykobberuld	1	Date:		Time!	10F	Rece	ived	By:	UL	AN	A I	11			Date	77-01	Time	2.80	1.4	would	anap	pheu i	by les	I Ame	TICE:	1 14

 $\phi = e$

IestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Client: EPG, INC. PO BOX 1096 MT PLEASANT, SC 29465 Attn: JOHN MAHONEY 4310 East Anderson Road Orlando, FL 32812 * 800-851-2560 * Fax 407-856-0886

Work Order: Project: Project Number: 1

OQH0601 LAUREL BAY : EP-2362 Sampled: 08/17/07-08/20/07 Received: 08/24/07

LABORATORY REPORT

Sample ID: 1131 IRIS BOTTOM 01 - Lab Number: OQH0601-01 - Matrix: Solid/Soil

CAS #	Analyte	Result	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	Ву	Method	Batch	
General	Chemistry Parameters						-14/4/4/4/4					
NA	% Solids	82.7		%,	0.100	0.100	1	08/24/07 16:05	RRP	EPA 160.3	7H24050	
Volatile (71-43-2	Organic Compounds by EPA Benzene	Method 826	OB	ua/ka dru	0.0761	0 200		00/00/07 10 10				
100-41-4	Ethylbenzene	0.135	1	ug/kg dry	0.0701	0.208	1	08/29/07 13:10	JWT	EPA 8260B	7H27020	
)1_20_3	Nonhthalene	0.420		ug/kg dry	0.0880	0.208	1	08/29/07 13:10	JWT	EPA 8260B	7H27020	
08-88-3	Toluene	0.202		ug/kg ury	0.115	0.208	1	08/29/07 13:10	JWT	EPA 8260B	7H27020	
330-20-7	Xylenes total	0.383		ug/kg ary	0.180	0.208	1	08/29/07 13:10	JWT	EPA 8260B	7H27020	
Surrogate.	Dichloroathans d4 (72 1270)	0.312		ug/kg dry	0.108	0.208	1	08/29/07 13:10	JWT	EPA 8260B	7H27020	
Surrogate:	(Bromofluorobanzana (50, 118%)	120 %										
Surrogate - 1	Dibromofluoromethane (55, 145%)	90 70										
urrogate: 1	Coluene_d8 (80-117%)	08 %										
Ceneral	Chemistry Paramatars	90 70										
olids	% Dry Solids	82.7	Sbe	%	0.500	0 500	1	09/24/07 16:05	AED	0111 0 40	7000000	
Polvaron	natic Hydrocarbons by EPA 8	2700	515	7.0	0.500	0.500		08/24/07 10:05	AEB	SW-840	/085830	
3-32-9	Acenaphthene	0.0428	U	mg/kg drv	0.0428	0.0796	1	08/31/07 02:36	RIR	511/846 8270	07085614	
08-96-8	Acenaphthylene	0.0523	U	mg/kg dry	0.0523	0.0796	1	08/31/07 02:36	RLB	SW846 8270	27085614	
20-12-7	Anthracene	0.0475	U	mg/kg dry	0.0475	0.0796	1	08/31/07 02:36	RLB	SW846 8270	C7085614	
6-55-3	Benzo (a) anthracene	0.129		mg/kg dry	0.0439	0.0796	1	08/31/07 02:36	RLB	SW846 8270	27085614	
0-32-8	Benzo (a) pyrene	0.158		mg/kg dry	0.0475	0.0796	1	08/31/07 02:36	RLB	SW/846 8270	7085614	
05-99-2	Benzo (b) fluoranthene	0.197		mg/kg dry	0.0451	0.0796	1	08/31/07 02:36	RLB	SW/846 8270	27085614	
91-24-2	Benzo (g,h,i) perylene	0.0574	I	mg/kg dry	0.0321	0.0796	ī	08/31/07 02:36	RIB	SW/846 8270	27085614	
07-08-9	Benzo (k) fluoranthene	0.236	2	mg/kg dry	0.0546	0.0796	1	08/31/07 02:36	RIR	SW846 8270	7005614	
18-01-9	Chrysene	0.187		mg/kg drv	0.0463	0.0796	1	08/31/07 02:36	RIB	SW040 02700	7005614	
3-70-3	Dibenz (a,h) anthracene	0.0309	U	mg/kg drv	0.0309	0.0796	1	08/31/07 02:36	DID	CW040 02700	7005614	
06-44-0	Fluoranthene	0.0689	I	mg/kg dry	0.0499	0.0796	1	08/31/07 02:36	RIB	SW1246 2270	7005614	
6-73-7	Fluorene	0.0511	U	mg/kg dry	0.0511	0.0796	1	08/31/07 02:36	DID	SW040 02700	7005614	
93-39-5	Indeno (1,2,3-cd) pyrene	0.0618	I	mg/kg dry	0.0404	0.0796	1	08/31/07 02:36	RIB	SW/846 82700	7085614	
1-20-3	Naphthalene	0.0475	U	mg/kg dry	0.0475	0.0796	1	08/31/07 02:30	RLD	SW040 02700	7005614	
5-01-8	Phenanthrene	0.0475	U	mg/kg dry	0.0475	0.0796	1	08/31/07 02:36	DID	SW040 02700	7005614	
29-00-0	Pyrene	0.0891		mg/kg dry	0.0558	0.0796	1	08/31/07 02:36	RIB	SW040 02700	7005614	
0-12-0	1-Methylnaphthalene	0.0428	- U -	mg/kg dry	0.0428	0.0796	1	08/31/07 02:36	DID	CI1046 02700	27085614	
1-57-6	2-Methylnaphthalene	0.0428	U	mg/kg drv	0.0428	0.0796	1	08/31/07 02:36	RIR	SW040 02700	7005614	
irrogate: To	erphenyl-d14 (49-123%)	59 %			010120	2.0120		00/31/07 02.30	KLB	J W 040 02/00	27083014	
errogate: 2-	Fluorobiphenyl (30-93%)	56 %										
errogate: N	itrobenzene-d5 (34-87%)	53.9%										

LABORATORY REPORT Sample ID: 1131 IRIS SIDE 02 - Lab Number: OQH0601-02 - Matrix: Solid/Soil

110.0	1.11		_				Dil	Analyzed			
AS #	Analyte	Result	Q	Units	MDL	PQL	Factor	Date/Time	By	Method	Batch
eneral	Chemistry Parameters									*******	
A	% Solids	81.8		%.	0.100	0.100	1	08/24/07 16:05	RRP	EPA 160.3	7H24050
olatile	Organic Compounds by EPA	A Method 8260	в								
Tes	stAmerica - Orlando, FL										

TestAmerica - Orlando, FI Enid Ortiz For Shali Brown Project Manager iestamerica

THE LEADER IN ENVIRONMENTAL TESTING

Client: EPG, INC. PO BOX 1096 MT PLEASANT, SC 29465 Attn: JOHN MAHONEY 4310 East Anderson Road Orlando, FL 32812 * 800-851-2560 * Fax 407-856-0886

Work Order: Project: Project Number:

OQH0601 LAUREL BAY : EP-2362

Sampled: 08/17/07-08/20/07 Received: 08/24/07

LABORATORY REPORT Sample ID: 1131 IRIS SIDE 02 - Lab Number: OQH0601-02 - Matrix: Solid/Soil

CAS #	Analyte	Result	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	Ву	Method	Batch
Volatile	Organic Compounds by EPA	Method 826	OB								
71-43-2	Benzene	0.192	I	ug/kg dry	0.140	0.384	1	08/29/07 13:29	JWT	EPA 8260B	7H27020
100-41-4	Ethylbenzene	0.522		ug/kg dry	0.162	0.384	1	08/29/07 13:29	JWT	EPA 8260B	7H27020
91-20-3	Naphthalene	1.86		ug/kg dry	0.212	0.384	1	08/29/07 13:29	IWT	EPA 8260B	7H27020
108-88-3	Toluene	0.645		ug/kg dry	0.331	0.384	1	08/29/07 13:29	IWT	EPA 8260B	7427020
1330-20-7	Xylenes, total	0.652		ug/kg dry	0.199	0.384	1	08/29/07 13:29	IWT	EPA 8260B	71127020
Surrogate:	1,2-Dichloroethane-d4 (73-137%)	121 %						00.27.07 15.27	2.01	LI A 8200B	/112/020
Surrogate:	4-Bromofluorobenzene (59-118%)	96 %									
Surrogate: 1	Dibromofluoromethane (55-145%)	108 %									
Surrogate:	Toluene-d8 (80-117%)	98 %									
General Solids	Chemistry Parameters	01.0		04	0.000	2.225					
Polyaran	antie Hudnesenhaus ha EDA	81.8	SPS	70	0.500	0.500	1	08/24/07 16:05	AEB	SW-846	7085830
33-32-9	Acenaphthene	0.0426		mallea due	0.0400	0.0702			-	1000 (1170) - 2 T.T.	
208-96-8	Acenaphthylene	0.0420	11	mg/kg dry	0.0420	0.0792	1	08/31/07 03:02	RLB	SW846 8270	27085614
20-12-7	Anthracene	0.0320	U	mg/kg ury	0.0320	0.0792	1	08/31/07 03:02	RLB	SW846 8270	27085614
6-55-3	Benzo (a) anthracene	0.0475	U II	mg/kg dry	0.0475	0.0792	1	08/31/07 03:02	RLB	SW846 8270	27085614
0-32-8	Benzo (a) pyrene	0.0473	U	mg/kg dry	0.0438	0.0792	1	08/31/07 03:02	RLB	SW846 8270	27085614
05-99-2	Benzo (b) fluoranthene	0.0449	11	mg/kg dry	0.0473	0.0792	1	08/31/07 03:02	RLB	SW846 8270	27085614
91-24-2	Benzo (g,h,i) pervlene	0.0319		mg/kg dry	0.0449	0.0792	1	08/31/07 03:02	RLB	SW846 8270	27085614
07-08-9	Benzo (k) fluoranthene	0.0544	0	mg/kg dry	0.0519	0.0792	1	08/31/07 03:02	RLB	SW846 8270	27085614
18-01-9	Chrysene	0.0461	U	mg/kg dry	0.0344	0.0792	1	08/31/07 03:02	RLB	SW846 8270	27085614
3-70-3	Dibenz (a,h) anthracene	0.0307	U	mg/kg dry	0.0401	0.0792	1	08/31/07 03:02	RLB	SW846 8270	27085614
06-44-0	Fluoranthene	0.0497	11	mg/kg dry	0.0307	0.0792	1	08/31/07 03:02	RLB	SW846 82700	27085614
6-73-7	Fluorene	0.0509	TI I	mg/kg dry	0.0497	0.0792	1	08/31/07 03:02	RLB	SW846 82700	27085614
93-39-5	Indeno (1,2,3-cd) pyrene	0.0402	TT.	mg/kg dry	0.0309	0.0792	1	08/31/07 03:02	RLB	SW846 82700	27085614
1-20-3	Naphthalene	0.0473	IJ	mg/kg dry	0.0402	0.0792	1	08/31/07 03:02	RLB	SW846 82700	27085614
5-01-8	Phenanthrene	0.170	U	mg/kg dry	0.0473	0.0792	1	08/31/07 03:02	RLB	SW846 82700	27085614
29-00-0	Pyrene	0.0556	T1	mg/kg day	0.0475	0.0792	1	08/31/07 03:02	RLB	SW846 82700	27085614
0-12-0	1-Methylnaphthalene	0.179	U	mg/kg dry	0.0330	0.0792	1	08/31/07 03:02	RLB	SW846 82700	27085614
1-57-6	2-Methylnanhthalene	0.173		mg/kg uly	0.0420	0.0792	1	08/31/07 03:02	RLB	SW846 82700	27085614
urrogate . T.	ernhenvl-d14 (49-1230%)	51 02		mg/kg ury	0.0426	0.0792	1	08/31/07 03:02	RLB	SW846 82700	27085614
urrogate ?.	Fluorobiohenvi (30-93%)	51 04		-							
urrogate: N	itrobenzene-d5 (34-87%)	49%									

LABORATORY REPORT

Sample ID: 1062 GARDENIA-BOTTOM 01 - Lab Number: OQH0601-03 - Matrix: Solid/Soil

CAS #	Analyte	Result	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	By	Method	Batch
eneral	Chemistry Parameters										
A	% Solids	90.5		%.	0.100	0.100	1	08/24/07 16:05	RRP	FPA 160 3	7424050
olatile (Organic Compounds by EP	A Method 8260	B						iuu	LI /1 100.5	/1124030
-43-2	Benzene	0.138	U	ug/kg dry	0.138	0.376	1	08/29/07 13:46	IWT	FPA 8260B	7H27020
0-41-4	Ethylbenzene	0.820		ug/kg dry	0.159	0.376	1	08/29/07 13:46	JWT	EPA 8260B	7H27020
										contraction of the second	

TestAmerica - Orlando, FL Enid Ortiz For Shali Brown Project Manager Did You Remember to Include the Following?

- -- Permit ID Number
- -- Sample Collection and Storage Methods
- -- Preservative used in the sample containers
- -- Scaled Site Map with <u>ALL</u> Requested Information
- -- Laboratory Chain-of-Custody Form
- -- Certified Analytical Results
- -- Completed and Notarized Insurance Statement
- -- A Copy of Your Environmental Insurance Policy (if applicable)
- -- Samples from all Dispenser Islands and Piping Runs
- -- Photographs (if available)

Appendix C Laboratory Analytical Report - Groundwater

Pace Analytical Services, Inc. 2225 Riverside Dr. Asheville, NC 28804 (828)254-7176 Pace Analytical Services, Inc. 9800 Kincey Ave. Suite 100 Huntersville, NC 28078 (704)875-9092

ANALYTICAL RESULTS

Project: LAUREL BAY SAMPLING 7/28/08

Pace Project No.: 9224472

Sample: 1146 IRIS A	Lab ID: 9224472012		Collected: 07/28/08 18:50		Received: 07	7/30/08 17:00 Matrix: Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual			
8260 MSV Low Level	Analytical Method: EPA 8260										
Ethylbenzene	ND ug/L	<u>.</u>	1.0	1		08/01/08 22:06	100-41-4				
Naphthalene	3.9 ug/l		1.0	1		08/01/08 22:06	91-20-3				
Toluene	ND ug/L		1.0	1		08/01/08 22:06	108-88-3				
m&p-Xylene	ND ug/L	<u>(</u>	2.0	1		08/01/08 22:06	1330-20-7				
o-Xylene	ND ug/L		1.0	1		08/01/08 22:06	95-47-6				
4-Bromofluorobenzene (S)	97 %	-	87-109	1		08/01/08 22:06	460-00-4				
Dibromofluoromethane (S)	96 %		85-115	1		08/01/08 22:06	1868-53-7				
1,2-Dichloroethane-d4 (S)	99 %		79-120	1		08/01/08 22:06	17060-07-0				
Toluene-d8 (S)	99 %		70-120	1		08/01/08 22:06	2037-26-5				
Sample: 1131 IRIS A	Lab ID: 9224	472013	Collected: 07/28/0	08 18:00	Received: 07	7/30/08 17:00 N	/atrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual			
8270 MSSV PAH by SIM SPE 3510	Analytical Metho	d EPA 82	70 by SIM Preparat	ion Meth	od: EPA 3510		-				
Aconophthono					00. 21 / 00 10	00/40/00 40 57					
Acenaphthelee	ND ug/L	-	2.0	1	07/31/08 00:00	08/12/08 10:57	83-32-9				
Acenaphilitylene	ND ug/L	-	1.5	1	07/31/08 00:00	08/12/08 10:57	208-96-8				
Anunacene Bonzo(a)anthrasana	0.074 ug/L	-	0.050	1	07/31/08 00:00	08/12/08 10:57	120-12-7				
Benzo(a)antinacene	ND ug/L	-	0.10	1	07/31/08 00:00	08/12/08 10:57	56-55-3				
Benzo(a)pyrene	ND ug/L	-	0.20	1	07/31/08 00:00	08/12/08 10:57	50-32-8				
	ND ug/L	-	0.30	1	07/31/08 00:00	08/12/08 10:57	205-99-2				
Benzo(g,ii,i)perviene	ND Ug/L	<u>.</u>	0.20	1	07/31/08 00:00	08/12/08 10:57	191-24-2				
Chrysono	ND ug/L	-	0.20	1	07/31/08 00:00	08/12/08 10:57	207-08-9				
Dibenz(a h)anthracono	ND ug/L	-	0.10	1	07/31/08 00:00	08/12/08 10:57	218-01-9				
Eluoranthono	ND ug/L	-	0.20	1	07/31/08 00:00	08/12/08 10:57	53-70-3				
Fluorene		-	0.30	1	07/31/08 00:00	08/12/08 10:57	206-44-0				
Indeno(1.2.3-cd)pyreno		-11	0.31	1	07/31/08 00:00	08/12/08 10:57	00-73-7 400-00 F				
1-Methylpaphthalene		-3	0.20	1	07/31/08 00:00	08/12/08 10.57	193-39-5				
2-Methylnaphthalene		- 2	2.0	1	07/31/08 00:00	08/12/08 10:57	90-12-0				
Nanhthalene		-2	2.0	1	07/31/08 00:00	08/12/08 10:57	91-57-0				
Phenanthrene			1.5	1	07/31/08 00:00	08/12/08 10:57	91-20-3				
Pyrene	ND ug/L	-0	0.20	1	07/31/08 00:00	00/12/00 10.57	120.00.0				
Nitrobenzene-d5 (S)	56 %		50,150	1	07/31/08 00:00	00/12/00 10.57	129-00-0				
2-Eluorobinhenvl (S)	63.0/		50-150	1	07/31/08 00:00	08/12/08 10:57	221 60 9				
Terphenyl-d14 (S)	63 %		50-150	1	07/31/08 00:00	08/12/08 10:57	1718-51-0				
8260 MSV Low Level	Analytical Metho	od: EPA 826	60								
Benzene	ND ug/L		1.0	1		08/01/08 22:30	71-43-2				
Ethylbenzene	ND ug/L		1.0	1		08/01/08 22:30	100-41-4				
Naphthalene	ND ug/L		1.0	1		08/01/08 22:30	91-20-3				
Toluene	ND ug/L		1.0	1		08/01/08 22:30	108-88-3				
m&p-Xylene	ND ug/L		2.0	1		08/01/08 22:30	1330-20-7				
o-Xylene	ND ug/L		1.0	1		08/01/08 22:30	95-47-6				
4-Bromofluorobenzene (S)	97 %		87-109	1		08/01/08 22:30	460-00-4				

Date: 08/13/2008 05:36 PM

REPORT OF LABORATORY ANALYSIS

Page 15 of 38

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc. 2225 Riverside Dr. Asheville, NC 28804 (828)254-7176 Pace Analytical Services, Inc. 9800 Kincey Ave. Suite 100 Huntersville, NC 28078 (704)875-9092

ANALYTICAL RESULTS

Project: LAUREL BAY SAMPLING 7/28/08

Pace Project No.: 9224472

Sample: 1131 IRIS A	Lab ID: 9224472013		Collected: 07/28/08 18:00		Received: 07/30/08 17:00 Matrix: Water					
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual		
8260 MSV Low Level	Analytical Method: EPA 8260									
Dibromofluoromethane (S)	96 %		85-115	1		08/01/08 22:30	1868-53-7			
1,2-Dichloroethane-d4 (S)	100 %		79-120	1		08/01/08 22:30	17060-07-0			
Toluene-d8 (S)	99 %		70-120	1		08/01/08 22:30	2037-26-5			
Sampley 1197 IDIS A		170044	0 11 1 1 07100/0			100100 17 00 h				
Sample: 1127 IRIS A	Lab ID: 9224	472014	Collected: 07/28/0)8 17:45	Received: 07	/30/08 17:00 N	latrix: vvater			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual		
8270 MSSV PAH by SIM SPE 3510	Analytical Method: EPA 8270 by SIM Preparation Method: EPA 3510									
Acenaphthene	ND ug/	L	2.0	1	07/31/08 00:00	08/12/08 13:39	83-32-9			
Acenaphthylene	ND ug/	L	1.5	1	07/31/08 00:00	08/12/08 13:39	208-96-8			
Anthracene	0.086 ug/	<u> </u>	0.050	1	07/31/08 00:00	08/12/08 13:39	120-12-7			
Benzo(a)anthracene	0.10 ug/	L	0.10	1	07/31/08 00:00	08/12/08 13:39	56-55-3			
Benzo(a)pyrene	ND ug/	1	0.20	1	07/31/08 00:00	08/12/08 13:39	50-32-8			
Benzo(b)fluoranthene	ND ug/		0.30	1	07/31/08 00:00	08/12/08 13:39	205-99-2			
Benzo(g,h,i)perylene	ND ug/	ī.	0.20	1	07/31/08 00:00	08/12/08 13:39	191-24-2			
Benzo(k)fluoranthene	ND ug/	L.	0.20	1	07/31/08 00:00	08/12/08 13:39	207-08-9			
Chrysene	ND ug/		0.20	1	07/31/08 00:00	08/12/08 13:39	218-01-9			
Dibenz(a,h)anthracene	ND ug/	i.	0.10	1	07/31/08 00:00	08/12/08 13:39	53-70-3			
Fluoranthene	ND ug/	 Ú.	0.20	1	07/31/08 00:00	08/12/08 13:30	206-44-0			
Eluorene	ND ug/		0.30	4	07/31/08 00:00	00/12/00 13:39	200-44-0			
Indeno(1.2.3-cd)pyrene	ND ug/I		0.31	1	07/21/08 00:00	00/12/00 13:39	102 20 5			
1-Methylnanhthalene	ND ug/	<u> </u>	0.20	4	07/31/08 00:00	08/12/08 13:39	193-39-3			
2-Methylnaphthalene			2.0	1	07/31/08 00:00	08/12/08 13:39	90-12-0			
Naphthalana			2.0	1	07/31/08 00:00	08/12/08 13:39	91-57-6			
Depenthrone	ND ug/I		1.5	1	07/31/08 00:00	08/12/08 13:39	91-20-3			
Prienanumene	ND ug/I	_	0.20	1	07/31/08 00:00	08/12/08 13:39	85-01-8			
Pyrene	ND ug/I		0.10	1	07/31/08 00:00	08/12/08 13:39	129-00-0			
Nitrobenzene-d5 (S)	70 %		50-150	1	07/31/08 00:00	08/12/08 13:39	4165-60-0			
2-Fluorobiphenyl (S)	72 %		50-150	1	07/31/08 00:00	08/12/08 13:39	321-60-8			
Terphenyl-d14 (S)	95 %		50-150	1	07/31/08 00:00	08/12/08 13:39	1718-51-0			
8260 MSV Low Level	Analytical Metho	od: EPA 82	260							
Benzene	ND ug/l		1.0	1		08/01/08 22:54	71-43-2			
Ethylbenzene	ND ug/l	-	1.0	1		08/01/08 22:54	100-41-4			
Naphthalene	ND ug/l		1.0	1		08/01/08 22:54	91-20-3			
Toluene	ND ug/l	- 1	1.0	1		08/01/08 22:54	108-88-3			
m&p-Xylene	ND ug/l	-	2.0	1		08/01/08 22:54	1330-20-7			
o-Xylene	ND ug/l		1.0	1		08/01/08 22:54	95-47-6			
4-Bromofluorobenzene (S)	96 %		87-109	1		08/01/08 22:54	460-00-4			
Dibromofluoromethane (S)	96 %		85-115	1		08/01/08 22:54	1868-53-7			
1,2-Dichloroethane-d4 (S)	100 %		79-120	1		08/01/08 22:54	17060-07-0			
Toluene-d8 (S)	99 %		70-120	1		08/01/08 22:54	2037-26-5			

Date: 08/13/2008 05:36 PM

REPORT OF LABORATORY ANALYSIS

Page 16 of 38

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc..

Appendix D Regulatory Correspondence

BOARD: Paul C. Aughtry, III Chairman

Edwin H. Cooper, III Vice Chairman

Steven G. Kisner Secretary

BOARD: Henry G. Scott M. David Mitchell, MD Glenn A. McCall Coleman F. Buckhouse, MD

C. Earl Hunter, Commissioner Promoting and protecting the health of the public and the environment

16 July 2008

Beaufort Military Complex Family Housing ATTN: Kyle Broadfoot 1510 Laurel Bay Blvd. Beaufort, SC 29906

Re: MCAS – Laurel Bay Housing – 1131 Iris Lane Site ID # 03938 UST Closure Reports received 31 January 2008 Beaufort County

Dear Mr. Broadfoot:

The purpose of this letter is to verify a release of fuel oil at the referenced residence. According to information received by the Department, the source of the release is from past onsite use of fuel oil USTs. To date, initial activities by the facility have included tank removal and soil sampling. Based on the information contained in the closure report, a potential violation of the South Carolina Pollution Control Act has occurred in that there has been an unauthorized release of petroleum to the environment.

Additional assessment activities are required for this site. Specifically the Department requests that a groundwater sample be collected from this site. Please note, the Department approved a groundwater sampling proposal for Laurel Bay submitted by MCAS under separate cover dated 16 June 2008.

Should you have any questions, please contact me at 803-898-3553 (office phone), 803-898-2893 (fax) or bishopma@dhec.sc.gov.

Sincerely,

Michael Bishop, Hydrogeologist Groundwater Quality Section Bureau of Water

çc:

Region 8 District EQC (via pdf) MCAS, Commanding Officer, Attention: S-4 NREAO (William Drawdy) (via pdf) Technical File

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL 2600 Bull Street • Columbia, SC 29201 • Phone: (803) 898-3432 • www.scdhec.gov

C. Earl Hunter, Commissioner Promoting and protecting the health of the public and the environment.

18 December 2008

Commanding Officer ATTN: S-4 NREAO (Craig Ehde) MCAS PO Box 55001 Beaufort, SC 29904-5001

Re: MCAS – Laurel Bay Housing – 1131 Iris Site ID # 03938 Groundwater Sampling Results received 6 November 2008 **Beaufort County**

Dear Mr. Ehde:

Per the Department's request, a groundwater sample was collected from the referenced site. The groundwater results were reported as non-detect and/or below EPA PRG's. Based on the information and analytical data submitted, the Department recognizes that MCAS has adequately addressed the known environmental contamination identified on the property to date in accordance with the approved scope of work. Consequently, no further investigation is required at this time. Please note, this statement pertains only to the portion of the site addressed in the referenced report and does not apply to other areas of the site and/or any other potential regulatory violations. Further, the Department retains the right to request further investigation if deemed necessary.

Should you have any questions, please contact me at 803-896-4179 (office phone), 803-896-6245 (fax) or cookeit@dhec.sc.gov.

Sincerely, **AST Petroleum Restoration** & Site Environmental Investigations Section Land Revitalization Division Bureau of Land and Waste Management SC Dept. of Health & Environmental Control

an J. Car

Jan T. Cooke, Hydrogeologist

B. Thomas Knight, Manager

CC: **Region 8 District EQC** Tri-Command Communities; Attn: Mr. Robert Bible; 600 Laurel Bay Road Beaufort, SC 29906 **Technical File**