

SUMMARY REPORT
40 JASMINE STREET (FORMERLY 1168 JASMINE STREET)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid-Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT
40 JASMINE STREET (FORMERLY 1168 JASMINE STREET)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid- Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue
Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture
10560 Arrowhead Drive, Suite 500
Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016
CTO WE52
JUNE 2021

Table of Contents

1.0	INTRODUCTION.....	1
1.1	BACKGROUND INFORMATION.....	1
1.2	UST REMOVAL AND ASSESSMENT PROCESS.....	2
2.0	SAMPLING ACTIVITIES AND RESULTS.....	3
2.1	UST REMOVAL AND SOIL SAMPLING	4
2.2	SOIL ANALYTICAL RESULTS.....	4
2.3	INITIAL GROUNDWATER SAMPLING	5
2.4	INITIAL GROUNDWATER ANALYTICAL RESULTS	5
2.5	PERMANENT WELL GROUNDWATER SAMPLING	6
2.6	PERMANENT WELL GROUNDWATER ANALYTICAL RESULTS.....	6
3.0	PROPERTY STATUS	7
4.0	REFERENCES.....	7

Tables

Table 1	Laboratory Analytical Results - Soil
Table 2	Laboratory Analytical Results - Initial Groundwater
Table 3	Laboratory Analytical Results - Permanent Monitoring Well Groundwater

Appendices

Appendix A	Multi-Media Selection Process for LBMH
Appendix B	UST Assessment Reports
Appendix C	Laboratory Analytical Report - Initial Groundwater
Appendix D	Laboratory Analytical Report - Permanent Well Groundwater
Appendix E	Regulatory Correspondence

List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
ft	feet
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level

1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 40 Jasmine Street (Formerly 1168 Jasmine Street). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential heating oil USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with the South Carolina Department of Health and Environmental Control (SCDHEC) to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, February 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*

Division (SCDHEC, February 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, April 2013) and were revised again in Revision 3.0 (SCDHEC, May 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The IGWA sampling process utilizes temporary groundwater sampling points that are typically installed and sampled within the same day. The intent of the sampling point is to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations may require additional delineation of COPCs in groundwater. These sampling points are not subjected to the same installation standards as permanent monitoring wells and, as such; the data obtained from the IGWA wells can sometimes be biased high and is considered preliminary data. In order to confirm the presence of any impact to groundwater, a permanent well is installed where IGWA sampling has indicated the presence of COPCs is in excess of the SCDHEC RBSLs for groundwater. If COPCs are found to be present in the permanent well, additional permanent wells are installed to delineate the extent of impact to groundwater and a sampling program is established. Groundwater analytical results from permanent wells are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 40 Jasmine Street (Formerly 1168 Jasmine Street). The sampling activities at 40 Jasmine Street (Formerly 1168 Jasmine Street) comprised a soil investigation, IGWA sampling and installation and sampling of permanent wells. Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 1168 Jasmine Street* (MCAS Beaufort, March 2009) and the *SCDHEC UST Assessment Report – 1168 Jasmine Street* (MCAS Beaufort, September 2009). The UST Assessment Reports are provided in Appendix B. Details regarding the IGWA sampling activities at this site are provided in the *Initial Groundwater Investigation Report – July 2013* (Resolution Consultants, 2015). The laboratory report that includes the pertinent IGWA

analytical results for this site is presented in Appendix C. Details regarding the permanent well installation and sampling activities at this site are provided in the *Groundwater Assessment Report – November and December 2015* (Resolution Consultants, 2016). The laboratory report that includes the pertinent groundwater analytical results for this site is presented in Appendix D.

2.1 UST Removal and Soil Sampling

In August 2007 and June 2009, two 280 gallon heating oil USTs were removed at 40 Jasmine Street (Formerly 1168 Jasmine Street). Tank 1 was removed on August 13, 2007 from the landscaped area adjacent to the front patio. Tank 2 was removed on June 25, 2009 from the front yard adjacent to the driveway. The former UST locations are indicated on the figures of the UST Assessment Reports (Appendix B). The USTs were removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removals. According to the UST Assessment Reports (Appendix B), the depths to the bases of the USTs were 5'1" bgs (Tank 1) and 4'6" bgs (Tank 2), and a single soil sample was collected for each at that depth. An additional soil sample was collected from a side wall of the excavation for Tank 1. The samples were collected from the fill port side of the former USTs to represent a worst case scenario.

Following UST removals, a soil sample was collected from the bases of the excavations and the side of the excavation of Tank 1 and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data reports are included in the UST Assessment Reports presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST locations (Tank 1 and Tank 2) were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results

collected from the former UST location (Tank 2) at 40 Jasmine Street (Formerly 1168 Jasmine Street) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST (Tank 2) at concentrations that presented a potential risk to human health and the environment. SCDHEC's NFA letter is provided in Appendix E. The soil results collected from the former UST location (Tank 1) at 40 Jasmine Street (Formerly 1168 Jasmine Street) were greater than the SCDHEC RBSLs, which indicated further investigation was required. In a letter dated April 20, 2009, SCDHEC requested an IGWA for 40 Jasmine Street (Formerly 1168 Jasmine Street) to determine if the groundwater was impacted by petroleum COPCs. SCDHEC's request letter is provided in Appendix E.

2.3 Initial Groundwater Sampling

On July 25, 2013, a temporary monitoring well was installed at 40 Jasmine Street (Formerly 1168 Jasmine Street), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the monitoring well was placed in the same general location as the former heating oil UST (Tank 1). The former UST location is indicated on the figures of the UST Assessment Report (Appendix B). Further details are provided in the *Initial Groundwater Investigation Report – July 2013* (Resolution Consultants, 2015).

The sampling strategy for this phase of the investigation required a one-time sampling event of the temporarily installed monitoring well. Following well installation and development, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of groundwater sampling, the temporary well was abandoned in accordance with the South Carolina Well Standards and Regulations R.61-71.H-I (SCDHEC, 2016). Field forms are provided in the *Initial Groundwater Investigation Report – July 2013* (Resolution Consultants, 2015).

2.4 Initial Groundwater Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 2. A copy of the laboratory analytical data report is included in Appendix C.

The groundwater results collected from 40 Jasmine Street (Formerly 1168 Jasmine Street) were greater than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 2), which

indicated further investigation was required. In a letter dated August 6, 2015, SCDHEC requested a permanent well be installed for 40 Jasmine Street (Formerly 1168 Jasmine Street) to confirm the impact to groundwater detected in the temporary well sample. SCDHEC's request letter is provided in Appendix E.

2.5 Permanent Well Groundwater Sampling

In December 2015, four permanent monitoring wells were installed at 40 Jasmine Street (Formerly 1168 Jasmine Street), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). MW01 was installed on December 10, 2015. MW02, MW03 and MW04 were installed on December 9, 2015. In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, MW01 was placed in the same general location as the former heating oil UST (Tank 1) and the IGWA sample location. The former UST location is indicated on the figures of the UST Assessment Report (Appendix B). MW02, MW03 and MW04 were placed around the property to delineate the extent of groundwater impact from the former heating oil tank. Further details are provided in the *Groundwater Assessment Report – November and December 2015* (Resolution Consultants, 2016).

The sampling strategy for this phase of the investigation required a one-time sampling event of the permanent monitoring wells. Following well installation and development, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Field forms are provided in the *Groundwater Assessment Report – November and December 2015* (Resolution Consultants, 2016).

2.6 Permanent Well Groundwater Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 3. A copy of the laboratory analytical data report is included in Appendix D.

The groundwater results collected from 40 Jasmine Street (Formerly 1168 Jasmine Street) were less than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 3), which indicated that the groundwater was not impacted by COPCs associated with the former USTs at concentrations that present a potential risk to human health and the environment.

3.0 PROPERTY STATUS

Based on the analytical results for soil collected for Tank 2 and groundwater collected from the permanent monitoring wells for Tank 1, SCDHEC made the determination that NFA was required for 40 Jasmine Street (Formerly 1168 Jasmine Street). This NFA determination was obtained in letters dated March 11, 2010 and July 21, 2016. SCDHEC's NFA letters are provided in Appendix E.

4.0 REFERENCES

Marine Corps Air Station Beaufort, March 2009. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 1168 Jasmine Street, Laurel Bay Military Housing Area*, March 2009.

Marine Corps Air Station Beaufort, September 2009. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 1168 Jasmine Street, Laurel Bay Military Housing Area*, September 2009.

Resolution Consultants, 2015. *Initial Groundwater Investigation Report – July 2013 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, June 2015.

Resolution Consultants, 2016. *Groundwater Assessment Report – November and December 2015 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, June 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

South Carolina Department of Health and Environmental Control Bureau of Water, 2016. *R.61-71, Well Standards*, June 2016.

Tables

Table 1
Laboratory Analytical Results - Soil
40 Jasmine Street (Formerly 1168 Jasmine Street)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾	Results Samples Collected 08/13/07 and 06/25/09		
		1168 Jasmine- Bottom-01 08/13/07	1168 Jasmine- Side-02 08/13/07	1168 Jasmine 06/25/09
Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)				
Benzene	0.003	ND	ND	ND
Ethylbenzene	1.15	ND	ND	ND
Naphthalene	0.036	0.000317	ND	0.00792
Toluene	0.627	ND	0.000286	ND
Xylenes, Total	13.01	ND	ND	ND
Semivolatile Organic Compounds Analyzed by EPA Method 8270 (mg/kg)				
Benzo(a)anthracene	0.066	0.0744	ND	ND
Benzo(b)fluoranthene	0.066	0.0916	ND	ND
Benzo(k)fluoranthene	0.066	0.0268	ND	ND
Chrysene	0.066	0.0668	ND	ND
Dibenz(a,h)anthracene	0.066	ND	ND	ND

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 (SCDHEC, May 2001).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligrams per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The soil laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

Table 2
Laboratory Analytical Results - Initial Groundwater
40 Jasmine Street (Formerly 1168 Jasmine Street)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾	Site-Specific Groundwater VISLs ⁽²⁾	Results Sample Collected 07/26/13
Volatile Organic Compounds Analyzed by EPA Method 8260B (µg/L)			
Benzene	5	16.24	0.39
Ethylbenzene	700	45.95	88
Naphthalene	25	29.33	240
Toluene	1000	105,445	0.18
Xylenes, Total	10,000	2,133	38
Semivolatile Organic Compounds Analyzed by EPA Method 8270D (µg/L)			
Benzo(a)anthracene	10	NA	ND
Benzo(b)fluoranthene	10	NA	ND
Benzo(k)fluoranthene	10	NA	ND
Chrysene	10	NA	ND
Dibenz(a,h)anthracene	10	NA	ND

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0 (SCDHEC, April 2013).

⁽²⁾ Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of 1×10^{-6} , a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - not applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix C.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

µg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

Table 3
Laboratory Analytical Results - Permanent Well Groundwater
40 Jasmine Street (Formerly 1168 Jasmine Street)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾	Site-Specific Groundwater VISLs ⁽²⁾	Results Samples Collected 12/17/15			
			MW01	MW02	MW03	MW04
Volatile Organic Compounds Analyzed by EPA Method 8260B (µg/L)						
Benzene	5	16.24	ND	ND	ND	ND
Ethylbenzene	700	45.95	0.71	ND	ND	ND
Naphthalene	25	29.33	1.9	ND	ND	ND
Toluene	1000	105,445	ND	ND	ND	ND
Xylenes, Total	10,000	2,133	ND	ND	ND	ND
Semivolatile Organic Compounds Analyzed by EPA Method 8270D (µg/L)						
Benzo(a)anthracene	10	NA	ND	ND	ND	ND
Benzo(b)fluoranthene	10	NA	ND	ND	ND	ND
Benzo(k)fluoranthene	10	NA	ND	ND	ND	ND
Chrysene	10	NA	ND	ND	ND	ND
Dibenz(a,h)anthracene	10	NA	ND	ND	ND	ND

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0 (SCDHEC, May 2015).

⁽²⁾ Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of 1×10^{-6} , a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - not applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix D.


RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

µg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

Appendix A
Multi-Media Selection Process for LBMH



Appendix A - Multi-Media Selection Process for LBMH

Appendix B
UST Assessment Reports

Attachment 1
South Carolina Department of Health and Environmental Control (SCDHEC)
Underground Storage Tank (UST) Assessment Report

Date Received	State Use Only
----------------------	-----------------------

Submit Completed Form To:
UST Program
SCDHEC
2600 Bull Street
Columbia, South Carolina 29201
Telephone (803) 896-6240

I. OWNERSHIP OF UST (S)

Owner Name (Corporation, Individual, Public Agency, Other)		
Beaufort Military Complex Family Housing		
Mailing Address		
1510 Laurel Bay Blvd.		
City	State	Zip Code
Beaufort	SC	29906
Area Code	Telephone Number	Contact Person
843-379-3305		Luke Asterman

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. # N/A		
Facility Name or Company Site Identifier Actus Lend Lease, LLC		
Street Address or State Road (as applicable) 1168 JASMINE		
City	ZIP	County
Beaufort, SC	29906	Beaufort

III. INSURANCE INFORMATION

Insurance Statement

The petroleum release reported to DHEC on N/A at Permit ID # may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES ☐ NO ☐ (check one)

If you answered YES to the above question, please complete the following information:

My policy provider is: _____
The policy deductible is: _____
The policy limit is: _____

If you have this type of insurance, please include a copy of the policy with this report.

And

I **do/do not** (circle one) wish to participate in the Superb Program.

IV. CERTIFICATION (To be signed by the UST owner/operator.)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

To be completed by Notary Public:

Sworn before me this _____ day of _____, 20____.

(Name)

Notary Public for the state of _____
Please affix State seal if you are commissioned outside South Carolina

V. UST INFORMATION

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity...(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material...(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....

Tank 1	Tank 2	Tank 3	Tank 4	Tank 5	Tank 6
#2 Fuel					
280 G					
Steel					
N					
N					
Removal					
8/13/07					
N					
Y					

- M. Method of disposal for any USTs removed from the ground (attach disposal manifests)

Recycling: Scrap Steel

- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests) Republic- Broadhurst Landfill

Solidification & Subtitle D Landfill

- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST

SMALL PINHOLES WERE PRESENT ALL OVER BOTTOM HALF OF UST.

VI. PIPING INFORMATION

- A. Construction Material..(ex. Steel, FRP).....
- B. Distance from UST to Dispenser.....
- C. Number of Dispensers.....
- D. Type of System Pressure or Suction.....
- E. Was Piping Removed from the Ground? Y/N
- F. Visible Corrosion or Pitting Y/N.....
- G. Visible Holes Y/N.....
- H. Age.....

Tank 1	Tank 2	Tank 3	Tank 4	Tank 5	Tank 6
Steel					
N/A					
-0-					
Y - ELECTRIC Pump					
Y					
N					
N					

- I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

VII. BRIEF SITE DESCRIPTION AND HISTORY

RESIDENTIAL HOME HEATING OIL TANK

VIII. SITE CONDITIONS

	Yes	No	Unk
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells? If yes, indicate depth and location on the site map.		X	
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells? If yes, indicate location on site map and describe the odor (strong, mild, etc.)		X	
C. Was water present in the UST excavation, soil borings, or trenches? If yes, how far below land surface (indicate location and depth)?		X	
D. Did contaminated soils remain stockpiled on site after closure? If yes, indicate the stockpile location on the site map. Name of DHEC representative authorizing soil removal:		X	
E. Was a petroleum sheen or free product detected on any excavation or boring waters? If yes, indicate location and thickness.		X	

IX. SAMPLE INFORMATION

A.

SCDHEC Lab Certification Number DW: 84009002

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
					8-13-7	M. Jones	
1	BOTTOM	S	SAND	61"	8-13-7	A. Marney	ND
2	SIDE	S	SAND	53"	M. Jones	A. Marney	ND
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

* = Depth Below the Surrounding Land Surface

X.

SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

EPA Method 8260B : Volatile Organic Compounds

- Preservatives: 2 ea. Sodium Bisulfate; 1 ea. Methanol

EPA Method 8270 : Polyaromatic Hydrocarbons

- No Preservative

One (1) sidewall and one (1) bottom sample were secured from each UST excavation. Samples were stored and shipped in an insulated cooler with wet Ice.


XI. RECEPTORS

	Yes	No
A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system? If yes, indicate type of receptor, distance, and direction on site map.		X
B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system? If yes, indicate type of well, distance, and direction on site map.		✓
C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system? If yes, indicate type of structure, distance, and direction on site map.		✓
D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? If yes, indicate the type of utility, distance, and direction on the site map.		✓
E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete? If yes, indicate the area of contaminated soil on the site map.		✓

SITE MAP

You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)



A B
TANK I
BASE 61"

JASMINE STREET

TANK I EXCAVATION

A-SOIL TEST SIDE SAMPLE @ 53"

B-SOIL TEST BOTTOM SAMPLE @ 61"



CUSTOMER :

BEAUFORT MILITARY COMPLEX FAMILY HOUSING

SITE ADDRESS :

1168 JASMINE STREET

SCALE :

1/16" = 1'-0"

SUPPLIER :

EPG INC.

DATE :

9/22/2007


EPG INC.

P.O. BOX 1096

MOUNT PLEASANT, SC 29465-1096

1168 JASmine

08-13-07



1168 JASMINE

08-13-2007 16:50

1168
JASMINE

08.18.2007 16:51

SUMMARY OF ANALYSIS RESULTS

N/A

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	SB-1	SB-2	SB-3	SB-4	SB-5	SB-6	SB-7	SB-8
Benzene								
Toluene								
Ethylbenzene								
Xylenes								
Naphthalene								
Benzo(a)anthracene								
Benzo(b)flouranthene								
Benzo(k)flouranthene								
Chrysene								
Dibenz(a,h)anthracene								
TPH (EPA 3550)								

CoC	SB-9	SB-10	SB-11	SB-12	SB-13	SB-14	SB-15	SB-16
Benzene								
Toluene								
Ethylbenzene								
Xylenes								
Naphthalene								
Benzo(a)anthracene								
Benzo(b)flouranthene								
Benzo(k)flouranthene								
Chrysene								
Dibenz(a,h)anthracene								
TPH (EPA 3550)								

SUMMARY OF ANALYSIS RESULTS (cont'd)

N/A

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W-3	W-4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo(a)anthracene	10				
Benzo(b)flouranthene	10				
Benzo(k)flouranthene	10				
Chrysene	10				
Dibenz(a,h)anthracene	10				
EDB	.05				
1,2-DCA	.05				
Lead	Site specific				

ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here)
(Please see Form #4)

Client: EPG, INC.
PO BOX 1096
MT PLEASANT, SC 29465

Work Order: OQH0567
Project: LAUREL BAY
Project Number: EP-2362

Sampled: 08/13/07-08/14/07
Received: 08/23/07

Attn: JOHN MAHONEY

LABORATORY REPORT

Sample ID: 1115 IRIS-SIDE-02 - Lab Number: OQH0567-04 - Matrix: Solid/Soil

CAS #	Analyte	Result	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	By	Method	Batch
Polynuclear Aromatic Hydrocarbons by EPA Method 8270											
1-32-9	Acenaphthene	80.0	U	ug/kg dry	80.0	181	1	09/01/07 00:52	JLS	EPA 8270C	7H27033
18-96-8	Acenaphthylene	106	U	ug/kg dry	106	181	1	09/01/07 00:52	JLS	EPA 8270C	7H27033
10-12-7	Anthracene	57.6	U	ug/kg dry	57.6	181	1	09/01/07 00:52	JLS	EPA 8270C	7H27033
1-55-3	Benzo (a) anthracene	33.2	I	ug/kg dry	19.6	181	1	09/01/07 00:52	JLS	EPA 8270C	7H27033
15-99-2	Benzo (b) fluoranthene	19.0	U	ug/kg dry	19.0	181	1	09/01/07 00:52	JLS	EPA 8270C	7H27033
17-08-9	Benzo (k) fluoranthene	19.0	U	ug/kg dry	19.0	181	1	09/01/07 00:52	JLS	EPA 8270C	7H27033
1-24-2	Benzo (g,h,i) perylene	18.7	U	ug/kg dry	18.7	181	1	09/01/07 00:52	JLS	EPA 8270C	7H27033
1-32-8	Benzo (a) pyrene	22.2	U	ug/kg dry	22.2	181	1	09/01/07 00:52	JLS	EPA 8270C	7H27033
1-12-0	1-Methylnaphthalene	90.7	U	ug/kg dry	90.7	181	1	09/01/07 00:52	JLS	EPA 8270C	7H27033
8-01-9	Chrysene	33.2	I	ug/kg dry	21.6	181	1	09/01/07 00:52	JLS	EPA 8270C	7H27033
1-70-3	Dibenz (a,h) anthracene	23.7	U	ug/kg dry	23.7	181	1	09/01/07 00:52	JLS	EPA 8270C	7H27033
6-44-0	Fluoranthene	40.4	I	ug/kg dry	25.0	181	1	09/01/07 00:52	JLS	EPA 8270C	7H27033
1-73-7	Fluorene	70.7	U	ug/kg dry	70.7	181	1	09/01/07 00:52	JLS	EPA 8270C	7H27033
1-3-39-5	Indeno (1,2,3-cd) pyrene	23.4	U	ug/kg dry	23.4	181	1	09/01/07 00:52	JLS	EPA 8270C	7H27033
1-57-6	2-Methylnaphthalene	77.0	U	ug/kg dry	77.0	181	1	09/01/07 00:52	JLS	EPA 8270C	7H27033
1-20-3	Naphthalene	72.5	U	ug/kg dry	72.5	181	1	09/01/07 00:52	JLS	EPA 8270C	7H27033
1-01-8	Phenanthrene	42.6	U	ug/kg dry	42.6	181	1	09/01/07 00:52	JLS	EPA 8270C	7H27033
1-9-00-0	Pyrene	36.7	U	ug/kg dry	36.7	181	1	09/01/07 00:52	JLS	EPA 8270C	7H27033
surrogate: 2-Fluorobiphenyl (24-121%)		35 %									
surrogate: Nitrobenzene-d5 (19-111%)		31 %									
surrogate: Terphenyl-d14 (44-171%)		39 %	J1								

LABORATORY REPORT

Sample ID: 1168 JASMINE-BOTTOM-01 - Lab Number: OQH0567-05 - Matrix: Solid/Soil

CAS #	Analyte	Result	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	By	Method	Batch
General Chemistry Parameters											
	% Solids	83.3	Q	%	0.100	0.100	1	08/27/07 17:50	RRP	EPA 160.3	7H27039
Volatile Organic Compounds by EPA Method 8260B											
43-2	Benzene	0.123	U	ug/kg dry	0.123	0.337	1	08/24/07 17:45	JLS	EPA 8260B	7H24014
1-41-4	Ethylbenzene	0.143	U	ug/kg dry	0.143	0.337	1	08/24/07 17:45	JLS	EPA 8260B	7H24014
1-20-3	Naphthalene	0.317	I	ug/kg dry	0.186	0.337	1	08/24/07 17:45	JLS	EPA 8260B	7H24014
1-88-3	Toluene	0.291	U	ug/kg dry	0.291	0.337	1	08/24/07 17:45	JLS	EPA 8260B	7H24014
1-0-20-7	Xylenes, total	0.175	U	ug/kg dry	0.175	0.337	1	08/24/07 17:45	JLS	EPA 8260B	7H24014
surrogate: 1,2-Dichloroethane-d4 (73-137%)		115 %									
surrogate: 4-Bromofluorobenzene (59-118%)		103 %									
surrogate: Dibromofluoromethane (55-145%)		110 %									
surrogate: Toluene-d8 (80-117%)		106 %									
Polynuclear Aromatic Hydrocarbons by EPA Method 8270											
1-2-9	Acenaphthene	88.8	U	ug/kg dry	88.8	200	1	09/01/07 01:14	JLS	EPA 8270C	7H27033
1-96-8	Acenaphthylene	117	U	ug/kg dry	117	200	1	09/01/07 01:14	JLS	EPA 8270C	7H27033
1-12-7	Anthracene	63.9	U	ug/kg dry	63.9	200	1	09/01/07 01:14	JLS	EPA 8270C	7H27033
1-5-3	Benzo (a) anthracene	74.4	I	ug/kg dry	21.7	200	1	09/01/07 01:14	JLS	EPA 8270C	7H27033

Client: EPG, INC.
PO BOX 1096
MT PLEASANT, SC 29465
Attn: JOHN MAHONEY

Work Order: OQH0567
Project: LAUREL BAY
Project Number: EP-2362

Sampled: 08/13/07-08/14/07
Received: 08/23/07

LABORATORY REPORT

Sample ID: 1168 JASMINE-BOTTOM-01 - Lab Number: OQH0567-05 - Matrix: Solid/Soil

CAS #	Analyte	Result	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	By	Method	Batch
Polynuclear Aromatic Hydrocarbons by EPA Method 8270 - Cont.											
15-99-2	Benzo (b) fluoranthene	91.6	I	ug/kg dry	21.1	200	1	09/01/07 01:14	JLS	EPA 8270C	7H27033
17-08-9	Benzo (k) fluoranthene	26.8	I	ug/kg dry	21.1	200	1	09/01/07 01:14	JLS	EPA 8270C	7H27033
11-24-2	Benzo (g,h,i) perylene	20.8	U	ug/kg dry	20.8	200	1	09/01/07 01:14	JLS	EPA 8270C	7H27033
13-32-8	Benzo (a) pyrene	50.8	I	ug/kg dry	24.7	200	1	09/01/07 01:14	JLS	EPA 8270C	7H27033
11-12-0	1-Methylnaphthalene	101	U	ug/kg dry	101	200	1	09/01/07 01:14	JLS	EPA 8270C	7H27033
8-01-9	Chrysene	66.8	I	ug/kg dry	24.0	200	1	09/01/07 01:14	JLS	EPA 8270C	7H27033
11-70-3	Dibenz (a,h) anthracene	26.3	U	ug/kg dry	26.3	200	1	09/01/07 01:14	JLS	EPA 8270C	7H27033
16-44-0	Fluoranthene	89.6	I	ug/kg dry	28.8	200	1	09/01/07 01:14	JLS	EPA 8270C	7H27033
11-73-7	Fluorene	78.4	U	ug/kg dry	78.4	200	1	09/01/07 01:14	JLS	EPA 8270C	7H27033
13-39-5	Indeno (1,2,3-cd) pyrene	25.9	U	ug/kg dry	25.9	200	1	09/01/07 01:14	JLS	EPA 8270C	7H27033
15-57-6	2-Methylnaphthalene	85.5	U	ug/kg dry	85.5	200	1	09/01/07 01:14	JLS	EPA 8270C	7H27033
12-20-3	Naphthalene	80.5	U	ug/kg dry	80.5	200	1	09/01/07 01:14	JLS	EPA 8270C	7H27033
11-01-8	Phenanthrene	47.3	U	ug/kg dry	47.3	200	1	09/01/07 01:14	JLS	EPA 8270C	7H27033
11-90-0	Pyrene	98.8	I	ug/kg dry	40.7	200	1	09/01/07 01:14	JLS	EPA 8270C	7H27033
surrogate: 2-Fluorobiphenyl (24-121%)		50 %									
surrogate: Nitrobenzene-d5 (19-111%)		45 %									
surrogate: Terphenyl-d14 (44-171%)		74 %									

LABORATORY REPORT

Sample ID: 1168 JASMINE-SIDE-02 - Lab Number: OQH0567-06 - Matrix: Solid/Soil

AS #	Analyte	Result	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	By	Method	Batch
General Chemistry Parameters											
1	% Solids	86.5	Q	%	0.100	0.100	1	08/27/07 17:50	RRP	EPA 160.3	7H27039
Volatile Organic Compounds by EPA Method 8260B											
143-2	Benzene	0.119	U	ug/kg dry	0.119	0.325	1	08/27/07 12:43	JWT	EPA 8260B	7H24014
141-4	Ethylbenzene	0.137	U	ug/kg dry	0.137	0.325	1	08/27/07 12:43	JWT	EPA 8260B	7H24014
120-3	Naphthalene	0.179	U	ug/kg dry	0.179	0.325	1	08/27/07 12:43	JWT	EPA 8260B	7H24014
1388-3	Toluene	0.286	I	ug/kg dry	0.281	0.325	1	08/27/07 12:43	JWT	EPA 8260B	7H24014
130-20-7	Xylenes, total	0.169	U	ug/kg dry	0.169	0.325	1	08/27/07 12:43	JWT	EPA 8260B	7H24014
surrogate: 1,2-Dichloroethane-d4 (73-137%)		117 %									
surrogate: 4-Bromofluorobenzene (59-118%)		105 %									
surrogate: Dibromofluoromethane (55-145%)		112 %									
surrogate: Toluene-d8 (80-117%)		108 %									
Polynuclear Aromatic Hydrocarbons by EPA Method 8270											
132-9	Acenaphthene	85.6	U	ug/kg dry	85.6	193	1	09/01/07 01:37	JLS	EPA 8270C	7H27033
1196-8	Acenaphthylene	113	U	ug/kg dry	113	193	1	09/01/07 01:37	JLS	EPA 8270C	7H27033
1112-7	Anthracene	61.6	U	ug/kg dry	61.6	193	1	09/01/07 01:37	JLS	EPA 8270C	7H27033
155-3	Benzo (a) anthracene	20.9	U	ug/kg dry	20.9	193	1	09/01/07 01:37	JLS	EPA 8270C	7H27033
1199-2	Benzo (b) fluoranthene	20.3	U	ug/kg dry	20.3	193	1	09/01/07 01:37	JLS	EPA 8270C	7H27033
1108-9	Benzo (k) fluoranthene	20.3	U	ug/kg dry	20.3	193	1	09/01/07 01:37	JLS	EPA 8270C	7H27033
1124-2	Benzo (g,h,i) perylene	20.0	U	ug/kg dry	20.0	193	1	09/01/07 01:37	JLS	EPA 8270C	7H27033
132-8	Benzo (a) pyrene	23.8	U	ug/kg dry	23.8	193	1	09/01/07 01:37	JLS	EPA 8270C	7H27033

Client: EPG, INC.
PO BOX 1096
MT PLEASANT, SC 29465
Attn: JOHN MAHONEY

Work Order: OQH0567
Project: LAUREL BAY
Project Number: EP-2362

Sampled: 08/13/07-08/14/07
Received: 08/23/07

LABORATORY REPORT

Sample ID: 1168 JASMINE-SIDE-02 - Lab Number: OQH0567-06 - Matrix: Solid/Soil

CAS #	Analyte	Result	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	By	Method	Batch
Polynuclear Aromatic Hydrocarbons by EPA Method 8270 - Cont.											
12-0	1-Methylnaphthalene	96.9	U	ug/kg dry	96.9	193	1	09/01/07 01:37	JLS	EPA 8270C	7H27033
18-01-9	Chrysene	23.1	U	ug/kg dry	23.1	193	1	09/01/07 01:37	JLS	EPA 8270C	7H27033
3-70-3	Dibenz (a,h) anthracene	25.4	U	ug/kg dry	25.4	193	1	09/01/07 01:37	JLS	EPA 8270C	7H27033
16-44-0	Fluoranthene	27.8	U	ug/kg dry	27.8	193	1	09/01/07 01:37	JLS	EPA 8270C	7H27033
5-73-7	Fluorene	75.6	U	ug/kg dry	75.6	193	1	09/01/07 01:37	JLS	EPA 8270C	7H27033
13-39-5	Indeno (1,2,3-cd) pyrene	25.0	U	ug/kg dry	25.0	193	1	09/01/07 01:37	JLS	EPA 8270C	7H27033
1-57-6	2-Methylnaphthalene	82.3	U	ug/kg dry	82.3	193	1	09/01/07 01:37	JLS	EPA 8270C	7H27033
1-20-3	Naphthalene	77.6	U	ug/kg dry	77.6	193	1	09/01/07 01:37	JLS	EPA 8270C	7H27033
1-01-8	Phenanthrene	45.6	U	ug/kg dry	45.6	193	1	09/01/07 01:37	JLS	EPA 8270C	7H27033
19-00-0	Pyrene	39.2	U	ug/kg dry	39.2	193	1	09/01/07 01:37	JLS	EPA 8270C	7H27033
surrogate: 2-Fluorobiphenyl (24-121%)		47 %									
surrogate: Nitrobenzene-d5 (19-111%)		44 %									
surrogate: Terphenyl-d14 (44-171%)		70 %									

LABORATORY REPORT

Sample ID: 1166 JASMINE-BOTTOM-1 - Lab Number: OQH0567-07 - Matrix: Solid/Soil

CAS #	Analyte	Result	Q	Units	MDL	PQL	Dil Factor	Analyzed Date/Time	By	Method	Batch
General Chemistry Parameters											
1A	% Solids	82.3	Q	%	0.100	0.100	1	08/27/07 17:50	RRP	EPA 160.3	7H27039
Volatile Organic Compounds by EPA Method 8260B											
143-2	Benzene	0.159	U	ug/kg dry	0.159	0.435	1	08/27/07 13:02	JWT	EPA 8260B	7H24014
104-1-4	Ethylbenzene	0.184	U	ug/kg dry	0.184	0.435	1	08/27/07 13:02	JWT	EPA 8260B	7H24014
120-3	Naphthalene	0.592		ug/kg dry	0.240	0.435	1	08/27/07 13:02	JWT	EPA 8260B	7H24014
108-88-3	Toluene	0.540		ug/kg dry	0.376	0.435	1	08/27/07 13:02	JWT	EPA 8260B	7H24014
130-20-7	Xylenes, total	0.540		ug/kg dry	0.226	0.435	1	08/27/07 13:02	JWT	EPA 8260B	7H24014
surrogate: 1,2-Dichloroethane-d4 (73-137%)		116 %									
surrogate: 4-Bromofluorobenzene (59-118%)		103 %									
surrogate: Dibromofluoromethane (55-145%)		113 %									
surrogate: Toluene-d8 (80-117%)		108 %									
Polynuclear Aromatic Hydrocarbons by EPA Method 8270											
132-9	Acenaphthene	89.9	U	ug/kg dry	89.9	203	1	09/01/07 01:59	JLS	EPA 8270C	7H27033
1396-8	Acenaphthylene	119	U	ug/kg dry	119	203	1	09/01/07 01:59	JLS	EPA 8270C	7H27033
12-7	Anthracene	64.7	U	ug/kg dry	64.7	203	1	09/01/07 01:59	JLS	EPA 8270C	7H27033
155-3	Benzo (a) anthracene	22.0	U	ug/kg dry	22.0	203	1	09/01/07 01:59	JLS	EPA 8270C	7H27033
199-2	Benzo (b) fluoranthene	21.4	U	ug/kg dry	21.4	203	1	09/01/07 01:59	JLS	EPA 8270C	7H27033
108-9	Benzo (k) fluoranthene	21.4	U	ug/kg dry	21.4	203	1	09/01/07 01:59	JLS	EPA 8270C	7H27033
124-2	Benzo (g,h,i) perylene	21.1	U	ug/kg dry	21.1	203	1	09/01/07 01:59	JLS	EPA 8270C	7H27033
132-8	Benzo (a) pyrene	25.0	U	ug/kg dry	25.0	203	1	09/01/07 01:59	JLS	EPA 8270C	7H27033
112-0	1-Methylnaphthalene	102	U	ug/kg dry	102	203	1	09/01/07 01:59	JLS	EPA 8270C	7H27033
101-9	Chrysene	24.3	U	ug/kg dry	24.3	203	1	09/01/07 01:59	JLS	EPA 8270C	7H27033
170-3	Dibenz (a,h) anthracene	26.7	U	ug/kg dry	26.7	203	1	09/01/07 01:59	JLS	EPA 8270C	7H27033
144-0	Fluoranthene	29.2	U	ug/kg dry	29.2	203	1	09/01/07 01:59	JLS	EPA 8270C	7H27033

TestAmerica

ANALYTICAL TESTING CORPORATION

OGH0567

To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?
Compliance Monitoring

Client Name EPG

Client #:

Address:

City/State/Zip Code:

Project Manager: John Mahoney

Telephone Number:

Fax

Sampler Name: (Print Name) MACK JONES

Sampler Signature:

Project Name: LAURE BAY

Project #: EP-2362

Site/Location ID:

State: SC

Report To: John Mahoney

Invoice To:

Quote #:

PO#:

TAT ____ Standard ____ Rush (surcharges may apply)										Matrix		Preservation		& # of Containers		Analyze For:										QC Deliverables	
Date Needed: _____										SL - Sludge DW - Drinking Water GW - Groundwater S - Soil/Solid WW - Wastewater Specify Other		HNO ₃ HCl NaOH		H ₂ SO ₄ Methanol None Other (Specify)		BTEX & NAPHTH 820 PAH 8270										____ None ____ ☒ Level 2 (Batch QC) ____ Level 3 ____ Level 4 Other: _____	
Fax Results: Y N																											
SAMPLE ID		Date Sampled		Time Sampled		G = Grab, C = Composite		Field Filtered																		REMARKS	
1109 IRIS-BOTTOM-01		8-13-7		9:30		G								1 2 2		X X										-01	
1109 IRIS-SIDE-02		8-13-7		9:30		C								1 2 2		X X										-02	
1115 IRIS-BOTTOM-01		8-13-7		12:00		G								1 2 2		X X										-03	
1115 IRIS-SIDE-02		8-13-7		12:00		C								1 2 2		X X										-04	
1166 JASMINE-BOTTOM-01		8-13-7		4:00		G								1 2 2		X X										-05	
1166 JASMINE-SIDE-02		8-13-7		4:00		C								1 2 2		X X										-06	
1166 JASMINE-BOTTOM-01		8-14-7		3:00		G								1 2 2		X X										-07	
1166 JASMINE-SIDE-02		8-14-7		3:00		C								1 2 2		X X										-08	
1166 JASMINE-BOTTOM-01		8-14-7		3:00		G								1 2 2		X X										-09	
1166 JASMINE-SIDE-02		8-14-7		3:00		C								1 2 2		X X										-10	

Special Instructions:

LABORATORY COMMENTS:

Init Lab Temp:

Rec Lab Temp: 4.10

Custody Seals: Y N N/A

Bottles Supplied by Test America: Y N

8626 4331 4942

Method of Shipment: FEDEX TO TH-01/and

Relinquished By:

Date:

Time:

Received By:

Date:

Time:

Relinquished By:

Date:

Time:

Received By:

Date:

Time:

Relinquished By:

Date:

Time:

Received By:

Date:

Time:

Did You Remember to Include the Following?

- **Permit ID Number**
- **Sample Collection and Storage Methods**
- **Preservative used in the sample containers**
- **Scaled Site Map with ALL Requested Information**
- **Laboratory Chain-of-Custody Form**
- **Certified Analytical Results**
- **Completed and Notarized Insurance Statement**
- **A Copy of Your Environmental Insurance Policy
(if applicable)**
- **Samples from all Dispenser Islands and Piping Runs**
- **Photographs (if available)**

South Carolina Department of Health and Environmental Control (SCDHEC)
Underground Storage Tank (UST) Assessment Report

Date Received

State Use Only

Submit Completed Form To:
 UST Program
 SCDHEC
 2600 Bull Street
 Columbia, South Carolina 29201
 Telephone (803) 896-7957

RECEIVED

SEP 23 2009

SITE ASSESSMENT,
 REMEDIATION &
 REVITALIZATION

I. OWNERSHIP OF UST (S)

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)

Owner Name (Corporation, Individual, Public Agency, Other)

P.O. Box 55001

Mailing Address

Beaufort,

South Carolina

29904-5001

City

State

Zip Code

843

228-7317

Craig Ehde

Area Code

Telephone Number

Contact Person

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #

Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC
 Facility Name or Company Site Identifier

1168 Jasmine St., Laurel Bay Military Housing Area

Street Address or State Road (as applicable)

Beaufort,

Beaufort

City

County

III. INSURANCE INFORMATION

Insurance Statement

The petroleum release reported to DHEC on _____ at Permit ID Number _____ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? **YES**____ **NO**____ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: _____

The policy deductible is: _____

The policy limit is: _____

If you have this type of insurance, please include a copy of the policy with this report.

IV. REQUEST FOR SUPERB FUNDING

I **DO** / **DO NOT** wish to participate in the SUPERB Program. (Circle one.)

V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

To be completed by Notary Public:

Sworn before me this _____ day of _____, 20____

(Name)

Notary Public for the state of _____.
Please affix State seal if you are commissioned outside South Carolina

VI. UST INFORMATION

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity..(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material..(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....

1168Jasmine				
Heating oil				
280 gal				
Late 1950s				
Steel				
Mid 1980s				
4'6"				
No				
No				
Removed				
6/25/09				
Yes				
Yes				

- M. Method of disposal for any USTs removed from the ground (attach disposal manifests)
UST 1168Jasmine was removed from the ground and disposed of at a
Subtitle "D" landfill. See Attachment "A."
-
- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)
UST 1168Jasmine had been previously filled with sand by others.
-
- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST
Corrosion, pitting and holes were found through out the tank.
-

VII. PIPING INFORMATION

A. Construction Material..(ex. Steel, FRP).....

B. Distance from UST to Dispenser.....

C. Number of Dispensers.....

D. Type of System Pressure or Suction.....

E. Was Piping Removed from the Ground? Y/N

F. Visible Corrosion or Pitting Y/N.....

G. Visible Holes Y/N.....

H. Age.....

I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

1168Jasmine				
Steel & Copper				
N/A				
N/A				
Suction				
Yes				
Yes				
No				
Late 1950s				

Corrosion and pitting were found on the surface of the steel vent pipe. Copper supply and return lines were sound.

VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

IX. SITE CONDITIONS

	Yes	No	Unk
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells? If yes, indicate depth and location on the site map.		X	
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells? If yes, indicate location on site map and describe the odor (strong, mild, etc.)		X	
C. Was water present in the UST excavation, soil borings, or trenches? If yes, how far below land surface (indicate location and depth)?		X	
D. Did contaminated soils remain stockpiled on site after closure? If yes, indicate the stockpile location on the site map. Name of DHEC representative authorizing soil removal:		X	
E. Was a petroleum sheen or free product detected on any excavation or boring waters? If yes, indicate location and thickness.		X	

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 96012001

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
1168 Jasmine	Excav at fill end	Soil	Sandy clay	4'6"	6/25/09 1115 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

* = Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.

XII. RECEPTORS

	Yes	No
A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system? If yes, indicate type of receptor, distance, and direction on site map.	X	
B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system? If yes, indicate type of well, distance, and direction on site map.		X
C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system? If yes, indicate type of structure, distance, and direction on site map.		X
D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? *Sewer and water. If yes, indicate the type of utility, distance, and direction on the site map.	*X	
E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete? If yes, indicate the area of contaminated soil on the site map.		X

XIII. SITE MAP

You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)



1168 JASMINE ST.

0 125 250 500 750 1,000
 Feet

SBG-EEG, Inc.

Small Business Group, Inc.
 10179 Hwy 78
 Ladson, SC 29456



Ph. (843) 879-0400

Drawn By: L. DiAsio

Dwg Date: July 2009

FIGURE 1: LOCATION MAP
1168 JASMINE ST, LAUREL BAY
MCAS BEAUFORT SC

BROAD RIVER ≈ 565' 



SBG-EEG


10179 HWY 78
LADSON, SC 29456

ph. (843) 879-0400

FIGURE 2 SITE MAP
1168 JASMINE ST., LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE JULY 2009





Picture 1: Location of UST 1168Jasmine.



Picture 2: Crushed UST 1168Jasmine sits atop the pile of sand.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	UST	1168Jasmine						
Benzene		ND						
Toluene		ND						
Ethylbenzene		ND						
Xylenes		ND						
Naphthalene		0.00792 mg/kg						
Benzo (a) anthracene		ND						
Benzo (b) fluoranthene		ND						
Benzo (k) fluoranthene		ND						
Chrysene		ND						
Dibenz (a, h) anthracene		ND						
TPH (EPA 3550)								

CoC								
Benzene								
Toluene								
Ethylbenzene								
Xylenes								
Naphthalene								
Benzo (a) anthracene								
Benzo (b) fluoranthene								
Benzo (k) fluoranthene								
Chrysene								
Dibenz (a, h) anthracene								
TPH (EPA 3550)								

SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here)
(Please see Form #4)

July 10, 2009

2:59:53PM

Client: EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn: Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Nbr: [none]
P/O Nbr: 08087
Date Received: 06/26/09

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
1129 Iris	NSF2552-01	06/22/09 09:45
1138 Iris	NSF2552-02	06/22/09 13:55
1137 Iris	NSF2552-03	06/23/09 11:50
1144 Iris-1	NSF2552-04	06/23/09 15:30
1144 Iris-2	NSF2552-05	06/24/09 09:20
1148 Iris-1	NSF2552-06	06/24/09 11:45
1148 Iris-2	NSF2552-07	06/24/09 13:45
1161 Jasmine	NSF2552-08	06/24/09 13:50
1162 Jasmine	NSF2552-09	06/25/09 09:10
1168 Jasmine	NSF2552-10	06/25/09 11:15

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

Additional Laboratory Comments:

8260B analysis was performed several times at a 50X dilution on sample NSF2552-06 but this proved to be too great a dilution to achieve reportable results. It was determined that reporting the data from the 1X dilution was most representative of the analyte levels present in the sample.

South Carolina Certification Number: 84009001

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.

This report has been electronically signed.

Report Approved By:



Ken A. Hayes

Senior Project Manager

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSF2552-01 (1129 Iris - Soil) Sampled: 06/22/09 09:45								
General Chemistry Parameters								
% Dry Solids	79.4		%	0.500	1	07/02/09 07:50	SW-846	9070070
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00223	1	07/01/09 16:28	SW846 8260B	9064487
Ethylbenzene	0.176		mg/kg dry	0.00223	1	07/01/09 16:28	SW846 8260B	9064487
Naphthalene	1.21		mg/kg dry	0.274	50	07/02/09 17:16	SW846 8260B	9070397
Toluene	ND		mg/kg dry	0.00223	1	07/01/09 16:28	SW846 8260B	9064487
Xylenes, total	0.419		mg/kg dry	0.00556	1	07/01/09 16:28	SW846 8260B	9064487
Surr: 1,2-Dichloroethane-d4 (67-138%)	127 %					07/01/09 16:28	SW846 8260B	9064487
Surr: 1,2-Dichloroethane-d4 (67-138%)	100 %					07/02/09 17:16	SW846 8260B	9070397
Surr: Dibromofluoromethane (75-125%)	110 %					07/01/09 16:28	SW846 8260B	9064487
Surr: Dibromofluoromethane (75-125%)	88 %					07/02/09 17:16	SW846 8260B	9070397
Surr: Toluene-d8 (76-129%)	130 %	ZX				07/01/09 16:28	SW846 8260B	9064487
Surr: Toluene-d8 (76-129%)	113 %					07/02/09 17:16	SW846 8260B	9070397
Surr: 4-Bromofluorobenzene (67-147%)	292 %	ZX				07/01/09 16:28	SW846 8260B	9064487
Surr: 4-Bromofluorobenzene (67-147%)	112 %					07/02/09 17:16	SW846 8260B	9070397
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	ND		mg/kg dry	0.0836	1	07/08/09 19:42	SW846 8270D	9070221
Acenaphthylene	ND		mg/kg dry	0.0836	1	07/08/09 19:42	SW846 8270D	9070221
Anthracene	ND		mg/kg dry	0.0836	1	07/08/09 19:42	SW846 8270D	9070221
Benzo (a) anthracene	ND		mg/kg dry	0.0836	1	07/08/09 19:42	SW846 8270D	9070221
Benzo (a) pyrene	ND		mg/kg dry	0.0836	1	07/08/09 19:42	SW846 8270D	9070221
Benzo (b) fluoranthene	ND		mg/kg dry	0.0836	1	07/08/09 19:42	SW846 8270D	9070221
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0836	1	07/08/09 19:42	SW846 8270D	9070221
Benzo (k) fluoranthene	ND		mg/kg dry	0.0836	1	07/08/09 19:42	SW846 8270D	9070221
Chrysene	ND		mg/kg dry	0.0836	1	07/08/09 19:42	SW846 8270D	9070221
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0836	1	07/08/09 19:42	SW846 8270D	9070221
Fluoranthene	0.182		mg/kg dry	0.0836	1	07/08/09 19:42	SW846 8270D	9070221
Fluorene	0.232		mg/kg dry	0.0836	1	07/08/09 19:42	SW846 8270D	9070221
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0836	1	07/08/09 19:42	SW846 8270D	9070221
Naphthalene	0.138		mg/kg dry	0.0836	1	07/08/09 19:42	SW846 8270D	9070221
Phenanthrene	0.556		mg/kg dry	0.0836	1	07/08/09 19:42	SW846 8270D	9070221
Pyrene	0.155		mg/kg dry	0.0836	1	07/08/09 19:42	SW846 8270D	9070221
1-Methylnaphthalene	0.928		mg/kg dry	0.0836	1	07/08/09 19:42	SW846 8270D	9070221
2-Methylnaphthalene	1.40		mg/kg dry	0.0836	1	07/08/09 19:42	SW846 8270D	9070221
Surr: Terphenyl-d14 (18-120%)	18 %					07/08/09 19:42	SW846 8270D	9070221
Surr: 2-Fluorobiphenyl (14-120%)	17 %					07/08/09 19:42	SW846 8270D	9070221
Surr: Nitrobenzene-d5 (17-120%)	19 %					07/08/09 19:42	SW846 8270D	9070221

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSF2552-02 (1138 Iris - Soil) Sampled: 06/22/09 13:55								
General Chemistry Parameters								
% Dry Solids	79.5		%	0.500	1	07/02/09 07:50	SW-846	9070070
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00205	1	07/01/09 16:57	SW846 8260B	9064487
Ethylbenzene	0.428		mg/kg dry	0.119	50	07/02/09 17:46	SW846 8260B	9070397
Naphthalene	6.74		mg/kg dry	0.297	50	07/02/09 17:46	SW846 8260B	9070397
Toluene	0.00444		mg/kg dry	0.00205	1	07/01/09 16:57	SW846 8260B	9064487
Xylenes, total	0.303		mg/kg dry	0.297	50	07/02/09 17:46	SW846 8260B	9070397
Surr: 1,2-Dichloroethane-d4 (67-138%)	110 %					07/01/09 16:57	SW846 8260B	9064487
Surr: 1,2-Dichloroethane-d4 (67-138%)	104 %					07/02/09 17:46	SW846 8260B	9070397
Surr: Dibromofluoromethane (75-125%)	101 %					07/01/09 16:57	SW846 8260B	9064487
Surr: Dibromofluoromethane (75-125%)	90 %					07/02/09 17:46	SW846 8260B	9070397
Surr: Toluene-d8 (76-129%)	990 %	ZX				07/01/09 16:57	SW846 8260B	9064487
Surr: Toluene-d8 (76-129%)	118 %					07/02/09 17:46	SW846 8260B	9070397
Surr: 4-Bromofluorobenzene (67-147%)	681 %	ZX				07/01/09 16:57	SW846 8260B	9064487
Surr: 4-Bromofluorobenzene (67-147%)	122 %					07/02/09 17:46	SW846 8260B	9070397
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	2.86		mg/kg dry	0.834	10	07/08/09 21:59	SW846 8270D	9070221
Acenaphthylene	ND		mg/kg dry	0.834	10	07/08/09 21:59	SW846 8270D	9070221
Anthracene	1.57		mg/kg dry	0.834	10	07/08/09 21:59	SW846 8270D	9070221
Benzo (a) anthracene	1.84		mg/kg dry	0.834	10	07/08/09 21:59	SW846 8270D	9070221
Benzo (a) pyrene	0.971		mg/kg dry	0.834	10	07/08/09 21:59	SW846 8270D	9070221
Benzo (b) fluoranthene	0.934		mg/kg dry	0.834	10	07/08/09 21:59	SW846 8270D	9070221
Benzo (g,h,i) perylene	ND		mg/kg dry	0.834	10	07/08/09 21:59	SW846 8270D	9070221
Benzo (k) fluoranthene	1.11		mg/kg dry	0.834	10	07/08/09 21:59	SW846 8270D	9070221
Chrysene	2.49		mg/kg dry	0.834	10	07/08/09 21:59	SW846 8270D	9070221
Dibenz (a,h) anthracene	ND		mg/kg dry	0.834	10	07/08/09 21:59	SW846 8270D	9070221
Fluoranthene	5.27		mg/kg dry	0.834	10	07/08/09 21:59	SW846 8270D	9070221
Fluorene	6.65		mg/kg dry	0.834	10	07/08/09 21:59	SW846 8270D	9070221
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.834	10	07/08/09 21:59	SW846 8270D	9070221
Naphthalene	6.33		mg/kg dry	0.834	10	07/08/09 21:59	SW846 8270D	9070221
Phenanthrene	13.2		mg/kg dry	0.834	10	07/08/09 21:59	SW846 8270D	9070221
Pyrene	4.81		mg/kg dry	0.834	10	07/08/09 21:59	SW846 8270D	9070221
1-Methylnaphthalene	28.5		mg/kg dry	0.834	10	07/08/09 21:59	SW846 8270D	9070221
2-Methylnaphthalene	69.8		mg/kg dry	8.34	100	07/08/09 22:22	SW846 8270D	9070221
Surr: Terphenyl-d14 (18-120%)	95 %					07/08/09 21:59	SW846 8270D	9070221
Surr: 2-Fluorobiphenyl (14-120%)	111 %					07/08/09 21:59	SW846 8270D	9070221
Surr: Nitrobenzene-d5 (17-120%)	105 %					07/08/09 21:59	SW846 8270D	9070221

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSF2552-03 (1137 Iris - Soil) Sampled: 06/23/09 11:50								
General Chemistry Parameters								
% Dry Solids	81.6		%	0.500	1	07/02/09 07:50	SW-846	9070070
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00228	1	07/02/09 15:47	SW846 8260B	9070397
Ethylbenzene	ND		mg/kg dry	0.00228	1	07/02/09 15:47	SW846 8260B	9070397
Naphthalene	0.0102		mg/kg dry	0.00569	1	07/02/09 15:47	SW846 8260B	9070397
Toluene	ND		mg/kg dry	0.00228	1	07/02/09 15:47	SW846 8260B	9070397
Xylenes, total	ND		mg/kg dry	0.00569	1	07/02/09 15:47	SW846 8260B	9070397
Surr: 1,2-Dichloroethane-d4 (67-138%)	97 %					07/02/09 15:47	SW846 8260B	9070397
Surr: Dibromofluoromethane (75-125%)	88 %					07/02/09 15:47	SW846 8260B	9070397
Surr: Toluene-d8 (76-129%)	111 %					07/02/09 15:47	SW846 8260B	9070397
Surr: 4-Bromofluorobenzene (67-147%)	110 %					07/02/09 15:47	SW846 8260B	9070397
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	ND		mg/kg dry	0.0820	1	07/08/09 20:05	SW846 8270D	9070221
Acenaphthylene	ND		mg/kg dry	0.0820	1	07/08/09 20:05	SW846 8270D	9070221
Anthracene	ND		mg/kg dry	0.0820	1	07/08/09 20:05	SW846 8270D	9070221
Benzo (a) anthracene	ND		mg/kg dry	0.0820	1	07/08/09 20:05	SW846 8270D	9070221
Benzo (a) pyrene	ND		mg/kg dry	0.0820	1	07/08/09 20:05	SW846 8270D	9070221
Benzo (b) fluoranthene	ND		mg/kg dry	0.0820	1	07/08/09 20:05	SW846 8270D	9070221
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0820	1	07/08/09 20:05	SW846 8270D	9070221
Benzo (k) fluoranthene	ND		mg/kg dry	0.0820	1	07/08/09 20:05	SW846 8270D	9070221
Chrysene	ND		mg/kg dry	0.0820	1	07/08/09 20:05	SW846 8270D	9070221
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0820	1	07/08/09 20:05	SW846 8270D	9070221
Fluoranthene	ND		mg/kg dry	0.0820	1	07/08/09 20:05	SW846 8270D	9070221
Fluorene	ND		mg/kg dry	0.0820	1	07/08/09 20:05	SW846 8270D	9070221
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0820	1	07/08/09 20:05	SW846 8270D	9070221
Naphthalene	ND		mg/kg dry	0.0820	1	07/08/09 20:05	SW846 8270D	9070221
Phenanthrene	ND		mg/kg dry	0.0820	1	07/08/09 20:05	SW846 8270D	9070221
Pyrene	ND		mg/kg dry	0.0820	1	07/08/09 20:05	SW846 8270D	9070221
1-Methylnaphthalene	ND		mg/kg dry	0.0820	1	07/08/09 20:05	SW846 8270D	9070221
2-Methylnaphthalene	ND		mg/kg dry	0.0820	1	07/08/09 20:05	SW846 8270D	9070221
Surr: Terphenyl-d14 (18-120%)	73 %					07/08/09 20:05	SW846 8270D	9070221
Surr: 2-Fluorobiphenyl (14-120%)	63 %					07/08/09 20:05	SW846 8270D	9070221
Surr: Nitrobenzene-d5 (17-120%)	75 %					07/08/09 20:05	SW846 8270D	9070221

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSF2552-04 (1144 Iris-1 - Soil) Sampled: 06/23/09 15:30								
General Chemistry Parameters								
% Dry Solids	82.8		%	0.500	1	07/02/09 07:50	SW-846	9070070
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	0.0145		mg/kg dry	0.00200	1	07/01/09 17:57	SW846 8260B	9064487
Ethylbenzene	0.903		mg/kg dry	0.107	50	07/02/09 18:15	SW846 8260B	9070397
Naphthalene	16.6		mg/kg dry	2.69	500	07/06/09 16:18	SW846 8260B	9070635
Toluene	0.00285		mg/kg dry	0.00200	1	07/01/09 17:57	SW846 8260B	9064487
Xylenes, total	0.785		mg/kg dry	0.269	50	07/02/09 18:15	SW846 8260B	9070397
Surr: 1,2-Dichloroethane-d4 (67-138%)	101 %					07/01/09 17:57	SW846 8260B	9064487
Surr: 1,2-Dichloroethane-d4 (67-138%)	104 %					07/02/09 18:15	SW846 8260B	9070397
Surr: 1,2-Dichloroethane-d4 (67-138%)	101 %					07/06/09 16:18	SW846 8260B	9070635
Surr: Dibromofluoromethane (75-125%)	99 %					07/01/09 17:57	SW846 8260B	9064487
Surr: Dibromofluoromethane (75-125%)	93 %					07/02/09 18:15	SW846 8260B	9070397
Surr: Dibromofluoromethane (75-125%)	98 %					07/06/09 16:18	SW846 8260B	9070635
Surr: Toluene-d8 (76-129%)	274 %	ZX				07/01/09 17:57	SW846 8260B	9064487
Surr: Toluene-d8 (76-129%)	115 %					07/02/09 18:15	SW846 8260B	9070397
Surr: Toluene-d8 (76-129%)	111 %					07/06/09 16:18	SW846 8260B	9070635
Surr: 4-Bromofluorobenzene (67-147%)	673 %	ZX				07/01/09 17:57	SW846 8260B	9064487
Surr: 4-Bromofluorobenzene (67-147%)	128 %					07/02/09 18:15	SW846 8260B	9070397
Surr: 4-Bromofluorobenzene (67-147%)	102 %					07/06/09 16:18	SW846 8260B	9070635
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	2.46		mg/kg dry	0.786	10	07/08/09 22:45	SW846 8270D	9070221
Acenaphthylene	ND		mg/kg dry	0.786	10	07/08/09 22:45	SW846 8270D	9070221
Anthracene	ND		mg/kg dry	0.786	10	07/08/09 22:45	SW846 8270D	9070221
Benzo (a) anthracene	1.19		mg/kg dry	0.786	10	07/08/09 22:45	SW846 8270D	9070221
Benzo (a) pyrene	ND		mg/kg dry	0.786	10	07/08/09 22:45	SW846 8270D	9070221
Benzo (b) fluoranthene	ND		mg/kg dry	0.786	10	07/08/09 22:45	SW846 8270D	9070221
Benzo (g,h,i) perylene	ND		mg/kg dry	0.786	10	07/08/09 22:45	SW846 8270D	9070221
Benzo (k) fluoranthene	ND		mg/kg dry	0.786	10	07/08/09 22:45	SW846 8270D	9070221
Chrysene	1.60		mg/kg dry	0.786	10	07/08/09 22:45	SW846 8270D	9070221
Dibenz (a,h) anthracene	ND		mg/kg dry	0.786	10	07/08/09 22:45	SW846 8270D	9070221
Fluoranthene	3.32		mg/kg dry	0.786	10	07/08/09 22:45	SW846 8270D	9070221
Fluorene	5.80		mg/kg dry	0.786	10	07/08/09 22:45	SW846 8270D	9070221
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.786	10	07/08/09 22:45	SW846 8270D	9070221
Naphthalene	9.18		mg/kg dry	0.786	10	07/08/09 22:45	SW846 8270D	9070221
Phenanthrene	12.4		mg/kg dry	0.786	10	07/08/09 22:45	SW846 8270D	9070221
Pyrene	2.84		mg/kg dry	0.786	10	07/08/09 22:45	SW846 8270D	9070221
1-Methylnaphthalene	30.2		mg/kg dry	0.786	10	07/08/09 22:45	SW846 8270D	9070221
2-Methylnaphthalene	32.6		mg/kg dry	1.96	25	07/09/09 12:52	SW846 8270D	9070221
Surr: Terphenyl-d14 (18-120%)	91 %					07/08/09 22:45	SW846 8270D	9070221
Surr: 2-Fluorobiphenyl (14-120%)	102 %					07/08/09 22:45	SW846 8270D	9070221
Surr: Nitrobenzene-d5 (17-120%)	40 %					07/08/09 22:45	SW846 8270D	9070221

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSF2552-05 (1144 Iris-2 - Soil) Sampled: 06/24/09 09:20								
General Chemistry Parameters								
% Dry Solids	83.3		%	0.500	1	07/02/09 07:50	SW-846	9070070
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	0.244		mg/kg dry	0.110	50	07/02/09 20:43	SW846 8260B	9070397
Ethylbenzene	7.12		mg/kg dry	0.110	50	07/02/09 20:43	SW846 8260B	9070397
Naphthalene	49.4		mg/kg dry	5.52	1000	07/02/09 21:13	SW846 8260B	9070397
Toluene	0.00716		mg/kg dry	0.00234	1	07/01/09 18:26	SW846 8260B	9064487
Xylenes, total	8.27		mg/kg dry	0.276	50	07/02/09 20:43	SW846 8260B	9070397
Surr: 1,2-Dichloroethane-d4 (67-138%)	103 %					07/01/09 18:26	SW846 8260B	9064487
Surr: 1,2-Dichloroethane-d4 (67-138%)	101 %					07/02/09 20:43	SW846 8260B	9070397
Surr: 1,2-Dichloroethane-d4 (67-138%)	105 %					07/02/09 21:13	SW846 8260B	9070397
Surr: Dibromofluoromethane (75-125%)	100 %					07/01/09 18:26	SW846 8260B	9064487
Surr: Dibromofluoromethane (75-125%)	89 %					07/02/09 20:43	SW846 8260B	9070397
Surr: Dibromofluoromethane (75-125%)	95 %					07/02/09 21:13	SW846 8260B	9070397
Surr: Toluene-d8 (76-129%)	1780 %	ZX				07/01/09 18:26	SW846 8260B	9064487
Surr: Toluene-d8 (76-129%)	140 %	ZX				07/02/09 20:43	SW846 8260B	9070397
Surr: Toluene-d8 (76-129%)	116 %					07/02/09 21:13	SW846 8260B	9070397
Surr: 4-Bromofluorobenzene (67-147%)	687 %	ZX				07/01/09 18:26	SW846 8260B	9064487
Surr: 4-Bromofluorobenzene (67-147%)	146 %					07/02/09 20:43	SW846 8260B	9070397
Surr: 4-Bromofluorobenzene (67-147%)	112 %					07/02/09 21:13	SW846 8260B	9070397
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	6.68		mg/kg dry	1.58	10	07/08/09 23:08	SW846 8270D	9070221
Acenaphthylene	ND		mg/kg dry	1.58	10	07/08/09 23:08	SW846 8270D	9070221
Anthracene	2.79		mg/kg dry	1.58	10	07/08/09 23:08	SW846 8270D	9070221
Benzo (a) anthracene	ND		mg/kg dry	1.58	10	07/08/09 23:08	SW846 8270D	9070221
Benzo (a) pyrene	ND		mg/kg dry	1.58	10	07/08/09 23:08	SW846 8270D	9070221
Benzo (b) fluoranthene	ND		mg/kg dry	1.58	10	07/08/09 23:08	SW846 8270D	9070221
Benzo (g,h,i) perylene	ND		mg/kg dry	1.58	10	07/08/09 23:08	SW846 8270D	9070221
Benzo (k) fluoranthene	ND		mg/kg dry	1.58	10	07/08/09 23:08	SW846 8270D	9070221
Chrysene	ND		mg/kg dry	1.58	10	07/08/09 23:08	SW846 8270D	9070221
Dibenz (a,h) anthracene	ND		mg/kg dry	1.58	10	07/08/09 23:08	SW846 8270D	9070221
Fluoranthene	ND		mg/kg dry	1.58	10	07/08/09 23:08	SW846 8270D	9070221
Fluorene	14.7		mg/kg dry	1.58	10	07/08/09 23:08	SW846 8270D	9070221
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	1.58	10	07/08/09 23:08	SW846 8270D	9070221
Naphthalene	3.87		mg/kg dry	1.58	10	07/08/09 23:08	SW846 8270D	9070221
Phenanthrene	29.4		mg/kg dry	1.58	10	07/08/09 23:08	SW846 8270D	9070221
Pyrene	2.72		mg/kg dry	1.58	10	07/08/09 23:08	SW846 8270D	9070221
1-Methylnaphthalene	68.5		mg/kg dry	1.58	10	07/08/09 23:08	SW846 8270D	9070221
2-Methylnaphthalene	75.2		mg/kg dry	3.94	25	07/09/09 13:14	SW846 8270D	9070221
Surr: Terphenyl-d14 (18-120%)	103 %					07/08/09 23:08	SW846 8270D	9070221
Surr: 2-Fluorobiphenyl (14-120%)	124 %	ZX				07/08/09 23:08	SW846 8270D	9070221
Surr: Nitrobenzene-d5 (17-120%)	75 %					07/08/09 23:08	SW846 8270D	9070221

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSF2552-06 (1148 Iris-1 - Soil) Sampled: 06/24/09 11:45								
General Chemistry Parameters								
% Dry Solids	75.5		%	0.500	1	07/02/09 07:50	SW-846	9070070
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	0.139		mg/kg dry	0.00228	1	07/06/09 16:48	SW846 8260B	9070635
Ethylbenzene	1.51	E	mg/kg dry	0.00228	1	07/06/09 16:48	SW846 8260B	9070635
Naphthalene	1.98	E	mg/kg dry	0.00570	1	07/06/09 16:48	SW846 8260B	9070635
Toluene	ND		mg/kg dry	0.00228	1	07/06/09 16:48	SW846 8260B	9070635
Xylenes, total	1.18	E	mg/kg dry	0.00570	1	07/06/09 16:48	SW846 8260B	9070635
Surr: 1,2-Dichloroethane-d4 (67-138%)	100 %					07/06/09 16:48	SW846 8260B	9070635
Surr: Dibromofluoromethane (75-125%)	96 %					07/06/09 16:48	SW846 8260B	9070635
Surr: Toluene-d8 (76-129%)	155 %	ZX				07/06/09 16:48	SW846 8260B	9070635
Surr: 4-Bromofluorobenzene (67-147%)	421 %	ZX				07/06/09 16:48	SW846 8260B	9070635
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	ND		mg/kg dry	0.0873	1	07/07/09 19:38	SW846 8270D	9070049
Acenaphthylene	ND		mg/kg dry	0.0873	1	07/07/09 19:38	SW846 8270D	9070049
Anthracene	1.29		mg/kg dry	0.0873	1	07/07/09 19:38	SW846 8270D	9070049
Benzo (a) anthracene	2.76		mg/kg dry	0.0873	1	07/07/09 19:38	SW846 8270D	9070049
Benzo (a) pyrene	1.15		mg/kg dry	0.0873	1	07/07/09 19:38	SW846 8270D	9070049
Benzo (b) fluoranthene	1.46		mg/kg dry	0.0873	1	07/07/09 19:38	SW846 8270D	9070049
Benzo (g,h,i) perylene	0.328		mg/kg dry	0.0873	1	07/07/09 19:38	SW846 8270D	9070049
Benzo (k) fluoranthene	1.04		mg/kg dry	0.0873	1	07/07/09 19:38	SW846 8270D	9070049
Chrysene	2.37		mg/kg dry	0.0873	1	07/07/09 19:38	SW846 8270D	9070049
Dibenz (a,h) anthracene	0.166		mg/kg dry	0.0873	1	07/07/09 19:38	SW846 8270D	9070049
Fluoranthene	8.56		mg/kg dry	0.436	5	07/08/09 16:18	SW846 8270D	9070049
Fluorene	1.93		mg/kg dry	0.0873	1	07/07/09 19:38	SW846 8270D	9070049
Indeno (1,2,3-cd) pyrene	0.329		mg/kg dry	0.0873	1	07/07/09 19:38	SW846 8270D	9070049
Naphthalene	3.33		mg/kg dry	0.0873	1	07/07/09 19:38	SW846 8270D	9070049
Phenanthrene	8.12		mg/kg dry	0.436	5	07/08/09 16:18	SW846 8270D	9070049
Pyrene	6.48		mg/kg dry	0.436	5	07/08/09 16:18	SW846 8270D	9070049
1-Methylnaphthalene	12.5		mg/kg dry	0.436	5	07/08/09 16:18	SW846 8270D	9070049
2-Methylnaphthalene	18.7		mg/kg dry	0.436	5	07/08/09 16:18	SW846 8270D	9070049
Surr: Terphenyl-d14 (18-120%)	106 %					07/07/09 19:38	SW846 8270D	9070049
Surr: 2-Fluorobiphenyl (14-120%)	77 %					07/07/09 19:38	SW846 8270D	9070049
Surr: Nitrobenzene-d5 (17-120%)	80 %					07/07/09 19:38	SW846 8270D	9070049

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSF2552-07 (1148 Iris-2 - Soil) Sampled: 06/24/09 13:45								
General Chemistry Parameters								
% Dry Solids	81.2		%	0.500	1	07/02/09 07:50	SW-846	9070070
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	0.0365		mg/kg dry	0.00211	1	07/01/09 19:26	SW846 8260B	9064487
Ethylbenzene	0.891		mg/kg dry	0.103	50	07/02/09 18:45	SW846 8260B	9070397
Naphthalene	6.28		mg/kg dry	0.258	50	07/02/09 18:45	SW846 8260B	9070397
Toluene	ND		mg/kg dry	0.00211	1	07/01/09 19:26	SW846 8260B	9064487
Xylenes, total	0.817		mg/kg dry	0.258	50	07/02/09 18:45	SW846 8260B	9070397
Surr: 1,2-Dichloroethane-d4 (67-138%)	102 %					07/01/09 19:26	SW846 8260B	9064487
Surr: 1,2-Dichloroethane-d4 (67-138%)	105 %					07/02/09 18:45	SW846 8260B	9070397
Surr: Dibromofluoromethane (75-125%)	96 %					07/01/09 19:26	SW846 8260B	9064487
Surr: Dibromofluoromethane (75-125%)	90 %					07/02/09 18:45	SW846 8260B	9070397
Surr: Toluene-d8 (76-129%)	157 %	ZX				07/01/09 19:26	SW846 8260B	9064487
Surr: Toluene-d8 (76-129%)	122 %					07/02/09 18:45	SW846 8260B	9070397
Surr: 4-Bromofluorobenzene (67-147%)	347 %	ZX				07/01/09 19:26	SW846 8260B	9064487
Surr: 4-Bromofluorobenzene (67-147%)	121 %					07/02/09 18:45	SW846 8260B	9070397
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	ND		mg/kg dry	0.0810	1	07/07/09 20:00	SW846 8270D	9070049
Acenaphthylene	ND		mg/kg dry	0.0810	1	07/07/09 20:00	SW846 8270D	9070049
Anthracene	0.293		mg/kg dry	0.0810	1	07/07/09 20:00	SW846 8270D	9070049
Benzo (a) anthracene	ND		mg/kg dry	0.0810	1	07/07/09 20:00	SW846 8270D	9070049
Benzo (a) pyrene	ND		mg/kg dry	0.0810	1	07/07/09 20:00	SW846 8270D	9070049
Benzo (b) fluoranthene	ND		mg/kg dry	0.0810	1	07/07/09 20:00	SW846 8270D	9070049
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0810	1	07/07/09 20:00	SW846 8270D	9070049
Benzo (k) fluoranthene	ND		mg/kg dry	0.0810	1	07/07/09 20:00	SW846 8270D	9070049
Chrysene	ND		mg/kg dry	0.0810	1	07/07/09 20:00	SW846 8270D	9070049
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0810	1	07/07/09 20:00	SW846 8270D	9070049
Fluoranthene	ND		mg/kg dry	0.0810	1	07/07/09 20:00	SW846 8270D	9070049
Fluorene	1.63		mg/kg dry	0.0810	1	07/07/09 20:00	SW846 8270D	9070049
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0810	1	07/07/09 20:00	SW846 8270D	9070049
Naphthalene	3.28		mg/kg dry	0.0810	1	07/07/09 20:00	SW846 8270D	9070049
Phenanthrene	3.18		mg/kg dry	0.0810	1	07/07/09 20:00	SW846 8270D	9070049
Pyrene	0.265		mg/kg dry	0.0810	1	07/07/09 20:00	SW846 8270D	9070049
1-Methylnaphthalene	14.0		mg/kg dry	0.405	5	07/09/09 00:11	SW846 8270D	9070049
2-Methylnaphthalene	21.0		mg/kg dry	0.810	10	07/09/09 12:12	SW846 8270D	9070049
Surr: Terphenyl-d14 (18-120%)	91 %					07/07/09 20:00	SW846 8270D	9070049
Surr: 2-Fluorobiphenyl (14-120%)	68 %					07/07/09 20:00	SW846 8270D	9070049
Surr: Nitrobenzene-d5 (17-120%)	67 %					07/07/09 20:00	SW846 8270D	9070049

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSF2552-08 (1161 Jasmine - Soil) Sampled: 06/24/09 13:50								
General Chemistry Parameters								
% Dry Solids	82.7		%	0.500	1	07/02/09 07:50	SW-846	9070070
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00200	1	07/01/09 19:55	SW846 8260B	9064487
Ethylbenzene	0.112	CF7	mg/kg dry	0.00200	1	07/01/09 19:55	SW846 8260B	9064487
Naphthalene	4.36		mg/kg dry	0.242	50	07/02/09 19:15	SW846 8260B	9070397
Toluene	0.0213		mg/kg dry	0.00200	1	07/01/09 19:55	SW846 8260B	9064487
Xylenes, total	1.39		mg/kg dry	0.242	50	07/02/09 19:15	SW846 8260B	9070397
Surr: 1,2-Dichloroethane-d4 (67-138%)	102 %					07/01/09 19:55	SW846 8260B	9064487
Surr: 1,2-Dichloroethane-d4 (67-138%)	103 %					07/02/09 19:15	SW846 8260B	9070397
Surr: Dibromofluoromethane (75-125%)	97 %					07/01/09 19:55	SW846 8260B	9064487
Surr: Dibromofluoromethane (75-125%)	93 %					07/02/09 19:15	SW846 8260B	9070397
Surr: Toluene-d8 (76-129%)	142 %	ZX				07/01/09 19:55	SW846 8260B	9064487
Surr: Toluene-d8 (76-129%)	116 %					07/02/09 19:15	SW846 8260B	9070397
Surr: 4-Bromofluorobenzene (67-147%)	265 %	ZX				07/01/09 19:55	SW846 8260B	9064487
Surr: 4-Bromofluorobenzene (67-147%)	117 %					07/02/09 19:15	SW846 8260B	9070397
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	ND		mg/kg dry	0.0809	1	07/07/09 20:22	SW846 8270D	9070049
Acenaphthylene	ND		mg/kg dry	0.0809	1	07/07/09 20:22	SW846 8270D	9070049
Anthracene	ND		mg/kg dry	0.0809	1	07/07/09 20:22	SW846 8270D	9070049
Benzo (a) anthracene	0.498		mg/kg dry	0.0809	1	07/07/09 20:22	SW846 8270D	9070049
Benzo (a) pyrene	0.313		mg/kg dry	0.0809	1	07/07/09 20:22	SW846 8270D	9070049
Benzo (b) fluoranthene	0.345		mg/kg dry	0.0809	1	07/07/09 20:22	SW846 8270D	9070049
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0809	1	07/07/09 20:22	SW846 8270D	9070049
Benzo (k) fluoranthene	0.294		mg/kg dry	0.0809	1	07/07/09 20:22	SW846 8270D	9070049
Chrysene	0.501		mg/kg dry	0.0809	1	07/07/09 20:22	SW846 8270D	9070049
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0809	1	07/07/09 20:22	SW846 8270D	9070049
Fluoranthene	0.842		mg/kg dry	0.0809	1	07/07/09 20:22	SW846 8270D	9070049
Fluorene	0.870		mg/kg dry	0.0809	1	07/07/09 20:22	SW846 8270D	9070049
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0809	1	07/07/09 20:22	SW846 8270D	9070049
Naphthalene	1.04		mg/kg dry	0.0809	1	07/07/09 20:22	SW846 8270D	9070049
Phenanthrene	2.50		mg/kg dry	0.0809	1	07/07/09 20:22	SW846 8270D	9070049
Pyrene	1.82		mg/kg dry	0.0809	1	07/07/09 20:22	SW846 8270D	9070049
1-Methylnaphthalene	5.67		mg/kg dry	0.162	2	07/09/09 00:33	SW846 8270D	9070049
2-Methylnaphthalene	6.86		mg/kg dry	0.162	2	07/09/09 00:33	SW846 8270D	9070049
Surr: Terphenyl-d14 (18-120%)	124 %	ZX				07/07/09 20:22	SW846 8270D	9070049
Surr: 2-Fluorobiphenyl (14-120%)	81 %					07/07/09 20:22	SW846 8270D	9070049
Surr: Nitrobenzene-d5 (17-120%)	63 %					07/07/09 20:22	SW846 8270D	9070049

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSF2552-09 (1162 Jasmine - Soil) Sampled: 06/25/09 09:10								
General Chemistry Parameters								
% Dry Solids	79.6		%	0.500	1	07/02/09 07:50	SW-846	9070070
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00213	1	07/02/09 16:17	SW846 8260B	9070397
Ethylbenzene	ND		mg/kg dry	0.00213	1	07/02/09 16:17	SW846 8260B	9070397
Naphthalene	ND		mg/kg dry	0.00531	1	07/02/09 16:17	SW846 8260B	9070397
Toluene	ND		mg/kg dry	0.00213	1	07/02/09 16:17	SW846 8260B	9070397
Xylenes, total	ND		mg/kg dry	0.00531	1	07/02/09 16:17	SW846 8260B	9070397
Surr: 1,2-Dichloroethane-d4 (67-138%)	106 %					07/02/09 16:17	SW846 8260B	9070397
Surr: Dibromofluoromethane (75-125%)	96 %					07/02/09 16:17	SW846 8260B	9070397
Surr: Toluene-d8 (76-129%)	115 %					07/02/09 16:17	SW846 8260B	9070397
Surr: 4-Bromofluorobenzene (67-147%)	126 %					07/02/09 16:17	SW846 8260B	9070397
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	ND		mg/kg dry	0.0828	1	07/07/09 20:43	SW846 8270D	9070049
Acenaphthylene	ND		mg/kg dry	0.0828	1	07/07/09 20:43	SW846 8270D	9070049
Anthracene	ND		mg/kg dry	0.0828	1	07/07/09 20:43	SW846 8270D	9070049
Benzo (a) anthracene	ND		mg/kg dry	0.0828	1	07/07/09 20:43	SW846 8270D	9070049
Benzo (a) pyrene	ND		mg/kg dry	0.0828	1	07/07/09 20:43	SW846 8270D	9070049
Benzo (b) fluoranthene	ND		mg/kg dry	0.0828	1	07/07/09 20:43	SW846 8270D	9070049
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0828	1	07/07/09 20:43	SW846 8270D	9070049
Benzo (k) fluoranthene	ND		mg/kg dry	0.0828	1	07/07/09 20:43	SW846 8270D	9070049
Chrysene	ND		mg/kg dry	0.0828	1	07/07/09 20:43	SW846 8270D	9070049
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0828	1	07/07/09 20:43	SW846 8270D	9070049
Fluoranthene	ND		mg/kg dry	0.0828	1	07/07/09 20:43	SW846 8270D	9070049
Fluorene	ND		mg/kg dry	0.0828	1	07/07/09 20:43	SW846 8270D	9070049
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0828	1	07/07/09 20:43	SW846 8270D	9070049
Naphthalene	ND		mg/kg dry	0.0828	1	07/07/09 20:43	SW846 8270D	9070049
Phenanthrene	ND		mg/kg dry	0.0828	1	07/07/09 20:43	SW846 8270D	9070049
Pyrene	ND		mg/kg dry	0.0828	1	07/07/09 20:43	SW846 8270D	9070049
1-Methylnaphthalene	ND		mg/kg dry	0.0828	1	07/07/09 20:43	SW846 8270D	9070049
2-Methylnaphthalene	ND		mg/kg dry	0.0828	1	07/07/09 20:43	SW846 8270D	9070049
Surr: Terphenyl-d14 (18-120%)	102 %					07/07/09 20:43	SW846 8270D	9070049
Surr: 2-Fluorobiphenyl (14-120%)	94 %					07/07/09 20:43	SW846 8270D	9070049
Surr: Nitrobenzene-d5 (17-120%)	93 %					07/07/09 20:43	SW846 8270D	9070049

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSF2552-10 (1168 Jasmine - Soil) Sampled: 06/25/09 11:15								
General Chemistry Parameters								
% Dry Solids	83.0		%	0.500	1	07/02/09 08:10	SW-846	9070067
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00214	1	07/02/09 16:47	SW846 8260B	9070397
Ethylbenzene	ND		mg/kg dry	0.00214	1	07/02/09 16:47	SW846 8260B	9070397
Naphthalene	0.00792		mg/kg dry	0.00535	1	07/02/09 16:47	SW846 8260B	9070397
Toluene	ND		mg/kg dry	0.00214	1	07/02/09 16:47	SW846 8260B	9070397
Xylenes, total	ND		mg/kg dry	0.00535	1	07/02/09 16:47	SW846 8260B	9070397
Surr: 1,2-Dichloroethane-d4 (67-138%)	106 %					07/02/09 16:47	SW846 8260B	9070397
Surr: Dibromofluoromethane (75-125%)	97 %					07/02/09 16:47	SW846 8260B	9070397
Surr: Toluene-d8 (76-129%)	114 %					07/02/09 16:47	SW846 8260B	9070397
Surr: 4-Bromofluorobenzene (67-147%)	109 %					07/02/09 16:47	SW846 8260B	9070397
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	ND		mg/kg dry	0.0782	1	07/07/09 21:05	SW846 8270D	9070049
Acenaphthylene	ND		mg/kg dry	0.0782	1	07/07/09 21:05	SW846 8270D	9070049
Anthracene	ND		mg/kg dry	0.0782	1	07/07/09 21:05	SW846 8270D	9070049
Benzo (a) anthracene	ND		mg/kg dry	0.0782	1	07/07/09 21:05	SW846 8270D	9070049
Benzo (a) pyrene	ND		mg/kg dry	0.0782	1	07/07/09 21:05	SW846 8270D	9070049
Benzo (b) fluoranthene	ND		mg/kg dry	0.0782	1	07/07/09 21:05	SW846 8270D	9070049
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0782	1	07/07/09 21:05	SW846 8270D	9070049
Benzo (k) fluoranthene	ND		mg/kg dry	0.0782	1	07/07/09 21:05	SW846 8270D	9070049
Chrysene	ND		mg/kg dry	0.0782	1	07/07/09 21:05	SW846 8270D	9070049
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0782	1	07/07/09 21:05	SW846 8270D	9070049
Fluoranthene	ND		mg/kg dry	0.0782	1	07/07/09 21:05	SW846 8270D	9070049
Fluorene	ND		mg/kg dry	0.0782	1	07/07/09 21:05	SW846 8270D	9070049
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0782	1	07/07/09 21:05	SW846 8270D	9070049
Naphthalene	ND		mg/kg dry	0.0782	1	07/07/09 21:05	SW846 8270D	9070049
Phenanthrene	ND		mg/kg dry	0.0782	1	07/07/09 21:05	SW846 8270D	9070049
Pyrene	ND		mg/kg dry	0.0782	1	07/07/09 21:05	SW846 8270D	9070049
1-Methylnaphthalene	ND		mg/kg dry	0.0782	1	07/07/09 21:05	SW846 8270D	9070049
2-Methylnaphthalene	ND		mg/kg dry	0.0782	1	07/07/09 21:05	SW846 8270D	9070049
Surr: Terphenyl-d14 (18-120%)	93 %					07/07/09 21:05	SW846 8270D	9070049
Surr: 2-Fluorobiphenyl (14-120%)	89 %					07/07/09 21:05	SW846 8270D	9070049
Surr: Nitrobenzene-d5 (17-120%)	82 %					07/07/09 21:05	SW846 8270D	9070049

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
Polyaromatic Hydrocarbons by EPA 8270D							
SW846 8270D	9070221	NSF2552-01	30.29	1.00	07/02/09 11:30	TEM	EPA 3550B
SW846 8270D	9070221	NSF2552-02	30.31	1.00	07/02/09 11:30	TEM	EPA 3550B
SW846 8270D	9070221	NSF2552-02RE1	30.31	1.00	07/02/09 11:30	TEM	EPA 3550B
SW846 8270D	9070221	NSF2552-02RE2	30.31	1.00	07/02/09 11:30	TEM	EPA 3550B
SW846 8270D	9070221	NSF2552-03	30.04	1.00	07/02/09 11:30	TEM	EPA 3550B
SW846 8270D	9070221	NSF2552-04	30.90	1.00	07/02/09 11:30	TEM	EPA 3550B
SW846 8270D	9070221	NSF2552-04RE1	30.90	1.00	07/02/09 11:30	TEM	EPA 3550B
SW846 8270D	9070221	NSF2552-04RE2	30.90	1.00	07/02/09 11:30	TEM	EPA 3550B
SW846 8270D	9070221	NSF2552-05	30.59	2.00	07/02/09 11:30	TEM	EPA 3550B
SW846 8270D	9070221	NSF2552-05RE1	30.59	2.00	07/02/09 11:30	TEM	EPA 3550B
SW846 8270D	9070221	NSF2552-05RE2	30.59	2.00	07/02/09 11:30	TEM	EPA 3550B
SW846 8270D	9070049	NSF2552-06	30.51	1.00	07/07/09 10:30	TEM	EPA 3550B
SW846 8270D	9070049	NSF2552-06RE1	30.51	1.00	07/07/09 10:30	TEM	EPA 3550B
SW846 8270D	9070049	NSF2552-07	30.57	1.00	07/07/09 10:30	TEM	EPA 3550B
SW846 8270D	9070049	NSF2552-07RE1	30.57	1.00	07/07/09 10:30	TEM	EPA 3550B
SW846 8270D	9070049	NSF2552-07RE2	30.57	1.00	07/07/09 10:30	TEM	EPA 3550B
SW846 8270D	9070049	NSF2552-08	30.03	1.00	07/07/09 10:30	TEM	EPA 3550B
SW846 8270D	9070049	NSF2552-08RE1	30.03	1.00	07/07/09 10:30	TEM	EPA 3550B
SW846 8270D	9070049	NSF2552-09	30.50	1.00	07/07/09 10:30	TEM	EPA 3550B
SW846 8270D	9070049	NSF2552-10	30.96	1.00	07/07/09 10:30	TEM	EPA 3550B
Selected Volatile Organic Compounds by EPA Method 8260B							
SW846 8260B	9064487	NSF2552-01	5.66	5.00	06/22/09 09:45	JRL	EPA 5035
SW846 8260B	9070397	NSF2552-01RE1	5.75	5.00	06/22/09 09:45	JRL	EPA 5035
SW846 8260B	9064487	NSF2552-02	6.14	5.00	06/22/09 13:55	JRL	EPA 5035
SW846 8260B	9070397	NSF2552-02RE1	5.30	5.00	06/22/09 13:55	JRL	EPA 5035
SW846 8260B	9064487	NSF2552-03	5.66	5.00	06/23/09 11:50	JRL	EPA 5035
SW846 8260B	9070397	NSF2552-03RE1	5.38	5.00	06/23/09 11:50	JRL	EPA 5035
SW846 8260B	9064487	NSF2552-04	6.05	5.00	06/23/09 15:30	JRL	EPA 5035
SW846 8260B	9070397	NSF2552-04RE1	5.62	5.00	06/23/09 15:30	JRL	EPA 5035
SW846 8260B	9070635	NSF2552-04RE2	5.62	5.00	06/23/09 15:30	JRL	EPA 5035
SW846 8260B	9064487	NSF2552-05	5.12	5.00	06/24/09 09:20	JRL	EPA 5035
SW846 8260B	9070397	NSF2552-05RE1	5.44	5.00	06/24/09 09:20	JRL	EPA 5035
SW846 8260B	9070397	NSF2552-05RE2	5.44	5.00	06/24/09 09:20	JRL	EPA 5035
SW846 8260B	9064487	NSF2552-06	5.90	5.00	06/24/09 11:45	JRL	EPA 5035
SW846 8260B	9070397	NSF2552-06RE1	5.81	5.00	06/24/09 11:45	JRL	EPA 5035
SW846 8260B	9070397	NSF2552-06RE2	5.81	5.00	06/24/09 11:45	JRL	EPA 5035
SW846 8260B	9070635	NSF2552-06RE3	5.81	5.00	06/24/09 11:45	JRL	EPA 5035
SW846 8260B	9070635	NSF2552-06RE4	5.81	5.00	06/24/09 11:45	JRL	EPA 5035
SW846 8260B	9064487	NSF2552-07	5.84	5.00	06/24/09 13:45	JRL	EPA 5035
SW846 8260B	9070397	NSF2552-07RE1	5.96	5.00	06/24/09 13:45	JRL	EPA 5035
SW846 8260B	9064487	NSF2552-08	6.04	5.00	06/24/09 13:50	JRL	EPA 5035
SW846 8260B	9070397	NSF2552-08RE1	6.25	5.00	06/24/09 13:50	JRL	EPA 5035
SW846 8260B	9064487	NSF2552-09	5.94	5.00	06/25/09 09:10	JRL	EPA 5035
SW846 8260B	9070397	NSF2552-09RE1	5.91	5.00	06/25/09 09:10	JRL	EPA 5035

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
SW846 8260B	9064487	NSF2552-10	5.81	5.00	06/25/09 11:15	JRL	EPA 5035
SW846 8260B	9064487	NSF2552-10RE1	5.57	5.00	06/25/09 11:15	JRL	EPA 5035
SW846 8260B	9070397	NSF2552-10RE2	5.63	5.00	06/25/09 11:15	JRL	EPA 5035

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

PROJECT QUALITY CONTROL DATA

Blank

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

Selected Volatile Organic Compounds by EPA Method 8260B

9064487-BLK1

Benzene	<0.000670		mg/kg wet	9064487	9064487-BLK1	07/01/09 14:34
Ethylbenzene	<0.000670		mg/kg wet	9064487	9064487-BLK1	07/01/09 14:34
Naphthalene	<0.00170		mg/kg wet	9064487	9064487-BLK1	07/01/09 14:34
Toluene	<0.000400		mg/kg wet	9064487	9064487-BLK1	07/01/09 14:34
Xylenes, total	<0.00130		mg/kg wet	9064487	9064487-BLK1	07/01/09 14:34
Surrogate: 1,2-Dichloroethane-d4	132%			9064487	9064487-BLK1	07/01/09 14:34
Surrogate: Dibromofluoromethane	104%			9064487	9064487-BLK1	07/01/09 14:34
Surrogate: Toluene-d8	116%			9064487	9064487-BLK1	07/01/09 14:34
Surrogate: 4-Bromofluorobenzene	116%			9064487	9064487-BLK1	07/01/09 14:34

9070397-BLK1

Benzene	<0.000670		mg/kg wet	9070397	9070397-BLK1	07/02/09 15:18
Ethylbenzene	<0.000670		mg/kg wet	9070397	9070397-BLK1	07/02/09 15:18
Naphthalene	<0.00170		mg/kg wet	9070397	9070397-BLK1	07/02/09 15:18
Toluene	<0.000400		mg/kg wet	9070397	9070397-BLK1	07/02/09 15:18
Xylenes, total	<0.00130		mg/kg wet	9070397	9070397-BLK1	07/02/09 15:18
Surrogate: 1,2-Dichloroethane-d4	106%			9070397	9070397-BLK1	07/02/09 15:18
Surrogate: Dibromofluoromethane	96%			9070397	9070397-BLK1	07/02/09 15:18
Surrogate: Toluene-d8	113%			9070397	9070397-BLK1	07/02/09 15:18
Surrogate: 4-Bromofluorobenzene	109%			9070397	9070397-BLK1	07/02/09 15:18

9070635-BLK1

Benzene	<0.000670		mg/kg wet	9070635	9070635-BLK1	07/06/09 15:49
Ethylbenzene	<0.000670		mg/kg wet	9070635	9070635-BLK1	07/06/09 15:49
Naphthalene	<0.00170		mg/kg wet	9070635	9070635-BLK1	07/06/09 15:49
Toluene	<0.000400		mg/kg wet	9070635	9070635-BLK1	07/06/09 15:49
Xylenes, total	<0.00130		mg/kg wet	9070635	9070635-BLK1	07/06/09 15:49
Surrogate: 1,2-Dichloroethane-d4	95%			9070635	9070635-BLK1	07/06/09 15:49
Surrogate: Dibromofluoromethane	89%			9070635	9070635-BLK1	07/06/09 15:49
Surrogate: Toluene-d8	110%			9070635	9070635-BLK1	07/06/09 15:49
Surrogate: 4-Bromofluorobenzene	106%			9070635	9070635-BLK1	07/06/09 15:49

Polyaromatic Hydrocarbons by EPA 8270D

9070049-BLK1

Acenaphthene	<0.0320		mg/kg wet	9070049	9070049-BLK1	07/07/09 18:11
Acenaphthylene	<0.0310		mg/kg wet	9070049	9070049-BLK1	07/07/09 18:11
Anthracene	<0.0330		mg/kg wet	9070049	9070049-BLK1	07/07/09 18:11
Benzo (a) anthracene	<0.0380		mg/kg wet	9070049	9070049-BLK1	07/07/09 18:11
Benzo (a) pyrene	<0.0300		mg/kg wet	9070049	9070049-BLK1	07/07/09 18:11
Benzo (b) fluoranthene	<0.0300		mg/kg wet	9070049	9070049-BLK1	07/07/09 18:11
Benzo (g,h,i) perylene	<0.0300		mg/kg wet	9070049	9070049-BLK1	07/07/09 18:11
Benzo (k) fluoranthene	<0.0300		mg/kg wet	9070049	9070049-BLK1	07/07/09 18:11

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

PROJECT QUALITY CONTROL DATA

Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
Polyaromatic Hydrocarbons by EPA 8270D						
9070049-BLK1						
Chrysene	<0.0400		mg/kg wet	9070049	9070049-BLK1	07/07/09 18:11
Dibenz (a,h) anthracene	<0.0310		mg/kg wet	9070049	9070049-BLK1	07/07/09 18:11
Fluoranthene	<0.0340		mg/kg wet	9070049	9070049-BLK1	07/07/09 18:11
Fluorene	<0.0360		mg/kg wet	9070049	9070049-BLK1	07/07/09 18:11
Indeno (1,2,3-cd) pyrene	<0.0310		mg/kg wet	9070049	9070049-BLK1	07/07/09 18:11
Naphthalene	<0.0410		mg/kg wet	9070049	9070049-BLK1	07/07/09 18:11
Phenanthrene	<0.0340		mg/kg wet	9070049	9070049-BLK1	07/07/09 18:11
Pyrene	<0.0410		mg/kg wet	9070049	9070049-BLK1	07/07/09 18:11
1-Methylnaphthalene	<0.0320		mg/kg wet	9070049	9070049-BLK1	07/07/09 18:11
2-Methylnaphthalene	<0.0330		mg/kg wet	9070049	9070049-BLK1	07/07/09 18:11
Surrogate: Terphenyl-d14	98%			9070049	9070049-BLK1	07/07/09 18:11
Surrogate: 2-Fluorobiphenyl	96%			9070049	9070049-BLK1	07/07/09 18:11
Surrogate: Nitrobenzene-d5	86%			9070049	9070049-BLK1	07/07/09 18:11
9070221-BLK1						
Acenaphthene	<0.0320		mg/kg wet	9070221	9070221-BLK1	07/08/09 00:53
Acenaphthylene	<0.0310		mg/kg wet	9070221	9070221-BLK1	07/08/09 00:53
Anthracene	<0.0330		mg/kg wet	9070221	9070221-BLK1	07/08/09 00:53
Benzo (a) anthracene	<0.0380		mg/kg wet	9070221	9070221-BLK1	07/08/09 00:53
Benzo (a) pyrene	<0.0300		mg/kg wet	9070221	9070221-BLK1	07/08/09 00:53
Benzo (b) fluoranthene	<0.0300		mg/kg wet	9070221	9070221-BLK1	07/08/09 00:53
Benzo (g,h,i) perylene	<0.0300		mg/kg wet	9070221	9070221-BLK1	07/08/09 00:53
Benzo (k) fluoranthene	<0.0300		mg/kg wet	9070221	9070221-BLK1	07/08/09 00:53
Chrysene	<0.0400		mg/kg wet	9070221	9070221-BLK1	07/08/09 00:53
Dibenz (a,h) anthracene	<0.0310		mg/kg wet	9070221	9070221-BLK1	07/08/09 00:53
Fluoranthene	<0.0340		mg/kg wet	9070221	9070221-BLK1	07/08/09 00:53
Fluorene	<0.0360		mg/kg wet	9070221	9070221-BLK1	07/08/09 00:53
Indeno (1,2,3-cd) pyrene	<0.0310		mg/kg wet	9070221	9070221-BLK1	07/08/09 00:53
Naphthalene	<0.0410		mg/kg wet	9070221	9070221-BLK1	07/08/09 00:53
Phenanthrene	<0.0340		mg/kg wet	9070221	9070221-BLK1	07/08/09 00:53
Pyrene	<0.0410		mg/kg wet	9070221	9070221-BLK1	07/08/09 00:53
1-Methylnaphthalene	<0.0320		mg/kg wet	9070221	9070221-BLK1	07/08/09 00:53
2-Methylnaphthalene	<0.0330		mg/kg wet	9070221	9070221-BLK1	07/08/09 00:53
Surrogate: Terphenyl-d14	72%			9070221	9070221-BLK1	07/08/09 00:53
Surrogate: 2-Fluorobiphenyl	66%			9070221	9070221-BLK1	07/08/09 00:53
Surrogate: Nitrobenzene-d5	78%			9070221	9070221-BLK1	07/08/09 00:53

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

PROJECT QUALITY CONTROL DATA

Duplicate

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	% Rec.	Analyzed Date/Time
General Chemistry Parameters										
9070067-DUP1										
% Dry Solids	83.0	82.5		%	0.6	20	9070067	NSF2552-10		07/02/09 08:10
9070070-DUP1										
% Dry Solids	91.0	90.1		%	1	20	9070070	NSF2500-03		07/02/09 07:50

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

PROJECT QUALITY CONTROL DATA

LCS

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Selected Volatile Organic Compounds by EPA Method 8260B								
9064487-BS1								
Benzene	50.0	52.6		ug/kg	105%	78 - 126	9064487	07/01/09 12:36
Ethylbenzene	50.0	52.8		ug/kg	106%	79 - 130	9064487	07/01/09 12:36
Naphthalene	50.0	54.2		ug/kg	108%	72 - 150	9064487	07/01/09 12:36
Toluene	50.0	59.2		ug/kg	118%	76 - 126	9064487	07/01/09 12:36
Xylenes, total	150	165		ug/kg	110%	80 - 130	9064487	07/01/09 12:36
Surrogate: 1,2-Dichloroethane-d4	50.0	50.0			100%	67 - 138	9064487	07/01/09 12:36
Surrogate: Dibromofluoromethane	50.0	46.7			93%	75 - 125	9064487	07/01/09 12:36
Surrogate: Toluene-d8	50.0	55.2			110%	76 - 129	9064487	07/01/09 12:36
Surrogate: 4-Bromofluorobenzene	50.0	51.5			103%	67 - 147	9064487	07/01/09 12:36
9070397-BS1								
Benzene	50.0	53.5		ug/kg	107%	78 - 126	9070397	07/02/09 13:19
Ethylbenzene	50.0	52.6		ug/kg	105%	79 - 130	9070397	07/02/09 13:19
Naphthalene	50.0	56.9		ug/kg	114%	72 - 150	9070397	07/02/09 13:19
Toluene	50.0	59.3		ug/kg	119%	76 - 126	9070397	07/02/09 13:19
Xylenes, total	150	170		ug/kg	114%	80 - 130	9070397	07/02/09 13:19
Surrogate: 1,2-Dichloroethane-d4	50.0	49.8			100%	67 - 138	9070397	07/02/09 13:19
Surrogate: Dibromofluoromethane	50.0	45.5			91%	75 - 125	9070397	07/02/09 13:19
Surrogate: Toluene-d8	50.0	57.0			114%	76 - 129	9070397	07/02/09 13:19
Surrogate: 4-Bromofluorobenzene	50.0	53.8			108%	67 - 147	9070397	07/02/09 13:19
9070635-BS1								
Benzene	50.0	52.4		ug/kg	105%	78 - 126	9070635	07/06/09 13:50
Ethylbenzene	50.0	51.9		ug/kg	104%	79 - 130	9070635	07/06/09 13:50
Naphthalene	50.0	49.6		ug/kg	99%	72 - 150	9070635	07/06/09 13:50
Toluene	50.0	57.8		ug/kg	116%	76 - 126	9070635	07/06/09 13:50
Xylenes, total	150	168		ug/kg	112%	80 - 130	9070635	07/06/09 13:50
Surrogate: 1,2-Dichloroethane-d4	50.0	47.8			96%	67 - 138	9070635	07/06/09 13:50
Surrogate: Dibromofluoromethane	50.0	46.7			93%	75 - 125	9070635	07/06/09 13:50
Surrogate: Toluene-d8	50.0	55.5			111%	76 - 129	9070635	07/06/09 13:50
Surrogate: 4-Bromofluorobenzene	50.0	52.0			104%	67 - 147	9070635	07/06/09 13:50
Polyaromatic Hydrocarbons by EPA 8270D								
9070049-BS1								
Acenaphthene	1.67	1.49		mg/kg wet	89%	49 - 120	9070049	07/07/09 18:33
Acenaphthylene	1.67	1.49		mg/kg wet	89%	52 - 120	9070049	07/07/09 18:33
Anthracene	1.67	1.60		mg/kg wet	96%	58 - 120	9070049	07/07/09 18:33
Benzo (a) anthracene	1.67	1.51		mg/kg wet	91%	57 - 120	9070049	07/07/09 18:33
Benzo (a) pyrene	1.67	1.53		mg/kg wet	92%	55 - 120	9070049	07/07/09 18:33
Benzo (b) fluoranthene	1.67	1.41		mg/kg wet	85%	51 - 123	9070049	07/07/09 18:33
Benzo (g,h,i) perylene	1.67	1.36		mg/kg wet	81%	49 - 121	9070049	07/07/09 18:33
Benzo (k) fluoranthene	1.67	1.54		mg/kg wet	92%	42 - 129	9070049	07/07/09 18:33

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

PROJECT QUALITY CONTROL DATA

LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Polyaromatic Hydrocarbons by EPA 8270D								
9070049-BS1								
Chrysene	1.67	1.52		mg/kg wet	91%	55 - 120	9070049	07/07/09 18:33
Dibenz (a,h) anthracene	1.67	1.47		mg/kg wet	88%	50 - 123	9070049	07/07/09 18:33
Fluoranthene	1.67	1.57		mg/kg wet	94%	58 - 120	9070049	07/07/09 18:33
Fluorene	1.67	1.46		mg/kg wet	88%	54 - 120	9070049	07/07/09 18:33
Indeno (1,2,3-cd) pyrene	1.67	1.45		mg/kg wet	87%	50 - 122	9070049	07/07/09 18:33
Naphthalene	1.67	1.26		mg/kg wet	76%	28 - 107	9070049	07/07/09 18:33
Phenanthrene	1.67	1.50		mg/kg wet	90%	56 - 120	9070049	07/07/09 18:33
Pyrene	1.67	1.40		mg/kg wet	84%	56 - 120	9070049	07/07/09 18:33
1-Methylnaphthalene	1.67	1.16		mg/kg wet	70%	36 - 120	9070049	07/07/09 18:33
2-Methylnaphthalene	1.67	1.23		mg/kg wet	74%	36 - 120	9070049	07/07/09 18:33
Surrogate: Terphenyl-d14	1.67	1.33			80%	18 - 120	9070049	07/07/09 18:33
Surrogate: 2-Fluorobiphenyl	1.67	1.42			85%	14 - 120	9070049	07/07/09 18:33
Surrogate: Nitrobenzene-d5	1.67	1.17			70%	17 - 120	9070049	07/07/09 18:33
9070221-BS1								
Acenaphthene	1.67	1.28		mg/kg wet	77%	49 - 120	9070221	07/08/09 01:15
Acenaphthylene	1.67	1.40		mg/kg wet	84%	52 - 120	9070221	07/08/09 01:15
Anthracene	1.67	1.59		mg/kg wet	96%	58 - 120	9070221	07/08/09 01:15
Benzo (a) anthracene	1.67	1.57		mg/kg wet	94%	57 - 120	9070221	07/08/09 01:15
Benzo (a) pyrene	1.67	1.63		mg/kg wet	98%	55 - 120	9070221	07/08/09 01:15
Benzo (b) fluoranthene	1.67	1.48		mg/kg wet	89%	51 - 123	9070221	07/08/09 01:15
Benzo (g,h,i) perylene	1.67	1.62		mg/kg wet	97%	49 - 121	9070221	07/08/09 01:15
Benzo (k) fluoranthene	1.67	1.53		mg/kg wet	92%	42 - 129	9070221	07/08/09 01:15
Chrysene	1.67	1.47		mg/kg wet	88%	55 - 120	9070221	07/08/09 01:15
Dibenz (a,h) anthracene	1.67	1.66		mg/kg wet	99%	50 - 123	9070221	07/08/09 01:15
Fluoranthene	1.67	1.62		mg/kg wet	97%	58 - 120	9070221	07/08/09 01:15
Fluorene	1.67	1.36		mg/kg wet	81%	54 - 120	9070221	07/08/09 01:15
Indeno (1,2,3-cd) pyrene	1.67	1.66		mg/kg wet	99%	50 - 122	9070221	07/08/09 01:15
Naphthalene	1.67	1.09		mg/kg wet	65%	28 - 107	9070221	07/08/09 01:15
Phenanthrene	1.67	1.43		mg/kg wet	86%	56 - 120	9070221	07/08/09 01:15
Pyrene	1.67	1.52		mg/kg wet	91%	56 - 120	9070221	07/08/09 01:15
1-Methylnaphthalene	1.67	1.11		mg/kg wet	67%	36 - 120	9070221	07/08/09 01:15
2-Methylnaphthalene	1.67	1.19		mg/kg wet	72%	36 - 120	9070221	07/08/09 01:15
Surrogate: Terphenyl-d14	1.67	1.42			85%	18 - 120	9070221	07/08/09 01:15
Surrogate: 2-Fluorobiphenyl	1.67	1.16			70%	14 - 120	9070221	07/08/09 01:15
Surrogate: Nitrobenzene-d5	1.67	1.22			73%	17 - 120	9070221	07/08/09 01:15

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

PROJECT QUALITY CONTROL DATA

LCS Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Selected Volatile Organic Compounds by EPA Method 8260B												
9064487-BSD1												
Benzene		50.6		ug/kg	50.0	101%	78 - 126	4	50	9064487		07/01/09 13:06
Ethylbenzene		47.9		ug/kg	50.0	96%	79 - 130	10	50	9064487		07/01/09 13:06
Naphthalene		45.6		ug/kg	50.0	91%	72 - 150	17	50	9064487		07/01/09 13:06
Toluene		51.2		ug/kg	50.0	102%	76 - 126	14	50	9064487		07/01/09 13:06
Xylenes, total		161		ug/kg	150	108%	80 - 130	2	50	9064487		07/01/09 13:06
Surrogate: 1,2-Dichloroethane-d4		63.7		ug/kg	50.0	127%	67 - 138			9064487		07/01/09 13:06
Surrogate: Dibromofluoromethane		53.8		ug/kg	50.0	108%	75 - 125			9064487		07/01/09 13:06
Surrogate: Toluene-d8		56.3		ug/kg	50.0	113%	76 - 129			9064487		07/01/09 13:06
Surrogate: 4-Bromofluorobenzene		51.8		ug/kg	50.0	104%	67 - 147			9064487		07/01/09 13:06
9070397-BSD1												
Benzene		52.8		ug/kg	50.0	106%	78 - 126	1	50	9070397		07/02/09 13:49
Ethylbenzene		49.9		ug/kg	50.0	100%	79 - 130	5	50	9070397		07/02/09 13:49
Naphthalene		47.9		ug/kg	50.0	96%	72 - 150	17	50	9070397		07/02/09 13:49
Toluene		54.1		ug/kg	50.0	108%	76 - 126	9	50	9070397		07/02/09 13:49
Xylenes, total		160		ug/kg	150	107%	80 - 130	6	50	9070397		07/02/09 13:49
Surrogate: 1,2-Dichloroethane-d4		54.3		ug/kg	50.0	109%	67 - 138			9070397		07/02/09 13:49
Surrogate: Dibromofluoromethane		49.0		ug/kg	50.0	98%	75 - 125			9070397		07/02/09 13:49
Surrogate: Toluene-d8		55.8		ug/kg	50.0	112%	76 - 129			9070397		07/02/09 13:49
Surrogate: 4-Bromofluorobenzene		53.7		ug/kg	50.0	107%	67 - 147			9070397		07/02/09 13:49
9070635-BSD1												
Benzene		51.4		ug/kg	50.0	103%	78 - 126	2	50	9070635		07/06/09 14:20
Ethylbenzene		46.5		ug/kg	50.0	93%	79 - 130	11	50	9070635		07/06/09 14:20
Naphthalene		50.8		ug/kg	50.0	102%	72 - 150	2	50	9070635		07/06/09 14:20
Toluene		52.8		ug/kg	50.0	106%	76 - 126	9	50	9070635		07/06/09 14:20
Xylenes, total		141		ug/kg	150	94%	80 - 130	17	50	9070635		07/06/09 14:20
Surrogate: 1,2-Dichloroethane-d4		51.1		ug/kg	50.0	102%	67 - 138			9070635		07/06/09 14:20
Surrogate: Dibromofluoromethane		49.7		ug/kg	50.0	99%	75 - 125			9070635		07/06/09 14:20
Surrogate: Toluene-d8		55.6		ug/kg	50.0	111%	76 - 129			9070635		07/06/09 14:20
Surrogate: 4-Bromofluorobenzene		49.6		ug/kg	50.0	99%	67 - 147			9070635		07/06/09 14:20

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

PROJECT QUALITY CONTROL DATA

Matrix Spike

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Selected Volatile Organic Compounds by EPA Method 8260B										
9064487-MS1										
Benzene	ND	3.03		mg/kg dry	3.01	101%	42 - 141	9064487	NSF2552-10	07/01/09 21:54
Ethylbenzene	0.00143	2.89		mg/kg dry	3.01	96%	21 - 165	9064487	NSF2552-10	07/01/09 21:54
Naphthalene	0.0169	2.85		mg/kg dry	3.01	94%	10 - 160	9064487	NSF2552-10	07/01/09 21:54
Toluene	ND	3.17		mg/kg dry	3.01	105%	45 - 145	9064487	NSF2552-10	07/01/09 21:54
Xylenes, total	ND	9.35		mg/kg dry	9.04	104%	31 - 159	9064487	NSF2552-10	07/01/09 21:54
Surrogate: 1,2-Dichloroethane-d4		51.2		ug/kg	50.0	102%	67 - 138	9064487	NSF2552-10	07/01/09 21:54
Surrogate: Dibromofluoromethane		49.0		ug/kg	50.0	98%	75 - 125	9064487	NSF2552-10	07/01/09 21:54
Surrogate: Toluene-d8		56.3		ug/kg	50.0	113%	76 - 129	9064487	NSF2552-10	07/01/09 21:54
Surrogate: 4-Bromofluorobenzene		57.3		ug/kg	50.0	115%	67 - 147	9064487	NSF2552-10	07/01/09 21:54
9070397-MS1										
Benzene	ND	0.0391		mg/kg dry	0.0560	70%	42 - 141	9070397	NSF2627-12	07/02/09 22:42
Ethylbenzene	ND	0.0331		mg/kg dry	0.0560	59%	21 - 165	9070397	NSF2627-12	07/02/09 22:42
Naphthalene	ND	0.0256		mg/kg dry	0.0560	46%	10 - 160	9070397	NSF2627-12	07/02/09 22:42
Toluene	ND	0.0400		mg/kg dry	0.0560	71%	45 - 145	9070397	NSF2627-12	07/02/09 22:42
Xylenes, total	ND	0.0961		mg/kg dry	0.168	57%	31 - 159	9070397	NSF2627-12	07/02/09 22:42
Surrogate: 1,2-Dichloroethane-d4		47.6		ug/kg	50.0	95%	67 - 138	9070397	NSF2627-12	07/02/09 22:42
Surrogate: Dibromofluoromethane		45.6		ug/kg	50.0	91%	75 - 125	9070397	NSF2627-12	07/02/09 22:42
Surrogate: Toluene-d8		56.1		ug/kg	50.0	112%	76 - 129	9070397	NSF2627-12	07/02/09 22:42
Surrogate: 4-Bromofluorobenzene		55.2		ug/kg	50.0	110%	67 - 147	9070397	NSF2627-12	07/02/09 22:42
9070635-MS1										
Benzene	0.00321	0.0302		mg/kg dry	0.0490	55%	42 - 141	9070635	NSF2495-23	07/06/09 22:14
Ethylbenzene	ND	0.0270		mg/kg dry	0.0490	55%	21 - 165	9070635	NSF2495-23	07/06/09 22:14
Naphthalene	ND	0.0212		mg/kg dry	0.0490	43%	10 - 160	9070635	NSF2495-23	07/06/09 22:14
Toluene	0.00150	0.0295		mg/kg dry	0.0490	57%	45 - 145	9070635	NSF2495-23	07/06/09 22:14
Xylenes, total	ND	0.0791		mg/kg dry	0.147	54%	31 - 159	9070635	NSF2495-23	07/06/09 22:14
Surrogate: 1,2-Dichloroethane-d4		50.0		ug/kg	50.0	100%	67 - 138	9070635	NSF2495-23	07/06/09 22:14
Surrogate: Dibromofluoromethane		47.0		ug/kg	50.0	94%	75 - 125	9070635	NSF2495-23	07/06/09 22:14
Surrogate: Toluene-d8		53.5		ug/kg	50.0	107%	76 - 129	9070635	NSF2495-23	07/06/09 22:14
Surrogate: 4-Bromofluorobenzene		54.3		ug/kg	50.0	109%	67 - 147	9070635	NSF2495-23	07/06/09 22:14
Polyaromatic Hydrocarbons by EPA 8270D										
9070049-MS1										
Acenaphthene	ND	2.56	M1	mg/kg dry	2.02	127%	42 - 120	9070049	NSF2552-07	07/07/09 18:55
Acenaphthylene	ND	2.03		mg/kg dry	2.02	100%	32 - 120	9070049	NSF2552-07	07/07/09 18:55
Anthracene	0.293	2.60		mg/kg dry	2.02	114%	10 - 200	9070049	NSF2552-07	07/07/09 18:55
Benzo (a) anthracene	ND	2.25		mg/kg dry	2.02	111%	41 - 120	9070049	NSF2552-07	07/07/09 18:55

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

PROJECT QUALITY CONTROL DATA

Matrix Spike - Cont.

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Polyaromatic Hydrocarbons by EPA 8270D										
9070049-MS1										
Benzo (a) pyrene	ND	2.31		mg/kg dry	2.02	114%	33 - 121	9070049	NSF2552-07	07/07/09 18:55
Benzo (b) fluoranthene	ND	1.84		mg/kg dry	2.02	91%	26 - 137	9070049	NSF2552-07	07/07/09 18:55
Benzo (g,h,i) perylene	ND	1.98		mg/kg dry	2.02	98%	21 - 124	9070049	NSF2552-07	07/07/09 18:55
Benzo (k) fluoranthene	ND	2.73		mg/kg dry	2.02	135%	14 - 140	9070049	NSF2552-07	07/07/09 18:55
Chrysene	ND	2.22		mg/kg dry	2.02	110%	28 - 123	9070049	NSF2552-07	07/07/09 18:55
Dibenz (a,h) anthracene	ND	2.20		mg/kg dry	2.02	109%	25 - 127	9070049	NSF2552-07	07/07/09 18:55
Fluoranthene	ND	2.27		mg/kg dry	2.02	112%	38 - 120	9070049	NSF2552-07	07/07/09 18:55
Fluorene	1.63	3.20		mg/kg dry	2.02	78%	41 - 120	9070049	NSF2552-07	07/07/09 18:55
Indeno (1,2,3-cd) pyrene	ND	2.13		mg/kg dry	2.02	105%	25 - 123	9070049	NSF2552-07	07/07/09 18:55
Naphthalene	3.28	4.53		mg/kg dry	2.02	62%	25 - 120	9070049	NSF2552-07	07/07/09 18:55
Phenanthrene	3.18	4.82		mg/kg dry	2.02	81%	37 - 120	9070049	NSF2552-07	07/07/09 18:55
Pyrene	0.265	2.52		mg/kg dry	2.02	112%	29 - 125	9070049	NSF2552-07	07/07/09 18:55
1-Methylnaphthalene	10.4	10.3	MHA	mg/kg dry	2.02	-4%	19 - 120	9070049	NSF2552-07	07/07/09 18:55
2-Methylnaphthalene	13.4	13.1	MHA	mg/kg dry	2.02	-17%	11 - 120	9070049	NSF2552-07	07/07/09 18:55
Surrogate: Terphenyl-d14		2.30		mg/kg dry	2.02	114%	18 - 120	9070049	NSF2552-07	07/07/09 18:55
Surrogate: 2-Fluorobiphenyl		1.59		mg/kg dry	2.02	79%	14 - 120	9070049	NSF2552-07	07/07/09 18:55
Surrogate: Nitrobenzene-d5		1.39		mg/kg dry	2.02	69%	17 - 120	9070049	NSF2552-07	07/07/09 18:55
9070221-MS1										
Acenaphthene	ND	1.14		mg/kg dry	1.70	67%	42 - 120	9070221	NSG0085-09	07/08/09 01:38
Acenaphthylene	ND	1.21		mg/kg dry	1.70	71%	32 - 120	9070221	NSG0085-09	07/08/09 01:38
Anthracene	ND	1.26		mg/kg dry	1.70	74%	10 - 200	9070221	NSG0085-09	07/08/09 01:38
Benzo (a) anthracene	ND	1.23		mg/kg dry	1.70	72%	41 - 120	9070221	NSG0085-09	07/08/09 01:38
Benzo (a) pyrene	ND	1.29		mg/kg dry	1.70	76%	33 - 121	9070221	NSG0085-09	07/08/09 01:38
Benzo (b) fluoranthene	ND	1.29		mg/kg dry	1.70	75%	26 - 137	9070221	NSG0085-09	07/08/09 01:38
Benzo (g,h,i) perylene	ND	1.30		mg/kg dry	1.70	76%	21 - 124	9070221	NSG0085-09	07/08/09 01:38
Benzo (k) fluoranthene	ND	1.11		mg/kg dry	1.70	65%	14 - 140	9070221	NSG0085-09	07/08/09 01:38
Chrysene	ND	1.21		mg/kg dry	1.70	71%	28 - 123	9070221	NSG0085-09	07/08/09 01:38
Dibenz (a,h) anthracene	ND	1.30		mg/kg dry	1.70	76%	25 - 127	9070221	NSG0085-09	07/08/09 01:38
Fluoranthene	ND	1.27		mg/kg dry	1.70	75%	38 - 120	9070221	NSG0085-09	07/08/09 01:38
Fluorene	ND	1.15		mg/kg dry	1.70	67%	41 - 120	9070221	NSG0085-09	07/08/09 01:38
Indeno (1,2,3-cd) pyrene	ND	1.29		mg/kg dry	1.70	76%	25 - 123	9070221	NSG0085-09	07/08/09 01:38
Naphthalene	ND	1.08		mg/kg dry	1.70	63%	25 - 120	9070221	NSG0085-09	07/08/09 01:38
Phenanthrene	ND	1.17		mg/kg dry	1.70	69%	37 - 120	9070221	NSG0085-09	07/08/09 01:38
Pyrene	ND	1.17		mg/kg dry	1.70	68%	29 - 125	9070221	NSG0085-09	07/08/09 01:38
1-Methylnaphthalene	ND	1.03		mg/kg dry	1.70	60%	19 - 120	9070221	NSG0085-09	07/08/09 01:38
2-Methylnaphthalene	ND	1.12		mg/kg dry	1.70	66%	11 - 120	9070221	NSG0085-09	07/08/09 01:38
Surrogate: Terphenyl-d14		1.13		mg/kg dry	1.70	67%	18 - 120	9070221	NSG0085-09	07/08/09 01:38

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

PROJECT QUALITY CONTROL DATA

Matrix Spike - Cont.

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Polyaromatic Hydrocarbons by EPA 8270D										
9070221-MS1										
Surrogate: 2-Fluorobiphenyl		1.13		mg/kg dry	1.70	66%	14 - 120	9070221	NSG0085-09	07/08/09 01:38
Surrogate: Nitrobenzene-d5		1.25		mg/kg dry	1.70	73%	17 - 120	9070221	NSG0085-09	07/08/09 01:38

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

PROJECT QUALITY CONTROL DATA

Matrix Spike Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Selected Volatile Organic Compounds by EPA Method 8260B												
9064487-MSD1												
Benzene	ND	3.33		mg/kg dry	3.01	110%	42 - 141	9	50	9064487	NSF2552-10	07/01/09 22:23
Ethylbenzene	0.00143	3.13		mg/kg dry	3.01	104%	21 - 165	8	50	9064487	NSF2552-10	07/01/09 22:23
Naphthalene	0.0169	3.30		mg/kg dry	3.01	109%	10 - 160	15	50	9064487	NSF2552-10	07/01/09 22:23
Toluene	ND	3.52		mg/kg dry	3.01	117%	45 - 145	10	50	9064487	NSF2552-10	07/01/09 22:23
Xylenes, total	ND	9.83		mg/kg dry	9.04	109%	31 - 159	5	50	9064487	NSF2552-10	07/01/09 22:23
Surrogate: 1,2-Dichloroethane-d4		51.6		ug/kg	50.0	103%	67 - 138			9064487	NSF2552-10	07/01/09 22:23
Surrogate: Dibromofluoromethane		49.5		ug/kg	50.0	99%	75 - 125			9064487	NSF2552-10	07/01/09 22:23
Surrogate: Toluene-d8		56.5		ug/kg	50.0	113%	76 - 129			9064487	NSF2552-10	07/01/09 22:23
Surrogate: 4-Bromofluorobenzene		57.5		ug/kg	50.0	115%	67 - 147			9064487	NSF2552-10	07/01/09 22:23
9070397-MSD1												
Benzene	ND	0.0507		mg/kg dry	0.0577	88%	42 - 141	26	50	9070397	NSF2627-12	07/02/09 23:11
Ethylbenzene	ND	0.0434		mg/kg dry	0.0577	75%	21 - 165	27	50	9070397	NSF2627-12	07/02/09 23:11
Naphthalene	ND	0.0229		mg/kg dry	0.0577	40%	10 - 160	11	50	9070397	NSF2627-12	07/02/09 23:11
Toluene	ND	0.0500		mg/kg dry	0.0577	87%	45 - 145	22	50	9070397	NSF2627-12	07/02/09 23:11
Xylenes, total	ND	0.132		mg/kg dry	0.173	76%	31 - 159	31	50	9070397	NSF2627-12	07/02/09 23:11
Surrogate: 1,2-Dichloroethane-d4		49.6		ug/kg	50.0	99%	67 - 138			9070397	NSF2627-12	07/02/09 23:11
Surrogate: Dibromofluoromethane		49.1		ug/kg	50.0	98%	75 - 125			9070397	NSF2627-12	07/02/09 23:11
Surrogate: Toluene-d8		56.3		ug/kg	50.0	113%	76 - 129			9070397	NSF2627-12	07/02/09 23:11
Surrogate: 4-Bromofluorobenzene		53.6		ug/kg	50.0	107%	67 - 147			9070397	NSF2627-12	07/02/09 23:11
9070635-MSD1												
Benzene	0.00321	0.0396		mg/kg dry	0.0500	73%	42 - 141	27	50	9070635	NSF2495-23	07/06/09 22:43
Ethylbenzene	ND	0.0326		mg/kg dry	0.0500	65%	21 - 165	19	50	9070635	NSF2495-23	07/06/09 22:43
Naphthalene	ND	0.0196		mg/kg dry	0.0500	39%	10 - 160	8	50	9070635	NSF2495-23	07/06/09 22:43
Toluene	0.00150	0.0373		mg/kg dry	0.0500	72%	45 - 145	23	50	9070635	NSF2495-23	07/06/09 22:43
Xylenes, total	ND	0.101		mg/kg dry	0.150	68%	31 - 159	25	50	9070635	NSF2495-23	07/06/09 22:43
Surrogate: 1,2-Dichloroethane-d4		49.7		ug/kg	50.0	99%	67 - 138			9070635	NSF2495-23	07/06/09 22:43
Surrogate: Dibromofluoromethane		50.3		ug/kg	50.0	101%	75 - 125			9070635	NSF2495-23	07/06/09 22:43
Surrogate: Toluene-d8		61.4		ug/kg	50.0	123%	76 - 129			9070635	NSF2495-23	07/06/09 22:43
Surrogate: 4-Bromofluorobenzene		52.3		ug/kg	50.0	105%	67 - 147			9070635	NSF2495-23	07/06/09 22:43
Polyaromatic Hydrocarbons by EPA 8270D												
9070049-MSD1												
Acenaphthene	ND	2.00		mg/kg dry	2.03	98%	42 - 120	24	40	9070049	NSF2552-07	07/07/09 19:16
Acenaphthylene	ND	1.60		mg/kg dry	2.03	79%	32 - 120	24	30	9070049	NSF2552-07	07/07/09 19:16
Anthracene	0.293	1.87		mg/kg dry	2.03	77%	10 - 200	33	50	9070049	NSF2552-07	07/07/09 19:16
Benzo (a) anthracene	ND	1.64	R	mg/kg dry	2.03	81%	41 - 120	31	30	9070049	NSF2552-07	07/07/09 19:16
Benzo (a) pyrene	ND	1.68		mg/kg dry	2.03	82%	33 - 121	32	33	9070049	NSF2552-07	07/07/09 19:16
Benzo (b) fluoranthene	ND	1.69		mg/kg dry	2.03	83%	26 - 137	9	42	9070049	NSF2552-07	07/07/09 19:16
Benzo (g,h,i) perylene	ND	1.46		mg/kg dry	2.03	72%	21 - 124	30	32	9070049	NSF2552-07	07/07/09 19:16

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

PROJECT QUALITY CONTROL DATA

Matrix Spike Dup - Cont.

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Polyaromatic Hydrocarbons by EPA 8270D												
9070049-MSD1												
Benzo (k) fluoranthene	ND	1.53	R	mg/kg dry	2.03	75%	14 - 140	56	39	9070049	NSF2552-07	07/07/09 19:16
Chrysene	ND	1.64		mg/kg dry	2.03	81%	28 - 123	30	34	9070049	NSF2552-07	07/07/09 19:16
Dibenz (a,h) anthracene	ND	1.59	R	mg/kg dry	2.03	78%	25 - 127	32	31	9070049	NSF2552-07	07/07/09 19:16
Fluoranthene	ND	1.68		mg/kg dry	2.03	83%	38 - 120	30	35	9070049	NSF2552-07	07/07/09 19:16
Fluorene	1.63	2.41	M2	mg/kg dry	2.03	39%	41 - 120	28	37	9070049	NSF2552-07	07/07/09 19:16
Indeno (1,2,3-cd) pyrene	ND	1.54		mg/kg dry	2.03	76%	25 - 123	32	32	9070049	NSF2552-07	07/07/09 19:16
Naphthalene	3.28	3.23	MHA	mg/kg dry	2.03	-2%	25 - 120	33	42	9070049	NSF2552-07	07/07/09 19:16
Phenanthrene	3.18	3.53	MHA	mg/kg dry	2.03	17%	37 - 120	31	32	9070049	NSF2552-07	07/07/09 19:16
Pyrene	0.265	1.79		mg/kg dry	2.03	75%	29 - 125	34	40	9070049	NSF2552-07	07/07/09 19:16
1-Methylnaphthalene	10.4	7.76	MHA	mg/kg dry	2.03	-131%	19 - 120	28	45	9070049	NSF2552-07	07/07/09 19:16
2-Methylnaphthalene	13.4	10.5	MHA	mg/kg dry	2.03	-143%	11 - 120	22	50	9070049	NSF2552-07	07/07/09 19:16
Surrogate: Terphenyl-d14		1.51		mg/kg dry	2.03	74%	18 - 120			9070049	NSF2552-07	07/07/09 19:16
Surrogate: 2-Fluorobiphenyl		1.27		mg/kg dry	2.03	62%	14 - 120			9070049	NSF2552-07	07/07/09 19:16
Surrogate: Nitrobenzene-d5		1.05		mg/kg dry	2.03	52%	17 - 120			9070049	NSF2552-07	07/07/09 19:16
9070221-MSD1												
Acenaphthene	ND	1.21		mg/kg dry	1.70	71%	42 - 120	6	40	9070221	NSG0085-09	07/08/09 02:01
Acenaphthylene	ND	1.31		mg/kg dry	1.70	77%	32 - 120	8	30	9070221	NSG0085-09	07/08/09 02:01
Anthracene	ND	1.39		mg/kg dry	1.70	82%	10 - 200	10	50	9070221	NSG0085-09	07/08/09 02:01
Benzo (a) anthracene	ND	1.39		mg/kg dry	1.70	82%	41 - 120	12	30	9070221	NSG0085-09	07/08/09 02:01
Benzo (a) pyrene	ND	1.36		mg/kg dry	1.70	80%	33 - 121	6	33	9070221	NSG0085-09	07/08/09 02:01
Benzo (b) fluoranthene	ND	1.30		mg/kg dry	1.70	76%	26 - 137	1	42	9070221	NSG0085-09	07/08/09 02:01
Benzo (g,h,i) perylene	ND	1.36		mg/kg dry	1.70	80%	21 - 124	5	32	9070221	NSG0085-09	07/08/09 02:01
Benzo (k) fluoranthene	ND	1.19		mg/kg dry	1.70	70%	14 - 140	8	39	9070221	NSG0085-09	07/08/09 02:01
Chrysene	ND	1.30		mg/kg dry	1.70	76%	28 - 123	7	34	9070221	NSG0085-09	07/08/09 02:01
Dibenz (a,h) anthracene	ND	1.40		mg/kg dry	1.70	82%	25 - 127	7	31	9070221	NSG0085-09	07/08/09 02:01
Fluoranthene	ND	1.33		mg/kg dry	1.70	78%	38 - 120	4	35	9070221	NSG0085-09	07/08/09 02:01
Fluorene	ND	1.29		mg/kg dry	1.70	76%	41 - 120	12	37	9070221	NSG0085-09	07/08/09 02:01
Indeno (1,2,3-cd) pyrene	ND	1.43		mg/kg dry	1.70	84%	25 - 123	10	32	9070221	NSG0085-09	07/08/09 02:01
Naphthalene	ND	1.13		mg/kg dry	1.70	66%	25 - 120	4	42	9070221	NSG0085-09	07/08/09 02:01
Phenanthrene	ND	1.27		mg/kg dry	1.70	75%	37 - 120	8	32	9070221	NSG0085-09	07/08/09 02:01
Pyrene	ND	1.35		mg/kg dry	1.70	79%	29 - 125	14	40	9070221	NSG0085-09	07/08/09 02:01
1-Methylnaphthalene	ND	1.06		mg/kg dry	1.70	62%	19 - 120	3	45	9070221	NSG0085-09	07/08/09 02:01
2-Methylnaphthalene	ND	1.16		mg/kg dry	1.70	68%	11 - 120	3	50	9070221	NSG0085-09	07/08/09 02:01
Surrogate: Terphenyl-d14		1.31		mg/kg dry	1.70	77%	18 - 120			9070221	NSG0085-09	07/08/09 02:01
Surrogate: 2-Fluorobiphenyl		1.21		mg/kg dry	1.70	71%	14 - 120			9070221	NSG0085-09	07/08/09 02:01
Surrogate: Nitrobenzene-d5		1.31		mg/kg dry	1.70	77%	17 - 120			9070221	NSG0085-09	07/08/09 02:01

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

CERTIFICATION SUMMARY

TestAmerica Nashville

Method	Matrix	AIHA	Nelac	South Carolina
SW846 8260B	Soil	N/A	X	X
SW846 8270D	Soil		X	X
SW-846	Soil			

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSF2552
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 06/26/09 08:00

DATA QUALIFIERS AND DEFINITIONS

CF7 Result may be elevated due to carry over from previously analyzed sample.
E Concentration exceeds the calibration range and therefore result is semi-quantitative.
M1 The MS and/or MSD were above the acceptance limits due to sample matrix interference. See Blank Spike (LCS).
M2 The MS and/or MSD were below the acceptance limits due to sample matrix interference. See Blank Spike (LCS).
MHA Due to high levels of analyte in the sample, the MS/MSD calculation does not provide useful spike recovery information. See Blank Spike (LCS).
R The RPD exceeded the method control limit. The individual analyte QA/QC recoveries, however, were within acceptance limits.
ZX Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.
ND Not detected at the reporting limit (or method detection limit if shown)

METHOD MODIFICATION NOTES

07/13/09 23:59

**Nashville Division
2960 Foster Creighton
Nashville, TN 37204**

Phone: 615-726-0177
Toll Free: 800-765-0980
Fax: 615-726-3404

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?

Client Name/Account #: EEG # 2449

Address: 10179 Highway 78

City/State/Zip: Ladson, SC 29456

Project Manager: Tom McElwee email: mcelwee@deepinc.net

Telephone Number: 843.412.2097

Sampler Name: (Print)**Sampler Signature:**

Compliance Monitoring?	Yes	No
-------------------------------	------------	-----------

Enforcement Action?	Yes	No
---------------------	-----	----

Site State: SC

PO#: 0829

TA Quote #:

Project ID: Laurel Bay Housing Project

Project #:[illegible]

ATTACHMENT A



NON-HAZARDOUS MANIFEST

CWM

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.		Manifest Document No.		2. Page 1 of 1																							
3. Generator's Name and Mailing Address MCAS, Beaufort Laurel Bay Housing Beaufort SC 29904				A. Manifest Number WMNA 10885476																									
4. Generator's Phone 843 228-6460				B. State Generator's ID																									
5. Transporter 1 Company Name EEG, Inc.		6. US EPA ID Number		C. State Transporter's ID		D. Transporter's Phone 843 878-0411																							
7. Transporter 2 Company Name		8. US EPA ID Number		E. State Transporter's ID		F. Transporter's Phone																							
9. Designated Facility Name and Site Address HICKORY HILL LANDFILL ROUTE 1, BOX 121 RIDGELAND SC 29936		10. US EPA ID Number		G. State Facility's ID		H. Facility's Phone 843 987-4643																							
11. Description of Waste Materials				12. Containers No. Type		13. Total Quantity		14. Unit Wt./Vol		I. Misc. Comments																			
a. Heating Oil Tank filled with Sand				WM Profile # 102655SC		0 0 1		8.02		TV																			
b.				WM Profile #																									
c.				WM Profile #																									
d.				WM Profile #																									
J. Additional Descriptions for Materials Listed Above Landfill _____ Solidification _____ Bio Remediation _____						K. Disposal Location Cell _____ Level _____ Grid _____																							
15. Special Handling Instructions and Additional Information TEA UST's from Houses 1) 1162 JASMINE 2) 1168 JASMINE 3) 1170 JASMINE 4) 480 LAUREL BAY 5) 484 LAUREL BAY 6) 492 LAUREL BAY 7) 488 LAUREL BAY						EMERGENCY CONTACT:																							
16. GENERATOR'S CERTIFICATION: I hereby certify that the above-described materials are not hazardous wastes as defined by 40 CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged, and are in proper condition for transportation according to applicable regulations.						Printed/Typed Name W.C. Duke, Jr.						Signature "On behalf of" [Signature]						Month Day Year 01/18/99											
17. Transporter 1 Acknowledgement of Receipt of Materials						Printed/Typed Name Joseph Weston						Signature [Signature]						Month Day Year 01/18/99											
18. Transporter 2 Acknowledgement of Receipt of Materials						Printed/Typed Name						Signature						Month Day Year											
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.						20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.						Printed/Typed Name Jan Collins						Signature [Signature]						Month Day Year 01/18/99					

Appendix C
Laboratory Analytical Report - Initial Groundwater

Volatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants				Laboratory ID: OG26003-007			
Description: BEALB1168TW01WG20130726				Matrix: Aqueous			
Date Sampled: 07/26/2013 0915							
Date Received: 07/26/2013							

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	08/03/2013 1649	MLH		26441
2	5030B	8260B	5	08/06/2013 0403	TAF		26561

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzene	71-43-2	8260B	0.39	J	0.50	0.25	0.027	ug/L	1
Ethylbenzene	100-41-4	8260B	88		0.50	0.25	0.17	ug/L	1
Naphthalene	91-20-3	8260B	240		2.5	1.3	0.60	ug/L	2
Toluene	108-88-3	8260B	0.18	J	0.50	0.25	0.17	ug/L	1
Xylenes (total)	1330-20-7	8260B	38		0.50	0.25	0.17	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits	Q	Run 2 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		104	70-120		100	70-120
Toluene-d8		102	85-120		103	85-120
Bromofluorobenzene		112	75-120		112	75-120
Dibromofluoromethane		103	85-115		96	85-115

PQL = Practical quantitation limit B = Detected in the method blank E = Quantitation of compound exceeded the calibration range H = Out of holding time Q = Surrogate failure
 ND = Not detected at or above the MDL J = Estimated result < PQL and ≥ MDL P = The RPD between two GC columns exceeds 40% N = Recovery is out of criteria L = LCS/LCSD failure
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W" S = MS/MSD failure

Shealy Environmental Services, Inc.
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Level 1 Report v2.1

Semivolatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants

Laboratory ID: OG26003-007

Description: BEALB1168TW01WG20130726

Matrix: Aqueous

Date Sampled: 07/26/2013 0915

Date Received: 07/26/2013

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch			
1	3520C	8270D	1	07/30/2013 1626	RBH	07/29/2013 1434	26002			
Parameter		CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzo(a)anthracene		56-55-3	8270D	ND	Q	0.22	0.11	0.089	ug/L	1
Benzo(b)fluoranthene		205-99-2	8270D	ND	Q	0.22	0.11	0.095	ug/L	1
Benzo(k)fluoranthene		207-08-9	8270D	ND	Q	0.22	0.11	0.10	ug/L	1
Chrysene		218-01-9	8270D	ND	Q	0.22	0.11	0.059	ug/L	1
Dibenzo(a,h)anthracene		53-70-3	8270D	ND	Q	0.22	0.11	0.063	ug/L	1
Surrogate	Q	Run 1 % Recovery	Acceptance Limits							
2-Fluorobiphenyl		67	50-110							
Nitrobenzene-d5		70	40-110							
Terphenyl-d14	N	27	50-135							

PQL = Practical quantitation limit B = Detected in the method blank E = Quantitation of compound exceeded the calibration range H = Out of holding time Q = Surrogate failure
 ND = Not detected at or above the MDL J = Estimated result < PQL and $\geq$ MDL P = The RPD between two GC columns exceeds 40% N = Recovery is out of criteria L = LCS/LCSD failure
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W" S = MS/MSD failure

Shealy Environmental Services, Inc.
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Level 1 Report v2.1

Appendix D
Laboratory Analytical Report – Permanent Well Groundwater

Volatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants				Laboratory ID: QL17067-021			
Description: BEALB1168MW01WG20151217				Matrix: Aqueous			
Date Sampled: 12/17/2015 1200							
Date Received: 12/17/2015							

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	12/29/2015 0147	ECP		93163

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzene	71-43-2	8260B	0.45	U	5.0	0.45	0.21	ug/L	1
Ethylbenzene	100-41-4	8260B	0.71	J	5.0	0.51	0.21	ug/L	1
Naphthalene	91-20-3	8260B	1.9	J	5.0	0.96	0.14	ug/L	1
Toluene	108-88-3	8260B	0.48	U	5.0	0.48	0.24	ug/L	1
Xylenes (total)	1330-20-7	8260B	0.57	U	5.0	0.57	0.32	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Bromofluorobenzene		101	75-120
1,2-Dichloroethane-d4		110	70-120
Toluene-d8		106	85-120
Dibromofluoromethane		110	85-115

PQL = Practical quantitation limit B = Detected in the method blank E = Quantitation of compound exceeded the calibration range H = Out of holding time Q = Surrogate failure
 ND = Not detected at or above the MDL J = Estimated result < PQL and ≥ MDL P = The RPD between two GC columns exceeds 40% N = Recovery is out of criteria L = LCS/LCSD failure
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W" S = MS/MSD failure

Shealy Environmental Services, Inc.
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Semivolatile Organic Compounds by GC/MS (SIM)

Client: **AECOM - Resolution Consultants**Laboratory ID: **QL17067-021**Description: **BEALB1168MW01WG20151217**Matrix: **Aqueous**Date Sampled: **12/17/2015 1200**Date Received: **12/17/2015**

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3520C	8270D (SIM)	1	12/24/2015 0219	DRB1	12/22/2015 1605	92845

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzo(a)anthracene	56-55-3	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	0.040	U	0.20	0.040	0.024	ug/L	1
Chrysene	218-01-9	8270D (SIM)	0.040	U	0.20	0.040	0.021	ug/L	1
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	0.080	U	0.20	0.080	0.040	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
2-Methylnaphthalene-d10		79	15-139
Fluoranthene-d10		105	23-154

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

H = Out of holding time

Q = Surrogate failure

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

N = Recovery is out of criteria

L = LCS/LCSD failure

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

S = MS/MSD failure

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Volatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants				Laboratory ID: QL17067-019			
Description: BEALB1168MW02WG20151217				Matrix: Aqueous			
Date Sampled: 12/17/2015 1025							
Date Received: 12/17/2015							

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	12/29/2015 0102	ECP		93163

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzene	71-43-2	8260B	0.45	U	5.0	0.45	0.21	ug/L	1
Ethylbenzene	100-41-4	8260B	0.51	U	5.0	0.51	0.21	ug/L	1
Naphthalene	91-20-3	8260B	0.96	U	5.0	0.96	0.14	ug/L	1
Toluene	108-88-3	8260B	0.48	U	5.0	0.48	0.24	ug/L	1
Xylenes (total)	1330-20-7	8260B	0.57	U	5.0	0.57	0.32	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Bromofluorobenzene		97	75-120
1,2-Dichloroethane-d4		109	70-120
Toluene-d8		107	85-120
Dibromofluoromethane		114	85-115

PQL = Practical quantitation limit B = Detected in the method blank E = Quantitation of compound exceeded the calibration range H = Out of holding time Q = Surrogate failure
 ND = Not detected at or above the MDL J = Estimated result < PQL and ≥ MDL P = The RPD between two GC columns exceeds 40% N = Recovery is out of criteria L = LCS/LCSD failure
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W" S = MS/MSD failure

Shealy Environmental Services, Inc.
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Semivolatile Organic Compounds by GC/MS (SIM)

Client: AECOM - Resolution Consultants	Laboratory ID: QL17067-019
Description: BEALB1168MW02WG20151217	Matrix: Aqueous
Date Sampled: 12/17/2015 1025	
Date Received: 12/17/2015	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3520C	8270D (SIM)	1	12/24/2015 0125	DRB1	12/22/2015 1605	92845

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzo(a)anthracene	56-55-3	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	0.040	U	0.20	0.040	0.024	ug/L	1
Chrysene	218-01-9	8270D (SIM)	0.040	U	0.20	0.040	0.021	ug/L	1
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	0.080	U	0.20	0.080	0.040	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
2-Methylnaphthalene-d10		82	15-139
Fluoranthene-d10		96	23-154

PQL = Practical quantitation limit B = Detected in the method blank E = Quantitation of compound exceeded the calibration range H = Out of holding time Q = Surrogate failure
 ND = Not detected at or above the MDL J = Estimated result < PQL and ≥ MDL P = The RPD between two GC columns exceeds 40% N = Recovery is out of criteria L = LCS/LCSD failure
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W" S = MS/MSD failure

Shealy Environmental Services, Inc.
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Volatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants	Laboratory ID: QL17067-020
Description: BEALB1168MW03WG20151217	Matrix: Aqueous
Date Sampled: 12/17/2015 1110	
Date Received: 12/17/2015	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	12/29/2015 0125	ECP		93163

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzene	71-43-2	8260B	0.45	U	5.0	0.45	0.21	ug/L	1
Ethylbenzene	100-41-4	8260B	0.51	U	5.0	0.51	0.21	ug/L	1
Naphthalene	91-20-3	8260B	0.96	U	5.0	0.96	0.14	ug/L	1
Toluene	108-88-3	8260B	0.48	U	5.0	0.48	0.24	ug/L	1
Xylenes (total)	1330-20-7	8260B	0.57	U	5.0	0.57	0.32	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Bromofluorobenzene		99	75-120
1,2-Dichloroethane-d4		109	70-120
Toluene-d8		107	85-120
Dibromofluoromethane		112	85-115

PQL = Practical quantitation limit B = Detected in the method blank E = Quantitation of compound exceeded the calibration range H = Out of holding time Q = Surrogate failure
 ND = Not detected at or above the MDL J = Estimated result < PQL and ≥ MDL P = The RPD between two GC columns exceeds 40% N = Recovery is out of criteria L = LCS/LCSD failure
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W" S = MS/MSD failure

Shealy Environmental Services, Inc.
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Semivolatile Organic Compounds by GC/MS (SIM)

Client: AECOM - Resolution Consultants	Laboratory ID: QL17067-020
Description: BEALB1168MW03WG20151217	Matrix: Aqueous
Date Sampled: 12/17/2015 1110	
Date Received: 12/17/2015	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3520C	8270D (SIM)	1	12/24/2015 0152	DRB1	12/22/2015 1605	92845

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzo(a)anthracene	56-55-3	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	0.040	U	0.20	0.040	0.024	ug/L	1
Chrysene	218-01-9	8270D (SIM)	0.040	U	0.20	0.040	0.021	ug/L	1
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	0.080	U	0.20	0.080	0.040	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
2-Methylnaphthalene-d10		80	15-139
Fluoranthene-d10		105	23-154

PQL = Practical quantitation limit B = Detected in the method blank E = Quantitation of compound exceeded the calibration range H = Out of holding time Q = Surrogate failure
 ND = Not detected at or above the MDL J = Estimated result < PQL and ≥ MDL P = The RPD between two GC columns exceeds 40% N = Recovery is out of criteria L = LCS/LCSD failure
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W" S = MS/MSD failure

Shealy Environmental Services, Inc.
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Volatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants				Laboratory ID: QL17067-023			
Description: BEALB1168MW04WG20151217				Matrix: Aqueous			
Date Sampled: 12/17/2015 1245							
Date Received: 12/17/2015							

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	12/29/2015 0232	ECP		93163

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzene	71-43-2	8260B	0.45	U	5.0	0.45	0.21	ug/L	1
Ethylbenzene	100-41-4	8260B	0.51	U	5.0	0.51	0.21	ug/L	1
Naphthalene	91-20-3	8260B	0.96	U	5.0	0.96	0.14	ug/L	1
Toluene	108-88-3	8260B	0.48	U	5.0	0.48	0.24	ug/L	1
Xylenes (total)	1330-20-7	8260B	0.57	U	5.0	0.57	0.32	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Bromofluorobenzene		100	75-120
1,2-Dichloroethane-d4		108	70-120
Toluene-d8		108	85-120
Dibromofluoromethane		109	85-115

PQL = Practical quantitation limit B = Detected in the method blank E = Quantitation of compound exceeded the calibration range H = Out of holding time Q = Surrogate failure
 ND = Not detected at or above the MDL J = Estimated result < PQL and ≥ MDL P = The RPD between two GC columns exceeds 40% N = Recovery is out of criteria L = LCS/LCSD failure
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W" S = MS/MSD failure

Shealy Environmental Services, Inc.
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Semivolatile Organic Compounds by GC/MS (SIM)

Client: AECOM - Resolution Consultants	Laboratory ID: QL17067-023
Description: BEALB1168MW04WG20151217	Matrix: Aqueous
Date Sampled: 12/17/2015 1245	
Date Received: 12/17/2015	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3520C	8270D (SIM)	1	12/31/2015 2254	DRB1	12/24/2015 1145	93000

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzo(a)anthracene	56-55-3	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	0.040	U	0.20	0.040	0.024	ug/L	1
Chrysene	218-01-9	8270D (SIM)	0.040	U	0.20	0.040	0.021	ug/L	1
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	0.080	U	0.20	0.080	0.040	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
2-Methylnaphthalene-d10		91	15-139
Fluoranthene-d10		100	23-154

PQL = Practical quantitation limit B = Detected in the method blank E = Quantitation of compound exceeded the calibration range H = Out of holding time Q = Surrogate failure
 ND = Not detected at or above the MDL J = Estimated result < PQL and ≥ MDL P = The RPD between two GC columns exceeds 40% N = Recovery is out of criteria L = LCS/LCSD failure
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W" S = MS/MSD failure

Shealy Environmental Services, Inc.
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Appendix E
Regulatory Correspondence



C. Earl Hunter, Commissioner

Promoting and protecting the health of the public and the environment.

April 20, 2009

Commanding Officer
ATTN: S-4 NREAO (Craig Ehde)
MCAS
PO Box 55001
Beaufort, SC 29904-5001

Re: MCAS – Laurel Bay Housing – 1168 Jasmine
Site ID # 04155
Soil Sampling Results received March 24, 2009
Retraction of NFA letter dated April 8, 2009
Beaufort County

Dear Mr. Ehde:

The Department is rescinding the “no further action” letter sent April 8, 2009 due to an error and is replacing it with this correspondence.

The submitted analytical results indicates that Benzo(a)Anthracene, Benzo(a)Pyrene, Benzo(b)Fluoranthene and Chrysene are above established Risk-Based Screening Levels and additional investigative and/or remedial actions are warranted. The Department recommends that a groundwater monitoring well be installed to determine if there has been an impact to groundwater. Please submit the proposal to conduct the necessary assessment and/or remedial measures at this site no later than July 28, 2009.

Should you have any questions, please contact me at 803-896-4179 (office phone), 803-896-6245 (fax) or cookejt@dhec.sc.gov.

Sincerely,

Jan T. Cooke, Hydrogeologist
AST Petroleum Restoration & Site Environmental Investigations Section
Division of Site Assessment, Remediation & Revitalization
Bureau of Land and Waste Management

B. Thomas Knight, Manager

cc: Region 8 District EQC
Tri-Command Communities; Attn: Mr. Robert Bible; 600 Laurel Bay Road Beaufort, SC 29906



C. Earl Hunter, Commissioner

Promoting and protecting the health of the public and the environment.

Bureau of Land and Waste Management
Division of Waste Management

March 11, 2010

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United States Marine Corp Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: **No Further Action**
Laurel Bay Underground Storage Tank Assessment Report for:

- **1162 Jasmine**
- **1168 Jasmine**

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tanks (USTs) Assessment Report on September 23, 2009 for the addresses listed above.

The Department has reviewed the referenced assessment report and agrees there is no indication of soil or groundwater contamination on this property, and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corp Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at picketcn@dhec.sc.gov or 803-896-4131.

Sincerely,

Christi Pickett
Corrective Action Engineering Section
Bureau of Land and Waste Management
South Carolina Department of Health and Environmental Control

cc: Laurel Rhoten (via email)
Craig Ehde (via email)



Catherine E. Heigel, Director

Promoting and protecting the health of the public and the environment

Division of Waste Management
Bureau of Land and Waste Management

August 6, 2015

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: Approval Response to Comments and Concurrence with Final Initial Groundwater Investigation Report-July 2013
Laurel Bay Military Housing Area Multiple Properties
Dated June 2015

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received groundwater data in the above referenced Groundwater Investigation Report for the addresses attached. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

Per the Department's request, groundwater samples were collected from the attached referenced addresses. The Department reviewed the groundwater data and previous investigations and it agrees with the conclusions and recommendations included in the document. To further assess the impact to groundwater, permanent wells should be installed at the 10 stated addresses. For the remaining 25 addresses, there is no indication of contamination on the property and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at petruslb@dhec.sc.gov or 803-898-0294.

Sincerely,

Laurel Petrus
RCRA Federal Facilities Section

Attachment: Specific Property Recommendations

Cc: Russell Berry, EQC Region 8 (via email)
Shawn Dolan, Resolution Consultants (via email)
Bryan Beck, NAVFAC MIDATLANTIC (via email)
Craig Ehde (via email)

Attachment to: Petrus to Drawdy
 Subject: Draft Final Initial Groundwater Investigation Report-July 2013
 Specific Property Recommendations
 Dated August 6, 2015

Draft Final Initial Groundwater Investigation Report for (35 addresses/38 tanks)

Permanent Monitoring Well Investigation recommendation (10 addresses/11 tanks)	
119 Banyan	156 Laurel Bay
128 Banyan	1033 Foxglove
132 Banyan	1055 Gardenia
135 Birch	1059 Gardenia
148 Laurel Bay	1168 Jasmine
No Further Action recommendation (25 addresses/27 tanks):	
115 Banyan	386 Acorn
116 Banyan	395 Acorn
120 Banyan	399 Acorn
124 Banyan	1021 Foxglove
125 Banyan	1027 Foxglove
136 Birch	1030 Foxglove
140 Laurel Bay	1032 Foxglove
144 Laurel Bay	1053 Gardenia
152 Laurel Bay	1058 Gardenia
160 Cypress	1061 Gardenia
263 Beech	1166 Jasmine
269 Birch	1169 Jasmine
295 Birch	



July 21, 2016

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

Dear Mr. Drawdy:

The South Carolina Department of Health and Environmental Control (the Department) received groundwater data from permanent monitoring well installations in the Draft Final Groundwater Assessment Report November and December 2015, Laurel Bay Military Housing Area for the addresses shown in the attachment. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

Per the Department's request, groundwater samples were collected from the attached referenced addresses. The Department reviewed the groundwater data and previous investigations and it agrees with the conclusions and recommendations included in the document. To further assess the impact to groundwater, groundwater monitoring should begin at the eight stated addresses. For the remaining two addresses, there is no indication of contamination on the property and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at petruslb@dhec.sc.gov or 803-898-0294.

Sincerely,

Laurel Petrus, Environmental Engineer Associate
Bureau of Land and Waste Management

Attachment: Specific Property Recommendations

Cc: Russell Berry, EQC Region 8
Shawn Dolan, Resolution Consultants
Bryan Beck, NAVFAC MIDATLANTIC

Attachment to: Petrus to Drawdy

Subject: Draft Final Groundwater Assment Report-November and December 2015

Specific Property Recommendations

Dated July 21, 2016

Draft Final Initial Groundwater Assessment Report for (10 addresses)

Groundwater Monitoring recommendation (8 addresses)	
119 Banyan Drive	148 Laurel Bay Blvd
128 Banyan Drive	156 Laurel Bay Blvd
132 Banyan Drive	1055 Gardenia Drive
135 Birch Drive	1059 Gardenia Drive
No Further Action recommendation (2 addresses):	
1033 Foxglove Street	1168 Jasmine Street