

SUMMARY REPORT
409 BOBWHITE DRIVE (FORMERLY 1188 BOBWHITE DRIVE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid-Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT
409 BOBWHITE DRIVE (FORMERLY 1188 BOBWHITE DRIVE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid- Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue
Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture
10560 Arrowhead Drive, Suite 500
Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016

CTO WE52

JUNE 2021

Table of Contents

1.0	INTRODUCTION.....	1
1.1	BACKGROUND INFORMATION.....	1
1.2	UST REMOVAL AND ASSESSMENT PROCESS.....	2
2.0	SAMPLING ACTIVITIES AND RESULTS.....	3
2.1	UST REMOVAL AND SOIL SAMPLING	3
2.2	SOIL ANALYTICAL RESULTS.....	4
3.0	PROPERTY STATUS	4
4.0	REFERENCES.....	4

Table

Table 1	Laboratory Analytical Results - Soil
---------	--------------------------------------

Appendices

Appendix A	Multi-Media Selection Process for LBMH
Appendix B	UST Assessment Reports
Appendix C	Regulatory Correspondence

List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level

1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 409 Bobwhite Drive (Formerly 1188 Bobwhite Drive). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*

Division (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 409 Bobwhite Drive (Formerly 1188 Bobwhite Drive). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 1188 Bobwhite Drive* (MCAS Beaufort, 2011) and the *SCDHEC UST Assessment Report – 1188 Bobwhite Drive* (MCAS Beaufort, 2014). The UST Assessment Reports are provided in Appendix B.

2.1 UST Removal and Soil Sampling

Two 280 gallon heating oil USTs were removed at 409 Bobwhite Drive (Formerly 1188 Bobwhite Drive). Tank 1 was removed on May 12, 2011, from the front landscaped area adjacent to the concrete porch. Tank 2 was removed on April 22, 2013, from the concrete porch area. The UST locations are indicated on Figures 2 and 3 of the UST Assessment Reports (Appendix B). The USTs were removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum

impact at the time of the UST removals. According to the UST Assessment Reports (Appendix B), the depths to the bases of the USTs were 4'10" bgs (Tank 1) and 6'0" bgs (Tank 2) and a single soil sample was collected from those depths for each. The samples were collected from the fill port side of the former USTs to represent a worst case scenario.

Following UST removal, a soil sample was collected from the bases of each excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data reports are included in the UST Assessment Reports presented in Appendix B. The laboratory analytical data reports include the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST locations (Tanks 1 and 2) were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from the former UST locations (Tanks 1 and 2) at 409 Bobwhite Drive (Formerly 1188 Bobwhite Drive) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former USTs at concentrations that presented a potential risk to human health and the environment.

3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 409 Bobwhite Drive (Formerly 1188 Bobwhite Drive). This NFA determination was obtained in a letter dated April 9, 2014. SCDHEC's NFA letter is provided in Appendix C.

4.0 REFERENCES

Marine Corps Air Station Beaufort, 2011. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 1188 Bobwhite Drive, Laurel Bay Military Housing Area, September 2011.*

Marine Corps Air Station Beaufort, 2014. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 1188 Bobwhite Drive, Laurel Bay Military Housing Area*, March 2014.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

Table

Table 1
Laboratory Analytical Results - Soil
409 Bobwhite Drive (Formerly 1188 Bobwhite Drive)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾	Results Samples Collected 05/12/11 and 04/22/13	
		1188 Bobwhite 05/12/11	1188 Bobwhite-2 04/22/13
Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)			
Benzene	0.003	ND	ND
Ethylbenzene	1.15	ND	ND
Naphthalene	0.036	ND	ND
Toluene	0.627	ND	ND
Xylenes, Total	13.01	ND	ND
Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)			
Benzo(a)anthracene	0.66	ND	ND
Benzo(b)fluoranthene	0.66	ND	ND
Benzo(k)fluoranthene	0.66	ND	ND
Chrysene	0.66	ND	ND
Dibenz(a,h)anthracene	0.66	ND	ND

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0 (SCDHEC, April 2013).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency


mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

Appendix A
Multi-Media Selection Process for LBMH



Appendix A - Multi-Media Selection Process for LBMH

Appendix B
UST Assessment Reports

Rec'd 9/30/11

Attachment 1

South Carolina Department of Health and Environmental Control (SCDHEC)
Underground Storage Tank (UST) Assessment Report

Date Received
State Use Only

Submit Completed Form To:
UST Program
SCDHEC
2600 Bull Street
Columbia, South Carolina 29201
Telephone (803) 896-7957

I. OWNERSHIP OF UST (S)

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)		
Owner Name (Corporation, Individual, Public Agency, Other)		
P.O. Box 55001		
Mailing Address		
Beaufort,	South Carolina	29904-5001
City	State	Zip Code
843	228-7317	Craig Ehde
Area Code	Telephone Number	Contact Person

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #	
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC	
Facility Name or Company Site Identifier	
1188 Bobwhite Drive, Laurel Bay Military Housing Area	
Street Address or State Road (as applicable)	
Beaufort,	Beaufort
City	County

Attachment 2

III. INSURANCE INFORMATION

Insurance Statement

The petroleum release reported to DHEC on _____ at Permit ID Number _____ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES _____ NO _____ (check one)

If you answered YES to the above question, please complete the following information:

My policy provider is: _____

The policy deductible is: _____

The policy limit is: _____

If you have this type of insurance, please include a copy of the policy with this report.

IV. REQUEST FOR SUPERB FUNDING

I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)

V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

To be completed by Notary Public:

Sworn before me this _____ day of _____, 20____

(Name)

Notary Public for the state of _____
Please affix State seal if you are commissioned outside South Carolina

VI. UST INFORMATION

A. Product...(ex. Gas, Kerosene).....

B. Capacity..(ex. 1k, 2k).....

C. Age.....

D. Construction Material..(ex. Steel, FRP).....

E. Month/Year of Last Use.....

F. Depth (ft.) To Base of Tank.....

G. Spill Prevention Equipment Y/N.....

H. Overfill Prevention Equipment Y/N.....

I. Method of Closure Removed/Filled.....

J. Date Tanks Removed/Filled.....

K. Visible Corrosion or Pitting Y/N.....

L. Visible Holes Y/N.....

M. Method of disposal for any USTs removed from the ground (attach disposal manifests)

UST 1188Bobwhite was removed from the ground and disposed

of at a Subtitle "D" landfill. See Attachment "A".

N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)

UST 1188Bobwhite was previously filled with sand by others.

O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST
Corrosion, pitting and holes were found throughout the tank.

1188 Bobwhite		
Heating oil		
280 gal		
Late 1950s		
Steel		
Mid 80s		
4'10"		
No		
No		
Removed		
5/12/11		
Yes		
Yes		

VII. PIPING INFORMATION

A. Construction Material..(ex. Steel, FRP).....	1188 Bobwhite	
B. Distance from UST to Dispenser.....	Steel & Copper	
C. Number of Dispensers.....	N/A	
D. Type of System Pressure or Suction.....	N/A	
E. Was Piping Removed from the Ground? Y/N	Suction	
F. Visible Corrosion or Pitting Y/N.....	No	
G. Visible Holes Y/N.....	Yes	
H. Age.....	No	
I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.	Late 1950s	

Steel vent piping was corroded and pitted. Copper supply and return piping was sound.

VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

IX. SITE CONDITIONS

	Yes	No	Unk
<p>A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate depth and location on the site map.</p>		X	
<p>B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate location on site map and describe the odor (strong, mild, etc.)</p>		X	
<p>C. Was water present in the UST excavation, soil borings, or trenches?</p> <p>If yes, how far below land surface (indicate location and depth)?</p>		X	
<p>D. Did contaminated soils remain stockpiled on site after closure?</p> <p>If yes, indicate the stockpile location on the site map.</p> <p>Name of DHEC representative authorizing soil removal:</p>		X	
<p>E. Was a petroleum sheen or free product detected on any excavation or boring waters?</p> <p>If yes, indicate location and thickness.</p>		X	

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
1188 Bobwhite	Excav at fill end	Soil	Sandy	4'10"	5/12/11 1215 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

* = Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.


XII. RECEPTORS

	Yes	No
<p>A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system? *Approx 275' to pond</p> <p>If yes, indicate type of receptor, distance, and direction on site map.</p>	*X	
<p>B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?</p> <p>If yes, indicate type of well, distance, and direction on site map.</p>		X
<p>C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?</p> <p>If yes, indicate type of structure, distance, and direction on site map.</p>		X
<p>D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? *Sewer, water, electricity cable & fiber optic</p> <p>If yes, indicate the type of utility, distance, and direction on the site map.</p>	*X	
<p>E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?</p> <p>If yes, indicate the area of contaminated soil on the site map.</p>		X

XIII. SITE MAP

You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)



1188 BOBWHITE DR.

SBG-EEG, Inc.


398 E. 5th North Street, Suite C
Summerville SC 29483-6954

Ph. (843) 875-1930

Drawn By: L. DiAsio

Dwg Date: JUNE 2011

**FIGURE 1: LOCATION MAP
1188 BOBWHITE DR.
LAUREL BAY, BEAUFORT SC**



POND \approx 275'



1188 BOBWHITE DR.
LAUREL BAY MILITARY HOUSING
MCAS BEAUFORT, SC

UST 1188BOBWHITE



SBG-EEG


10179 HWY 78
LADSON, SC 29456

ph. (843) 879-0400

FIGURE 2 SITE MAP
1188 BOBWHITE DR., LAUREL BAY
MCAS BEAUFORT SC


SCALE: GRAPHIC

DWG DATE JUNE 2011




CONCRETE PORCH

POND \approx 275'



ASPHALT
DRIVE



TANK DEPTH BELOW GRADE
1188BOBWHITE = 22"

SBG-EEG

10179 HWY 78
LADSON, SC 29456

ph. (843) 879-0400

FIGURE 3 UST SAMPLE LOCATIONS
1188 BOBWHITE DR., LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE JUNE 2011



Picture 1: Location of UST 1188Bobwhite. Arrow marks water line location.



Picture 2: UST 1188Bobwhite excavation.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	UST	1188Bobwhite					
Benzene		ND					
Toluene		ND					
Ethylbenzene		ND					
Xylenes		ND					
Naphthalene		ND					
Benzo (a) anthracene		ND					
Benzo (b) fluoranthene		ND					
Benzo (k) fluoranthene		ND					
Chrysene		ND					
Dibenz (a, h) anthracene		ND					
TPH (EPA 3550)							

CoC								
Benzene								
Toluene								
Ethylbenzene								
Xylenes								
Naphthalene								
Benzo (a) anthracene								
Benzo (b) fluoranthene								
Benzo (k) fluoranthene								
Chrysene								
Dibenz (a, h) anthracene								
TPH (EPA 3550)								

SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here)
(Please see Form #4)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Nashville

2960 Foster Creighton Road

Nashville, TN 37204

Tel: 800-765-0980

TestAmerica Job ID: NUE2542

Client Project/Site: [none]

Client Project Description: Laurel Bay Housing Project


For:

EEG - Small Business Group, Inc. (2449)

10179 Highway 78

Ladson, SC 29456

Attn: Tom McElwee



Authorized for release by:

05/31/2011 05:16:54 PM

Ken A. Hayes

Senior Project Manager

ken.hayes@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?

**Ask
The
Expert**

Visit us at:

www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Definitions	4
Client Sample Results	5
QC Sample Results	10
QC Association	17
Chronicle	19
Method Summary	21
Certification Summary	22
Chain of Custody	23



Sample Summary

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
NUE2542-01	1416 Albatross	Soil	05/09/11 16:00	05/14/11 09:00
NUE2542-02	1421 Albatross	Soil	05/10/11 10:45	05/14/11 09:00
NUE2542-03	1405 Eagle	Soil	05/10/11 15:15	05/14/11 09:00
NUE2542-04	1188 Bobwhite	Soil	05/12/11 12:15	05/14/11 09:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Definitions/Glossary

Client: EEG - Small Business Group, Inc. (2449)

TestAmerica Job ID: NUE2542

Project/Site: [none]

Qualifiers

GCMS Volatiles

Qualifier	Qualifier Description
J	Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.
RL1	Reporting limit raised due to sample matrix effects.
Z6	Surrogate recovery was below acceptance limits.
ZX	Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.

GCMS Semivolatiles

Qualifier	Qualifier Description
J	Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.
ZX	Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis.
EPA	United States Environmental Protection Agency
ND	Not Detected above the reporting level.
MDL	Method Detection Limit
RL	Reporting Limit
RE, RE1 (etc.)	Indicates a Re-extraction or Reanalysis of the sample.
%R	Percent Recovery
RPD	Relative Percent Difference, a measure of the relative difference between two points.



Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)

TestAmerica Job ID: NUE2542

Project/Site: [none]

Client Sample ID: 1416 Albatross

Lab Sample ID: NUE2542-01

Date Collected: 05/09/11 16:00

Matrix: Soil

Date Received: 05/14/11 09:00

Percent Solids: 89.6

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00255	0.00140	mg/kg dry	☼	05/09/11 16:00	05/18/11 15:05	1.00
Ethylbenzene	ND		0.00255	0.00125	mg/kg dry	☼	05/09/11 16:00	05/18/11 15:05	1.00
Toluene	ND		0.00255	0.00113	mg/kg dry	☼	05/09/11 16:00	05/18/11 15:05	1.00
Xylenes, total	ND		0.00637	0.00242	mg/kg dry	☼	05/09/11 16:00	05/18/11 15:05	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	92		67 - 138	05/09/11 16:00	05/18/11 15:05	1.00
Dibromofluoromethane	105		75 - 125	05/09/11 16:00	05/18/11 15:05	1.00
Toluene-d8	95		76 - 129	05/09/11 16:00	05/18/11 15:05	1.00
4-Bromofluorobenzene	99		67 - 147	05/09/11 16:00	05/18/11 15:05	1.00

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	0.00433	J	0.00659	0.00224	mg/kg dry	☼	05/09/11 16:00	05/19/11 16:08	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	89		67 - 138	05/09/11 16:00	05/19/11 16:08	1.00
Dibromofluoromethane	103		75 - 125	05/09/11 16:00	05/19/11 16:08	1.00
Toluene-d8	94		76 - 129	05/09/11 16:00	05/19/11 16:08	1.00
4-Bromofluorobenzene	93		67 - 147	05/09/11 16:00	05/19/11 16:08	1.00

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0744	0.0155	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:32	1.00
Acenaphthylene	ND		0.0744	0.0222	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:32	1.00
Anthracene	ND		0.0744	0.0100	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:32	1.00
Benzo (a) anthracene	ND		0.0744	0.0122	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:32	1.00
Benzo (a) pyrene	ND		0.0744	0.00889	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:32	1.00
Benzo (b) fluoranthene	ND		0.0744	0.0422	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:32	1.00
Benzo (g,h,i) perylene	ND		0.0744	0.0100	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:32	1.00
Benzo (k) fluoranthene	ND		0.0744	0.0411	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:32	1.00
Chrysene	ND		0.0744	0.0344	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:32	1.00
Dibenz (a,h) anthracene	ND		0.0744	0.0167	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:32	1.00
Fluoranthene	ND		0.0744	0.0122	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:32	1.00
Fluorene	ND		0.0744	0.0222	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:32	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0744	0.0344	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:32	1.00
Naphthalene	ND		0.0744	0.0155	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:32	1.00
Phenanthrene	ND		0.0744	0.0111	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:32	1.00
Pyrene	ND		0.0744	0.0255	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:32	1.00
1-Methylnaphthalene	ND		0.0744	0.0133	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:32	1.00
2-Methylnaphthalene	ND		0.0744	0.0233	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:32	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Terphenyl-d14	94		18 - 120	05/17/11 12:15	05/20/11 00:32	1.00
2-Fluorobiphenyl	56		14 - 120	05/17/11 12:15	05/20/11 00:32	1.00
Nitrobenzene-d5	59		17 - 120	05/17/11 12:15	05/20/11 00:32	1.00

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	89.6		0.500	0.500	%		05/27/11 09:56	05/31/11 14:46	1.00

TestAmerica Nashville

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)

TestAmerica Job ID: NUE2542

Project/Site: [none]

Client Sample ID: 1421 Albatross

Lab Sample ID: NUE2542-02

Date Collected: 05/10/11 10:45

Matrix: Soil

Date Received: 05/14/11 09:00

Percent Solids: 84.2

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.120		0.00177	0.000975	mg/kg dry	☼	05/10/11 10:45	05/18/11 15:34	1.00
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	95		67 - 138				05/10/11 10:45	05/18/11 15:34	1.00
Dibromofluoromethane	109		75 - 125				05/10/11 10:45	05/18/11 15:34	1.00
Toluene-d8	180	ZX	76 - 129				05/10/11 10:45	05/18/11 15:34	1.00
4-Bromofluorobenzene	271	ZX	67 - 147				05/10/11 10:45	05/18/11 15:34	1.00

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	1.12		0.0924	0.0453	mg/kg dry	☼	05/10/11 10:45	05/19/11 15:38	50.0
Naphthalene	8.11		0.231	0.0785	mg/kg dry	☼	05/10/11 10:45	05/19/11 15:38	50.0
Toluene	0.224		0.0924	0.0411	mg/kg dry	☼	05/10/11 10:45	05/19/11 15:38	50.0
Xylenes, total	5.12		0.231	0.0878	mg/kg dry	☼	05/10/11 10:45	05/19/11 15:38	50.0
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	84		67 - 138				05/10/11 10:45	05/19/11 15:38	50.0
Dibromofluoromethane	102		75 - 125				05/10/11 10:45	05/19/11 15:38	50.0
Toluene-d8	93		76 - 129				05/10/11 10:45	05/19/11 15:38	50.0
4-Bromofluorobenzene	99		67 - 147				05/10/11 10:45	05/19/11 15:38	50.0

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	1.69		0.0782	0.0163	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:53	1.00
Acenaphthylene	1.02		0.0782	0.0234	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:53	1.00
Anthracene	0.505		0.0782	0.0105	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:53	1.00
Benzo (a) anthracene	0.0463	J	0.0782	0.0128	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:53	1.00
Benzo (a) pyrene	ND		0.0782	0.00934	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:53	1.00
Benzo (b) fluoranthene	ND		0.0782	0.0444	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:53	1.00
Benzo (g,h,i) perylene	ND		0.0782	0.0105	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:53	1.00
Benzo (k) fluoranthene	ND		0.0782	0.0432	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:53	1.00
Chrysene	0.0739	J	0.0782	0.0362	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:53	1.00
Dibenz (a,h) anthracene	ND		0.0782	0.0175	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:53	1.00
Fluoranthene	0.176		0.0782	0.0128	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:53	1.00
Fluorene	2.53		0.0782	0.0234	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:53	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0782	0.0362	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:53	1.00
Pyrene	0.378		0.0782	0.0269	mg/kg dry	☼	05/17/11 12:15	05/20/11 00:53	1.00
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Terphenyl-d14	94		18 - 120				05/17/11 12:15	05/20/11 00:53	1.00
2-Fluorobiphenyl	85		14 - 120				05/17/11 12:15	05/20/11 00:53	1.00
Nitrobenzene-d5	30		17 - 120				05/17/11 12:15	05/20/11 00:53	1.00

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	10.9		0.782	0.163	mg/kg dry	☼	05/17/11 12:15	05/21/11 17:40	10.0
Phenanthrene	8.70		0.782	0.117	mg/kg dry	☼	05/17/11 12:15	05/21/11 17:40	10.0
1-Methylnaphthalene	27.5		0.782	0.140	mg/kg dry	☼	05/17/11 12:15	05/21/11 17:40	10.0

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D - RE2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Methylnaphthalene	49.9		1.56	0.490	mg/kg dry	☼	05/17/11 12:15	05/21/11 18:00	20.0

TestAmerica Nashville

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Client Sample ID: 1421 Albatross

Lab Sample ID: NUE2542-02

Date Collected: 05/10/11 10:45

Matrix: Soil

Date Received: 05/14/11 09:00

Percent Solids: 84.2

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	84.2		0.500	0.500	%		05/27/11 09:56	05/31/11 14:46	1.00

1

2

3

4

5

6

7

8

9

10

11

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)

TestAmerica Job ID: NUE2542

Project/Site: [none]

Client Sample ID: 1405 Eagle

Lab Sample ID: NUE2542-03

Date Collected: 05/10/11 15:15

Matrix: Soil

Date Received: 05/14/11 09:00

Percent Solids: 88.6

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00255	0.00140	mg/kg dry	☼	05/10/11 15:15	05/18/11 16:04	1.00
Ethylbenzene	0.00130	J	0.00255	0.00125	mg/kg dry	☼	05/10/11 15:15	05/18/11 16:04	1.00
Toluene	0.00176	J	0.00255	0.00114	mg/kg dry	☼	05/10/11 15:15	05/18/11 16:04	1.00
Xylenes, total	0.00761		0.00638	0.00243	mg/kg dry	☼	05/10/11 15:15	05/18/11 16:04	1.00
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	95		67 - 138				05/10/11 15:15	05/18/11 16:04	1.00
Dibromofluoromethane	110		75 - 125				05/10/11 15:15	05/18/11 16:04	1.00
Toluene-d8	107		76 - 129				05/10/11 15:15	05/18/11 16:04	1.00
4-Bromofluorobenzene	140		67 - 147				05/10/11 15:15	05/18/11 16:04	1.00

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B - RE2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND	RL1	0.294	0.0999	mg/kg dry	☼	05/10/11 15:15	05/19/11 14:10	50.0
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	91		67 - 138				05/10/11 15:15	05/19/11 14:10	50.0
Dibromofluoromethane	107		75 - 125				05/10/11 15:15	05/19/11 14:10	50.0
Toluene-d8	90		76 - 129				05/10/11 15:15	05/19/11 14:10	50.0
4-Bromofluorobenzene	95		67 - 147				05/10/11 15:15	05/19/11 14:10	50.0

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0747	0.0156	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:13	1.00
Acenaphthylene	ND		0.0747	0.0223	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:13	1.00
Anthracene	ND		0.0747	0.0100	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:13	1.00
Benzo (a) anthracene	ND		0.0747	0.0123	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:13	1.00
Benzo (a) pyrene	ND		0.0747	0.00892	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:13	1.00
Benzo (b) fluoranthene	ND		0.0747	0.0424	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:13	1.00
Benzo (g,h,i) perylene	ND		0.0747	0.0100	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:13	1.00
Benzo (k) fluoranthene	ND		0.0747	0.0413	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:13	1.00
Chrysene	ND		0.0747	0.0346	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:13	1.00
Dibenz (a,h) anthracene	ND		0.0747	0.0167	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:13	1.00
Fluoranthene	ND		0.0747	0.0123	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:13	1.00
Fluorene	ND		0.0747	0.0223	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:13	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0747	0.0346	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:13	1.00
Naphthalene	ND		0.0747	0.0156	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:13	1.00
Phenanthrene	ND		0.0747	0.0111	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:13	1.00
Pyrene	ND		0.0747	0.0256	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:13	1.00
1-Methylnaphthalene	ND		0.0747	0.0134	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:13	1.00
2-Methylnaphthalene	ND		0.0747	0.0234	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:13	1.00
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Terphenyl-d14	138	ZX	18 - 120				05/17/11 12:15	05/20/11 01:13	1.00
2-Fluorobiphenyl	51		14 - 120				05/17/11 12:15	05/20/11 01:13	1.00
Nitrobenzene-d5	46		17 - 120				05/17/11 12:15	05/20/11 01:13	1.00

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	88.6		0.500	0.500	%		05/27/11 09:56	05/31/11 14:46	1.00

TestAmerica Nashville

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Client Sample ID: 1188 Bobwhite

Lab Sample ID: NUE2542-04

Date Collected: 05/12/11 12:15

Matrix: Soil

Date Received: 05/14/11 09:00

Percent Solids: 87.3

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00208	0.00115	mg/kg dry	☼	05/12/11 12:15	05/18/11 16:33	1.00
Ethylbenzene	ND		0.00208	0.00102	mg/kg dry	☼	05/12/11 12:15	05/18/11 16:33	1.00
Toluene	ND		0.00208	0.000927	mg/kg dry	☼	05/12/11 12:15	05/18/11 16:33	1.00
Xylenes, total	ND		0.00521	0.00198	mg/kg dry	☼	05/12/11 12:15	05/18/11 16:33	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	91		67 - 138	05/12/11 12:15	05/18/11 16:33	1.00
Dibromofluoromethane	110		75 - 125	05/12/11 12:15	05/18/11 16:33	1.00
Toluene-d8	100		76 - 129	05/12/11 12:15	05/18/11 16:33	1.00
4-Bromofluorobenzene	128		67 - 147	05/12/11 12:15	05/18/11 16:33	1.00

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND		0.00541	0.00184	mg/kg dry	☼	05/12/11 12:15	05/19/11 16:37	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	92		67 - 138	05/12/11 12:15	05/19/11 16:37	1.00
Dibromofluoromethane	102		75 - 125	05/12/11 12:15	05/19/11 16:37	1.00
Toluene-d8	93		76 - 129	05/12/11 12:15	05/19/11 16:37	1.00
4-Bromofluorobenzene	98		67 - 147	05/12/11 12:15	05/19/11 16:37	1.00

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0760	0.0159	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:34	1.00
Acenaphthylene	ND		0.0760	0.0227	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:34	1.00
Anthracene	ND		0.0760	0.0102	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:34	1.00
Benzo (a) anthracene	ND		0.0760	0.0125	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:34	1.00
Benzo (a) pyrene	ND		0.0760	0.00907	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:34	1.00
Benzo (b) fluoranthene	ND		0.0760	0.0431	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:34	1.00
Benzo (g,h,i) perylene	ND		0.0760	0.0102	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:34	1.00
Benzo (k) fluoranthene	ND		0.0760	0.0420	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:34	1.00
Chrysene	ND		0.0760	0.0352	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:34	1.00
Dibenz (a,h) anthracene	ND		0.0760	0.0170	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:34	1.00
Fluoranthene	ND		0.0760	0.0125	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:34	1.00
Fluorene	ND		0.0760	0.0227	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:34	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0760	0.0352	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:34	1.00
Naphthalene	ND		0.0760	0.0159	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:34	1.00
Phenanthrene	ND		0.0760	0.0113	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:34	1.00
Pyrene	ND		0.0760	0.0261	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:34	1.00
1-Methylnaphthalene	ND		0.0760	0.0136	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:34	1.00
2-Methylnaphthalene	ND		0.0760	0.0238	mg/kg dry	☼	05/17/11 12:15	05/20/11 01:34	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Terphenyl-d14	86		18 - 120	05/17/11 12:15	05/20/11 01:34	1.00
2-Fluorobiphenyl	55		14 - 120	05/17/11 12:15	05/20/11 01:34	1.00
Nitrobenzene-d5	52		17 - 120	05/17/11 12:15	05/20/11 01:34	1.00

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	87.3		0.500	0.500	%		05/27/11 09:56	05/31/11 14:46	1.00

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)

TestAmerica Job ID: NUE2542

Project/Site: [none]

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Lab Sample ID: 11E4658-BLK1

Matrix: Soil

Analysis Batch: U008793

Client Sample ID: 11E4658-BLK1

Prep Type: Total

Prep Batch: 11E4658_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.00110	mg/kg wet		05/18/11 09:42	05/18/11 12:09	1.00
Ethylbenzene	ND		0.00200	0.000980	mg/kg wet		05/18/11 09:42	05/18/11 12:09	1.00
Naphthalene	ND		0.00500	0.00170	mg/kg wet		05/18/11 09:42	05/18/11 12:09	1.00
Toluene	ND		0.00200	0.000890	mg/kg wet		05/18/11 09:42	05/18/11 12:09	1.00
Xylenes, total	ND		0.00500	0.00190	mg/kg wet		05/18/11 09:42	05/18/11 12:09	1.00

Surrogate	Blank % Recovery	Blank Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	94		67 - 138	05/18/11 09:42	05/18/11 12:09	1.00
Dibromofluoromethane	107		75 - 125	05/18/11 09:42	05/18/11 12:09	1.00
Toluene-d8	93		76 - 129	05/18/11 09:42	05/18/11 12:09	1.00
4-Bromofluorobenzene	95		67 - 147	05/18/11 09:42	05/18/11 12:09	1.00

Lab Sample ID: 11E4658-BLK2

Matrix: Soil

Analysis Batch: U008793

Client Sample ID: 11E4658-BLK2

Prep Type: Total

Prep Batch: 11E4658_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.100	0.0550	mg/kg wet		05/18/11 09:42	05/18/11 12:38	50.0
Ethylbenzene	ND		0.100	0.0490	mg/kg wet		05/18/11 09:42	05/18/11 12:38	50.0
Naphthalene	ND		0.250	0.0850	mg/kg wet		05/18/11 09:42	05/18/11 12:38	50.0
Toluene	ND		0.100	0.0445	mg/kg wet		05/18/11 09:42	05/18/11 12:38	50.0
Xylenes, total	ND		0.250	0.0950	mg/kg wet		05/18/11 09:42	05/18/11 12:38	50.0

Surrogate	Blank % Recovery	Blank Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	91		67 - 138	05/18/11 09:42	05/18/11 12:38	50.0
Dibromofluoromethane	106		75 - 125	05/18/11 09:42	05/18/11 12:38	50.0
Toluene-d8	92		76 - 129	05/18/11 09:42	05/18/11 12:38	50.0
4-Bromofluorobenzene	95		67 - 147	05/18/11 09:42	05/18/11 12:38	50.0

Lab Sample ID: 11E4658-BS1

Matrix: Soil

Analysis Batch: U008793

Client Sample ID: 11E4658-BS1

Prep Type: Total

Prep Batch: 11E4658_P

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	Limits
Benzene	50.0	49.6		ug/kg		99	78 - 126
Ethylbenzene	50.0	48.9		ug/kg		98	79 - 130
Naphthalene	50.0	38.0		ug/kg		76	72 - 150
Toluene	50.0	48.3		ug/kg		97	76 - 126
Xylenes, total	150	148		ug/kg		99	80 - 130

Surrogate	LCS % Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4	90		67 - 138
Dibromofluoromethane	110		75 - 125
Toluene-d8	95		76 - 129
4-Bromofluorobenzene	94		67 - 147

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)

TestAmerica Job ID: NUE2542

Project/Site: [none]

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B (Continued)

Lab Sample ID: 11E4658-BSD1

Matrix: Soil

Analysis Batch: U008793

Client Sample ID: 11E4658-BSD1

Prep Type: Total

Prep Batch: 11E4658_P

Analyte	Spike Added	LCS Dup Result	LCS Dup Qualifier	Unit	D	% Rec	% Rec. Limits	RPD	RPD Limit
Benzene	50.0	50.6		ug/kg		101	78 - 126	2	50
Ethylbenzene	50.0	49.2		ug/kg		98	79 - 130	0.7	50
Naphthalene	50.0	40.0		ug/kg		80	72 - 150	5	50
Toluene	50.0	48.6		ug/kg		97	76 - 126	0.6	50
Xylenes, total	150	151		ug/kg		100	80 - 130	2	50

Surrogate	LCS Dup % Recovery	LCS Dup Qualifier	Limits
1,2-Dichloroethane-d4	88		67 - 138
Dibromofluoromethane	110		75 - 125
Toluene-d8	94		76 - 129
4-Bromofluorobenzene	95		67 - 147

Lab Sample ID: 11E4658-MS1

Matrix: Soil

Analysis Batch: U008793

Client Sample ID: NUE2486-04RE1

Prep Type: Total

Prep Batch: 11E4658_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Result	Matrix Spike Qualifier	Unit	D	% Rec	% Rec. Limits
Benzene	ND		4.31	4.67		mg/kg wet		108	42 - 141
Ethylbenzene	0.702		4.31	5.44		mg/kg wet		110	21 - 165
Naphthalene	2.18		4.31	5.11		mg/kg wet		68	10 - 160
Toluene	0.664		4.31	5.28		mg/kg wet		107	45 - 145
Xylenes, total	15.8		12.9	30.1		mg/kg wet		110	31 - 159

Surrogate	Matrix Spike % Recovery	Matrix Spike Qualifier	Limits
1,2-Dichloroethane-d4	83		67 - 138
Dibromofluoromethane	105		75 - 125
Toluene-d8	95		76 - 129
4-Bromofluorobenzene	99		67 - 147

Lab Sample ID: 11E4658-MSD1

Matrix: Soil

Analysis Batch: U008793

Client Sample ID: NUE2486-04RE1

Prep Type: Total

Prep Batch: 11E4658_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Dup Result	Matrix Spike Dup Qualifier	Unit	D	% Rec	% Rec. Limits	RPD	RPD Limit
Benzene	ND		4.31	5.67		mg/kg wet		132	42 - 141	19	50
Ethylbenzene	0.702		4.31	6.16		mg/kg wet		127	21 - 165	13	50
Naphthalene	2.18		4.31	5.76		mg/kg wet		83	10 - 160	12	50
Toluene	0.664		4.31	6.16		mg/kg wet		128	45 - 145	15	50
Xylenes, total	15.8		12.9	30.8		mg/kg wet		116	31 - 159	2	50

Surrogate	Matrix Spike Dup % Recovery	Matrix Spike Dup Qualifier	Limits
1,2-Dichloroethane-d4	82		67 - 138
Dibromofluoromethane	101		75 - 125
Toluene-d8	96		76 - 129
4-Bromofluorobenzene	98		67 - 147

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)

TestAmerica Job ID: NUE2542

Project/Site: [none]

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B (Continued)

Lab Sample ID: 11E4988-BLK1

Matrix: Soil

Analysis Batch: U008857

Client Sample ID: 11E4988-BLK1

Prep Type: Total

Prep Batch: 11E4988_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.00110	mg/kg wet		05/19/11 10:44	05/19/11 12:42	1.00
Ethylbenzene	ND		0.00200	0.000980	mg/kg wet		05/19/11 10:44	05/19/11 12:42	1.00
Naphthalene	ND		0.00500	0.00170	mg/kg wet		05/19/11 10:44	05/19/11 12:42	1.00
Toluene	ND		0.00200	0.000890	mg/kg wet		05/19/11 10:44	05/19/11 12:42	1.00
Xylenes, total	ND		0.00500	0.00190	mg/kg wet		05/19/11 10:44	05/19/11 12:42	1.00

Surrogate	Blank % Recovery	Blank Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	90		67 - 138	05/19/11 10:44	05/19/11 12:42	1.00
Dibromofluoromethane	110		75 - 125	05/19/11 10:44	05/19/11 12:42	1.00
Toluene-d8	92		76 - 129	05/19/11 10:44	05/19/11 12:42	1.00
4-Bromofluorobenzene	96		67 - 147	05/19/11 10:44	05/19/11 12:42	1.00

Lab Sample ID: 11E4988-BLK2

Matrix: Soil

Analysis Batch: U008857

Client Sample ID: 11E4988-BLK2

Prep Type: Total

Prep Batch: 11E4988_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.100	0.0550	mg/kg wet		05/19/11 10:44	05/19/11 13:12	50.0
Ethylbenzene	ND		0.100	0.0490	mg/kg wet		05/19/11 10:44	05/19/11 13:12	50.0
Naphthalene	ND		0.250	0.0850	mg/kg wet		05/19/11 10:44	05/19/11 13:12	50.0
Toluene	ND		0.100	0.0445	mg/kg wet		05/19/11 10:44	05/19/11 13:12	50.0
Xylenes, total	ND		0.250	0.0950	mg/kg wet		05/19/11 10:44	05/19/11 13:12	50.0

Surrogate	Blank % Recovery	Blank Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	94		67 - 138	05/19/11 10:44	05/19/11 13:12	50.0
Dibromofluoromethane	108		75 - 125	05/19/11 10:44	05/19/11 13:12	50.0
Toluene-d8	91		76 - 129	05/19/11 10:44	05/19/11 13:12	50.0
4-Bromofluorobenzene	94		67 - 147	05/19/11 10:44	05/19/11 13:12	50.0

Lab Sample ID: 11E4988-BS1

Matrix: Soil

Analysis Batch: U008857

Client Sample ID: 11E4988-BS1

Prep Type: Total

Prep Batch: 11E4988_P

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
Benzene	50.0	53.8		ug/kg		108	78 - 126
Ethylbenzene	50.0	50.9		ug/kg		102	79 - 130
Naphthalene	50.0	39.5		ug/kg		79	72 - 150
Toluene	50.0	51.2		ug/kg		102	76 - 126
Xylenes, total	150	155		ug/kg		103	80 - 130

Surrogate	LCS % Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4	89		67 - 138
Dibromofluoromethane	108		75 - 125
Toluene-d8	95		76 - 129
4-Bromofluorobenzene	96		67 - 147

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)

TestAmerica Job ID: NUE2542

Project/Site: [none]

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B (Continued)

Lab Sample ID: 11E4988-MS1

Matrix: Soil

Analysis Batch: U008857

Client Sample ID: 1421 Albatross

Prep Type: Total

Prep Batch: 11E4988_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Result	Matrix Spike Qualifier	Matrix Spike Unit	D	% Rec	% Rec. Limits
Benzene	0.124		2.97	3.27		mg/kg dry	☼	106	42 - 141
Ethylbenzene	1.12		2.97	4.33		mg/kg dry	☼	108	21 - 165
Naphthalene	8.11		2.97	10.7		mg/kg dry	☼	87	10 - 160
Toluene	0.224		2.97	3.22		mg/kg dry	☼	101	45 - 145
Xylenes, total	5.12		8.91	15.0		mg/kg dry	☼	110	31 - 159

Surrogate	Matrix Spike % Recovery	Matrix Spike Qualifier	Matrix Spike Limits
1,2-Dichloroethane-d4	61	Z6	67 - 138
Dibromofluoromethane	77		75 - 125
Toluene-d8	96		76 - 129
4-Bromofluorobenzene	106		67 - 147

Lab Sample ID: 11E4988-MSD1

Matrix: Soil

Analysis Batch: U008857

Client Sample ID: 1421 Albatross

Prep Type: Total

Prep Batch: 11E4988_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Dup Result	Matrix Spike Dup Qualifier	Matrix Spike Dup Unit	D	% Rec	% Rec. Limits	RPD	RPD Limit
Benzene	0.124		2.97	3.36		mg/kg dry	☼	109	42 - 141	3	50
Ethylbenzene	1.12		2.97	4.26		mg/kg dry	☼	106	21 - 165	2	50
Naphthalene	8.11		2.97	10.9		mg/kg dry	☼	94	10 - 160	2	50
Toluene	0.224		2.97	3.23		mg/kg dry	☼	101	45 - 145	0.3	50
Xylenes, total	5.12		8.91	14.6		mg/kg dry	☼	107	31 - 159	2	50

Surrogate	Matrix Spike Dup % Recovery	Matrix Spike Dup Qualifier	Matrix Spike Dup Limits
1,2-Dichloroethane-d4	81		67 - 138
Dibromofluoromethane	100		75 - 125
Toluene-d8	95		76 - 129
4-Bromofluorobenzene	103		67 - 147

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Lab Sample ID: 11E3953-BLK1

Matrix: Soil

Analysis Batch: 11E3953

Client Sample ID: 11E3953-BLK1

Prep Type: Total

Prep Batch: 11E3953_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0670	0.0140	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Acenaphthylene	ND		0.0670	0.0200	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Anthracene	ND		0.0670	0.00900	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Benzo (a) anthracene	ND		0.0670	0.0110	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Benzo (a) pyrene	ND		0.0670	0.00800	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Benzo (b) fluoranthene	ND		0.0670	0.0380	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Benzo (g,h,i) perylene	ND		0.0670	0.00900	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Benzo (k) fluoranthene	ND		0.0670	0.0370	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Chrysene	ND		0.0670	0.0310	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Dibenz (a,h) anthracene	ND		0.0670	0.0150	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Fluoranthene	ND		0.0670	0.0110	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Fluorene	ND		0.0670	0.0200	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0670	0.0310	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D (Continued)

Lab Sample ID: 11E3953-BLK1

Matrix: Soil

Analysis Batch: 11E3953

Client Sample ID: 11E3953-BLK1

Prep Type: Total

Prep Batch: 11E3953_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND		0.0670	0.0140	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Phenanthrene	ND		0.0670	0.0100	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Pyrene	ND		0.0670	0.0230	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
1-Methylnaphthalene	ND		0.0670	0.0120	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
2-Methylnaphthalene	ND		0.0670	0.0210	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00

Surrogate	Blank % Recovery	Blank Qualifier	Limits	Prepared	Analyzed	Dil Fac
Terphenyl-d14	109		18 - 120	05/17/11 12:15	05/19/11 22:08	1.00
2-Fluorobiphenyl	79		14 - 120	05/17/11 12:15	05/19/11 22:08	1.00
Nitrobenzene-d5	80		17 - 120	05/17/11 12:15	05/19/11 22:08	1.00

Lab Sample ID: 11E3953-BS1

Matrix: Soil

Analysis Batch: 11E3953

Client Sample ID: 11E3953-BS1

Prep Type: Total

Prep Batch: 11E3953_P

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	Limits
Acenaphthene	1.67	1.42		mg/kg wet		85	49 - 120
Acenaphthylene	1.67	1.24		mg/kg wet		74	52 - 120
Anthracene	1.67	1.54		mg/kg wet		92	58 - 120
Benzo (a) anthracene	1.67	1.56		mg/kg wet		93	57 - 120
Benzo (a) pyrene	1.67	1.54		mg/kg wet		93	55 - 120
Benzo (b) fluoranthene	1.67	1.49		mg/kg wet		89	51 - 123
Benzo (g,h,i) perylene	1.67	1.08		mg/kg wet		65	49 - 121
Benzo (k) fluoranthene	1.67	1.75		mg/kg wet		105	42 - 129
Chrysene	1.67	1.55		mg/kg wet		93	55 - 120
Dibenz (a,h) anthracene	1.67	1.38		mg/kg wet		83	50 - 123
Fluoranthene	1.67	1.52		mg/kg wet		91	58 - 120
Fluorene	1.67	1.56		mg/kg wet		94	54 - 120
Indeno (1,2,3-cd) pyrene	1.67	1.38		mg/kg wet		83	50 - 122
Naphthalene	1.67	1.25		mg/kg wet		75	28 - 120
Phenanthrene	1.67	1.60		mg/kg wet		96	56 - 120
Pyrene	1.67	1.63		mg/kg wet		98	56 - 120
1-Methylnaphthalene	1.67	1.07		mg/kg wet		64	36 - 120
2-Methylnaphthalene	1.67	1.23		mg/kg wet		74	36 - 120

Surrogate	LCS % Recovery	LCS Qualifier	Limits
Terphenyl-d14	98		18 - 120
2-Fluorobiphenyl	75		14 - 120
Nitrobenzene-d5	66		17 - 120

Lab Sample ID: 11E3953-MS1

Matrix: Soil

Analysis Batch: 11E3953

Client Sample ID: NUE2525-01

Prep Type: Total

Prep Batch: 11E3953_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Result	Matrix Spike Qualifier	Unit	D	% Rec	Limits
Acenaphthene	ND		1.63	1.24		mg/kg wet		76	42 - 120
Acenaphthylene	ND		1.63	1.07		mg/kg wet		66	32 - 120
Anthracene	ND		1.63	1.37		mg/kg wet		84	10 - 200
Benzo (a) anthracene	0.0452		1.63	1.41		mg/kg wet		84	41 - 120

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)

TestAmerica Job ID: NUE2542

Project/Site: [none]

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D (Continued)

Lab Sample ID: 11E3953-MS1

Matrix: Soil

Analysis Batch: 11E3953

Client Sample ID: NUE2525-01

Prep Type: Total

Prep Batch: 11E3953_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Result	Matrix Spike Qualifier	Unit	D	% Rec	% Rec. Limits
Benzo (a) pyrene	0.0442		1.63	1.35		mg/kg wet		80	33 - 121
Benzo (b) fluoranthene	0.0514		1.63	1.51		mg/kg wet		89	26 - 137
Benzo (g,h,i) perylene	ND		1.63	1.24		mg/kg wet		76	21 - 124
Benzo (k) fluoranthene	0.0409		1.63	1.30		mg/kg wet		77	14 - 140
Chrysene	0.0602		1.63	1.40		mg/kg wet		82	28 - 123
Dibenz (a,h) anthracene	ND		1.63	1.27		mg/kg wet		78	25 - 127
Fluoranthene	0.0753		1.63	1.39		mg/kg wet		80	38 - 120
Fluorene	ND		1.63	1.35		mg/kg wet		83	41 - 120
Indeno (1,2,3-cd) pyrene	ND		1.63	1.25		mg/kg wet		77	25 - 123
Naphthalene	ND		1.63	1.10		mg/kg wet		67	25 - 120
Phenanthrene	0.0468		1.63	1.46		mg/kg wet		87	37 - 120
Pyrene	0.0995		1.63	1.56		mg/kg wet		89	29 - 125
1-Methylnaphthalene	ND		1.63	0.983		mg/kg wet		60	19 - 120
2-Methylnaphthalene	ND		1.63	1.11		mg/kg wet		68	11 - 120

Surrogate	Matrix Spike % Recovery	Matrix Spike Qualifier	Limits
Terphenyl-d14	85		18 - 120
2-Fluorobiphenyl	61		14 - 120
Nitrobenzene-d5	56		17 - 120

Lab Sample ID: 11E3953-MSD1

Matrix: Soil

Analysis Batch: 11E3953

Client Sample ID: NUE2525-01

Prep Type: Total

Prep Batch: 11E3953_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Dup Result	Matrix Spike Dup Qualifier	Unit	D	% Rec	% Rec. Limits	RPD	RPD Limit
Acenaphthene	ND		1.62	1.26		mg/kg wet		77	42 - 120	1	40
Acenaphthylene	ND		1.62	1.06		mg/kg wet		65	32 - 120	0.9	30
Anthracene	ND		1.62	1.38		mg/kg wet		85	10 - 200	0.1	50
Benzo (a) anthracene	0.0452		1.62	1.40		mg/kg wet		84	41 - 120	0.6	30
Benzo (a) pyrene	0.0442		1.62	1.37		mg/kg wet		81	33 - 121	1	33
Benzo (b) fluoranthene	0.0514		1.62	1.48		mg/kg wet		88	26 - 137	2	42
Benzo (g,h,i) perylene	ND		1.62	1.28		mg/kg wet		79	21 - 124	3	32
Benzo (k) fluoranthene	0.0409		1.62	1.45		mg/kg wet		86	14 - 140	10	39
Chrysene	0.0602		1.62	1.41		mg/kg wet		83	28 - 123	0.6	34
Dibenz (a,h) anthracene	ND		1.62	1.29		mg/kg wet		79	25 - 127	2	31
Fluoranthene	0.0753		1.62	1.38		mg/kg wet		81	38 - 120	0.3	35
Fluorene	ND		1.62	1.37		mg/kg wet		84	41 - 120	0.9	37
Indeno (1,2,3-cd) pyrene	ND		1.62	1.30		mg/kg wet		80	25 - 123	4	32
Naphthalene	ND		1.62	1.14		mg/kg wet		70	25 - 120	4	42
Phenanthrene	0.0468		1.62	1.47		mg/kg wet		87	37 - 120	0.3	32
Pyrene	0.0995		1.62	1.68		mg/kg wet		97	29 - 125	8	40
1-Methylnaphthalene	ND		1.62	0.996		mg/kg wet		61	19 - 120	1	45
2-Methylnaphthalene	ND		1.62	1.12		mg/kg wet		69	11 - 120	0.5	50

Surrogate	Matrix Spike Dup % Recovery	Matrix Spike Dup Qualifier	Limits
Terphenyl-d14	85		18 - 120
2-Fluorobiphenyl	59		14 - 120
Nitrobenzene-d5	56		17 - 120

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Method: SW-846 - General Chemistry Parameters

Lab Sample ID: 11E6921-DUP1

Matrix: Soil

Analysis Batch: 11E6921

Client Sample ID: NUE2473-06

Prep Type: Total

Prep Batch: 11E6921_P

Analyte	Sample Result	Sample Qualifier	Duplicate Result	Duplicate Qualifier	Unit	D	RPD	RPD Limit
% Dry Solids	76.7		78.1		%		2	20

QC Association Summary

Client: EEG - Small Business Group, Inc. (2449)

TestAmerica Job ID: NUE2542

Project/Site: [none]

GCMS Volatiles

Analysis Batch: U008793

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11E4658-BS1	11E4658-BS1	Total	Soil	SW846 8260B	11E4658_P
11E4658-BSD1	11E4658-BSD1	Total	Soil	SW846 8260B	11E4658_P
11E4658-BLK1	11E4658-BLK1	Total	Soil	SW846 8260B	11E4658_P
11E4658-BLK2	11E4658-BLK2	Total	Soil	SW846 8260B	11E4658_P
NUE2542-01	1416 Albatross	Total	Soil	SW846 8260B	11E4658_P
NUE2542-02	1421 Albatross	Total	Soil	SW846 8260B	11E4658_P
NUE2542-03	1405 Eagle	Total	Soil	SW846 8260B	11E4658_P
NUE2542-04	1188 Bobwhite	Total	Soil	SW846 8260B	11E4658_P
11E4658-MS1	NUE2486-04RE1	Total	Soil	SW846 8260B	11E4658_P
11E4658-MSD1	NUE2486-04RE1	Total	Soil	SW846 8260B	11E4658_P

Analysis Batch: U008857

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11E4988-BS1	11E4988-BS1	Total	Soil	SW846 8260B	11E4988_P
11E4988-BLK1	11E4988-BLK1	Total	Soil	SW846 8260B	11E4988_P
11E4988-BLK2	11E4988-BLK2	Total	Soil	SW846 8260B	11E4988_P
NUE2542-03 - RE2	1405 Eagle	Total	Soil	SW846 8260B	11E4988_P
NUE2542-02 - RE1	1421 Albatross	Total	Soil	SW846 8260B	11E4988_P
NUE2542-01 - RE1	1416 Albatross	Total	Soil	SW846 8260B	11E4988_P
NUE2542-04 - RE1	1188 Bobwhite	Total	Soil	SW846 8260B	11E4988_P
11E4988-MS1	1421 Albatross	Total	Soil	SW846 8260B	11E4988_P
11E4988-MSD1	1421 Albatross	Total	Soil	SW846 8260B	11E4988_P

Prep Batch: 11E4658_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11E4658-BS1	11E4658-BS1	Total	Soil	EPA 5035	
11E4658-BSD1	11E4658-BSD1	Total	Soil	EPA 5035	
11E4658-BLK1	11E4658-BLK1	Total	Soil	EPA 5035	
11E4658-BLK2	11E4658-BLK2	Total	Soil	EPA 5035	
NUE2542-01	1416 Albatross	Total	Soil	EPA 5035	
NUE2542-02	1421 Albatross	Total	Soil	EPA 5035	
NUE2542-03	1405 Eagle	Total	Soil	EPA 5035	
NUE2542-04	1188 Bobwhite	Total	Soil	EPA 5035	
11E4658-MS1	NUE2486-04RE1	Total	Soil	EPA 5035	
11E4658-MSD1	NUE2486-04RE1	Total	Soil	EPA 5035	

Prep Batch: 11E4988_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11E4988-BS1	11E4988-BS1	Total	Soil	EPA 5035	
11E4988-BLK1	11E4988-BLK1	Total	Soil	EPA 5035	
11E4988-BLK2	11E4988-BLK2	Total	Soil	EPA 5035	
NUE2542-03 - RE2	1405 Eagle	Total	Soil	EPA 5035	
NUE2542-02 - RE1	1421 Albatross	Total	Soil	EPA 5035	
NUE2542-01 - RE1	1416 Albatross	Total	Soil	EPA 5035	
NUE2542-04 - RE1	1188 Bobwhite	Total	Soil	EPA 5035	
11E4988-MS1	1421 Albatross	Total	Soil	EPA 5035	
11E4988-MSD1	1421 Albatross	Total	Soil	EPA 5035	

QC Association Summary

Client: EEG - Small Business Group, Inc. (2449)

TestAmerica Job ID: NUE2542

Project/Site: [none]

GCMS Semivolatiles

Analysis Batch: 11E3953

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11E3953-BLK1	11E3953-BLK1	Total	Soil	SW846 8270D	11E3953_P
11E3953-BS1	11E3953-BS1	Total	Soil	SW846 8270D	11E3953_P
11E3953-MS1	NUE2525-01	Total	Soil	SW846 8270D	11E3953_P
11E3953-MSD1	NUE2525-01	Total	Soil	SW846 8270D	11E3953_P
NUE2542-01	1416 Albatross	Total	Soil	SW846 8270D	11E3953_P
NUE2542-02	1421 Albatross	Total	Soil	SW846 8270D	11E3953_P
NUE2542-03	1405 Eagle	Total	Soil	SW846 8270D	11E3953_P
NUE2542-04	1188 Bobwhite	Total	Soil	SW846 8270D	11E3953_P

Analysis Batch: U008904

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
NUE2542-02 - RE1	1421 Albatross	Total	Soil	SW846 8270D	11E3953_P
NUE2542-02 - RE2	1421 Albatross	Total	Soil	SW846 8270D	11E3953_P

Prep Batch: 11E3953_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11E3953-BLK1	11E3953-BLK1	Total	Soil	EPA 3550C	
11E3953-BS1	11E3953-BS1	Total	Soil	EPA 3550C	
11E3953-MS1	NUE2525-01	Total	Soil	EPA 3550C	
11E3953-MSD1	NUE2525-01	Total	Soil	EPA 3550C	
NUE2542-01	1416 Albatross	Total	Soil	EPA 3550C	
NUE2542-02	1421 Albatross	Total	Soil	EPA 3550C	
NUE2542-03	1405 Eagle	Total	Soil	EPA 3550C	
NUE2542-04	1188 Bobwhite	Total	Soil	EPA 3550C	
NUE2542-02 - RE1	1421 Albatross	Total	Soil	EPA 3550C	
NUE2542-02 - RE2	1421 Albatross	Total	Soil	EPA 3550C	

Extractions

Analysis Batch: 11E6921

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11E6921-DUP1	NUE2473-06	Total	Soil	SW-846	11E6921_P
NUE2542-01	1416 Albatross	Total	Soil	SW-846	11E6921_P
NUE2542-02	1421 Albatross	Total	Soil	SW-846	11E6921_P
NUE2542-03	1405 Eagle	Total	Soil	SW-846	11E6921_P
NUE2542-04	1188 Bobwhite	Total	Soil	SW-846	11E6921_P

Prep Batch: 11E6921_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11E6921-DUP1	NUE2473-06	Total	Soil	% Solids	
NUE2542-01	1416 Albatross	Total	Soil	% Solids	
NUE2542-02	1421 Albatross	Total	Soil	% Solids	
NUE2542-03	1405 Eagle	Total	Soil	% Solids	
NUE2542-04	1188 Bobwhite	Total	Soil	% Solids	

Lab Chronicle

Client: EEG - Small Business Group, Inc. (2449)

TestAmerica Job ID: NUE2542

Project/Site: [none]

Client Sample ID: 1416 Albatross

Date Collected: 05/09/11 16:00

Date Received: 05/14/11 09:00

Lab Sample ID: NUE2542-01

Matrix: Soil

Percent Solids: 89.6

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035		1.14	11E4658_P	05/09/11 16:00	CHH	TAL NSH
Total	Analysis	SW846 8260B		1.00	U008793	05/18/11 15:05	KKK	TAL NSH
Total	Prep	EPA 5035	RE1	1.18	11E4988_P	05/09/11 16:00	CHH	TAL NSH
Total	Analysis	SW846 8260B	RE1	1.00	U008857	05/19/11 16:08	KKK	TAL NSH
Total	Prep	EPA 3550C		0.995	11E3953_P	05/17/11 12:15	JJR	TAL NSH
Total	Analysis	SW846 8270D		1.00	11E3953	05/20/11 00:32	KJP	TAL NSH
Total	Prep	% Solids		1.00	11E6921_P	05/27/11 09:56	AMS	TAL NSH
Total	Analysis	SW-846		1.00	11E6921	05/31/11 14:46	AMS	TAL NSH

Client Sample ID: 1421 Albatross

Date Collected: 05/10/11 10:45

Date Received: 05/14/11 09:00

Lab Sample ID: NUE2542-02

Matrix: Soil

Percent Solids: 84.2

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035		0.746	11E4658_P	05/10/11 10:45	CHH	TAL NSH
Total	Analysis	SW846 8260B		1.00	U008793	05/18/11 15:34	KKK	TAL NSH
Total	Prep	EPA 5035	RE1	0.778	11E4988_P	05/10/11 10:45	CHH	TAL NSH
Total	Analysis	SW846 8260B	RE1	50.0	U008857	05/19/11 15:38	KKK	TAL NSH
Total	Prep	EPA 3550C		0.983	11E3953_P	05/17/11 12:15	JJR	TAL NSH
Total	Analysis	SW846 8270D		1.00	11E3953	05/20/11 00:53	KJP	TAL NSH
Total	Prep	EPA 3550C	RE1	0.983	11E3953_P	05/17/11 12:15	JJR	TAL NSH
Total	Analysis	SW846 8270D	RE1	10.0	U008904	05/21/11 17:40	KJP	TAL NSH
Total	Prep	EPA 3550C	RE2	0.983	11E3953_P	05/17/11 12:15	JJR	TAL NSH
Total	Analysis	SW846 8270D	RE2	20.0	U008904	05/21/11 18:00	KJP	TAL NSH
Total	Prep	% Solids		1.00	11E6921_P	05/27/11 09:56	AMS	TAL NSH
Total	Analysis	SW-846		1.00	11E6921	05/31/11 14:46	AMS	TAL NSH

Client Sample ID: 1405 Eagle

Date Collected: 05/10/11 15:15

Date Received: 05/14/11 09:00

Lab Sample ID: NUE2542-03

Matrix: Soil

Percent Solids: 88.6

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035		1.13	11E4658_P	05/10/11 15:15	CHH	TAL NSH
Total	Analysis	SW846 8260B		1.00	U008793	05/18/11 16:04	KKK	TAL NSH
Total	Prep	EPA 5035	RE2	1.04	11E4988_P	05/10/11 15:15	CHH	TAL NSH
Total	Analysis	SW846 8260B	RE2	50.0	U008857	05/19/11 14:10	KKK	TAL NSH
Total	Prep	EPA 3550C		0.988	11E3953_P	05/17/11 12:15	JJR	TAL NSH
Total	Analysis	SW846 8270D		1.00	11E3953	05/20/11 01:13	KJP	TAL NSH
Total	Prep	% Solids		1.00	11E6921_P	05/27/11 09:56	AMS	TAL NSH
Total	Analysis	SW-846		1.00	11E6921	05/31/11 14:46	AMS	TAL NSH

Lab Chronicle

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Client Sample ID: 1188 Bobwhite

Date Collected: 05/12/11 12:15

Date Received: 05/14/11 09:00

Lab Sample ID: NUE2542-04

Matrix: Soil

Percent Solids: 87.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035		0.909	11E4658_P	05/12/11 12:15	CHH	TAL NSH
Total	Analysis	SW846 8260B		1.00	U008793	05/18/11 16:33	KKK	TAL NSH
Total	Prep	EPA 5035	RE1	0.945	11E4988_P	05/12/11 12:15	CHH	TAL NSH
Total	Analysis	SW846 8260B	RE1	1.00	U008857	05/19/11 16:37	KKK	TAL NSH
Total	Prep	EPA 3550C		0.990	11E3953_P	05/17/11 12:15	JJR	TAL NSH
Total	Analysis	SW846 8270D		1.00	11E3953	05/20/11 01:34	KJP	TAL NSH
Total	Prep	% Solids		1.00	11E6921_P	05/27/11 09:56	AMS	TAL NSH
Total	Analysis	SW-846		1.00	11E6921	05/31/11 14:46	AMS	TAL NSH

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Road, Nashville, TN 37204, TEL 800-765-0980

Method Summary

Client: EEG - Small Business Group, Inc. (2449)

TestAmerica Job ID: NUE2542

Project/Site: [none]

Method	Method Description	Protocol	Laboratory
SW-846	General Chemistry Parameters		TAL NSH
SW846 8260B	Volatile Organic Compounds by EPA Method 8260B		TAL NSH
SW846 8270D	Polyaromatic Hydrocarbons by EPA 8270D		TAL NSH

Protocol References:

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Road, Nashville, TN 37204, TEL 800-765-0980

Certification Summary

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Laboratory	Authority	Program	EPA Region	Certification ID
TestAmerica Nashville		AIHA		100790
TestAmerica Nashville		USDA		S-48469
TestAmerica Nashville	A2LA	ISO/IEC 17025	0	0453.07
TestAmerica Nashville	A2LA	WY UST	0	453.07
TestAmerica Nashville	Alabama	State Program	4	41150
TestAmerica Nashville	Alaska	Alaska UST	10	UST-087
TestAmerica Nashville	Arizona	State Program	9	AZ0473
TestAmerica Nashville	Arkansas	State Program	6	88-0737
TestAmerica Nashville	CALA	CALA	0	3744
TestAmerica Nashville	California	NELAC	9	1168CA
TestAmerica Nashville	Colorado	State Program	8	N/A
TestAmerica Nashville	Connecticut	State Program	1	PH-0220
TestAmerica Nashville	Florida	NELAC	4	E87358
TestAmerica Nashville	Illinois	NELAC	5	200010
TestAmerica Nashville	Iowa	State Program	7	131
TestAmerica Nashville	Kansas	NELAC	7	E-10229
TestAmerica Nashville	Kentucky	Kentucky UST	4	19
TestAmerica Nashville	Kentucky	State Program	4	90038
TestAmerica Nashville	Louisiana	NELAC	6	LA100011
TestAmerica Nashville	Louisiana	NELAC	6	30613
TestAmerica Nashville	Maryland	State Program	3	316
TestAmerica Nashville	Massachusetts	State Program	1	M-TN032
TestAmerica Nashville	Minnesota	NELAC	5	047-999-345
TestAmerica Nashville	Mississippi	State Program	4	N/A
TestAmerica Nashville	Montana	MT DEQ UST	8	NA
TestAmerica Nashville	Nevada	State Program	9	TN00032
TestAmerica Nashville	New Hampshire	NELAC	1	2963
TestAmerica Nashville	New Jersey	NELAC	2	TN965
TestAmerica Nashville	New York	NELAC	2	11342
TestAmerica Nashville	North Carolina	North Carolina DENR	4	387
TestAmerica Nashville	North Dakota	State Program	8	R-146
TestAmerica Nashville	Ohio	OVAP	5	CL0033
TestAmerica Nashville	Oklahoma	State Program	6	9412
TestAmerica Nashville	Oregon	NELAC	10	TN200001
TestAmerica Nashville	Pennsylvania	NELAC	3	68-00585
TestAmerica Nashville	Rhode Island	State Program	1	LAO00268
TestAmerica Nashville	South Carolina	State Program	4	84009
TestAmerica Nashville	South Carolina	State Program	4	84009
TestAmerica Nashville	Tennessee	State Program	4	2008
TestAmerica Nashville	Texas	NELAC	6	T104704077-09-TX
TestAmerica Nashville	Utah	NELAC	8	TAN
TestAmerica Nashville	Virginia	State Program	3	00323
TestAmerica Nashville	Washington	State Program	10	C789
TestAmerica Nashville	West Virginia	West Virginia DEP	3	219
TestAmerica Nashville	Wisconsin	State Program	5	998020430

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Nashville Division
2960 Foster Creighton
Nashville, TN 37204

Phone: 615-726-0177
Toll Free: 800-765-0980
Fax: 615-726-3404

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?

Client Name/Account #: EEG # 2449
Address: 10179 Highway 78
City/State/Zip: Ladson, SC 29456

Site State: SC

Compliance Monitoring? Yes ☐ No ☐
Enforcement Action? Yes ☐ No ☐

Project Manager: Tom McElwee email: mcelwee@testinc.net
Telephone Number: 843.412.2087
Fax No. (843) 879-0401
Sampler Name: (Print) Paul Shaw
Sampler Signature: [Signature]

PO#: 1027
TA Quote #:
Project ID: Laurel Bay Housing Project
Project #:

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (Specify)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	BTEX + Napth - 8260B	PAH - 8270D	Analyze For:	RUSH TAT (Pre-Schedule)	Standard TAT	Fax Results	Send QC with report	
1416 Albateas	5/9/11	1600	5	X																			NUE2542					
1421 Albateas	5/10/11	1045	5	X																								
1405 Eagle	5/10/11	1515	5	X																								
1188 Bobwhita	5/12/11	1215	5	X																								
Special Instructions:																												
Method of Shipment:																												
Relinquished by:	Date	Time	Received by:	Date	Time	FEDEX																						
Relinquished by:	Date	Time	Received by:	Date	Time																							

Laboratory Comments:
Temperature Upon Receipt:
VOCs Free of Headspace?

05/31/11 23 59

ATTACHMENT A



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.		Manifest Doc No.		2. Page 1 of 1				
3. Generator's Mailing Address: MCAS, BEAUFORT LAUREL BAY HOUSING BEAUFORT, SC 29907		4. Generator's Phone 843-228-6461		Generator's Site Address (if different than mailing):		A. Manifest Number WMNA 00316813				
5. Transporter 1 Company Name EEG, INC.		6. US EPA ID Number		C. State Transporter's ID		D. Transporter's Phone 843-879-0411				
7. Transporter 2 Company Name		8. US EPA ID Number		E. State Transporter's ID		F. Transporter's Phone				
9. Designated Facility Name and Site Address HICKORY HILL LANDFILL 2621 LOW COUNTRY ROAD RIDGELAND, SC 29936		10. US EPA ID Number		G. State Facility ID		H. State Facility Phone 843-987-4643				
GENERATOR	11. Description of Waste Materials		12. Containers		13. Total Quantity	14. Unit Wt./Vol.	I. Misc. Comments			
	a. HEATING OIL TANKS FILLED WITH SAND WM Profile # 102655SC		No.	Type						
	b.									
	c.									
	d.									
J. Additional Descriptions for Materials Listed Above		K. Disposal Location								
15. Special Handling Instructions and Additional Information		Cell								
Purchase Order #		Grid								
16. GENERATOR'S CERTIFICATE:		EMERGENCY CONTACT / PHONE NO.:								
I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.		Printed Name								
Signature "On behalf of"		Month								
		Day								
		Year								
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials		Printed Name				Signature	Month	Day	Year
	18. Transporter 2 Acknowledgement of Receipt of Materials		Printed Name				Signature	Month	Day	Year
FACILITY	19. Certificate of Final Treatment/Disposal		I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.							
	20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.		Printed Name				Signature	Month	Day	Year

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY
Pink- FACILITY USE ONLY

Blue- GENERATOR #2 COPY
Gold- TRANSPORTER #1 COPY

Yellow- GENERATOR #1 COPY

South Carolina Department of Health and Environmental Control (SCDHEC)
Underground Storage Tank (UST) Assessment Report

Date Received

Submit Completed Form To:
 UST Program
 SCDHEC
 2600 Bull Street
 Columbia, South Carolina 29201
 Telephone (803) 896-7957

State Use Only
RECEIVED

MAR 19 2014

SC DHEC - Bureau of
 Land & Waste Management

I. OWNERSHIP OF UST (S)

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)

Owner Name (Corporation, Individual, Public Agency, Other)

P.O. Box 55001

Mailing Address

Beaufort, South Carolina 29904-5001
 City State Zip Code

843 228-7317 Craig Ehde
 Area Code Telephone Number Contact Person

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #

Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC
 Facility Name or Company Site Identifier

1188 Bobwhite Drive, Laurel Bay Military Housing Area
 Street Address or State Road (as applicable)

Beaufort, Beaufort
 City County

III. INSURANCE INFORMATION

Insurance Statement

The petroleum release reported to DHEC on _____ at Permit ID Number _____ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? **YES** ____ **NO** ____ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: _____
The policy deductible is: _____
The policy limit is: _____

If you have this type of insurance, please include a copy of the policy with this report.

IV. REQUEST FOR SUPERB FUNDING

I **DO** / **DO NOT** wish to participate in the SUPERB Program. (Circle one.)

V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

To be completed by Notary Public:

Sworn before me this _____ day of _____, 20____

(Name)

Notary Public for the state of _____
Please affix State seal if you are commissioned outside South Carolina

VI. UST INFORMATION

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity..(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material..(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....

1188		
Bobwhite-2		
Heating oil		
280 gal		
Late 1950s		
Steel		
Mid 80s		
6'		
No		
No		
Removed		
4/22/2013		
Yes		
Yes		

- M. Method of disposal for any USTs removed from the ground (attach disposal manifests)
UST 1188Bobwhite-2 was removed from the ground, cleaned and recycled.
See Attachment "A".
- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)
Contaminated water was pumped from UST 1188Bobwhite-2 and disposed by MCAS.
- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST
Corrosion, pitting and holes were found throughout the tank.

VII. PIPING INFORMATION

A. Construction Material..(ex. Steel, FRP).....

B. Distance from UST to Dispenser.....

C. Number of Dispensers.....

D. Type of System Pressure or Suction.....

E. Was Piping Removed from the Ground? Y/N

F. Visible Corrosion or Pitting Y/N.....

G. Visible Holes Y/N.....

H. Age.....

I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

Corrosion and pitting were found on the surface of the steel vent pipe. Copper supply and return lines were sound.

1188		
Bobwhite-2		
Steel & Copper		
N/A		
N/A		
Suction		
No		
Yes		
No		
Late 1950s		

VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

UST 1188Bobwhite-2 is the second tank removed from this residence.

IX. SITE CONDITIONS

	Yes	No	Unk
<p>A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate depth and location on the site map.</p>		X	
<p>B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate location on site map and describe the odor (strong, mild, etc.)</p>		X	
<p>C. Was water present in the UST excavation, soil borings, or trenches?</p> <p>If yes, how far below land surface (indicate location and depth)?</p>		X	
<p>D. Did contaminated soils remain stockpiled on site after closure?</p> <p>If yes, indicate the stockpile location on the site map.</p> <p>Name of DHEC representative authorizing soil removal:</p>		X	
<p>E. Was a petroleum sheen or free product detected on any excavation or boring waters?</p> <p>If yes, indicate location and thickness.</p>		X	

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
1188 Bob white-2	Excav at fill end	Soil	Sandy	6'	4/22/13 1545 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

* = Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.


XII. RECEPTORS

	Yes	No
<p>A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?</p> <p style="text-align: right;">* Pond</p> <p>If yes, indicate type of receptor, distance, and direction on site map.</p>	*X	
<p>B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?</p> <p>If yes, indicate type of well, distance, and direction on site map.</p>		X
<p>C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?</p> <p>If yes, indicate type of structure, distance, and direction on site map.</p>		X
<p>D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination?</p> <p style="text-align: right;">*Sewer, water, electricity cable, fiber optic & geothermal</p> <p>If yes, indicate the type of utility, distance, and direction on the site map.</p>	*X	
<p>E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?</p> <p>If yes, indicate the area of contaminated soil on the site map.</p>		X

XIII. SITE MAP

You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)



0 100 200 400 600 800 1,000
 Feet

1188 BOBWHITE

SBG-EEG, Inc.


7301 Rivers Ave., Suite 245
 N. Charleston SC 29406-9643

Ph. (843) 573-7140

Drawn By: L. DiAsio

Dwg Date: May 2013

FIGURE 1: LOCATION MAP
1188 BOBWHITE DRIVE
LAUREL BAY, BEAUFORT SC



1188 BOBWHITE DR.
LAUREL BAY MILITARY HOUSING
MCAS BEAUFORT, SC



UST 1188BOBWHITE-2

POND \approx 270'



TANK DEPTH BELOW GRADE
1188BOBWHITE-2 = 36"



SBG-EEG

7301 RIVERS AVE., SUITE 245
N. CHARLESTON SC 29406-9643
(843) 573-7140

FIGURE 2 SITE MAP
1188 BOBWHITE DR., LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE MAY 2013



*A PORTION OF THE PORCH
WAS REMOVED TO FACILITATE
TANK EXTRACTION.

SBG-EEG

7301 RIVERS AVE., SUITE 245
N. CHARLESTON SC 29406-9643
(843) 573-7140

FIGURE 3 UST SAMPLE LOCATIONS
1188 BOBWHITE DR., LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE MAY 2013



Picture 1: Location of UST 1188Bobwhite-2.



Picture 2: UST 1188Bobwhite-2 excavation.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	UST	1188Bobwhite-2					
Benzene		ND					
Toluene		ND					
Ethylbenzene		ND					
Xylenes		ND					
Naphthalene		ND					
Benzo (a) anthracene		ND					
Benzo (b) fluoranthene		ND					
Benzo (k) fluoranthene		ND					
Chrysene		ND					
Dibenz (a, h) anthracene		ND					
TPH (EPA 3550)							

CoC								
Benzene								
Toluene								
Ethylbenzene								
Xylenes								
Naphthalene								
Benzo (a) anthracene								
Benzo (b) fluoranthene								
Benzo (k) fluoranthene								
Chrysene								
Dibenz (a, h) anthracene								
TPH (EPA 3550)								

SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here)
(Please see Form #4)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.


TestAmerica Nashville
2960 Foster Creighton Drive
Nashville, TN 37204
Tel: (615)726-0177

TestAmerica Job ID: 490-25526-1

Client Project/Site: Laurel Bay Housing Project
Revision: 1

For:
Environmental Enterprise Group
10179 Highway 78
Ladson, South Carolina 29456

Attn: Mr. Tom McElwee



Authorized for release by:
6/7/2013 11:37:30 AM

Ken Hayes, Project Manager I
ken.hayes@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?

**Ask
The
Expert**

Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

12

13

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Definitions	5
Client Sample Results	6
QC Sample Results	10
QC Association	19
Chronicle	21
Method Summary	22
Certification Summary	23
Chain of Custody	24
Receipt Checklists	27



Sample Summary

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
490-25526-1	1458 Cardinal	Soil	04/23/13 15:30	05/01/13 08:00
490-25526-2	1335 Albatross	Soil	04/24/13 14:00	05/01/13 08:00
490-25526-3	1438 Dove-1	Soil	04/22/13 12:15	05/01/13 08:00
490-25526-4	1188 Bobwhite-2	Soil	04/22/13 15:45	05/01/13 08:00

1

2

3

4

5

6

7

8

9

10

11

12

13

Case Narrative

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

Job ID: 490-25526-1

Laboratory: TestAmerica Nashville

Narrative

Job Narrative

490-25526-1

REVISED REPORT: Revised Sample ID 1188 Bobwhite (490-25526-4) as listed on the Chain of Custody to 1188 Bobwhite-²~~1~~ per client request. This report replaces the one generated on 05/13/13 @ 1612.

Comments

No additional comments.

Receipt

The samples were received on 5/1/2013 8:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.6° C.

GC/MS VOA

Method(s) 8260B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with batch 76738.

No other analytical or quality issues were noted.

GC/MS Semi VOA

No analytical or quality issues were noted.

Organic Prep

Method(s) Moisture: The sample duplicate precision for the following sample associated with batch 76389 was outside control limits: (490-25521-1 DU). The associated Laboratory Control Sample / Laboratory Control Sample Duplicate (LCS/LCSD) precision met acceptance criteria.

No other analytical or quality issues were noted.

VOA Prep

No analytical or quality issues were noted.

Client labeled 490-25526-4 as 1188 Bobwhite on the COC and requested the ID be changed to 1188 Bobwhite-2.

Definitions/Glossary

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

Client Sample ID: 1458 Cardinal

Date Collected: 04/23/13 15:30

Date Received: 05/01/13 08:00

Lab Sample ID: 490-25526-1

Matrix: Soil

Percent Solids: 74.7

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00242	0.000810	mg/Kg	☒	05/01/13 16:08	05/03/13 09:46	1
Ethylbenzene	ND		0.00242	0.000810	mg/Kg	☒	05/01/13 16:08	05/03/13 09:46	1
Naphthalene	ND		0.00605	0.00206	mg/Kg	☒	05/01/13 16:08	05/03/13 09:46	1
Toluene	ND		0.00242	0.000895	mg/Kg	☒	05/01/13 16:08	05/03/13 09:46	1
Xylenes, Total	ND		0.00605	0.000810	mg/Kg	☒	05/01/13 16:08	05/03/13 09:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		70 - 130	05/01/13 16:08	05/03/13 09:46	1
4-Bromofluorobenzene (Surr)	104		70 - 130	05/01/13 16:08	05/03/13 09:46	1
Dibromofluoromethane (Surr)	106		70 - 130	05/01/13 16:08	05/03/13 09:46	1
Toluene-d8 (Surr)	94		70 - 130	05/01/13 16:08	05/03/13 09:46	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0884	0.0132	mg/Kg	☒	05/02/13 06:40	05/02/13 23:41	1
Acenaphthylene	ND		0.0884	0.0119	mg/Kg	☒	05/02/13 06:40	05/02/13 23:41	1
Anthracene	ND		0.0884	0.0119	mg/Kg	☒	05/02/13 06:40	05/02/13 23:41	1
Benzo[a]anthracene	ND		0.0884	0.0198	mg/Kg	☒	05/02/13 06:40	05/02/13 23:41	1
Benzo[a]pyrene	ND		0.0884	0.0158	mg/Kg	☒	05/02/13 06:40	05/02/13 23:41	1
Benzo[b]fluoranthene	ND		0.0884	0.0158	mg/Kg	☒	05/02/13 06:40	05/02/13 23:41	1
Benzo[g,h,i]perylene	ND		0.0884	0.0119	mg/Kg	☒	05/02/13 06:40	05/02/13 23:41	1
Benzo[k]fluoranthene	ND		0.0884	0.0185	mg/Kg	☒	05/02/13 06:40	05/02/13 23:41	1
1-Methylnaphthalene	ND		0.0884	0.0185	mg/Kg	☒	05/02/13 06:40	05/02/13 23:41	1
Pyrene	ND		0.0884	0.0158	mg/Kg	☒	05/02/13 06:40	05/02/13 23:41	1
Phenanthrene	ND		0.0884	0.0119	mg/Kg	☒	05/02/13 06:40	05/02/13 23:41	1
Chrysene	ND		0.0884	0.0119	mg/Kg	☒	05/02/13 06:40	05/02/13 23:41	1
Dibenz(a,h)anthracene	ND		0.0884	0.00924	mg/Kg	☒	05/02/13 06:40	05/02/13 23:41	1
Fluoranthene	ND		0.0884	0.0119	mg/Kg	☒	05/02/13 06:40	05/02/13 23:41	1
Fluorene	ND		0.0884	0.0158	mg/Kg	☒	05/02/13 06:40	05/02/13 23:41	1
Indeno[1,2,3-cd]pyrene	ND		0.0884	0.0132	mg/Kg	☒	05/02/13 06:40	05/02/13 23:41	1
Naphthalene	ND		0.0884	0.0119	mg/Kg	☒	05/02/13 06:40	05/02/13 23:41	1
2-Methylnaphthalene	ND		0.0884	0.0211	mg/Kg	☒	05/02/13 06:40	05/02/13 23:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	59		29 - 120	05/02/13 06:40	05/02/13 23:41	1
Terphenyl-d14 (Surr)	81		13 - 120	05/02/13 06:40	05/02/13 23:41	1
Nitrobenzene-d5 (Surr)	62		27 - 120	05/02/13 06:40	05/02/13 23:41	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	75		0.10	0.10	%			05/01/13 14:20	1

TestAmerica Nashville

Client Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

Client Sample ID: 1335 Albatross

Lab Sample ID: 490-25526-2

Date Collected: 04/24/13 14:00

Matrix: Soil

Date Received: 05/01/13 08:00

Percent Solids: 88.4

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00236	0.000791	mg/Kg	☒	05/01/13 16:08	05/02/13 14:17	1
Ethylbenzene	ND		0.00236	0.000791	mg/Kg	☒	05/01/13 16:08	05/02/13 14:17	1
Naphthalene	ND		0.00591	0.00201	mg/Kg	☒	05/01/13 16:08	05/02/13 14:17	1
Toluene	ND		0.00236	0.000874	mg/Kg	☒	05/01/13 16:08	05/02/13 14:17	1
Xylenes, Total	ND		0.00591	0.000791	mg/Kg	☒	05/01/13 16:08	05/02/13 14:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		70 - 130	05/01/13 16:08	05/02/13 14:17	1
4-Bromofluorobenzene (Surr)	101		70 - 130	05/01/13 16:08	05/02/13 14:17	1
Dibromofluoromethane (Surr)	103		70 - 130	05/01/13 16:08	05/02/13 14:17	1
Toluene-d8 (Surr)	92		70 - 130	05/01/13 16:08	05/02/13 14:17	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0743	0.0111	mg/Kg	☒	05/02/13 06:40	05/03/13 00:04	1
Acenaphthylene	ND		0.0743	0.00998	mg/Kg	☒	05/02/13 06:40	05/03/13 00:04	1
Anthracene	ND		0.0743	0.00998	mg/Kg	☒	05/02/13 06:40	05/03/13 00:04	1
Benzo[a]anthracene	ND		0.0743	0.0166	mg/Kg	☒	05/02/13 06:40	05/03/13 00:04	1
Benzo[a]pyrene	ND		0.0743	0.0133	mg/Kg	☒	05/02/13 06:40	05/03/13 00:04	1
Benzo[b]fluoranthene	ND		0.0743	0.0133	mg/Kg	☒	05/02/13 06:40	05/03/13 00:04	1
Benzo[g,h,i]perylene	ND		0.0743	0.00998	mg/Kg	☒	05/02/13 06:40	05/03/13 00:04	1
Benzo[k]fluoranthene	ND		0.0743	0.0155	mg/Kg	☒	05/02/13 06:40	05/03/13 00:04	1
1-Methylnaphthalene	ND		0.0743	0.0155	mg/Kg	☒	05/02/13 06:40	05/03/13 00:04	1
Pyrene	ND		0.0743	0.0133	mg/Kg	☒	05/02/13 06:40	05/03/13 00:04	1
Phenanthrene	ND		0.0743	0.00998	mg/Kg	☒	05/02/13 06:40	05/03/13 00:04	1
Chrysene	ND		0.0743	0.00998	mg/Kg	☒	05/02/13 06:40	05/03/13 00:04	1
Dibenz(a,h)anthracene	ND		0.0743	0.00776	mg/Kg	☒	05/02/13 06:40	05/03/13 00:04	1
Fluoranthene	ND		0.0743	0.00998	mg/Kg	☒	05/02/13 06:40	05/03/13 00:04	1
Fluorene	ND		0.0743	0.0133	mg/Kg	☒	05/02/13 06:40	05/03/13 00:04	1
Indeno[1,2,3-cd]pyrene	ND		0.0743	0.0111	mg/Kg	☒	05/02/13 06:40	05/03/13 00:04	1
Naphthalene	ND		0.0743	0.00998	mg/Kg	☒	05/02/13 06:40	05/03/13 00:04	1
2-Methylnaphthalene	ND		0.0743	0.0177	mg/Kg	☒	05/02/13 06:40	05/03/13 00:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	72		29 - 120	05/02/13 06:40	05/03/13 00:04	1
Terphenyl-d14 (Surr)	88		13 - 120	05/02/13 06:40	05/03/13 00:04	1
Nitrobenzene-d5 (Surr)	73		27 - 120	05/02/13 06:40	05/03/13 00:04	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	88		0.10	0.10	%			05/01/13 14:20	1

TestAmerica Nashville

Client Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

Client Sample ID: 1438 Dove-1

Lab Sample ID: 490-25526-3

Date Collected: 04/22/13 12:15

Matrix: Soil

Date Received: 05/01/13 08:00

Percent Solids: 81.8

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00219	0.000733	mg/Kg	☒	05/01/13 16:08	05/02/13 14:48	1
Ethylbenzene	ND		0.00219	0.000733	mg/Kg	☒	05/01/13 16:08	05/02/13 14:48	1
Naphthalene	0.00311	J	0.00547	0.00186	mg/Kg	☒	05/01/13 16:08	05/02/13 14:48	1
Toluene	ND		0.00219	0.000810	mg/Kg	☒	05/01/13 16:08	05/02/13 14:48	1
Xylenes, Total	0.00127	J	0.00547	0.000733	mg/Kg	☒	05/01/13 16:08	05/02/13 14:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		70 - 130	05/01/13 16:08	05/02/13 14:48	1
4-Bromofluorobenzene (Surr)	128		70 - 130	05/01/13 16:08	05/02/13 14:48	1
Dibromofluoromethane (Surr)	101		70 - 130	05/01/13 16:08	05/02/13 14:48	1
Toluene-d8 (Surr)	99		70 - 130	05/01/13 16:08	05/02/13 14:48	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0662	0.00988	mg/Kg	☒	05/04/13 09:07	05/05/13 22:29	1
Acenaphthylene	0.0805		0.0662	0.00890	mg/Kg	☒	05/04/13 09:07	05/05/13 22:29	1
Anthracene	ND		0.0662	0.00890	mg/Kg	☒	05/04/13 09:07	05/05/13 22:29	1
Benzo[a]anthracene	ND		0.0662	0.0148	mg/Kg	☒	05/04/13 09:07	05/05/13 22:29	1
Benzo[a]pyrene	ND		0.0662	0.0119	mg/Kg	☒	05/04/13 09:07	05/05/13 22:29	1
Benzo[b]fluoranthene	ND		0.0662	0.0119	mg/Kg	☒	05/04/13 09:07	05/05/13 22:29	1
Benzo[g,h,i]perylene	ND		0.0662	0.00890	mg/Kg	☒	05/04/13 09:07	05/05/13 22:29	1
Benzo[k]fluoranthene	ND		0.0662	0.0138	mg/Kg	☒	05/04/13 09:07	05/05/13 22:29	1
1-Methylnaphthalene	ND		0.0662	0.0138	mg/Kg	☒	05/04/13 09:07	05/05/13 22:29	1
Pyrene	ND		0.0662	0.0119	mg/Kg	☒	05/04/13 09:07	05/05/13 22:29	1
Phenanthrene	ND		0.0662	0.00890	mg/Kg	☒	05/04/13 09:07	05/05/13 22:29	1
Chrysene	ND		0.0662	0.00890	mg/Kg	☒	05/04/13 09:07	05/05/13 22:29	1
Dibenz(a,h)anthracene	ND		0.0662	0.00692	mg/Kg	☒	05/04/13 09:07	05/05/13 22:29	1
Fluoranthene	ND		0.0662	0.00890	mg/Kg	☒	05/04/13 09:07	05/05/13 22:29	1
Fluorene	ND		0.0662	0.0119	mg/Kg	☒	05/04/13 09:07	05/05/13 22:29	1
Indeno[1,2,3-cd]pyrene	ND		0.0662	0.00988	mg/Kg	☒	05/04/13 09:07	05/05/13 22:29	1
Naphthalene	ND		0.0662	0.00890	mg/Kg	☒	05/04/13 09:07	05/05/13 22:29	1
2-Methylnaphthalene	ND		0.0662	0.0158	mg/Kg	☒	05/04/13 09:07	05/05/13 22:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	59		29 - 120	05/04/13 09:07	05/05/13 22:29	1
Terphenyl-d14 (Surr)	79		13 - 120	05/04/13 09:07	05/05/13 22:29	1
Nitrobenzene-d5 (Surr)	59		27 - 120	05/04/13 09:07	05/05/13 22:29	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	82		0.10	0.10	%			05/01/13 14:20	1

TestAmerica Nashville

Client Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

Client Sample ID: 1188 Bobwhite-2

Date Collected: 04/22/13 15:45

Date Received: 05/01/13 08:00

Lab Sample ID: 490-25526-4

Matrix: Soil
Percent Solids: 80.9

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00215	0.000720	mg/Kg	☒	05/01/13 16:08	05/02/13 15:19	1
Ethylbenzene	ND		0.00215	0.000720	mg/Kg	☒	05/01/13 16:08	05/02/13 15:19	1
Naphthalene	ND		0.00537	0.00183	mg/Kg	☒	05/01/13 16:08	05/02/13 15:19	1
Toluene	ND		0.00215	0.000795	mg/Kg	☒	05/01/13 16:08	05/02/13 15:19	1
Xylenes, Total	ND		0.00537	0.000720	mg/Kg	☒	05/01/13 16:08	05/02/13 15:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		70 - 130	05/01/13 16:08	05/02/13 15:19	1
4-Bromofluorobenzene (Surr)	105		70 - 130	05/01/13 16:08	05/02/13 15:19	1
Dibromofluoromethane (Surr)	102		70 - 130	05/01/13 16:08	05/02/13 15:19	1
Toluene-d8 (Surr)	95		70 - 130	05/01/13 16:08	05/02/13 15:19	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0817	0.0122	mg/Kg	☒	05/02/13 06:40	05/03/13 00:51	1
Acenaphthylene	ND		0.0817	0.0110	mg/Kg	☒	05/02/13 06:40	05/03/13 00:51	1
Anthracene	ND		0.0817	0.0110	mg/Kg	☒	05/02/13 06:40	05/03/13 00:51	1
Benzo[a]anthracene	ND		0.0817	0.0183	mg/Kg	☒	05/02/13 06:40	05/03/13 00:51	1
Benzo[a]pyrene	ND		0.0817	0.0146	mg/Kg	☒	05/02/13 06:40	05/03/13 00:51	1
Benzo[b]fluoranthene	ND		0.0817	0.0146	mg/Kg	☒	05/02/13 06:40	05/03/13 00:51	1
Benzo[g,h,i]perylene	ND		0.0817	0.0110	mg/Kg	☒	05/02/13 06:40	05/03/13 00:51	1
Benzo[k]fluoranthene	ND		0.0817	0.0171	mg/Kg	☒	05/02/13 06:40	05/03/13 00:51	1
1-Methylnaphthalene	ND		0.0817	0.0171	mg/Kg	☒	05/02/13 06:40	05/03/13 00:51	1
Pyrene	ND		0.0817	0.0146	mg/Kg	☒	05/02/13 06:40	05/03/13 00:51	1
Phenanthrene	ND		0.0817	0.0110	mg/Kg	☒	05/02/13 06:40	05/03/13 00:51	1
Chrysene	ND		0.0817	0.0110	mg/Kg	☒	05/02/13 06:40	05/03/13 00:51	1
Dibenz(a,h)anthracene	ND		0.0817	0.00854	mg/Kg	☒	05/02/13 06:40	05/03/13 00:51	1
Fluoranthene	ND		0.0817	0.0110	mg/Kg	☒	05/02/13 06:40	05/03/13 00:51	1
Fluorene	ND		0.0817	0.0146	mg/Kg	☒	05/02/13 06:40	05/03/13 00:51	1
Indeno[1,2,3-cd]pyrene	ND		0.0817	0.0122	mg/Kg	☒	05/02/13 06:40	05/03/13 00:51	1
Naphthalene	ND		0.0817	0.0110	mg/Kg	☒	05/02/13 06:40	05/03/13 00:51	1
2-Methylnaphthalene	ND		0.0817	0.0195	mg/Kg	☒	05/02/13 06:40	05/03/13 00:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	71		29 - 120	05/02/13 06:40	05/03/13 00:51	1
Terphenyl-d14 (Surr)	86		13 - 120	05/02/13 06:40	05/03/13 00:51	1
Nitrobenzene-d5 (Surr)	72		27 - 120	05/02/13 06:40	05/03/13 00:51	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	81		0.10	0.10	%			05/01/13 14:20	1

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: 490-25538-A-4-D MS

Matrix: Solid

Analysis Batch: 76457

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 76425

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.00187		0.0330	0.03198		mg/Kg		91	31 - 143
Ethylbenzene	ND		0.0330	0.02524		mg/Kg		77	23 - 161
Naphthalene	0.00169	J	0.0330	0.03311		mg/Kg		95	10 - 176
Toluene	ND		0.0330	0.02652		mg/Kg		80	30 - 155
Xylenes, Total	ND		0.0989	0.07636		mg/Kg		77	25 - 162

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		70 - 130
4-Bromofluorobenzene (Surr)	102		70 - 130
Dibromofluoromethane (Surr)	107		70 - 130
Toluene-d8 (Surr)	93		70 - 130

Lab Sample ID: 490-25538-A-4-E MSD

Matrix: Solid

Analysis Batch: 76457

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 76425

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.00187		0.0332	0.03142		mg/Kg		89	31 - 143	2	50
Ethylbenzene	ND		0.0332	0.02538		mg/Kg		76	23 - 161	1	50
Naphthalene	0.00169	J	0.0332	0.02692		mg/Kg		76	10 - 176	21	50
Toluene	ND		0.0332	0.02573		mg/Kg		77	30 - 155	3	50
Xylenes, Total	ND		0.0997	0.07276		mg/Kg		73	25 - 162	5	50

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		70 - 130
4-Bromofluorobenzene (Surr)	101		70 - 130
Dibromofluoromethane (Surr)	108		70 - 130
Toluene-d8 (Surr)	93		70 - 130

Lab Sample ID: MB 490-76457/6

Matrix: Solid

Analysis Batch: 76457

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.000670	mg/Kg			05/02/13 07:43	1
Ethylbenzene	ND		0.00200	0.000670	mg/Kg			05/02/13 07:43	1
Naphthalene	ND		0.00500	0.00170	mg/Kg			05/02/13 07:43	1
Toluene	ND		0.00200	0.000740	mg/Kg			05/02/13 07:43	1
Xylenes, Total	ND		0.00500	0.000670	mg/Kg			05/02/13 07:43	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		70 - 130		05/02/13 07:43	1
4-Bromofluorobenzene (Surr)	102		70 - 130		05/02/13 07:43	1
Dibromofluoromethane (Surr)	106		70 - 130		05/02/13 07:43	1
Toluene-d8 (Surr)	96		70 - 130		05/02/13 07:43	1

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-76457/3

Matrix: Solid

Analysis Batch: 76457

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.0500	0.04698		mg/Kg		94	75 - 127
Ethylbenzene	0.0500	0.04643		mg/Kg		93	80 - 134
Naphthalene	0.0500	0.06576		mg/Kg		132	69 - 150
Toluene	0.0500	0.04647		mg/Kg		93	80 - 132
Xylenes, Total	0.150	0.1381		mg/Kg		92	80 - 137

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		70 - 130
4-Bromofluorobenzene (Surr)	99		70 - 130
Dibromofluoromethane (Surr)	107		70 - 130
Toluene-d8 (Surr)	97		70 - 130

Lab Sample ID: LCSD 490-76457/4

Matrix: Solid

Analysis Batch: 76457

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.0500	0.04851		mg/Kg		97	75 - 127	3	50
Ethylbenzene	0.0500	0.04655		mg/Kg		93	80 - 134	0	50
Naphthalene	0.0500	0.07080		mg/Kg		142	69 - 150	7	50
Toluene	0.0500	0.04622		mg/Kg		92	80 - 132	1	50
Xylenes, Total	0.150	0.1391		mg/Kg		93	80 - 137	1	50

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		70 - 130
4-Bromofluorobenzene (Surr)	99		70 - 130
Dibromofluoromethane (Surr)	107		70 - 130
Toluene-d8 (Surr)	98		70 - 130

Lab Sample ID: MB 490-76738/6

Matrix: Solid

Analysis Batch: 76738

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.000670	mg/Kg			05/03/13 08:45	1
Ethylbenzene	ND		0.00200	0.000670	mg/Kg			05/03/13 08:45	1
Naphthalene	ND		0.00500	0.00170	mg/Kg			05/03/13 08:45	1
Toluene	ND		0.00200	0.000740	mg/Kg			05/03/13 08:45	1
Xylenes, Total	ND		0.00500	0.000670	mg/Kg			05/03/13 08:45	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		70 - 130		05/03/13 08:45	1
4-Bromofluorobenzene (Surr)	102		70 - 130		05/03/13 08:45	1
Dibromofluoromethane (Surr)	106		70 - 130		05/03/13 08:45	1
Toluene-d8 (Surr)	99		70 - 130		05/03/13 08:45	1

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-76738/3

Matrix: Solid

Analysis Batch: 76738

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.0500	0.04636		mg/Kg		93	75 - 127
Ethylbenzene	0.0500	0.04619		mg/Kg		92	80 - 134
Naphthalene	0.0500	0.06075		mg/Kg		121	69 - 150
Toluene	0.0500	0.04567		mg/Kg		91	80 - 132
Xylenes, Total	0.150	0.1369		mg/Kg		91	80 - 137

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	95		70 - 130
4-Bromofluorobenzene (Surr)	102		70 - 130
Dibromofluoromethane (Surr)	106		70 - 130
Toluene-d8 (Surr)	97		70 - 130

Lab Sample ID: LCSD 490-76738/4

Matrix: Solid

Analysis Batch: 76738

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.0500	0.04927		mg/Kg		99	75 - 127	6	50
Ethylbenzene	0.0500	0.04979		mg/Kg		100	80 - 134	8	50
Naphthalene	0.0500	0.06627		mg/Kg		133	69 - 150	9	50
Toluene	0.0500	0.04745		mg/Kg		95	80 - 132	4	50
Xylenes, Total	0.150	0.1515		mg/Kg		101	80 - 137	10	50

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		70 - 130
4-Bromofluorobenzene (Surr)	102		70 - 130
Dibromofluoromethane (Surr)	107		70 - 130
Toluene-d8 (Surr)	95		70 - 130

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 490-76464/1-A

Matrix: Solid

Analysis Batch: 76635

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 76464

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0670	0.0100	mg/Kg		05/02/13 06:40	05/02/13 17:49	1
Acenaphthylene	ND		0.0670	0.00900	mg/Kg		05/02/13 06:40	05/02/13 17:49	1
Anthracene	ND		0.0670	0.00900	mg/Kg		05/02/13 06:40	05/02/13 17:49	1
Benzo[a]anthracene	ND		0.0670	0.0150	mg/Kg		05/02/13 06:40	05/02/13 17:49	1
Benzo[a]pyrene	ND		0.0670	0.0120	mg/Kg		05/02/13 06:40	05/02/13 17:49	1
Benzo[b]fluoranthene	ND		0.0670	0.0120	mg/Kg		05/02/13 06:40	05/02/13 17:49	1
Benzo[g,h,i]perylene	ND		0.0670	0.00900	mg/Kg		05/02/13 06:40	05/02/13 17:49	1
Benzo[k]fluoranthene	ND		0.0670	0.0140	mg/Kg		05/02/13 06:40	05/02/13 17:49	1
1-Methylnaphthalene	ND		0.0670	0.0140	mg/Kg		05/02/13 06:40	05/02/13 17:49	1
Pyrene	ND		0.0670	0.0120	mg/Kg		05/02/13 06:40	05/02/13 17:49	1
Phenanthrene	ND		0.0670	0.00900	mg/Kg		05/02/13 06:40	05/02/13 17:49	1

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-76464/1-A

Matrix: Solid

Analysis Batch: 76635

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 76464

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chrysene	ND		0.0670	0.00900	mg/Kg		05/02/13 06:40	05/02/13 17:49	1
Dibenz(a,h)anthracene	ND		0.0670	0.00700	mg/Kg		05/02/13 06:40	05/02/13 17:49	1
Fluoranthene	ND		0.0670	0.00900	mg/Kg		05/02/13 06:40	05/02/13 17:49	1
Fluorene	ND		0.0670	0.0120	mg/Kg		05/02/13 06:40	05/02/13 17:49	1
Indeno[1,2,3-cd]pyrene	ND		0.0670	0.0100	mg/Kg		05/02/13 06:40	05/02/13 17:49	1
Naphthalene	ND		0.0670	0.00900	mg/Kg		05/02/13 06:40	05/02/13 17:49	1
2-Methylnaphthalene	ND		0.0670	0.0160	mg/Kg		05/02/13 06:40	05/02/13 17:49	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	79		29 - 120	05/02/13 06:40	05/02/13 17:49	1
Terphenyl-d14 (Surr)	94		13 - 120	05/02/13 06:40	05/02/13 17:49	1
Nitrobenzene-d5 (Surr)	82		27 - 120	05/02/13 06:40	05/02/13 17:49	1

Lab Sample ID: LCS 490-76464/2-A

Matrix: Solid

Analysis Batch: 76635

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 76464

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acenaphthylene	1.67	1.437		mg/Kg		86	38 - 120
Anthracene	1.67	1.454		mg/Kg		87	46 - 124
Benzo[a]anthracene	1.67	1.389		mg/Kg		83	45 - 120
Benzo[a]pyrene	1.67	1.416		mg/Kg		85	45 - 120
Benzo[b]fluoranthene	1.67	1.346		mg/Kg		81	42 - 120
Benzo[g,h,i]perylene	1.67	1.323		mg/Kg		79	38 - 120
Benzo[k]fluoranthene	1.67	1.334		mg/Kg		80	42 - 120
1-Methylnaphthalene	1.67	1.130		mg/Kg		68	32 - 120
Pyrene	1.67	1.418		mg/Kg		85	43 - 120
Phenanthrene	1.67	1.307		mg/Kg		78	45 - 120
Chrysene	1.67	1.303		mg/Kg		78	43 - 120
Dibenz(a,h)anthracene	1.67	1.343		mg/Kg		81	32 - 128
Fluoranthene	1.67	1.377		mg/Kg		83	46 - 120
Fluorene	1.67	1.333		mg/Kg		80	42 - 120
Indeno[1,2,3-cd]pyrene	1.67	1.351		mg/Kg		81	41 - 121
Naphthalene	1.67	1.030		mg/Kg		62	32 - 120
2-Methylnaphthalene	1.67	1.119		mg/Kg		67	28 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Fluorobiphenyl (Surr)	71		29 - 120
Terphenyl-d14 (Surr)	84		13 - 120
Nitrobenzene-d5 (Surr)	70		27 - 120

Lab Sample ID: 490-25531-A-1-B MS

Matrix: Solid

Analysis Batch: 76635

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 76464

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Acenaphthylene	ND		1.66	1.388		mg/Kg		84	25 - 120
Anthracene	ND		1.66	1.406		mg/Kg		85	28 - 125

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 490-25531-A-1-B MS

Matrix: Solid

Analysis Batch: 76635

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 76464

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzo[a]anthracene	ND		1.66	1.350		mg/Kg		81	23 - 120
Benzo[a]pyrene	ND		1.66	1.369		mg/Kg		82	15 - 128
Benzo[b]fluoranthene	ND		1.66	1.287		mg/Kg		78	12 - 133
Benzo[g,h,i]perylene	ND		1.66	1.221		mg/Kg		74	22 - 120
Benzo[k]fluoranthene	ND		1.66	1.242		mg/Kg		75	28 - 120
1-Methylnaphthalene	0.135		1.66	1.123		mg/Kg		59	10 - 120
Pyrene	ND		1.66	1.447		mg/Kg		87	20 - 123
Phenanthrene	ND		1.66	1.260		mg/Kg		76	21 - 122
Chrysene	ND		1.66	1.286		mg/Kg		77	20 - 120
Dibenz(a,h)anthracene	ND		1.66	1.239		mg/Kg		75	12 - 128
Fluoranthene	ND		1.66	1.290		mg/Kg		78	10 - 143
Fluorene	ND		1.66	1.287		mg/Kg		78	20 - 120
Indeno[1,2,3-cd]pyrene	ND		1.66	1.217		mg/Kg		73	22 - 121
Naphthalene	0.193		1.66	1.102		mg/Kg		55	10 - 120
2-Methylnaphthalene	0.161		1.66	1.123		mg/Kg		58	13 - 120

Surrogate	MS %Recovery	MS Qualifier	Limits
2-Fluorobiphenyl (Surr)	71		29 - 120
Terphenyl-d14 (Surr)	85		13 - 120
Nitrobenzene-d5 (Surr)	76		27 - 120

Lab Sample ID: 490-25531-A-1-C MSD

Matrix: Solid

Analysis Batch: 76635

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 76464

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Acenaphthylene	ND		1.62	1.319		mg/Kg		81	25 - 120	5	50
Anthracene	ND		1.62	1.372		mg/Kg		85	28 - 125	2	49
Benzo[a]anthracene	ND		1.62	1.351		mg/Kg		83	23 - 120	0	50
Benzo[a]pyrene	ND		1.62	1.340		mg/Kg		83	15 - 128	2	50
Benzo[b]fluoranthene	ND		1.62	1.235		mg/Kg		76	12 - 133	4	50
Benzo[g,h,i]perylene	ND		1.62	1.195		mg/Kg		74	22 - 120	2	50
Benzo[k]fluoranthene	ND		1.62	1.241		mg/Kg		77	28 - 120	0	45
1-Methylnaphthalene	0.135		1.62	1.125		mg/Kg		61	10 - 120	0	50
Pyrene	ND		1.62	1.437		mg/Kg		89	20 - 123	1	50
Phenanthrene	ND		1.62	1.218		mg/Kg		75	21 - 122	3	50
Chrysene	ND		1.62	1.257		mg/Kg		78	20 - 120	2	49
Dibenz(a,h)anthracene	ND		1.62	1.193		mg/Kg		74	12 - 128	4	50
Fluoranthene	ND		1.62	1.246		mg/Kg		77	10 - 143	3	50
Fluorene	ND		1.62	1.233		mg/Kg		76	20 - 120	4	50
Indeno[1,2,3-cd]pyrene	ND		1.62	1.189		mg/Kg		73	22 - 121	2	50
Naphthalene	0.193		1.62	1.106		mg/Kg		56	10 - 120	0	50
2-Methylnaphthalene	0.161		1.62	1.126		mg/Kg		60	13 - 120	0	50

Surrogate	MSD %Recovery	MSD Qualifier	Limits
2-Fluorobiphenyl (Surr)	69		29 - 120
Terphenyl-d14 (Surr)	86		13 - 120

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 490-25531-A-1-C MSD

Matrix: Solid

Analysis Batch: 76635

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 76464

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
Nitrobenzene-d5 (Surr)	70		27 - 120

Lab Sample ID: MB 490-76995/1-A

Matrix: Solid

Analysis Batch: 77106

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 76995

Analyte	MB	MB							
	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0670	0.0100	mg/Kg		05/04/13 09:07	05/05/13 16:43	1
Acenaphthylene	ND		0.0670	0.00900	mg/Kg		05/04/13 09:07	05/05/13 16:43	1
Anthracene	ND		0.0670	0.00900	mg/Kg		05/04/13 09:07	05/05/13 16:43	1
Benzo[a]anthracene	ND		0.0670	0.0150	mg/Kg		05/04/13 09:07	05/05/13 16:43	1
Benzo[a]pyrene	ND		0.0670	0.0120	mg/Kg		05/04/13 09:07	05/05/13 16:43	1
Benzo[b]fluoranthene	ND		0.0670	0.0120	mg/Kg		05/04/13 09:07	05/05/13 16:43	1
Benzo[g,h,i]perylene	ND		0.0670	0.00900	mg/Kg		05/04/13 09:07	05/05/13 16:43	1
Benzo[k]fluoranthene	ND		0.0670	0.0140	mg/Kg		05/04/13 09:07	05/05/13 16:43	1
1-Methylnaphthalene	ND		0.0670	0.0140	mg/Kg		05/04/13 09:07	05/05/13 16:43	1
Pyrene	ND		0.0670	0.0120	mg/Kg		05/04/13 09:07	05/05/13 16:43	1
Phenanthrene	ND		0.0670	0.00900	mg/Kg		05/04/13 09:07	05/05/13 16:43	1
Chrysene	ND		0.0670	0.00900	mg/Kg		05/04/13 09:07	05/05/13 16:43	1
Dibenz(a,h)anthracene	ND		0.0670	0.00700	mg/Kg		05/04/13 09:07	05/05/13 16:43	1
Fluoranthene	ND		0.0670	0.00900	mg/Kg		05/04/13 09:07	05/05/13 16:43	1
Fluorene	ND		0.0670	0.0120	mg/Kg		05/04/13 09:07	05/05/13 16:43	1
Indeno[1,2,3-cd]pyrene	ND		0.0670	0.0100	mg/Kg		05/04/13 09:07	05/05/13 16:43	1
Naphthalene	ND		0.0670	0.00900	mg/Kg		05/04/13 09:07	05/05/13 16:43	1
2-Methylnaphthalene	ND		0.0670	0.0160	mg/Kg		05/04/13 09:07	05/05/13 16:43	1

	MB	MB							
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
2-Fluorobiphenyl (Surr)	79		29 - 120	05/04/13 09:07	05/05/13 16:43	1			
Terphenyl-d14 (Surr)	85		13 - 120	05/04/13 09:07	05/05/13 16:43	1			
Nitrobenzene-d5 (Surr)	77		27 - 120	05/04/13 09:07	05/05/13 16:43	1			

Lab Sample ID: LCS 490-76995/2-A

Matrix: Solid

Analysis Batch: 77106

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 76995

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acenaphthylene	1.67	1.442		mg/Kg		87	38 - 120
Anthracene	1.67	1.496		mg/Kg		90	46 - 124
Benzo[a]anthracene	1.67	1.418		mg/Kg		85	45 - 120
Benzo[a]pyrene	1.67	1.419		mg/Kg		85	45 - 120
Benzo[b]fluoranthene	1.67	1.377		mg/Kg		83	42 - 120
Benzo[g,h,i]perylene	1.67	1.261		mg/Kg		76	38 - 120
Benzo[k]fluoranthene	1.67	1.325		mg/Kg		80	42 - 120
1-Methylnaphthalene	1.67	1.170		mg/Kg		70	32 - 120
Pyrene	1.67	1.410		mg/Kg		85	43 - 120
Phenanthrene	1.67	1.299		mg/Kg		78	45 - 120
Chrysene	1.67	1.300		mg/Kg		78	43 - 120
Dibenz(a,h)anthracene	1.67	1.295		mg/Kg		78	32 - 128

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-76995/2-A

Matrix: Solid

Analysis Batch: 77106

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 76995

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Fluoranthene	1.67	1.394		mg/Kg		84	46 - 120
Fluorene	1.67	1.340		mg/Kg		80	42 - 120
Indeno[1,2,3-cd]pyrene	1.67	1.299		mg/Kg		78	41 - 121
Naphthalene	1.67	1.075		mg/Kg		64	32 - 120
2-Methylnaphthalene	1.67	1.160		mg/Kg		70	28 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Fluorobiphenyl (Surr)	70		29 - 120
Terphenyl-d14 (Surr)	83		13 - 120
Nitrobenzene-d5 (Surr)	73		27 - 120

Lab Sample ID: LCSD 490-76995/3-A

Matrix: Solid

Analysis Batch: 77106

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 76995

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Acenaphthylene	1.67	1.424		mg/Kg		85	38 - 120	1	50
Anthracene	1.67	1.482		mg/Kg		89	46 - 124	1	49
Benzo[a]anthracene	1.67	1.407		mg/Kg		84	45 - 120	1	50
Benzo[a]pyrene	1.67	1.414		mg/Kg		85	45 - 120	0	50
Benzo[b]fluoranthene	1.67	1.319		mg/Kg		79	42 - 120	4	50
Benzo[g,h,i]perylene	1.67	1.276		mg/Kg		77	38 - 120	1	50
Benzo[k]fluoranthene	1.67	1.348		mg/Kg		81	42 - 120	2	45
1-Methylnaphthalene	1.67	1.147		mg/Kg		69	32 - 120	2	50
Pyrene	1.67	1.391		mg/Kg		83	43 - 120	1	50
Phenanthrene	1.67	1.319		mg/Kg		79	45 - 120	2	50
Chrysene	1.67	1.301		mg/Kg		78	43 - 120	0	49
Dibenz(a,h)anthracene	1.67	1.316		mg/Kg		79	32 - 128	2	50
Fluoranthene	1.67	1.413		mg/Kg		85	46 - 120	1	50
Fluorene	1.67	1.340		mg/Kg		80	42 - 120	0	50
Indeno[1,2,3-cd]pyrene	1.67	1.311		mg/Kg		79	41 - 121	1	50
Naphthalene	1.67	1.057		mg/Kg		63	32 - 120	2	50
2-Methylnaphthalene	1.67	1.159		mg/Kg		70	28 - 120	0	50

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
2-Fluorobiphenyl (Surr)	70		29 - 120
Terphenyl-d14 (Surr)	81		13 - 120
Nitrobenzene-d5 (Surr)	69		27 - 120

Lab Sample ID: 490-25736-A-8-B MS

Matrix: Solid

Analysis Batch: 77106

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 76995

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Acenaphthylene	ND		1.98	1.456		mg/Kg	☐	74	25 - 120
Anthracene	0.0598	J	1.98	1.533		mg/Kg	☐	74	28 - 125
Benzo[a]anthracene	0.285		1.98	1.522		mg/Kg	☐	63	23 - 120
Benzo[a]pyrene	0.270		1.98	1.498		mg/Kg	☐	62	15 - 128

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 490-25736-A-8-B MS

Matrix: Solid

Analysis Batch: 77106

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 76995

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.	
	Result	Qualifier	Added	Result	Qualifier				Limits	
Benzo[b]fluoranthene	0.371		1.98	1.512		mg/Kg	☒	58	12 - 133	
Benzo[g,h,i]perylene	0.161		1.98	1.394		mg/Kg	☒	62	22 - 120	
Benzo[k]fluoranthene	0.142		1.98	1.357		mg/Kg	☒	61	28 - 120	
1-Methylnaphthalene	ND		1.98	1.184		mg/Kg	☒	60	10 - 120	
Pyrene	0.446		1.98	1.774		mg/Kg	☒	67	20 - 123	
Phenanthrene	0.264		1.98	1.395		mg/Kg	☒	57	21 - 122	
Chrysene	0.277		1.98	1.455		mg/Kg	☒	60	20 - 120	
Dibenz(a,h)anthracene	0.0487	J	1.98	1.336		mg/Kg	☒	65	12 - 128	
Fluoranthene	0.482		1.98	1.402		mg/Kg	☒	47	10 - 143	
Fluorene	ND		1.98	1.560		mg/Kg	☒	79	20 - 120	
Indeno[1,2,3-cd]pyrene	0.139		1.98	1.377		mg/Kg	☒	63	22 - 121	
Naphthalene	ND		1.98	1.061		mg/Kg	☒	54	10 - 120	
2-Methylnaphthalene	ND		1.98	1.174		mg/Kg	☒	59	13 - 120	

Surrogate	MS	MS	Limits
%Recovery	Qualifier		
2-Fluorobiphenyl (Surr)	55		29 - 120
Terphenyl-d14 (Surr)	76		13 - 120
Nitrobenzene-d5 (Surr)	54		27 - 120

Lab Sample ID: 490-25736-A-8-C MSD

Matrix: Solid

Analysis Batch: 77106

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 76995

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.		RPD	
	Result	Qualifier	Added	Result	Qualifier				Limits		RPD	Limit
Acenaphthylene	ND		2.02	1.438		mg/Kg	☒	71	25 - 120		1	50
Anthracene	0.0598	J	2.02	1.569		mg/Kg	☒	75	28 - 125		2	49
Benzo[a]anthracene	0.285		2.02	1.436		mg/Kg	☒	57	23 - 120		6	50
Benzo[a]pyrene	0.270		2.02	1.440		mg/Kg	☒	58	15 - 128		4	50
Benzo[b]fluoranthene	0.371		2.02	1.414		mg/Kg	☒	52	12 - 133		7	50
Benzo[g,h,i]perylene	0.161		2.02	1.415		mg/Kg	☒	62	22 - 120		1	50
Benzo[k]fluoranthene	0.142		2.02	1.291		mg/Kg	☒	57	28 - 120		5	45
1-Methylnaphthalene	ND		2.02	1.228		mg/Kg	☒	61	10 - 120		4	50
Pyrene	0.446		2.02	1.788		mg/Kg	☒	67	20 - 123		1	50
Phenanthrene	0.264		2.02	1.380		mg/Kg	☒	55	21 - 122		1	50
Chrysene	0.277		2.02	1.331		mg/Kg	☒	52	20 - 120		9	49
Dibenz(a,h)anthracene	0.0487	J	2.02	1.384		mg/Kg	☒	66	12 - 128		4	50
Fluoranthene	0.482		2.02	1.432		mg/Kg	☒	47	10 - 143		2	50
Fluorene	ND		2.02	1.366		mg/Kg	☒	68	20 - 120		13	50
Indeno[1,2,3-cd]pyrene	0.139		2.02	1.446		mg/Kg	☒	65	22 - 121		5	50
Naphthalene	ND		2.02	1.136		mg/Kg	☒	56	10 - 120		7	50
2-Methylnaphthalene	ND		2.02	1.218		mg/Kg	☒	60	13 - 120		4	50

Surrogate	MSD	MSD	Limits
%Recovery	Qualifier		
2-Fluorobiphenyl (Surr)	58		29 - 120
Terphenyl-d14 (Surr)	83		13 - 120
Nitrobenzene-d5 (Surr)	63		27 - 120

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

Method: Moisture - Percent Moisture

Lab Sample ID: 490-25521-D-1 DU

Matrix: Solid

Analysis Batch: 76389

Client Sample ID: Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Percent Solids	86		92		%			

TestAmerica Nashville

QC Association Summary

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

GC/MS VOA

Prep Batch: 76425

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-25538-A-4-D MS	Matrix Spike	Total/NA	Solid	5035	
490-25538-A-4-E MSD	Matrix Spike Duplicate	Total/NA	Solid	5035	

Prep Batch: 76434

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-25526-1	1458 Cardinal	Total/NA	Soil	5035	
490-25526-2	1335 Albatross	Total/NA	Soil	5035	
490-25526-3	1438 Dove-1	Total/NA	Soil	5035	
490-25526-4	1188 Bobwhite-2	Total/NA	Soil	5035	

Analysis Batch: 76457

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-25526-2	1335 Albatross	Total/NA	Soil	8260B	76434
490-25526-3	1438 Dove-1	Total/NA	Soil	8260B	76434
490-25526-4	1188 Bobwhite-2	Total/NA	Soil	8260B	76434
490-25538-A-4-D MS	Matrix Spike	Total/NA	Solid	8260B	76425
490-25538-A-4-E MSD	Matrix Spike Duplicate	Total/NA	Solid	8260B	76425
LCS 490-76457/3	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 490-76457/4	Lab Control Sample Dup	Total/NA	Solid	8260B	
MB 490-76457/6	Method Blank	Total/NA	Solid	8260B	

Analysis Batch: 76738

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-25526-1	1458 Cardinal	Total/NA	Soil	8260B	76434
LCS 490-76738/3	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 490-76738/4	Lab Control Sample Dup	Total/NA	Solid	8260B	
MB 490-76738/6	Method Blank	Total/NA	Solid	8260B	

GC/MS Semi VOA

Prep Batch: 76464

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-25526-1	1458 Cardinal	Total/NA	Soil	3550C	
490-25526-2	1335 Albatross	Total/NA	Soil	3550C	
490-25526-4	1188 Bobwhite-2	Total/NA	Soil	3550C	
490-25531-A-1-B MS	Matrix Spike	Total/NA	Solid	3550C	
490-25531-A-1-C MSD	Matrix Spike Duplicate	Total/NA	Solid	3550C	
LCS 490-76464/2-A	Lab Control Sample	Total/NA	Solid	3550C	
MB 490-76464/1-A	Method Blank	Total/NA	Solid	3550C	

Analysis Batch: 76635

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-25526-1	1458 Cardinal	Total/NA	Soil	8270D	76464
490-25526-2	1335 Albatross	Total/NA	Soil	8270D	76464
490-25526-4	1188 Bobwhite-2	Total/NA	Soil	8270D	76464
490-25531-A-1-B MS	Matrix Spike	Total/NA	Solid	8270D	76464
490-25531-A-1-C MSD	Matrix Spike Duplicate	Total/NA	Solid	8270D	76464
LCS 490-76464/2-A	Lab Control Sample	Total/NA	Solid	8270D	76464
MB 490-76464/1-A	Method Blank	Total/NA	Solid	8270D	76464

TestAmerica Nashville

QC Association Summary

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

GC/MS Semi VOA (Continued)

Prep Batch: 76995

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-25526-3	1438 Dove-1	Total/NA	Soil	3550C	
490-25736-A-8-B MS	Matrix Spike	Total/NA	Solid	3550C	
490-25736-A-8-C MSD	Matrix Spike Duplicate	Total/NA	Solid	3550C	
LCS 490-76995/2-A	Lab Control Sample	Total/NA	Solid	3550C	
LCSD 490-76995/3-A	Lab Control Sample Dup	Total/NA	Solid	3550C	
MB 490-76995/1-A	Method Blank	Total/NA	Solid	3550C	

Analysis Batch: 77106

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-25526-3	1438 Dove-1	Total/NA	Soil	8270D	76995
490-25736-A-8-B MS	Matrix Spike	Total/NA	Solid	8270D	76995
490-25736-A-8-C MSD	Matrix Spike Duplicate	Total/NA	Solid	8270D	76995
LCS 490-76995/2-A	Lab Control Sample	Total/NA	Solid	8270D	76995
LCSD 490-76995/3-A	Lab Control Sample Dup	Total/NA	Solid	8270D	76995
MB 490-76995/1-A	Method Blank	Total/NA	Solid	8270D	76995

General Chemistry

Analysis Batch: 76389

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-25521-D-1 DU	Duplicate	Total/NA	Solid	Moisture	
490-25526-1	1458 Cardinal	Total/NA	Soil	Moisture	
490-25526-2	1335 Albatross	Total/NA	Soil	Moisture	
490-25526-3	1438 Dove-1	Total/NA	Soil	Moisture	
490-25526-4	1188 Bobwhite-2	Total/NA	Soil	Moisture	

Lab Chronicle

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

Client Sample ID: 1458 Cardinal

Date Collected: 04/23/13 15:30

Date Received: 05/01/13 08:00

Lab Sample ID: 490-25526-1

Matrix: Soil
Percent Solids: 74.7

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			76434	05/01/13 16:08	ML	TAL NSH
Total/NA	Analysis	8260B		1	76738	05/03/13 09:46	AF	TAL NSH
Total/NA	Prep	3550C			76464	05/02/13 06:40	JP	TAL NSH
Total/NA	Analysis	8270D		1	76635	05/02/13 23:41	KP	TAL NSH
Total/NA	Analysis	Moisture		1	76389	05/01/13 14:20	RS	TAL NSH

Client Sample ID: 1335 Albatross

Date Collected: 04/24/13 14:00

Date Received: 05/01/13 08:00

Lab Sample ID: 490-25526-2

Matrix: Soil
Percent Solids: 88.4

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			76434	05/01/13 16:08	ML	TAL NSH
Total/NA	Analysis	8260B		1	76457	05/02/13 14:17	AF	TAL NSH
Total/NA	Prep	3550C			76464	05/02/13 06:40	JP	TAL NSH
Total/NA	Analysis	8270D		1	76635	05/03/13 00:04	KP	TAL NSH
Total/NA	Analysis	Moisture		1	76389	05/01/13 14:20	RS	TAL NSH

Client Sample ID: 1438 Dove-1

Date Collected: 04/22/13 12:15

Date Received: 05/01/13 08:00

Lab Sample ID: 490-25526-3

Matrix: Soil
Percent Solids: 81.8

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			76434	05/01/13 16:08	ML	TAL NSH
Total/NA	Analysis	8260B		1	76457	05/02/13 14:48	AF	TAL NSH
Total/NA	Prep	3550C			76995	05/04/13 09:07	JP	TAL NSH
Total/NA	Analysis	8270D		1	77106	05/05/13 22:29	JS	TAL NSH
Total/NA	Analysis	Moisture		1	76389	05/01/13 14:20	RS	TAL NSH

Client Sample ID: 1188 Bobwhite-2

Date Collected: 04/22/13 15:45

Date Received: 05/01/13 08:00

Lab Sample ID: 490-25526-4

Matrix: Soil
Percent Solids: 80.9

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			76434	05/01/13 16:08	ML	TAL NSH
Total/NA	Analysis	8260B		1	76457	05/02/13 15:19	AF	TAL NSH
Total/NA	Prep	3550C			76464	05/02/13 06:40	JP	TAL NSH
Total/NA	Analysis	8270D		1	76635	05/03/13 00:51	KP	TAL NSH
Total/NA	Analysis	Moisture		1	76389	05/01/13 14:20	RS	TAL NSH

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

TestAmerica Nashville

Method Summary

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL NSH
8270D	Semivolatile Organic Compounds (GC/MS)	SW846	TAL NSH
Moisture	Percent Moisture	EPA	TAL NSH

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Certification Summary

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-25526-1

Laboratory: TestAmerica Nashville

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.


Authority	Program	EPA Region	Certification ID	Expiration Date
	ACIL		393	10-30-13
A2LA	ISO/IEC 17025		0453.07	12-31-13
Alaska (UST)	State Program	10	UST-087	07-24-13
Arizona	State Program	9	AZ0473	05-05-14 *
Arkansas DEQ	State Program	6	88-0737	04-25-14
California	NELAP	9	1168CA	10-31-13
Connecticut	State Program	1	PH-0220	12-31-13
Florida	NELAP	4	E87358	06-30-13
Illinois	NELAP	5	200010	12-09-13
Iowa	State Program	7	131	05-01-14
Kansas	NELAP	7	E-10229	10-31-13
Kentucky (UST)	State Program	4	19	09-15-13
Louisiana	NELAP	6	30613	06-30-13
Maryland	State Program	3	316	03-31-14
Massachusetts	State Program	1	M-TN032	06-30-13
Minnesota	NELAP	5	047-999-345	12-31-13
Mississippi	State Program	4	N/A	06-30-13
Montana (UST)	State Program	8	NA	01-01-15
Nevada	State Program	9	TN00032	07-31-13
New Hampshire	NELAP	1	2963	10-10-13
New Jersey	NELAP	2	TN965	06-30-13
New York	NELAP	2	11342	04-01-14
North Carolina DENR	State Program	4	387	12-31-13
North Dakota	State Program	8	R-146	06-30-13
Ohio VAP	State Program	5	CL0033	01-19-14
Oklahoma	State Program	6	9412	08-31-13
Oregon	NELAP	10	TN200001	04-29-14
Pennsylvania	NELAP	3	68-00585	06-30-13
Rhode Island	State Program	1	LAO00268	12-30-13
South Carolina	State Program	4	84009 (001)	02-28-14
South Carolina	State Program	4	84009 (002)	02-23-14
Tennessee	State Program	4	2008	02-23-14
Texas	NELAP	6	T104704077-09-TX	08-31-13
USDA	Federal		S-48469	11-02-13
Utah	NELAP	8	TAN	06-30-13
Virginia	NELAP	3	460152	06-14-13
Washington	State Program	10	C789	07-19-13
West Virginia DEP	State Program	3	219	02-28-14
Wisconsin	State Program	5	998020430	08-31-13
Wyoming (UST)	A2LA	8	453.07	12-31-13

* Expired certification is currently pending renewal and is considered valid.

TestAmerica Nashville

COOLER RECEIPT FORM

Charleston



490-25526 Chain of Custody

Cooler Received/Opened On 5/1/13 @ 0800

1. Tracking # 8196 (last 4 digits, FedEx)

Courier: FedEx IR Gun ID 12080142

2. Temperature of rep. sample or temp blank when opened: 1.6 Degrees Celsius

3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank frozen? YES NO NA

4. Were custody seals on outside of cooler? one front & Back YES NO...NA

If yes, how many and where:

5. Were the seals intact, signed, and dated correctly? YES...NO...NA

6. Were custody papers inside cooler? YES...NO...NA

I certify that I opened the cooler and answered questions 1-6 (initial) DA

7. Were custody seals on containers: YES NO and Intact YES...NO...NA

Were these signed and dated correctly? YES...NO...NA

8. Packing mat'l used? Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert Paper Other None

9. Cooling process: ice Ice-pack Ice (direct contact) Dry ice Other None

10. Did all containers arrive in good condition (unbroken)? YES...NO...NA

11. Were all container labels complete (#, date, signed, pres., etc)? YES...NO...NA

12. Did all container labels and tags agree with custody papers? YES...NO...NA

13a. Were VOA vials received? YES...NO...NA

b. Was there any observable headspace present in any VOA vial? YES...NO...NA

14. Was there a Trip Blank in this cooler? YES...NO...NA If multiple coolers, sequence #

I certify that I unloaded the cooler and answered questions 7-14 (initial) DA

15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? YES...NO...NA

b. Did the bottle labels indicate that the correct preservatives were used YES...NO...NA

16. Was residual chlorine present? YES...NO...NA

I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (initial) DA

17. Were custody papers properly filled out (ink, signed, etc)? YES...NO...NA

18. Did you sign the custody papers in the appropriate place? YES...NO...NA

19. Were correct containers used for the analysis requested? YES...NO...NA

20. Was sufficient amount of sample sent in each container? YES...NO...NA

I certify that I entered this project into LIMS and answered questions 17-20 (initial) DA

I certify that I attached a label with the unique LIMS number to each container (initial) DA

21. Were there Non-Conformance Issues at login? YES...NO Was a NCM generated? YES...NO #

PS-102

Loc: 490
25526

estAmerica

Nashville Division
2960 Foster Creighton
Nashville, TN 37204

Phone: 615-726-0177
Toll Free: 800-765-0980
Fax: 615-726-3404

Client Name/Account #: EEG - SRG # 2449

Address: 10179 Highway 78

City/State/Zip: Ladson, SC 29456

Project Manager: Tom McElwee email: mcelwee@eeginc.net

Telephone Number: 843.412.2097

Fax No.: 843-879-0401

Sampler Name: (Print) Chris Tunstall

Sampler Signature: *[Signature]*

Site State: SC

PO#: 1035

TA Quote #:

Project ID: Laurel Bay Housing Project

Project #:

Compliance Monitoring? Yes ☐ No ☐
Enforcement Action? Yes ☐ No ☐

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?

6/7/2013

File ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Preservative						Matrix				Analyze For:		RUSH TAT (Pre-Schedule)	Standard TAT	Fax Results	Send QC with report
							Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (Specify)	Groundwater	Wastewater	Drinking Water	Sludge				
1758 Cardinals	4/23/13	1530	5	X																		
1335 Albatross	4/24/13	1400	5	X																		
<div>Laboratory Comments: Temperature Upon Receipt: 1.6c VOCs Free of Headspace?</div>																						

Additional Instructions:

Method of Shipment:

FEDEX

Received by: *[Signature]*

Date: 4/30/13
Time: 0900

Received by TestAmerica:
[Signature]

Date: 5-1-13
Time: 0800

EastAmerica

Nashville Division
2960 Foster Creighton
Nashville, TN 37204

Phone: 615-726-0177
Toll Free: 800-756-0880
Fax: 615-726-3404

Client Name/Account #: EEG - SBG # 2449

Address: 10179 Highway 78

City/State/Zip: Ladson, SC 29456

Project Manager: Tom McElwee email: mcelwee@eastinc.net

Telephone Number: 843.412.9097

Sample Name: (Print) RAH Shaw

Sampler Signature: [Signature]

Fax No.: 843-879-0401

Site State: SC

PO#: 1035

TA Quote #:

Project ID: Laurel Bay Housing Project

Project #:

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?

Compliance Monitoring? ☐ Yes ☐ No
Enforcement Action? ☐ Yes ☐ No

Loc: 490
25526

5/13/2013

File ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (Specify)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	BTEX + Naph - 8260	PAH - 8270D	Analyzes For:	RUSH TAT (Pre-Schedule)	Standard TAT	Fax Results	Send QC with report
1438 Dove - 1	4/22/13	12:55	5	X															X			X					
1188 Bobwhite	4/22/13	15:45	5	X															X			X					
<p>- 2 added to 1188 Bobwhite which was omitted in evidence</p> <p>4/30/13 0900 Received by: <u>Fedex</u></p> <p>5-1-13 0800</p> <p>Method of Shipment: <u>Fedex</u></p> <p>FEDEX Time</p> <p>Laboratory Comments: <u>Temperature Upon Receipt 16c</u></p> <p>VOCs Free of Headspace? <u>Y</u></p>																											

Login Sample Receipt Checklist

Client: Environmental Enterprise Group

Job Number: 490-25526-1

Login Number: 25526

List Source: TestAmerica Nashville

List Number: 1

Creator: McBride, Mike

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



ATTACHMENT A

UST Certificate of Disposal

CONTRACTOR

Small Business Group, Inc.
7301 Rivers Avenue, Suite 245
N. Charleston SC 29406-4643

TEL (843) 879-0403
FAX (843) 879-0401

TANK ID & LOCATION

UST 1188Bobwhite-2, 1188 Bobwhite Drive, Laurel Bay Housing Area, MCAS Beaufort, S.C.

DISPOSAL LOCATION

Coastal Auto Salvage Co., Inc.
130 Laurel Bay Road
Beaufort, S.C. 29906

TYPE OF TANK

SIZE (GAL)

Steel

280

CLEANING/DISPOSAL METHOD

The tank and piping were unearthed, cut open, cleaned with a pressure washer, cut into sections, and recycled.

DISPOSAL CERTIFICATION

I certify that the above tank, piping and equipment has been properly cleaned and disposed of.

T. L. White / 6/26/13
(Name) (Date)

Appendix C

Regulatory Correspondence



W. Marshall Taylor Jr., Acting Director

Promoting and protecting the health of the public and the environment

April 9, 2014

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: No Further Action
Laurel Bay Underground Storage Tank Assessment Reports for:
See attached sheet

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tanks (USTs) Assessment Reports for the addresses listed above. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

The Department has reviewed the referenced assessment reports and agrees there is no indication of soil or groundwater contamination on these properties, and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at kriegkm@dhec.sc.gov or 803-898-0255.

Sincerely,

Kent Krieg
Department of Defense Corrective Action Section
Bureau of Land and Waste Management
South Carolina Department of Health and Environmental Control

Cc: Russell Berry (via email)
Craig Ehde (via email)



W. Marshall Taylor Jr., Acting Director

Promoting and protecting the health of the public and the environment

Attachment to: Krieg to Drawdy
Subject: NFA
Dated 4/9/2015

Laurel Bay Underground Storage Tank Assessment Reports for: (9 addresses/10 tanks)

1179 Bobwhite	1380 Dove
1188 Bobwhite Tank 1	1383 Dove
1188 Bobwhite Tank 2	1400 Eagle
1358 Cardinal	1402 Eagle
1372 Dove	1419 Albatross