SUMMARY REPORT
149 EAGLE LANE (FORMERLY 1306 EAGLE LANE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid-Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095 SUMMARY REPORT
149 EAGLE LANE (FORMERLY 1306 EAGLE LANE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid- Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture 10560 Arrowhead Drive, Suite 500 Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016

CTO WE52

**JUNE 2021** 



# **Table of Contents**

1.0		TION1					
1.1 1.2		ND INFORMATION					
2.0	SAMPLING ACTIVITIES AND RESULTS						
2.1 2.2							
3.0	PROPERTY	STATUS4					
4.0	REFERENC	ES4					
<b>.</b>		Table					
Table		Laboratory Analytical Results - Soil					
		Appendices					
Appen Appen Appen	dix B	Multi-Media Selection Process for LBMH UST Assesment Report Regulatory Correspondence					





# List of Acronyms

bgs below ground surface

BTEX benzene, toluene, ethylbenzene, and xylenes

CTO Contract Task Order

COPC constituents of potential concern

IDIQ Indefinite Delivery, Indefinite Quantity

IGWA Initial Groundwater Assessment

JV Joint Venture

LBMH Laurel Bay Military Housing MCAS Marine Corps Air Station

NAVFAC Mid-Lant Naval Facilities Engineering Command Mid-Atlantic

NFA No Further Action

PAH polynuclear aromatic hydrocarbon

QAPP Quality Assurance Program Plan

RBSL risk-based screening level

SCDHEC South Carolina Department of Health and Environmental Control

Site LBMH area at MCAS Beaufort, South Carolina

UST underground storage tank

VISL vapor intrusion screening level



#### 1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 149 Eagle Lane (Formerly 1306 Eagle Lane). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

# 1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.





Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

#### 1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service,* (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels





used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

### 2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 149 Eagle Lane (Formerly 1306 Eagle Lane). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 1306 Eagle Lane* (MCAS Beaufort, 2009). The UST Assessment Report is provided in Appendix B.

# 2.1 UST Removal and Soil Sampling

On September 22, 2009, a single 280 gallon heating oil UST was removed from the front landscaped area adjacent to the driveway at 149 Eagle Lane (Formerly 1306 Eagle Lane). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 6'0" bgs and a single soil sample was collected from that depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in





accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment quidelines.

# 2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 149 Eagle Lane (Formerly 1306 Eagle Lane) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment.

### 3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 149 Eagle Lane (Formerly 1306 Eagle Lane). This NFA determination was obtained in a letter dated June 24, 2010. SCDHEC's NFA letter is provided in Appendix C.

### 4.0 REFERENCES

- Marine Corps Air Station Beaufort, 2009. South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report 1306 Eagle Lane, Laurel Bay Military Housing Area, December 2009.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 2.0*, April 2013.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.0*, May 2015.





- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

# Table



# Table 1 Laboratory Analytical Results - Soil 149 Eagle Lane (Formerly 1306 Eagle Lane) Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs (1)	Results Sample Collected 09/22/09					
Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)							
Benzene	0.003	ND					
Ethylbenzene	1.15	ND					
Naphthalene	0.036	ND					
Toluene	0.627	ND					
Xylenes, Total	13.01	ND					
Semivolatile Organic Compounds Anal	yzed by EPA Method 8270D (mg/kg)						
Benzo(a)anthracene	0.66	ND					
Benzo(b)fluoranthene	0.66	ND					
Benzo(k)fluoranthene	0.66	ND					
Chrysene	0.66	ND					
Dibenz(a,h)anthracene	0.66	ND					

# **Notes:**

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

<sup>&</sup>lt;sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 and 1.1 (SCDHEC, May 2001 and SCDHEC, February 2011) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

# Appendix A Multi-Media Selection Process for LBMH





**Appendix A - Multi-Media Selection Process for LBMH** 

# Appendix B UST Assessment Report



# South Carolina Department of Health and Environmental Control (SCDHEC) **Underground Storage Tank (UST) Assessment Report**



Submit Completed Form To: UST Program SCDHEC 2600 Bull Street Columbia, South Carolina 29201 Telephone (803) 896-7957

I. OWNERSHIP OF UST (S)

	mmanding Officer Attn: N n, Individual, Public Agency, Other)	REAO (Craig Ehde)	
P.O. Box 55001 Mailing Address			
Beaufort, City	South Carolina State	29904-5001 Zip Code	
843 Area Code	228-7317 Telephone Number	Craig Ehde Contact Person	

# II. SITE IDENTIFICATION AND LOCATION

Permit I.D. # Laurel Bay Military Housing	Area, Marine	Corps Air	Station,	Beaufort,	SC			
	Facility Name or Company Site Identifier							
Street Address or State Road (as applicable		sing Area						
	aufort							
City	County							

Attachment 2

# III. INSURANCE INFORMATION

Insurance Statement								
The petroleum release reported to DHEC on at Permit ID Number may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. This section must be completed.								
Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES NO (check one)								
If you answered YES to the above question, please complete the following information:								
My policy provider is: The policy deductible is: The policy limit is:								
If you have this type of insurance, please include a copy of the policy with this report.								
IV. REQUEST FOR SUPERB FUNDING								
I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)								
V. CERTIFICATION (To be signed by the UST owner)								
I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.								
Name (Type or print.)								
Signature								
To be completed by Notary Public:								
Sworn before me this day of, 20								
(Name)								
Notary Public for the state of  Please affix State seal if you are commissioned outside South Carolina								

	VI. UST INFORMATION	1306Eagle
P	Product(ex. Gas, Kerosene)	Heating oil
(	Capacity(ex. 1k, 2k)	280 gal
A	Age	Late 1950s
C	Construction Material(ex. Steel, FRP)	Steel
N	Month/Year of Last Use	Unknown
Ι	Depth (ft.) To Base of Tank	6'
S	Spill Prevention Equipment Y/N	No
C	Overfill Prevention Equipment Y/N	No
N	Method of Closure Removed/Filled	Removed
Γ	Date Tanks Removed/Filled	9/22/09
7	Visible Corrosion or Pitting Y/N	Yes
7	/isible Holes Y/N	Yes
N -	Method of disposal for any USTs removed from the UST 1306Eagle was removed from the Subtitle "D" landfill. See Attachm	ground and disposed of at a
	Method of disposal for any liquid petroleum, sludge lisposal manifests)	s, or wastewaters removed from the USTs (attach

# VII. PIPING INFORMATION

	Steel	
Construction Material(ex. Steel, FRP)	& Copper	
Distance from UST to Dispenser	N/A	
Number of Dispensers	N/A	
Type of System Pressure or Suction	Suction	
Was Piping Removed from the Ground? Y/N	Yes	
Visible Corrosion or Pitting Y/N	Yes	
Visible Holes Y/N	No	
Age	Late 1950s	
If any corrosion, pitting, or holes were observed,	describe the location and extent for each piping	; ru
Corrosion and pitting were found	l on the surface of the steel ve	nt
pipe. Copper supply and return	ines were sound.	
pipe. Copper supply and return	ines were sound.	
pipe. Copper supply and return	ines were sound.	•
VIII. BRIEF SITE DESCR	RIPTION AND HISTORY	
VIII. BRIEF SITE DESCR The USTs at the residences are c	RIPTION AND HISTORY onstructed of single wall steel	
VIII. BRIEF SITE DESCR	RIPTION AND HISTORY onstructed of single wall steel	
VIII. BRIEF SITE DESCR The USTs at the residences are c	RIPTION AND HISTORY  onstructed of single wall steel  for heating. These USTs were	
VIII. BRIEF SITE DESCR The USTs at the residences are cand formerly contained fuel oil	RIPTION AND HISTORY  onstructed of single wall steel  for heating. These USTs were	
VIII. BRIEF SITE DESCR The USTs at the residences are cand formerly contained fuel oil	RIPTION AND HISTORY  onstructed of single wall steel  for heating. These USTs were	
VIII. BRIEF SITE DESCR The USTs at the residences are cand formerly contained fuel oil	RIPTION AND HISTORY  onstructed of single wall steel  for heating. These USTs were	

# IX. SITE CONDITIONS

	Yes	No	Unk
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?  If yes, indicate depth and location on the site map.		Х	
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?		Х	
If yes, indicate location on site map and describe the odor (strong, mild, etc.)			
C. Was water present in the UST excavation, soil borings, or trenches?		х	
If yes, how far below land surface (indicate location and depth)?			
D. Did contaminated soils remain stockpiled on site after closure?		х	
If yes, indicate the stockpile location on the site map.			
Name of DHEC representative authorizing soil removal:			
E. Was a petroleum sheen or free product detected on any excavation or boring waters?		х	
If yes, indicate location and thickness.			

# X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009001

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	by	OVA#
1306 Eagle	Excav at fill end	Soil	Sandy	6'	9/22/09 1045 hrs	P. Shaw	,
			,		1013 1115		
			:				
8							
9							
10							
11				_			
12							
13							
14							
15							
16							
17							
18							
19							
20							

<sup>\* =</sup> Depth Below the Surrounding Land Surface

# XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect <u>and</u> store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280
and SC DHEC Assessment Guidelines. Sample containers were prepared by the
testing laboratory. The grab method was utilized to fill the sample
containers leaving as little head space as possible and immediately
capped. Soil samples were extracted from area below tank. The
samples were marked, logged, and immediately placed in a sample cooler
packed with ice to maintain an approximate temperature of 4 degrees
Centigrade. Tools were thoroughly cleaned and decontaminated with
the seven step decon process after each use. The samples remained in
custody of SBG-EEG, Inc. until they were transferred to Test America
Incorporated for analysis as documented in the Chain of Custody Record.

# XII. RECEPTORS


Yes No


A.	Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system? *Pond ~ 805' and	*X	
	stormwater drainage canal	~ 77	יל
	If yes, indicate type of receptor, distance, and direction on site map.		
В.	Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?		Х
	If yes, indicate type of well, distance, and direction on site map.		
C.	Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?		Х
	If yes, indicate type of structure, distance, and direction on site map.		
D.	Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination?  *Sewer & water	*X	
	If yes, indicate the type of utility, distance, and direction on the site map.		
E.	Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?		Х
	If yes, indicate the area of contaminated soil on the site map.		


# XIII. SITE MAP

You must supply a <u>scaled</u> site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)









Picture 1: Location of UST 1306Eagle.



Picture 2: UST 1306Eagle.

# XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC UST	1306Eagle			-		
Benzene		<u>`</u>				
	ND				<u>.</u>	
Toluene	ND					
Ethylbenzene	ND			 	-	
Xylenes	ND					
Naphthalene	ND					
Benzo (a) anthracene	ND					
Benzo (b) fluoranthene	ND					
Benzo (k) fluoranthene	ND					
Chrysene	ND					
Dibenz (a, h) anthracene	ND					
TPH (EPA 3550)						
			<del>- : ::::</del>			
СоС		······································				
Benzene						
Toluene						
Ethylbenzene					_	
Xylenes						
Naphthalene						
Benzo (a) anthracene						
Benzo (b) fluoranthene						
Benzo (k) fluoranthene						
Chrysene						
Dibenz (a, h) anthracene			_			
TPH (EPA 3550)						


SUMMARY OF ANALYSIS RESULTS (cont'd)
Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	<b>W-</b> 1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				;
Xylenes	10,000				
Total BTEX	N/A				
мтве	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

# XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here) (Please see Form #4)





October 21, 2009

10:06:20AM

Client:

EEG - Small Business Group, Inc. (2449)

10179 Highway 78

Ladson, SC 29456

Attn:

Tom McElwee

Work Order:

NSI2417

Project Name:

Laurel Bay Housing Project

Project Nbr:

[none] 0829

P/O Nbr: Date Received:

0829 09/26/09

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
1302 Eagle	NSI2417-01	09/21/09 09:05
1301 Eagle	NSI2417-02	09/21/09 11:15
1308 Eagle	NSI2417-03	09/21/09 15:30
1306 Eagle	NSI2417-04	09/22/09 10:45
1310 Eagle	NSI2417-05	09/22/09 15:00

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

#### **Additional Laboratory Comments:**

REVISED REPORT: 10/21/09 KAH - To report 8270D PAH to the MDL. This report replaces the one generated

on 10/12/09 @ 15:00.

South Carolina Certification Number: 84009001

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.

This report has been electronically signed.

Kem & Adage

Report Approved By:

Ken A. Hayes

Senior Project Manager



2960 Foster Creighton Road Nashville, TN 37204 \* 800-765-0980 \* Fax 615-726-3404

Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NS12417


Project Name: Laurel Bay Housing Project

Project Number: [none]

Received:

09/26/09 08:50

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSI2417-01 (1302 Eag	le - Soil) Samp		/09 09:05						
General Chemistry Parameters									
% Dry Solids	89.5		%	0.500	1	10/08/09 10:21	SW-846	AJK	9101011
Selected Volatile Organic Compounds	by EPA Method	8260B							
Benzene	ND		mg/kg dry	0.00224	1	09/30/09 09:57	SW846 8260B	СММ	9094247
Ethylbenzene	ND		mg/kg dry	0.00224	i	09/30/09 09:57	SW846 8260B	CMM	9094247
Naphthalene	ND		mg/kg dry	0.00561	1	09/30/09 09:57	SW846 8260B	CMM	9094247
Toluene	ND		mg/kg dry	0.00224	1	09/30/09 09:57	SW846 8260B	CMM	9094247
Xylenes, total	ND		mg/kg dry	0.00561	1	09/30/09 09:57	SW846 8260B	CMM	9094247
Surr: 1,2-Dichloroethane-d4 (67-138%)	111 %					09/30/09 09:57	SW846 8260B	СММ	9094247
Surr: Dibromofluoromethane (75-125%)	100 %					09/30/09 09:57	SW846 8260B	СММ	9094247
Surr: Toluene-d8 (76-129%)	99 %					09/30/09 09:57	SW846 8260B	СММ	9094247
Surr: 4-Bromofluorobenzene (67-147%)	118 %					09/30/09 09:57	SW846 8260B	СММ	9094247





Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NSI2417

Project Name:

Laurel Bay Housing Project

Project Number:

[none]

Received:

09/26/09 08:50

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSI2417-01 (1302	Eagle - Soil) - co	nt. Sam	pled: 09/21	/09 09:05						
Polyaromatic Hydrocarbons by EF	PA 8270D									
Acenaphthene	0.231		mg/kg dry	0.0242	0.0736	1	10/07/09 18:47	SW846 8270D	jlf	9094352
Acenaphthylene	ND		mg/kg dry	0.0242	0.0736	1	10/07/09 18:47	SW846 8270D	jlf	9094352
Anthracene	1.50		mg/kg dry	0.0165	0.0736	1	10/07/09 18:47	SW846 8270D	jlf	9094352
Benzo (a) anthracene	15.3		mg/kg dry	0.143	0.736	10	10/09/09 04:08	SW846 8270D	RMC	9094352
Benzo (a) pyrene	6.85		mg/kg dry	0.165	0.736	10	10/09/09 04:08	SW846 8270D	RMC	9094352
Benzo (b) fluoranthene	10.8		mg/kg dry	0.187	0.736	10	10/09/09 04:08	SW846 8270D	RMC	9094352
Benzo (g,h,i) perylene	2.45		mg/kg dry	0.0154	0.0736	1	10/07/09 18:47	SW846 8270D	jlf	9094352
Benzo (k) fluoranthene	2.80		mg/kg dry	0.0209	0.0736	1	10/07/09 18:47	SW846 8270D	jlf	9094352
Chrysene	16.1		mg/kg dry	0.165	0.736	10	10/09/09 04:08	SW846 8270D	RMC	9094352
Dibenz (a,h) anthracene	1.52		mg/kg dry	0.0154	0.0736	1	10/07/09 18:47	SW846 8270D	jlf	9094352
Fluoranthene	33.4		mg/kg dry	0.154	0.736	10	10/09/09 04:08	SW846 8270D	RMC	9094352
Fluorene	0.257		mg/kg dry	0.0143	0.0736	1	10/07/09 18:47	SW846 8270D	jlf	9094352
Indeno (1,2,3-cd) pyrene	2.59		mg/kg dry	0.0132	0.0736	1	10/07/09 18:47	SW846 8270D	jlf	9094352
Naphthalene	ND		mg/kg dry	0.0220	0.0736	1	10/07/09 18:47	SW846 8270D	jlf	9094352
Phenanthrene	10.7		mg/kg dry	0.143	0.736	10	10/09/09 04:08	SW846 8270D	RMC	9094352
Pyrene	28.4		mg/kg dry	0.132	0.736	10	10/09/09 04:08	SW846 8270D	RMC	9094352
1-Methylnaphthalene	ND		mg/kg dry	0.0187	0.0736	1	10/07/09 18:47	SW846 8270D	jlf	9094352
2-Methylnaphthalene	ND		mg/kg dry	0.0198	0.0736	1	10/07/09 18:47	SW846 8270D	jlf	9094352
Surr: Terphenyl-d14 (18-120%)	80 %					1	10/07/09 18:47	SW846 8270D	jlf	9094352
Surr: 2-Fluorobiphenyl (14-120%)	60 %					1	10/07/09 18:47	SW846 8270D	jlf	9094352
Surr: Nitrobenzene-d5 (17-120%)	56 %					1	10/07/09 18:47	SW846 8270D	jlf	9094352



#### THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 \* 800-765-0980 \* Fax 615-726-3404

Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NSI2417

Project Name:

Laurel Bay Housing Project


Project Number:

[none]

Received:

09/26/09 08:50

A 14-				MDI	Dilution	Analysis	35.11.1		
Analyte	Result	Flag	Units	MRL	Factor	Date/Time	Method	Analyst	Batch
Sample ID: NSI2417-02 (1301 Eag	gle - Soil) Samp	led: 09/21	/09 11:15						
General Chemistry Parameters									
% Dry Solids	93.9		%	0.500	1	10/08/09 10:21	SW-846	AJK	9101011
Selected Volatile Organic Compounds	by EPA Method	8260B							
Benzene	ND		mg/kg dry	0.00212	1	09/30/09 10:28	SW846 8260B	CMM	9094247
Ethylbenzene	ND		mg/kg dry	0.00212	1	09/30/09 10:28	SW846 8260B	CMM	9094247
Naphthalene	ND		mg/kg dry	0.00529	1	09/30/09 10:28	SW846 8260B	CMM	9094247
Toluene	ND		mg/kg dry	0.00212	1	09/30/09 10:28	SW846 8260B	CMM	9094247
Xylenes, total	ND		mg/kg dry	0.00529	l	09/30/09 10:28	SW846 8260B	CMM	9094247
Surr: 1,2-Dichloroethane-d4 (67-138%)	110 %					09/30/09 10:28	SW846 8260B	СММ	9094247
Surr: Dibromofluoromethane (75-125%)	100 %					09/30/09 10:28	SW846 8260B	СММ	9094247
Surr: Toluene-d8 (76-129%)	96 %					09/30/09 10:28	SW846 8260B	СММ	9094247
Surr: 4-Bromofluorobenzene (67-147%)	109 %					09/30/09 10:28	SW846 8260B	СММ	9094247





Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NSI2417

Project Name:

Laurel Bay Housing Project

Project Number:

[none]

Received:

09/26/09 08:50

ANA	L	ZT	ICA	١T.	R	FР	റ	R	T
ALIA				ı	1.	Ŀı	v	1	ĸ

			74. 17.42	TICHE INDI	OICI					
Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSI2417-02 (1301 )	Eagle - Soil) - co	nt. Sam	pled: 09/21	1/09 11:15						
Polyaromatic Hydrocarbons by EP.	A 8270D									
Acenaphthene	ND		mg/kg dry	0.0232	0.0707	1	10/07/09 19:10	SW846 8270D	jlf	9094352
Acenaphthylene	ND		mg/kg dry	0.0232	0.0707	1	10/07/09 19:10	SW846 8270D	jlf	9094352
Anthracene	ND		mg/kg dry	0.0158	0.0707	1	10/07/09 19:10	SW846 8270D	jlf	9094352
Benzo (a) anthracene	ND		mg/kg dry	0.0137	0.0707	1	10/07/09 19:10	SW846 8270D	jlf	9094352
Benzo (a) pyrene	ND		mg/kg dry	0.0158	0.0707	1	10/07/09 19:10	SW846 8270D	jlf	9094352
Benzo (b) fluoranthene	ND		mg/kg dry	0.0179	0.0707	1	10/07/09 19:10	SW846 8270D	jlf	9094352
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0148	0.0707	1	10/07/09 19:10	SW846 8270D	jlf	9094352
Benzo (k) fluoranthene	ND		mg/kg dry	0.0201	0.0707	1	10/07/09 19:10	SW846 8270D	jlf	9094352
Chrysene	ND		mg/kg dry	0.0158	0.0707	1	10/07/09 19:10	SW846 8270D	jlf	9094352
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0148	0.0707	1	10/07/09 19:10	SW846 8270D	jlf	9094352
Fluoranthene	ND		mg/kg dry	0.0148	0.0707	1	10/07/09 19:10	SW846 8270D	jlf	9094352
Fluorene	ND		mg/kg dry	0.0137	0.0707	1	10/07/09 19:10	SW846 8270D	jlf	9094352
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0127	0.0707	1	10/07/09 19:10	SW846 8270D	jlf	9094352
Naphthalene	ND		mg/kg dry	0.0211	0.0707	1	10/07/09 19:10	SW846 8270D	jlf	9094352
Phenanthrene	ND		mg/kg dry	0.0137	0.0707	1	10/07/09 19:10	SW846 8270D	jlf	9094352
Pyrene	ND		mg/kg dry	0.0127	0.0707	1	10/07/09 19:10	SW846 8270D	jlf	9094352
1-Methylnaphthalene	ND		mg/kg dry	0.0179	0.0707	1	10/07/09 19:10	SW846 8270D	jlf	9094352
2-Methylnaphthalene	ND		mg/kg dry	0.0190	0.0707	1	10/07/09 19:10	SW846 8270D	jlf	9094352
Surr: Terphenyl-d14 (18-120%)	70 %					1	10/07/09 19:10	SW846 8270D	jlf	9094352
Surr: 2-Fluorobiphenyl (14-120%)	53 %					1	10/07/09 19:10	SW846 8270D	jlf	9094352
Surr: Nitrobenzene-d5 (17-120%)	50 %					1	10/07/09 19:10	SW846 8270D	jlf	9094352



#### THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 \* 800-765-0980 \* Fax 615-726-3404

Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:


NSI2417

Project Name: Project Number: Laurel Bay Housing Project [none]

Received:

09/26/09 08:50

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSI2417-03 (1308 Eag		J							
General Chemistry Parameters									
% Dry Solids	87.3		%	0.500	1	10/08/09 10:21	SW-846	AJK	9101011
Selected Volatile Organic Compounds	by EPA Method	8260B							
Benzene	ND		mg/kg dry	0.00216	l	09/30/09 10:59	SW846 8260B	СММ	9094247
Ethylbenzene	ND		mg/kg dry	0.00216	1	09/30/09 10:59	SW846 8260B	CMM	9094247
Naphthalene	ND		mg/kg dry	0.00539	1	09/30/09 10:59	SW846 8260B	CMM	9094247
Toluene	ND		mg/kg dry	0.00216	1	09/30/09 10:59	SW846 8260B	CMM	9094247
Xylenes, total	ND		mg/kg dry	0.00539	1	09/30/09 10:59	SW846 8260B	CMM	9094247
Surr: 1,2-Dichloroethane-d4 (67-138%)	111 %					09/30/09 10:59	SW846 8260B	СММ	9094247
Surr: Dibromofluoromethane (75-125%)	102 %					09/30/09 10:59	SW846 8260B	СММ	9094247
Surr: Toluene-d8 (76-129%)	94 %					09/30/09 10:59	SW846 8260B	СММ	9094247
Surr: 4-Bromofluorobenzene (67-147%)	107 %					09/30/09 10:59	SW846 8260B	СММ	9094247





10179 Highway 78

Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NSI2417

Project Name:

Laurel Bay Housing Project

Project Number:

[none]

Received:

09/26/09 08:50

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSI2417-03 (1308)	Eagle - Soil) - co	nt. Sam	pled: 09/21	/09 15:30						
Polyaromatic Hydrocarbons by EP	A 8270D									
Acenaphthene	ND		mg/kg dry	0.0246	0.0749	1	10/07/09 19:32	SW846 8270D	jlf	9094352
Acenaphthylene	ND		mg/kg dry	0.0246	0.0749	1	10/07/09 19:32	SW846 8270D	jlf	9094352
Anthracene	ND		mg/kg dry	0.0168	0.0749	1	10/07/09 19:32	SW846 8270D	jlf	9094352
Benzo (a) anthracene	ND		mg/kg dry	0.0145	0.0749	1	10/07/09 19:32	SW846 8270D	jlf	9094352
Benzo (a) pyrene	ND		mg/kg dry	0.0168	0.0749	1	10/07/09 19:32	SW846 8270D	jlf	9094352
Benzo (b) fluoranthene	ND		mg/kg dry	0.0190	0.0749	1	10/07/09 19:32	SW846 8270D	jlf	9094352
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0156	0.0749	1	10/07/09 19:32	SW846 8270D	jlf	9094352
Benzo (k) fluoranthene	ND		mg/kg dry	0.0212	0.0749	ı	10/07/09 19:32	SW846 8270D	jlf	9094352
Chrysene	ND		mg/kg dry	0.0168	0.0749	1	10/07/09 19:32	SW846 8270D	jlf	9094352
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0156	0.0749	1	10/07/09 19:32	SW846 8270D	jlf	9094352
Fluoranthene	ND		mg/kg dry	0.0156	0.0749	1	10/07/09 19:32	SW846 8270D	jlf	9094352
Fluorene	ND		mg/kg dry	0.0145	0.0749	1	10/07/09 19:32	SW846 8270D	jlf	9094352
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0134	0.0749	1	10/07/09 19:32	SW846 8270D	jlf	9094352
Naphthalene	ND		mg/kg dry	0.0223	0.0749	1	10/07/09 19:32	SW846 8270D	jlf	9094352
Phenanthrene	ND		mg/kg dry	0.0145	0.0749	1	10/07/09 19:32	SW846 8270D	jlf	9094352
Pyrene	ND		mg/kg dry	0.0134	0.0749	1	10/07/09 19:32	SW846 8270D	jlf	9094352
1-Methylnaphthalene	ND		mg/kg dry	0.0190	0.0749	1	10/07/09 19:32	SW846 8270D	jlf	9094352
2-Methylnaphthalene	ND		mg/kg dry	0.0201	0.0749	1	10/07/09 19:32	SW846 8270D	jlf	9094352
Surr: Terphenyl-d14 (18-120%)	68 %					1	10/07/09 19:32	SW846 8270D	jlf	9094352
Surr: 2-Fluorobiphenyl (14-120%)	58 %					1	10/07/09 19:32	SW846 8270D	jlf	9094352
Surr: Nitrobenzene-d5 (17-120%)	54 %					1	10/07/09 19:32	SW846 8270D	jlf	9094352



### THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 \* 800-765-0980 \* Fax 615-726-3404

Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSI2417

Project Name:

Laurel Bay Housing Project


Project Number:

[none]

Received:

09/26/09 08:50

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSI2417-04 (1306 Eas									
General Chemistry Parameters									
% Dry Solids	94.8		%	0.500	1	10/08/09 10:21	SW-846	AJK	9101011
Selected Volatile Organic Compounds	s by EPA Method	8260B							
Benzene	ND		mg/kg dry	0.00221	l	09/30/09 11:30	SW846 8260B	CMM	9094247
Ethylbenzene	ND		mg/kg dry	0.00221	1	09/30/09 11:30	SW846 8260B	CMM	9094247
Naphthalene	ND		mg/kg dry	0.00553	1	09/30/09 11:30	SW846 8260B	CMM	9094247
Toluene	ND		mg/kg dry	0.00221	1	09/30/09 11:30	SW846 8260B	CMM	9094247
Xylenes, total	ND		mg/kg dry	0.00553	1	09/30/09 11:30	SW846 8260B	CMM	9094247
Surr: 1,2-Dichloroethane-d4 (67-138%)	114 %					09/30/09 11:30	SW846 8260B	СММ	9094247
Surr: Dibromofluoromethane (75-125%)	102 %					09/30/09 11:30	SW846 8260B	СММ	9094247
Surr: Toluene-d8 (76-129%)	93 %					09/30/09 11:30	SW846 8260B	СММ	9094247
Surr: 4-Bromofluorobenzene (67-147%)	107 %					09/30/09 11:30	SW846 8260B	СММ	9094247





10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NSI2417


Project Name:

Laurel Bay Housing Project

Project Number: [none] Received: 09/26/0

09/26/09 08:50

Result	Flog	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
					1 40.01	Dute, Time	Within	Analyst	Daten
	nt. Sam	pled: 09/22	2/09 10:45						
ND		mg/kg dry	0.0226	0.0690	1	10/07/09 19:54	SW846 8270D	jlf	9094352
ND		mg/kg dry	0.0226	0.0690	1	10/07/09 19:54	SW846 8270D	jlf	9094352
ND		mg/kg dry	0.0154	0.0690	1	10/07/09 19:54	SW846 8270D	jlf	9094352
ND		mg/kg dry	0.0134	0.0690	1	10/07/09 19:54	SW846 8270D	jlf	9094352
ND		mg/kg dry	0.0154	0.0690	1	10/07/09 19:54	SW846 8270D	jlf	9094352
ND		mg/kg dry	0.0175	0.0690	1	10/07/09 19:54	SW846 8270D	jlf	9094352
ND		mg/kg dry	0.0144	0.0690	1	10/07/09 19:54	SW846 8270D	jlf	9094352
ND		mg/kg dry	0.0196	0.0690	1	10/07/09 19:54	SW846 8270D	jlf	9094352
ND		mg/kg dry	0.0154	0.0690	1	10/07/09 19:54	SW846 8270D	jlf	9094352
ND		mg/kg dry	0.0144	0.0690	1	10/07/09 19:54	SW846 8270D	jlf	9094352
0.0350	J		0.0144	0.0690	1	10/07/09 19:54	SW846 8270D	jlf	9094352
ND			0.0134	0.0690	1	10/07/09 19:54	SW846 8270D	jlf	9094352
ND			0.0123	0.0690	1	10/07/09 19:54	SW846 8270D	jlf	9094352
ND			0.0206	0.0690	1	10/07/09 19:54	SW846 8270D	jlf	9094352
ND			0.0134	0.0690	1	10/07/09 19:54	SW846 8270D	jlf	9094352
ND			0.0123	0.0690	1	10/07/09 19:54	SW846 8270D	jlf	9094352
ND			0.0175	0.0690	1	10/07/09 19:54	SW846 8270D	jlf	9094352
ND			0.0185	0.0690	1	10/07/09 19:54	SW846 8270D	jlf	9094352
64 %		5 5)			1	10/07/09 19:54	SW846 8270D	ilf	9094352
48 %					,	10/07/09 19:54	SW846 8270D		9094352
44 %					,	10/07/09 19:54	SW846 8270D		9094352
	ND N	le - Soil) - cont. Sam 270D  ND  ND  ND  ND  ND  ND  ND  ND  ND	Re - Soil   - cont. Sampled: 09/22   Property   Operation   Operation	Result   File   Soil   Foot   Cont.   Sampled:   09/22/09   10:45	Result   Fing   Section   Result   Re	Result   Fing   Result   Res	Re - Soil) - cont. Sampled: 09/22/09 10:45 270D  ND mg/kg dry 0.0226 0.0690 1 10/07/09 19:54 ND mg/kg dry 0.0154 0.0690 1 10/07/09 19:54 ND mg/kg dry 0.0175 0.0690 1 10/07/09 19:54 ND mg/kg dry 0.0144 0.0690 1 10/07/09 19:54 ND mg/kg dry 0.0144 0.0690 1 10/07/09 19:54 ND mg/kg dry 0.0154 0.0690 1 10/07/09 19:54 ND mg/kg dry 0.0154 0.0690 1 10/07/09 19:54 ND mg/kg dry 0.0154 0.0690 1 10/07/09 19:54 ND mg/kg dry 0.0144 0.0690 1 10/07/09 19:54 ND mg/kg dry 0.0144 0.0690 1 10/07/09 19:54 ND mg/kg dry 0.0144 0.0690 1 10/07/09 19:54 ND mg/kg dry 0.0134 0.0690 1 10/07/09 19:54 ND mg/kg dry 0.0123 0.0690 1 10/07/09 19:54	Re - Soil) - cont. Sampled: 09/22/09 10:45 270D  ND mg/kg dry 0.0226 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0154 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0154 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0154 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0154 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0154 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0175 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0144 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0196 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0154 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0154 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0154 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0144 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0144 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0144 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0134 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0123 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0123 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0123 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0123 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0123 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0123 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0123 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0123 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0123 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0123 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0123 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0155 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0175 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0185 0.0690 1 10/07/09 19:54 SW846 8270D  ND mg/kg dry 0.0185 0.0690 1 10/07/09 19:54 SW846 8270D	Re - Soil) - cont. Sampled: 09/22/09 10:45   Strong   S





10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NSI2417

Project Name: Laurel Bay Housing Project


Project Number:

[none]

Received:

09/26/09 08:50

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSI2417-05 (1310 Eag	gle - Soil) Samp	led: 09/22	2/09 15:00						
General Chemistry Parameters									
% Dry Solids	91.6		%	0.500	I	10/08/09 10:21	SW-846	АЈК	9101011
Selected Volatile Organic Compounds	by EPA Method	8260B							
Benzene	ND		mg/kg dry	0.00226	1	09/30/09 13:05	SW846 8260B	СММ	9094247
Ethylbenzene	ND		mg/kg dry	0.00226	ı	09/30/09 13:05	SW846 8260B	CMM	9094247
Naphthalene	ND		mg/kg dry	0.00564	1	09/30/09 13:05	SW846 8260B	CMM	9094247
Toluene	ND		mg/kg dry	0.00226	1	09/30/09 13:05	SW846 8260B	CMM	9094247
Xylenes, total	ND		mg/kg dry	0.00564	1	09/30/09 13:05	SW846 8260B	CMM	9094247
Surr: 1,2-Dichloroethane-d4 (67-138%)	107 %					09/30/09 13:05	SW846 8260B	СММ	909424
Surr: Dibromofluoromethane (75-125%)	102 %					09/30/09 13:05	SW846 8260B	СММ	909424
Surr: Toluene-d8 (76-129%)	95 %					09/30/09 13:05	SW846 8260B	СММ	909424
Surr: 4-Bromofluorobenzene (67-147%)	106 %					09/30/09 13:05	SW846 8260B	СММ	909424





10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NSI2417

Project Name:

Laurel Bay Housing Project


Project Number:

[none]

Received:

09/26/09 08:50

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSI2417-05 (1310 )	Eagle - Soil) - co	nt. Sam	pled: 09/22	2/09 15:00						
Polyaromatic Hydrocarbons by EP	A 8270D									
Acenaphthene	ND		mg/kg dry	0.0239	0.0727	1	10/07/09 20:17	SW846 8270D	jlf	9094352
Acenaphthylene	ND		mg/kg dry	0.0239	0.0727	1	10/07/09 20:17	SW846 8270D	jlf	9094352
Anthracene	ND		mg/kg dry	0.0163	0.0727	1	10/07/09 20:17	SW846 8270D	jlf	9094352
Benzo (a) anthracene	ND		mg/kg dry	0.0141	0.0727	1	10/07/09 20:17	SW846 8270D	jlf	9094352
Benzo (a) pyrene	ND		mg/kg dry	0.0163	0.0727	1	10/07/09 20:17	SW846 8270D	jlf	9094352
Benzo (b) fluoranthene	ND		mg/kg dry	0.0184	0.0727	1	10/07/09 20:17	SW846 8270D	jlf	9094352
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0152	0.0727	1	10/07/09 20:17	SW846 8270D	jlf	9094352
Benzo (k) fluoranthene	ND		mg/kg dry	0.0206	0.0727	1	10/07/09 20:17	SW846 8270D	jlf	9094352
Chrysene	ND		mg/kg dry	0.0163	0.0727	1	10/07/09 20:17	SW846 8270D	jlf	9094352
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0152	0.0727	1	10/07/09 20:17	SW846 8270D	jlf	9094352
Fluoranthene	ND		mg/kg dry	0.0152	0.0727	1	10/07/09 20:17	SW846 8270D	jlf	9094352
Fluorene	ND		mg/kg dry	0.0141	0.0727	1	10/07/09 20:17	SW846 8270D	jlf	9094352
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0130	0.0727	1	10/07/09 20:17	SW846 8270D	jlf	9094352
Naphthalene	ND		mg/kg dry	0.0217	0.0727	1	10/07/09 20:17	SW846 8270D	jlf	9094352
Phenanthrene	ND		mg/kg dry	0.0141	0.0727	1	10/07/09 20:17	SW846 8270D	jlf	9094352
Pyrene	ND		mg/kg dry	0.0130	0.0727	1	10/07/09 20:17	SW846 8270D	jlf	9094352
1-Methylnaphthalene	ND		mg/kg dry	0.0184	0.0727	1	10/07/09 20:17	SW846 8270D	jlf	9094352
2-Methylnaphthalene	ND		mg/kg dry	0.0195	0.0727	1	10/07/09 20:17	SW846 8270D	jlf	9094352
Surr: Terphenyl-d14 (18-120%)	71 %					1	10/07/09 20:17	SW846 8270D	jlf	909435
Surr: 2-Fluorobiphenyl (14-120%)	55 %					1	10/07/09 20:17	SW846 8270D	jlf	9094352
Surr: Nitrobenzene-d5 (17-120%)	52 %					1	10/07/09 20:17	SW846 8270D	jlf	909435



NSI2417

Laurel Bay Housing Project



EEG - Small Business Group, Inc. (2449) Client

> 10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn


Work Order: Project Name:

> Project Number: [none]

Received: 09/26/09 08:50

### SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
		Lao Number	2.11445154			Allatyst	
Polyaromatic Hydrocarbons by EP	A 8270D						
SW846 8270D	9094352	NSI2417-01	30.53	1.00	10/03/09 10:48	HLB	EPA 3550C
SW846 8270D	9094352	NSI2417-01RE1	30.53	1.00	10/03/09 10:48	HLB	EPA 3550C
SW846 8270D	9094352	NSI2417-02	30.26	1.00	10/03/09 10:48	HLB	EPA 3550C
SW846 8270D	9094352	NSI2417-03	30.76	1.00	10/03/09 10:48	HLB	EPA 3550C
SW846 8270D	9094352	NSI2417-04	30.75	1.00	10/03/09 10:48	HLB	EPA 3550C
SW846 8270D	9094352	NS12417-05	30.19	1.00	10/03/09 10:48	HLB	EPA 3550C
Selected Volatile Organic Compou	ands by EPA Method	8260B					
SW846 8260B	9094247	NS12417-01	4.98	5.00	09/21/09 09:05	JRL	EPA 5035
SW846 8260B	9094247	NSI2417-02	5.03	5.00	09/21/09 11:15	JRL	EPA 5035
SW846 8260B	9094247	NSI2417-03	5.31	5.00	09/21/09 15:30	JRL	EPA 5035
SW846 8260B	9094247	NSI2417-04	4.77	5.00	09/22/09 10:45	JRL	EPA 5035
SW846 8260B	9094247	NSI2417-05	4.84	5.00	09/22/09 15:00	JRL	EPA 5035





10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NSI2417

Project Name: Laurel

Laurel Bay Housing Project

Project Number:

[none]

Received: 09/26/09 08:50

## PROJECT QUALITY CONTROL DATA Blank

nalyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time	
elected Volatile Organic Compo	ounds by EPA Method	8260B					
094247-BLK1							
Benzene	< 0.000670		mg/kg wet	9094247	9094247-BLK1	09/30/09 09:26	
Ethylbenzene	< 0.000670		mg/kg wet	9094247	9094247-BLK1	09/30/09 09:26	
Naphthalene	< 0.00170		mg/kg wet	9094247	9094247-BLK1	09/30/09 09:26	
Γoluene	< 0.000400		mg/kg wet	9094247	9094247-BLK1	09/30/09 09:26	
Xylenes, total	< 0.00130		mg/kg wet	9094247	9094247-BLK1	09/30/09 09:26	
urrogate: 1,2-Dichloroethane-d4	111%			9094247	9094247-BLK1	09/30/09 09:26	
urrogate: Dibromofluoromethane	101%			9094247	9094247-BLK1	09/30/09 09:26	
urrogate: Toluene-d8	95%			9094247	9094247-BLK1	09/30/09 09:26	
urrogate: 4-Bromofluorobenzene	106%			9094247	9094247-BLK1	09/30/09 09:26	
olyaromatic Hydrocarbons by E	EPA 8270D						
094352-BLK1							
Acenaphthene	< 0.0220		mg/kg wet	9094352	9094352-BLK1	10/06/09 21:51	
Acenaphthylene	< 0.0220		mg/kg wet	9094352	9094352-BLK1	10/06/09 21:51	
Anthracene	< 0.0150		mg/kg wet	9094352	9094352-BLK1	10/06/09 21:51	
Benzo (a) anthracene	< 0.0130		mg/kg wet	9094352	9094352-BLK1	10/06/09 21:51	
Benzo (a) pyrene	< 0.0150		mg/kg wet	9094352	9094352-BLK1	10/06/09 21:51	
Benzo (b) fluoranthene	< 0.0170		mg/kg wet	9094352	9094352-BLK1	10/06/09 21:51	
Benzo (g,h,i) perylene	< 0.0140		mg/kg wet	9094352	9094352-BLK1	10/06/09 21:51	
Benzo (k) fluoranthene	< 0.0190		mg/kg wet	9094352	9094352-BLK1	10/06/09 21:51	
Chrysene	< 0.0150		mg/kg wet	9094352	9094352-BLK1	10/06/09 21:51	
Dibenz (a,h) anthracene	< 0.0140		mg/kg wet	9094352	9094352-BLK1	10/06/09 21:51	
Fluoranthene	< 0.0140		mg/kg wet	9094352	9094352-BLK1	10/06/09 21:51	
Fluorene	< 0.0130		mg/kg wet	9094352	9094352-BLK1	10/06/09 21:51	
ndeno (1,2,3-cd) pyrene	< 0.0120		mg/kg wet	9094352	9094352-BLK1	10/06/09 21:51	
Naphthalene	< 0.0200		mg/kg wet	9094352	9094352-BLK1	10/06/09 21:51	
Phenanthrene	< 0.0130		mg/kg wet	9094352	9094352-BLK1	10/06/09 21:51	
Pyrene	< 0.0120		mg/kg wet	9094352	9094352-BLK1	10/06/09 21:51	
urrogate: Terphenyl-d14	73%			9094352	9094352-BLK1	10/06/09 21:51	
urrogate: 2-Fluorobiphenyl	63%			9094352	9094352-BLK1	10/06/09 21:51	
urrogate: Nitrobenzene-d5	60%			9094352	9094352-BLK1	10/06/09 21:51	



2960 Foster Creighton Road Nashville, TN 37204 \* 800-765-0980 \* Fax 615-726-3404

Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NS12417

Project Name:

Laurel Bay Housing Project

Project Number:


[none]

Received: 09/26/09 08:50

### PROJECT QUALITY CONTROL DATA

### Duplicate

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	% Rec.	Analyzed Date/Time
<b>General Chemistry Parameters</b>										
<b>9101011-DUP1</b> % Dry Solids	85.8	88.9		%	4	20	9101011	NS12390-06		10/08/09 10:21





10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NSI2417

Project Name:

Laurel Bay Housing Project


Project Number:

[none]

Received: 09/26/09 08:50

## PROJECT QUALITY CONTROL DATA LCS

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Selected Volatile Organic Compou	nds by EPA Method 82	60B						
9094247-BS1	-							
Benzene	50.0	58.2		ug/kg	116%	78 - 126	9094247	09/30/09 07:54
Ethylbenzene	50.0	55.0		ug/kg	110%	79 - 130	9094247	09/30/09 07:54
Naphthalene	50.0	51.6		ug/kg	103%	72 - 150	9094247	09/30/09 07:54
Toluene	50.0	56.0		ug/kg	112%	76 - 126	9094247	09/30/09 07:54
Xylenes, total	150	169		ug/kg	113%	80 - 130	9094247	09/30/09 07:54
Surrogate: 1,2-Dichloroethane-d4	50.0	53.3			107%	67 - 138	9094247	09/30/09 07:54
Surrogate: Dibromofluoromethane	50.0	49.2			98%	75 - 125	9094247	09/30/09 07:54
Surrogate: Toluene-d8	50.0	50.7			101%	76 - 129	9094247	09/30/09 07:54
Surrogate: 4-Bromofluorobenzene	50.0	49.5			99%	67 - 147	9094247	09/30/09 07:54
Polyaromatic Hydrocarbons by EP	PA 8270D							
9094352-BS1								
Acenaphthene	1.67	1.29		mg/kg wet	77%	49 - 120	9094352	10/06/09 22:13
Acenaphthylene	1.67	1.25		mg/kg wet	75%	52 - 120	9094352	10/06/09 22:13
Anthracene	1.67	1.47		mg/kg wet	88%	58 - 120	9094352	10/06/09 22:13
Benzo (a) anthracene	1.67	1.35		mg/kg wet	81%	57 - 120	9094352	10/06/09 22:13
Benzo (a) pyrene	1.67	1.37		mg/kg wet	82%	55 - 120	9094352	10/06/09 22:13
Benzo (b) fluoranthene	1.67	1.51		mg/kg wet	90%	51 - 123	9094352	10/06/09 22:13
Benzo (g,h,i) perylene	1.67	1.34		mg/kg wet	81%	49 - 121	9094352	10/06/09 22:13
Benzo (k) fluoranthene	1.67	1.15		mg/kg wet	69%	42 - 129	9094352	10/06/09 22:13
Chrysene	1.67	1.35		mg/kg wet	81%	55 - 120	9094352	10/06/09 22:13
Dibenz (a,h) anthracene	1.67	1.36		mg/kg wet	82%	50 - 123	9094352	10/06/09 22:13
Fluoranthene	1.67	1.46		mg/kg wet	88%	58 - 120	9094352	10/06/09 22:13
Fluorene	1.67	1.34		mg/kg wet	81%	54 - 120	9094352	10/06/09 22:13
Indeno (1,2,3-cd) pyrene	1.67	1.38		mg/kg wet	83%	50 - 122	9094352	10/06/09 22:13
Naphthalene	1.67	1.05		mg/kg wet	63%	28 - 120	9094352	10/06/09 22:13
Phenanthrene	1.67	1.32		mg/kg wet	79%	56 - 120	9094352	10/06/09 22:13
Pyrene	1.67	1.33		mg/kg wet	80%	56 - 120	9094352	10/06/09 22:13
Surrogate: Terphenyl-d14	1.67	1.26			76%	18 - 120	9094352	10/06/09 22:13
Surrogate: 2-Fluorobiphenyl	1.67	1.13			68%	14 - 120	9094352	10/06/09 22:13
Surrogate: Nitrobenzene-d5	1.67	0.968			58%	17 - 120	9094352	10/06/09 22:13





10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NSI2417

Project Name:

Laurel Bay Housing Project

Project Number:

[none]

Received: 09/26/09 08:50

## PROJECT QUALITY CONTROL DATA LCS Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Selected Volatile Organic Compou	nds by EPA	Method 826	60B									
9094247-BSD1												
Benzene		60.6		ug/kg	50.0	121%	78 - 126	4	50	9094247		09/30/09 08:25
Ethylbenzene		55.7		ug/kg	50.0	111%	79 - 130	l	50	9094247		09/30/09 08:25
Naphthalene		51.4		ug/kg	50.0	103%	72 - 150	0.3	50	9094247		09/30/09 08:25
Toluene		56.5		ug/kg	50.0	113%	76 - 126	0.9	50	9094247		09/30/09 08:25
Xylenes, total		170		ug/kg	150	114%	80 - 130	0.9	50	9094247		09/30/09 08:25
Surrogate: 1,2-Dichloroethane-d4		52.2		ug/kg	50.0	104%	67 - 138			9094247		09/30/09 08:25
Surrogate: Dibromofluoromethane		50.0		ug/kg	50.0	100%	75 - 125			9094247		09/30/09 08:25
Surrogate: Toluene-d8		49.5		ug/kg	50.0	99%	76 - 129			9094247		09/30/09 08:25
Surrogate: 4-Bromofluorobenzene		49.4		ug/kg	50.0	99%	67 - 147			9094247		09/30/09 08:25





10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NSI2417

Project Name:

Laurel Bay Housing Project


Project Number: [none]

Received:

09/26/09 08:50

### PROJECT QUALITY CONTROL DATA Matrix Spike

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Datc/Time
Selected Volatile Organic Compou	nds by EPA Me	thod 8260B								
9094247-MS1	•									
Benzenc	ND	59.5		ug/kg	50.0	119%	42 - 141	9094247	NSI2417-02	09/30/09 15:38
Ethylbenzene	ND	44.2		ug/kg	50.0	88%	21 - 165	9094247	NSI2417-02	09/30/09 15:38
Naphthalene	ND	15.3		ug/kg	50.0	31%	10 - 160	9094247	NS12417-02	09/30/09 15:38
Toluene	ND	46.4		ug/kg	50.0	93%	45 - 145	9094247	NSI2417-02	09/30/09 15:38
Xylenes, total	0.239	131		ug/kg	150	87%	31 - 159	9094247	NSI2417-02	09/30/09 15:38
Surrogate: 1,2-Dichloroethane-d4		55.4		ug/kg	50.0	111%	67 - 138	9094247	NS12417-02	09/30/09 15:38
Surrogate: Dibromofluoromethane		52.1		ug/kg	50.0	104%	75 - 125	9094247	NS12417-02	09/30/09 15:38
Surrogate: Toluene-d8		46.6		ug/kg	50.0	93%	76 - 129	9094247	NS12417-02	09/30/09 15:38
Surrogate: 4-Bromofluorobenzene		49.4		ug/kg	50.0	99%	67 - 147	9094247	NS12417-02	09/30/09 15:38
Polyaromatic Hydrocarbons by EI	PA 8270D									
9094352-MS1										
Acenaphthene	ND	1.06		mg/kg dry	1.77	60%	42 - 120	9094352	NSI2417-05	10/07/09 16:10
Acenaphthylene	ND	1.03		mg/kg dry	1.77	58%	32 - 120	9094352	NSI2417-05	10/07/09 16:10
Anthracene	ND	1.20		mg/kg dry	1.77	68%	10 - 200	9094352	NSI2417-05	10/07/09 16:10
Benzo (a) anthracene	ND	1.10		mg/kg dry	1.77	62%	41 - 120	9094352	NSI2417-05	10/07/09 16:10
Benzo (a) pyrene	ND	1.10		mg/kg dry	1.77	63%	33 - 121	9094352	NS12417-05	10/07/09 16:10
Benzo (b) fluoranthene	ND	1.15		mg/kg dry	1.77	65%	26 - 137	9094352	NS12417-05	10/07/09 16:10
Benzo (g,h,i) perylene	ND	1.15		mg/kg dry	1.77	65%	21 - 124	9094352	NSI2417-05	10/07/09 16:10
Benzo (k) fluoranthene	ND	1.04		mg/kg dry	1.77	59%	14 - 140	9094352	NSI2417-05	10/07/09 16:10
Chrysene	ND	1.14		mg/kg dry	1.77	64%	28 - 123	9094352	NS12417-05	10/07/09 16:10
Dibenz (a,h) anthracene	ND	1.13		mg/kg dry	1.77	64%	25 - 127	9094352	NSI2417-05	10/07/09 16:10
Fluoranthene	ND	1.14		mg/kg dry	1.77	65%	38 - 120	9094352	NSI2417-05	10/07/09 16:10
Fluorene	ND	1.07		mg/kg dry	1.77	61%	41 - 120	9094352	NSI2417-05	10/07/09 16:10
Indeno (1,2,3-cd) pyrene	ND	1.16		mg/kg dry	1.77	65%	25 - 123	9094352	NS12417-05	10/07/09 16:10
Naphthalene	ND	0.922		mg/kg dry	1.77	52%	25 - 120	9094352	NS12417-05	10/07/09 16:10
Phenanthrene	ND	1.12		mg/kg dry	1.77	63%	37 - 120	9094352	NSI2417-05	10/07/09 16:10
Pyrene	ND	1.08		mg/kg dry	1.77	61%	29 - 125	9094352	NS12417-05	10/07/09 16:10
I-Methylnaphthalene	ND	0.902		mg/kg dry	1.77	51%	19 - 120	9094352	NSI2417-05	10/07/09 16:10
2-Methylnaphthalene	ND	0.975		mg/kg dry	1.77	55%	11 - 120	9094352	NS12417-05	10/07/09 16:10
Surrogate: Terphenyl-d14		1.02		mg/kg dry	1.77	58%	18 - 120	9094352	NS12417-05	10/07/09 16:10
Surrogate: 2-Fluorobiphenyl		0.943		mg/kg dry	1.77	53%	14 - 120	9094352	NSI2417-05	10/07/09 16:10
Surrogate: Nitrobenzene-d5		0.835		mg/kg dry	1.77	47%	17 - 120	9094352	NS12417-05	10/07/09 16:10





10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NSI2417

Project Name: Laurel Bay Housing Project

Project Number:

[none]

Received: 09/26/09 08:50

# PROJECT QUALITY CONTROL DATA Matrix Spike Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Selected Volatile Organic Compoun	ds by EPA	Method 826	0B									
9094247-MSD1												
Benzene	ND	60.6		ug/kg	50.0	121%	42 - 141	2	50	9094247	NSI2417-02	09/30/09 16:09
Ethylbenzene	ND	45.5		ug/kg	50.0	91%	21 - 165	3	50	9094247	NSI2417-02	09/30/09 16:09
Naphthalene	ND	20.9		ug/kg	50.0	42%	10 - 160	31	50	9094247	NSI2417-02	09/30/09 16:09
Toluene	ND	47.5		ug/kg	50.0	95%	45 - 145	2	50	9094247	NSI2417-02	09/30/09 16:09
Xylenes, total	0.239	134		ug/kg	150	89%	31 - 159	2	50	9094247	NSI2417-02	09/30/09 16:09
Surrogate: 1,2-Dichloroethane-d4		55.7		ug/kg	50.0	111%	67 - 138			9094247	NSI2417-02	09/30/09 16:09
Surrogate: Dibromofluoromethane		52.1		ug/kg	50.0	104%	75 - 125			9094247	NSI2417-02	09/30/09 16:09
Surrogate: Toluene-d8		46.9		ug/kg	50.0	94%	76 - 129			9094247	NS12417-02	09/30/09 16:09
Surrogate: 4-Bromofluorobenzene		50.4		ug/kg	50.0	101%	67 - 147			9094247	NSI2417-02	09/30/09 16:09
Polyaromatic Hydrocarbons by EPA	A 8270D											
9094352-MSD1												
Acenaphthene	ND	1.29		mg/kg dry	1.80	72%	42 - 120	20	40	9094352	NS12417-05	10/07/09 16:33
Acenaphthylene	ND	1.25		mg/kg dry	1.80	69%	32 - 120	19	30	9094352	NSI2417-05	10/07/09 16:33
Anthracene	ND	1.43		mg/kg dry	1.80	80%	10 - 200	18	50	9094352	NS12417-05	10/07/09 16:33
Benzo (a) anthracene	ND	1.32		mg/kg dry	1.80	73%	41 - 120	18	30	9094352	NS12417-05	10/07/09 16:33
Benzo (a) pyrene	ND	1.33		mg/kg dry	1.80	74%	33 - 121	19	33	9094352	NS12417-05	10/07/09 16:33
Benzo (b) fluoranthene	ND	1.29		mg/kg dry	1.80	72%	26 - 137	12	42	9094352	NS12417-05	10/07/09 16:33
Benzo (g,h,i) perylenc	ND	1.37		mg/kg dry	1.80	76%	21 - 124	17	32	9094352	NS12417-05	10/07/09 16:33
Benzo (k) fluoranthene	ND	1.36		mg/kg dry	1.80	76%	14 - 140	27	39	9094352	NS12417-05	10/07/09 16:33
Chrysene	ND	1.34		mg/kg dry	1.80	74%	28 - 123	16	34	9094352	NSI2417-05	10/07/09 16:33
Dibenz (a,h) anthracene	ND	1.38		mg/kg dry	1.80	77%	25 - 127	20	31	9094352	NS12417-05	10/07/09 16:33
Fluoranthene	ND	1.35		mg/kg dry	1.80	75%	38 - 120	17	35	9094352	NSI2417-05	10/07/09 16:33
Fluorene	ND	1.33		mg/kg dry	1.80	74%	41 - 120	21	37	9094352	NSI2417-05	10/07/09 16:33
Indeno (1,2,3-cd) pyrene	ND	1.39		mg/kg dry	1.80	77%	25 - 123	18	32	9094352	NSI2417-05	10/07/09 16:33
Naphthalene	ND	1.03		mg/kg dry	1.80	57%	25 - 120	11	42	9094352	NSI2417-05	10/07/09 16:33
Phenanthrene	ND	1.32		mg/kg dry	1.80	73%	37 - 120	16	32	9094352	NSI2417-05	10/07/09 16:33
Pyrene	ND	1.30		mg/kg dry	1.80	72%	29 - 125	19	40	9094352	NSI2417-05	10/07/09 16:33
1-Methylnaphthalene	ND	1.06		mg/kg dry	1.80	59%	19 - 120	16	45	9094352	NSI2417-05	10/07/09 16:33
2-Methylnaphthalene	ND	1.13		mg/kg dry	1.80	63%	11 - 120	15	50	9094352	NSI2417-05	10/07/09 16:33
Surrogate: Terphenyl-d14		1.24		mg/kg dry	1.80	69%	18 - 120			9094352	NSI2417-05	10/07/09 16:33
Surrogate: 2-Fluorobiphenyl		1.06		mg/kg dry	1.80	59%	14 - 120			9094352	NSI2417-05	10/07/09 16:33
Surrogate: Nitrobenzene-d5		0.898		mg/kg dry	1.80	50%	17 - 120			9094352	NS12417-05	10/07/09 16:33



THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 \* 800-765-0980 \* Fax 615-726-3404

Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Work Order: Project Name:

Received:

NSI2417 Laurel Bay Housing Project

Project Number: [none]

09/26/09 08:50

### **CERTIFICATION SUMMARY**

#### TestAmerica Nashville

Attn

Method	Matrix	AIHA	Nelac	South Carolina								
SW846 8260B	Soil	N/A	X	X								
SW846 8270D	Soil		X	X								
SW-846	Soil											



2960 Foster Creighton Road Nashville, TN 37204 \* 800-765-0980 \* Fax 615-726-3404

Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Attn Tom McElwee

Work Order:

NSI2417

Project Name: Laurel Bay Housing Project

Project Number:

[none]

Received: 09/26/09 08:50

### DATA QUALIFIERS AND DEFINITIONS

J Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL).

Concentrations within this range are estimated.

ND Not detected at the reporting limit (or method detection limit if shown)

### METHOD MODIFICATION NOTES

Nashville Division 2960 Foster Creighton Nashville, TN 37204						Phone: 615-726-0177 Toll Free: 800-765-0980 Fax: 615-726-3404												To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?										
#: EEG # 2449									_						C	Complia	ince Mo	onitorin	g?	Yes		No						
10179 Highway	78													_							Enforc	ement	Action?	?	Yes		. No	
Ladson, SC 294	56												_			Site	State:	<u>sc</u>										
Tom McElwee e	mail: mcelw	ree@ee	ginc.ne	et	15	<del></del>	1_					<u> </u>		_			PO#:		<u> 28</u>	<u> </u>	<u> </u>							
843.412.2097	<del></del>				Fā	x No.:	Z	29		0	40	<u> 21</u>		_		TA Qu	iote #:											
127	4 9 y	<u>5,4                                    </u>	<u> 111</u>	<u> </u>		~									Project ID: Laurel Bay Housing Project													
	(11					-					<u> </u>					Pro	ject #:											
· ·	1		······································		[			serva	tive	_		, ,	Matr	ix						A	alyze l	or:						
7/2/04 7/2/04 7/2/04 9/2/04 8/2/04	095 1115 1530 1075 1570	No. of Containers	A X X X X	Composite	Field Filtered	C C THO, (Boot take)	HCI (Blue Label)	NaOH ( Orange Label) H <sub>2</sub> SO <sub>4</sub> Plastic (Yellow Label)		S None (Black Lab	Groundwater	Wastewater	Drinking Water	X	Other (specify).	W W W W BTEX + Napth - 8260		i i									RUSH TAT (Pre-Schedule	
<del> </del>		├		+	+	+-	1 +	╁	$\dagger \exists$	+	十	+	-	+	Н			1				_				-		
1		t		$\dashv$	十	+	$  \cdot  $	+	$\dagger \exists$	+	†	$\dagger \dagger$	+	1	Ħ						<del>                                     </del>				$\rightarrow$	$\neg$	=	
Cij/2	1/04	19	" d	) <u>/</u>	ed by	d	l Z	×	ent:					•		Time	<del></del>		Temp	erature	Upon F			<u> </u>			Υ	
: : ::	EEG # 2449 : 10179 Highway : Ladson, SC 294 : Tom McEwee e : 843,412,2097 :	EEG # 2449  : 10179 Highway 78  : Ladson, SC 29458  : Tom McElwee email: mcelw : 843,412,2097  )	EEG # 2449  : 10179 Highway 78  : Ladson, SC 29458  : Tom McElwee email: mcelwee@ee  : 843.412,2097  : Part Sha	EEG # 2449  : 10179 Highway 78  : Ladson, SC 29456  : Tom McElwee email: mcelwee@eeginc.ne : 843.412.2097  Deading search of the	## Part	Paddurer of the Highway 18 is Ladson, SC 29456  Tom McElwee email: mcelwee@eeginc.net  B43.412.2097  Paddurer of the Highway 18 is Ladson, SC 29456  Tom McElwee email: mcelwee@eeginc.net  B43.412.2097  Paddurer of the Highway 18 is Ladson, SC 29456  Tom McElwee email: mcelwee@eeginc.net  Paddurer of the Highway 18 is Ladson, SC 29456  Paddurer of the Highway 18 is	REG # 2449  : 10179 Highway 78 : Ladson, SC 29456 : Tom McElwee email: mcelwee@eeginc.net : 843.412.2097  Part Share  Part Sha	Property of the control of the contr	EEG # 2449  : 10179 Highway 78  : Ladson, SC 29456  : Tom McElwee email: mcelwee@eeginc.net  : 843.412 2097  Preserva  Preserv	Preservative  Padding Salure Company 15 S X S S S S S S S S S S S S S S S S S	## Fax: 615-726- ## EEG # 2449  ## 10179 Highway 78  ## Ladson, SC 29456  ## Tom McElwee email: mcelwee@eeginc.net  ## 1020 Jo Op	## Fax: \$15-726-3404    EEG # 2449	Fax: 615-726-3404   Fax:	### Preservative   Peach   Pea	Fax: 615-726-3404   Fax:	Fax: 616-726-3404	See   See	### Fax: 615-726-3404    EEG # 2449	EEG # 2449  10179 Highway 78  Ladson, SC 29456  Tom McElwee email: mcelwee@eeginc.net  10179 Highway 78  Ladson, SC 29456  Tom McElwee email: mcelwee@eeginc.net  10179 Highway 78  Ladson, SC 29456  Tom McElwee email: mcelwee@eeginc.net  10179 Highway 78  10179 Highway 78  Tom McElwee email: mcelwee@eeginc.net  10179 Highway 78  Tom Mc	EEG # 2449  10179 Highway 78  Ladson, SC 29456  Tom McElwee email: mcelwee@eeginc.net  10179 Highway 78  Ladson, SC 29456  Tom McElwee email: mcelwee@eeginc.net  10179 Highway 78  Tom Matrix  10179 Highway 78  Tom	Site State: SC   Site	REC # 2449  EEG # 2449  Enforce  Tom McElvee email: mcelvee@eeginc.net  B43,412,2007  Fax No.: 77 — 0.40  Preservative  Project ID: Laure! Bay Housing Project Project ID: Laure! Bay Housing Project ID: Laure! Bay H	Section   Neshville, TN 37204   Fax: 616-726-3404   regulatory purposes?   Compliance Mile	EEG# 2449   Compliance Monitorin   Enforcement Action   Enforcement   Enforce	EEG # 2449   Each   Steel   Steel	EEG# 2449   Compliance Monitoring?   Yes	EEG # 2449   Compliance Monitoring?   Yes	

### ATTACHMENT A



# NON-HAZARDOUS MANIFEST

CHANAI

(Form designed for use on elite (12-pitch) typewriter.) lease print or type. Generator's US EPA ID No. 2. Page NON-HAZARDOUS MANIFEST of 1 Generator's Name and Mailing Address 10885459 MCAS, Beautort Laurel Bay Housing Beautort SC 29904 WMNA B. State Generator's ID Generator's Phone 843 228-6460 US EPA ID Number C. State Transporter's ID Transporter 1 Company Name 6. D. Transporter's Phone 843 879-041 EEG, Inc. E. State Transporter's ID US EPA ID Number Transporter 2 Company Name 8. F. Transporter's Phone G. State Facility's ID Designated Facility Name and Site Address 10 US EPA ID Number HICKORY HILL LANDFILL H. Facility's Phone ROUTE 1, BOX 121 843 987-4643 RIDGELAND SC 2993 11. Description of Waste Materials 12. Containers 13. Total Misc. Comments \*Heating Oil Tank filled with Sand 102855SC 0.0 WM Profile # WM Profile # WM Profile # WM Profile # K. Disposal Location Additional Descriptions for Materials Listed Above Solidification Cell Landfill Level Bio Remediation Special Handling Instructions and Additional Information 1301 Engle 1308 EnglR' EMERGENCY CONTACT: Purchase Order # GENERATOR'S CERTIFICATION: I hereby certify that the above-described materials are not hazardous wastes as defined by 40 CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged, and are in proper condition for transportation according to applicable regulations. Signature "On behalf of". Month Day Year Printed/Typed Name 17. Transporter 1 Acknowledgement of Receipt of Materials TRANSPORTER Printed/Typed Name Signature Month Day Year James Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name Month Day Year Signature Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above. Facitilty Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest. 20. Printed/Typed Name Month Day

### Appendix C Regulatory Correspondence





#### C. Earl Hunter, Commissioner

Promoting and protecting the health of the public and the environment.

### Bureau of Land and Waste Management Division of Waste Management

June 24, 2010

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United States Marine Corp Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE:

No Further Action

Laurel Bay Underground Storage Tank Assessment Report for:

1301 Eagle Lane

- 1306 Eagle Lane
- 1290 Eagle Lane
- 1294 Eagle Lane

- 1308 Eagle Lane
- 1310 Eagle Lane
- 1291 Eagle Lane
- 1295 Eagle Lane

- 1297 Eagle Lane
- 1293 Eagle Lane

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tanks (USTs) Assessment Report on December 11, 2009 for the addresses listed above.

The Department has reviewed the referenced assessment report along with the additional information submitted and agrees there is no indication of soil or groundwater contamination on this property, and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corp Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at picketcn@dhec.sc.gov or 803-896-4131.

Sincerely,

Christi Pickett

Corrective Action Engineering Section

Bureau of Land and Waste Management

South Carolina Department of Health and Environmental Control

cc:

Laurel Rhoten (via email)

Craig Ehde (via email)