#### SUMMARY REPORT 391 ALBATROSS DRIVE (FORMERLY 1336 ALBATROSS DRIVE) LAUREL BAY MILITARY HOUSING AREA MARINE CORPS AIR STATION BEAUFORT BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid-Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

**JUNE 2021** 

#### SUMMARY REPORT 391 ALBATROSS DRIVE (FORMERLY 1336 ALBATROSS DRIVE) LAUREL BAY MILITARY HOUSING AREA MARINE CORPS AIR STATION BEAUFORT BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid- Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



**Naval Facilities Engineering Command Atlantic** 

9324 Virginia Avenue Norfolk, Virginia 23511-3095

**Prepared by:** 



CDM - AECOM Multimedia Joint Venture 10560 Arrowhead Drive, Suite 500 Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016 CTO WE52 JUNE 2021



Summary Report 391 Albatross Drive (Formerly 1336 Albatross Drive) Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort June 2021

#### **Table of Contents**

1.0	INTRODUCTION	. 1
1.1 1.2	BACKGROUND INFORMATION UST REMOVAL AND ASSESSMENT PROCESS	
2.0	SAMPLING ACTIVITIES AND RESULTS	3
2.1	UST REMOVAL AND SOIL SAMPLING	
2.2	SOIL ANALYTICAL RESULTS	.4
2.3	GROUNDWATER SAMPLING	.4
2.4	GROUNDWATER ANALYTICAL RESULTS	.5
3.0	PROPERTY STATUS	. 5
4.0	REFERENCES	. 5

#### Tables

Table 1	Laboratory Analytical Results - Soil
Table 2	Laboratory Analytical Results - Groundwater

#### Appendices

- Appendix A Multi-Media Selection Process for LBMH
- Appendix B UST Assessment Report
- Appendix C Laboratory Analytical Report Groundwater
- Appendix D Regulatory Correspondence



#### **List of Acronyms**

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
СТО	Contract Task Order
COPC	constituents of potential concern
ft	feet
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level



#### **1.0 INTRODUCTION**

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 391 Albatross Drive (Formerly 1336 Albatross Drive). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

#### **1.1 Background Information**

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area



is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

#### **1.2 UST Removal and Assessment Process**

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service,* (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management* 



*Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

#### 2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 391 Albatross Drive (Formerly 1336 Albatross Drive). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 1336 Albatross Drive* (MCAS Beaufort, 2013). The UST Assessment Report is provided in Appendix B. Details regarding the IGWA sampling activities at this site are provided in the *Initial Groundwater Investigation Report – November and December 2015* (Resolution Consultants, 2016). The laboratory report that includes the pertinent IGWA analytical results for this site is presented in Appendix C.

#### 2.1 UST Removal and Soil Sampling

On September 11, 2012, a single 280 gallon heating oil UST was removed from the rear patio area at 391 Albatross Drive (Formerly 1336 Albatross Drive). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed, cleaned, and shipped offsite for recycling. There was no visual evidence (i.e.,



staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 5'8" bgs and a single soil sample was collected from that depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

#### 2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 391 Albatross Drive (Formerly 1336 Albatross Drive) were greater than the SCDHEC RBSLs, which indicated further investigation was required. In a letter dated July 1, 2015, SCDHEC requested an IGWA for 391 Albatross Drive (Formerly 1336 Albatross Drive) to determine if the groundwater was impacted by petroleum COPCs. SCDHEC's request letter is provided in Appendix D.

#### 2.3 Groundwater Sampling

On December 4, 2015, a temporary monitoring well was installed at 391 Albatross Drive (Formerly 1336 Albatross Drive), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the monitoring well was placed in the same general location as the former heating oil UST. The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). Further details are provided in the *Initial Groundwater Investigation Report – November and December 2015* (Resolution Consultants, 2016).



The sampling strategy for this phase of the investigation required a one-time sampling event of the temporarily installed monitoring well. Following well installation and development, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of groundwater sampling, the temporary well was abandoned in accordance with the South Carolina Well Standards and Regulations R.61-71 (SCDHEC, 2016). Field forms are provided in the *Initial Groundwater Investigation Report – November and December 2015* (Resolution Consultants, 2016).

#### 2.4 Groundwater Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 2. A copy of the laboratory analytical data report is included in Appendix C.

The groundwater results collected from 391 Albatross Drive (Formerly 1336 Albatross Drive) were less than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 2), which indicated that the groundwater was not impacted by COPCs associated with the former UST at concentrations that present a potential risk to human health and the environment.

#### 3.0 PROPERTY STATUS

Based on the analytical results for groundwater, SCDHEC made the determination that NFA was required for 391 Albatross Drive (Formerly 1336 Albatross Drive). This NFA determination was obtained in a letter dated June 8, 2016. SCDHEC's NFA letter is provided in Appendix D.

#### 4.0 **REFERENCES**

- Marine Corps Air Station Beaufort, 2013. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 1336 Albatross Drive, Laurel Bay Military Housing Area*, April 2013.
- Resolution Consultants, 2016. *Initial Groundwater Investigation Report November and December 2015 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, April 2016.



- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 2.0*, April 2013.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.0*, May 2015.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations,* March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.
- South Carolina Department of Health and Environmental Control Bureau of Water, 2016. *R.61-71, Well Standards*, June 2016.

Tables



#### Table 1 Laboratory Analytical Results - Soil 391 Albatross Drive (Formerly 1336 Albatross Drive) Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Results Sample Collected 09/11/12					
Volatile Organic Compounds Analyze	/olatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)						
Benzene	0.003	ND					
Ethylbenzene	1.15	0.00268					
Naphthalene	0.036	0.138					
Toluene	0.627	0.00206					
Xylenes, Total	13.01	0.0278					
Semivolatile Organic Compounds Ana	alyzed by EPA Method 8270D (mg/kg)						
Benzo(a)anthracene	0.66	2.23					
Benzo(b)fluoranthene	0.66	1.74					
Benzo(k)fluoranthene	0.66	0.830					
Chrysene	0.66	1.98					
Dibenz(a,h)anthracene	0.66	0.116					

Notes:

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0 and 3.1 (SCDHEC, May 2015 and SCDHEC, February 2016) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligrams per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The soil laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

#### Table 2 Laboratory Analytical Results - Groundwater 391 Albatross Drive (Formerly 1336 Albatross Drive) Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Site-Specific Groundwater VISLs (µg/L) <sup>(2)</sup>	Results Sample Collected 12/04/15
Volatile Organic Compounds Analyzed	by EPA Method 8260B (µg	/L)	
Benzene	5	16.24	ND
Ethylbenzene	700	45.95	ND
Naphthalene	25	29.33	ND
Toluene	1000	105,445	ND
Xylenes, Total	10,000	2,133	ND
Semivolatile Organic Compounds Ana	yzed by EPA Method 8270	) (µg/L)	
Benzo(a)anthracene	10	NA	ND
Benzo(b)fluoranthene	10	NA	ND
Benzo(k)fluoranthene	10	NA	ND
Chrysene	10	NA	ND
Dibenz(a,h)anthracene	10	NA	ND

#### Notes:

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, February 2016).

<sup>(2)</sup> Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of 1x10<sup>-6</sup>, a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - Not Applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix C.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

µg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

Appendix A Multi-Media Selection Process for LBMH





#### **Appendix A - Multi-Media Selection Process for LBMH**

Appendix B UST Assessment Report



#### Attachment 1

#### South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank (UST) Assessment Report

Date Received

Г

State Use Only

Submit Completed Form To: UST Program SCDHEC 2600 Bull Street Columbia, South Carolina 29201 Telephone (803) 896-7957

#### I. OWNERSHIP OF UST (S)

	Commanding Officer Attn: NR	EAO (Craig Ehde)					
Owner Name (Corporate	Owner Name (Corporation, Individual, Public Agency, Other)						
P.O. Box 55001 Mailing Address							
Beaufort,	South Carolina	29904-5001					
City	State	Zip Code					
843	228-7317	Craig Ehde					
Area Code	Telephone Number	Contact Person					

#### **II. SITE IDENTIFICATION AND LOCATION**

Permit I.D. #
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC
Facility Name or Company Site Identifier
1336 Albatross Drive, Laurel Bay Military Housing Area
Street Address or State Road (as applicable)
Beaufort, Beaufort
City County

Attachment 2

#### **Insurance Statement**

The petroleum release reported to DHEC on \_\_\_\_\_\_ at Permit ID Number \_\_\_\_\_ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. This section must be completed.

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES\_\_\_\_ NO\_\_\_\_ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is:\_\_\_\_\_ The policy deductible is: \_\_\_\_\_ The policy limit is:

If you have this type of insurance, please include a copy of the policy with this report.

#### **IV. REQUEST FOR SUPERB FUNDING**

I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)

#### V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

#### To be completed by Notary Public:

Sworn before me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_

(Name)

Notary Public for the state of \_\_\_\_\_\_. Please affix State seal if you are commissioned outside South Carolina

#### VI. UST INFORMATION

		Albatross
А.	Product(ex. Gas, Kerosene)	Heating oil
B.	Capacity(ex. 1k, 2k)	280 gal
C.	Age	Late 1950s
D.	Construction Material(ex. Steel, FRP)	Steel
Е·	Month/Year of Last Use	Mid 80s
F.	Depth (ft.) To Base of Tank	5'8"
G.	Spill Prevention Equipment Y/N	No
Η·	Overfill Prevention Equipment Y/N	No
I.	Method of Closure Removed/Filled	Removed
J.	Date Tanks Removed/Filled	9/11/2012
K.	Visible Corrosion or Pitting Y/N	Yes
L.	Visible Holes Y/N	Yes
Ъſ		

1336

M. Method of disposal for any USTs removed from the ground (attach disposal manifests) UST 1336Albatross was removed from the ground and disposed

at a Subtitle "D" landfill. See Attachment "A".

- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)
   UST 1336Albatross was previously filled with sand by others.
- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST Corrosion, pitting and holes were found throughout the tank.

#### VII. PIPING INFORMATION

		1336 Albatross
		Steel
A.	Construction Material(ex. Steel, FRP)	& Copper
B.	Distance from UST to Dispenser	N/A
C.	Number of Dispensers	N/A
D.	Type of System Pressure or Suction	Suction
E.	Was Piping Removed from the Ground? Y/N	No
F.	Visible Corrosion or Pitting Y/N	Yes
G.	Visible Holes Y/N	No
H.		Late 1950s
I.	If any corrosion, pitting, or holes were observed, des	cribe the location and extent for each piping run.

Corrosion and pitting were found on the surface of the steel vent pipe. Copper supply and return lines were sound.

#### VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

	Yes	No	Unk
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?		Х	
If yes, indicate depth and location on the site map.			
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?		Х	
If yes, indicate location on site map and describe the odor (strong, mild, etc.)			
C. Was water present in the UST excavation, soil borings, or trenches?		Х	
If yes, how far below land surface (indicate location and depth)?			
D. Did contaminated soils remain stockpiled on site after closure?		Х	
If yes, indicate the stockpile location on the site map.			
Name of DHEC representative authorizing soil removal:			
E. Was a petroleum sheen or free product detected on any excavation or boring waters?		х	
If yes, indicate location and thickness.			

### IX. SITE CONDITIONS

#### X. SAMPLE INFORMATION

#### A. SCDHEC Lab Certification Number 84009

В.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
1336 Albatros	Excav at fill end	Soil	Sandy	5'8"	9/11/12 1400 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

\* = Depth Below the Surrounding Land Surface

#### XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect <u>and</u> store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.


#### **XII. RECEPTORS**


		Yes	No
А.	Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?	*X	
	*pond		
	If yes, indicate type of receptor, distance, and direction on site map.		
В.	Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?		Х
	If yes, indicate type of well, distance, and direction on site map.		
C.	Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?		Х
	If yes, indicate type of structure, distance, and direction on site map.		
D.	Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? *Sewer, water, electricity	*X	
	cable, fiber optic & storm of utility, distance, and direction on the site map.	lrain	
E.	Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?		Х
	If yes, indicate the area of contaminated soil on the site map.		


#### XIII. SITE MAP

You must supply a <u>scaled</u> site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)









Picture 1: Location of UST 1336Albatross.



Picture 2: UST 1336Albatross excavation.

#### XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC UST	1336Albatros	3			
Benzene	ND		250-11		
Toluene	0.00206 mg/k	3			
Ethylbenzene	0.00268 mg/k	9			
Xylenes	0.0278 mg/kg				
Naphthalene	0.138 mg/kg				
Benzo (a) anthracene	2.23 mg/kg				
Benzo (b) fluoranthene	1.74 mg/kg				
Benzo (k) fluoranthene	0.830 mg/kg				
Chrysene	1.98 mg/kg				
Dibenz (a, h) anthracene	0.116 mg/kg				
ТРН (ЕРА 3550)					

CoC				
Benzene				
Toluene				
Ethylbenzene				
Xylenes				
Naphthalene				
Benzo (a) anthracene				
Benzo (b) fluoranthene				
Benzo (k) fluoranthene				
Chrysene				
Dibenz (a, h) anthracene				
TPH (EPA 3550)				

**SUMMARY OF ANALYSIS RESULTS (cont'd)** Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000		1		
Total BTEX	N/A				
МТВЕ	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

#### XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here) (Please see Form #4)

# **TestAmerica**

THE LEADER IN ENVIRONMENTAL TESTING

## **ANALYTICAL REPORT**

TestAmerica Laboratories, Inc. TestAmerica Nashville 2960 Foster Creighton Drive Nashville, TN 37204 Tel: (615)726-0177

#### TestAmerica Job ID: 490-6800-1

TestAmerica Sample Delivery Group: 1063 Client Project/Site: Laurel Bay Housing Project

#### For:

LINKS

Review your project results through

Total Access

**Have a Question?** 

Ask-

The

www.testamericainc.com

Visit us at:

Expert

Environmental Enterprise Group 10179 Highway 78 Ladson, South Carolina 29456

Attn: Mr. Tom McElwee

Kuth Hay

Authorized for release by: 9/25/2012 6:07:41 PM

Ken Hayes Project Manager I ken.hayes@testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

# **Table of Contents**

1
2
3
4
5
6
3
13
15
16
17
18
20

#### Sample Summary

#### Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project

					ļ
Lab Sample ID	Client Sample ID	Matrix	Collected	Received	
490-6800-1	1336 Albatross	Solid	09/11/12 14:00	09/18/12 09:00	
490-6800-2	1265 Dove	Solid	09/12/12 15:15	09/18/12 09:00	

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project TestAmerica Job ID: 490-6800-1 SDG: 1063

#### Job ID: 490-6800-1

#### Laboratory: TestAmerica Nashville

Narrative

Job Narrative 490-6800-1

Comments No additional comments.

#### Receipt

The samples were received on 9/18/2012 9:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 1.1° C.

#### GC/MS VOA

Method(s) 8260B: Matrix spike/matrix spike dup is not reported for this batch due to ISTD failures. See LCS/LCSD for precision.

Batch 21564

Method(s) 8260B: Surrogate recovery for the following sample(s) was outside control limits: 1336 Albatross (490-6800-1). Evidence of matrix interference is present; dilution required.

Method(s) 8260B: Due to sample matrix effect on the internal standard (ISTD), a dilution was required for the following sample(s): 1336 Albatross (490-6800-1).

Method(s) 8260B: The following sample(s) was diluted due to the nature of the sample matrix: 1336 Albatross (490-6800-1). Elevated reporting limits (RLs) are provided.

Method(s) 8260B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for batch 22440 were outside control limits due to failing internal standards. The associated laboratory control sample (LCS) recovery met acceptance criteria.

No other analytical or quality issues were noted.

GC/MS Semi VOA No analytical or quality issues were noted.

Organic Prep No analytical or quality issues were noted.

VOA Prep No analytical or quality issues were noted.

# Definitions/Glossary

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project

# Qualifiers

#### GC/MS VOA

Qualifier	Qualifier Description
x	Surrogate is outside control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

# Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.	
ø	Listed under the "D" column to designate that the result is reported on a dry weight basis	
%R	Percent Recovery	
CNF	Contains no Free Liquid	
DL, RA, RE, IN	Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample	
EDL	Estimated Detection Limit	
EPA	United States Environmental Protection Agency	
MDL	Method Detection Limit	
ML	Minimum Level (Dioxin)	
ND	Not detected at the reporting limit (or MDL or EDL if shown)	
PQL	Practical Quantitation Limit	
QC	Quality Control	
RL	Reporting Limit	
RPD	Relative Percent Difference, a measure of the relative difference between two points	
TEF	Toxicity Equivalent Factor (Dioxin)	
TEQ	Toxicity Equivalent Quotient (Dioxin)	

# **Client Sample Results**

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project

.

### Client Sample ID: 1336 Albatross

Date Collected: 09/11/12 14:00 Date Received: 09/18/12 09:00

# Lab Sample ID: 490-6800-1 Matrix: Solid

Percent Solids: 83.8

K

Method: 8260B - Volatile Orga	anic Compounds	(GC/MS)							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00208	0.000698	mg/Kg	-0	09/19/12 13:41	09/24/12 16:23	1
Ethylbenzene	0.00268		0.00208	0.000698	mg/Kg	0	09/19/12 13:41	09/24/12 16:23	1
Naphthalene	0.138	J	0.311	0.106	mg/Kg	- 50	09/19/12 13:39	09/24/12 17:22	1
Toluene	0.00206	J	0.00208	0.000771	mg/Kg	0	09/19/12 13:41	09/24/12 16:23	1
Xylenes, Total	0.0278		0.00521	0.000698	mg/Kg	1	09/19/12 13:41	09/24/12 16:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1.2-Dichloroethane-d4 (Surr)	117		70 - 130				09/19/12 13:41	09/24/12 16:23	1
1,2-Dichloroethane-d4 (Surr)	102		70 - 130				09/19/12 13:39	09/24/12 17:22	1
4-Bromofluorobenzene (Surr)	194	x	70 - 130				09/19/12 13:41	09/24/12 16:23	1
4-Bromofluorobenzene (Surr)	102		70 - 130				09/19/12 13:39	09/24/12 17:22	1
Dibromofluoromethane (Surr)	113		70 - 130				09/19/12 13:41	09/24/12 16:23	1
Dibromofluoromethane (Surr)	93		70 - 130				09/19/12 13:39	09/24/12 17:22	1
Toluene-d8 (Surr)	116		70 - 130				09/19/12 13:41	09/24/12 16:23	1
Toluene-d8 (Surr)	98		70 - 130				09/19/12 13:39	09/24/12 17:22	1
Method: 8270D - Semivolatile	Organic Compou	nds (GC/MS	5)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0779	0.0116	mg/Kg	ø	09/18/12 15:28	09/18/12 19:39	1
Acenaphthylene	ND		0.0779	0.0105	mg/Kg	0	09/18/12 15:28	09/18/12 19:39	1
Anthracene	ND		0.0779	0.0105	mg/Kg	-0	09/18/12 15:28	09/18/12 19:39	1
Benzo[a]anthracene	2.23		0.0779	0.0174	mg/Kg	$\sim$	09/18/12 15:28	09/18/12 19:39	1
Benzo[a]pyrene	0.889		0.0779	0.0140	mg/Kg	0	09/18/12 15:28	09/18/12 19:39	1
Benzo[b]fluoranthene	1.74		0.0779	0.0140	mg/Kg	0	09/18/12 15:28	09/18/12 19:39	1
Benzo[g,h,i]perylene	0.229		0.0779	0.0105	mg/Kg	0	09/18/12 15:28	09/18/12 19:39	1
Benzo[k]fluoranthene	0.830		0.0779	0.0163	mg/Kg	0	09/18/12 15:28	09/18/12 19:39	1
Pyrene	1.61		0.0779	0.0140	mg/Kg	12	09/18/12 15:28	09/20/12 00:56	1
Phenanthrene	ND		0.0779	0.0105	mg/Kg	۵.	09/18/12 15:28	09/18/12 19:39	1
Chrysene	1.98		0.0779	0.0105	mg/Kg	\$	09/18/12 15:28	09/18/12 19:39	1
Dibenz(a,h)anthracene	0.116		0.0779	0.00814	mg/Kg	0	09/18/12 15:28	09/18/12 19:39	1
Fluoranthene	1.04		0.0779	0.0105	mg/Kg	\$	09/18/12 15:28	09/20/12 00:56	1
Fluorene	ND		0.0779	0.0140	mg/Kg	.0	09/18/12 15:28	09/18/12 19:39	1
ndeno[1,2,3-cd]pyrene	0.268		0.0779	0.0116	mg/Kg	0	09/18/12 15:28	09/18/12 19:39	1
Naphthalene	ND		0.0779	0.0105	mg/Kg	-Ö	09/18/12 15:28	09/18/12 19:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	63		29 - 120				09/18/12 15:28	09/18/12 19:39	1
Ferphenyl-d14 (Surr)	109		13 - 120				09/18/12 15:28	09/18/12 19:39	1
litrobenzene-d5 (Surr)	71		27 - 120				09/18/12 15:28	09/18/12 19:39	1
General Chemistry									
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	84		0.10	0.10	%			09/19/12 10:16	1

# **Client Sample Results**

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project

# Client Sample ID: 1265 Dove

Date Collected: 09/12/12 15:15 Date Received: 09/18/12 09:00

### Lab Sample ID: 490-6800-2 Matrix: Solid Percent Solids: 89.9

Method: 8260B - Volatile Orga Analyte		Qualifier	RL	MDI	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND	Geranner	0.00202	0.000675		3	09/20/12 12:39	<ol> <li>Installing Of angle (Planet)</li> </ol>	Dirrac 1
Ethylbenzene	ND		0.00202	0.000675		0	09/20/12 12:39		1
Naphthalene	ND		0.00504	0.00171	mg/Kg	6	09/20/12 12:39		1
Toluene	ND		0.00202	0.000746		0	09/20/12 12:39		1
Xylenes, Total	ND		0.00504	0.000675		*	09/20/12 12:39		1
Aylonda, Tolar	ND		0.00004	0.000075	mang		03/20/12 12.38	03/20/12 19:50	4
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		70 - 130				09/20/12 12:39	09/20/12 19:50	7
4-Bromofluorobenzene (Surr)	84		70 - 130				09/20/12 12:39	09/20/12 19:50	1
Dibromofluoromethane (Surr)	106		70 - 130				09/20/12 12:39	09/20/12 19:50	1
Toluene-d8 (Surr)	105		70 - 130				09/20/12 12:39	09/20/12 19:50	1
Method: 8270D - Semivolatile	Organic Compou	nds (GC/Ms	5)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0745	0.0111	mg/Kg	4	09/18/12 15:28	09/18/12 20:01	1
Acenaphthylene	ND		0.0745	0.0100	mg/Kg	4	09/18/12 15:28	09/18/12 20:01	1
Anthracene	ND		0.0745	0.0100	mg/Kg	5	09/18/12 15:28	09/18/12 20:01	1
Benzo[a]anthracene	ND		0.0745	0.0167	mg/Kg	30	09/18/12 15:28	09/18/12 20:01	1
Benzo[a]pyrene	ND		0.0745	0.0133	mg/Kg	0	09/18/12 15:28	09/18/12 20:01	1
Benzo[b]fluoranthene	ND		0.0745	0.0133	mg/Kg	Ø.	09/18/12 15:28	09/18/12 20:01	1
Benzo[g,h,i]perylene	ND		0.0745	0.0100	mg/Kg	0	09/18/12 15:28	09/18/12 20:01	1
Benzo[k]fluoranthene	ND		0.0745	0.0156	mg/Kg	0	09/18/12 15:28	09/18/12 20:01	H.
Pyrene	ND		0.0745	0.0133	mg/Kg	10	09/18/12 15:28	09/18/12 20:01	1
Phenanthrene	ND		0.0745	0.0100	mg/Kg	0	09/18/12 15:28	09/18/12 20:01	1
Chrysene	ND		0.0745	0.0100	mg/Kg	<b>R</b>	09/18/12 15:28	09/18/12 20:01	1
Dibenz(a,h)anthracene	ND		0.0745	0.00778	mg/Kg	- 00	09/18/12 15:28	09/18/12 20:01	1
Fluoranthene	ND		0.0745	0.0100	mg/Kg	100	09/18/12 15:28	09/18/12 20:01	1
Fluorene	ND		0.0745	0.0133	mg/Kg	0	09/18/12 15:28	09/18/12 20:01	1
Indeno[1,2,3-cd]pyrene	ND		0.0745	0.0111	mg/Kg	Ġ.	09/18/12 15:28	09/18/12 20:01	1
Naphthalene	ND		0.0745	0.0100	mg/Kg	<u>÷</u>	09/18/12 15:28	09/18/12 20:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	64		29 - 120				09/18/12 15:28	09/18/12 20:01	1
Terphenyl-d14 (Surr)	92		13 - 120				09/18/12 15:28	09/18/12 20:01	1
Nitrobenzene-d5 (Surr)	64		27 - 120				09/18/12 15:28	09/18/12 20:01	1
General Chemistry									
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	90		0.10	0.10	%			09/19/12 10:16	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

#### Lab Sample ID: MB 490-21564/6 Matrix: Solid Analysis Batch: 21564

### Client Sample ID: Method Blank Prep Type: Total/NA

the state of the s									
	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.000670	mg/Kg			09/20/12 14:40	1
Ethylbenzene	ND		0.00200	0.000670	mg/Kg			09/20/12 14:40	1
Naphthalene	ND		0.00500	0.00170	mg/Kg			09/20/12 14:40	1
Toluene	ND		0.00200	0.000740	mg/Kg			09/20/12 14:40	1
Xylenes, Total	ND		0.00500	0.000670	mg/Kg			09/20/12 14:40	1
	MB	MB							
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		70 - 130					09/20/12 14:40	1
4-Bromofluorobenzene (Surr)	88		70 - 130					09/20/12 14:40	1
Dibromofluoromethane (Surr)	107		70 - 130					09/20/12 14:40	1
Toluene-d8 (Surr)	99		70 - 130					09/20/12 14:40	1

LCS LCS

0.05239

0.05098

0.05281

0.05018

0.1514

**Result** Qualifier

Unit

mg/Kg

mg/Kg

mg/Kg

mg/Kg

mg/Kg

Spike

Added

0.0500

0.0500

0.0500

0.0500

0.150

#### Lab Sample ID: LCS 490-21564/3 Matrix: Solid Analysis Batch: 21564

Analyte			
Benzene			
Ethylbenzene			
Naphthalene			
Toluene			

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	101		70 - 130
4-Bromofluorobenzene (Surr)	81		70 - 130
Dibromofluoromethane (Surr)	107		70 - 130
Toluene-d8 (Surr)	102		70 - 130

#### Lab Sample ID: LCSD 490-21564/4 Matrix: Solid

#### Analysis Batch: 21564

Xylenes, Total

and the second second second			Spike	LCSD	LCSD				%Rec.		RPD
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene			0.0500	0.05222		mg/Kg		104	75 - 127	0	50
Ethylbenzene			0.0500	0.05141		mg/Kg		103	80 - 134	1	50
Naphthalene			0.0500	0.05172		mg/Kg		103	69 - 150	2	50
Toluene			0.0500	0.05210		mg/Kg		104	80 - 132	4	50
Xylenes, Total			0.150	0.1534		mg/Kg		102	80 - 137	NaN	50
	LCSD	LCSD									
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	95		70 - 130								

80	70 - 130
101	70 - 130
106	70 - 130
	101

<b>Client Sam</b>	ple ID: Lab	<b>Control Sample</b>
	Prep	Type: Total/NA

		%Rec.	
D	%Rec	Limits	

75 - 127

80 - 134

69 - 150

80 - 132

80 - 137

105

102

106

100

101

Client Sample	ID: Lab	Contro	ol Sar	nple	Dup
		Prep 7	ype:	Tota	I/NA

TestAmerica Job ID: 490-6800-1 SDG: 1063

ľ

# Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-22440/10								Client !	Sample ID: Metho	d Blank
Matrix: Solid									Prep Type:	Total/NA
Analysis Batch: 22440									Contraction of Colds of	
	MB	MB								
Analyte	Result	Qualifier	RL		Unit		D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.000670	mg/Kg				09/24/12 12:56	1
Ethylbenzene	ND		0.00200	0.000670	mg/Kg				09/24/12 12:56	1
Naphthalene	ND		0.00500	0.00170	mg/Kg				09/24/12 12:56	1
Toluene	ND		0.00200	0.000740	mg/Kg				09/24/12 12:56	1
Xylenes, Total	ND		0.00500	0.000670	mg/Kg				09/24/12 12:56	1
	MB	MB								
Surrogate	%Recovery	Qualifier	Limits					Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		70 - 130						09/24/12 12:56	1
4-Bromofluorobenzene (Surr)	112		70 - 130						09/24/12 12:56	1
Dibromofluoromethane (Surr)	99		70 - 130						09/24/12 12:56	1
Toluene-d8 (Surr)	100		70 - 130						09/24/12 12:56	1
Lab Sample ID: MB 490-22440/11								Client S	ample ID: Metho	d Blank
Matrix: Solid								onone	Prep Type: 1	
Analysis Batch: 22440									itch type: 1	ordania
and the period of the	MB	MB								
Analyte	Result	Qualifier	RL	MDL	Unit		D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.100	0.0335	mg/Kg				09/24/12 13:25	1
Ethylbenzene	ND		0.100	0.0335	mg/Kg				09/24/12 13:25	1
Naphthalene	ND		0.250	0.0850	mg/Kg				09/24/12 13:25	1
Toluene	ND		0.100	0.0370	mg/Kg				09/24/12 13:25	1
Kylenes, Total	ND		0.250		mg/Kg				09/24/12 13:25	1
	MB	MB								
Surrogate	%Recovery	Qualifier	Limits				1.1	Prepared	Analyzed	Dil Fac
,2-Dichloroethane-d4 (Surr)	100		70 - 130						09/24/12 13:25	1
-Bromofluorobenzene (Surr)	110		70 - 130						09/24/12 13:25	1
Dibromofluoromethane (Surr)	99		70 - 130						09/24/12 13:25	1
Foluene-d8 (Surr)	101		70 - 130						09/24/12 13:25	1
ab Sample ID: LCS 490-22440/8							Clien	t Sample	ID: Lab Control	Sample
Matrix: Solid							Silei	a sumple	Prep Type: T	
Analysis Batch: 22440									tich type. I	ordiniter
and the second			Spike	LCS LCS					%Rec.	
nalyte			Added	Result Qual	ifier Ur	nît	D	%Rec	Limits	
Benzene			0.0500	0.05310	m	q/Kq		106	75 - 127	

Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene			0.0500	0.05310		mg/Kg		106	75 - 127	
Ethylbenzene			0.0500	0.05162		mg/Kg		103	80 - 134	
Naphthalene			0.0500	0.05027		mg/Kg		101	69 - 150	
Toluene			0.0500	0.05170		mg/Kg		103	80 - 132	
Xylenes, Total			0.150	0.1544		mg/Kg		103	80 - 137	
	LCS	LCS								
Surrogate	%Recovery	Qualifier	Limits							
1,2-Dichloroethane-d4 (Surr)	103		70 - 130							
4-Bromofluorobenzene (Surr)	104		70 - 130							
Dibromofluoromethane (Surr)	101		70 - 130							
Toluene-d8 (Surr)	100		70 - 130							

Client Sample ID: Method Blank

Prep Type: Total/NA

### Method: 8270D - Semivolatile Organic Compounds (GC/MS)

#### Lab Sample ID: MB 490-20924/1-A Matrix: Solid

в					Prep Batch	1: 20924	
в							
ualifier RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
0.0670	0.0100	mg/Kg		09/18/12 13:46	09/18/12 17:05	1	
0.0670	0.00900	mg/Kg		09/18/12 13:46	09/18/12 17:05	1	I
0.0670	0.00900	mg/Kg		09/18/12 13:46	09/18/12 17:05	1	
0.0670	0.0150	mg/Kg		09/18/12 13:46	09/18/12 17:05	1	Ī
0.0670	0.0120	mg/Kg		09/18/12 13:46	09/18/12 17:05	1	
0.0670	0.0120	mg/Kg		09/18/12 13:46	09/18/12 17:05	1	
0.0670	0.00900	mg/Kg		09/18/12 13:46	09/18/12 17:05	1	
0.0670	0.0140	mg/Kg		09/18/12 13:46	09/18/12 17:05	1	
0.0670	0.0120	mg/Kg		09/18/12 13:46	09/18/12 17:05	1	
0.0670	0.00900	mg/Kg		09/18/12 13:46	09/18/12 17:05	1	
0.0670	0.00900	mg/Kg		09/18/12 13:46	09/18/12 17:05	1	
0.0670	0.00700	mg/Kg		09/18/12 13:46	09/18/12 17:05	1	
0.0670	0.00900	mg/Kg		09/18/12 13:46	09/18/12 17:05	1	
0.0670	0.0120	mg/Kg		09/18/12 13:46	09/18/12 17:05	1	
0.0670	0.0100	mg/Kg		09/18/12 13:46	09/18/12 17:05	1	
0.0670	0.00900	mg/Kg		09/18/12 13:46	09/18/12 17:05	1	
1							
alifier Limits				Prepared	Analyzed	Dil Fac	
29 - 120				09/18/12 13:46	09/18/12 17:05	1	
13 - 120				09/18/12 13:46	09/18/12 17:05	1	
27 - 120				09/18/12 13:46	09/18/12 17:05	1	
3	Alifier RL 0.0670 0.	RL         MDL           0.0670         0.0100           0.0670         0.00900           0.0670         0.00900           0.0670         0.00900           0.0670         0.0150           0.0670         0.0120           0.0670         0.0120           0.0670         0.0120           0.0670         0.0120           0.0670         0.0120           0.0670         0.0120           0.0670         0.0120           0.0670         0.0120           0.0670         0.0120           0.0670         0.00900           0.0670         0.00900           0.0670         0.00900           0.0670         0.0120           0.0670         0.00900           0.0670         0.00900           0.0670         0.0120           0.0670         0.0120           0.0670         0.0120           0.0670         0.0120           0.0670         0.0120           0.0670         0.00900	RL         MDL         Unit           0.0670         0.0100         mg/Kg           0.0670         0.00900         mg/Kg           0.0670         0.01050         mg/Kg           0.0670         0.0120         mg/Kg           0.0670         0.00900         mg/Kg           0.0670         0.00900         mg/Kg           0.0670         0.00900         mg/Kg           0.0670         0.00900         mg/Kg           0.0670         0.0120         mg/Kg           0.0670         0.0120         mg/Kg           0.0670         0.0100         mg/Kg           0.0670         0.0100         mg/Kg           0.0670         0.0100         mg/Kg           0.0670         0.00900	RL         MDL         Unit         D           0.0670         0.0100         mg/Kg         0.0670         0.00900         mg/Kg           0.0670         0.00900         mg/Kg         0.0670         0.00900         mg/Kg           0.0670         0.0150         mg/Kg         0.0670         0.0120         mg/Kg           0.0670         0.0120         mg/Kg         0.0670         0.00900         mg/Kg           0.0670         0.00900         mg/Kg         0.0670         0.00900         mg/Kg           0.0670         0.00900         mg/Kg         0.0670         0.0120         mg/Kg           0.0670         0.0120         mg/Kg         0.0670         0.0100         mg/Kg           0.0670         0.0100         mg/Kg         0.0670         0.0100         mg/Kg           0.0670         0.00900         mg/Kg         0.0670         0.00900         mg/Kg	Alifier         RL         MDL         Unit         D         Prepared           0.0670         0.0100         mg/Kg         09/18/12         13:46           0.0670         0.00900         mg/Kg         09/18/12         13:46           0.0670         0.00900         mg/Kg         09/18/12         13:46           0.0670         0.0100         mg/Kg         09/18/12         13:46           0.0670         0.0120         mg/Kg         09/18/12         13:46           0.0670         0.00900         mg/Kg         09/18/12         13:46           0.0670         0.00900         mg/Kg         09/18/12         13:46           0.0670         0.0100         mg/Kg	Alifier         RL         MDL         Unit         D         Prepared         Analyzed           0.0670         0.0100         mg/Kg         09/18/12 13:46         09/18/12 17:05           0.0670         0.00900         mg/Kg         09/18/12 13:46         09/18/12 17:05           0.0670         0.00900         mg/Kg         09/18/12 13:46         09/18/12 17:05           0.0670         0.0150         mg/Kg         09/18/12 13:46         09/18/12 17:05           0.0670         0.0120         mg/Kg         09/18/12 13:46         09/18/12 17:05           0.0670         0.00900         mg/Kg         09/18/12 13:46         09/18/12 17:05           0.0670         0.00900         mg/Kg         09/18/12 13:46         09/18/12 17:05           0.0670         0.00900         mg/Kg         09/18/12 13:46         09/18/12 17:05	Alifier         RL         MDL         Unit         D         Prepared         Analyzed         Dil Fac           0.0670         0.0100         mg/kg         09/18/12 13:46         09/18/12 17:05         1           0.0670         0.00900         mg/kg         09/18/12 13:46         09/18/12 17:05         1           0.0670         0.00900         mg/kg         09/18/12 13:46         09/18/12 17:05         1           0.0670         0.0150         mg/kg         09/18/12 13:46         09/18/12 17:05         1           0.0670         0.0120         mg/kg         09/18/12 13:46         09/18/12 17:05         1           0.0670         0.00900         mg/kg         09/18/12 13:46 </td

#### Lab Sample ID: LCS 490-20924/2-A Matrix: Solid

#### Analysis Batch: 20936

# Client Sample ID: Lab Control Sample

Prep Type: Total/NA Prep Batch: 20924

Analysis Daton. 20050									Ргер Ва
			Spike	LCS	LCS				%Rec.
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits
Acenaphthylene			1.67	1.361		mg/Kg		82	38 - 120
Anthracene			1.67	1.336		mg/Kg		80	46 - 124
Benzo[a]anthracene			1.67	1.378		mg/Kg		83	45 - 120
Benzo[a]pyrene			1.67	1.421		mg/Kg		85	45 - 120
Benzo[b]fluoranthene			1.67	1.424		mg/Kg		85	42 - 120
Benzo[g,h,i]perylene			1.67	1.247		mg/Kg		75	38 - 120
Benzo[k]fluoranthene			1.67	1.287		mg/Kg		77	42 - 120
Pyrene			1.67	1.379		mg/Kg		83	43 - 120
Phenanthrene			1.67	1.246		mg/Kg		75	45 - 120
Chrysene			1.67	1.194		mg/Kg		72	43 - 120
Dibenz(a,h)anthracene			1.67	1.103		mg/Kg		66	32 - 128
Fluoranthene			1.67	1.233		mg/Kg		74	46 - 120
Fluorene			1.67	1.289		mg/Kg		77	42 - 120
Indeno[1,2,3-cd]pyrene			1.67	1.153		mg/Kg		69	41 - 121
Naphthalene			1.67	1.384		mg/Kg		83	32 - 120
	LCS	LCS							
Surrogate	%Recovery	Qualifier	Limits						

Surrogate	%Recovery Qu	alifier Limits
2-Fluorobiphenyl (Surr)	59	29 - 120
Terphenyl-d14 (Surr)	76	13 - 120
Nitrobenzene-d5 (Surr)	66	27 - 120

TestAmerica Nashville 9/25/2012

**Client Sample ID: Matrix Spike** 

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Dress Databy 20024

Prep Type: Total/NA

# Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

70

56

#### Lab Sample ID: 490-6076-D-2-B MS Matrix: Solid

THIS IN THIS & STATE									Thep Type, Total	
Analysis Batch: 20936									Prep Batch: 20	924
	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Acenaphthylene	ND		1.63	1.561		mg/Kg		96	25 - 120	
Anthracene	ND		1,63	1.537		mg/Kg		94	28 - 125	
Benzo[a]anthracene	ND		1.63	1.618		mg/Kg		99	23 - 120	
Benzo[a]pyrene	ND		1.63	1.611		mg/Kg		99	15 - 128	
Benzo[b]fluoranthene	ND		1.63	1.596		mg/Kg		98	12 - 133	
Benzo[g,h,i]perylene	ND		1.63	1.465		mg/Kg		90	22 - 120	
Benzo[k]fluoranthene	ND		1.63	1.598		mg/Kg		98	28 - 120	
Pyrene	ND		1.63	1.631		mg/Kg		100	20 - 123	
Phenanthrene	ND		1.63	1.427		mg/Kg		88	21 - 122	
Chrysene	ND		1.63	1.430		mg/Kg		88	20 - 120	
Dibenz(a,h)anthracene	ND		1.63	1.282		mg/Kg		79	12 - 128	
Fluoranthene	ND		1.63	1.428		mg/Kg		88	10 - 143	
Fluorene	ND		1.63	1.504		mg/Kg		92	20 - 120	
Indeno[1,2,3-cd]pyrene	ND		1.63	1.365		mg/Kg		.84	22 - 121	
Naphthalene	ND		1.63	1.519		mg/Kg		93	10 - 120	
	MS	MS								
Surrogate	%Recovery	Qualifier	Limits							
2-Fluorobiphenyl (Surr)	63		29 - 120							
Terphenyl-d14 (Surr)	84		13 - 120							

27 - 120

#### Lab Sample ID: 490-6076-D-2-C MSD Matrix: Solid

Analysis Batch: 20936

Nitrobenzene-d5 (Surr)

Nitrobenzene-d5 (Surr)

Analysis Batch: 20936									Prep	Batch:	20924
	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Acenaphthylene	ND		1.66	1.479		mg/Kg		89	25 - 120	5	50
Anthracene	ND		1.66	1.460		mg/Kg		88	28 - 125	5	49
Benzo[a]anthracene	ND		1.66	1.513		mg/Kg		91	23 - 120	7	50
Benzo[a]pyrene	ND		1.66	1.503		mg/Kg		91	15 - 128	7	50
Benzo[b]fluoranthene	ND		1.66	1.507		mg/Kg		91	12 - 133	6	50
Benzo[g,h,i]perylene	ND		1.66	1.347		mg/Kg		81	22 - 120	8	50
Benzo[k]fluoranthene	ND		1.66	1,461		mg/Kg		88	28 - 120	9	45
Pyrene	ND		1.66	1.487		mg/Kg		90	20 - 123	9	50
Phenanthrene	ND		1.66	1.380		mg/Kg		83	21 - 122	3	50
Chrysene	ND		1.66	1.354		mg/Kg		82	20 - 120	5	49
Dibenz(a,h)anthracene	ND		1.66	1.210		mg/Kg		73	12 - 128	6	50
Fluoranthene	ND		1.66	1.379		mg/Kg		83	10 - 143	3	50
Fluorene	ND		1.66	1.395		mg/Kg		84	20 - 120	8	50
Indeno[1,2,3-cd]pyrene	ND		1.66	1.268		mg/Kg		76	22 - 121	7	50
Naphthalene	ND		1.66	1.287		mg/Kg		78	10 - 120	17	50
	MSD	MSD									
Surrogate	%Recovery	Qualifier	Limits								
2-Fluorobiphenyl (Surr)	58		29 - 120								
Terphenyl-d14 (Surr)	73		13 - 120								

27 - 120

# **QC Sample Results**

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-6800-1 SDG: 1063

# Method: Moisture - Percent Moisture

					Prep Type: To	tal/NA
Sample	DU	DU				RPD
Qualifier	Result	Qualifier	Unit	D	RPD	Limit
	86		%		2	20
	Sample Qualifier	Qualifier Result	Qualifier Result Qualifier	Qualifier Result Qualifier Unit	Qualifier Result Qualifier Unit D	Qualifier Result Qualifier Unit D RPD

# **QC** Association Summary

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project

### GC/MS VOA

#### Prep Batch: 21314

Prep Batch: 21314						
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch	
490-6800-1	1336 Albatross	Total/NA	Solid	5035		
Prep Batch: 21315						
Lab Sample ID	Client Sample ID	Data Tata				
490-6800-1	1336 Albatross	Prep Type Total/NA	Matrix Solid	Method 5035	Prep Batch	
400 0000 1	1000 Albanoss	TotalityA	3010	3035		
Analysis Batch: 21564	1					1
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch	
490-6800-2	1265 Dove	Total/NA	Solid	8260B	21695	
LCS 490-21564/3	Lab Control Sample	Total/NA	Solid	8260B		
LCSD 490-21564/4	Lab Control Sample Dup	Total/NA	Solid	8260B		
MB 490-21564/6	Method Blank.	Total/NA	Solid	8260B		
Prep Batch: 21695						
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch	
490-6800-2	1265 Dove	Total/NA	Solid	5035		
Analysis Batch: 22440	1					
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Dava Datab	
490-6800-1	1336 Albatross	Total/NA	Solid	8260B	Prep Batch 21315	
490-6800-1	1336 Albatross	Total/NA	Solid	8260B	21314	
LCS 490-22440/8	Lab Control Sample	Total/NA	Solid	8260B	21014	
MB 490-22440/10	Method Blank	Total/NA	Solid	8260B		
MB 490-22440/11	Method Blank	Total/NA	Solid	8260B		
GC/MS Semi VOA						
Prep Batch: 20924						
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch	
490-6076-D-2-B MS	Matrix Spike	Total/NA	Solid	3550C	Thep baten	
490-6076-D-2-C MSD	Matrix Spike Duplicate	Total/NA	Solid	3550C		
490-6800-1	1336 Albatross	Total/NA	Solid	3550C		
490-6800-2	1265 Dove	Total/NA	Solid	3550C		
LCS 490-20924/2-A	Lab Control Sample	Total/NA	Solid	3550C		
MB 490-20924/1-A	Method Blank	Total/NA	Solid	3550C		
Analysis Batch: 20936						
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch	
490-6076-D-2-B MS	Matrix Spike	Total/NA	Solid	8270D	20924	
490-6076-D-2-C MSD	Matrix Spike Duplicate	Total/NA	Solid	8270D	20924	
490-6800-1	1336 Albatross	Total/NA	Solid	8270D	20924	
490-6800-2	1265 Dove	Total/NA	Solid	8270D	20924	
LCS 490-20924/2-A	Lab Control Sample	Total/NA	Solid	8270D	20924	
MB 490-20924/1-A	Method Blank	Total/NA	Solid	8270D	20924	
Analysis Batch: 21290						
Lab Sample ID	Client Sample ID	Dean Trees	Mately	Markerd	D	
490-6800-1	1336 Albatross	Prep Type Total/NA	Matrix Solid	Method 8270D	Prep Batch 20924	
		i otaritin	oond	02100	20924	

# QC Association Summary

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-6800-1 SDG: 1063

# **General Chemistry**

### Analysis Batch: 21186

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-6723-B-1 DU	Duplicate	Total/NA	Solid	Moisture	
490-6800-1	1336 Albatross	Total/NA	Solid	Moisture	
490-6800-2	1265 Dove	Total/NA	Solid	Moisture	
490-6823-A-4 MS	Matrix Spike	Total/NA	Solid	Moisture	
490-6823-A-4 MSD	Matrix Spike Duplicate	Total/NA	Solid	Moisture	

# Lab Chronicle

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project

### Client Sample ID: 1336 Albatross Date Collected: 09/11/12 14:00 Date Received: 09/18/12 09:00

# Lab Sample ID: 490-6800-1 Matrix: Solid

Percent Solids: 83.8

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			21315	09/19/12 13:41	ML	TAL NSH
Total/NA	Analysis	8260B		1	22440	09/24/12 16:23	КК	TAL NSH
Total/NA	Prep	5035			21314	09/19/12 13:39	ML	TAL NSH
Total/NA	Analysis	8260B		1	22440	09/24/12 17:22	КК	TAL NSH
Total/NA	Prep	3550C			20924	09/18/12 15:28	AK	TAL NSH
Total/NA	Analysis	8270D		1	20936	09/18/12 19:39	KP	TAL NSH
Total/NA	Analysis	8270D		1	21290	09/20/12 00:56	KP	TAL NSH
Total/NA	Analysis	Moisture		1	21186	09/19/12 10:16	RS	TAL NSH

# Client Sample ID: 1265 Dove

#### Date Collected: 09/12/12 15:15 Date Received: 09/18/12 09:00

Lab Sample ID: 490-6800-2 Matrix: Solid

Percent Solids: 89.9

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			21695	09/20/12 12:39	ML	TAL NSH
Total/NA	Analysis	8260B		1	21564	09/20/12 19:50	FE	TAL NSH
Total/NA	Prep	3550C			20924	09/18/12 15:28	AK	TAL NSH
Total/NA	Analysis	8270D		1	20936	09/18/12 20:01	KP	TAL NSH
Total/NA	Analysis	Moisture		1	21186	09/19/12 10:16	RS	TAL NSH

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL NSH
8270D	Semivolatile Organic Compounds (GC/MS)	SW846	TAL NSH
Moisture	Percent Moisture	EPA	TAL NSH

#### Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

# **Certification Summary**

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project TestAmerica Job ID: 490-6800-1 SDG: 1063

1

### Laboratory: TestAmerica Nashville


All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
	ACIL		393	10-30-12
A2LA	ISO/IEC 17025		0453.07	12-31-13
Alabama	State Program	4	41150	05-31-13
Alaska (UST)	State Program	10	UST-087	07-24-13
Arizona	State Program	9	AZ0473	05-05-13
Arkansas DEQ	Stale Program	6	88-0737	04-25-13
California	NELAC	9	1168CA	10-31-12
Canadian Assoc Lab Accred (CALA)	Canada		3744	03-08-14
Colorado	State Program	8	N/A	02-28-13
Connecticut	State Program	1	PH-0220	12-31-13
Florida	NELAC	4	E87358	06-30-13
Illinois	NELAC	5	200010	12-09-12
lowa	State Program	7	131	05-01-14
Kansas	NELAC	7	E-10229	10-31-12
Kentucky	State Program	4	90038	12-31-12
Kentucky (UST)	State Program	4	19	09-15-13
Louisiana	NELAC	6	LA110014	12-31-12
Louisiana	NELAC	6	30613	06-30-13
Maryland	State Program	3	316	03-31-13
Massachusetts	State Program	1	M-TN032	06-30-13
Minnesota	NELAC	5	047-999-345	12-31-12
Mississippi	State Program	4	N/A	06-30-13
Montana (UST)	State Program	8	NA	01-01-15
Nevada	State Program	9	TN00032	09-30-13
New Hampshire	NELAC	1	2963	10-09-12
New Jersey	NELAC	2	TN965	06-30-13
New York	NELAC	2	11342	04-01-13
North Carolina DENR	State Program	4	387	12-31-12
North Dakota	State Program	8	R-146	06-30-13
Ohio VAP	State Program	5	CL0033	01-19-14
Oklahoma	State Program	6	9412	08-31-13
Oregon	NELAC	10	TN200001	04-30-13
Pennsylvania	NELAC	3	68-00585	06-30-13
Rhode Island	State Program	1	LAO00268	12-30-12
South Carolina	State Program	4	84009 (001)	02-28-13
South Carolina	State Program	4	84009 (002)	02-23-14
Tennessee	State Program	4	2008	02-23-14
Texas	NELAC	6	T104704077-09-TX	08-31-13
USDA	Federal		S-48469	11-02-13
Utah	NELAC	8	TAN	06-30-13
Virginia	NELAC	3	460152	06-14-13
Washington	State Program	10	C789	07-19-13
West Virginia DEP	State Program	3	219	02-28-13
Wisconsin	State Program	5	998020430	08-31-13
Wyoming (UST)	A2LA	8	453.07	12-31-13

TestAmerica THE LEADER IN ENVIRONMENTAL TESTING Nashville, TN COOLER RECEIPT FORM	Г
Cooler Received/Opened On9/18/2012 @ 9:00	490-6800 Chain of
1. Tracking # $8273$ (last 4 digits, FedEx)	·· ••••
Courier: <u>FEDEX</u> IR Gun ID <u>17960357</u>	
2. Temperature of rep. sample or temp blank when opened:	Celsius
3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank fro	ozen? YESNONA
4. Were custody seals on outside of cooler?	YESNONA
If yes, how many and where:	
5. Were the seals intact, signed, and dated correctly?	YESNONA
6. Were custody papers inside cooler?	YESNONA
I certify that I opened the cooler and answered questions 1-6 (intial)	
7. Were custody seals on containers: YES NO and Intact	YESNO
Were these signed and dated correctly?	YESNO
8. Packing mat'l used? Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert	Paper Other None
9. Cooling process:	ry ice Other None
10. Did all containers arrive in good condition (unbroken)?	CESNONA
11. Were all container labels complete (#, date, signed, pres., etc)?	YESNONA
12. Did all container labels and tags agree with custody papers?	ESNONA
13a. Were VOA vials received?	(ESNONA
b. Was there any observable headspace present in any VOA vial?	YES
14. Was there a Trip Blank in this cooler? YESNO	, sequence #A
certify that I unloaded the cooler and answered questions 7-14 (intial)	F
15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH id	evel? YESNONA
b. Did the bottle labels indicate that the correct preservatives were used	ESNONA
16. Was residual chlorine present?	YESNO
I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (in	
17. Were custody papers properly filled out (ink, signed, etc)?	ESNONA
18. Did you sign the custody papers in the appropriate place?	ES.NONA
19. Were correct containers used for the analysis requested?	ES.NONA
20. Was sufficient amount of sample sent in each container?	ESNONA
I certify that I entered this project into LIMS and answered questions 17-20 (intial)	Æ
I certify that I attached a label with the unique LIMS number to each container (intial)	Æ
21. Were there Non-Conformance issues at login? YES. NO Was a PIPE generated? Y	ES

· .....

1



Client: Environmental Enterprise Group

#### Login Number: 6800

List Number: 1

Creator: Ford, Easton

Question	Answer	Comment			
Radioactivity wasn't checked or is = background as measured by a<br survey meter.	True				
The cooler's custody seal, if present, is intact.	True				
Sample custody seals, if present, are intact.	True				
The cooler or samples do not appear to have been compromised or tampered with.	True				
Samples were received on ice.	True				
Cooler Temperature is acceptable.	True				
Cooler Temperature is recorded.	True				
COC is present.	True				
COC is filled out in ink and legible.	True				
COC is filled out with all pertinent information.	True				
Is the Field Sampler's name present on COC?	True				Dist. when
There are no discrepancies between the containers received and the COC.	True				10000
Samples are received within Holding Time.	True				
Sample containers have legible labels.	True				
Containers are not broken or leaking.	True				
Sample collection date/times are provided.	True				
Appropriate sample containers are used.	True				
Sample bottles are completely filled.	True				
Sample Preservation Verified.	N/A				
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True				
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True				
Multiphasic samples are not present.	True				
Samples do not require splitting or compositing.	True				
Residual Chlorine Checked.	N/A				

n

# ATTACHMENT A

	IC H	AZAR	DO	US	MA	NIF	ES	T	
NON-HAZARDOUS MANIFEST	1. Generator's US EPA	ID No. N	lanifest Doc	No.	2. Page 1	of	-		
3. Generator's Mailing Address:	Gene	rator's Site Address (If	different than m	nailing):	A. Manif	est Number	1		
MCAS, BEAUFORT					M	/MNA	0031	6831	
LAUREL BAY HOUSING						B. State	Generator'		
BEAUFORT, SC 29907									
4. Generator's Phone 843-228	3-6461	and and a second	1			all and			
5. Transporter 1 Company Name		6. US EPA I	D Number		-			1.1.1.	
EEG, INC.						ransporter's l		879-04	11
7. Transporter 2 Company Name		8. US EPA I	D Number		D. Transp	orter's Phone	843-	879-04	11
7. Hansporter 2 company Name		S. OJERA	Divumber		E. State T	ransporter's I	D		
	4					orter's Phone			
9. Designated Facility Name and Site A	ddress	10. US EPA	ID Number		100000	Call Char	130		0.00
HICKORY HILL LANDFILL	1.01				G. State F	acility ID			
2621 LOW COUNTRY ROAD					H. State F	acility Phone	843-	987-46	13
RIDGELAND, SC 29936		18 18 19 18 18 IN			1.000	17 A A A A	20.53		16.1
		Hard States	1 12.6				1000		1. 50
11. Description of Waste Materials			No.	Type	13. Total Quantity	14. Unit Wt./Vol.	I. N	lisc. Comme	ents
a. HEATING OIL TANKS FILLED W	/ITH SAND	1000						1.11	
WM Profile	# 102655SC			100	2	12 1 2012	Dista:		12.74
b.									1
			1						
WM Profile #			1000	0.00	125-5	1995	3	1	
с.									
WM Profile #					101		1919		
d.					- Lugar	Mar Sal		101	
WM Profile #			-	-		THE REAL PROPERTY		_	-
J. Additional Descriptions for Material	s Listed Above		K. Disposi	al Location		and the second			-
			Cell				Level		
			Grid				1221		111
15. Special Handling Instructions and Ac	2 43/ File	KRERRRY	13	1265.	DOUR	91	173 E	sobu	hit
9 128 DINEBELL.	3)1526 14101	Ateoss .	2)	16/ M	Hhza				-
Purchase Order #	/	EMERGENCY CO	NTACT / PHC	DNE NO.:					
16. GENERATOR'S CERTIFICATE:									
I hereby certify that the above-described							ive been fu	ly and	
accurately described, classified and pack Printed Name	aged and are in proper	Signature "On behal		ding to app	licable regul	ations.	Month	Day	Year
	C resto	Signature on sena		NO			NO	1	1)
17. Transporter 1 Acknowledgement of	Receipt of Materials	1000	, /	01				1	
Printed Name PRAHS	han	Signature	1 lls	1			Month	Day	Year
18. Transporter 2 Acknowledgement of	Receipt of Materials		1		2 - 11	11R	10		-
Printed Name		Signature					Month	Day	Year
James Balde	1.1	Sihan	, R	10	1		1	-	
19. Certificate of Final Treatment/Dispos	sal	June	a br	aller		-			
I certify, on behalf of the above listed tre		the best of my knowle	dee, the abo	ove-describe	ed waste w	s managed in	complianc	e with all	
applicable laws, regulations, permits and			uge, the abt	ve-descript	a waste wa	is manageu in	complianc	e with all	
20. Facility Owner or Operator: Certifica			overed by thi	is manifest.	-				
Printed Name	1	Signature		- 1	15	1 -	Month	Day	Year
lovi (otiel	d	100	it.	CO	944	0	10	1	12
White- TREATMENT, STORAGE, DISPOSA	L FACILITY COPY	Blue- GENERATOR	2 COPY		Yel	ow- GENERAT	TOR #1 COP	Y	- 02
Pink- FACILITY USE ONLY		Gold- TRANSPORTER	#1 COPY		1)				

Appendix C Laboratory Analytical Report - Groundwater



# Volatile Organic Compounds by GC/MS

Client: AECOM - Reso Description: BEALB1336TW Date Sampled:12/04/2015 123 Date Received: 12/04/2015	/01WG20151204						Laboratory ID Matrix	: QL04022 : Aqueous			
Run         Prep Method           1         5030B	Analytical Method 8260B	Dilution 1		sis Date Analyst 2015 1833 ALL	Prep	Date	<b>Batch</b> 91718				
Parameter		Nui	CAS mber	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzene		71-	-43-2	8260B	0.45	U	5.0	0.45	0.21	ug/L	1
Ethylbenzene		100-	41-4	8260B	0.51	U	5.0	0.51	0.21	ug/L	1
Naphthalene		91-	-20-3	8260B	0.96	U	5.0	0.96	0.14	ug/L	1
Toluene		108-	-88-3	8260B	0.48	U	5.0	0.48	0.24	ug/L	1
Xylenes (total)		1330-	-20-7	8260B	0.57	U	5.0	0.57	0.32	ug/L	1
Surrogate		Run 1 Recovery	Accepta Lim								
Bromofluorobenzene		98	75-12	20							
1,2-Dichloroethane-d4		101	70-12	20							
Toluene-d8		105	85-12	20							

85-115

96

PQL = Practical quantitation limitB = Detected in the method blankE = Quantitation of compound exceeded the calibration rangeH = Out of holding timeQ = Surrogate failureND = Not detected at or above the MDLJ = Estimated result < PQL and  $\geq$  MDLP = The RPD between two GC columns exceeds 40%N = Recovery is out of criteriaL = LCS/LCSD failureWhere applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"S = MS/MSD failureS = MS/MSD failure

Shealy Environmental Services, Inc.106 Vantage Point DriveWest Columbia, SC 29172(803) 791-9700Fax (803) 791-9111www.shealylab.com

Dibromofluoromethane

# Semivolatile Organic Compounds by GC/MS (SIM)

### Client: AECOM - Resolution Consultants

Description: BEALB1336TW01WG20151204

Laboratory ID: QL04022-015

Date Sampled:12/04/2015 1230

Matrix: Aqueous

### Date Received: 12/04/2015

RunPrep Method13520C	Analytical Method D 8270D (SIM)		alysis Date Analyst 2/2015 0028 DRB1	Prep Date 12/10/2015 09	Batch 918 91795				
Parameter		CAS Number	Analytical Method	Result Q	LOQ	LOD	DL	Units I	Run
Benzo(a)anthracene		56-55-3	8270D (SIM)	0.040 U	0.20	0.040	0.019	ug/L	1
Benzo(b)fluoranthene		205-99-2	8270D (SIM)	0.040 U	0.20	0.040	0.019	ug/L	1
Benzo(k)fluoranthene		207-08-9	8270D (SIM)	0.040 U	0.20	0.040	0.024	ug/L	1
Chrysene		218-01-9	8270D (SIM)	0.040 U	0.20	0.040	0.021	ug/L	1
Dibenzo(a,h)anthracene		53-70-3	8270D (SIM)	0.080 U	0.20	0.080	0.040	ug/L	1
Surrogate			ptance imits						
2-Methylnaphthalene-d10		54 15	-139						
Fluoranthene-d10		91 23	-154						

PQL = Practical quantitation limitB = Detected in the method blankE = Quantitation of compound exceeded the calibration rangeH = Out of holding timeQ = Surrogate failureND = Not detected at or above the MDLJ = Estimated result < PQL and  $\geq$  MDLP = The RPD between two GC columns exceeds 40%N = Recovery is out of criteriaL = LCS/LCSD failureWhere applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"S = MS/MSD failureS = MS/MSD failure

Shealy Environmental Services, Inc.106 Vantage Point DriveWest Columbia, SC 29172(803) 791-9700Fax (803) 791-9111www.shealylab.com

Appendix D Regulatory Correspondence





Catherine E. Heigel, Director Promoting and protecting the health of the public and the environment

July 1, 2015

Commanding Officer Attention: NREAO Mr. William A. Drawdy United State Marine Corps Air Station Post Office Box 55001 Beaufort, SC 29904-5001

RE: IGWA Laurel Bay Underground Storage Tank Assessment Reports for: See attached sheet

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the referenced Underground Storage Tank Assessment Reports for the addresses listed above. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 <u>et seq.</u>, as amended).

The Department has reviewed the referenced assessment reports. The submitted analytical results indicate that petroleum constituents are above established Risk-Based Screening Levels and additional investigation is warranted. Specifically, the Department requests that a groundwater sampling proposal be generated to determine if there has been an impact to groundwater at this site.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at kriegkm@dhec.sc.gov or 803-898-0255.

Sincerely,

that M. They

Kent Krieg Department of Defense Corrective Action Section Bureau of Land and Waste Management South Carolina Department of Health and Environmental Control

Cc: Russell Berry (via email) Craig Ehde (via email) Bryan Beck (via email)



Catherine E. Heigel, Director

Promoting and protecting the health of the public and the environment

Attachment to:

Krieg to Drawdy Subject: IGWA Dated 7/1/2015

# Laurel Bay Underground Storage Tank Assessment Reports for: (97 addresses/110 tanks)

118 Banyan	343 Ash Tank 2
126 Banyan	344 Ash Tank 2
127 Banyan	347 Ash Tank 2
130 Banyan Tank 1	378 Aspen Tank 2
141 Laurel Bay	379 Aspen
151 Laurel Bay	382 Aspen Tank 1
224 Cypress	382 Aspen Tank 2
227 Cypress	394 Acorn Tank 2
256 Beech Tank 2	400 Elderberry
257 Beech Tank 1	432 Elderberry
257 Beech Tank 2	436 Elderberry
264 Beech	473 Dogwood Tank 2
265 Beech Tank 2	482 Laurel Bay
265 Beech Tank 3	517 Laurel Bay
275 Birch	586 Aster
277 Birch Tank 1	632 Dahlia
285 Birch	639 Dahlia Tank 2
292 Birch Tank 3	643 Dahlia Tank 1
297 Birch	644 Dahlia Tank 1
301 Ash	644 Dahlia Tank 2
306 Ash	646 Dahlia Tank 1
310 Ash Tank 1	646 Dahlia Tank 2
313 Ash	665 Camellia
315 Ash Tank 2	699 Abelia
316 Ash	744 Blue Bell
319 Ash	745 Blue Bell Tank 1
320 Ash	747 Blue Bell Tank 1
321 Ash	747 Blue Bell Tank 2
329 Ash	747 Blue Bell Tank 3
330 Ash Tank 2	749 Blue Bell Tank 1
331 Ash	749 Blue Bell Tank 2
332 Ash	751 Blue Bell
333 Ash	762 Althea
335 Ash Tank 1	765 Althea Tank 2
335 Ash Tank 2	766 Althea Tank 4
341 Ash	767 Althea Tank 1
342 Ash Tank 1	768 Althea Tank 2
342 Ash Tank 2	768 Althea Tank 3

Laurel Bay Underground Storage Tank Assessment Reports for: (98 addresses/110 tanks) cont.

768 Althea Tank 4	1067 Gardenia
769 Althea Tank 1	1077 Heather
769 Althea Tank 2	1081 Heather
775 Althea	1101 Iris Tank 2
819 Azalea	1104 Iris
840 Azalea	1105 Iris Tank 2
878 Cobia	1124 Iris Tank 2
891 Cobia	1142 Iris Tank 2
913 Barracuda	1146 Iris Tank 2
916 Barracuda	1218 Cardinal
923 Albacore	1240 Dove
1004 Bobwhite	1266 Dove
1022 Foxglove	1292 Eagle
1031 Foxglove	1299 Eagle Tank 1
1034 Foxglove Tank 2	1302 Eagle
1061 Gardenia Tank 3	1336 Albatross
1064 Gardenia	1351 Cardinal



Catherine E. Heigel, Director Promoting and protecting the health of the public and the environment

> Division of Waste Management Bureau of Land and Waste Management

June 8, 2016

Commanding Officer Attention: NREAO Mr. William A. Drawdy United State Marine Corps Air Station Post Office Box 55001 Beaufort, SC 29904-5001

RE: Approval and Concurrence with Draft Final Initial Groundwater Investigation Report-November and December 2015 Laurel Bay Military Housing Area Multiple Properties Dated April 2015

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received groundwater data in the above referenced Groundwater Investigation Report for the attached addresses on May 2, 2016. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

Per the Department's request, groundwater samples were collected from the attached referenced addresses. The Department reviewed the groundwater data and previous investigations and it agrees with the conclusions and recommendations included in the document. To further assess the impact to groundwater, permanent wells should be installed at the 15 stated addresses. For the remaining 80 addresses, there is no indication of contamination on the property and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at petruslb@dhec.sc.gov or 803-898-0294.

Sincerely,

LISTS

Laurel Petrus RCRA Federal Facilities Section

Attachment: Specific Property Recommendations

Cc: Russell Berry, EQC Region 8 (via email) Shawn Dolan, Resolution Consultants (via email) Bryan Beck, NAVFAC MIDATLANTIC (via email) Craig Ehde (via email) Attachment to: Petrus to Drawdy

Subject: Draft Final Initial Groundwater Investigation Report-November and December 2015 Specific Property Recommendations Dated June 8, 2016

# Draft Final Initial Groundwater Investigation Report for (95 addresses)

Permanent Monitoring Well Investigation recommendation (15 addresses)			
130 Banyan Drive	473 Dogwood Drive		
256 Beech Street	747 Blue Bell Lane		
285 Birch Drive	749 Blue Bell Lane		
292 Birch Drive	775 Althea Street		
330 Ash Street	1034 Foxglove Street		
331 Ash Street	1104 Iris Lane		
335 Ash Street	1124 Iris Lane		
342 Ash Street			

118 Banyan Drive	644 Dahlia Drive	
126 Banyan Drive	646 Dahlia Drive	
127 Banyan Drive	665 Camellia Drive	
141 Laurel Bay Blvd	699 Abelia Street	
151 Laurel Bay Blvd	744 Blue Bell Lane	10
224 Cypress Street	745 Blue Bell Lane	
227 Cypress Street	751 Blue Bell Lane	
257 Beech Street	762 Althea Street	
264 Beech Street	765 Althea Street	
265 Beech Street	766 Althea Street	
275 Birch Drive	767 Althea Street	
277 Birch Drive	768 Althea Street	
297 Birch Drive	769 Althea Street	
301 Ash Street	819 Azalea Drive	
306 Ash Street	840 Azalea Drive	
310 Ash Street	878 Cobia Drive	
313 Ash Street	891 Cobia Drive	
315 Ash Street	913 Barracuda Drive	
316 Ash Street	916 Barracuda Drive	
319 Ash Street	923 Wren Lane	
320 Ash Street	1004 Bobwhite Drive	
321 Ash Street	1022 Foxglove Street	
329 Ash Street	1031 Foxglove Street	
332 Ash Street	1061 Gardenia Drive	
333 Ash Street	1064 Gardenia Drive	
341 Ash Street	1067 Gardenia Drive	
347 Ash Street	1077 Heather Street	
378 Aspen Street	1081 Heather Street	
379 Aspen Street	1101 Iris Lane	
382 Aspen Street	1105 Iris Lane	
394 Acorn Street	1142 Iris Lane	
400 Elderberry Drive	1146 Iris Lane	
432 Elderberry Drive	1218 Cardinal Lane	
436 Elderberry Drive	1240 Dove Lane	
482 Laurel Bay Blvd	1266 Dove Lane	
517 Laurel Bay Blvd	1292 Eagle Lane	
586 Aster Street	1299 Eagle Lane	
632 Dahlia Drive	1302 Eagle Lane	
639 Dahlia Drive	1336 Albatross Drive	
643 Dahlia Drive	1351 Cardinal Lane	

Attachment to: Petrus to Drawdy Subject: Draft Final Initial Groundwater Investigation Report-November and December 2015 Specific Property Recommendations Dated June 8, 2016, Page 2