

SUMMARY REPORT  
356 WEST DOVE LANE (FORMERLY 1383 WEST DOVE LANE)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC

Revision: 0  
Prepared for:

Department of the Navy  
Naval Facilities Engineering Command, Mid-Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

**JUNE 2021**

SUMMARY REPORT  
356 WEST DOVE LANE (FORMERLY 1383 WEST DOVE LANE)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC

Revision: 0  
Prepared for:

Department of the Navy  
Naval Facilities Engineering Command, Mid- Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture  
10560 Arrowhead Drive, Suite 500  
Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016  
CTO WE52  
**JUNE 2021**

---

## Table of Contents

1.0	INTRODUCTION.....	1
1.1	BACKGROUND INFORMATION.....	1
1.2	UST REMOVAL AND ASSESSMENT PROCESS.....	2
2.0	SAMPLING ACTIVITIES AND RESULTS.....	3
2.1	UST REMOVAL AND SOIL SAMPLING .....	3
2.2	SOIL ANALYTICAL RESULTS.....	4
3.0	PROPERTY STATUS .....	4
4.0	REFERENCES.....	4

## Table

Table 1	Laboratory Analytical Results - Soil
---------	--------------------------------------

## Appendices

Appendix A	Multi-Media Selection Process for LBMH
Appendix B	UST Assessment Report
Appendix C	Regulatory Correspondence

## List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level

## 1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 356 West Dove Lane (Formerly 1383 West Dove Lane). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

### 1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

## 1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*

*Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

## 2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 356 West Dove Lane (Formerly 1383 West Dove Lane). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 1383 West Dove Lane* (MCAS Beaufort, 2011). The UST Assessment Report is provided in Appendix B.

### 2.1 UST Removal and Soil Sampling

On May 2, 2011, a single 280 gallon heating oil UST was removed from the back yard adjacent to the patio area at 356 West Dove Lane (Formerly 1383 West Dove Lane). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 5'8" bgs and a single soil sample was collected from that depth. The

sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

## 2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 356 West Dove Lane (Formerly 1383 West Dove Lane) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment.

## 3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 356 West Dove Lane (Formerly 1383 West Dove Lane). This NFA determination was obtained in a letter dated April 9, 2014. SCDHEC's NFA letter is provided in Appendix C.

## 4.0 REFERENCES

Marine Corps Air Station Beaufort, 2011. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 1383 West Dove Lane, Laurel Bay Military Housing Area*, September 2011.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.



South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

## Table

**Table 1**  
**Laboratory Analytical Results - Soil**  
**356 West Dove Lane (Formerly 1383 West Dove Lane)**  
**Laurel Bay Military Housing Area**  
**Marine Corps Air Station Beaufort**  
**Beaufort, South Carolina**

<b>Constituent</b>	<b>SCDHEC RBSLs <sup>(1)</sup></b>	<b>Results Sample Collected 05/02/11</b>
<b>Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)</b>		
Benzene	0.003	ND
Ethylbenzene	1.15	ND
Naphthalene	0.036	ND
Toluene	0.627	ND
Xylenes, Total	13.01	ND
<b>Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)</b>		
Benzo(a)anthracene	0.66	ND
Benzo(b)fluoranthene	0.66	ND
Benzo(k)fluoranthene	0.66	ND
Chrysene	0.66	ND
Dibenz(a,h)anthracene	0.66	ND

**Notes:**

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0 (SCDHEC, April 2013).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

**Appendix A**  
**Multi-Media Selection Process for LBMH**



Appendix A - Multi-Media Selection Process for LBMH

**Appendix B**  
**UST Assessment Report**

## Attachment 1

South Carolina Department of Health and Environmental Control (SCDHEC)  
**Underground Storage Tank (UST) Assessment Report**

Date Received

State Use Only

Submit Completed Form To:  
UST Program  
SCDHEC  
2600 Bull Street  
Columbia, South Carolina 29201  
Telephone (803) 896-7957**I. OWNERSHIP OF UST (S)**MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)  
Owner Name (Corporation, Individual, Public Agency, Other)P.O. Box 55001  
Mailing AddressBeaufort, South Carolina 29904-5001  
City State Zip Code843 228-7317 Craig Ehde  
Area Code Telephone Number Contact Person**II. SITE IDENTIFICATION AND LOCATION**

Permit I.D. #

Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC  
Facility Name or Company Site Identifier1383 Dove Lane, Laurel Bay Military Housing Area  
Street Address or State Road (as applicable)Beaufort, Beaufort  
City County

Attachment 2

### III. INSURANCE INFORMATION

#### Insurance Statement

The petroleum release reported to DHEC on \_\_\_\_\_ at Permit ID Number \_\_\_\_\_ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? **YES** \_\_\_\_ **NO** \_\_\_\_ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: \_\_\_\_\_  
The policy deductible is: \_\_\_\_\_  
The policy limit is: \_\_\_\_\_

If you have this type of insurance, please include a copy of the policy with this report.

### IV. REQUEST FOR SUPERB FUNDING

I **DO** / **DO NOT** wish to participate in the SUPERB Program. (Circle one.)

### V. CERTIFICATION (To be signed by the UST owner)

**I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.**

\_\_\_\_\_  
Name (Type or print.)

\_\_\_\_\_  
Signature

#### To be completed by Notary Public:

Sworn before me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_

\_\_\_\_\_  
(Name)

Notary Public for the state of \_\_\_\_\_.  
*Please affix State seal if you are commissioned outside South Carolina*



## VI. UST INFORMATION

A. Product...(ex. Gas, Kerosene).....

B. Capacity..(ex. 1k, 2k).....

C. Age.....

D. Construction Material..(ex. Steel, FRP).....

E. Month/Year of Last Use.....

F. Depth (ft.) To Base of Tank.....

G. Spill Prevention Equipment Y/N.....

H. Overfill Prevention Equipment Y/N.....

I. Method of Closure Removed/Filled.....

J. Date Tanks Removed/Filled.....

K. Visible Corrosion or Pitting Y/N.....

L. Visible Holes Y/N.....

M. Method of disposal for any USTs removed from the ground (attach disposal manifests)

UST 1383Dove was removed from the ground and disposed at a  
Subtitle "D" landfill. See Attachment "A."

N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)

UST 1383Dove had been previously filled with sand by others.

O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST  
Corrosion, pitting and holes were found throughout the tank.

1383Dove				
Heating oil				
280 gal				
Late 1950s				
Steel				
Mid 1980s				
5'8"				
No				
No				
Removed				
5/2/2011				
Yes				
Yes				

## VII. PIPING INFORMATION

A. Construction Material..(ex. Steel, FRP).....

B. Distance from UST to Dispenser.....

C. Number of Dispensers.....

D. Type of System Pressure or Suction.....

E. Was Piping Removed from the Ground? Y/N

F. Visible Corrosion or Pitting Y/N.....

G. Visible Holes Y/N.....

H. Age.....

I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

Corrosion and pitting were found on the surface of the steel vent pipe. The copper supply and return lines were sound.

1383Dove				
Steel & Copper				
N/A				
N/A				
Suction				
No				
Yes				
No				
Late 1950s				

## VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

## IX. SITE CONDITIONS

	Yes	No	Unk
<p>A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate depth and location on the site map.</p>		X	
<p>B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate location on site map and describe the odor (strong, mild, etc.)</p>		X	
<p>C. Was water present in the UST excavation, soil borings, or trenches?</p> <p>If yes, how far below land surface (indicate location and depth)?</p>		X	
<p>D. Did contaminated soils remain stockpiled on site after closure?</p> <p>If yes, indicate the stockpile location on the site map.</p> <p>Name of DHEC representative authorizing soil removal:</p>		X	
<p>E. Was a petroleum sheen or free product detected on any excavation or boring waters?</p> <p>If yes, indicate location and thickness.</p>		X	

## X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
1383Dove	Excav at fill end	Soil	Sandy clay	5'8"	5/2/11 1145 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

\* = Depth Below the Surrounding Land Surface

## XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.

---

---

---

---

---

---

---

---

---

---

## XII. RECEPTORS

		Yes	No
A.	<p>Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?</p> <p style="text-align: right;">*~400' to stormwater canal &amp; ~850' to Broad R</p> <p>If yes, indicate type of receptor, distance, and direction on site map.</p>	*X	
B.	<p>Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?</p> <p>If yes, indicate type of well, distance, and direction on site map.</p>		X
C.	<p>Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?</p> <p>If yes, indicate type of structure, distance, and direction on site map.</p>		X
D.	<p>Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination?</p> <p style="text-align: right;">*Sewer, water, electricity, cable &amp; fiber optic</p> <p>If yes, indicate the type of utility, distance, and direction on the site map.</p>	*X	
E.	<p>Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?</p> <p>If yes, indicate the area of contaminated soil on the site map.</p>		X


### **XIII. SITE MAP**

**You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.**

(Attach Site Map Here)



**1383 DOVE LANE**



**SBG-EEG, Inc.**

398 E. 5th North Street, Suite C  
Summerville SC 29483-6954

Ph. (843) 875-1930

Drawn By: L. DiAsio


Dwg Date: JULY 2011

**FIGURE 1: LOCATION MAP**  
**1383 DOVE LANE**  
**LAUREL BAY, BEAUFORT SC**



← BROAD RIVER ≈ 850'

↑ STORMWATER CANAL  
≈ 400'



**SBG-EEG**

10179 HWY 78  
LADSON, SC 29456


ph. (843) 879-0400

FIGURE 2 SITE MAP  
1383 DOVE LANE, LAUREL BAY  
MCAS BEAUFORT SC


SCALE: GRAPHIC

DWG DATE JULY 2011

← BROAD RIVER ≈ 850'  
↑ STORMWATER CANAL  
≈ 400'



GRAPHIC SCALE



UST 1383DOVE WAS  
32" BELOW GRADE.

**SBG-EEG**

10179 HWY 78  
LADSON, SC 29456

ph. (843) 879-0400

FIGURE 3 UST SAMPLE LOCATIONS  
1383 DOVE LANE, LAUREL BAY  
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE JULY 2011



Picture 1: Location of UST 1383Dove.



Picture 2: UST 1383Dove site at completion of work.

#### XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

<b>CoC</b>	<b>UST</b>	<b>1383Dove</b>						
<b>Benzene</b>		ND						
<b>Toluene</b>		ND						
<b>Ethylbenzene</b>		ND						
<b>Xylenes</b>		ND						
<b>Naphthalene</b>		ND						
<b>Benzo (a) anthracene</b>		ND						
<b>Benzo (b) fluoranthene</b>		ND						
<b>Benzo (k) fluoranthene</b>		ND						
<b>Chrysene</b>		ND						
<b>Dibenz (a, h) anthracene</b>		ND						
<b>TPH (EPA 3550)</b>								

<b>CoC</b>								
<b>Benzene</b>								
<b>Toluene</b>								
<b>Ethylbenzene</b>								
<b>Xylenes</b>								
<b>Naphthalene</b>								
<b>Benzo (a) anthracene</b>								
<b>Benzo (b) fluoranthene</b>								
<b>Benzo (k) fluoranthene</b>								
<b>Chrysene</b>								
<b>Dibenz (a, h) anthracene</b>								
<b>TPH (EPA 3550)</b>								

### SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

## **XV. ANALYTICAL RESULTS**

**You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.**

(Attach Certified Analytical Results and Chain-of-Custody Here)  
(Please see Form #4)



May 20, 2011

1:48:05PM

Client: EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn: Tom McElwee

Work Order: NUE1252  
Project Name: Laurel Bay Housing Project  
Project Nbr: 1027  
P/O Nbr: 1027  
Date Received: 05/07/11

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
1383 Dove	NUE1252-01	05/02/11 11:45
1408 Eagle	NUE1252-02	05/03/11 13:45
1362 Cardinal	NUE1252-03	05/04/11 16:00
1435 Dove	NUE1252-04	05/05/11 15:45

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

South Carolina Certification Number: 84009

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.


These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.

This report has been electronically signed.

Report Approved By:



Roxanne Connor

Program Manager - Conventional Accounts

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUE1252  
Project Name: Laurel Bay Housing Project  
Project Number: 1027  
Received: 05/07/11 09:15

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NUE1252-01 (1383 Dove - Soil) Sampled: 05/02/11 11:45</b>										
General Chemistry Parameters										
% Dry Solids	80.5		%	0.500	0.500	1	05/18/11 14:24	SW-846	AMS	11E4197
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00120	0.00218	1	05/12/11 17:53	SW846 8260B	KKK	11E2166
Ethylbenzene	ND		mg/kg dry	0.00107	0.00218	1	05/12/11 17:53	SW846 8260B	KKK	11E2166
Naphthalene	ND		mg/kg dry	0.00185	0.00545	1	05/12/11 17:53	SW846 8260B	KKK	11E2166
Toluene	ND		mg/kg dry	0.000970	0.00218	1	05/12/11 17:53	SW846 8260B	KKK	11E2166
Xylenes, total	ND		mg/kg dry	0.00207	0.00545	1	05/12/11 17:53	SW846 8260B	KKK	11E2166
Surr: 1,2-Dichloroethane-d4 (67-138%)	92 %					1	05 12 11 17:53	SW846 8260B	KKK	11E2166
Surr: Dibromofluoromethane (75-125%)	100 %					1	05 12 11 17:53	SW846 8260B	KKK	11E2166
Surr: Toluene-d8 (76-129%)	88 %					1	05 12 11 17:53	SW846 8260B	KKK	11E2166
Surr: 4-Bromofluorobenzene (67-147%)	96 %					1	05 12 11 17:53	SW846 8260B	KKK	11E2166
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0171	0.0820	1	05/14/11 17:49	SW846 8270D	JLS	11E2121
Acenaphthylene	ND		mg/kg dry	0.0245	0.0820	1	05/14/11 17:49	SW846 8270D	JLS	11E2121
Anthracene	ND		mg/kg dry	0.0110	0.0820	1	05/14/11 17:49	SW846 8270D	JLS	11E2121
Benzo (a) anthracene	ND		mg/kg dry	0.0135	0.0820	1	05/14/11 17:49	SW846 8270D	JLS	11E2121
Benzo (a) pyrene	ND		mg/kg dry	0.00979	0.0820	1	05/14/11 17:49	SW846 8270D	JLS	11E2121
Benzo (b) fluoranthene	ND		mg/kg dry	0.0465	0.0820	1	05/14/11 17:49	SW846 8270D	JLS	11E2121
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0110	0.0820	1	05/14/11 17:49	SW846 8270D	JLS	11E2121
Benzo (k) fluoranthene	ND		mg/kg dry	0.0453	0.0820	1	05/14/11 17:49	SW846 8270D	JLS	11E2121
Chrysene	ND		mg/kg dry	0.0379	0.0820	1	05/14/11 17:49	SW846 8270D	JLS	11E2121
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0184	0.0820	1	05/14/11 17:49	SW846 8270D	JLS	11E2121
Fluoranthene	ND		mg/kg dry	0.0135	0.0820	1	05/14/11 17:49	SW846 8270D	JLS	11E2121
Fluorene	0.0734	J	mg/kg dry	0.0245	0.0820	1	05/14/11 17:49	SW846 8270D	JLS	11E2121
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0379	0.0820	1	05/14/11 17:49	SW846 8270D	JLS	11E2121
Naphthalene	ND		mg/kg dry	0.0171	0.0820	1	05/14/11 17:49	SW846 8270D	JLS	11E2121
Phenanthrene	0.145		mg/kg dry	0.0122	0.0820	1	05/14/11 17:49	SW846 8270D	JLS	11E2121
Pyrene	ND		mg/kg dry	0.0282	0.0820	1	05/14/11 17:49	SW846 8270D	JLS	11E2121
1-Methylnaphthalene	0.173		mg/kg dry	0.0147	0.0820	1	05/14/11 17:49	SW846 8270D	JLS	11E2121
2-Methylnaphthalene	0.266		mg/kg dry	0.0257	0.0820	1	05/14/11 17:49	SW846 8270D	JLS	11E2121
Surr: Terphenyl-d14 (18-120%)	86 %					1	05 14 11 17:49	SW846 8270D	JLS	11E2121
Surr: 2-Fluorobiphenyl (14-120%)	56 %					1	05 14 11 17:49	SW846 8270D	JLS	11E2121
Surr: Nitrobenzene-d5 (17-120%)	55 %					1	05 14 11 17:49	SW846 8270D	JLS	11E2121



Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUE1252  
Project Name: Laurel Bay Housing Project  
Project Number: 1027  
Received: 05/07/11 09:15

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NUE1252-02 (1408 Eagle - Soil) Sampled: 05/03/11 13:45</b>										
General Chemistry Parameters										
% Dry Solids	82.9		%	0.500	0.500	1	05/18/11 14:24	SW-846	AMS	11E4197
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00107	0.00195	1	05/12/11 18:22	SW846 8260B	KKK	11E2166
Ethylbenzene	0.0280		mg/kg dry	0.000953	0.00195	1	05/12/11 18:22	SW846 8260B	KKK	11E2166
Naphthalene	0.0401		mg/kg dry	0.00165	0.00486	1	05/12/11 18:22	SW846 8260B	KKK	11E2166
Toluene	0.0214		mg/kg dry	0.000866	0.00195	1	05/12/11 18:22	SW846 8260B	KKK	11E2166
Xylenes, total	0.133		mg/kg dry	0.00185	0.00486	1	05/12/11 18:22	SW846 8260B	KKK	11E2166
Surr: 1,2-Dichloroethane-d4 (67-138%)	94 %					1	05 12 11 18:22	SW846 8260B	KKK	11E2166
Surr: Dibromofluoromethane (75-125%)	101 %					1	05 12 11 18:22	SW846 8260B	KKK	11E2166
Surr: Toluene-d8 (76-129%)	103 %					1	05 12 11 18:22	SW846 8260B	KKK	11E2166
Surr: 4-Bromofluorobenzene (67-147%)	110 %					1	05 12 11 18:22	SW846 8260B	KKK	11E2166
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0167	0.0799	1	05/14/11 18:15	SW846 8270D	JLS	11E2121
Acenaphthylene	ND		mg/kg dry	0.0239	0.0799	1	05/14/11 18:15	SW846 8270D	JLS	11E2121
Anthracene	ND		mg/kg dry	0.0107	0.0799	1	05/14/11 18:15	SW846 8270D	JLS	11E2121
Benzo (a) anthracene	ND		mg/kg dry	0.0131	0.0799	1	05/14/11 18:15	SW846 8270D	JLS	11E2121
Benzo (a) pyrene	0.0517	J	mg/kg dry	0.00954	0.0799	1	05/14/11 18:15	SW846 8270D	JLS	11E2121
Benzo (b) fluoranthene	0.0990		mg/kg dry	0.0453	0.0799	1	05/14/11 18:15	SW846 8270D	JLS	11E2121
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0107	0.0799	1	05/14/11 18:15	SW846 8270D	JLS	11E2121
Benzo (k) fluoranthene	0.0553	J	mg/kg dry	0.0441	0.0799	1	05/14/11 18:15	SW846 8270D	JLS	11E2121
Chrysene	0.0644	J	mg/kg dry	0.0370	0.0799	1	05/14/11 18:15	SW846 8270D	JLS	11E2121
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0179	0.0799	1	05/14/11 18:15	SW846 8270D	JLS	11E2121
Fluoranthene	ND		mg/kg dry	0.0131	0.0799	1	05/14/11 18:15	SW846 8270D	JLS	11E2121
Fluorene	ND		mg/kg dry	0.0239	0.0799	1	05/14/11 18:15	SW846 8270D	JLS	11E2121
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0370	0.0799	1	05/14/11 18:15	SW846 8270D	JLS	11E2121
Naphthalene	0.0708	J	mg/kg dry	0.0167	0.0799	1	05/14/11 18:15	SW846 8270D	JLS	11E2121
Phenanthrene	ND		mg/kg dry	0.0119	0.0799	1	05/14/11 18:15	SW846 8270D	JLS	11E2121
Pyrene	0.197		mg/kg dry	0.0274	0.0799	1	05/14/11 18:15	SW846 8270D	JLS	11E2121
1-Methylnaphthalene	0.111		mg/kg dry	0.0143	0.0799	1	05/14/11 18:15	SW846 8270D	JLS	11E2121
2-Methylnaphthalene	0.112		mg/kg dry	0.0250	0.0799	1	05/14/11 18:15	SW846 8270D	JLS	11E2121
Surr: Terphenyl-d14 (18-120%)	47 %					1	05 14 11 18:15	SW846 8270D	JLS	11E2121
Surr: 2-Fluorobiphenyl (14-120%)	32 %					1	05 14 11 18:15	SW846 8270D	JLS	11E2121
Surr: Nitrobenzene-d5 (17-120%)	29 %					1	05 14 11 18:15	SW846 8270D	JLS	11E2121

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUE1252  
Project Name: Laurel Bay Housing Project  
Project Number: 1027  
Received: 05/07/11 09:15

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NUE1252-03 (1362 Cardinal - Soil) Sampled: 05/04/11 16:00</b>										
General Chemistry Parameters										
% Dry Solids	82.4		%	0.500	0.500	1	05/18/11 14:24	SW-846	AMS	11E4197
Volatile Organic Compounds by EPA Method 8260B										
Benzene	0.0309		mg/kg dry	0.000985	0.00179	1	05/12/11 18:52	SW846 8260B	KKK	11E2166
Ethylbenzene	1.43		mg/kg dry	0.0430	0.0877	50	05/13/11 14:07	SW846 8260B	KKK	11E3547
Naphthalene	6.72		mg/kg dry	0.0745	0.219	50	05/13/11 14:07	SW846 8260B	KKK	11E3547
Toluene	0.0640		mg/kg dry	0.000797	0.00179	1	05/12/11 18:52	SW846 8260B	KKK	11E2166
Xylenes, total	6.39		mg/kg dry	0.0833	0.219	50	05/13/11 14:07	SW846 8260B	KKK	11E3547
Surr: 1,2-Dichloroethane-d4 (67-138%)	98 %					1	05 12 11 18:52	SW846 8260B	KKK	11E2166
Surr: 1,2-Dichloroethane-d4 (67-138%)	78 %					50	05 13 11 14:07	SW846 8260B	KKK	11E3547
Surr: Dibromofluoromethane (75-125%)	108 %					1	05 12 11 18:52	SW846 8260B	KKK	11E2166
Surr: Dibromofluoromethane (75-125%)	82 %					50	05 13 11 14:07	SW846 8260B	KKK	11E3547
Surr: Toluene-d8 (76-129%)	214 %	ZX				1	05 12 11 18:52	SW846 8260B	KKK	11E2166
Surr: Toluene-d8 (76-129%)	96 %					50	05 13 11 14:07	SW846 8260B	KKK	11E3547
Surr: 4-Bromofluorobenzene (67-147%)	285 %	ZX				1	05 12 11 18:52	SW846 8260B	KKK	11E2166
Surr: 4-Bromofluorobenzene (67-147%)	108 %					50	05 13 11 14:07	SW846 8260B	KKK	11E3547
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	0.613		mg/kg dry	0.0168	0.0802	1	05/14/11 18:41	SW846 8270D	JLS	11E2121
Acenaphthylene	ND		mg/kg dry	0.0239	0.0802	1	05/14/11 18:41	SW846 8270D	JLS	11E2121
Anthracene	0.447		mg/kg dry	0.0108	0.0802	1	05/14/11 18:41	SW846 8270D	JLS	11E2121
Benzo (a) anthracene	0.203		mg/kg dry	0.0132	0.0802	1	05/14/11 18:41	SW846 8270D	JLS	11E2121
Benzo (a) pyrene	0.0746	J	mg/kg dry	0.00958	0.0802	1	05/14/11 18:41	SW846 8270D	JLS	11E2121
Benzo (b) fluoranthene	0.106		mg/kg dry	0.0455	0.0802	1	05/14/11 18:41	SW846 8270D	JLS	11E2121
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0108	0.0802	1	05/14/11 18:41	SW846 8270D	JLS	11E2121
Benzo (k) fluoranthene	0.0774	J	mg/kg dry	0.0443	0.0802	1	05/14/11 18:41	SW846 8270D	JLS	11E2121
Chrysene	0.206		mg/kg dry	0.0371	0.0802	1	05/14/11 18:41	SW846 8270D	JLS	11E2121
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0180	0.0802	1	05/14/11 18:41	SW846 8270D	JLS	11E2121
Fluoranthene	0.797		mg/kg dry	0.0132	0.0802	1	05/14/11 18:41	SW846 8270D	JLS	11E2121
Fluorene	1.70		mg/kg dry	0.0239	0.0802	1	05/14/11 18:41	SW846 8270D	JLS	11E2121
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0371	0.0802	1	05/14/11 18:41	SW846 8270D	JLS	11E2121
Naphthalene	6.17		mg/kg dry	0.168	0.802	10	05/14/11 19:59	SW846 8270D	JLS	11E2121
Phenanthrene	4.01		mg/kg dry	0.0120	0.0802	1	05/14/11 18:41	SW846 8270D	JLS	11E2121
Pyrene	0.800		mg/kg dry	0.0275	0.0802	1	05/14/11 18:41	SW846 8270D	JLS	11E2121
1-Methylnaphthalene	14.2		mg/kg dry	0.144	0.802	10	05/14/11 19:59	SW846 8270D	JLS	11E2121
2-Methylnaphthalene	22.8		mg/kg dry	0.251	0.802	10	05/14/11 19:59	SW846 8270D	JLS	11E2121
Surr: Terphenyl-d14 (18-120%)	78 %					1	05 14 11 18:41	SW846 8270D	JLS	11E2121
Surr: 2-Fluorobiphenyl (14-120%)	51 %					1	05 14 11 18:41	SW846 8270D	JLS	11E2121
Surr: Nitrobenzene-d5 (17-120%)	12 %	ZX				1	05 14 11 18:41	SW846 8270D	JLS	11E2121

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUE1252  
Project Name: Laurel Bay Housing Project  
Project Number: 1027  
Received: 05/07/11 09:15

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NUE1252-04 (1435 Dove - Soil) Sampled: 05/05/11 15:45</b>										
General Chemistry Parameters										
% Dry Solids	79.6		%	0.500	0.500	1	05/18/11 14:24	SW-846	AMS	11E4197
Volatile Organic Compounds by EPA Method 8260B										
Benzene	0.00243		mg/kg dry	0.00114	0.00208	1	05/12/11 19:21	SW846 8260B	KKK	11E2166
Ethylbenzene	0.109		mg/kg dry	0.00102	0.00208	1	05/12/11 19:21	SW846 8260B	KKK	11E2166
Naphthalene	1.51		mg/kg dry	0.0811	0.238	50	05/13/11 13:38	SW846 8260B	KKK	11E3547
Toluene	0.00479		mg/kg dry	0.000926	0.00208	1	05/12/11 19:21	SW846 8260B	KKK	11E2166
Xylenes, total	0.458		mg/kg dry	0.00198	0.00520	1	05/12/11 19:21	SW846 8260B	KKK	11E2166
Surr: 1,2-Dichloroethane-d4 (67-138%)	87 %					1	05/12/11 19:21	SW846 8260B	KKK	11E2166
Surr: 1,2-Dichloroethane-d4 (67-138%)	82 %					50	05/13/11 13:38	SW846 8260B	KKK	11E3547
Surr: Dibromofluoromethane (75-125%)	97 %					1	05/12/11 19:21	SW846 8260B	KKK	11E2166
Surr: Dibromofluoromethane (75-125%)	86 %					50	05/13/11 13:38	SW846 8260B	KKK	11E3547
Surr: Toluene-d8 (76-129%)	110 %					1	05/12/11 19:21	SW846 8260B	KKK	11E2166
Surr: Toluene-d8 (76-129%)	95 %					50	05/13/11 13:38	SW846 8260B	KKK	11E3547
Surr: 4-Bromofluorobenzene (67-147%)	132 %					1	05/12/11 19:21	SW846 8260B	KKK	11E2166
Surr: 4-Bromofluorobenzene (67-147%)	95 %					50	05/13/11 13:38	SW846 8260B	KKK	11E3547
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	0.109		mg/kg dry	0.0176	0.0840	1	05/14/11 19:07	SW846 8270D	JLS	11E2121
Acenaphthylene	ND		mg/kg dry	0.0251	0.0840	1	05/14/11 19:07	SW846 8270D	JLS	11E2121
Anthracene	0.0794	J	mg/kg dry	0.0113	0.0840	1	05/14/11 19:07	SW846 8270D	JLS	11E2121
Benzo (a) anthracene	ND		mg/kg dry	0.0138	0.0840	1	05/14/11 19:07	SW846 8270D	JLS	11E2121
Benzo (a) pyrene	ND		mg/kg dry	0.0100	0.0840	1	05/14/11 19:07	SW846 8270D	JLS	11E2121
Benzo (b) fluoranthene	ND		mg/kg dry	0.0476	0.0840	1	05/14/11 19:07	SW846 8270D	JLS	11E2121
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0113	0.0840	1	05/14/11 19:07	SW846 8270D	JLS	11E2121
Benzo (k) fluoranthene	ND		mg/kg dry	0.0464	0.0840	1	05/14/11 19:07	SW846 8270D	JLS	11E2121
Chrysene	ND		mg/kg dry	0.0389	0.0840	1	05/14/11 19:07	SW846 8270D	JLS	11E2121
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0188	0.0840	1	05/14/11 19:07	SW846 8270D	JLS	11E2121
Fluoranthene	ND		mg/kg dry	0.0138	0.0840	1	05/14/11 19:07	SW846 8270D	JLS	11E2121
Fluorene	0.273		mg/kg dry	0.0251	0.0840	1	05/14/11 19:07	SW846 8270D	JLS	11E2121
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0389	0.0840	1	05/14/11 19:07	SW846 8270D	JLS	11E2121
Naphthalene	0.334		mg/kg dry	0.0176	0.0840	1	05/14/11 19:07	SW846 8270D	JLS	11E2121
Phenanthrene	0.630		mg/kg dry	0.0125	0.0840	1	05/14/11 19:07	SW846 8270D	JLS	11E2121
Pyrene	0.0606	J	mg/kg dry	0.0288	0.0840	1	05/14/11 19:07	SW846 8270D	JLS	11E2121
1-Methylnaphthalene	1.16		mg/kg dry	0.0150	0.0840	1	05/14/11 19:07	SW846 8270D	JLS	11E2121
2-Methylnaphthalene	1.51		mg/kg dry	0.0263	0.0840	1	05/14/11 19:07	SW846 8270D	JLS	11E2121
Surr: Terphenyl-d14 (18-120%)	83 %					1	05/14/11 19:07	SW846 8270D	JLS	11E2121
Surr: 2-Fluorobiphenyl (14-120%)	56 %					1	05/14/11 19:07	SW846 8270D	JLS	11E2121
Surr: Nitrobenzene-d5 (17-120%)	53 %					1	05/14/11 19:07	SW846 8270D	JLS	11E2121

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUE1252  
Project Name: Laurel Bay Housing Project  
Project Number: 1027  
Received: 05/07/11 09:15

## SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extract Vol	Date	Analyst	Extraction Method
Polyaromatic Hydrocarbons by EPA 8270D							
SW846 8270D	11E2121	NUE1252-01	30.44	1.00	05/12/11 14:25	JJR	EPA 3550C
SW846 8270D	11E2121	NUE1252-02	30.34	1.00	05/12/11 14:25	JJR	EPA 3550C
SW846 8270D	11E2121	NUE1252-03	30.42	1.00	05/12/11 14:25	JJR	EPA 3550C
SW846 8270D	11E2121	NUE1252-03RE1	30.42	1.00	05/12/11 14:25	JJR	EPA 3550C
SW846 8270D	11E2121	NUE1252-04	30.08	1.00	05/12/11 14:25	JJR	EPA 3550C
Volatile Organic Compounds by EPA Method 8260B							
SW846 8260B	11E2166	NUE1252-01	5.70	5.00	05/02/11 11:45	TSP	EPA 5035
SW846 8260B	11E2166	NUE1252-02	6.20	5.00	05/03/11 13:45	TSP	EPA 5035
SW846 8260B	11E2166	NUE1252-03	6.78	5.00	05/04/11 16:00	TSP	EPA 5035
SW846 8260B	11E3547	NUE1252-03RE1	6.92	5.00	05/04/11 16:00	TSP	EPA 5035
SW846 8260B	11E2166	NUE1252-04	6.04	5.00	05/05/11 15:45	TSP	EPA 5035
SW846 8260B	11E3547	NUE1252-04RE1	6.59	5.00	05/05/11 15:45	TSP	EPA 5035

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUE1252  
Project Name: Laurel Bay Housing Project  
Project Number: 1027  
Received: 05/07/11 09:15

## PROJECT QUALITY CONTROL DATA

### Blank

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

#### Volatile Organic Compounds by EPA Method 8260B

##### 11E2166-BLK1

Benzene	<0.00110		mg/kg wet	11E2166	11E2166-BLK1	05/12/11 11:58
Ethylbenzene	<0.000980		mg/kg wet	11E2166	11E2166-BLK1	05/12/11 11:58
Naphthalene	<0.00170		mg/kg wet	11E2166	11E2166-BLK1	05/12/11 11:58
Toluene	<0.000890		mg/kg wet	11E2166	11E2166-BLK1	05/12/11 11:58
Xylenes, total	<0.00190		mg/kg wet	11E2166	11E2166-BLK1	05/12/11 11:58
Surrogate: 1,2-Dichloroethane-d4	94%			11E2166	11E2166-BLK1	05/12/11 11:58
Surrogate: Dibromofluoromethane	105%			11E2166	11E2166-BLK1	05/12/11 11:58
Surrogate: Toluene-d8	92%			11E2166	11E2166-BLK1	05/12/11 11:58
Surrogate: 4-Bromofluorobenzene	94%			11E2166	11E2166-BLK1	05/12/11 11:58

##### 11E3547-BLK1

Benzene	<0.00110		mg/kg wet	11E3547	11E3547-BLK1	05/13/11 12:39
Ethylbenzene	<0.000980		mg/kg wet	11E3547	11E3547-BLK1	05/13/11 12:39
Naphthalene	<0.00170		mg/kg wet	11E3547	11E3547-BLK1	05/13/11 12:39
Toluene	<0.000890		mg/kg wet	11E3547	11E3547-BLK1	05/13/11 12:39
Xylenes, total	<0.00190		mg/kg wet	11E3547	11E3547-BLK1	05/13/11 12:39
Surrogate: 1,2-Dichloroethane-d4	88%			11E3547	11E3547-BLK1	05/13/11 12:39
Surrogate: Dibromofluoromethane	94%			11E3547	11E3547-BLK1	05/13/11 12:39
Surrogate: Toluene-d8	95%			11E3547	11E3547-BLK1	05/13/11 12:39
Surrogate: 4-Bromofluorobenzene	97%			11E3547	11E3547-BLK1	05/13/11 12:39

##### 11E3547-BLK2

Benzene	<0.0550		mg/kg wet	11E3547	11E3547-BLK2	05/13/11 13:08
Ethylbenzene	<0.0490		mg/kg wet	11E3547	11E3547-BLK2	05/13/11 13:08
Naphthalene	<0.0850		mg/kg wet	11E3547	11E3547-BLK2	05/13/11 13:08
Toluene	<0.0445		mg/kg wet	11E3547	11E3547-BLK2	05/13/11 13:08
Xylenes, total	<0.0950		mg/kg wet	11E3547	11E3547-BLK2	05/13/11 13:08
Surrogate: 1,2-Dichloroethane-d4	85%			11E3547	11E3547-BLK2	05/13/11 13:08
Surrogate: Dibromofluoromethane	94%			11E3547	11E3547-BLK2	05/13/11 13:08
Surrogate: Toluene-d8	94%			11E3547	11E3547-BLK2	05/13/11 13:08
Surrogate: 4-Bromofluorobenzene	96%			11E3547	11E3547-BLK2	05/13/11 13:08

#### Polyaromatic Hydrocarbons by EPA 8270D

##### 11E2121-BLK1

Acenaphthene	<0.0140		mg/kg wet	11E2121	11E2121-BLK1	05/14/11 15:11
Acenaphthylene	<0.0200		mg/kg wet	11E2121	11E2121-BLK1	05/14/11 15:11
Anthracene	<0.00900		mg/kg wet	11E2121	11E2121-BLK1	05/14/11 15:11
Benzo (a) anthracene	<0.0110		mg/kg wet	11E2121	11E2121-BLK1	05/14/11 15:11
Benzo (a) pyrene	<0.00800		mg/kg wet	11E2121	11E2121-BLK1	05/14/11 15:11
Benzo (b) fluoranthene	<0.0380		mg/kg wet	11E2121	11E2121-BLK1	05/14/11 15:11
Benzo (g,h,i) perylene	<0.00900		mg/kg wet	11E2121	11E2121-BLK1	05/14/11 15:11
Benzo (k) fluoranthene	<0.0370		mg/kg wet	11E2121	11E2121-BLK1	05/14/11 15:11

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUE1252  
Project Name: Laurel Bay Housing Project  
Project Number: 1027  
Received: 05/07/11 09:15

**PROJECT QUALITY CONTROL DATA**  
**Blank - Cont.**

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>						
<b>11E2121-BLK1</b>						
Chrysene	<0.0310		mg/kg wet	11E2121	11E2121-BLK1	05/14/11 15:11
Dibenz (a,h) anthracene	<0.0150		mg/kg wet	11E2121	11E2121-BLK1	05/14/11 15:11
Fluoranthene	<0.0110		mg/kg wet	11E2121	11E2121-BLK1	05/14/11 15:11
Fluorene	<0.0200		mg/kg wet	11E2121	11E2121-BLK1	05/14/11 15:11
Indeno (1,2,3-cd) pyrene	<0.0310		mg/kg wet	11E2121	11E2121-BLK1	05/14/11 15:11
Naphthalene	<0.0140		mg/kg wet	11E2121	11E2121-BLK1	05/14/11 15:11
Phenanthrene	<0.0100		mg/kg wet	11E2121	11E2121-BLK1	05/14/11 15:11
Pyrene	<0.0230		mg/kg wet	11E2121	11E2121-BLK1	05/14/11 15:11
1-Methylnaphthalene	<0.0120		mg/kg wet	11E2121	11E2121-BLK1	05/14/11 15:11
2-Methylnaphthalene	<0.0210		mg/kg wet	11E2121	11E2121-BLK1	05/14/11 15:11
Surrogate: Terphenyl-d14	81%			11E2121	11E2121-BLK1	05/14/11 15:11
Surrogate: 2-Fluorobiphenyl	60%			11E2121	11E2121-BLK1	05/14/11 15:11
Surrogate: Nitrobenzene-d5	61%			11E2121	11E2121-BLK1	05/14/11 15:11

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUE1252  
Project Name: Laurel Bay Housing Project  
Project Number: 1027  
Received: 05/07/11 09:15

## PROJECT QUALITY CONTROL DATA

### Duplicate

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	% Rec.	Analyzed Date/Time
<b>General Chemistry Parameters</b>										
<b>11E4197-DUP1</b>										
% Dry Solids	77.2	78.4		%	2	20	11E4197	NUE1226-09		05/18/11 14:24

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUE1252  
Project Name: Laurel Bay Housing Project  
Project Number: 1027  
Received: 05/07/11 09:15

## PROJECT QUALITY CONTROL DATA LCS

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>								
<b>11E2166-BS1</b>								
Benzene	50.0	48.5		ug/kg	97%	78 - 126	11E2166	05/12/11 10:28
Ethylbenzene	50.0	49.4		ug/kg	99%	79 - 130	11E2166	05/12/11 10:28
Naphthalene	50.0	42.4		ug/kg	85%	72 - 150	11E2166	05/12/11 10:28
Toluene	50.0	44.3		ug/kg	89%	76 - 126	11E2166	05/12/11 10:28
Xylenes, total	150	150		ug/kg	100%	80 - 130	11E2166	05/12/11 10:28
Surrogate: 1,2-Dichloroethane-d4	50.0	43.4			87%	67 - 138	11E2166	05/12/11 10:28
Surrogate: Dibromofluoromethane	50.0	51.6			103%	75 - 125	11E2166	05/12/11 10:28
Surrogate: Toluene-d8	50.0	43.9			88%	76 - 129	11E2166	05/12/11 10:28
Surrogate: 4-Bromofluorobenzene	50.0	48.6			97%	67 - 147	11E2166	05/12/11 10:28
<b>11E3547-BS1</b>								
Benzene	50.0	47.4		ug/kg	95%	78 - 126	11E3547	05/13/11 11:04
Ethylbenzene	50.0	47.0		ug/kg	94%	79 - 130	11E3547	05/13/11 11:04
Naphthalene	50.0	38.8		ug/kg	78%	72 - 150	11E3547	05/13/11 11:04
Toluene	50.0	47.2		ug/kg	94%	76 - 126	11E3547	05/13/11 11:04
Xylenes, total	150	141		ug/kg	94%	80 - 130	11E3547	05/13/11 11:04
Surrogate: 1,2-Dichloroethane-d4	50.0	41.3			83%	67 - 138	11E3547	05/13/11 11:04
Surrogate: Dibromofluoromethane	50.0	44.6			89%	75 - 125	11E3547	05/13/11 11:04
Surrogate: Toluene-d8	50.0	48.3			97%	76 - 129	11E3547	05/13/11 11:04
Surrogate: 4-Bromofluorobenzene	50.0	49.1			98%	67 - 147	11E3547	05/13/11 11:04
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>								
<b>11E2121-BS1</b>								
Acenaphthene	1.67	1.25		mg/kg wet	75%	49 - 120	11E2121	05/14/11 15:38
Acenaphthylene	1.67	1.06		mg/kg wet	64%	52 - 120	11E2121	05/14/11 15:38
Anthracene	1.67	1.49		mg/kg wet	89%	58 - 120	11E2121	05/14/11 15:38
Benzo (a) anthracene	1.67	1.40		mg/kg wet	84%	57 - 120	11E2121	05/14/11 15:38
Benzo (a) pyrene	1.67	1.35		mg/kg wet	81%	55 - 120	11E2121	05/14/11 15:38
Benzo (b) fluoranthene	1.67	1.56		mg/kg wet	94%	51 - 123	11E2121	05/14/11 15:38
Benzo (g,h,i) perylene	1.67	1.31		mg/kg wet	79%	49 - 121	11E2121	05/14/11 15:38
Benzo (k) fluoranthene	1.67	1.24		mg/kg wet	74%	42 - 129	11E2121	05/14/11 15:38
Chrysene	1.67	1.31		mg/kg wet	79%	55 - 120	11E2121	05/14/11 15:38
Dibenz (a,h) anthracene	1.67	1.39		mg/kg wet	84%	50 - 123	11E2121	05/14/11 15:38
Fluoranthene	1.67	1.46		mg/kg wet	88%	58 - 120	11E2121	05/14/11 15:38
Fluorene	1.67	1.30		mg/kg wet	78%	54 - 120	11E2121	05/14/11 15:38
Indeno (1,2,3-cd) pyrene	1.67	1.35		mg/kg wet	81%	50 - 122	11E2121	05/14/11 15:38
Naphthalene	1.67	1.09		mg/kg wet	65%	28 - 120	11E2121	05/14/11 15:38
Phenanthrene	1.67	1.43		mg/kg wet	86%	56 - 120	11E2121	05/14/11 15:38
Pyrene	1.67	1.46		mg/kg wet	87%	56 - 120	11E2121	05/14/11 15:38
1-Methylnaphthalene	1.67	1.05		mg/kg wet	63%	36 - 120	11E2121	05/14/11 15:38
2-Methylnaphthalene	1.67	1.16		mg/kg wet	69%	36 - 120	11E2121	05/14/11 15:38



Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUE1252  
Project Name: Laurel Bay Housing Project  
Project Number: 1027  
Received: 05/07/11 09:15

**PROJECT QUALITY CONTROL DATA**  
**LCS - Cont.**

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>								
<b>11E2121-BS1</b>								
<i>Surrogate: Terphenyl-d14</i>	50.0	43.8			88%	18 - 120	11E2121	05/14/11 15:38
<i>Surrogate: 2-Fluorobiphenyl</i>	50.0	30.3			61%	14 - 120	11E2121	05/14/11 15:38
<i>Surrogate: Nitrobenzene-d5</i>	50.0	27.7			55%	17 - 120	11E2121	05/14/11 15:38

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUE1252  
Project Name: Laurel Bay Housing Project  
Project Number: 1027  
Received: 05/07/11 09:15

## PROJECT QUALITY CONTROL DATA

### LCS Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>												
<b>11E2166-BS1</b>												
Benzene		48.3		ug/kg	50.0	97%	78 - 126	0.5	50	11E2166		05/12/11 10:57
Ethylbenzene		48.9		ug/kg	50.0	98%	79 - 130	1	50	11E2166		05/12/11 10:57
Naphthalene		41.1		ug/kg	50.0	82%	72 - 150	3	50	11E2166		05/12/11 10:57
Toluene		44.4		ug/kg	50.0	89%	76 - 126	0.2	50	11E2166		05/12/11 10:57
Xylenes, total		147		ug/kg	150	98%	80 - 130	2	50	11E2166		05/12/11 10:57
Surrogate: 1,2-Dichloroethane-d4		43.4		ug/kg	50.0	87%	67 - 138			11E2166		05/12/11 10:57
Surrogate: Dibromofluoromethane		51.9		ug/kg	50.0	104%	75 - 125			11E2166		05/12/11 10:57
Surrogate: Toluene-d8		44.0		ug/kg	50.0	88%	76 - 129			11E2166		05/12/11 10:57
Surrogate: 4-Bromofluorobenzene		48.5		ug/kg	50.0	97%	67 - 147			11E2166		05/12/11 10:57
<b>11E3547-BS1</b>												
Benzene		48.4		ug/kg	50.0	97%	78 - 126	2	50	11E3547		05/13/11 11:34
Ethylbenzene		47.4		ug/kg	50.0	95%	79 - 130	0.8	50	11E3547		05/13/11 11:34
Naphthalene		41.6		ug/kg	50.0	83%	72 - 150	7	50	11E3547		05/13/11 11:34
Toluene		47.8		ug/kg	50.0	96%	76 - 126	1	50	11E3547		05/13/11 11:34
Xylenes, total		143		ug/kg	150	95%	80 - 130	0.8	50	11E3547		05/13/11 11:34
Surrogate: 1,2-Dichloroethane-d4		42.3		ug/kg	50.0	85%	67 - 138			11E3547		05/13/11 11:34
Surrogate: Dibromofluoromethane		46.3		ug/kg	50.0	93%	75 - 125			11E3547		05/13/11 11:34
Surrogate: Toluene-d8		48.7		ug/kg	50.0	97%	76 - 129			11E3547		05/13/11 11:34
Surrogate: 4-Bromofluorobenzene		48.7		ug/kg	50.0	97%	67 - 147			11E3547		05/13/11 11:34

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUE1252  
Project Name: Laurel Bay Housing Project  
Project Number: 1027  
Received: 05/07/11 09:15

## PROJECT QUALITY CONTROL DATA

### Matrix Spike

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>										
<b>11E2166-MS1</b>										
Benzene	0.00243	0.0802		mg/kg dry	0.0724	107%	42 - 141	11E2166	NUE1252-04	05/12/11 19:51
Ethylbenzene	0.109	0.366	M1	mg/kg dry	0.0724	354%	21 - 165	11E2166	NUE1252-04	05/12/11 19:51
Naphthalene	0.270	1.34	M1	mg/kg dry	0.0724	1480%	10 - 160	11E2166	NUE1252-04	05/12/11 19:51
Toluene	0.00479	0.101		mg/kg dry	0.0724	133%	45 - 145	11E2166	NUE1252-04	05/12/11 19:51
Xylenes, total	0.458	1.43	M1	mg/kg dry	0.217	448%	31 - 159	11E2166	NUE1252-04	05/12/11 19:51
Surrogate: 1,2-Dichloroethane-d4		39.5		ug/kg	50.0	79%	67 - 138	11E2166	NUE1252-04	05/12/11 19:51
Surrogate: Dibromofluoromethane		46.6		ug/kg	50.0	93%	75 - 125	11E2166	NUE1252-04	05/12/11 19:51
Surrogate: Toluene-d8		59.4		ug/kg	50.0	119%	76 - 129	11E2166	NUE1252-04	05/12/11 19:51
Surrogate: 4-Bromofluorobenzene		112	ZX	ug/kg	50.0	223%	67 - 147	11E2166	NUE1252-04	05/12/11 19:51
<b>11E3547-MS1</b>										
Benzene	ND	1.98		mg/kg dry	2.19	90%	42 - 141	11E3547	NUE1252-03RE 1	05/14/11 09:43
Ethylbenzene	1.43	2.61		mg/kg dry	2.19	54%	21 - 165	11E3547	NUE1252-03RE 1	05/14/11 09:43
Naphthalene	6.72	6.66	M2	mg/kg dry	2.19	-3%	10 - 160	11E3547	NUE1252-03RE 1	05/14/11 09:43
Toluene	0.0588	1.84		mg/kg dry	2.19	81%	45 - 145	11E3547	NUE1252-03RE 1	05/14/11 09:43
Xylenes, total	6.39	9.08		mg/kg dry	6.58	41%	31 - 159	11E3547	NUE1252-03RE 1	05/14/11 09:43
Surrogate: 1,2-Dichloroethane-d4		40.6		ug/kg	50.0	81%	67 - 138	11E3547	NUE1252-03RE 1	05/14/11 09:43
Surrogate: Dibromofluoromethane		47.2		ug/kg	50.0	94%	75 - 125	11E3547	NUE1252-03RE 1	05/14/11 09:43
Surrogate: Toluene-d8		48.4		ug/kg	50.0	97%	76 - 129	11E3547	NUE1252-03RE 1	05/14/11 09:43
Surrogate: 4-Bromofluorobenzene		53.6		ug/kg	50.0	107%	67 - 147	11E3547	NUE1252-03RE 1	05/14/11 09:43
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>										
<b>11E2121-MS1</b>										
Acenaphthene	ND	1.10		mg/kg dry	1.87	59%	42 - 120	11E2121	NUE1229-03	05/14/11 16:04
Acenaphthylene	ND	0.956		mg/kg dry	1.87	51%	32 - 120	11E2121	NUE1229-03	05/14/11 16:04
Anthracene	ND	1.25		mg/kg dry	1.87	67%	10 - 200	11E2121	NUE1229-03	05/14/11 16:04
Benzo (a) anthracene	0.0403	1.20		mg/kg dry	1.87	62%	41 - 120	11E2121	NUE1229-03	05/14/11 16:04
Benzo (a) pyrene	ND	1.18		mg/kg dry	1.87	63%	33 - 121	11E2121	NUE1229-03	05/14/11 16:04
Benzo (b) fluoranthene	ND	1.24		mg/kg dry	1.87	66%	26 - 137	11E2121	NUE1229-03	05/14/11 16:04
Benzo (g,h,i) perylene	ND	1.15		mg/kg dry	1.87	61%	21 - 124	11E2121	NUE1229-03	05/14/11 16:04
Benzo (k) fluoranthene	ND	1.13		mg/kg dry	1.87	60%	14 - 140	11E2121	NUE1229-03	05/14/11 16:04
Chrysene	0.0407	1.14		mg/kg dry	1.87	59%	28 - 123	11E2121	NUE1229-03	05/14/11 16:04
Dibenz (a,h) anthracene	ND	1.19		mg/kg dry	1.87	64%	25 - 127	11E2121	NUE1229-03	05/14/11 16:04

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUE1252  
Project Name: Laurel Bay Housing Project  
Project Number: 1027  
Received: 05/07/11 09:15

**PROJECT QUALITY CONTROL DATA**  
**Matrix Spike - Cont.**

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>										
<b>11E2121-MS1</b>										
Fluoranthene	0.0843	1.32		mg/kg dry	1.87	66%	38 - 120	11E2121	NUE1229-03	05/14/11 16:04
Fluorene	ND	1.20		mg/kg dry	1.87	64%	41 - 120	11E2121	NUE1229-03	05/14/11 16:04
Indeno (1,2,3-cd) pyrene	ND	1.18		mg/kg dry	1.87	63%	25 - 123	11E2121	NUE1229-03	05/14/11 16:04
Naphthalene	ND	1.01		mg/kg dry	1.87	54%	25 - 120	11E2121	NUE1229-03	05/14/11 16:04
Phenanthrene	0.0440	1.25		mg/kg dry	1.87	65%	37 - 120	11E2121	NUE1229-03	05/14/11 16:04
Pyrene	0.0847	1.40		mg/kg dry	1.87	71%	29 - 125	11E2121	NUE1229-03	05/14/11 16:04
1-Methylnaphthalene	ND	0.954		mg/kg dry	1.87	51%	19 - 120	11E2121	NUE1229-03	05/14/11 16:04
2-Methylnaphthalene	ND	1.07		mg/kg dry	1.87	57%	11 - 120	11E2121	NUE1229-03	05/14/11 16:04
Surrogate: Terphenyl-d14		36.8		ug/mL	50.0	74%	18 - 120	11E2121	NUE1229-03	05/14/11 16:04
Surrogate: 2-Fluorobiphenyl		25.1		ug/mL	50.0	50%	14 - 120	11E2121	NUE1229-03	05/14/11 16:04
Surrogate: Nitrobenzene-d5		23.3		ug/mL	50.0	47%	17 - 120	11E2121	NUE1229-03	05/14/11 16:04

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUE1252  
Project Name: Laurel Bay Housing Project  
Project Number: 1027  
Received: 05/07/11 09:15

## PROJECT QUALITY CONTROL DATA

### Matrix Spike Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>												
<b>11E2166-MSD1</b>												
Benzene	0.00243	0.0803		mg/kg dry	0.0664	117%	42 - 141	0.1	50	11E2166	NUE1252-04	05/12/11 20:20
Ethylbenzene	0.109	0.522	M1	mg/kg dry	0.0664	622%	21 - 165	35	50	11E2166	NUE1252-04	05/12/11 20:20
Naphthalene	0.270	1.54	M1	mg/kg dry	0.0664	1910%	10 - 160	13	50	11E2166	NUE1252-04	05/12/11 20:20
Toluene	0.00479	0.109	M1	mg/kg dry	0.0664	156%	45 - 145	7	50	11E2166	NUE1252-04	05/12/11 20:20
Xylenes, total	0.458	1.92	M1	mg/kg dry	0.199	735%	31 - 159	29	50	11E2166	NUE1252-04	05/12/11 20:20
Surrogate: 1,2-Dichloroethane-d4		44.9		ug/kg	50.0	90%	67 - 138			11E2166	NUE1252-04	05/12/11 20:20
Surrogate: Dibromofluoromethane		53.5		ug/kg	50.0	107%	75 - 125			11E2166	NUE1252-04	05/12/11 20:20
Surrogate: Toluene-d8		66.0	ZX	ug/kg	50.0	132%	76 - 129			11E2166	NUE1252-04	05/12/11 20:20
Surrogate: 4-Bromofluorobenzene		42.7		ug/kg	50.0	85%	67 - 147			11E2166	NUE1252-04	05/12/11 20:20
<b>11E3547-MSD1</b>												
Benzene	ND	2.32		mg/kg dry	2.19	106%	42 - 141	16	50	11E3547	NUE1252-03R E1	05/14/11 10:12
Ethylbenzene	1.43	3.65		mg/kg dry	2.19	101%	21 - 165	33	50	11E3547	NUE1252-03R E1	05/14/11 10:12
Naphthalene	6.72	8.37		mg/kg dry	2.19	75%	10 - 160	23	50	11E3547	NUE1252-03R E1	05/14/11 10:12
Toluene	0.0588	2.43		mg/kg dry	2.19	108%	45 - 145	27	50	11E3547	NUE1252-03R E1	05/14/11 10:12
Xylenes, total	6.39	12.8		mg/kg dry	6.58	97%	31 - 159	34	50	11E3547	NUE1252-03R E1	05/14/11 10:12
Surrogate: 1,2-Dichloroethane-d4		38.2		ug/kg	50.0	76%	67 - 138			11E3547	NUE1252-03R E1	05/14/11 10:12
Surrogate: Dibromofluoromethane		46.6		ug/kg	50.0	93%	75 - 125			11E3547	NUE1252-03R E1	05/14/11 10:12
Surrogate: Toluene-d8		49.1		ug/kg	50.0	98%	76 - 129			11E3547	NUE1252-03R E1	05/14/11 10:12
Surrogate: 4-Bromofluorobenzene		52.8		ug/kg	50.0	106%	67 - 147			11E3547	NUE1252-03R E1	05/14/11 10:12
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>												
<b>11E2121-MSD1</b>												
Acenaphthene	ND	1.18		mg/kg dry	1.85	64%	42 - 120	7	40	11E2121	NUE1229-03	05/14/11 16:30
Acenaphthylene	ND	1.00		mg/kg dry	1.85	54%	32 - 120	5	30	11E2121	NUE1229-03	05/14/11 16:30
Anthracene	ND	1.36		mg/kg dry	1.85	73%	10 - 200	8	50	11E2121	NUE1229-03	05/14/11 16:30
Benzo (a) anthracene	0.0403	1.35		mg/kg dry	1.85	70%	41 - 120	12	30	11E2121	NUE1229-03	05/14/11 16:30
Benzo (a) pyrene	ND	1.33		mg/kg dry	1.85	72%	33 - 121	12	33	11E2121	NUE1229-03	05/14/11 16:30
Benzo (b) fluoranthene	ND	1.38		mg/kg dry	1.85	75%	26 - 137	11	42	11E2121	NUE1229-03	05/14/11 16:30
Benzo (g,h,i) perylene	ND	1.34		mg/kg dry	1.85	73%	21 - 124	16	32	11E2121	NUE1229-03	05/14/11 16:30
Benzo (k) fluoranthene	ND	1.28		mg/kg dry	1.85	69%	14 - 140	13	39	11E2121	NUE1229-03	05/14/11 16:30
Chrysene	0.0407	1.28		mg/kg dry	1.85	67%	28 - 123	11	34	11E2121	NUE1229-03	05/14/11 16:30
Dibenz (a,h) anthracene	ND	1.38		mg/kg dry	1.85	75%	25 - 127	15	31	11E2121	NUE1229-03	05/14/11 16:30
Fluoranthene	0.0843	1.36		mg/kg dry	1.85	69%	38 - 120	3	35	11E2121	NUE1229-03	05/14/11 16:30
Fluorene	ND	1.30		mg/kg dry	1.85	70%	41 - 120	8	37	11E2121	NUE1229-03	05/14/11 16:30
Indeno (1,2,3-cd) pyrene	ND	1.37		mg/kg dry	1.85	74%	25 - 123	15	32	11E2121	NUE1229-03	05/14/11 16:30

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUE1252  
Project Name: Laurel Bay Housing Project  
Project Number: 1027  
Received: 05/07/11 09:15

## PROJECT QUALITY CONTROL DATA

### Matrix Spike Dup - Cont.

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>												
<b>11E2121-MSD1</b>												
Naphthalene	ND	1.05		mg/kg dry	1.85	57%	25 - 120	4	42	11E2121	NUE1229-03	05/14/11 16:30
Phenanthrene	0.0440	1.36		mg/kg dry	1.85	71%	37 - 120	9	32	11E2121	NUE1229-03	05/14/11 16:30
Pyrene	0.0847	1.52		mg/kg dry	1.85	77%	29 - 125	8	40	11E2121	NUE1229-03	05/14/11 16:30
1-Methylnaphthalene	ND	0.988		mg/kg dry	1.85	53%	19 - 120	3	45	11E2121	NUE1229-03	05/14/11 16:30
2-Methylnaphthalene	ND	1.09		mg/kg dry	1.85	59%	11 - 120	2	50	11E2121	NUE1229-03	05/14/11 16:30
Surrogate: Terphenyl-d14		41.6		ug/mL	50.0	83%	18 - 120			11E2121	NUE1229-03	05/14/11 16:30
Surrogate: 2-Fluorobiphenyl		26.3		ug/mL	50.0	53%	14 - 120			11E2121	NUE1229-03	05/14/11 16:30
Surrogate: Nitrobenzene-d5		24.4		ug/mL	50.0	49%	17 - 120			11E2121	NUE1229-03	05/14/11 16:30

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUE1252  
Project Name: Laurel Bay Housing Project  
Project Number: 1027  
Received: 05/07/11 09:15

## CERTIFICATION SUMMARY

### TestAmerica Nashville

Method	Matrix	AIHA	Nelac	South Carolina
SW846 8260B	Soil	N/A	X	X
SW846 8270D	Soil		X	X
SW-846	Soil			

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwec

Work Order: NUE1252  
Project Name: Laurel Bay Housing Project  
Project Number: 1027  
Received: 05/07/11 09:15

## DATA QUALIFIERS AND DEFINITIONS

**J** Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL).  
Concentrations within this range are estimated.

**M1** The MS and/or MSD were above the acceptance limits due to sample matrix interference. See Blank Spike (LCS).

**M2** The MS and/or MSD were below the acceptance limits due to sample matrix interference. See Blank Spike (LCS).

**ZX** Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.

**ND** Not detected at the reporting limit (or method detection limit if shown)

## METHOD MODIFICATION NOTES





ATTACHMENT A



# NON-HAZARDOUS MANIFEST

<b>NON-HAZARDOUS MANIFEST</b>		1. Generator's US EPA ID No.		Manifest Doc No.		2. Page 1 of 1				
3. Generator's Mailing Address: MCAS, BEAUFORT LAUREL BAY HOUSING BEAUFORT, SC 29907				Generator's Site Address (If different than mailing):		A. Manifest Number <b>WMNA</b> 00316811				
4. Generator's Phone 843-228-6461						B. State Generator's ID				
5. Transporter 1 Company Name EEG, INC.				6. US EPA ID Number		C. State Transporter's ID				
7. Transporter 2 Company Name				8. US EPA ID Number		D. Transporter's Phone 843-879-0411				
9. Designated Facility Name and Site Address HICKORY HILL LANDFILL 2621 LOW COUNTRY ROAD RIDGELAND, SC 29936				10. US EPA ID Number		E. State Transporter's ID				
						F. Transporter's Phone				
						G. State Facility ID				
						H. State Facility Phone 843-987-4643				
GENERATOR	11. Description of Waste Materials			12. Containers		13. Total Quantity	14. Unit Wt./Vol.	I. Misc. Comments		
				No.	Type					
	a. HEATING OIL TANKS FILLED WITH SAND WM Profile # 102655SC									
	b. WM Profile #									
	c. WM Profile #									
	d. WM Profile #									
	J. Additional Descriptions for Materials Listed Above			K. Disposal Location						
				Cell		Level				
				Grid						
	15. Special Handling Instructions and Additional Information			138.3 Dove 1408 Eagle 1362 Cardinal						
Purchase Order #			EMERGENCY CONTACT / PHONE NO.							
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.										
Printed Name			Signature "On behalf of"				Month	Day	Year	
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials									
	Printed Name			Signature				Month	Day	Year
	18. Transporter 2 Acknowledgement of Receipt of Materials									
	Printed Name			Signature				Month	Day	Year
FACILITY	19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.									
	20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.									
	Printed Name			Signature				Month	Day	Year

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY

## **Appendix C**

### **Regulatory Correspondence**



W. Marshall Taylor Jr., Acting Director

*Promoting and protecting the health of the public and the environment*

April 9, 2014

Commanding Officer  
Attention: NREAO Mr. William A. Drawdy  
United State Marine Corps Air Station  
Post Office Box 55001  
Beaufort, SC 29904-5001

RE: No Further Action  
Laurel Bay Underground Storage Tank Assessment Reports for:  
*See attached sheet*

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tanks (USTs) Assessment Reports for the addresses listed above. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

The Department has reviewed the referenced assessment reports and agrees there is no indication of soil or groundwater contamination on these properties, and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at [kriegkm@dhec.sc.gov](mailto:kriegkm@dhec.sc.gov) or 803-898-0255.

Sincerely,

Kent Krieg  
Department of Defense Corrective Action Section  
Bureau of Land and Waste Management  
South Carolina Department of Health and Environmental Control

Cc: Russell Berry (via email)  
Craig Ehde (via email)



W. Marshall Taylor Jr., Acting Director

*Promoting and protecting the health of the public and the environment*

**Attachment to:** Krieg to Drawdy  
Subject: NFA  
Dated 4/9/2015

**Laurel Bay Underground Storage Tank Assessment Reports for: (9 addresses/10 tanks)**

1179 Bobwhite	1380 Dove
1188 Bobwhite Tank 1	1383 Dove
1188 Bobwhite Tank 2	1400 Eagle
1358 Cardinal	1402 Eagle
1372 Dove	1419 Albatross