

SUMMARY REPORT
327 EAGLE LANE (FORMERLY 1410 EAGLE LANE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid-Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT
327 EAGLE LANE (FORMERLY 1410 EAGLE LANE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid- Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue
Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture
10560 Arrowhead Drive, Suite 500
Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016
CTO WE52
JUNE 2021

Table of Contents

1.0	INTRODUCTION.....	1
1.1	BACKGROUND INFORMATION.....	1
1.2	UST REMOVAL AND ASSESSMENT PROCESS.....	2
2.0	SAMPLING ACTIVITIES AND RESULTS.....	4
2.1	UST REMOVAL AND SOIL SAMPLING	4
2.2	SOIL ANALYTICAL RESULTS.....	4
2.3	GROUNDWATER SAMPLING.....	5
2.4	GROUNDWATER ANALYTICAL RESULTS	5
2.5	SOIL GAS SAMPLING	6
2.6	SOIL GAS ANALYTICAL RESULTS.....	6
3.0	PROPERTY STATUS	6
4.0	REFERENCES.....	7

Tables

Table 1	Laboratory Analytical Results - Soil
Table 2	Laboratory Analytical Results - Groundwater
Table 3	Laboratory Analytical Results - Vapor

Appendices

Appendix A	Multi-Media Selection Process for LBMH
Appendix B	UST Assessment Report
Appendix C	Laboratory Analytical Report - Groundwater
Appendix D	Laboratory Analytical Report - Vapor
Appendix E	Regulatory Correspondence

List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
ft	feet
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
PPV	Public-Private Venture
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UFP SAP	Uniform Federal Policy Sampling and Analysis Plan
USEPA	United States Environmental Protection Agency
UST	underground storage tank
VISL	vapor intrusion screening level

1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 327 Eagle Lane (Formerly 1410 Eagle Lane). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

In 2015, the Public-Private Venture (PPV) responsible for the management of the residential area at LBMH initiated a plan to replace outdated homes in the LBMH area. The plan includes the demolition of existing homes and subsequent construction of new homes. In discussions with the PPV it was revealed that construction of the new homes could occur on portions of the property where the USTs were formerly located. In response to this plan, MCAS Beaufort assessed subsurface soil gas concentrations in the area of the former USTs at select properties within the demolition areas. The subject property of this report is one of the properties within the planned demolition area which was selected for a soil gas evaluation. It should be noted that the house at the subject property has since been demolished and this property is an empty lot. There are no current plans for construction in this area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan*

(QAPP) for the *Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

In accordance with the multi-media investigation selection process (Appendix A), groundwater analytical results are typically compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion into existing homes and the necessity for an investigation associated with this media. However, as previously stated, this property did not have an existing home and instead was among those selected for an evaluation of soil gas because of the planned demolition and construction activities.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 327 Eagle Lane (Formerly 1410 Eagle Lane). The sampling activities at 327 Eagle Lane (Formerly 1410 Eagle Lane) comprised a soil investigation, IGWA sampling, and a soil gas investigation. Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 1410 Eagle Lane* (MCAS Beaufort, 2013). The UST Assessment Report is provided in Appendix B. Details regarding the IGWA sampling activities at this site are provided in the *Initial Groundwater Investigation Report – May and June 2015* (Resolution Consultants, 2015). The laboratory report that includes the pertinent IGWA analytical results for this site is presented in Appendix C. Details regarding the vapor intrusion investigation at this site are provided in the *Vapor Intrusion Report – July 2015, January 2016, and May 2016* (Resolution Consultants, 2017). The laboratory report that includes the pertinent soil gas analytical results for this site is presented in Appendix D.

2.1 UST Removal and Soil Sampling

On August 22, 2013, a single 280 gallon heating oil UST was removed from the front landscaped area at 327 Eagle Lane (Formerly 1410 Eagle Lane). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 5'11" bgs and a single soil sample was collected from that depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 327 Eagle Lane (Formerly 1410 Eagle Lane) were greater than the SCDHEC RBSLs, which indicated further investigation was required. In a letter dated April 7, 2015, SCDHEC requested an IGWA for 327 Eagle Lane (Formerly 1410 Eagle Lane) to determine if the groundwater was impacted by petroleum COPCs. SCDHEC's request letter is provided in Appendix E.

2.3 Groundwater Sampling

On June 18, 2015, a temporary monitoring well was installed at 327 Eagle Lane (Formerly 1410 Eagle Lane), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the monitoring well was placed in the same general location as the former heating oil UST. The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). Further details are provided in the *Initial Groundwater Investigation Report – May and June 2015* (Resolution Consultants, 2015).

The sampling strategy for this phase of the investigation required a one-time sampling event of the temporarily installed monitoring well. Following well installation and development, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of groundwater sampling, the temporary well was abandoned in accordance with the South Carolina Well Standards and Regulations R.61-71 (SCDHEC, 2016). Field forms are provided in the *Initial Groundwater Investigation Report – May and June 2015* (Resolution Consultants, 2015).

2.4 Groundwater Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 2. A copy of the laboratory analytical data report is included in Appendix C.

The groundwater results collected from 327 Eagle Lane (Formerly 1410 Eagle Lane) were less than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 2), which indicated that the groundwater was not impacted by COPCs associated with the former UST at concentrations that present a potential risk to human health and the environment.

2.5 Soil Gas Sampling

On May 4, 2016, a temporary subsurface soil gas well was installed at 327 Eagle Lane (Formerly 1410 Eagle Lane) in accordance with the SCDHEC approved *Uniform Federal Policy Sampling and Analysis Plan (UFP SAP) for Vapor Media, Revision 2* (Resolution Consultants, 2016). Soil gas sampling was conducted at this property to assess the potential risk for vapor intrusion associated with the possible construction of a new home on top of former the UST location. The soil gas well was placed in the same general location as the former heating oil UST and the IGWA sample location. The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). Further details are provided in the *Vapor Intrusion Report – July 2015, January 2016, and May 2016* (Resolution Consultants, 2017).

The sampling strategy for this phase of the investigation required a one-time sampling event of the soil gas well. The subsurface soil gas well at 327 Eagle Lane (Formerly 1410 Eagle Lane) was sampled on May 6, 2016. A soil gas sample was collected and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of soil gas sampling, the temporary well was abandoned in accordance with the *UFP SAP for Vapor Media, Revision 2* (Resolution Consultants, 2016). Field forms are provided in the *Vapor Intrusion Report – July 2015, January 2016, and May 2016* (Resolution Consultants, 2017).

2.6 Soil Gas Analytical Results

A summary of the laboratory analytical results and USEPA (United States Environmental Protection Agency) VISLs is presented in Table 3. A copy of the laboratory analytical data report is included in Appendix D.

The soil gas results collected from 327 Eagle Lane (Formerly 1410 Eagle Lane) were below the USEPA VISLs, which indicated that subsurface soil gas was not impacted by COPCs associated with the former UST at concentrations that present a potential risk to human health and the environment.

3.0 PROPERTY STATUS

The house at 327 Eagle Lane (Formerly 1410 Eagle Lane) was demolished and the property is an empty lot. There are no current plans for construction in this area. Based on the analytical results for groundwater, SCDHEC made the determination that NFA was required for 327 Eagle Lane (Formerly 1410 Eagle Lane). in a letter dated February 22, 2016. Based on the analytical

results for soil gas, it was determined that there was not a vapor intrusion concern at this property and a recommendation was made for no additional vapor intrusion assessment activities. SCDHEC approved the no further vapor intrusion investigation recommendation for 327 Eagle Lane (Formerly 1410 Eagle Lane) in a letter dated June 20, 2017. SCDHEC's letters are provided in Appendix E.

4.0 REFERENCES

Marine Corps Air Station Beaufort, 2013. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 1410 Eagle Lane, Laurel Bay Military Housing Area*, October 2013.

Resolution Consultants, 2015. *Initial Groundwater Investigation Report – May and June 2015 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, October 2015.

Resolution Consultants, 2016. *Uniform Federal Policy Sampling and Analysis Plan for Vapor Media, Revision 2, for Laurel Bay Military Housing Area Marine Corps Air Station Beaufort, Beaufort, South Carolina*, March 2016.

Resolution Consultants, 2017. *Vapor Intrusion Report – July 2015, January 2016, and May 2016 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, May 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

South Carolina Department of Health and Environmental Control Bureau of Water, 2016. *R.61-71, Well Standards*, June 2016.

United States Environmental Protection Agency, 2015. *USEPA OSWER Vapor Intrusion Assessment, Vapor Intrusion Screening Level Calculator, Version 3.4*, June 2015.

Tables

Table 1
Laboratory Analytical Results - Soil
327 Eagle Lane (Formerly 1410 Eagle Lane)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾	Results Sample Collected 08/22/13
Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)		
Benzene	0.007	ND
Ethylbenzene	1.15	0.0185
Naphthalene	0.036	0.141
Toluene	1.45	0.00708
Xylenes, Total	14.5	0.0883
Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)		
Benzo(a)anthracene	0.66	0.328
Benzo(b)fluoranthene	0.66	0.375
Benzo(k)fluoranthene	0.66	0.179
Chrysene	0.66	0.518
Dibenz(a,h)anthracene	0.66	ND

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0 (SCDHEC, April 2013).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligrams per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The soil laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

Table 2
Laboratory Analytical Results - Groundwater
327 Eagle Lane (Formerly 1410 Eagle Lane)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾	Site-Specific Groundwater VISLs (µg/L) ⁽²⁾	Results Sample Collected 06/18/15
Volatile Organic Compounds Analyzed by EPA Method 8260B (µg/L)			
Benzene	5	16.24	ND
Ethylbenzene	700	45.95	ND
Naphthalene	25	29.33	1.7
Toluene	1000	105,445	ND
Xylenes, Total	10,000	2,133	ND
Semivolatile Organic Compounds Analyzed by EPA Method 8270D (µg/L)			
Benzo(a)anthracene	10	NA	ND
Benzo(b)fluoranthene	10	NA	ND
Benzo(k)fluoranthene	10	NA	ND
Chrysene	10	NA	ND
Dibenz(a,h)anthracene	10	NA	ND

Notes:

(1) South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0 (SCDHEC, May 2015).

(2) Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of 1×10^{-6} , a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - not applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix C.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

µg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

Table 3
Laboratory Analytical Results - Vapor
327 Eagle Lane (Formerly 1410 Eagle Lane)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

Constituent	USEPA VISL ⁽¹⁾	Results Sample Collected 05/06/16
Volatile Organic Compounds Analyzed by USEPA Method TO-15 (µg/m³)		
Benzene	12	ND
Toluene	17000	1.4
Ethylbenzene	37	0.88
m,p-Xylenes	350	3.7
o-Xylene	350	1.8
Naphthalene	2.8	0.42

Notes:

⁽¹⁾ United States Environmental Protection Agency Exterior Soil Gas Vapor Intrusion Screening Level (VISL) from VISL Calculator (Version 3.4, June 2015).

VISLs are based on a residual exposure scenario and a target risk level of 1×10^{-6} and a hazard quotient of 0.1.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the residential VISL.

USEPA - United States Environmental Protection Agency

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The vapor laboratory report is provided in Appendix D.

RBSL - Risk-Based Screening Level

µg/m³ - micrograms per cubic meter

VISL - Vapor Intrusion Screening Level

Appendix A
Multi-Media Selection Process for LBMH



Appendix A - Multi-Media Selection Process for LBMH

Appendix B
UST Assessment Report

South Carolina Department of Health and Environmental Control (SCDHEC)
Underground Storage Tank (UST) Assessment Report

Date Received
State Use Only

Submit Completed Form To:
 UST Program
 SCDHEC
 2600 Bull Street
 Columbia, South Carolina 29201
 Telephone (803) 896-7957

RECEIVED

OCT 23 2013

SC DHEC - Bureau of
 Land & Waste Management

I. OWNERSHIP OF UST (S)

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)		
Owner Name (Corporation, Individual, Public Agency, Other)		
P.O. Box 55001		
Mailing Address		
Beaufort,	South Carolina	29904-5001
City	State	Zip Code
843	228-7317	Craig Ehde
Area Code	Telephone Number	Contact Person

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #	
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC	
Facility Name or Company Site Identifier	
1410 Eagle Lane, Laurel Bay Military Housing Area	
Street Address or State Road (as applicable)	
Beaufort,	Beaufort
City	County

III. INSURANCE INFORMATION

Insurance Statement

The petroleum release reported to DHEC on _____ at Permit ID Number _____ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? **YES** ____ **NO** ____ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: _____
The policy deductible is: _____
The policy limit is: _____

If you have this type of insurance, please include a copy of the policy with this report.

IV. REQUEST FOR SUPERB FUNDING

I **DO** / **DO NOT** wish to participate in the SUPERB Program. (Circle one.)

V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

To be completed by Notary Public:

Sworn before me this _____ day of _____, 20____

(Name)

Notary Public for the state of _____
Please affix State seal if you are commissioned outside South Carolina

VI. UST INFORMATION

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity..(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material..(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....

1410Eagle				
Heating oil				
280 gal				
Late 1950s				
Steel				
Mid 1980s				
5'11"				
No				
No				
Removed				
8/22/2013				
Yes				
Yes				

- M. Method of disposal for any USTs removed from the ground (attach disposal manifests)
UST 1410Eagle was removed from the ground and disposed at a
Subtitle "D" landfill. See Attachment "A."
-
- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)
UST 1410Eagle had been previously filled with sand by others.
-
- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST
Corrosion, pitting and holes were found throughout the tank.
-

VII. PIPING INFORMATION

A. Construction Material..(ex. Steel, FRP).....

B. Distance from UST to Dispenser.....

C. Number of Dispensers.....

D. Type of System Pressure or Suction.....

E. Was Piping Removed from the Ground? Y/N

F. Visible Corrosion or Pitting Y/N.....

G. Visible Holes Y/N.....

H. Age.....

I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

1410Eagle				
Steel & Copper				
N/A				
N/A				
Suction				
No				
Yes				
No				
Late 1950s				

Corrosion and pitting were found on the surface of the steel vent pipe. Copper supply and return lines were sound.

VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

IX. SITE CONDITIONS

	Yes	No	Unk
<p>A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate depth and location on the site map.</p>		X	
<p>B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate location on site map and describe the odor (strong, mild, etc.)</p>		X	
<p>C. Was water present in the UST excavation, soil borings, or trenches?</p> <p>If yes, how far below land surface (indicate location and depth)?</p>		X	
<p>D. Did contaminated soils remain stockpiled on site after closure?</p> <p>If yes, indicate the stockpile location on the site map.</p> <p>Name of DHEC representative authorizing soil removal:</p>		X	
<p>E. Was a petroleum sheen or free product detected on any excavation or boring waters?</p> <p>If yes, indicate location and thickness.</p>		X	

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
1410 Eagle	Excav at fill end	Soil	Sandy	5'11"	8/22/13 1445 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

* = Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.


XII. RECEPTORS


	Yes	No
<p>A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?</p> <p style="text-align: right;">*stormwater drainage canal</p> <p>If yes, indicate type of receptor, distance, and direction on site map.</p>	*X	
<p>B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?</p> <p>If yes, indicate type of well, distance, and direction on site map.</p>		X
<p>C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?</p> <p>If yes, indicate type of structure, distance, and direction on site map.</p>		X
<p>D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination?</p> <p style="text-align: right;">*Sewer, water, electricity, cable, fiber optic & geothermal</p> <p>If yes, indicate the type of utility, distance, and direction on the site map.</p>	*X	
<p>E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?</p> <p>If yes, indicate the area of contaminated soil on the site map.</p>		X

XIII. SITE MAP

You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)





0 5' 10' 20'

TANK DEPTH BELOW GRADE
1410EAGLE = 35"

SBG-EEG

7301 RIVERS AVE., SUITE 245
N. CHARLESTON SC 29406-9643
(843) 573-7140

FIGURE 2 SITE MAP
1410 EAGLE LANE, LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE SEPT 2013

1410 EAGLE LANE
LAUREL BAY MILITARY HOUSING
MCAS BEAUFORT, SC

* EXCAVATION

FILL END

PORCH


SOIL SAMPLE
1410 EAGLE

UST 1410EAGLE
280 GAL.

YARD

ASPHALT
DRIVEWAY

GRAPHIC SCALE



* A PORTION OF THE PORCH WAS
REMOVED TO FACILITATE TANK
EXTRACTION.

SBG-EEG

7301 RIVERS AVE., SUITE 245
N. CHARLESTON SC 29406-9643
(843) 573-7140

FIGURE 3 UST SAMPLE LOCATIONS
1410 EAGLE LANE, LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE SEPT 2013



Picture 1: Location of UST 1410Eagle.



Picture 2: UST 1410Eagle excavation.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	UST 1410Eagle							
Benzene	ND							
Toluene	0.00708 mg/kg							
Ethylbenzene	0.0185 mg/kg							
Xylenes	0.0883 mg/kg							
Naphthalene	0.141 mg/kg							
Benzo (a) anthracene	0.328 mg/kg							
Benzo (b) fluoranthene	0.375 mg/kg							
Benzo (k) fluoranthene	0.179 mg/kg							
Chrysene	0.518 mg/kg							
Dibenz (a, h) anthracene	ND							
TPH (EPA 3550)								

CoC								
Benzene								
Toluene								
Ethylbenzene								
Xylenes								
Naphthalene								
Benzo (a) anthracene								
Benzo (b) fluoranthene								
Benzo (k) fluoranthene								
Chrysene								
Dibenz (a, h) anthracene								
TPH (EPA 3550)								

SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here)
(Please see Form #4)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Nashville
2960 Foster Creighton Drive
Nashville, TN 37204
Tel: (615)726-0177


TestAmerica Job ID: 490-34035-1

Client Project/Site: Laurel Bay Housing Project

For:

Small Business Group Inc.
10179 Highway 78
Ladson, South Carolina 29456

Attn: Tom McElwee



Authorized for release by:
9/6/2013 1:56:25 PM

Ken Hayes, Project Manager I
ken.hayes@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Definitions	5
Client Sample Results	6
QC Sample Results	10
QC Association	17
Chronicle	19
Method Summary	21
Certification Summary	22
Chain of Custody	23
Receipt Checklists	25



Sample Summary

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-34035-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
490-34035-1	1292 Eagle	Soil	08/19/13 14:45	08/27/13 08:00
490-34035-2	1178 Bobwhite	Soil	08/20/13 14:15	08/27/13 08:00
490-34035-3	402 Elderberry	Soil	08/21/13 14:15	08/27/13 08:00
490-34035-4	1410 Eagle	Soil	08/22/13 14:45	08/27/13 08:00

Case Narrative

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-34035-1

Job ID: 490-34035-1

Laboratory: TestAmerica Nashville

Narrative

Job Narrative 490-34035-1

Comments

No additional comments.

Receipt

The samples were received on 8/27/2013 8:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 0.2° C.

GC/MS VOA

Method(s) 8260B: Internal standard responses were outside of acceptance limits for the following sample(s): 1292 Eagle (490-34035-1). The sample(s) shows evidence of matrix interference.

Method(s) 8260B: Surrogate recovery for the following sample(s) was outside control limits: 1292 Eagle (490-34035-1). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method(s) 8260B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with batch 103825. See LCS/LCSD

Method(s) 8260B: The following sample was diluted due to the nature of the sample matrix: 402 Elderberry (490-34035-3). Elevated reporting limits (RLs) are provided.

Method(s) 8260B: Reanalysis of the following sample for Naphthalene was performed outside of the analytical holding time: 1292 Eagle (490-34035-1).

Method(s) 8260B: The following sample(s) was diluted due to the nature of the sample matrix: 1292 Eagle (490-34035-1). Elevated reporting limits (RLs) are provided.

Method(s) 8260B: The method blank for batch 104525 contained Toluene and Xylenes above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No other analytical or quality issues were noted.

GC/MS Semi VOA

Method(s) 8270D: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with batch 103822.

No other analytical or quality issues were noted.

Organic Prep

Method(s) Moisture: The sample duplicate precision for the following sample associated with batch 103009 was outside control limits: (490-34035-1 DU). The associated Laboratory Control Sample / Laboratory Control Sample Duplicate (LCS/LCSD) precision met acceptance criteria.

No other analytical or quality issues were noted.

VOA Prep

No analytical or quality issues were noted.

Definitions/Glossary

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-34035-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
X	Surrogate is outside control limits
H	Sample was prepped or analyzed beyond the specified holding time
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client Sample Results

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-34035-1

Client Sample ID: 1292 Eagle

Date Collected: 08/19/13 14:45

Date Received: 08/27/13 08:00

Lab Sample ID: 490-34035-1

Matrix: Soil

Percent Solids: 93.9

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00214	0.000718	mg/Kg	☐	08/27/13 15:32	08/30/13 18:29	1
Ethylbenzene	ND		0.00214	0.000718	mg/Kg	☐	08/27/13 15:32	08/30/13 18:29	1
Naphthalene	ND	H	0.290	0.0987	mg/Kg	☐	08/27/13 15:33	09/04/13 13:28	1
Toluene	ND		0.00214	0.000793	mg/Kg	☐	08/27/13 15:32	08/30/13 18:29	1
Xylenes, Total	ND		0.00322	0.000718	mg/Kg	☐	08/27/13 15:32	08/30/13 18:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		70 - 130	08/27/13 15:32	08/30/13 18:29	1
1,2-Dichloroethane-d4 (Surr)	89		70 - 130	08/27/13 15:33	09/04/13 13:28	1
4-Bromofluorobenzene (Surr)	136	X	70 - 130	08/27/13 15:32	08/30/13 18:29	1
4-Bromofluorobenzene (Surr)	110		70 - 130	08/27/13 15:33	09/04/13 13:28	1
Dibromofluoromethane (Surr)	102		70 - 130	08/27/13 15:32	08/30/13 18:29	1
Dibromofluoromethane (Surr)	100		70 - 130	08/27/13 15:33	09/04/13 13:28	1
Toluene-d8 (Surr)	114		70 - 130	08/27/13 15:32	08/30/13 18:29	1
Toluene-d8 (Surr)	110		70 - 130	08/27/13 15:33	09/04/13 13:28	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0663	0.00990	mg/Kg	☐	08/30/13 09:37	09/03/13 14:07	1
Acenaphthylene	ND		0.0663	0.00891	mg/Kg	☐	08/30/13 09:37	09/03/13 14:07	1
Anthracene	0.125		0.0663	0.00891	mg/Kg	☐	08/30/13 09:37	09/03/13 14:07	1
Benzo[a]anthracene	2.16		0.0663	0.0148	mg/Kg	☐	08/30/13 09:37	09/03/13 14:07	1
Benzo[a]pyrene	1.17		0.0663	0.0119	mg/Kg	☐	08/30/13 09:37	09/03/13 14:07	1
Benzo[b]fluoranthene	2.36		0.0663	0.0119	mg/Kg	☐	08/30/13 09:37	09/03/13 14:07	1
Benzo[g,h,i]perylene	0.446		0.0663	0.00891	mg/Kg	☐	08/30/13 09:37	09/03/13 14:07	1
Benzo[k]fluoranthene	0.945		0.0663	0.0139	mg/Kg	☐	08/30/13 09:37	09/03/13 14:07	1
1-Methylnaphthalene	ND		0.0663	0.0139	mg/Kg	☐	08/30/13 09:37	09/03/13 14:07	1
Pyrene	4.10		0.663	0.119	mg/Kg	☐	08/30/13 09:37	09/04/13 15:46	10
Phenanthrene	1.59		0.0663	0.00891	mg/Kg	☐	08/30/13 09:37	09/03/13 14:07	1
Chrysene	2.92		0.0663	0.00891	mg/Kg	☐	08/30/13 09:37	09/03/13 14:07	1
Dibenz(a,h)anthracene	0.160		0.0663	0.00693	mg/Kg	☐	08/30/13 09:37	09/03/13 14:07	1
Fluoranthene	5.04		0.663	0.0891	mg/Kg	☐	08/30/13 09:37	09/04/13 15:46	10
Fluorene	0.0394	J	0.0663	0.0119	mg/Kg	☐	08/30/13 09:37	09/03/13 14:07	1
Indeno[1,2,3-cd]pyrene	0.454		0.0663	0.00990	mg/Kg	☐	08/30/13 09:37	09/03/13 14:07	1
Naphthalene	ND		0.0663	0.00891	mg/Kg	☐	08/30/13 09:37	09/03/13 14:07	1
2-Methylnaphthalene	ND		0.0663	0.0158	mg/Kg	☐	08/30/13 09:37	09/03/13 14:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	94		29 - 120	08/30/13 09:37	09/03/13 14:07	1
Terphenyl-d14 (Surr)	86		13 - 120	08/30/13 09:37	09/03/13 14:07	1
Nitrobenzene-d5 (Surr)	83		27 - 120	08/30/13 09:37	09/03/13 14:07	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	94		0.10	0.10	%			08/27/13 15:07	1

TestAmerica Nashville

Client Sample Results

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-34035-1

Client Sample ID: 1178 Bobwhite

Date Collected: 08/20/13 14:15

Date Received: 08/27/13 08:00

Lab Sample ID: 490-34035-2

Matrix: Soil

Percent Solids: 83.3

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00206	0.000691	mg/Kg	☐	08/27/13 15:32	08/30/13 18:58	1
Ethylbenzene	0.00300		0.00206	0.000691	mg/Kg	☐	08/27/13 15:32	08/30/13 18:58	1
Naphthalene	0.0117		0.00515	0.00175	mg/Kg	☐	08/27/13 15:32	08/30/13 18:58	1
Toluene	0.00462		0.00206	0.000763	mg/Kg	☐	08/27/13 15:32	08/30/13 18:58	1
Xylenes, Total	0.0135		0.00309	0.000691	mg/Kg	☐	08/27/13 15:32	08/30/13 18:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	93		70 - 130	08/27/13 15:32	08/30/13 18:58	1
4-Bromofluorobenzene (Surr)	110		70 - 130	08/27/13 15:32	08/30/13 18:58	1
Dibromofluoromethane (Surr)	93		70 - 130	08/27/13 15:32	08/30/13 18:58	1
Toluene-d8 (Surr)	102		70 - 130	08/27/13 15:32	08/30/13 18:58	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0661	0.00987	mg/Kg	☐	09/03/13 15:52	09/04/13 19:03	1
Acenaphthylene	ND		0.0661	0.00888	mg/Kg	☐	09/03/13 15:52	09/04/13 19:03	1
Anthracene	ND		0.0661	0.00888	mg/Kg	☐	09/03/13 15:52	09/04/13 19:03	1
Benzo[a]anthracene	0.0439	J	0.0661	0.0148	mg/Kg	☐	09/03/13 15:52	09/04/13 19:03	1
Benzo[a]pyrene	ND		0.0661	0.0118	mg/Kg	☐	09/03/13 15:52	09/04/13 19:03	1
Benzo[b]fluoranthene	0.0413	J	0.0661	0.0118	mg/Kg	☐	09/03/13 15:52	09/04/13 19:03	1
Benzo[g,h,i]perylene	ND		0.0661	0.00888	mg/Kg	☐	09/03/13 15:52	09/04/13 19:03	1
Benzo[k]fluoranthene	0.0186	J	0.0661	0.0138	mg/Kg	☐	09/03/13 15:52	09/04/13 19:03	1
1-Methylnaphthalene	ND		0.0661	0.0138	mg/Kg	☐	09/03/13 15:52	09/04/13 19:03	1
Pyrene	0.0518	J	0.0661	0.0118	mg/Kg	☐	09/03/13 15:52	09/04/13 19:03	1
Phenanthrene	ND		0.0661	0.00888	mg/Kg	☐	09/03/13 15:52	09/04/13 19:03	1
Chrysene	ND		0.0661	0.00888	mg/Kg	☐	09/03/13 15:52	09/04/13 19:03	1
Dibenz(a,h)anthracene	ND		0.0661	0.00691	mg/Kg	☐	09/03/13 15:52	09/04/13 19:03	1
Fluoranthene	0.0622	J	0.0661	0.00888	mg/Kg	☐	09/03/13 15:52	09/04/13 19:03	1
Fluorene	ND		0.0661	0.0118	mg/Kg	☐	09/03/13 15:52	09/04/13 19:03	1
Indeno[1,2,3-cd]pyrene	ND		0.0661	0.00987	mg/Kg	☐	09/03/13 15:52	09/04/13 19:03	1
Naphthalene	ND		0.0661	0.00888	mg/Kg	☐	09/03/13 15:52	09/04/13 19:03	1
2-Methylnaphthalene	ND		0.0661	0.0158	mg/Kg	☐	09/03/13 15:52	09/04/13 19:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	57		29 - 120	09/03/13 15:52	09/04/13 19:03	1
Terphenyl-d14 (Surr)	72		13 - 120	09/03/13 15:52	09/04/13 19:03	1
Nitrobenzene-d5 (Surr)	55		27 - 120	09/03/13 15:52	09/04/13 19:03	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	83		0.10	0.10	%			08/27/13 15:07	1

TestAmerica Nashville

Client Sample Results

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-34035-1

Client Sample ID: 402 Elderberry

Date Collected: 08/21/13 14:15

Date Received: 08/27/13 08:00

Lab Sample ID: 490-34035-3

Matrix: Soil

Percent Solids: 93.3

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00214	0.000717	mg/Kg	☐	08/27/13 15:32	08/30/13 19:28	1
Ethylbenzene	ND		0.00214	0.000717	mg/Kg	☐	08/27/13 15:32	08/30/13 19:28	1
Naphthalene	ND		0.00535	0.00182	mg/Kg	☐	08/27/13 15:32	08/30/13 19:28	1
Toluene	ND		0.00214	0.000792	mg/Kg	☐	08/27/13 15:32	08/30/13 19:28	1
Xylenes, Total	ND		0.00321	0.000717	mg/Kg	☐	08/27/13 15:32	08/30/13 19:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		70 - 130	08/27/13 15:32	08/30/13 19:28	1
4-Bromofluorobenzene (Surr)	108		70 - 130	08/27/13 15:32	08/30/13 19:28	1
Dibromofluoromethane (Surr)	88		70 - 130	08/27/13 15:32	08/30/13 19:28	1
Toluene-d8 (Surr)	106		70 - 130	08/27/13 15:32	08/30/13 19:28	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0668	0.00998	mg/Kg	☐	08/30/13 09:37	09/03/13 14:35	1
Acenaphthylene	ND		0.0668	0.00898	mg/Kg	☐	08/30/13 09:37	09/03/13 14:35	1
Anthracene	ND		0.0668	0.00898	mg/Kg	☐	08/30/13 09:37	09/03/13 14:35	1
Benzo[a]anthracene	ND		0.0668	0.0150	mg/Kg	☐	08/30/13 09:37	09/03/13 14:35	1
Benzo[a]pyrene	0.0336	J	0.0668	0.0120	mg/Kg	☐	08/30/13 09:37	09/03/13 14:35	1
Benzo[b]fluoranthene	0.0460	J	0.0668	0.0120	mg/Kg	☐	08/30/13 09:37	09/03/13 14:35	1
Benzo[g,h,i]perylene	ND		0.0668	0.00898	mg/Kg	☐	08/30/13 09:37	09/03/13 14:35	1
Benzo[k]fluoranthene	0.0221	J	0.0668	0.0140	mg/Kg	☐	08/30/13 09:37	09/03/13 14:35	1
1-Methylnaphthalene	ND		0.0668	0.0140	mg/Kg	☐	08/30/13 09:37	09/03/13 14:35	1
Pyrene	ND		0.0668	0.0120	mg/Kg	☐	08/30/13 09:37	09/03/13 14:35	1
Phenanthrene	ND		0.0668	0.00898	mg/Kg	☐	08/30/13 09:37	09/03/13 14:35	1
Chrysene	ND		0.0668	0.00898	mg/Kg	☐	08/30/13 09:37	09/03/13 14:35	1
Dibenz(a,h)anthracene	ND		0.0668	0.00698	mg/Kg	☐	08/30/13 09:37	09/03/13 14:35	1
Fluoranthene	ND		0.0668	0.00898	mg/Kg	☐	08/30/13 09:37	09/03/13 14:35	1
Fluorene	ND		0.0668	0.0120	mg/Kg	☐	08/30/13 09:37	09/03/13 14:35	1
Indeno[1,2,3-cd]pyrene	ND		0.0668	0.00998	mg/Kg	☐	08/30/13 09:37	09/03/13 14:35	1
Naphthalene	ND		0.0668	0.00898	mg/Kg	☐	08/30/13 09:37	09/03/13 14:35	1
2-Methylnaphthalene	ND		0.0668	0.0160	mg/Kg	☐	08/30/13 09:37	09/03/13 14:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	74		29 - 120	08/30/13 09:37	09/03/13 14:35	1
Terphenyl-d14 (Surr)	75		13 - 120	08/30/13 09:37	09/03/13 14:35	1
Nitrobenzene-d5 (Surr)	65		27 - 120	08/30/13 09:37	09/03/13 14:35	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	93		0.10	0.10	%			08/27/13 15:07	1

TestAmerica Nashville

Client Sample Results

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-34035-1

Client Sample ID: 1410 Eagle

Date Collected: 08/22/13 14:45

Date Received: 08/27/13 08:00

Lab Sample ID: 490-34035-4

Matrix: Soil

Percent Solids: 90.8

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00204	0.000683	mg/Kg	☐	08/27/13 15:32	08/30/13 19:57	1
Ethylbenzene	0.0185		0.00204	0.000683	mg/Kg	☐	08/27/13 15:32	08/30/13 19:57	1
Naphthalene	0.141		0.00510	0.00173	mg/Kg	☐	08/27/13 15:32	08/30/13 19:57	1
Toluene	0.00708		0.00204	0.000755	mg/Kg	☐	08/27/13 15:32	08/30/13 19:57	1
Xylenes, Total	0.0883		0.00306	0.000683	mg/Kg	☐	08/27/13 15:32	08/30/13 19:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		70 - 130	08/27/13 15:32	08/30/13 19:57	1
4-Bromofluorobenzene (Surr)	110		70 - 130	08/27/13 15:32	08/30/13 19:57	1
Dibromofluoromethane (Surr)	89		70 - 130	08/27/13 15:32	08/30/13 19:57	1
Toluene-d8 (Surr)	110		70 - 130	08/27/13 15:32	08/30/13 19:57	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0670	0.0100	mg/Kg	☐	08/30/13 09:37	09/03/13 15:03	1
Acenaphthylene	ND		0.0670	0.00900	mg/Kg	☐	08/30/13 09:37	09/03/13 15:03	1
Anthracene	0.0163	J	0.0670	0.00900	mg/Kg	☐	08/30/13 09:37	09/03/13 15:03	1
Benzo[a]anthracene	0.328		0.0670	0.0150	mg/Kg	☐	08/30/13 09:37	09/03/13 15:03	1
Benzo[a]pyrene	0.256		0.0670	0.0120	mg/Kg	☐	08/30/13 09:37	09/03/13 15:03	1
Benzo[b]fluoranthene	0.375		0.0670	0.0120	mg/Kg	☐	08/30/13 09:37	09/03/13 15:03	1
Benzo[g,h,i]perylene	0.160		0.0670	0.00900	mg/Kg	☐	08/30/13 09:37	09/03/13 15:03	1
Benzo[k]fluoranthene	0.179		0.0670	0.0140	mg/Kg	☐	08/30/13 09:37	09/03/13 15:03	1
1-Methylnaphthalene	ND		0.0670	0.0140	mg/Kg	☐	08/30/13 09:37	09/03/13 15:03	1
Pyrene	0.314		0.0670	0.0120	mg/Kg	☐	08/30/13 09:37	09/03/13 15:03	1
Phenanthrene	0.0446	J	0.0670	0.00900	mg/Kg	☐	08/30/13 09:37	09/03/13 15:03	1
Chrysene	0.518		0.0670	0.00900	mg/Kg	☐	08/30/13 09:37	09/03/13 15:03	1
Dibenz(a,h)anthracene	ND		0.0670	0.00700	mg/Kg	☐	08/30/13 09:37	09/03/13 15:03	1
Fluoranthene	0.288		0.0670	0.00900	mg/Kg	☐	08/30/13 09:37	09/03/13 15:03	1
Fluorene	ND		0.0670	0.0120	mg/Kg	☐	08/30/13 09:37	09/03/13 15:03	1
Indeno[1,2,3-cd]pyrene	0.153		0.0670	0.0100	mg/Kg	☐	08/30/13 09:37	09/03/13 15:03	1
Naphthalene	ND		0.0670	0.00900	mg/Kg	☐	08/30/13 09:37	09/03/13 15:03	1
2-Methylnaphthalene	ND		0.0670	0.0160	mg/Kg	☐	08/30/13 09:37	09/03/13 15:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	72		29 - 120	08/30/13 09:37	09/03/13 15:03	1
Terphenyl-d14 (Surr)	69		13 - 120	08/30/13 09:37	09/03/13 15:03	1
Nitrobenzene-d5 (Surr)	69		27 - 120	08/30/13 09:37	09/03/13 15:03	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	91		0.10	0.10	%			08/27/13 15:07	1

TestAmerica Nashville

QC Sample Results

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-34035-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 490-103825/6

Matrix: Solid

Analysis Batch: 103825

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	ND		0.00200	0.000670	mg/Kg			08/30/13 12:37	1
Ethylbenzene	ND		0.00200	0.000670	mg/Kg			08/30/13 12:37	1
Naphthalene	ND		0.00500	0.00170	mg/Kg			08/30/13 12:37	1
Toluene	ND		0.00200	0.000740	mg/Kg			08/30/13 12:37	1
Xylenes, Total	ND		0.00300	0.000670	mg/Kg			08/30/13 12:37	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	94		70 - 130		08/30/13 12:37	1
4-Bromofluorobenzene (Surr)	109		70 - 130		08/30/13 12:37	1
Dibromofluoromethane (Surr)	95		70 - 130		08/30/13 12:37	1
Toluene-d8 (Surr)	108		70 - 130		08/30/13 12:37	1

Lab Sample ID: LCS 490-103825/3

Matrix: Solid

Analysis Batch: 103825

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Benzene	0.0500	0.04499		mg/Kg		90	75 - 127
Ethylbenzene	0.0500	0.04551		mg/Kg		91	80 - 134
Naphthalene	0.0500	0.04853		mg/Kg		97	69 - 150
Toluene	0.0500	0.04880		mg/Kg		98	80 - 132
Xylenes, Total	0.150	0.1352		mg/Kg		90	80 - 137

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	101		70 - 130
4-Bromofluorobenzene (Surr)	100		70 - 130
Dibromofluoromethane (Surr)	97		70 - 130
Toluene-d8 (Surr)	106		70 - 130

Lab Sample ID: LCSD 490-103825/4

Matrix: Solid

Analysis Batch: 103825

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD LCSD		Unit	D	%Rec	%Rec. Limits	RPD	
		Result	Qualifier					RPD	Limit
Benzene	0.0500	0.04546		mg/Kg		91	75 - 127	1	50
Ethylbenzene	0.0500	0.04713		mg/Kg		94	80 - 134	3	50
Naphthalene	0.0500	0.04918		mg/Kg		98	69 - 150	1	50
Toluene	0.0500	0.05064		mg/Kg		101	80 - 132	4	50
Xylenes, Total	0.150	0.1391		mg/Kg		93	80 - 137	3	50

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	99		70 - 130
4-Bromofluorobenzene (Surr)	99		70 - 130
Dibromofluoromethane (Surr)	97		70 - 130
Toluene-d8 (Surr)	107		70 - 130

TestAmerica Nashville

QC Sample Results

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-34035-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-104525/8

Matrix: Solid

Analysis Batch: 104525

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.100	0.0340	mg/Kg			09/04/13 12:58	1
Ethylbenzene	ND		0.100	0.0340	mg/Kg			09/04/13 12:58	1
Naphthalene	ND		0.250	0.0850	mg/Kg			09/04/13 12:58	1
Toluene	0.03943	J	0.100	0.0370	mg/Kg			09/04/13 12:58	1
Xylenes, Total	0.1211	J	0.150	0.0340	mg/Kg			09/04/13 12:58	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		70 - 130		09/04/13 12:58	1
4-Bromofluorobenzene (Surr)	112		70 - 130		09/04/13 12:58	1
Dibromofluoromethane (Surr)	99		70 - 130		09/04/13 12:58	1
Toluene-d8 (Surr)	105		70 - 130		09/04/13 12:58	1

Lab Sample ID: LCS 490-104525/4

Matrix: Solid

Analysis Batch: 104525

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.0500	0.04332		mg/Kg		87	75 - 127
Ethylbenzene	0.0500	0.04544		mg/Kg		91	80 - 134
Naphthalene	0.0500	0.04118		mg/Kg		82	69 - 150
Toluene	0.0500	0.04354		mg/Kg		87	80 - 132
Xylenes, Total	0.100	0.09501		mg/Kg		95	80 - 137

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	91		70 - 130
4-Bromofluorobenzene (Surr)	106		70 - 130
Dibromofluoromethane (Surr)	103		70 - 130
Toluene-d8 (Surr)	100		70 - 130

Lab Sample ID: LCSD 490-104525/5

Matrix: Solid

Analysis Batch: 104525

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.0500	0.04321		mg/Kg		86	75 - 127	0	50
Ethylbenzene	0.0500	0.04461		mg/Kg		89	80 - 134	2	50
Naphthalene	0.0500	0.04083		mg/Kg		82	69 - 150	1	50
Toluene	0.0500	0.04306		mg/Kg		86	80 - 132	1	50
Xylenes, Total	0.100	0.09262		mg/Kg		93	80 - 137	3	50

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	92		70 - 130
4-Bromofluorobenzene (Surr)	105		70 - 130
Dibromofluoromethane (Surr)	103		70 - 130
Toluene-d8 (Surr)	100		70 - 130

TestAmerica Nashville

QC Sample Results

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-34035-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 490-103822/1-A
Matrix: Solid
Analysis Batch: 104317

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 103822

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Acenaphthene	ND		0.0670	0.0100	mg/Kg		08/30/13 08:56	09/03/13 12:43	1
Acenaphthylene	ND		0.0670	0.00900	mg/Kg		08/30/13 08:56	09/03/13 12:43	1
Anthracene	ND		0.0670	0.00900	mg/Kg		08/30/13 08:56	09/03/13 12:43	1
Benzo[a]anthracene	ND		0.0670	0.0150	mg/Kg		08/30/13 08:56	09/03/13 12:43	1
Benzo[a]pyrene	ND		0.0670	0.0120	mg/Kg		08/30/13 08:56	09/03/13 12:43	1
Benzo[b]fluoranthene	ND		0.0670	0.0120	mg/Kg		08/30/13 08:56	09/03/13 12:43	1
Benzo[g,h,i]perylene	ND		0.0670	0.00900	mg/Kg		08/30/13 08:56	09/03/13 12:43	1
Benzo[k]fluoranthene	ND		0.0670	0.0140	mg/Kg		08/30/13 08:56	09/03/13 12:43	1
1-Methylnaphthalene	ND		0.0670	0.0140	mg/Kg		08/30/13 08:56	09/03/13 12:43	1
Pyrene	ND		0.0670	0.0120	mg/Kg		08/30/13 08:56	09/03/13 12:43	1
Phenanthrene	ND		0.0670	0.00900	mg/Kg		08/30/13 08:56	09/03/13 12:43	1
Chrysene	ND		0.0670	0.00900	mg/Kg		08/30/13 08:56	09/03/13 12:43	1
Dibenz(a,h)anthracene	ND		0.0670	0.00700	mg/Kg		08/30/13 08:56	09/03/13 12:43	1
Fluoranthene	ND		0.0670	0.00900	mg/Kg		08/30/13 08:56	09/03/13 12:43	1
Fluorene	ND		0.0670	0.0120	mg/Kg		08/30/13 08:56	09/03/13 12:43	1
Indeno[1,2,3-cd]pyrene	ND		0.0670	0.0100	mg/Kg		08/30/13 08:56	09/03/13 12:43	1
Naphthalene	ND		0.0670	0.00900	mg/Kg		08/30/13 08:56	09/03/13 12:43	1
2-Methylnaphthalene	ND		0.0670	0.0160	mg/Kg		08/30/13 08:56	09/03/13 12:43	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
2-Fluorobiphenyl (Surr)	77		29 - 120	08/30/13 08:56	09/03/13 12:43	1
Terphenyl-d14 (Surr)	91		13 - 120	08/30/13 08:56	09/03/13 12:43	1
Nitrobenzene-d5 (Surr)	70		27 - 120	08/30/13 08:56	09/03/13 12:43	1

Lab Sample ID: LCS 490-103822/2-A
Matrix: Solid
Analysis Batch: 104317

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 103822

Analyte	Spike Added	LCS LCS		Unit	D	%Rec.	
		Result	Qualifier			%Rec	Limits
Acenaphthylene	1.67	1.418		mg/Kg		85	38 - 120
Anthracene	1.67	1.540		mg/Kg		92	46 - 124
Benzo[a]anthracene	1.67	1.420		mg/Kg		85	45 - 120
Benzo[a]pyrene	1.67	1.431		mg/Kg		86	45 - 120
Benzo[b]fluoranthene	1.67	1.400		mg/Kg		84	42 - 120
Benzo[g,h,i]perylene	1.67	1.378		mg/Kg		83	38 - 120
Benzo[k]fluoranthene	1.67	1.534		mg/Kg		92	42 - 120
1-Methylnaphthalene	1.67	1.365		mg/Kg		82	32 - 120
Pyrene	1.67	1.486		mg/Kg		89	43 - 120
Phenanthrene	1.67	1.537		mg/Kg		92	45 - 120
Chrysene	1.67	1.498		mg/Kg		90	43 - 120
Dibenz(a,h)anthracene	1.67	1.412		mg/Kg		85	32 - 128
Fluoranthene	1.67	1.545		mg/Kg		93	46 - 120
Fluorene	1.67	1.489		mg/Kg		89	42 - 120
Indeno[1,2,3-cd]pyrene	1.67	1.389		mg/Kg		83	41 - 121
Naphthalene	1.67	1.351		mg/Kg		81	32 - 120
2-Methylnaphthalene	1.67	1.380		mg/Kg		83	28 - 120

TestAmerica Nashville

QC Sample Results

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-34035-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-103822/2-A

Matrix: Solid

Analysis Batch: 104317

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 103822

Surrogate	LCS		Limits
	%Recovery	Qualifier	
2-Fluorobiphenyl (Surr)	84		29 - 120
Terphenyl-d14 (Surr)	87		13 - 120
Nitrobenzene-d5 (Surr)	79		27 - 120

Lab Sample ID: LCSD 490-103822/3-A

Matrix: Solid

Analysis Batch: 104317

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 103822

Analyte	Spike Added	LCSD		Unit	D	%Rec	%Rec.		RPD	Limit
		Result	Qualifier				Limits			
Acenaphthylene	1.67	1.438		mg/Kg		86	38 - 120		1	50
Anthracene	1.67	1.420		mg/Kg		85	46 - 124		8	49
Benzo[a]anthracene	1.67	1.444		mg/Kg		87	45 - 120		2	50
Benzo[a]pyrene	1.67	1.360		mg/Kg		82	45 - 120		5	50
Benzo[b]fluoranthene	1.67	1.497		mg/Kg		90	42 - 120		7	50
Benzo[g,h,i]perylene	1.67	1.392		mg/Kg		84	38 - 120		1	50
Benzo[k]fluoranthene	1.67	1.411		mg/Kg		85	42 - 120		8	45
1-Methylnaphthalene	1.67	1.406		mg/Kg		84	32 - 120		3	50
Pyrene	1.67	1.475		mg/Kg		88	43 - 120		1	50
Phenanthrene	1.67	1.333		mg/Kg		80	45 - 120		14	50
Chrysene	1.67	1.512		mg/Kg		91	43 - 120		1	49
Dibenz(a,h)anthracene	1.67	1.450		mg/Kg		87	32 - 128		3	50
Fluoranthene	1.67	1.425		mg/Kg		86	46 - 120		8	50
Fluorene	1.67	1.507		mg/Kg		90	42 - 120		1	50
Indeno[1,2,3-cd]pyrene	1.67	1.419		mg/Kg		85	41 - 121		2	50
Naphthalene	1.67	1.357		mg/Kg		81	32 - 120		0	50
2-Methylnaphthalene	1.67	1.391		mg/Kg		83	28 - 120		1	50

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
2-Fluorobiphenyl (Surr)	76		29 - 120
Terphenyl-d14 (Surr)	73		13 - 120
Nitrobenzene-d5 (Surr)	71		27 - 120

Lab Sample ID: MB 490-104447/1-A

Matrix: Solid

Analysis Batch: 104641

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 104447

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Acenaphthene	ND		0.0670	0.0100	mg/Kg		09/03/13 15:52	09/04/13 18:06	1
Acenaphthylene	ND		0.0670	0.00900	mg/Kg		09/03/13 15:52	09/04/13 18:06	1
Anthracene	ND		0.0670	0.00900	mg/Kg		09/03/13 15:52	09/04/13 18:06	1
Benzo[a]anthracene	ND		0.0670	0.0150	mg/Kg		09/03/13 15:52	09/04/13 18:06	1
Benzo[a]pyrene	ND		0.0670	0.0120	mg/Kg		09/03/13 15:52	09/04/13 18:06	1
Benzo[b]fluoranthene	ND		0.0670	0.0120	mg/Kg		09/03/13 15:52	09/04/13 18:06	1
Benzo[g,h,i]perylene	ND		0.0670	0.00900	mg/Kg		09/03/13 15:52	09/04/13 18:06	1
Benzo[k]fluoranthene	ND		0.0670	0.0140	mg/Kg		09/03/13 15:52	09/04/13 18:06	1
1-Methylnaphthalene	ND		0.0670	0.0140	mg/Kg		09/03/13 15:52	09/04/13 18:06	1
Pyrene	ND		0.0670	0.0120	mg/Kg		09/03/13 15:52	09/04/13 18:06	1
Phenanthrene	ND		0.0670	0.00900	mg/Kg		09/03/13 15:52	09/04/13 18:06	1

TestAmerica Nashville

QC Sample Results

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-34035-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-104447/1-A

Matrix: Solid

Analysis Batch: 104641

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 104447

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chrysene	ND		0.0670	0.00900	mg/Kg		09/03/13 15:52	09/04/13 18:06	1
Dibenz(a,h)anthracene	ND		0.0670	0.00700	mg/Kg		09/03/13 15:52	09/04/13 18:06	1
Fluoranthene	ND		0.0670	0.00900	mg/Kg		09/03/13 15:52	09/04/13 18:06	1
Fluorene	ND		0.0670	0.0120	mg/Kg		09/03/13 15:52	09/04/13 18:06	1
Indeno[1,2,3-cd]pyrene	ND		0.0670	0.0100	mg/Kg		09/03/13 15:52	09/04/13 18:06	1
Naphthalene	ND		0.0670	0.00900	mg/Kg		09/03/13 15:52	09/04/13 18:06	1
2-Methylnaphthalene	ND		0.0670	0.0160	mg/Kg		09/03/13 15:52	09/04/13 18:06	1
Surrogate	MB MB		Limits				Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier							
2-Fluorobiphenyl (Surr)	68		29 - 120				09/03/13 15:52	09/04/13 18:06	1
Terphenyl-d14 (Surr)	82		13 - 120				09/03/13 15:52	09/04/13 18:06	1
Nitrobenzene-d5 (Surr)	63		27 - 120				09/03/13 15:52	09/04/13 18:06	1

Lab Sample ID: LCS 490-104447/2-A

Matrix: Solid

Analysis Batch: 104641

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 104447

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
Acenaphthylene	1.67	1.345		mg/Kg		81	38 - 120
Anthracene	1.67	1.404		mg/Kg		84	46 - 124
Benzo[a]anthracene	1.67	1.364		mg/Kg		82	45 - 120
Benzo[a]pyrene	1.67	1.240		mg/Kg		74	45 - 120
Benzo[b]fluoranthene	1.67	1.457		mg/Kg		87	42 - 120
Benzo[g,h,i]perylene	1.67	1.347		mg/Kg		81	38 - 120
Benzo[k]fluoranthene	1.67	1.295		mg/Kg		78	42 - 120
1-Methylnaphthalene	1.67	1.379		mg/Kg		83	32 - 120
Pyrene	1.67	1.504		mg/Kg		90	43 - 120
Phenanthrene	1.67	1.367		mg/Kg		82	45 - 120
Chrysene	1.67	1.505		mg/Kg		90	43 - 120
Dibenz(a,h)anthracene	1.67	1.408		mg/Kg		84	32 - 128
Fluoranthene	1.67	1.324		mg/Kg		79	46 - 120
Fluorene	1.67	1.413		mg/Kg		85	42 - 120
Indeno[1,2,3-cd]pyrene	1.67	1.320		mg/Kg		79	41 - 121
Naphthalene	1.67	1.338		mg/Kg		80	32 - 120
2-Methylnaphthalene	1.67	1.326		mg/Kg		80	28 - 120
Surrogate	LCS LCS		Limits				%Rec. Limits
	%Recovery	Qualifier					
2-Fluorobiphenyl (Surr)	79		29 - 120				
Terphenyl-d14 (Surr)	84		13 - 120				
Nitrobenzene-d5 (Surr)	74		27 - 120				

Lab Sample ID: 490-34035-2 MS

Matrix: Soil

Analysis Batch: 104641

Client Sample ID: 1178 Bobwhite

Prep Type: Total/NA

Prep Batch: 104447

Analyte	Sample Sample		Spike Added	MS MS		Unit	D	%Rec	%Rec. Limits
	Result	Qualifier		Result	Qualifier				
Acenaphthylene	ND		1.64	1.024		mg/Kg	☐	62	25 - 120
Anthracene	ND		1.64	1.076		mg/Kg	☐	65	28 - 125

TestAmerica Nashville

QC Sample Results

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-34035-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 490-34035-2 MS

Matrix: Soil

Analysis Batch: 104641

Client Sample ID: 1178 Bobwhite

Prep Type: Total/NA

Prep Batch: 104447

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.	
	Result	Qualifier	Added	Result	Qualifier				Limits	
Benzo[a]anthracene	0.0439	J	1.64	1.212		mg/Kg	☐	71	23 - 120	
Benzo[a]pyrene	ND		1.64	1.108		mg/Kg	☐	67	15 - 128	
Benzo[b]fluoranthene	0.0413	J	1.64	1.171		mg/Kg	☐	69	12 - 133	
Benzo[g,h,i]perylene	ND		1.64	0.9672		mg/Kg	☐	59	22 - 120	
Benzo[k]fluoranthene	0.0186	J	1.64	1.208		mg/Kg	☐	72	28 - 120	
1-Methylnaphthalene	ND		1.64	0.9634		mg/Kg	☐	59	10 - 120	
Pyrene	0.0518	J	1.64	1.390		mg/Kg	☐	81	20 - 123	
Phenanthrene	ND		1.64	1.061		mg/Kg	☐	65	21 - 122	
Chrysene	ND		1.64	1.302		mg/Kg	☐	79	20 - 120	
Dibenz(a,h)anthracene	ND		1.64	1.063		mg/Kg	☐	65	12 - 128	
Fluoranthene	0.0622	J	1.64	1.363		mg/Kg	☐	79	10 - 143	
Fluorene	ND		1.64	1.119		mg/Kg	☐	68	20 - 120	
Indeno[1,2,3-cd]pyrene	ND		1.64	1.046		mg/Kg	☐	64	22 - 121	
Naphthalene	ND		1.64	0.8728		mg/Kg	☐	53	10 - 120	
2-Methylnaphthalene	ND		1.64	0.9401		mg/Kg	☐	57	13 - 120	

Surrogate	MS	MS	Limits
%Recovery	Qualifier		
2-Fluorobiphenyl (Surr)	56		29 - 120
Terphenyl-d14 (Surr)	64		13 - 120
Nitrobenzene-d5 (Surr)	51		27 - 120

Lab Sample ID: 490-34035-2 MSD

Matrix: Soil

Analysis Batch: 104641

Client Sample ID: 1178 Bobwhite

Prep Type: Total/NA

Prep Batch: 104447

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.		RPD	
	Result	Qualifier	Added	Result	Qualifier				Limits		RPD	Limit
Acenaphthylene	ND		1.63	0.8028		mg/Kg	☐	49	25 - 120		24	50
Anthracene	ND		1.63	0.8530		mg/Kg	☐	52	28 - 125		23	49
Benzo[a]anthracene	0.0439	J	1.63	0.8809		mg/Kg	☐	51	23 - 120		32	50
Benzo[a]pyrene	ND		1.63	0.8231		mg/Kg	☐	50	15 - 128		30	50
Benzo[b]fluoranthene	0.0413	J	1.63	0.8605		mg/Kg	☐	50	12 - 133		31	50
Benzo[g,h,i]perylene	ND		1.63	0.7600		mg/Kg	☐	47	22 - 120		24	50
Benzo[k]fluoranthene	0.0186	J	1.63	0.8348		mg/Kg	☐	50	28 - 120		37	45
1-Methylnaphthalene	ND		1.63	0.7681		mg/Kg	☐	47	10 - 120		23	50
Pyrene	0.0518	J	1.63	0.9842		mg/Kg	☐	57	20 - 123		34	50
Phenanthrene	ND		1.63	0.8501		mg/Kg	☐	52	21 - 122		22	50
Chrysene	ND		1.63	0.9361		mg/Kg	☐	57	20 - 120		33	49
Dibenz(a,h)anthracene	ND		1.63	0.7670		mg/Kg	☐	47	12 - 128		32	50
Fluoranthene	0.0622	J	1.63	0.8915		mg/Kg	☐	51	10 - 143		42	50
Fluorene	ND		1.63	0.8647		mg/Kg	☐	53	20 - 120		26	50
Indeno[1,2,3-cd]pyrene	ND		1.63	0.7353		mg/Kg	☐	45	22 - 121		35	50
Naphthalene	ND		1.63	0.6947		mg/Kg	☐	43	10 - 120		23	50
2-Methylnaphthalene	ND		1.63	0.7635		mg/Kg	☐	47	13 - 120		21	50

Surrogate	MSD	MSD	Limits
%Recovery	Qualifier		
2-Fluorobiphenyl (Surr)	42		29 - 120
Terphenyl-d14 (Surr)	48		13 - 120

TestAmerica Nashville

QC Sample Results

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-34035-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 490-34035-2 MSD
Matrix: Soil
Analysis Batch: 104641

Client Sample ID: 1178 Bobwhite
Prep Type: Total/NA
Prep Batch: 104447

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
Nitrobenzene-d5 (Surr)	37		27 - 120

Method: Moisture - Percent Moisture

Lab Sample ID: 490-34035-1 DU
Matrix: Soil
Analysis Batch: 103009

Client Sample ID: 1292 Eagle
Prep Type: Total/NA

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	Limit
	Result	Qualifier	Result	Qualifier				
Percent Solids	94		92		%		2	20

TestAmerica Nashville

QC Association Summary

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-34035-1

GC/MS VOA

Prep Batch: 103015

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-34035-1	1292 Eagle	Total/NA	Soil	5035	
490-34035-2	1178 Bobwhite	Total/NA	Soil	5035	
490-34035-3	402 Elderberry	Total/NA	Soil	5035	
490-34035-4	1410 Eagle	Total/NA	Soil	5035	

Prep Batch: 103017

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-34035-1	1292 Eagle	Total/NA	Soil	5035	

Analysis Batch: 103825

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-34035-1	1292 Eagle	Total/NA	Soil	8260B	103015
490-34035-2	1178 Bobwhite	Total/NA	Soil	8260B	103015
490-34035-3	402 Elderberry	Total/NA	Soil	8260B	103015
490-34035-4	1410 Eagle	Total/NA	Soil	8260B	103015
LCS 490-103825/3	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 490-103825/4	Lab Control Sample Dup	Total/NA	Solid	8260B	
MB 490-103825/6	Method Blank	Total/NA	Solid	8260B	

Analysis Batch: 104525

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-34035-1	1292 Eagle	Total/NA	Soil	8260B	103017
LCS 490-104525/4	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 490-104525/5	Lab Control Sample Dup	Total/NA	Solid	8260B	
MB 490-104525/8	Method Blank	Total/NA	Solid	8260B	

GC/MS Semi VOA

Prep Batch: 103822

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-34035-1	1292 Eagle	Total/NA	Soil	3550C	
490-34035-3	402 Elderberry	Total/NA	Soil	3550C	
490-34035-4	1410 Eagle	Total/NA	Soil	3550C	
LCS 490-103822/2-A	Lab Control Sample	Total/NA	Solid	3550C	
LCSD 490-103822/3-A	Lab Control Sample Dup	Total/NA	Solid	3550C	
MB 490-103822/1-A	Method Blank	Total/NA	Solid	3550C	

Analysis Batch: 104317

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-34035-1	1292 Eagle	Total/NA	Soil	8270D	103822
490-34035-3	402 Elderberry	Total/NA	Soil	8270D	103822
490-34035-4	1410 Eagle	Total/NA	Soil	8270D	103822
LCS 490-103822/2-A	Lab Control Sample	Total/NA	Solid	8270D	103822
LCSD 490-103822/3-A	Lab Control Sample Dup	Total/NA	Solid	8270D	103822
MB 490-103822/1-A	Method Blank	Total/NA	Solid	8270D	103822

Prep Batch: 104447

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-34035-2	1178 Bobwhite	Total/NA	Soil	3550C	
490-34035-2 MS	1178 Bobwhite	Total/NA	Soil	3550C	

TestAmerica Nashville

QC Association Summary

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-34035-1

GC/MS Semi VOA (Continued)

Prep Batch: 104447 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-34035-2 MSD	1178 Bobwhite	Total/NA	Soil	3550C	
LCS 490-104447/2-A	Lab Control Sample	Total/NA	Solid	3550C	
MB 490-104447/1-A	Method Blank	Total/NA	Solid	3550C	

Analysis Batch: 104641

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-34035-1	1292 Eagle	Total/NA	Soil	8270D	103822
490-34035-2	1178 Bobwhite	Total/NA	Soil	8270D	104447
490-34035-2 MS	1178 Bobwhite	Total/NA	Soil	8270D	104447
490-34035-2 MSD	1178 Bobwhite	Total/NA	Soil	8270D	104447
LCS 490-104447/2-A	Lab Control Sample	Total/NA	Solid	8270D	104447
MB 490-104447/1-A	Method Blank	Total/NA	Solid	8270D	104447

General Chemistry

Analysis Batch: 103009

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-34035-1	1292 Eagle	Total/NA	Soil	Moisture	
490-34035-1 DU	1292 Eagle	Total/NA	Soil	Moisture	
490-34035-2	1178 Bobwhite	Total/NA	Soil	Moisture	
490-34035-3	402 Elderberry	Total/NA	Soil	Moisture	
490-34035-4	1410 Eagle	Total/NA	Soil	Moisture	

Lab Chronicle

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-34035-1

Client Sample ID: 1292 Eagle

Date Collected: 08/19/13 14:45

Date Received: 08/27/13 08:00

Lab Sample ID: 490-34035-1

Matrix: Soil
Percent Solids: 93.9

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			103015	08/27/13 15:32	GLN	TAL NSH
Total/NA	Analysis	8260B		1	103825	08/30/13 18:29	KKK	TAL NSH
Total/NA	Prep	5035			103017	08/27/13 15:33	GLN	TAL NSH
Total/NA	Analysis	8260B		1	104525	09/04/13 13:28	KKK	TAL NSH
Total/NA	Prep	3550C			103822	08/30/13 09:37	JLP	TAL NSH
Total/NA	Analysis	8270D		1	104317	09/03/13 14:07	BES	TAL NSH
Total/NA	Analysis	8270D		10	104641	09/04/13 15:46	BES	TAL NSH
Total/NA	Analysis	Moisture		1	103009	08/27/13 15:07	RRS	TAL NSH

9

Client Sample ID: 1178 Bobwhite

Date Collected: 08/20/13 14:15

Date Received: 08/27/13 08:00

Lab Sample ID: 490-34035-2

Matrix: Soil
Percent Solids: 83.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			103015	08/27/13 15:32	GLN	TAL NSH
Total/NA	Analysis	8260B		1	103825	08/30/13 18:58	KKK	TAL NSH
Total/NA	Prep	3550C			104447	09/03/13 15:52	LP	TAL NSH
Total/NA	Analysis	8270D		1	104641	09/04/13 19:03	BES	TAL NSH
Total/NA	Analysis	Moisture		1	103009	08/27/13 15:07	RRS	TAL NSH

Client Sample ID: 402 Elderberry

Date Collected: 08/21/13 14:15

Date Received: 08/27/13 08:00

Lab Sample ID: 490-34035-3

Matrix: Soil
Percent Solids: 93.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			103015	08/27/13 15:32	GLN	TAL NSH
Total/NA	Analysis	8260B		1	103825	08/30/13 19:28	KKK	TAL NSH
Total/NA	Prep	3550C			103822	08/30/13 09:37	JLP	TAL NSH
Total/NA	Analysis	8270D		1	104317	09/03/13 14:35	BES	TAL NSH
Total/NA	Analysis	Moisture		1	103009	08/27/13 15:07	RRS	TAL NSH

Client Sample ID: 1410 Eagle

Date Collected: 08/22/13 14:45

Date Received: 08/27/13 08:00

Lab Sample ID: 490-34035-4

Matrix: Soil
Percent Solids: 90.8

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			103015	08/27/13 15:32	GLN	TAL NSH
Total/NA	Analysis	8260B		1	103825	08/30/13 19:57	KKK	TAL NSH
Total/NA	Prep	3550C			103822	08/30/13 09:37	JLP	TAL NSH
Total/NA	Analysis	8270D		1	104317	09/03/13 15:03	BES	TAL NSH
Total/NA	Analysis	Moisture		1	103009	08/27/13 15:07	RRS	TAL NSH

TestAmerica Nashville

Lab Chronicle

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-34035-1

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177



Method Summary

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-34035-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL NSH
8270D	Semivolatile Organic Compounds (GC/MS)	SW846	TAL NSH
Moisture	Percent Moisture	EPA	TAL NSH

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Certification Summary

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-34035-1

Laboratory: TestAmerica Nashville

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
A2LA	ISO/IEC 17025		0453.07	12-31-13
Alaska (UST)	State Program	10	UST-087	07-24-14
Arizona	State Program	9	AZ0473	05-05-14
Arizona	State Program	9	AZ0473	05-05-14 *
Arkansas DEQ	State Program	6	88-0737	04-25-14
California	NELAP	9	1168CA	10-31-13
Canadian Assoc Lab Accred (CALA)	Canada		3744	03-08-14
Connecticut	State Program	1	PH-0220	12-31-13
Florida	NELAP	4	E87358	06-30-14
Illinois	NELAP	5	200010	12-09-13
Iowa	State Program	7	131	05-01-14
Kansas	NELAP	7	E-10229	10-31-13
Kentucky (UST)	State Program	4	19	06-30-14
Louisiana	NELAP	6	30613	06-30-14
Maryland	State Program	3	316	03-31-14
Massachusetts	State Program	1	M-TN032	06-30-14
Minnesota	NELAP	5	047-999-345	12-31-13
Mississippi	State Program	4	N/A	06-30-14
Montana (UST)	State Program	8	NA	01-01-15
Nevada	State Program	9	TN00032	07-31-14
New Hampshire	NELAP	1	2963	10-10-13
New Jersey	NELAP	2	TN965	06-30-14
New York	NELAP	2	11342	04-01-14
North Carolina DENR	State Program	4	387	12-31-13
North Dakota	State Program	8	R-146	06-30-14
Ohio VAP	State Program	5	CL0033	01-19-14
Oklahoma	State Program	6	9412	08-31-14
Oregon	NELAP	10	TN200001	04-29-14
Pennsylvania	NELAP	3	68-00585	06-30-14
Rhode Island	State Program	1	LAO00268	12-30-13
South Carolina	State Program	4	84009 (001)	02-28-14
Tennessee	State Program	4	2008	02-23-14
Texas	NELAP	6	T104704077-09-TX	08-31-14
USDA	Federal		S-48469	11-02-13
Utah	NELAP	8	TN00032	07-31-14
Virginia	NELAP	3	460152	06-14-14
Washington	State Program	10	C789	07-19-14
West Virginia DEP	State Program	3	219	02-28-14
Wisconsin	State Program	5	998020430	08-31-14
Wyoming (UST)	A2LA	8	453.07	12-31-13

* Expired certification is currently pending renewal and is considered valid.

TestAmerica Nashville

COOLER RECEIPT FORM

Charleston



490-34035 Chain of Custody

Cooler Received/Opened On 8/27/2013 @ 0800

1. Tracking # 6485 (last 4 digits, FedEx)

Courier: Fedex IR Gun ID 18290455

2. Temperature of rep. sample or temp blank when opened: 0.2 Degrees Celsius

3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank frozen? YES NO NA

4. Were custody seals on outside of cooler?

YES...NO...NA

If yes, how many and where:

2 front & back

5. Were the seals intact, signed, and dated correctly?

YES...NO...NA

6. Were custody papers inside cooler?

YES...NO...NA

I certify that I opened the cooler and answered questions 1-6 (initial)

ELA

7. Were custody seals on containers:

YES

NO

and Intact

YES...NO...NA

Were these signed and dated correctly?

YES...NO...NA

8. Packing mat'l used? Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert Paper Other None

9. Cooling process: Ice Ice-pack Ice (direct contact) Dry ice Other None

10. Did all containers arrive in good condition (unbroken)?

YES...NO...NA

11. Were all container labels complete (#, date, signed, pres., etc)?

YES...NO...NA

12. Did all container labels and tags agree with custody papers?

YES...NO...NA

13a. Were VOA vials received?

YES...NO...NA

b. Was there any observable headspace present in any VOA vial?

YES...NO...NA

14. Was there a Trip Blank in this cooler? YES...NO...NA If multiple coolers, sequence #

I certify that I unloaded the cooler and answered questions 7-14 (initial)

MDM

15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? YES...NO...NA

b. Did the bottle labels indicate that the correct preservatives were used

YES...NO...NA

16. Was residual chlorine present?

YES...NO...NA

I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (initial)

MDM

17. Were custody papers properly filled out (ink, signed, etc)?

YES...NO...NA

18. Did you sign the custody papers in the appropriate place?

YES...NO...NA

19. Were correct containers used for the analysis requested?

YES...NO...NA

20. Was sufficient amount of sample sent in each container?

YES...NO...NA

I certify that I entered this project into LIMS and answered questions 17-20 (initial)

MDM

I certify that I attached a label with the unique LIMS number to each container (initial)

MDM

21. Were there Non-Conformance issues at login? YES...NO Was a NCM generated? YES...NO...#

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Nashville Division
2960 Foster Creighton
Nashville, TN 37204

Phone: 615-726-0177
Toll Free: 800-765-0980
Fax: 615-726-3404

Client Name/Account #: EEG - SBG # 2449

Address: 10179 Highway 78

City/State/Zip: Ladson, SC 29456

Project Manager: Tom McElwee email: mceelwee@eeqinc.net

Telephone Number: 843 412 2097

Fax No.: 843-412-2027

Sampler Name: (Print)

Sampler Signature:

Site State: SC

PO#: 1035

TA Quote #:

Project ID: Laurel Bay Housing Project

Project #:

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?

Compliance Monitoring? Yes ☐ No ☐
Enforcement Action? Yes ☐ No ☐

Loc: 490
34035

9/6/2013

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (Specify)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	BTEX + Naph - 8260	PAH - 8270D	Analyze For:	RUSH TAT (Pre-Schedule)	Standard TAT	Fax Results	Send QC with report
1292 Eagle	8/19/13	1445	5	X																							
1178 Bobwhite	8/20/13	1415	5	X																							
402 Elderberry	8/21/13	1415	5	X																							
1410 Eagle	8/22/13	1445	5	X																							

Special Instructions:

Relinquished by: *[Signature]* Date: 8/26/13 Time: *[Signature]* Received by: *[Signature]* Date: 8-27-13 Time: 0800

Remunished by: *[Signature]* Date: *[Signature]* Time: *[Signature]*

Method of Shipment: *[Signature]* FEDEX

Laboratory Comments: Temperature Upon Receipt: 0.2, VOCs Free of Headspace? Y N

Login Sample Receipt Checklist

Client: Small Business Group Inc.

Job Number: 490-34035-1

Login Number: 34035

List Source: TestAmerica Nashville

List Number: 1

Creator: McBride, Mike

Question	Answer	Comment
Radioactivity wasn't checked or is <= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ATTACHMENT A



Gold- TRANSPORTER #1 COPY

Appendix C
Laboratory Analytical Report - Groundwater

Volatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants				Laboratory ID: QF17014-018			
Description: BEALB1410TW01WG20150618				Matrix: Aqueous			
Date Sampled: 06/18/2015 1200							
Date Received: 06/19/2015							

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/26/2015 1810	ALL		78249

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzene	71-43-2	8260B	0.45	U	5.0	0.45	0.21	ug/L	1
Ethylbenzene	100-41-4	8260B	0.51	U	5.0	0.51	0.21	ug/L	1
Naphthalene	91-20-3	8260B	1.7	J	5.0	0.96	0.14	ug/L	1
Toluene	108-88-3	8260B	0.48	U	5.0	0.48	0.24	ug/L	1
Xylenes (total)	1330-20-7	8260B	0.57	U	5.0	0.57	0.19	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Bromofluorobenzene		85	75-120
1,2-Dichloroethane-d4		94	70-120
Toluene-d8		97	85-120
Dibromofluoromethane		95	85-115

PQL = Practical quantitation limit B = Detected in the method blank E = Quantitation of compound exceeded the calibration range H = Out of holding time Q = Surrogate failure
 ND = Not detected at or above the MDL J = Estimated result < PQL and ≥ MDL P = The RPD between two GC columns exceeds 40% N = Recovery is out of criteria L = LCS/LCSD failure
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W" S = MS/MSD failure

Shealy Environmental Services, Inc.
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Semivolatile Organic Compounds by GC/MS (SIM)

Client: AECOM - Resolution Consultants	Laboratory ID: QF17014-018
Description: BEALB1410TW01WG20150618	Matrix: Aqueous
Date Sampled: 06/18/2015 1200	
Date Received: 06/19/2015	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3520C	8270D (SIM)	1	06/23/2015 1544	RBH	06/22/2015 1610	77836

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzo(a)anthracene	56-55-3	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	0.040	U	0.20	0.040	0.024	ug/L	1
Chrysene	218-01-9	8270D (SIM)	0.040	U	0.20	0.040	0.021	ug/L	1
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	0.080	U	0.20	0.080	0.040	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
2-Methylnaphthalene-d10		83	15-139
Fluoranthene-d10		24	23-154

PQL = Practical quantitation limit B = Detected in the method blank E = Quantitation of compound exceeded the calibration range H = Out of holding time Q = Surrogate failure
 ND = Not detected at or above the MDL J = Estimated result < PQL and ≥ MDL P = The RPD between two GC columns exceeds 40% N = Recovery is out of criteria L = LCS/LCSD failure
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W" S = MS/MSD failure

Shealy Environmental Services, Inc.
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Appendix D
Laboratory Analytical Report - Vapor

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: AECOM

Client Sample ID: BEALB1410SG01GS20160506

Client Project ID: WE56-LBMH Soil Vapor Assessments / 60342031.FI.WI

ALS Project ID: P1602413

ALS Sample ID: P1602413-004

Test Code: EPA TO-15

Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS9

Analyst: Wida Ang

Sampling Media: 6.0 L Silonite Canister

Test Notes:

Container ID: SSC00239

Date Collected: 5/6/16

Date Received: 5/9/16

Date Analyzed: 5/24/16

Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -0.14 Final Pressure (psig): 3.58

Canister Dilution Factor: 1.26

CAS #	Compound	Result µg/m ³	LOQ µg/m ³	LOD µg/m ³	MDL µg/m ³	Data Qualifier
71-43-2	Benzene	0.55	0.63	0.55	0.20	U
108-88-3	Toluene	1.4	0.63	0.53	0.21	
100-41-4	Ethylbenzene	0.88	0.63	0.53	0.20	
179601-23-1	m,p-Xylenes	3.7	1.3	1.0	0.38	
95-47-6	o-Xylene	1.8	0.63	0.52	0.19	
91-20-3	Naphthalene	0.42	0.63	0.50	0.23	J

U = Undetected at the limit of detection: The associated data value is the limit of detection, adjusted by any dilution factor used in the analysis.

LOQ = Limit of Quantitation - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

J = The result is an estimated concentration that is less than the LOQ but greater than or equal to the MDL.

Appendix E
Regulatory Correspondence



W. Marshall Taylor Jr., Acting Director

Promoting and protecting the health of the public and the environment

April 7, 2015

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: IGWA
Laurel Bay Underground Storage Tank Assessment Reports for:
See attached sheet

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tank Assessment Reports for the addresses listed above. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

The Department has reviewed the referenced assessment reports. The submitted analytical results indicate that petroleum constituents are above established Risk-Based Screening Levels and additional investigation is warranted. Specifically, the Department requests that a groundwater sampling proposal be generated to determine if there has been an impact to groundwater at this site.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at kriegkm@dhec.sc.gov or 803-898-0255.

Sincerely,

Kent Krieg
Department of Defense Corrective Action Section
Bureau of Land and Waste Management
South Carolina Department of Health and Environmental Control

Cc: Russell Berry (via email)
Craig Ehde (via email)



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment

Attachment to: Krieg to Drawdy
Subject: IGWA
Dated 4/7/2015

Laurel Bay Underground Storage Tank Assessment Reports for: (18 addresses/19 tanks)

1186 Bobwhite	1417 Albatross
1194 Cardinal	1420 Dove
1354 Cardinal	1421 Albatross Tank 1
1362 Cardinal	1421 Albatross Tank 2
1364 Cardinal Tank 1	1427 Albatross
1403 Eagle	1429 Albatross
1404 Eagle	1444 Dove Tank 1
1405 Eagle	1453 Cardinal
1408 Eagle	1455 Cardinal
1410 Eagle	



Catherine E. Heigel, Director

Promoting and protecting the health of the public and the environment

Division of Waste Management
Bureau of Land and Waste Management

February 22, 2016

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: Approval and Concurrence with Draft Final Initial Groundwater Investigation Report-May and June 2015
Laurel Bay Military Housing Area Multiple Properties
Dated October 2015

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received groundwater data in the above referenced Groundwater Investigation Report for the addresses attached. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

Per the Department's request, groundwater samples were collected from the attached referenced addresses. The Department reviewed the groundwater data and previous investigations and it agrees with the conclusions and recommendations included in the document. To further assess the impact to groundwater, permanent wells should be installed at the 52 stated addresses. For the remaining 91 addresses, there is no indication of contamination on the property and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at petruslb@dhec.sc.gov or 803-898-0294.

Sincerely,

Laurel Petrus
RCRA Federal Facilities Section

Attachment: Specific Property Recommendations

Cc: Russell Berry, EQC Region 8 (via email)
Shawn Dolan, Resolution Consultants (via email)
Bryan Beck, NAVFAC MIDATLANTIC (via email)
Craig Ehde (via email)

Attachment to: Petrus to Drawdy
 Subject: Draft Final Initial Groundwater Investigation Report-May and June 2015
 Specific Property Recommendations
 Dated February 22, 2016

Draft Final Initial Groundwater Investigation Report for (143 addresses)

Permanent Monitoring Well Investigation recommendation (52 addresses)

273 Birch Drive	1192 Bobwhite Drive
325 Ash Street	1194 Bobwhite Drive
326 Ash Street	1272 Albatross Drive
336 Ash Street	1352 Cardinal Lane
343 Ash Street	1356 Cardinal Lane
353 Ash Street	1359 Cardinal Lane
430 Elderberry Drive	1360 Cardinal Lane
440 Elderberry Drive	1362 Cardinal Lane
456 Elderberry Drive	1370 Cardinal Lane
458 Elderberry Drive	1382 Dove Lane
468 Dogwood Drive	1384 Dove lane
518 Laurel Bay Blvd	1385 Dove Lane
635 Dahlia Drive	1389 Dove Lane
638 Dahlia Drive	1392 Dove Lane
640 Dahlia Drive	1393 Dove Lane
647 Dahlia Drive	1407 Eagle Lane
648 Dahlia Drive	1411 Eagle Lane
650 Dahlia Drive	1418 Albatross Drive
652 Dahlia Drive	1420 Albatross Drive
760 Althea Street	1426 Albatross Drive
1102 Iris Lane	1429 Albatross Drive
1132 Iris Lane	1434 Dove Lane
1133 Iris Lane	1436 Dove Lane
1144 Iris Lane	1440 Dove Lane
1148 Iris Lane	1442 Dove Lane
1186 Bobwhite Drive	1444 Dove Lane

No Further Action recommendation (91 addresses):

137 Laurel Bay Blvd	771 Althea Street
139 Laurel Bay Blvd	927 Albacore Street
229 Cypress Street	1015 Foxglove Street
261 Beech Street	1046 Gardenia Drive
276 Birch Drive	1062 Gardenia Drive
278 Birch Drive	1070 Heather Street
291 Birch Drive	1072 Heather Street

300 Ash Street	1107 Iris Lane
304 Ash Street	1126 Iris Lane
314 Ash Street	1129 Iris Lane
322 Ash Street	1138 Iris Lane
323 Ash Street	1161 Jasmine Street
324 Ash Street	1167 Jasmine Street
339 Ash Street	1170 Jasmine Street
344 Ash Street	1190 Bobwhite Drive
348 Ash Street	1219 Cardinal Lane
349 Ash Street	1305 Eagle Lane
362 Aspen Street	1353 Cardinal Lane
376 Aspen Street	1354 Cardinal Lane
380 Aspen Street	1357 Cardinal Lane
383 Aspen Street	1361 Cardinal Lane
387 Acorn Drive	1364 Cardinal Lane
392 Acorn Drive	1368 Cardinal Lane
396 Acorn Drive	1377 Dove Lane
433 Elderberry Drive	1381 Dove Lane
439 Elderberry Drive	1391 Dove Lane
442 Elderberry Drive	1403 Eagle Lane
443 Elderberry Drive	1404 Eagle Lane
444 Elderberry Drive	1405 Eagle Lane
445 Elderberry Drive	1406 Eagle Lane
446 Elderberry Drive	1408 Eagle Lane
448 Elderberry Drive	1410 Eagle Lane
449 Elderberry Drive	1412 Eagle Lane
451 Elderberry Drive	1413 Albatross Drive
453 Elderberry Drive	1414 Albatross Drive
464 Dogwood Drive	1417 Albatross Drive
466 Dogwood Drive	1421 Albatross Drive
467 Dogwood Drive	1422 Albatross Drive
469 Dogwood Drive	1425 Albatross Drive
471 Dogwood Drive	1427 Albatross Drive
475 Dogwood Drive	1430 Dove Lane
516 Laurel Bay Blvd	1432 Dove Lane
531 Laurel Bay Blvd	1438 Dove Lane
532 Laurel Bay Blvd	1453 Cardinal Lane
645 Dahlia Drive	1455 Cardinal Lane
763 Althea Street	



June 20, 2017

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: Approval Response to Comments and Draft Final Revision 1 Vapor Intrusion Report July 2015, January 2016 and May 2016, Laurel Bay Military Housing Area, Multiple Properties

RE: Approval Response to Comments and Draft Final Revision 1 Letter Report - Petroleum Vapor Intrusion Investigations - June 2016 and January 2017, Multiple Properties, Laurel Bay Military Housing Area

Dear Mr. Drawdy:

The South Carolina Department of Health and Environmental Control (DHEC) received the above referenced response to comments and errata pages on May 24 and June 7, 2017. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

DHEC has reviewed the response to comments and errata pages. Based on this review, DHEC did not generate any additional comments. Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary. If you have any questions, please contact me at petruslb@dhec.sc.gov or 803-898-0294.

Sincerely,

Laurel Petrus
Department of Defense Corrective Action Section

Cc: Russell Berry, EQC Region 8
Shawn Dolan, Resolution Consultants
Bryan Beck, NAVFAC MIDLANT