

SUMMARY REPORT
507 ALBATROSS DRIVE (FORMERLY 1416 ALBATROSS DRIVE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid-Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT
507 ALBATROSS DRIVE (FORMERLY 1416 ALBATROSS DRIVE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid- Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue
Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture
10560 Arrowhead Drive, Suite 500
Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016

CTO WE52

JUNE 2021

Table of Contents

1.0	INTRODUCTION.....	1
1.1	BACKGROUND INFORMATION.....	1
1.2	UST REMOVAL AND ASSESSMENT PROCESS.....	2
2.0	SAMPLING ACTIVITIES AND RESULTS.....	3
2.1	UST REMOVAL AND SOIL SAMPLING	3
2.2	SOIL ANALYTICAL RESULTS.....	4
3.0	PROPERTY STATUS	4
4.0	REFERENCES.....	4

Table

Table 1	Laboratory Analytical Results - Soil
---------	--------------------------------------

Appendices

Appendix A	Multi-Media Selection Process for LBMH
Appendix B	UST Assessment Report
Appendix C	Regulatory Correspondence

List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level

1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 507 Albatross Drive (Formerly 1416 Albatross Drive). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*

Division (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 507 Albatross Drive (Formerly 1416 Albatross Drive). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 1416 Albatross Drive* (MCAS Beaufort, 2011). The UST Assessment Report is provided in Appendix B.

2.1 UST Removal and Soil Sampling

On May 9, 2011, a single 280 gallon heating oil UST was removed from the front yard adjacent to the driveway area at 507 Albatross Drive (Formerly 1416 Albatross Drive). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 5'6" bgs and a single soil sample was collected from that depth. The

sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 507 Albatross Drive (Formerly 1416 Albatross Drive) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment.

3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 507 Albatross Drive (Formerly 1416 Albatross Drive). This NFA determination was obtained in a letter dated November 18, 2014. SCDHEC's NFA letter is provided in Appendix C.

4.0 REFERENCES

Marine Corps Air Station Beaufort, 2011. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 1416 Albatross Drive, Laurel Bay Military Housing Area*, September 2011.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

Table

Table 1
Laboratory Analytical Results - Soil
507 Albatross Drive (Formerly 1416 Albatross Drive)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾	Results Sample Collected 05/09/11
Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)		
Benzene	0.003	ND
Ethylbenzene	1.15	ND
Naphthalene	0.036	0.00433
Toluene	0.627	ND
Xylenes, Total	13.01	ND
Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)		
Benzo(a)anthracene	0.66	ND
Benzo(b)fluoranthene	0.66	ND
Benzo(k)fluoranthene	0.66	ND
Chrysene	0.66	ND
Dibenz(a,h)anthracene	0.66	ND

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0 (SCDHEC, April 2013).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

Appendix A
Multi-Media Selection Process for LBMH



Appendix A - Multi-Media Selection Process for LBMH

Appendix B
UST Assessment Report

Rec'd 9/30/11

Attachment 1

South Carolina Department of Health and Environmental Control (SCDHEC)
Underground Storage Tank (UST) Assessment Report

Date Received State Use Only

Submit Completed Form To:
 UST Program
 SCDHEC
 2600 Bull Street
 Columbia, South Carolina 29201
 Telephone (803) 896-7957

I. OWNERSHIP OF UST (S)

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)		
Owner Name (Corporation, Individual, Public Agency, Other)		
P.O. Box 55001		
Mailing Address		
Beaufort,	South Carolina	29904-5001
City	State	Zip Code
843	228-7317	Craig Ehde
Area Code	Telephone Number	Contact Person

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #	
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC	
Facility Name or Company Site Identifier	
1416 Albatross Drive, Laurel Bay Military Housing Area	
Street Address or State Road (as applicable)	
Beaufort,	Beaufort
City	County

Attachment 2

III. INSURANCE INFORMATION

Insurance Statement

The petroleum release reported to DHEC on _____ at Permit ID Number _____ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? **YES**____ **NO**____ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: _____

The policy deductible is: _____

The policy limit is: _____

If you have this type of insurance, please include a copy of the policy with this report.

IV. REQUEST FOR SUPERB FUNDING

I **DO / DO NOT** wish to participate in the SUPERB Program. (Circle one.)

V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

To be completed by Notary Public:

Sworn before me this _____ day of _____, 20____

(Name)

Notary Public for the state of _____
Please affix State seal if you are commissioned outside South Carolina

VI. UST INFORMATION

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity..(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material..(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....

1416		
Albatross		
Heating oil		
280 gal		
Late 1950s		
Steel		
Mid 80s		
5'6"		
No		
No		
Removed		
5/9/11		
Yes		
Yes		

- M. Method of disposal for any USTs removed from the ground (attach disposal manifests)
UST 1416Albatross was removed from the ground and disposed
of at a Subtitle "D" landfill. See Attachment "A".
- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)
UST 1416Albatross was previously filled with sand by others.
- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST
Corrosion, pitting and holes were found throughout the tank.

VII. PIPING INFORMATION

A. Construction Material..(ex. Steel, FRP).....

B. Distance from UST to Dispenser.....

C. Number of Dispensers.....

D. Type of System Pressure or Suction.....

E. Was Piping Removed from the Ground? Y/N

F. Visible Corrosion or Pitting Y/N.....

G. Visible Holes Y/N.....

H. Age.....

I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

Steel vent piping was corroded and pitted. Copper supply and return piping was sound.

1416 Albatross		
Steel & Copper		
N/A		
N/A		
Suction		
Yes		
Yes		
No		
Late 1950s		

VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

IX. SITE CONDITIONS

	Yes	No	Unk
<p>A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate depth and location on the site map.</p>		X	
<p>B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate location on site map and describe the odor (strong, mild, etc.)</p>		X	
<p>C. Was water present in the UST excavation, soil borings, or trenches?</p> <p>If yes, how far below land surface (indicate location and depth)?</p>		X	
<p>D. Did contaminated soils remain stockpiled on site after closure?</p> <p>If yes, indicate the stockpile location on the site map.</p> <p>Name of DHEC representative authorizing soil removal:</p>		X	
<p>E. Was a petroleum sheen or free product detected on any excavation or boring waters?</p> <p>If yes, indicate location and thickness.</p>		X	

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
1416 A'tross	Excav at fill end	Soil	Sandy	5'6"	5/9/11 1600 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

* = Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.


XII. RECEPTORS

	Yes	No
<p>A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system? *~640' pond</p> <p>If yes, indicate type of receptor, distance, and direction on site map.</p>	*X	
<p>B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?</p> <p>If yes, indicate type of well, distance, and direction on site map.</p>		X
<p>C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?</p> <p>If yes, indicate type of structure, distance, and direction on site map.</p>		X
<p>D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? *Sewer, water, electricity cable & fiber optic</p> <p>If yes, indicate the type of utility, distance, and direction on the site map.</p>	*X	
<p>E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?</p> <p>If yes, indicate the area of contaminated soil on the site map.</p>		X


XIII. SITE MAP

You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)



1416 ALBATROSS DR.



SBG-EEG, Inc.

398 E. 5th North Street, Suite C
Summerville SC 29483-6954

Ph. (843) 875-1930

Drawn By: L. DiAsio

Dwg Date: JUNE 2011

FIGURE 1: LOCATION MAP
1416 ALBATROSS DR.
LAUREL BAY, BEAUFORT SC



POND \approx 640'




SCREENED
PORCH

1416 ALBATROSS DR.
LAUREL BAY MILITARY HOUSING
MCAS BEAUFORT, SC

UST 1416ALBATROSS



GRAPHIC SCALE



SBG-EEG


398 E. 5 NORTH ST., SUITE C
SUMMERVILLE, SC
29483-6954

FIGURE 2 SITE MAP
1416 ALBATROSS DR., LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE JUNE 2011



POND \approx 640' 

1416 ALBATROSS DR.

UST 1416ALBATROSS,
280 GAL.



SOIL SAMPLE
1416 ALBATROSS



TANK DEPTH BELOW GRADE
1416ALBATROSS = 30"

SBG-EEG

398 E. 5 NORTH ST., SUITE C
SUMMERVILLE, SC
29483-6954

FIGURE 3 UST SAMPLE LOCATIONS
1416 ALBATROSS DR., LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE JUNE 2011



Picture 1: Location of UST 1416 Albatross.



Picture 2: UST 1416 Albatross excavation in progress.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	UST 1416Albatross						
Benzene	ND						
Toluene	ND						
Ethylbenzene	ND						
Xylenes	ND						
Naphthalene	0.00433 mg/kg						
Benzo (a) anthracene	ND						
Benzo (b) fluoranthene	ND						
Benzo (k) fluoranthene	ND						
Chrysene	ND						
Dibenz (a, h) anthracene	ND						
TPH (EPA 3550)							

CoC							
Benzene							
Toluene							
Ethylbenzene							
Xylenes							
Naphthalene							
Benzo (a) anthracene							
Benzo (b) fluoranthene							
Benzo (k) fluoranthene							
Chrysene							
Dibenz (a, h) anthracene							
TPH (EPA 3550)							

SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here)
(Please see Form #4)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Nashville
2960 Foster Creighton Road
Nashville, TN 37204
Tel: 800-765-0980

TestAmerica Job ID: NUE2542


Client Project/Site: [none]

Client Project Description: Laurel Bay Housing Project

For:

EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456

Attn: Tom McElwee



Authorized for release by:
05/31/2011 05:16:54 PM

Ken A. Hayes
Senior Project Manager
ken.hayes@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?



Visit us at:

www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Definitions	4
Client Sample Results	5
QC Sample Results	10
QC Association	17
Chronicle	19
Method Summary	21
Certification Summary	22
Chain of Custody	23

Sample Summary

Client: EEG - Small Business Group, Inc. (2449)

TestAmerica Job ID: NUE2542

Project/Site: [none]

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
NUE2542-01	1416 Albatross	Soil	05/09/11 16:00	05/14/11 09:00
NUE2542-02	1421 Albatross	Soil	05/10/11 10:45	05/14/11 09:00
NUE2542-03	1405 Eagle	Soil	05/10/11 15:15	05/14/11 09:00
NUE2542-04	1188 Bobwhite	Soil	05/12/11 12:15	05/14/11 09:00

Definitions/Glossary

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Qualifiers

GCMS Volatiles

Qualifier	Qualifier Description
J	Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.
RL1	Reporting limit raised due to sample matrix effects.
Z6	Surrogate recovery was below acceptance limits.
ZX	Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.

GCMS Semivolatiles

Qualifier	Qualifier Description
J	Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.
ZX	Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis.
EPA	United States Environmental Protection Agency
ND	Not Detected above the reporting level.
MDL	Method Detection Limit
RL	Reporting Limit
RE, RE1 (etc.)	Indicates a Re-extraction or Reanalysis of the sample.
%R	Percent Recovery
RPD	Relative Percent Difference, a measure of the relative difference between two points.

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Client Sample ID: 1416 Albatross

Lab Sample ID: NUE2542-01

Date Collected: 05/09/11 16:00

Matrix: Soil

Date Received: 05/14/11 09:00

Percent Solids: 89.6

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00255	0.00140	mg/kg dry	☐	05/09/11 16:00	05/18/11 15:05	1.00
Ethylbenzene	ND		0.00255	0.00125	mg/kg dry	☐	05/09/11 16:00	05/18/11 15:05	1.00
Toluene	ND		0.00255	0.00113	mg/kg dry	☐	05/09/11 16:00	05/18/11 15:05	1.00
Xylenes, total	ND		0.00637	0.00242	mg/kg dry	☐	05/09/11 16:00	05/18/11 15:05	1.00
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	92		67 - 138				05/09/11 16:00	05/18/11 15:05	1.00
Dibromofluoromethane	105		75 - 125				05/09/11 16:00	05/18/11 15:05	1.00
Toluene-d8	95		76 - 129				05/09/11 16:00	05/18/11 15:05	1.00
4-Bromofluorobenzene	99		67 - 147				05/09/11 16:00	05/18/11 15:05	1.00

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	0.00433	J	0.00659	0.00224	mg/kg dry	☐	05/09/11 16:00	05/19/11 16:08	1.00
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	89		67 - 138				05/09/11 16:00	05/19/11 16:08	1.00
Dibromofluoromethane	103		75 - 125				05/09/11 16:00	05/19/11 16:08	1.00
Toluene-d8	94		76 - 129				05/09/11 16:00	05/19/11 16:08	1.00
4-Bromofluorobenzene	93		67 - 147				05/09/11 16:00	05/19/11 16:08	1.00

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0744	0.0155	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:32	1.00
Acenaphthylene	ND		0.0744	0.0222	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:32	1.00
Anthracene	ND		0.0744	0.0100	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:32	1.00
Benzo (a) anthracene	ND		0.0744	0.0122	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:32	1.00
Benzo (a) pyrene	ND		0.0744	0.00889	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:32	1.00
Benzo (b) fluoranthene	ND		0.0744	0.0422	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:32	1.00
Benzo (g,h,i) perylene	ND		0.0744	0.0100	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:32	1.00
Benzo (k) fluoranthene	ND		0.0744	0.0411	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:32	1.00
Chrysene	ND		0.0744	0.0344	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:32	1.00
Dibenz (a,h) anthracene	ND		0.0744	0.0167	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:32	1.00
Fluoranthene	ND		0.0744	0.0122	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:32	1.00
Fluorene	ND		0.0744	0.0222	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:32	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0744	0.0344	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:32	1.00
Naphthalene	ND		0.0744	0.0155	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:32	1.00
Phenanthrene	ND		0.0744	0.0111	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:32	1.00
Pyrene	ND		0.0744	0.0255	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:32	1.00
1-Methylnaphthalene	ND		0.0744	0.0133	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:32	1.00
2-Methylnaphthalene	ND		0.0744	0.0233	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:32	1.00
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Terphenyl-d14	94		18 - 120				05/17/11 12:15	05/20/11 00:32	1.00
2-Fluorobiphenyl	56		14 - 120				05/17/11 12:15	05/20/11 00:32	1.00
Nitrobenzene-d5	59		17 - 120				05/17/11 12:15	05/20/11 00:32	1.00

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	89.6		0.500	0.500	%		05/27/11 09:56	05/31/11 14:46	1.00

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Client Sample ID: 1421 Albatross

Lab Sample ID: NUE2542-02

Date Collected: 05/10/11 10:45

Matrix: Soil

Date Received: 05/14/11 09:00

Percent Solids: 84.2

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.120		0.00177	0.000975	mg/kg dry	☐	05/10/11 10:45	05/18/11 15:34	1.00
<i>Surrogate</i>	<i>% Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4	95		67 - 138				05/10/11 10:45	05/18/11 15:34	1.00
Dibromofluoromethane	109		75 - 125				05/10/11 10:45	05/18/11 15:34	1.00
Toluene-d8	180	ZX	76 - 129				05/10/11 10:45	05/18/11 15:34	1.00
4-Bromofluorobenzene	271	ZX	67 - 147				05/10/11 10:45	05/18/11 15:34	1.00

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	1.12		0.0924	0.0453	mg/kg dry	☐	05/10/11 10:45	05/19/11 15:38	50.0
Naphthalene	8.11		0.231	0.0785	mg/kg dry	☐	05/10/11 10:45	05/19/11 15:38	50.0
Toluene	0.224		0.0924	0.0411	mg/kg dry	☐	05/10/11 10:45	05/19/11 15:38	50.0
Xylenes, total	5.12		0.231	0.0878	mg/kg dry	☐	05/10/11 10:45	05/19/11 15:38	50.0
<i>Surrogate</i>	<i>% Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4	84		67 - 138				05/10/11 10:45	05/19/11 15:38	50.0
Dibromofluoromethane	102		75 - 125				05/10/11 10:45	05/19/11 15:38	50.0
Toluene-d8	93		76 - 129				05/10/11 10:45	05/19/11 15:38	50.0
4-Bromofluorobenzene	99		67 - 147				05/10/11 10:45	05/19/11 15:38	50.0

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	1.69		0.0782	0.0163	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:53	1.00
Acenaphthylene	1.02		0.0782	0.0234	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:53	1.00
Anthracene	0.505		0.0782	0.0105	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:53	1.00
Benzo (a) anthracene	0.0463	J	0.0782	0.0128	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:53	1.00
Benzo (a) pyrene	ND		0.0782	0.00934	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:53	1.00
Benzo (b) fluoranthene	ND		0.0782	0.0444	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:53	1.00
Benzo (g,h,i) perylene	ND		0.0782	0.0105	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:53	1.00
Benzo (k) fluoranthene	ND		0.0782	0.0432	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:53	1.00
Chrysene	0.0739	J	0.0782	0.0362	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:53	1.00
Dibenz (a,h) anthracene	ND		0.0782	0.0175	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:53	1.00
Fluoranthene	0.176		0.0782	0.0128	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:53	1.00
Fluorene	2.53		0.0782	0.0234	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:53	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0782	0.0362	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:53	1.00
Pyrene	0.378		0.0782	0.0269	mg/kg dry	☐	05/17/11 12:15	05/20/11 00:53	1.00
<i>Surrogate</i>	<i>% Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Terphenyl-d14	94		18 - 120				05/17/11 12:15	05/20/11 00:53	1.00
2-Fluorobiphenyl	85		14 - 120				05/17/11 12:15	05/20/11 00:53	1.00
Nitrobenzene-d5	30		17 - 120				05/17/11 12:15	05/20/11 00:53	1.00

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	10.9		0.782	0.163	mg/kg dry	☐	05/17/11 12:15	05/21/11 17:40	10.0
Phenanthrene	8.70		0.782	0.117	mg/kg dry	☐	05/17/11 12:15	05/21/11 17:40	10.0
1-Methylnaphthalene	27.5		0.782	0.140	mg/kg dry	☐	05/17/11 12:15	05/21/11 17:40	10.0

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D - RE2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Methylnaphthalene	49.9		1.56	0.490	mg/kg dry	☐	05/17/11 12:15	05/21/11 18:00	20.0

TestAmerica Nashville

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Client Sample ID: 1421 Albatross

Lab Sample ID: NUE2542-02

Date Collected: 05/10/11 10:45

Matrix: Soil

Date Received: 05/14/11 09:00

Percent Solids: 84.2

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	84.2		0.500	0.500	%		05/27/11 09:56	05/31/11 14:46	1.00

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Client Sample ID: 1405 Eagle

Lab Sample ID: NUE2542-03

Date Collected: 05/10/11 15:15

Matrix: Soil

Date Received: 05/14/11 09:00

Percent Solids: 88.6

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00255	0.00140	mg/kg dry	☐	05/10/11 15:15	05/18/11 16:04	1.00
Ethylbenzene	0.00130	J	0.00255	0.00125	mg/kg dry	☐	05/10/11 15:15	05/18/11 16:04	1.00
Toluene	0.00176	J	0.00255	0.00114	mg/kg dry	☐	05/10/11 15:15	05/18/11 16:04	1.00
Xylenes, total	0.00761		0.00638	0.00243	mg/kg dry	☐	05/10/11 15:15	05/18/11 16:04	1.00
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	95		67 - 138				05/10/11 15:15	05/18/11 16:04	1.00
Dibromofluoromethane	110		75 - 125				05/10/11 15:15	05/18/11 16:04	1.00
Toluene-d8	107		76 - 129				05/10/11 15:15	05/18/11 16:04	1.00
4-Bromofluorobenzene	140		67 - 147				05/10/11 15:15	05/18/11 16:04	1.00

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B - RE2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND	RL1	0.294	0.0999	mg/kg dry	☐	05/10/11 15:15	05/19/11 14:10	50.0
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	91		67 - 138				05/10/11 15:15	05/19/11 14:10	50.0
Dibromofluoromethane	107		75 - 125				05/10/11 15:15	05/19/11 14:10	50.0
Toluene-d8	90		76 - 129				05/10/11 15:15	05/19/11 14:10	50.0
4-Bromofluorobenzene	95		67 - 147				05/10/11 15:15	05/19/11 14:10	50.0

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0747	0.0156	mg/kg dry	☐	05/17/11 12:15	05/20/11 01:13	1.00
Acenaphthylene	ND		0.0747	0.0223	mg/kg dry	☐	05/17/11 12:15	05/20/11 01:13	1.00
Anthracene	ND		0.0747	0.0100	mg/kg dry	☐	05/17/11 12:15	05/20/11 01:13	1.00
Benzo (a) anthracene	ND		0.0747	0.0123	mg/kg dry	☐	05/17/11 12:15	05/20/11 01:13	1.00
Benzo (a) pyrene	ND		0.0747	0.00892	mg/kg dry	☐	05/17/11 12:15	05/20/11 01:13	1.00
Benzo (b) fluoranthene	ND		0.0747	0.0424	mg/kg dry	☐	05/17/11 12:15	05/20/11 01:13	1.00
Benzo (g,h,i) perylene	ND		0.0747	0.0100	mg/kg dry	☐	05/17/11 12:15	05/20/11 01:13	1.00
Benzo (k) fluoranthene	ND		0.0747	0.0413	mg/kg dry	☐	05/17/11 12:15	05/20/11 01:13	1.00
Chrysene	ND		0.0747	0.0346	mg/kg dry	☐	05/17/11 12:15	05/20/11 01:13	1.00
Dibenz (a,h) anthracene	ND		0.0747	0.0167	mg/kg dry	☐	05/17/11 12:15	05/20/11 01:13	1.00
Fluoranthene	ND		0.0747	0.0123	mg/kg dry	☐	05/17/11 12:15	05/20/11 01:13	1.00
Fluorene	ND		0.0747	0.0223	mg/kg dry	☐	05/17/11 12:15	05/20/11 01:13	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0747	0.0346	mg/kg dry	☐	05/17/11 12:15	05/20/11 01:13	1.00
Naphthalene	ND		0.0747	0.0156	mg/kg dry	☐	05/17/11 12:15	05/20/11 01:13	1.00
Phenanthrene	ND		0.0747	0.0111	mg/kg dry	☐	05/17/11 12:15	05/20/11 01:13	1.00
Pyrene	ND		0.0747	0.0256	mg/kg dry	☐	05/17/11 12:15	05/20/11 01:13	1.00
1-Methylnaphthalene	ND		0.0747	0.0134	mg/kg dry	☐	05/17/11 12:15	05/20/11 01:13	1.00
2-Methylnaphthalene	ND		0.0747	0.0234	mg/kg dry	☐	05/17/11 12:15	05/20/11 01:13	1.00
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Terphenyl-d14	138	ZX	18 - 120				05/17/11 12:15	05/20/11 01:13	1.00
2-Fluorobiphenyl	51		14 - 120				05/17/11 12:15	05/20/11 01:13	1.00
Nitrobenzene-d5	46		17 - 120				05/17/11 12:15	05/20/11 01:13	1.00

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	88.6		0.500	0.500	%		05/27/11 09:56	05/31/11 14:46	1.00

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Client Sample ID: 1188 Bobwhite

Date Collected: 05/12/11 12:15

Date Received: 05/14/11 09:00

Lab Sample ID: NUE2542-04

Matrix: Soil

Percent Solids: 87.3

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00208	0.00115	mg/kg dry	⊖	05/12/11 12:15	05/18/11 16:33	1.00
Ethylbenzene	ND		0.00208	0.00102	mg/kg dry	⊖	05/12/11 12:15	05/18/11 16:33	1.00
Toluene	ND		0.00208	0.000927	mg/kg dry	⊖	05/12/11 12:15	05/18/11 16:33	1.00
Xylenes, total	ND		0.00521	0.00198	mg/kg dry	⊖	05/12/11 12:15	05/18/11 16:33	1.00
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	91		67 - 138				05/12/11 12:15	05/18/11 16:33	1.00
Dibromofluoromethane	110		75 - 125				05/12/11 12:15	05/18/11 16:33	1.00
Toluene-d8	100		76 - 129				05/12/11 12:15	05/18/11 16:33	1.00
4-Bromofluorobenzene	128		67 - 147				05/12/11 12:15	05/18/11 16:33	1.00

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND		0.00541	0.00184	mg/kg dry	⊖	05/12/11 12:15	05/19/11 16:37	1.00
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	92		67 - 138				05/12/11 12:15	05/19/11 16:37	1.00
Dibromofluoromethane	102		75 - 125				05/12/11 12:15	05/19/11 16:37	1.00
Toluene-d8	93		76 - 129				05/12/11 12:15	05/19/11 16:37	1.00
4-Bromofluorobenzene	98		67 - 147				05/12/11 12:15	05/19/11 16:37	1.00

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0760	0.0159	mg/kg dry	⊖	05/17/11 12:15	05/20/11 01:34	1.00
Acenaphthylene	ND		0.0760	0.0227	mg/kg dry	⊖	05/17/11 12:15	05/20/11 01:34	1.00
Anthracene	ND		0.0760	0.0102	mg/kg dry	⊖	05/17/11 12:15	05/20/11 01:34	1.00
Benzo (a) anthracene	ND		0.0760	0.0125	mg/kg dry	⊖	05/17/11 12:15	05/20/11 01:34	1.00
Benzo (a) pyrene	ND		0.0760	0.00907	mg/kg dry	⊖	05/17/11 12:15	05/20/11 01:34	1.00
Benzo (b) fluoranthene	ND		0.0760	0.0431	mg/kg dry	⊖	05/17/11 12:15	05/20/11 01:34	1.00
Benzo (g,h,i) perylene	ND		0.0760	0.0102	mg/kg dry	⊖	05/17/11 12:15	05/20/11 01:34	1.00
Benzo (k) fluoranthene	ND		0.0760	0.0420	mg/kg dry	⊖	05/17/11 12:15	05/20/11 01:34	1.00
Chrysene	ND		0.0760	0.0352	mg/kg dry	⊖	05/17/11 12:15	05/20/11 01:34	1.00
Dibenz (a,h) anthracene	ND		0.0760	0.0170	mg/kg dry	⊖	05/17/11 12:15	05/20/11 01:34	1.00
Fluoranthene	ND		0.0760	0.0125	mg/kg dry	⊖	05/17/11 12:15	05/20/11 01:34	1.00
Fluorene	ND		0.0760	0.0227	mg/kg dry	⊖	05/17/11 12:15	05/20/11 01:34	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0760	0.0352	mg/kg dry	⊖	05/17/11 12:15	05/20/11 01:34	1.00
Naphthalene	ND		0.0760	0.0159	mg/kg dry	⊖	05/17/11 12:15	05/20/11 01:34	1.00
Phenanthrene	ND		0.0760	0.0113	mg/kg dry	⊖	05/17/11 12:15	05/20/11 01:34	1.00
Pyrene	ND		0.0760	0.0261	mg/kg dry	⊖	05/17/11 12:15	05/20/11 01:34	1.00
1-Methylnaphthalene	ND		0.0760	0.0136	mg/kg dry	⊖	05/17/11 12:15	05/20/11 01:34	1.00
2-Methylnaphthalene	ND		0.0760	0.0238	mg/kg dry	⊖	05/17/11 12:15	05/20/11 01:34	1.00
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Terphenyl-d14	86		18 - 120				05/17/11 12:15	05/20/11 01:34	1.00
2-Fluorobiphenyl	55		14 - 120				05/17/11 12:15	05/20/11 01:34	1.00
Nitrobenzene-d5	52		17 - 120				05/17/11 12:15	05/20/11 01:34	1.00

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	87.3		0.500	0.500	%		05/27/11 09:56	05/31/11 14:46	1.00

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Lab Sample ID: 11E4658-BLK1

Matrix: Soil

Analysis Batch: U008793

Client Sample ID: 11E4658-BLK1

Prep Type: Total

Prep Batch: 11E4658_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.00110	mg/kg wet		05/18/11 09:42	05/18/11 12:09	1.00
Ethylbenzene	ND		0.00200	0.000980	mg/kg wet		05/18/11 09:42	05/18/11 12:09	1.00
Naphthalene	ND		0.00500	0.00170	mg/kg wet		05/18/11 09:42	05/18/11 12:09	1.00
Toluene	ND		0.00200	0.000890	mg/kg wet		05/18/11 09:42	05/18/11 12:09	1.00
Xylenes, total	ND		0.00500	0.00190	mg/kg wet		05/18/11 09:42	05/18/11 12:09	1.00

Surrogate	Blank % Recovery	Blank Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	94		67 - 138	05/18/11 09:42	05/18/11 12:09	1.00
Dibromofluoromethane	107		75 - 125	05/18/11 09:42	05/18/11 12:09	1.00
Toluene-d8	93		76 - 129	05/18/11 09:42	05/18/11 12:09	1.00
4-Bromofluorobenzene	95		67 - 147	05/18/11 09:42	05/18/11 12:09	1.00

Lab Sample ID: 11E4658-BLK2

Matrix: Soil

Analysis Batch: U008793

Client Sample ID: 11E4658-BLK2

Prep Type: Total

Prep Batch: 11E4658_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.100	0.0550	mg/kg wet		05/18/11 09:42	05/18/11 12:38	50.0
Ethylbenzene	ND		0.100	0.0490	mg/kg wet		05/18/11 09:42	05/18/11 12:38	50.0
Naphthalene	ND		0.250	0.0850	mg/kg wet		05/18/11 09:42	05/18/11 12:38	50.0
Toluene	ND		0.100	0.0445	mg/kg wet		05/18/11 09:42	05/18/11 12:38	50.0
Xylenes, total	ND		0.250	0.0950	mg/kg wet		05/18/11 09:42	05/18/11 12:38	50.0

Surrogate	Blank % Recovery	Blank Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	91		67 - 138	05/18/11 09:42	05/18/11 12:38	50.0
Dibromofluoromethane	106		75 - 125	05/18/11 09:42	05/18/11 12:38	50.0
Toluene-d8	92		76 - 129	05/18/11 09:42	05/18/11 12:38	50.0
4-Bromofluorobenzene	95		67 - 147	05/18/11 09:42	05/18/11 12:38	50.0

Lab Sample ID: 11E4658-BS1

Matrix: Soil

Analysis Batch: U008793

Client Sample ID: 11E4658-BS1

Prep Type: Total

Prep Batch: 11E4658_P

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
Benzene	50.0	49.6		ug/kg		99	78 - 126
Ethylbenzene	50.0	48.9		ug/kg		98	79 - 130
Naphthalene	50.0	38.0		ug/kg		76	72 - 150
Toluene	50.0	48.3		ug/kg		97	76 - 126
Xylenes, total	150	148		ug/kg		99	80 - 130

Surrogate	LCS % Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4	90		67 - 138
Dibromofluoromethane	110		75 - 125
Toluene-d8	95		76 - 129
4-Bromofluorobenzene	94		67 - 147

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B (Continued)

Lab Sample ID: 11E4658-BSD1

Matrix: Soil

Analysis Batch: U008793

Client Sample ID: 11E4658-BSD1

Prep Type: Total

Prep Batch: 11E4658_P

Analyte	Spike Added	LCS Dup Result	LCS Dup Qualifier	Unit	D	% Rec	% Rec. Limits	RPD	RPD Limit
Benzene	50.0	50.6		ug/kg		101	78 - 126	2	50
Ethylbenzene	50.0	49.2		ug/kg		98	79 - 130	0.7	50
Naphthalene	50.0	40.0		ug/kg		80	72 - 150	5	50
Toluene	50.0	48.6		ug/kg		97	76 - 126	0.6	50
Xylenes, total	150	151		ug/kg		100	80 - 130	2	50

Surrogate	LCS Dup % Recovery	LCS Dup Qualifier	Limits
1,2-Dichloroethane-d4	88		67 - 138
Dibromofluoromethane	110		75 - 125
Toluene-d8	94		76 - 129
4-Bromofluorobenzene	95		67 - 147

Lab Sample ID: 11E4658-MS1

Matrix: Soil

Analysis Batch: U008793

Client Sample ID: NUE2486-04RE1

Prep Type: Total

Prep Batch: 11E4658_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Result	Matrix Spike Qualifier	Unit	D	% Rec	% Rec. Limits
Benzene	ND		4.31	4.67		mg/kg wet		108	42 - 141
Ethylbenzene	0.702		4.31	5.44		mg/kg wet		110	21 - 165
Naphthalene	2.18		4.31	5.11		mg/kg wet		68	10 - 160
Toluene	0.664		4.31	5.28		mg/kg wet		107	45 - 145
Xylenes, total	15.8		12.9	30.1		mg/kg wet		110	31 - 159

Surrogate	Matrix Spike % Recovery	Matrix Spike Qualifier	Limits
1,2-Dichloroethane-d4	83		67 - 138
Dibromofluoromethane	105		75 - 125
Toluene-d8	95		76 - 129
4-Bromofluorobenzene	99		67 - 147

Lab Sample ID: 11E4658-MSD1

Matrix: Soil

Analysis Batch: U008793

Client Sample ID: NUE2486-04RE1

Prep Type: Total

Prep Batch: 11E4658_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Dup Result	Matrix Spike Dup Qualifier	Unit	D	% Rec	% Rec. Limits	RPD	RPD Limit
Benzene	ND		4.31	5.67		mg/kg wet		132	42 - 141	19	50
Ethylbenzene	0.702		4.31	6.16		mg/kg wet		127	21 - 165	13	50
Naphthalene	2.18		4.31	5.76		mg/kg wet		83	10 - 160	12	50
Toluene	0.664		4.31	6.16		mg/kg wet		128	45 - 145	15	50
Xylenes, total	15.8		12.9	30.8		mg/kg wet		116	31 - 159	2	50

Surrogate	Matrix Spike Dup % Recovery	Matrix Spike Dup Qualifier	Limits
1,2-Dichloroethane-d4	82		67 - 138
Dibromofluoromethane	101		75 - 125
Toluene-d8	96		76 - 129
4-Bromofluorobenzene	98		67 - 147

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B (Continued)

Lab Sample ID: 11E4988-BLK1

Matrix: Soil

Analysis Batch: U008857

Client Sample ID: 11E4988-BLK1

Prep Type: Total

Prep Batch: 11E4988_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.00110	mg/kg wet		05/19/11 10:44	05/19/11 12:42	1.00
Ethylbenzene	ND		0.00200	0.000980	mg/kg wet		05/19/11 10:44	05/19/11 12:42	1.00
Naphthalene	ND		0.00500	0.00170	mg/kg wet		05/19/11 10:44	05/19/11 12:42	1.00
Toluene	ND		0.00200	0.000890	mg/kg wet		05/19/11 10:44	05/19/11 12:42	1.00
Xylenes, total	ND		0.00500	0.00190	mg/kg wet		05/19/11 10:44	05/19/11 12:42	1.00

Surrogate	Blank % Recovery	Blank Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	90		67 - 138	05/19/11 10:44	05/19/11 12:42	1.00
Dibromofluoromethane	110		75 - 125	05/19/11 10:44	05/19/11 12:42	1.00
Toluene-d8	92		76 - 129	05/19/11 10:44	05/19/11 12:42	1.00
4-Bromofluorobenzene	96		67 - 147	05/19/11 10:44	05/19/11 12:42	1.00

Lab Sample ID: 11E4988-BLK2

Matrix: Soil

Analysis Batch: U008857

Client Sample ID: 11E4988-BLK2

Prep Type: Total

Prep Batch: 11E4988_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.100	0.0550	mg/kg wet		05/19/11 10:44	05/19/11 13:12	50.0
Ethylbenzene	ND		0.100	0.0490	mg/kg wet		05/19/11 10:44	05/19/11 13:12	50.0
Naphthalene	ND		0.250	0.0850	mg/kg wet		05/19/11 10:44	05/19/11 13:12	50.0
Toluene	ND		0.100	0.0445	mg/kg wet		05/19/11 10:44	05/19/11 13:12	50.0
Xylenes, total	ND		0.250	0.0950	mg/kg wet		05/19/11 10:44	05/19/11 13:12	50.0

Surrogate	Blank % Recovery	Blank Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	94		67 - 138	05/19/11 10:44	05/19/11 13:12	50.0
Dibromofluoromethane	108		75 - 125	05/19/11 10:44	05/19/11 13:12	50.0
Toluene-d8	91		76 - 129	05/19/11 10:44	05/19/11 13:12	50.0
4-Bromofluorobenzene	94		67 - 147	05/19/11 10:44	05/19/11 13:12	50.0

Lab Sample ID: 11E4988-BS1

Matrix: Soil

Analysis Batch: U008857

Client Sample ID: 11E4988-BS1

Prep Type: Total

Prep Batch: 11E4988_P

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
Benzene	50.0	53.8		ug/kg		108	78 - 126
Ethylbenzene	50.0	50.9		ug/kg		102	79 - 130
Naphthalene	50.0	39.5		ug/kg		79	72 - 150
Toluene	50.0	51.2		ug/kg		102	76 - 126
Xylenes, total	150	155		ug/kg		103	80 - 130

Surrogate	LCS % Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4	89		67 - 138
Dibromofluoromethane	108		75 - 125
Toluene-d8	95		76 - 129
4-Bromofluorobenzene	96		67 - 147

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B (Continued)

Lab Sample ID: 11E4988-MS1

Matrix: Soil

Analysis Batch: U008857

Client Sample ID: 1421 Albatross

Prep Type: Total

Prep Batch: 11E4988_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Result	Matrix Spike Qualifier	Unit	D	% Rec	Limits
Benzene	0.124		2.97	3.27		mg/kg dry	☒	106	42 - 141
Ethylbenzene	1.12		2.97	4.33		mg/kg dry	☒	108	21 - 165
Naphthalene	8.11		2.97	10.7		mg/kg dry	☒	87	10 - 160
Toluene	0.224		2.97	3.22		mg/kg dry	☒	101	45 - 145
Xylenes, total	5.12		8.91	15.0		mg/kg dry	☒	110	31 - 159

Surrogate	Matrix Spike % Recovery	Matrix Spike Qualifier	Limits
1,2-Dichloroethane-d4	61	Z6	67 - 138
Dibromofluoromethane	77		75 - 125
Toluene-d8	96		76 - 129
4-Bromofluorobenzene	106		67 - 147

Lab Sample ID: 11E4988-MSD1

Matrix: Soil

Analysis Batch: U008857

Client Sample ID: 1421 Albatross

Prep Type: Total

Prep Batch: 11E4988_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Dup Result	Matrix Spike Dup Qualifier	Unit	D	% Rec	Limits	RPD	Limit
Benzene	0.124		2.97	3.36		mg/kg dry	☒	109	42 - 141	3	50
Ethylbenzene	1.12		2.97	4.26		mg/kg dry	☒	106	21 - 165	2	50
Naphthalene	8.11		2.97	10.9		mg/kg dry	☒	94	10 - 160	2	50
Toluene	0.224		2.97	3.23		mg/kg dry	☒	101	45 - 145	0.3	50
Xylenes, total	5.12		8.91	14.6		mg/kg dry	☒	107	31 - 159	2	50

Surrogate	Matrix Spike Dup % Recovery	Matrix Spike Dup Qualifier	Limits
1,2-Dichloroethane-d4	81		67 - 138
Dibromofluoromethane	100		75 - 125
Toluene-d8	95		76 - 129
4-Bromofluorobenzene	103		67 - 147

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Lab Sample ID: 11E3953-BLK1

Matrix: Soil

Analysis Batch: 11E3953

Client Sample ID: 11E3953-BLK1

Prep Type: Total

Prep Batch: 11E3953_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0670	0.0140	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Acenaphthylene	ND		0.0670	0.0200	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Anthracene	ND		0.0670	0.00900	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Benzo (a) anthracene	ND		0.0670	0.0110	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Benzo (a) pyrene	ND		0.0670	0.00800	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Benzo (b) fluoranthene	ND		0.0670	0.0380	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Benzo (g,h,i) perylene	ND		0.0670	0.00900	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Benzo (k) fluoranthene	ND		0.0670	0.0370	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Chrysene	ND		0.0670	0.0310	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Dibenz (a,h) anthracene	ND		0.0670	0.0150	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Fluoranthene	ND		0.0670	0.0110	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Fluorene	ND		0.0670	0.0200	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0670	0.0310	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D (Continued)

Lab Sample ID: 11E3953-BLK1

Matrix: Soil

Analysis Batch: 11E3953

Client Sample ID: 11E3953-BLK1

Prep Type: Total

Prep Batch: 11E3953_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND		0.0670	0.0140	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Phenanthrene	ND		0.0670	0.0100	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
Pyrene	ND		0.0670	0.0230	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
1-Methylnaphthalene	ND		0.0670	0.0120	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00
2-Methylnaphthalene	ND		0.0670	0.0210	mg/kg wet		05/17/11 12:15	05/19/11 22:08	1.00

Surrogate	Blank % Recovery	Blank Qualifier	Limits	Prepared	Analyzed	Dil Fac
Terphenyl-d14	109		18 - 120	05/17/11 12:15	05/19/11 22:08	1.00
2-Fluorobiphenyl	79		14 - 120	05/17/11 12:15	05/19/11 22:08	1.00
Nitrobenzene-d5	80		17 - 120	05/17/11 12:15	05/19/11 22:08	1.00

Lab Sample ID: 11E3953-BS1

Matrix: Soil

Analysis Batch: 11E3953

Client Sample ID: 11E3953-BS1

Prep Type: Total

Prep Batch: 11E3953_P

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
Acenaphthene	1.67	1.42		mg/kg wet		85	49 - 120
Acenaphthylene	1.67	1.24		mg/kg wet		74	52 - 120
Anthracene	1.67	1.54		mg/kg wet		92	58 - 120
Benzo (a) anthracene	1.67	1.56		mg/kg wet		93	57 - 120
Benzo (a) pyrene	1.67	1.54		mg/kg wet		93	55 - 120
Benzo (b) fluoranthene	1.67	1.49		mg/kg wet		89	51 - 123
Benzo (g,h,i) perylene	1.67	1.08		mg/kg wet		65	49 - 121
Benzo (k) fluoranthene	1.67	1.75		mg/kg wet		105	42 - 129
Chrysene	1.67	1.55		mg/kg wet		93	55 - 120
Dibenz (a,h) anthracene	1.67	1.38		mg/kg wet		83	50 - 123
Fluoranthene	1.67	1.52		mg/kg wet		91	58 - 120
Fluorene	1.67	1.56		mg/kg wet		94	54 - 120
Indeno (1,2,3-cd) pyrene	1.67	1.38		mg/kg wet		83	50 - 122
Naphthalene	1.67	1.25		mg/kg wet		75	28 - 120
Phenanthrene	1.67	1.60		mg/kg wet		96	56 - 120
Pyrene	1.67	1.63		mg/kg wet		98	56 - 120
1-Methylnaphthalene	1.67	1.07		mg/kg wet		64	36 - 120
2-Methylnaphthalene	1.67	1.23		mg/kg wet		74	36 - 120

Surrogate	LCS % Recovery	LCS Qualifier	Limits
Terphenyl-d14	98		18 - 120
2-Fluorobiphenyl	75		14 - 120
Nitrobenzene-d5	66		17 - 120

Lab Sample ID: 11E3953-MS1

Matrix: Soil

Analysis Batch: 11E3953

Client Sample ID: NUE2525-01

Prep Type: Total

Prep Batch: 11E3953_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Result	Matrix Spike Qualifier	Unit	D	% Rec	% Rec. Limits
Acenaphthene	ND		1.63	1.24		mg/kg wet		76	42 - 120
Acenaphthylene	ND		1.63	1.07		mg/kg wet		66	32 - 120
Anthracene	ND		1.63	1.37		mg/kg wet		84	10 - 200
Benzo (a) anthracene	0.0452		1.63	1.41		mg/kg wet		84	41 - 120

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D (Continued)

Lab Sample ID: 11E3953-MS1

Matrix: Soil

Analysis Batch: 11E3953

Client Sample ID: NUE2525-01

Prep Type: Total

Prep Batch: 11E3953_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Result	Matrix Spike Qualifier	Unit	D	% Rec	% Rec. Limits
Benzo (a) pyrene	0.0442		1.63	1.35		mg/kg wet		80	33 - 121
Benzo (b) fluoranthene	0.0514		1.63	1.51		mg/kg wet		89	26 - 137
Benzo (g,h,i) perylene	ND		1.63	1.24		mg/kg wet		76	21 - 124
Benzo (k) fluoranthene	0.0409		1.63	1.30		mg/kg wet		77	14 - 140
Chrysene	0.0602		1.63	1.40		mg/kg wet		82	28 - 123
Dibenz (a,h) anthracene	ND		1.63	1.27		mg/kg wet		78	25 - 127
Fluoranthene	0.0753		1.63	1.39		mg/kg wet		80	38 - 120
Fluorene	ND		1.63	1.35		mg/kg wet		83	41 - 120
Indeno (1,2,3-cd) pyrene	ND		1.63	1.25		mg/kg wet		77	25 - 123
Naphthalene	ND		1.63	1.10		mg/kg wet		67	25 - 120
Phenanthrene	0.0468		1.63	1.46		mg/kg wet		87	37 - 120
Pyrene	0.0995		1.63	1.56		mg/kg wet		89	29 - 125
1-Methylnaphthalene	ND		1.63	0.983		mg/kg wet		60	19 - 120
2-Methylnaphthalene	ND		1.63	1.11		mg/kg wet		68	11 - 120

Surrogate	Matrix Spike % Recovery	Matrix Spike Qualifier	Matrix Spike Limits
Terphenyl-d14	85		18 - 120
2-Fluorobiphenyl	61		14 - 120
Nitrobenzene-d5	56		17 - 120

Lab Sample ID: 11E3953-MSD1

Matrix: Soil

Analysis Batch: 11E3953

Client Sample ID: NUE2525-01

Prep Type: Total

Prep Batch: 11E3953_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Dup Result	Matrix Spike Dup Qualifier	Unit	D	% Rec	% Rec. Limits	RPD	RPD Limit
Acenaphthene	ND		1.62	1.26		mg/kg wet		77	42 - 120	1	40
Acenaphthylene	ND		1.62	1.06		mg/kg wet		65	32 - 120	0.9	30
Anthracene	ND		1.62	1.38		mg/kg wet		85	10 - 200	0.1	50
Benzo (a) anthracene	0.0452		1.62	1.40		mg/kg wet		84	41 - 120	0.6	30
Benzo (a) pyrene	0.0442		1.62	1.37		mg/kg wet		81	33 - 121	1	33
Benzo (b) fluoranthene	0.0514		1.62	1.48		mg/kg wet		88	26 - 137	2	42
Benzo (g,h,i) perylene	ND		1.62	1.28		mg/kg wet		79	21 - 124	3	32
Benzo (k) fluoranthene	0.0409		1.62	1.45		mg/kg wet		86	14 - 140	10	39
Chrysene	0.0602		1.62	1.41		mg/kg wet		83	28 - 123	0.6	34
Dibenz (a,h) anthracene	ND		1.62	1.29		mg/kg wet		79	25 - 127	2	31
Fluoranthene	0.0753		1.62	1.38		mg/kg wet		81	38 - 120	0.3	35
Fluorene	ND		1.62	1.37		mg/kg wet		84	41 - 120	0.9	37
Indeno (1,2,3-cd) pyrene	ND		1.62	1.30		mg/kg wet		80	25 - 123	4	32
Naphthalene	ND		1.62	1.14		mg/kg wet		70	25 - 120	4	42
Phenanthrene	0.0468		1.62	1.47		mg/kg wet		87	37 - 120	0.3	32
Pyrene	0.0995		1.62	1.68		mg/kg wet		97	29 - 125	8	40
1-Methylnaphthalene	ND		1.62	0.996		mg/kg wet		61	19 - 120	1	45
2-Methylnaphthalene	ND		1.62	1.12		mg/kg wet		69	11 - 120	0.5	50

Surrogate	Matrix Spike Dup % Recovery	Matrix Spike Dup Qualifier	Matrix Spike Dup Limits
Terphenyl-d14	85		18 - 120
2-Fluorobiphenyl	59		14 - 120
Nitrobenzene-d5	56		17 - 120

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Method: SW-846 - General Chemistry Parameters

Lab Sample ID: 11E6921-DUP1

Matrix: Soil

Analysis Batch: 11E6921

Client Sample ID: NUE2473-06

Prep Type: Total

Prep Batch: 11E6921_P

Analyte	Sample Result	Sample Qualifier	Duplicate Result	Duplicate Qualifier	Unit	D	RPD	Limit
% Dry Solids	76.7		78.1		%		2	20

QC Association Summary

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

GCMS Volatiles

Analysis Batch: U008793

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11E4658-BS1	11E4658-BS1	Total	Soil	SW846 8260B	11E4658_P
11E4658-BSD1	11E4658-BSD1	Total	Soil	SW846 8260B	11E4658_P
11E4658-BLK1	11E4658-BLK1	Total	Soil	SW846 8260B	11E4658_P
11E4658-BLK2	11E4658-BLK2	Total	Soil	SW846 8260B	11E4658_P
NUE2542-01	1416 Albatross	Total	Soil	SW846 8260B	11E4658_P
NUE2542-02	1421 Albatross	Total	Soil	SW846 8260B	11E4658_P
NUE2542-03	1405 Eagle	Total	Soil	SW846 8260B	11E4658_P
NUE2542-04	1188 Bobwhite	Total	Soil	SW846 8260B	11E4658_P
11E4658-MS1	NUE2486-04RE1	Total	Soil	SW846 8260B	11E4658_P
11E4658-MSD1	NUE2486-04RE1	Total	Soil	SW846 8260B	11E4658_P

Analysis Batch: U008857

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11E4988-BS1	11E4988-BS1	Total	Soil	SW846 8260B	11E4988_P
11E4988-BLK1	11E4988-BLK1	Total	Soil	SW846 8260B	11E4988_P
11E4988-BLK2	11E4988-BLK2	Total	Soil	SW846 8260B	11E4988_P
NUE2542-03 - RE2	1405 Eagle	Total	Soil	SW846 8260B	11E4988_P
NUE2542-02 - RE1	1421 Albatross	Total	Soil	SW846 8260B	11E4988_P
NUE2542-01 - RE1	1416 Albatross	Total	Soil	SW846 8260B	11E4988_P
NUE2542-04 - RE1	1188 Bobwhite	Total	Soil	SW846 8260B	11E4988_P
11E4988-MS1	1421 Albatross	Total	Soil	SW846 8260B	11E4988_P
11E4988-MSD1	1421 Albatross	Total	Soil	SW846 8260B	11E4988_P

Prep Batch: 11E4658_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11E4658-BS1	11E4658-BS1	Total	Soil	EPA 5035	
11E4658-BSD1	11E4658-BSD1	Total	Soil	EPA 5035	
11E4658-BLK1	11E4658-BLK1	Total	Soil	EPA 5035	
11E4658-BLK2	11E4658-BLK2	Total	Soil	EPA 5035	
NUE2542-01	1416 Albatross	Total	Soil	EPA 5035	
NUE2542-02	1421 Albatross	Total	Soil	EPA 5035	
NUE2542-03	1405 Eagle	Total	Soil	EPA 5035	
NUE2542-04	1188 Bobwhite	Total	Soil	EPA 5035	
11E4658-MS1	NUE2486-04RE1	Total	Soil	EPA 5035	
11E4658-MSD1	NUE2486-04RE1	Total	Soil	EPA 5035	

Prep Batch: 11E4988_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11E4988-BS1	11E4988-BS1	Total	Soil	EPA 5035	
11E4988-BLK1	11E4988-BLK1	Total	Soil	EPA 5035	
11E4988-BLK2	11E4988-BLK2	Total	Soil	EPA 5035	
NUE2542-03 - RE2	1405 Eagle	Total	Soil	EPA 5035	
NUE2542-02 - RE1	1421 Albatross	Total	Soil	EPA 5035	
NUE2542-01 - RE1	1416 Albatross	Total	Soil	EPA 5035	
NUE2542-04 - RE1	1188 Bobwhite	Total	Soil	EPA 5035	
11E4988-MS1	1421 Albatross	Total	Soil	EPA 5035	
11E4988-MSD1	1421 Albatross	Total	Soil	EPA 5035	

QC Association Summary

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

GCMS Semivolatiles

Analysis Batch: 11E3953

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11E3953-BLK1	11E3953-BLK1	Total	Soil	SW846 8270D	11E3953_P
11E3953-BS1	11E3953-BS1	Total	Soil	SW846 8270D	11E3953_P
11E3953-MS1	NUE2525-01	Total	Soil	SW846 8270D	11E3953_P
11E3953-MSD1	NUE2525-01	Total	Soil	SW846 8270D	11E3953_P
NUE2542-01	1416 Albatross	Total	Soil	SW846 8270D	11E3953_P
NUE2542-02	1421 Albatross	Total	Soil	SW846 8270D	11E3953_P
NUE2542-03	1405 Eagle	Total	Soil	SW846 8270D	11E3953_P
NUE2542-04	1188 Bobwhite	Total	Soil	SW846 8270D	11E3953_P

Analysis Batch: U008904

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
NUE2542-02 - RE1	1421 Albatross	Total	Soil	SW846 8270D	11E3953_P
NUE2542-02 - RE2	1421 Albatross	Total	Soil	SW846 8270D	11E3953_P

Prep Batch: 11E3953_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11E3953-BLK1	11E3953-BLK1	Total	Soil	EPA 3550C	
11E3953-BS1	11E3953-BS1	Total	Soil	EPA 3550C	
11E3953-MS1	NUE2525-01	Total	Soil	EPA 3550C	
11E3953-MSD1	NUE2525-01	Total	Soil	EPA 3550C	
NUE2542-01	1416 Albatross	Total	Soil	EPA 3550C	
NUE2542-02	1421 Albatross	Total	Soil	EPA 3550C	
NUE2542-03	1405 Eagle	Total	Soil	EPA 3550C	
NUE2542-04	1188 Bobwhite	Total	Soil	EPA 3550C	
NUE2542-02 - RE1	1421 Albatross	Total	Soil	EPA 3550C	
NUE2542-02 - RE2	1421 Albatross	Total	Soil	EPA 3550C	

Extractions

Analysis Batch: 11E6921

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11E6921-DUP1	NUE2473-06	Total	Soil	SW-846	11E6921_P
NUE2542-01	1416 Albatross	Total	Soil	SW-846	11E6921_P
NUE2542-02	1421 Albatross	Total	Soil	SW-846	11E6921_P
NUE2542-03	1405 Eagle	Total	Soil	SW-846	11E6921_P
NUE2542-04	1188 Bobwhite	Total	Soil	SW-846	11E6921_P

Prep Batch: 11E6921_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11E6921-DUP1	NUE2473-06	Total	Soil	% Solids	
NUE2542-01	1416 Albatross	Total	Soil	% Solids	
NUE2542-02	1421 Albatross	Total	Soil	% Solids	
NUE2542-03	1405 Eagle	Total	Soil	% Solids	
NUE2542-04	1188 Bobwhite	Total	Soil	% Solids	

Lab Chronicle

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Client Sample ID: 1416 Albatross

Date Collected: 05/09/11 16:00

Date Received: 05/14/11 09:00

Lab Sample ID: NUE2542-01

Matrix: Soil

Percent Solids: 89.6

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035		1.14	11E4658_P	05/09/11 16:00	CHH	TAL NSH
Total	Analysis	SW846 8260B		1.00	U008793	05/18/11 15:05	KKK	TAL NSH
Total	Prep	EPA 5035	RE1	1.18	11E4988_P	05/09/11 16:00	CHH	TAL NSH
Total	Analysis	SW846 8260B	RE1	1.00	U008857	05/19/11 16:08	KKK	TAL NSH
Total	Prep	EPA 3550C		0.995	11E3953_P	05/17/11 12:15	JJR	TAL NSH
Total	Analysis	SW846 8270D		1.00	11E3953	05/20/11 00:32	KJP	TAL NSH
Total	Prep	% Solids		1.00	11E6921_P	05/27/11 09:56	AMS	TAL NSH
Total	Analysis	SW-846		1.00	11E6921	05/31/11 14:46	AMS	TAL NSH

Client Sample ID: 1421 Albatross

Date Collected: 05/10/11 10:45

Date Received: 05/14/11 09:00

Lab Sample ID: NUE2542-02

Matrix: Soil

Percent Solids: 84.2

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035		0.746	11E4658_P	05/10/11 10:45	CHH	TAL NSH
Total	Analysis	SW846 8260B		1.00	U008793	05/18/11 15:34	KKK	TAL NSH
Total	Prep	EPA 5035	RE1	0.778	11E4988_P	05/10/11 10:45	CHH	TAL NSH
Total	Analysis	SW846 8260B	RE1	50.0	U008857	05/19/11 15:38	KKK	TAL NSH
Total	Prep	EPA 3550C		0.983	11E3953_P	05/17/11 12:15	JJR	TAL NSH
Total	Analysis	SW846 8270D		1.00	11E3953	05/20/11 00:53	KJP	TAL NSH
Total	Prep	EPA 3550C	RE1	0.983	11E3953_P	05/17/11 12:15	JJR	TAL NSH
Total	Analysis	SW846 8270D	RE1	10.0	U008904	05/21/11 17:40	KJP	TAL NSH
Total	Prep	EPA 3550C	RE2	0.983	11E3953_P	05/17/11 12:15	JJR	TAL NSH
Total	Analysis	SW846 8270D	RE2	20.0	U008904	05/21/11 18:00	KJP	TAL NSH
Total	Prep	% Solids		1.00	11E6921_P	05/27/11 09:56	AMS	TAL NSH
Total	Analysis	SW-846		1.00	11E6921	05/31/11 14:46	AMS	TAL NSH

Client Sample ID: 1405 Eagle

Date Collected: 05/10/11 15:15

Date Received: 05/14/11 09:00

Lab Sample ID: NUE2542-03

Matrix: Soil

Percent Solids: 88.6

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035		1.13	11E4658_P	05/10/11 15:15	CHH	TAL NSH
Total	Analysis	SW846 8260B		1.00	U008793	05/18/11 16:04	KKK	TAL NSH
Total	Prep	EPA 5035	RE2	1.04	11E4988_P	05/10/11 15:15	CHH	TAL NSH
Total	Analysis	SW846 8260B	RE2	50.0	U008857	05/19/11 14:10	KKK	TAL NSH
Total	Prep	EPA 3550C		0.988	11E3953_P	05/17/11 12:15	JJR	TAL NSH
Total	Analysis	SW846 8270D		1.00	11E3953	05/20/11 01:13	KJP	TAL NSH
Total	Prep	% Solids		1.00	11E6921_P	05/27/11 09:56	AMS	TAL NSH
Total	Analysis	SW-846		1.00	11E6921	05/31/11 14:46	AMS	TAL NSH

Lab Chronicle

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Client Sample ID: 1188 Bobwhite

Date Collected: 05/12/11 12:15

Date Received: 05/14/11 09:00

Lab Sample ID: NUE2542-04

Matrix: Soil

Percent Solids: 87.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035		0.909	11E4658_P	05/12/11 12:15	CHH	TAL NSH
Total	Analysis	SW846 8260B		1.00	U008793	05/18/11 16:33	KKK	TAL NSH
Total	Prep	EPA 5035	RE1	0.945	11E4988_P	05/12/11 12:15	CHH	TAL NSH
Total	Analysis	SW846 8260B	RE1	1.00	U008857	05/19/11 16:37	KKK	TAL NSH
Total	Prep	EPA 3550C		0.990	11E3953_P	05/17/11 12:15	JJR	TAL NSH
Total	Analysis	SW846 8270D		1.00	11E3953	05/20/11 01:34	KJP	TAL NSH
Total	Prep	% Solids		1.00	11E6921_P	05/27/11 09:56	AMS	TAL NSH
Total	Analysis	SW-846		1.00	11E6921	05/31/11 14:46	AMS	TAL NSH

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Road, Nashville, TN 37204, TEL 800-765-0980

Method Summary

Client: EEG - Small Business Group, Inc. (2449)

TestAmerica Job ID: NUE2542

Project/Site: [none]

Method	Method Description	Protocol	Laboratory
SW-846	General Chemistry Parameters		TAL NSH
SW846 8260B	Volatile Organic Compounds by EPA Method 8260B		TAL NSH
SW846 8270D	Polyaromatic Hydrocarbons by EPA 8270D		TAL NSH

Protocol References:

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Road, Nashville, TN 37204, TEL 800-765-0980

Certification Summary

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUE2542

Laboratory	Authority	Program	EPA Region	Certification ID
TestAmerica Nashville		AIHA		100790
TestAmerica Nashville		USDA		S-48469
TestAmerica Nashville	A2LA	ISO/IEC 17025	0	0453.07
TestAmerica Nashville	A2LA	WY UST	0	453.07
TestAmerica Nashville	Alabama	State Program	4	41150
TestAmerica Nashville	Alaska	Alaska UST	10	UST-087
TestAmerica Nashville	Arizona	State Program	9	AZ0473
TestAmerica Nashville	Arkansas	State Program	6	88-0737
TestAmerica Nashville	CALA	CALA	0	3744
TestAmerica Nashville	California	NELAC	9	1168CA
TestAmerica Nashville	Colorado	State Program	8	N/A
TestAmerica Nashville	Connecticut	State Program	1	PH-0220
TestAmerica Nashville	Florida	NELAC	4	E87358
TestAmerica Nashville	Illinois	NELAC	5	200010
TestAmerica Nashville	Iowa	State Program	7	131
TestAmerica Nashville	Kansas	NELAC	7	E-10229
TestAmerica Nashville	Kentucky	Kentucky UST	4	19
TestAmerica Nashville	Kentucky	State Program	4	90038
TestAmerica Nashville	Louisiana	NELAC	6	LA100011
TestAmerica Nashville	Louisiana	NELAC	6	30613
TestAmerica Nashville	Maryland	State Program	3	316
TestAmerica Nashville	Massachusetts	State Program	1	M-TN032
TestAmerica Nashville	Minnesota	NELAC	5	047-999-345
TestAmerica Nashville	Mississippi	State Program	4	N/A
TestAmerica Nashville	Montana	MT DEQ UST	8	NA
TestAmerica Nashville	Nevada	State Program	9	TN00032
TestAmerica Nashville	New Hampshire	NELAC	1	2963
TestAmerica Nashville	New Jersey	NELAC	2	TN965
TestAmerica Nashville	New York	NELAC	2	11342
TestAmerica Nashville	North Carolina	North Carolina DENR	4	387
TestAmerica Nashville	North Dakota	State Program	8	R-146
TestAmerica Nashville	Ohio	OVAP	5	CL0033
TestAmerica Nashville	Oklahoma	State Program	6	9412
TestAmerica Nashville	Oregon	NELAC	10	TN200001
TestAmerica Nashville	Pennsylvania	NELAC	3	68-00585
TestAmerica Nashville	Rhode Island	State Program	1	LA000268
TestAmerica Nashville	South Carolina	State Program	4	84009
TestAmerica Nashville	South Carolina	State Program	4	84009
TestAmerica Nashville	Tennessee	State Program	4	2008
TestAmerica Nashville	Texas	NELAC	6	T104704077-09-TX
TestAmerica Nashville	Utah	NELAC	8	TAN
TestAmerica Nashville	Virginia	State Program	3	00323
TestAmerica Nashville	Washington	State Program	10	C789
TestAmerica Nashville	West Virginia	West Virginia DEP	3	219
TestAmerica Nashville	Wisconsin	State Program	5	998020430

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.

TestAmerica

Nashville Division
2960 Foster Creighton
Nashville, TN 37204

Phone: 615-726-0177
Toll Free: 800-765-0980
Fax: 615-726-2404

Client Name/Account #: EEG # 2449

Address: 10179 Highway 78

City/State/Zip: Ladson, SC 29456

Project Manager: Tom McEwee email: mcewee@testa.com

Telephone Number: 843.412.2097

Sampler Name: (Print)

Sampler Signature:

Fax No. (843) 879-0401

Site State: SC

POB:

TA Quote #:

Project ID: Laurel Bay Housing Project

Project #:

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?

Compliance Monitoring?

Enforcement Action?

Yes ___ No ___
Yes ___ No ___

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (Specify)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify)	Matrix	Analyze For:	RUSH TAT (Pre-Schedule)	Standard TAT	Fax Results	Send QC with report
1416 Albateross	5/9/11	1600	5	X																						
1421 Albateross	5/10/11	1045	5	X																						
1405 Eagle	5/10/11	1515	5	X																						
1168 Bobwhite	5/12/11	1215	5	X																						
<p>Special Instructions:</p> <p>Reinquired by: <i>[Signature]</i> Date: 5/13/11 Time: 0900 Received by: <i>[Signature]</i> Date: 5/13/11 Time: 1100</p> <p>Method of Shipment: <i>[Signature]</i> Date: 5/13/11 Time: 1100</p> <p>FEDEX</p> <p>Laboratory Comments: Temperature Upon Receipt: VOCs Free of Headspace?</p> <p>05/31/11 23:59</p> <p>NUE2542</p>																										

ATTACHMENT A



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.		Manifest Doc No.		2. Page 1 of 1		
3. Generator's Mailing Address: MCAS, BEAUFORT LAUREL BAY HOUSING BEAUFORT, SC 29907				Generator's Site Address (If different than mailing):		A. Manifest Number WMNA 00316812		
4. Generator's Phone 843-228-6461						B. State Generator's ID		
5. Transporter 1 Company Name EEG, INC.				6. US EPA ID Number		C. State Transporter's ID		
7. Transporter 2 Company Name				8. US EPA ID Number		D. Transporter's Phone 843-879-0411		
9. Designated Facility Name and Site Address HICKORY HILL LANDFILL 2621 LOW COUNTRY ROAD RIDGELAND, SC 29936				10. US EPA ID Number		E. State Transporter's ID		
						F. Transporter's Phone		
						G. State Facility ID		
						H. State Facility Phone 843-987-4643		
GENERATOR	11. Description of Waste Materials			12. Containers		13. Total Quantity	14. Unit Wt./Vol.	I. Misc Comments
	a. HEATING OIL TANKS FILLED WITH SAND			No.	Type			
	WM Profile # 102655SC					200	6.33	
	b.							
	WM Profile #							
	c.							
WM Profile #								
d.								
WM Profile #								
J. Additional Descriptions for Materials Listed Above				K. Disposal Location				
				Cell		Level		
				Grid				
15. Special Handling Instructions and Additional Information YST's from: 2) 1416 Albatross 4) 1405 Eagle 1435 Dour 3) 1421 Albatross								
Purchase Order #				EMERGENCY CONTACT / PHONE NO.:				
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.								
Printed Name Charles Herron				Signature "On behalf of" Charles H. Herron		Month 5	Day 11	Year 11
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials							
	Printed Name James Baldwin		Signature James Baldwin		Month 5	Day 12	Year 11	
	18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed Name		Signature		Month	Day	Year		
FACILITY	19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.							
	20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.							
	Printed Name Ioni Cofield		Signature Ioni Cofield		Month 5	Day 12	Year 11	

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY

Appendix C

Regulatory Correspondence



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment

November 18, 2014

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: No Further Action
Laurel Bay Underground Storage Tank Assessment Reports for:
See attached sheet

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tanks (USTs) Assessment Reports for the addresses listed above. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

The Department has reviewed the referenced assessment reports and agrees there is no indication of soil or groundwater contamination on these properties, and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at kriegkm@dhec.sc.gov or 803-898-0255.

Sincerely,

Kent Krieg
Department of Defense Corrective Action Section
Bureau of Land and Waste Management
South Carolina Department of Health and Environmental Control

Cc: Russell Berry (via email)
Craig Ehde (via email)



Catherine B. Templeton, Director

Promoting and protecting the health of the public and the environment

Attachment to: Krieg to Drawdy
Subject: NFA
Dated 11/18/2014

Laurel Bay Underground Storage Tank Assessment Reports for: (2 addresses/2 tanks)

1416 Albatross	1424 Albatross
----------------	----------------