

SUMMARY REPORT
549 ALBATROSS DRIVE (FORMERLY 1422 ALBATROSS DRIVE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid-Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT
549 ALBATROSS DRIVE (FORMERLY 1422 ALBATROSS DRIVE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid- Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue
Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture
10560 Arrowhead Drive, Suite 500
Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016
CTO WE52
JUNE 2021

Table of Contents

1.0	INTRODUCTION.....	1
1.1	BACKGROUND INFORMATION.....	1
1.2	UST REMOVAL AND ASSESSMENT PROCESS.....	2
2.0	SAMPLING ACTIVITIES AND RESULTS.....	4
2.1	UST REMOVAL AND SOIL SAMPLING	4
2.2	SOIL ANALYTICAL RESULTS.....	5
2.3	GROUNDWATER SAMPLING.....	5
2.4	GROUNDWATER ANALYTICAL RESULTS	6
2.5	SOIL GAS SAMPLING	6
2.6	SOIL GAS ANALYTICAL RESULTS.....	6
3.0	PROPERTY STATUS	7
4.0	REFERENCES.....	7

Tables

Table 1	Laboratory Analytical Results - Soil
Table 2	Laboratory Analytical Results - Groundwater
Table 3	Laboratory Analytical Results - Vapor

Appendices

Appendix A	Multi-Media Selection Process for LBMH
Appendix B	UST Assessment Reports
Appendix C	Laboratory Analytical Report - Groundwater
Appendix D	Laboratory Analytical Report - Vapor
Appendix E	Regulatory Correspondence

List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
ft	feet
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
PPV	Public-Private Venture
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UFP SAP	Uniform Federal Policy Sampling and Analysis Plan
USEPA	United States Environmental Protection Agency
UST	underground storage tank
VISL	vapor intrusion screening level

1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 549 Albatross Drive (Formerly 1422 Albatross Drive). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

In 2015, the Public-Private Venture (PPV) responsible for the management of the residential area at LBMH initiated a plan to replace outdated homes in the LBMH area. The plan includes the demolition of existing homes and subsequent construction of new homes. In discussions with the PPV it was revealed that construction of the new homes could occur on portions of the property where the USTs were formerly located. In response to this plan, MCAS Beaufort assessed subsurface soil gas concentrations in the area of the former USTs at select properties within the demolition areas. The subject property of this report is one of the properties within the planned demolition area which was selected for a soil gas evaluation. It should be noted that the house at the subject property has since been demolished and this property is an empty lot. There are no current plans for construction in this area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan*

(QAPP) for the *Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

In accordance with the multi-media investigation selection process (Appendix A), groundwater analytical results are typically compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion into existing homes and the necessity for an investigation associated with this media. However, as previously stated, this property did not have an existing home and instead was among those selected for an evaluation of soil gas because of the planned demolition and construction activities.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 549 Albatross Drive (Formerly 1422 Albatross Drive). The sampling activities at 549 Albatross Drive (Formerly 1422 Albatross Drive) comprised a soil investigation, IGWA sampling, and a soil gas investigation. Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 1422 Albatross Drive* (MCAS Beaufort, 2009) and the *SCDHEC UST Assessment Report – 1422 Albatross Drive* (MCAS Beaufort, 2013). The UST Assessment Reports are provided in Appendix B. Details regarding the IGWA sampling activities at this site are provided in the *Initial Groundwater Investigation Report – May and June 2015* (Resolution Consultants, 2015). The laboratory report that includes the pertinent IGWA analytical results for this site is presented in Appendix C. Details regarding the vapor intrusion investigation at this site are provided in the *Vapor Intrusion Report – July 2015, January 2016, and May 2016* (Resolution Consultants, 2017). The laboratory report that includes the pertinent soil gas analytical results for this site is presented in Appendix D.

2.1 UST Removal and Soil Sampling

In July 2009 and April 2013, two 280 gallon heating oil USTs were removed from the front grassed area near the car port at 549 Albatross Drive (Formerly 1422 Albatross Drive). Tank 1 was removed on July 30, 2009. Tank 2 was removed on April 8, 2013. The former UST locations are indicated on Figures 2 and 3 of the UST Assessment Reports (Appendix B). The USTs were removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removals. According to the UST Assessment Reports (Appendix B), the depths to the bases of the USTs were 6'1" bgs (Tank 1) and 3'9" (Tank 2) and a single soil sample was collected for each from that depth. The samples were collected from the fill port side of the former USTs to represent a worst case scenario.

Following UST removals, a soil sample was collected from the bases of the excavations and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data reports are included in the UST Assessment Reports presented in Appendix B. The laboratory analytical data reports include the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST locations (Tanks 1 and 2) were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from former UST location (Tank 1) at 549 Albatross Drive (Formerly 1422 Albatross Drive) were greater than the SCDHEC RBSLs, which indicated further investigation was required. In a letter dated May 15, 2014, SCDHEC requested an IGWA for 549 Albatross Drive (Formerly 1422 Albatross Drive) to determine if the groundwater was impacted by petroleum COPCs. SCDHEC's request letter is provided in Appendix E.

2.3 Groundwater Sampling

On June 16, 2015, a temporary monitoring well was installed at 549 Albatross Drive (Formerly 1422 Albatross Drive), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the monitoring well was placed in the same general location as the former heating oil UST (Tank 1). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). Further details are provided in the *Initial Groundwater Investigation Report – May and June 2015* (Resolution Consultants, 2015).

The sampling strategy for this phase of the investigation required a one-time sampling event of the temporarily installed monitoring well. Following well installation and development, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of groundwater sampling, the temporary well was abandoned in accordance with the South Carolina Well Standards and Regulations R.61-71 (SCDHEC, 2016). Field forms are provided in the *Initial Groundwater Investigation Report – May and June 2015* (Resolution Consultants, 2015).

2.4 Groundwater Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 2. A copy of the laboratory analytical data report is included in Appendix C.

The groundwater results collected from 549 Albatross Drive (Formerly 1422 Albatross Drive) were less than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 2), which indicated that the groundwater was not impacted by COPCs associated with the former UST at concentrations that present a potential risk to human health and the environment.

2.5 Soil Gas Sampling

On May 10, 2016, a temporary subsurface soil gas well was installed at 549 Albatross Drive (Formerly 1422 Albatross Drive) in accordance with the SCDHEC approved *Uniform Federal Policy Sampling and Analysis Plan (UFP SAP) for Vapor Media, Revision 2* (Resolution Consultants, 2016). Soil gas sampling was conducted at this property to assess the potential risk for vapor intrusion associated with the possible construction of a new home on top of former the UST location. The soil gas well was placed in the same general location as the former heating oil UST (Tank 1) and the IGWA sample location. The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). Further details are provided in the *Vapor Intrusion Report – July 2015, January 2016, and May 2016* (Resolution Consultants, 2017).

The sampling strategy for this phase of the investigation required a one-time sampling event of the soil gas well. The subsurface soil gas well at 549 Albatross Drive (Formerly 1422 Albatross Drive) was sampled on July 29, 2015. A soil gas sample was collected and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of soil gas sampling, the temporary well was abandoned in accordance with the *UFP SAP for Vapor Media, Revision 2* (Resolution Consultants, 2016). Field forms are provided in the *Vapor Intrusion Report – July 2015, January 2016, and May 2016* (Resolution Consultants, 2017).

2.6 Soil Gas Analytical Results

A summary of the laboratory analytical results and USEPA (United States Environmental Protection Agency) VISLs is presented in Table 3. A copy of the laboratory analytical data report is included in Appendix D.

The soil gas results collected from 549 Albatross Drive (Formerly 1422 Albatross Drive) were below the USEPA VISLs, which indicated that subsurface soil gas was not impacted by COPCs associated with the former UST at concentrations that present a potential risk to human health and the environment.

3.0 PROPERTY STATUS

The house at 549 Albatross Drive (Formerly 1422 Albatross Drive) was demolished and the property is an empty lot. There are no current plans for construction in this area. Based on the analytical results for groundwater, SCDHEC made the determination that NFA was required for 549 Albatross Drive (Formerly 1422 Albatross Drive). The NFA determination for groundwater was obtained in a letter dated February 22, 2016. Based on the analytical results for soil gas, it was determined that there was not a vapor intrusion concern at this property and a recommendation was made for no additional vapor intrusion assessment activities. SCDHEC approved the no further vapor intrusion investigation recommendation for 549 Albatross Drive (Formerly 1422 Albatross Drive) The NFA determination for soil gas was obtained in a letter dated June 20, 2017. SCDHEC's letters are provided in Appendix E.

4.0 REFERENCES

- Marine Corps Air Station Beaufort, 2009. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 1422 Albatross Drive, Laurel Bay Military Housing Area, September 2009.*
- Marine Corps Air Station Beaufort, 2013. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 1422 Albatross Drive, Laurel Bay Military Housing Area, April 2013.*
- Resolution Consultants, 2015. *Initial Groundwater Investigation Report – May and June 2015 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina, October 2015.*
- Resolution Consultants, 2016. *Uniform Federal Policy Sampling and Analysis Plan for Vapor Media, Revision 2, for Laurel Bay Military Housing Area Marine Corps Air Station Beaufort, Beaufort, South Carolina, March 2016.*

- Resolution Consultants, 2017. *Vapor Intrusion Report – July 2015, January 2016, and May 2016 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, May 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.
- South Carolina Department of Health and Environmental Control Bureau of Water, 2016. *R.61-71, Well Standards*, June 2016.
- United States Environmental Protection Agency, 2015. *USEPA OSWER Vapor Intrusion Assessment, Vapor Intrusion Screening Level Calculator, Version 3.4*, June 2015.

Tables

Table 1
Laboratory Analytical Results - Soil
549 Albatross Drive (Formerly 1422 Albatross Drive)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾	Results Samples Collected 07/30/09 and 04/08/13	
		1422 Albatross 07/30/09	1422 Albatross 04/08/13
Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)			
Benzene	0.007	ND	ND
Ethylbenzene	1.15	ND	ND
Naphthalene	0.036	2.62	ND
Toluene	1.45	ND	ND
Xylenes, Total	14.5	ND	ND
Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)			
Benzo(a)anthracene	0.066	9.75	ND
Benzo(b)fluoranthene	0.066	4.11	ND
Benzo(k)fluoranthene	0.066	3.55	ND
Chrysene	0.066	6.65	ND
Dibenz(a,h)anthracene	0.066	0.600	ND

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 (SCDHEC, May 2001).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligrams per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The soil laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

Table 2
Laboratory Analytical Results - Groundwater
549 Albatross Drive (Formerly 1422 Albatross Drive)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾	Site-Specific Groundwater VISLs (µg/L) ⁽²⁾	Results Sample Collected 06/16/15
Volatile Organic Compounds Analyzed by EPA Method 8260B (µg/L)			
Benzene	5	16.24	ND
Ethylbenzene	700	45.95	ND
Naphthalene	25	29.33	ND
Toluene	1000	105,445	ND
Xylenes, Total	10,000	2,133	ND
Semivolatile Organic Compounds Analyzed by EPA Method 8270D (µg/L)			
Benzo(a)anthracene	10	NA	ND
Benzo(b)fluoranthene	10	NA	ND
Benzo(k)fluoranthene	10	NA	ND
Chrysene	10	NA	ND
Dibenz(a,h)anthracene	10	NA	ND

Notes:

(1) South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0 (SCDHEC, May 2015).

(2) Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of 1×10^{-6} , a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - not applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix C.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

µg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

Table 3
Laboratory Analytical Results - Vapor
549 Albatross Drive (Formerly 1422 Albatross Drive)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

Constituent	USEPA VISL ⁽¹⁾	Results Sample Collected 05/10/16
Volatile Organic Compounds Analyzed by USEPA Method TO-15 (µg/m³)		
Benzene	12	ND
Toluene	17000	1.6
Ethylbenzene	37	1.4
m,p-Xylenes	350	4.6
o-Xylene	350	2.4
Naphthalene	2.8	0.69

Notes:

⁽¹⁾ United States Environmental Protection Agency Exterior Soil Gas Vapor Intrusion Screening Level (VISL) from VISL Calculator (Version 3.4, June 2015).

VISLs are based on a residual exposure scenario and a target risk level of 1×10^{-6} and a hazard quotient of 0.1.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the residential VISL.

USEPA - United States Environmental Protection Agency


ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The vapor laboratory report is provided in Appendix D.

RBSL - Risk-Based Screening Level

µg/m³ - micrograms per cubic meter

VISL - Vapor Intrusion Screening Level

Appendix A
Multi-Media Selection Process for LBMH



Appendix A - Multi-Media Selection Process for LBMH

Appendix B
UST Assessment Reports

South Carolina Department of Health and Environmental Control (SCDHEC)
Underground Storage Tank (UST) Assessment Report

Date Received

State Use Only

RECEIVED

SEP 23 2009

SC DHEC - Bureau of
Land & Waste Management

Submit Completed Form To:
 UST Program
 SCDHEC
 2600 Bull Street
 Columbia, South Carolina 29201
 Telephone (803) 896-7957

I. OWNERSHIP OF UST (S)

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)		
Owner Name (Corporation, Individual, Public Agency, Other)		
P.O. Box 55001		
Mailing Address		
Beaufort,	South Carolina	29904-5001
City	State	Zip Code
843	228-7317	Craig Ehde
Area Code	Telephone Number	Contact Person

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #	
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC	
Facility Name or Company Site Identifier	
1422 Albatross Drive, Laurel Bay Military Housing Area	
Street Address or State Road (as applicable)	
Beaufort,	Beaufort
City	County

Attachment 2

III. INSURANCE INFORMATION

Insurance Statement

The petroleum release reported to DHEC on _____ at Permit ID Number _____ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES _____ NO _____ (check one)

If you answered YES to the above question, please complete the following information:

My policy provider is: _____

The policy deductible is: _____

The policy limit is: _____

If you have this type of insurance, please include a copy of the policy with this report.

IV. REQUEST FOR SUPERB FUNDING

I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)

V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

To be completed by Notary Public:

Sworn before me this _____ day of _____, 20____

(Name)

Notary Public for the state of _____
Please affix State seal if you are commissioned outside South Carolina

VI. UST INFORMATION

A. Product...(ex. Gas, Kerosene).....

B. Capacity..(ex. 1k, 2k).....

C. Age.....

D. Construction Material..(ex. Steel, FRP).....

E. Month/Year of Last Use.....

F. Depth (ft.) To Base of Tank.....

G. Spill Prevention Equipment Y/N.....

H. Overfill Prevention Equipment Y/N.....

I. Method of Closure Removed/Filled.....

J. Date Tanks Removed/Filled.....

K. Visible Corrosion or Pitting Y/N.....

L. Visible Holes Y/N.....

M. Method of disposal for any USTs removed from the ground (attach disposal manifests)

UST 1422Albatross was removed from the ground, cleaned and recycled.
See Attachment "A."

N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)

Waste water was pumped from UST 1422Albatross and disposed of by
MCAS Beaufort.

O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST

Corrosion, pitting and holes were found throughout the tank.

1422				
Albatross				
Heating oil				
280 gal				
Late 1950s				
Steel				
Mid 1980s				
6'1"				
No				
No				
Removed				
7/30/09				
Yes				
Yes				

VII. PIPING INFORMATION

A. Construction Material..(ex. Steel, FRP).....

B. Distance from UST to Dispenser.....

C. Number of Dispensers.....

D. Type of System Pressure or Suction.....

E. Was Piping Removed from the Ground? Y/N

F. Visible Corrosion or Pitting Y/N.....

G. Visible Holes Y/N.....

H. Age.....

I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

1422Albatross				
Steel & Copper				
N/A				
N/A				
Suction				
Yes				
Yes				
No				
Late 1950s				

Corrosion and pitting were found on the surface of the steel vent pipe. Copper supply and return lines were sound.

VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

IX. SITE CONDITIONS

	Yes	No	Unk
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells? If yes, indicate depth and location on the site map.		X	
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells? If yes, indicate location on site map and describe the odor (strong, mild, etc.)		X	
C. Was water present in the UST excavation, soil borings, or trenches? If yes, how far below land surface (indicate location and depth)?		X	
D. Did contaminated soils remain stockpiled on site after closure? If yes, indicate the stockpile location on the site map. Name of DHEC representative authorizing soil removal:		X	
E. Was a petroleum sheen or free product detected on any excavation or boring waters? If yes, indicate location and thickness.		X	

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 96012001

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
1422 Albatross	Excav at fill end	Soil	Sandy	6'1"	7/30/09 1345 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

* = Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.


XII. RECEPTORS

	Yes	No
A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system? If yes, indicate type of receptor, distance, and direction on site map.		X
B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system? If yes, indicate type of well, distance, and direction on site map.		X
C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system? If yes, indicate type of structure, distance, and direction on site map.		X
D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? *Sewer & water If yes, indicate the type of utility, distance, and direction on the site map.	*X	
E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete? If yes, indicate the area of contaminated soil on the site map.		X


XIII. SITE MAP

You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)



1422 ALBATROSS DR.



SBG-EEG, Inc.


Small Business Group, Inc.
10179 Hwy 78
Ladson, SC 29456

Ph. (843) 879-0400

Drawn By: L. DiAsio


Dwg Date: Aug 2009

FIGURE 1: LOCATION MAP
1422 ALBATROSS DR., LAUREL BAY
MCAS BEAUFORT SC



SCREENED
PORCH

1422 ALBATROSS DR.
LAUREL BAY MILITARY HOUSING
MCAS BEAUFORT, SC




CONCRETE
PORCH &
WALK

UST 1422ALBATROSS

CAR PORT

ASPHALT
DRIVEWAY

GRAPHIC SCALE



SBG-EEG

10179 HWY 78
LADSON, SC 29456

ph. (843) 879-0400

FIGURE 2 SITE MAP
1422 ALBATROSS DR., LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE AUG 2009



SOIL SAMPLE
1422 ALBATROSS

FILL END


UST 1422ALBATROSS,
280 GAL.

EXCAVATION

GRASS

1422 ALBATROSS DR.
CAR PORT

ASPHALT DRIVE



UST 1422ALBATROSS WAS
37" BELOW GRADE.

SBG-EEG

10179 HWY 78
LADSON, SC 29456

ph. (843) 879-0400

FIGURE 3 UST SAMPLE LOCATIONS
1422 ALBATROSS DR., LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE AUG 2009



Picture 1: Location of UST 1422Albatross.



Picture 2: UST 1422Albatross.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	UST 1422Albatross							
Benzene	ND							
Toluene	ND							
Ethylbenzene	ND							
Xylenes	ND							
Naphthalene	2.62 mg/kg							
Benzo (a) anthracene	9.75 mg/kg							
Benzo (b) fluoranthene	4.11 mg/kg							
Benzo (k) fluoranthene	3.55 mg/kg							
Chrysene	6.65 mg/kg							
Dibenz (a, h) anthracene	0.600 mg/kg							
TPH (EPA 3550)								

CoC								
Benzene								
Toluene								
Ethylbenzene								
Xylenes								
Naphthalene								
Benzo (a) anthracene								
Benzo (b) fluoranthene								
Benzo (k) fluoranthene								
Chrysene								
Dibenz (a, h) anthracene								
TPH (EPA 3550)								

SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here)
(Please see Form #4)

August 17, 2009

4:06:14PM

Client: EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn: Tom McElwee

Work Order: NSG2788
Project Name: Laurel Bay Housing Project
Project Nbr: [none]
P/O Nbr: 08087
Date Received: 07/31/09

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
1409 Eagle	NSG2788-01	07/29/09 09:50
1406 Eagle	NSG2788-02	07/29/09 09:45
1412 Eagle	NSG2788-03	07/29/09 14:10
1411 Eagle-1	NSG2788-04	07/29/09 14:25
1411 Eagle-2	NSG2788-05	07/30/09 09:45
1413 Albatross	NSG2788-06	07/30/09 10:15
1414 Albatross	NSG2788-07	07/30/09 14:15
1422 Albatross	NSG2788-08	07/30/09 13:45

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

South Carolina Certification Number: 84009001

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.

This report has been electronically signed.

Report Approved By:



Cathy Gartner

Project Management

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSG2788
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 07/31/09 08:15

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSG2788-01 (1409 Eagle - Soil) Sampled: 07/29/09 09:50								
General Chemistry Parameters								
% Dry Solids	82.4		%	0.500	1	08/12/09 13:02	SW-846	9081656
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00231	1	08/09/09 16:05	SW846 8260B	9080050
Ethylbenzene	ND		mg/kg dry	0.00231	1	08/09/09 16:05	SW846 8260B	9080050
Naphthalene	ND		mg/kg dry	0.00577	1	08/09/09 16:05	SW846 8260B	9080050
Toluene	ND		mg/kg dry	0.00231	1	08/09/09 16:05	SW846 8260B	9080050
Xylenes, total	ND		mg/kg dry	0.00577	1	08/09/09 16:05	SW846 8260B	9080050
Surr: 1,2-Dichloroethane-d4 (67-138%)	104 %					08/09/09 16:05	SW846 8260B	9080050
Surr: Dibromofluoromethane (75-125%)	100 %					08/09/09 16:05	SW846 8260B	9080050
Surr: Toluene-d8 (76-129%)	104 %					08/09/09 16:05	SW846 8260B	9080050
Surr: 4-Bromofluorobenzene (67-147%)	103 %					08/09/09 16:05	SW846 8260B	9080050
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	ND		mg/kg dry	0.0813	1	08/13/09 21:09	SW846 8270D	9081287
Acenaphthylene	ND		mg/kg dry	0.0813	1	08/13/09 21:09	SW846 8270D	9081287
Anthracene	ND		mg/kg dry	0.0813	1	08/13/09 21:09	SW846 8270D	9081287
Benzo (a) anthracene	ND		mg/kg dry	0.0813	1	08/13/09 21:09	SW846 8270D	9081287
Benzo (a) pyrene	ND		mg/kg dry	0.0813	1	08/13/09 21:09	SW846 8270D	9081287
Benzo (b) fluoranthene	ND		mg/kg dry	0.0813	1	08/13/09 21:09	SW846 8270D	9081287
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0813	1	08/13/09 21:09	SW846 8270D	9081287
Benzo (k) fluoranthene	ND		mg/kg dry	0.0813	1	08/13/09 21:09	SW846 8270D	9081287
Chrysene	ND		mg/kg dry	0.0813	1	08/13/09 21:09	SW846 8270D	9081287
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0813	1	08/13/09 21:09	SW846 8270D	9081287
Fluoranthene	ND		mg/kg dry	0.0813	1	08/13/09 21:09	SW846 8270D	9081287
Fluorene	ND		mg/kg dry	0.0813	1	08/13/09 21:09	SW846 8270D	9081287
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0813	1	08/13/09 21:09	SW846 8270D	9081287
Naphthalene	ND		mg/kg dry	0.0813	1	08/13/09 21:09	SW846 8270D	9081287
Phenanthrene	ND		mg/kg dry	0.0813	1	08/13/09 21:09	SW846 8270D	9081287
Pyrene	ND		mg/kg dry	0.0813	1	08/13/09 21:09	SW846 8270D	9081287
1-Methylnaphthalene	ND		mg/kg dry	0.0813	1	08/13/09 21:09	SW846 8270D	9081287
2-Methylnaphthalene	ND		mg/kg dry	0.0813	1	08/13/09 21:09	SW846 8270D	9081287
Surr: Terphenyl-d14 (18-120%)	93 %					08/13/09 21:09	SW846 8270D	9081287
Surr: 2-Fluorobiphenyl (14-120%)	75 %					08/13/09 21:09	SW846 8270D	9081287
Surr: Nitrobenzene-d5 (17-120%)	77 %					08/13/09 21:09	SW846 8270D	9081287

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSG2788
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 07/31/09 08:15

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSG2788-02 (1406 Eagle - Soil) Sampled: 07/29/09 09:45								
General Chemistry Parameters								
% Dry Solids	76.9		%	0.500	1	08/12/09 13:02	SW-846	9081656
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00225	1	08/09/09 16:35	SW846 8260B	9080050
Ethylbenzene	ND	RL1	mg/kg dry	0.119	50	08/10/09 14:02	SW846 8260B	9080198
Naphthalene	2.44		mg/kg dry	0.298	50	08/10/09 14:02	SW846 8260B	9080198
Toluene	ND	RL1	mg/kg dry	0.119	50	08/10/09 14:02	SW846 8260B	9080198
Xylenes, total	0.450		mg/kg dry	0.298	50	08/10/09 14:02	SW846 8260B	9080198
Surr: 1,2-Dichloroethane-d4 (67-138%)	118 %					08/09/09 16:35	SW846 8260B	9080050
Surr: 1,2-Dichloroethane-d4 (67-138%)	98 %					08/10/09 14:02	SW846 8260B	9080198
Surr: Dibromofluoromethane (75-125%)	117 %					08/09/09 16:35	SW846 8260B	9080050
Surr: Dibromofluoromethane (75-125%)	96 %					08/10/09 14:02	SW846 8260B	9080198
Surr: Toluene-d8 (76-129%)	127 %					08/09/09 16:35	SW846 8260B	9080050
Surr: Toluene-d8 (76-129%)	92 %					08/10/09 14:02	SW846 8260B	9080198
Surr: 4-Bromofluorobenzene (67-147%)	231 %	ZX				08/09/09 16:35	SW846 8260B	9080050
Surr: 4-Bromofluorobenzene (67-147%)	109 %					08/10/09 14:02	SW846 8260B	9080198
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	1.51		mg/kg dry	0.0858	1	08/13/09 21:32	SW846 8270D	9081287
Acenaphthylene	ND		mg/kg dry	0.0858	1	08/13/09 21:32	SW846 8270D	9081287
Anthracene	1.25		mg/kg dry	0.0858	1	08/13/09 21:32	SW846 8270D	9081287
Benzo (a) anthracene	0.227		mg/kg dry	0.0858	1	08/13/09 21:32	SW846 8270D	9081287
Benzo (a) pyrene	ND		mg/kg dry	0.0858	1	08/13/09 21:32	SW846 8270D	9081287
Benzo (b) fluoranthene	0.0990		mg/kg dry	0.0858	1	08/13/09 21:32	SW846 8270D	9081287
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0858	1	08/13/09 21:32	SW846 8270D	9081287
Benzo (k) fluoranthene	0.0892		mg/kg dry	0.0858	1	08/13/09 21:32	SW846 8270D	9081287
Chrysene	0.272		mg/kg dry	0.0858	1	08/13/09 21:32	SW846 8270D	9081287
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0858	1	08/13/09 21:32	SW846 8270D	9081287
Fluoranthene	0.983		mg/kg dry	0.0858	1	08/13/09 21:32	SW846 8270D	9081287
Fluorene	ND		mg/kg dry	0.0858	1	08/13/09 21:32	SW846 8270D	9081287
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0858	1	08/13/09 21:32	SW846 8270D	9081287
Naphthalene	1.92		mg/kg dry	0.0858	1	08/13/09 21:32	SW846 8270D	9081287
Phenanthrene	42.2		mg/kg dry	0.858	10	08/14/09 13:41	SW846 8270D	9081287
Pyrene	1.37		mg/kg dry	0.0858	1	08/13/09 21:32	SW846 8270D	9081287
1-Methylnaphthalene	117		mg/kg dry	3.43	40	08/14/09 15:57	SW846 8270D	9081287
2-Methylnaphthalene	4.09		mg/kg dry	0.0858	1	08/13/09 21:32	SW846 8270D	9081287
Surr: Terphenyl-d14 (18-120%)	208 %	ZX				08/13/09 21:32	SW846 8270D	9081287
Surr: 2-Fluorobiphenyl (14-120%)	179 %	ZX				08/13/09 21:32	SW846 8270D	9081287
Surr: Nitrobenzene-d5 (17-120%)	123 %	ZX				08/13/09 21:32	SW846 8270D	9081287

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSG2788
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 07/31/09 08:15

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSG2788-03 (1412 Eagle - Soil) Sampled: 07/29/09 14:10								
General Chemistry Parameters								
% Dry Solids	86.8		%	0.500	1	08/12/09 13:02	SW-846	9081656
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	0.379		mg/kg dry	0.110	50	08/10/09 14:33	SW846 8260B	9080198
Ethylbenzene	3.73		mg/kg dry	0.110	50	08/10/09 14:33	SW846 8260B	9080198
Naphthalene	46.1		mg/kg dry	5.48	1000	08/10/09 15:04	SW846 8260B	9080198
Toluene	ND	RL1	mg/kg dry	0.110	50	08/10/09 14:33	SW846 8260B	9080198
Xylenes, total	15.1		mg/kg dry	0.274	50	08/10/09 14:33	SW846 8260B	9080198
Surr: 1,2-Dichloroethane-d4 (67-138%)	99 %					08/10/09 14:33	SW846 8260B	9080198
Surr: 1,2-Dichloroethane-d4 (67-138%)	99 %					08/10/09 15:04	SW846 8260B	9080198
Surr: Dibromofluoromethane (75-125%)	98 %					08/10/09 14:33	SW846 8260B	9080198
Surr: Dibromofluoromethane (75-125%)	97 %					08/10/09 15:04	SW846 8260B	9080198
Surr: Toluene-d8 (76-129%)	100 %					08/10/09 14:33	SW846 8260B	9080198
Surr: Toluene-d8 (76-129%)	95 %					08/10/09 15:04	SW846 8260B	9080198
Surr: 4-Bromofluorobenzene (67-147%)	112 %					08/10/09 14:33	SW846 8260B	9080198
Surr: 4-Bromofluorobenzene (67-147%)	102 %					08/10/09 15:04	SW846 8260B	9080198
Polyaromatic Hydrocarbons by EPA 8270D								
Accenaphthene	11.0		mg/kg dry	3.03	20	08/14/09 14:04	SW846 8270D	9081287
Accenaphthylene	4.79		mg/kg dry	3.03	20	08/14/09 14:04	SW846 8270D	9081287
Anthracene	3.36		mg/kg dry	3.03	20	08/14/09 14:04	SW846 8270D	9081287
Benzo (a) anthracene	ND	RL1	mg/kg dry	3.03	20	08/14/09 14:04	SW846 8270D	9081287
Benzo (a) pyrene	ND	RL1	mg/kg dry	3.03	20	08/14/09 14:04	SW846 8270D	9081287
Benzo (b) fluoranthene	ND	RL1	mg/kg dry	3.03	20	08/14/09 14:04	SW846 8270D	9081287
Benzo (g,h,i) perylene	ND	RL1	mg/kg dry	3.03	20	08/14/09 14:04	SW846 8270D	9081287
Benzo (k) fluoranthene	ND	RL1	mg/kg dry	3.03	20	08/14/09 14:04	SW846 8270D	9081287
Chrysene	ND	RL1	mg/kg dry	3.03	20	08/14/09 14:04	SW846 8270D	9081287
Dibenz (a,h) anthracene	ND	RL1	mg/kg dry	3.03	20	08/14/09 14:04	SW846 8270D	9081287
Fluoranthene	ND	RL1	mg/kg dry	3.03	20	08/14/09 14:04	SW846 8270D	9081287
Fluorene	19.2		mg/kg dry	3.03	20	08/14/09 14:04	SW846 8270D	9081287
Indeno (1,2,3-cd) pyrene	ND	RL1	mg/kg dry	3.03	20	08/14/09 14:04	SW846 8270D	9081287
Naphthalene	36.4		mg/kg dry	3.03	20	08/14/09 14:04	SW846 8270D	9081287
Phenanthrene	30.0		mg/kg dry	3.03	20	08/14/09 14:04	SW846 8270D	9081287
Pyrene	ND	RL1	mg/kg dry	3.03	20	08/14/09 14:04	SW846 8270D	9081287
1-Methylnaphthalene	136		mg/kg dry	7.57	50	08/15/09 21:34	SW846 8270D	9081287
2-Methylnaphthalene	227		mg/kg dry	7.57	50	08/15/09 21:34	SW846 8270D	9081287
Surr: Terphenyl-d14 (18-120%)	87 %	ZX				08/14/09 14:04	SW846 8270D	9081287
Surr: 2-Fluorobiphenyl (14-120%)	127 %	ZX				08/14/09 14:04	SW846 8270D	9081287
Surr: Nitrobenzene-d5 (17-120%)	122 %	ZX				08/14/09 14:04	SW846 8270D	9081287

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSG2788
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 07/31/09 08:15

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSG2788-04 (1411 Eagle-1 - Soil) Sampled: 07/29/09 14:25								
General Chemistry Parameters								
% Dry Solids	72.5		%	0.500	1	08/12/09 13:02	SW-846	9081656
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	0.00691		mg/kg dry	0.00279	1	08/09/09 17:37	SW846 8260B	9080050
Ethylbenzene	1.96		mg/kg dry	0.135	50	08/10/09 15:35	SW846 8260B	9080198
Naphthalene	27.1		mg/kg dry	6.75	1000	08/10/09 16:05	SW846 8260B	9080198
Toluene	ND	RLI	mg/kg dry	0.135	50	08/10/09 15:35	SW846 8260B	9080198
Xylenes, total	13.4		mg/kg dry	0.337	50	08/10/09 15:35	SW846 8260B	9080198
Surr: 1,2-Dichloroethane-d4 (67-138%)	104 %					08/09/09 17:37	SW846 8260B	9080050
Surr: 1,2-Dichloroethane-d4 (67-138%)	98 %					08/10/09 15:35	SW846 8260B	9080198
Surr: 1,2-Dichloroethane-d4 (67-138%)	101 %					08/10/09 16:05	SW846 8260B	9080198
Surr: Dibromofluoromethane (75-125%)	108 %					08/09/09 17:37	SW846 8260B	9080050
Surr: Dibromofluoromethane (75-125%)	95 %					08/10/09 15:35	SW846 8260B	9080198
Surr: Dibromofluoromethane (75-125%)	97 %					08/10/09 16:05	SW846 8260B	9080198
Surr: Toluene-d8 (76-129%)	604 %	ZX				08/09/09 17:37	SW846 8260B	9080050
Surr: Toluene-d8 (76-129%)	106 %					08/10/09 15:35	SW846 8260B	9080198
Surr: Toluene-d8 (76-129%)	98 %					08/10/09 16:05	SW846 8260B	9080198
Surr: 4-Bromofluorobenzene (67-147%)	610 %	ZX				08/09/09 17:37	SW846 8260B	9080050
Surr: 4-Bromofluorobenzene (67-147%)	119 %					08/10/09 15:35	SW846 8260B	9080198
Surr: 4-Bromofluorobenzene (67-147%)	104 %					08/10/09 16:05	SW846 8260B	9080198
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	ND	RLI	mg/kg dry	1.82	20	08/14/09 14:26	SW846 8270D	9081287
Acenaphthylene	ND	RLI	mg/kg dry	1.82	20	08/14/09 14:26	SW846 8270D	9081287
Anthracene	ND	RLI	mg/kg dry	1.82	20	08/14/09 14:26	SW846 8270D	9081287
Benzo (a) anthracene	ND	RLI	mg/kg dry	1.82	20	08/14/09 14:26	SW846 8270D	9081287
Benzo (a) pyrene	ND	RLI	mg/kg dry	1.82	20	08/14/09 14:26	SW846 8270D	9081287
Benzo (b) fluoranthene	ND	RLI	mg/kg dry	1.82	20	08/14/09 14:26	SW846 8270D	9081287
Benzo (g,h,i) perylene	ND	RLI	mg/kg dry	1.82	20	08/14/09 14:26	SW846 8270D	9081287
Benzo (k) fluoranthene	ND	RLI	mg/kg dry	1.82	20	08/14/09 14:26	SW846 8270D	9081287
Chrysene	ND	RLI	mg/kg dry	1.82	20	08/14/09 14:26	SW846 8270D	9081287
Dibenz (a,h) anthracene	ND	RLI	mg/kg dry	1.82	20	08/14/09 14:26	SW846 8270D	9081287
Fluoranthene	3.60		mg/kg dry	1.82	20	08/14/09 14:26	SW846 8270D	9081287
Fluorene	4.43		mg/kg dry	1.82	20	08/14/09 14:26	SW846 8270D	9081287
Indeno (1,2,3-cd) pyrene	ND	RLI	mg/kg dry	1.82	20	08/14/09 14:26	SW846 8270D	9081287
Naphthalene	13.6		mg/kg dry	1.82	20	08/14/09 14:26	SW846 8270D	9081287
Phenanthrene	9.03		mg/kg dry	1.82	20	08/14/09 14:26	SW846 8270D	9081287
Pyrene	2.46		mg/kg dry	1.82	20	08/14/09 14:26	SW846 8270D	9081287
1-Methylnaphthalene	43.5		mg/kg dry	1.82	20	08/14/09 14:26	SW846 8270D	9081287
2-Methylnaphthalene	64.6		mg/kg dry	1.82	20	08/14/09 14:26	SW846 8270D	9081287
Surr: Terphenyl-d14 (18-120%)	80 %					08/14/09 14:26	SW846 8270D	9081287
Surr: 2-Fluorobiphenyl (14-120%)	95 %					08/14/09 14:26	SW846 8270D	9081287
Surr: Nitrobenzene-d5 (17-120%)	89 %					08/14/09 14:26	SW846 8270D	9081287

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSG2788
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 07/31/09 08:15

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSG2788-05 (1411 Eagle-2 - Soil) Sampled: 07/30/09 09:45								
General Chemistry Parameters								
% Dry Solids	82.6		%	0.500	1	08/12/09 13:02	SW-846	9081656
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND		mg/kg dry	0.00195	1	08/10/09 13:01	SW846 8260B	9080198
Ethylbenzene	ND	RLI	mg/kg dry	0.104	50	08/10/09 13:32	SW846 8260B	9080198
Naphthalene	9.27		mg/kg dry	0.260	50	08/10/09 13:32	SW846 8260B	9080198
Toluene	ND	RLI	mg/kg dry	0.104	50	08/10/09 13:32	SW846 8260B	9080198
Xylenes, total	0.860		mg/kg dry	0.260	50	08/10/09 13:32	SW846 8260B	9080198
Surr: 1,2-Dichloroethane-d4 (67-138%)	120 %					08/10/09 13:01	SW846 8260B	9080198
Surr: 1,2-Dichloroethane-d4 (67-138%)	100 %					08/10/09 13:32	SW846 8260B	9080198
Surr: Dibromofluoromethane (75-125%)	114 %					08/10/09 13:01	SW846 8260B	9080198
Surr: Dibromofluoromethane (75-125%)	98 %					08/10/09 13:32	SW846 8260B	9080198
Surr: Toluene-d8 (76-129%)	119 %					08/10/09 13:01	SW846 8260B	9080198
Surr: Toluene-d8 (76-129%)	98 %					08/10/09 13:32	SW846 8260B	9080198
Surr: 4-Bromofluorobenzene (67-147%)	224 %	ZX				08/10/09 13:01	SW846 8260B	9080198
Surr: 4-Bromofluorobenzene (67-147%)	106 %					08/10/09 13:32	SW846 8260B	9080198
Polyaromatic Hydrocarbons by EPA 8270D								
Accenaphthene	ND	RLI	mg/kg dry	1.58	20	08/14/09 14:49	SW846 8270D	9081287
Accenaphthylene	ND	RLI	mg/kg dry	1.58	20	08/14/09 14:49	SW846 8270D	9081287
Anthracene	ND	RLI	mg/kg dry	1.58	20	08/14/09 14:49	SW846 8270D	9081287
Benzo (a) anthracene	ND	RLI	mg/kg dry	1.58	20	08/14/09 14:49	SW846 8270D	9081287
Benzo (a) pyrene	ND	RLI	mg/kg dry	1.58	20	08/14/09 14:49	SW846 8270D	9081287
Benzo (b) fluoranthene	ND	RLI	mg/kg dry	1.58	20	08/14/09 14:49	SW846 8270D	9081287
Benzo (g,h,i) perylene	ND	RLI	mg/kg dry	1.58	20	08/14/09 14:49	SW846 8270D	9081287
Benzo (k) fluoranthene	ND	RLI	mg/kg dry	1.58	20	08/14/09 14:49	SW846 8270D	9081287
Chrysene	ND	RLI	mg/kg dry	1.58	20	08/14/09 14:49	SW846 8270D	9081287
Dibenz (a,h) anthracene	ND	RLI	mg/kg dry	1.58	20	08/14/09 14:49	SW846 8270D	9081287
Fluoranthene	ND		mg/kg dry	1.58	20	08/14/09 14:49	SW846 8270D	9081287
Fluorene	3.68		mg/kg dry	1.58	20	08/14/09 14:49	SW846 8270D	9081287
Indeno (1,2,3-cd) pyrene	ND	RLI	mg/kg dry	1.58	20	08/14/09 14:49	SW846 8270D	9081287
Naphthalene	3.37		mg/kg dry	1.58	20	08/14/09 14:49	SW846 8270D	9081287
Phenanthrene	6.33		mg/kg dry	1.58	20	08/14/09 14:49	SW846 8270D	9081287
Pyrene	ND	RLI	mg/kg dry	1.58	20	08/14/09 14:49	SW846 8270D	9081287
1-Methylnaphthalene	16.5		mg/kg dry	1.58	20	08/14/09 14:49	SW846 8270D	9081287
2-Methylnaphthalene	21.7		mg/kg dry	1.58	20	08/14/09 14:49	SW846 8270D	9081287
Surr: Terphenyl-d14 (18-120%)	65 %					08/14/09 14:49	SW846 8270D	9081287
Surr: 2-Fluorobiphenyl (14-120%)	70 %					08/14/09 14:49	SW846 8270D	9081287
Surr: Nitrobenzene-d5 (17-120%)	46 %					08/14/09 14:49	SW846 8270D	9081287

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSG2788
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 07/31/09 08:15

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSG2788-06 (1413 Albatross - Soil) Sampled: 07/30/09 10:15								
General Chemistry Parameters								
% Dry Solids	78.0		%	0.500	1	08/12/09 13:02	SW-846	9081656
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND	RL1	mg/kg dry	0.117	50	08/10/09 16:36	SW846 8260B	9080198
Ethylbenzene	0.791		mg/kg dry	0.117	50	08/10/09 16:36	SW846 8260B	9080198
Ethylbenzene	0.812		mg/kg dry	0.233	100	08/11/09 14:09	SW846 8260B	9081549
Naphthalene	15.8		mg/kg dry	0.583	100	08/11/09 14:09	SW846 8260B	9081549
Toluene	0.179		mg/kg dry	0.117	50	08/10/09 16:36	SW846 8260B	9080198
Xylenes, total	3.19		mg/kg dry	0.291	50	08/10/09 16:36	SW846 8260B	9080198
Xylenes, total	3.45		mg/kg dry	0.583	100	08/11/09 14:09	SW846 8260B	9081549
Surr: 1,2-Dichloroethane-d4 (67-138%)	99 %					08/10/09 16:36	SW846 8260B	9080198
Surr: 1,2-Dichloroethane-d4 (67-138%)	97 %					08/11/09 14:09	SW846 8260B	9081549
Surr: Dibromofluoromethane (75-125%)	96 %					08/10/09 16:36	SW846 8260B	9080198
Surr: Dibromofluoromethane (75-125%)	98 %					08/11/09 14:09	SW846 8260B	9081549
Surr: Toluene-d8 (76-129%)	103 %					08/10/09 16:36	SW846 8260B	9080198
Surr: Toluene-d8 (76-129%)	106 %					08/11/09 14:09	SW846 8260B	9081549
Surr: 4-Bromofluorobenzene (67-147%)	100 %					08/10/09 16:36	SW846 8260B	9080198
Surr: 4-Bromofluorobenzene (67-147%)	109 %					08/11/09 14:09	SW846 8260B	9081549
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	0.196		mg/kg dry	0.0855	1	08/13/09 23:03	SW846 8270D	9081287
Acenaphthylene	0.0911		mg/kg dry	0.0855	1	08/13/09 23:03	SW846 8270D	9081287
Anthracene	0.128		mg/kg dry	0.0855	1	08/13/09 23:03	SW846 8270D	9081287
Benzo (a) anthracene	ND		mg/kg dry	0.0855	1	08/13/09 23:03	SW846 8270D	9081287
Benzo (a) pyrene	ND		mg/kg dry	0.0855	1	08/13/09 23:03	SW846 8270D	9081287
Benzo (b) fluoranthene	ND		mg/kg dry	0.0855	1	08/13/09 23:03	SW846 8270D	9081287
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0855	1	08/13/09 23:03	SW846 8270D	9081287
Benzo (k) fluoranthene	ND		mg/kg dry	0.0855	1	08/13/09 23:03	SW846 8270D	9081287
Chrysene	ND		mg/kg dry	0.0855	1	08/13/09 23:03	SW846 8270D	9081287
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0855	1	08/13/09 23:03	SW846 8270D	9081287
Fluoranthene	0.189		mg/kg dry	0.0855	1	08/13/09 23:03	SW846 8270D	9081287
Fluorene	0.495		mg/kg dry	0.0855	1	08/13/09 23:03	SW846 8270D	9081287
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0855	1	08/13/09 23:03	SW846 8270D	9081287
Naphthalene	0.788		mg/kg dry	0.0855	1	08/13/09 23:03	SW846 8270D	9081287
Phenanthrene	1.00		mg/kg dry	0.0855	1	08/13/09 23:03	SW846 8270D	9081287
Pyrene	0.200		mg/kg dry	0.0855	1	08/13/09 23:03	SW846 8270D	9081287
1-Methylnaphthalene	2.81		mg/kg dry	0.0855	1	08/13/09 23:03	SW846 8270D	9081287
2-Methylnaphthalene	4.01		mg/kg dry	0.0855	1	08/13/09 23:03	SW846 8270D	9081287
Surr: Terphenyl-d14 (18-120%)	96 %					08/13/09 23:03	SW846 8270D	9081287
Surr: 2-Fluorobiphenyl (14-120%)	69 %					08/13/09 23:03	SW846 8270D	9081287
Surr: Nitrobenzene-d5 (17-120%)	72 %					08/13/09 23:03	SW846 8270D	9081287

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSG2788
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 07/31/09 08:15

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSG2788-07 (1414 Albatross - Soil) Sampled: 07/30/09 14:15								
General Chemistry Parameters								
% Dry Solids	86.3		%	0.500	1	08/12/09 13:02	SW-846	9081656
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	0.124		mg/kg dry	0.122	50	08/10/09 17:07	SW846 8260B	9080198
Ethylbenzene	1.72		mg/kg dry	0.122	50	08/10/09 17:07	SW846 8260B	9080198
Naphthalene	5.83		mg/kg dry	0.306	50	08/10/09 17:07	SW846 8260B	9080198
Toluene	1.28		mg/kg dry	0.122	50	08/10/09 17:07	SW846 8260B	9080198
Xylenes, total	6.43		mg/kg dry	0.306	50	08/10/09 17:07	SW846 8260B	9080198
Surr: 1,2-Dichloroethane-d4 (67-138%)	98 %					08/10/09 17:07	SW846 8260B	9080198
Surr: Dibromofluoromethane (75-125%)	95 %					08/10/09 17:07	SW846 8260B	9080198
Surr: Toluene-d8 (76-129%)	100 %					08/10/09 17:07	SW846 8260B	9080198
Surr: 4-Bromofluorobenzene (67-147%)	105 %					08/10/09 17:07	SW846 8260B	9080198
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	ND		mg/kg dry	0.154	1	08/13/09 23:26	SW846 8270D	9081287
Acenaphthylene	ND		mg/kg dry	0.154	1	08/13/09 23:26	SW846 8270D	9081287
Anthracene	ND		mg/kg dry	0.154	1	08/13/09 23:26	SW846 8270D	9081287
Benzo (a) anthracene	3.26		mg/kg dry	0.154	1	08/13/09 23:26	SW846 8270D	9081287
Benzo (a) pyrene	0.946		mg/kg dry	0.154	1	08/13/09 23:26	SW846 8270D	9081287
Benzo (b) fluoranthene	1.56		mg/kg dry	0.154	1	08/13/09 23:26	SW846 8270D	9081287
Benzo (g,h,i) perylene	0.412		mg/kg dry	0.154	1	08/13/09 23:26	SW846 8270D	9081287
Benzo (k) fluoranthene	1.56		mg/kg dry	0.154	1	08/13/09 23:26	SW846 8270D	9081287
Chrysene	2.94		mg/kg dry	0.154	1	08/13/09 23:26	SW846 8270D	9081287
Dibenz (a,h) anthracene	0.179		mg/kg dry	0.154	1	08/13/09 23:26	SW846 8270D	9081287
Fluoranthene	8.61		mg/kg dry	0.770	5	08/14/09 15:11	SW846 8270D	9081287
Fluorene	ND		mg/kg dry	0.154	1	08/13/09 23:26	SW846 8270D	9081287
Indeno (1,2,3-cd) pyrene	0.450		mg/kg dry	0.154	1	08/13/09 23:26	SW846 8270D	9081287
Naphthalene	20.3		mg/kg dry	0.770	5	08/14/09 15:11	SW846 8270D	9081287
Phenanthrene	ND		mg/kg dry	0.154	1	08/13/09 23:26	SW846 8270D	9081287
Pyrene	10.8		mg/kg dry	0.770	5	08/14/09 15:11	SW846 8270D	9081287
1-Methylnaphthalene	48.6		mg/kg dry	3.08	20	08/15/09 21:56	SW846 8270D	9081287
2-Methylnaphthalene	74.5		mg/kg dry	3.08	20	08/15/09 21:56	SW846 8270D	9081287
Surr: Terphenyl-d14 (18-120%)	107 %					08/13/09 23:26	SW846 8270D	9081287
Surr: 2-Fluorobiphenyl (14-120%)	61 %					08/13/09 23:26	SW846 8270D	9081287
Surr: Nitrobenzene-d5 (17-120%)	36 %					08/13/09 23:26	SW846 8270D	9081287

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSG2788
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 07/31/09 08:15

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Batch
Sample ID: NSG2788-08 (1422 Albatross - Soil) Sampled: 07/30/09 13:45								
General Chemistry Parameters								
% Dry Solids	77.6		%	0.500	1	08/12/09 13:02	SW-846	9081656
Selected Volatile Organic Compounds by EPA Method 8260B								
Benzene	ND	RL1	mg/kg dry	0.107	50	08/10/09 17:37	SW846 8260B	9080198
Ethylbenzene	ND	RL1	mg/kg dry	0.107	50	08/10/09 17:37	SW846 8260B	9080198
Naphthalene	2.62		mg/kg dry	0.268	50	08/10/09 17:37	SW846 8260B	9080198
Toluene	ND	RL1	mg/kg dry	0.107	50	08/10/09 17:37	SW846 8260B	9080198
Xylenes, total	ND	RL1	mg/kg dry	0.268	50	08/10/09 17:37	SW846 8260B	9080198
Surr: 1,2-Dichloroethane-d4 (67-138%)	96 %					08/10/09 17:37	SW846 8260B	9080198
Surr: Dibromofluoromethane (75-125%)	96 %					08/10/09 17:37	SW846 8260B	9080198
Surr: Toluene-d8 (76-129%)	101 %					08/10/09 17:37	SW846 8260B	9080198
Surr: 4-Bromofluorobenzene (67-147%)	109 %					08/10/09 17:37	SW846 8260B	9080198
Polyaromatic Hydrocarbons by EPA 8270D								
Acenaphthene	1.02		mg/kg dry	0.0851	1	08/13/09 23:48	SW846 8270D	9081287
Acenaphthylene	ND		mg/kg dry	0.0851	1	08/13/09 23:48	SW846 8270D	9081287
Anthracene	2.32		mg/kg dry	0.0851	1	08/13/09 23:48	SW846 8270D	9081287
Benzo (a) anthracene	9.75		mg/kg dry	0.425	5	08/15/09 21:11	SW846 8270D	9081287
Benzo (a) pyrene	3.23		mg/kg dry	0.0851	1	08/13/09 23:48	SW846 8270D	9081287
Benzo (b) fluoranthene	4.11		mg/kg dry	0.0851	1	08/13/09 23:48	SW846 8270D	9081287
Benzo (g,h,i) perylene	0.856		mg/kg dry	0.0851	1	08/13/09 23:48	SW846 8270D	9081287
Benzo (k) fluoranthene	3.55		mg/kg dry	0.0851	1	08/13/09 23:48	SW846 8270D	9081287
Chrysene	6.65		mg/kg dry	0.0851	1	08/13/09 23:48	SW846 8270D	9081287
Dibenz (a,h) anthracene	0.600		mg/kg dry	0.0851	1	08/13/09 23:48	SW846 8270D	9081287
Fluoranthene	36.3		mg/kg dry	1.70	20	08/15/09 22:19	SW846 8270D	9081287
Fluorene	2.19		mg/kg dry	0.0851	1	08/13/09 23:48	SW846 8270D	9081287
Indeno (1,2,3-cd) pyrene	1.03		mg/kg dry	0.0851	1	08/13/09 23:48	SW846 8270D	9081287
Naphthalene	1.62		mg/kg dry	0.0851	1	08/13/09 23:48	SW846 8270D	9081287
Phenanthrene	19.9		mg/kg dry	0.425	5	08/15/09 21:11	SW846 8270D	9081287
Pyrene	24.8		mg/kg dry	1.70	20	08/15/09 22:19	SW846 8270D	9081287
1-Methylnaphthalene	6.84		mg/kg dry	0.425	5	08/15/09 21:11	SW846 8270D	9081287
2-Methylnaphthalene	9.39		mg/kg dry	0.425	5	08/15/09 21:11	SW846 8270D	9081287
Surr: Terphenyl-d14 (18-120%)	81 %					08/13/09 23:48	SW846 8270D	9081287
Surr: 2-Fluorobiphenyl (14-120%)	81 %					08/13/09 23:48	SW846 8270D	9081287
Surr: Nitrobenzene-d5 (17-120%)	80 %					08/13/09 23:48	SW846 8270D	9081287

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwce

Work Order: NSG2788
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 07/31/09 08:15

SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
Polyaromatic Hydrocarbons by EPA 8270D							
SW846 8270D	9081287	NSG2788-01	30.00	1.00	08/08/09 14:37	AJF	EPA 3550C
SW846 8270D	9081287	NSG2788-02	30.46	1.00	08/08/09 14:37	AJF	EPA 3550C
SW846 8270D	9081287	NSG2788-02RE1	30.46	1.00	08/08/09 14:37	AJF	EPA 3550C
SW846 8270D	9081287	NSG2788-02RE2	30.46	1.00	08/08/09 14:37	AJF	EPA 3550C
SW846 8270D	9081287	NSG2788-03	30.57	2.00	08/08/09 14:37	AJF	EPA 3550C
SW846 8270D	9081287	NSG2788-03RE1	30.57	2.00	08/08/09 14:37	AJF	EPA 3550C
SW846 8270D	9081287	NSG2788-03RE2	30.57	2.00	08/08/09 14:37	AJF	EPA 3550C
SW846 8270D	9081287	NSG2788-04	30.52	1.00	08/08/09 14:37	AJF	EPA 3550C
SW846 8270D	9081287	NSG2788-04RE1	30.52	1.00	08/08/09 14:37	AJF	EPA 3550C
SW846 8270D	9081287	NSG2788-05	30.73	1.00	08/08/09 14:37	AJF	EPA 3550C
SW846 8270D	9081287	NSG2788-05RE1	30.73	1.00	08/08/09 14:37	AJF	EPA 3550C
SW846 8270D	9081287	NSG2788-06	30.13	1.00	08/08/09 14:37	AJF	EPA 3550C
SW846 8270D	9081287	NSG2788-07	30.24	2.00	08/08/09 14:37	AJF	EPA 3550C
SW846 8270D	9081287	NSG2788-07RE1	30.24	2.00	08/08/09 14:37	AJF	EPA 3550C
SW846 8270D	9081287	NSG2788-07RE2	30.24	2.00	08/08/09 14:37	AJF	EPA 3550C
SW846 8270D	9081287	NSG2788-08	30.44	1.00	08/08/09 14:37	AJF	EPA 3550C
SW846 8270D	9081287	NSG2788-08RE1	30.44	1.00	08/08/09 14:37	AJF	EPA 3550C
SW846 8270D	9081287	NSG2788-08RE2	30.44	1.00	08/08/09 14:37	AJF	EPA 3550C
Selected Volatile Organic Compounds by EPA Method 8260B							
SW846 8260B	9080050	NSG2788-01	5.26	5.00	07/29/09 09:50	CHH	EPA 5035
SW846 8260B	9080050	NSG2788-02	5.78	5.00	07/29/09 09:45	CHH	EPA 5035
SW846 8260B	9080198	NSG2788-02RE1	5.45	5.00	07/29/09 09:45	CHH	EPA 5035
SW846 8260B	9080050	NSG2788-03	5.32	5.00	07/29/09 14:10	CHH	EPA 5035
SW846 8260B	9080198	NSG2788-03RE1	5.26	5.00	07/29/09 14:10	CHH	EPA 5035
SW846 8260B	9080198	NSG2788-03RE2	5.26	5.00	07/29/09 14:10	CHH	EPA 5035
SW846 8260B	9080050	NSG2788-04	4.94	5.00	07/29/09 14:25	CHH	EPA 5035
SW846 8260B	9080198	NSG2788-04RE1	5.11	5.00	07/29/09 14:25	CHH	EPA 5035
SW846 8260B	9080198	NSG2788-04RE2	5.11	5.00	07/29/09 14:25	CHH	EPA 5035
SW846 8260B	9080050	NSG2788-05	5.91	5.00	07/30/09 09:45	CHH	EPA 5035
SW846 8260B	9080198	NSG2788-05RE1	6.21	5.00	07/30/09 09:45	CHH	EPA 5035
SW846 8260B	9080198	NSG2788-05RE2	5.83	5.00	07/30/09 09:45	CHH	EPA 5035
SW846 8260B	9080050	NSG2788-06	6.03	5.00	07/30/09 10:15	CHH	EPA 5035
SW846 8260B	9080198	NSG2788-06RE1	5.50	5.00	07/30/09 10:15	CHH	EPA 5035
SW846 8260B	9081549	NSG2788-06RE2	5.50	5.00	07/30/09 10:15	CHH	EPA 5035
SW846 8260B	9080050	NSG2788-07	5.12	5.00	07/30/09 14:15	CHH	EPA 5035
SW846 8260B	9080198	NSG2788-07RE1	4.74	5.00	07/30/09 14:15	CHH	EPA 5035
SW846 8260B	9080050	NSG2788-08	6.57	5.00	07/30/09 13:45	CHH	EPA 5035
SW846 8260B	9080198	NSG2788-08RE1	6.00	5.00	07/30/09 13:45	CHH	EPA 5035

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSG2788
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 07/31/09 08:15

PROJECT QUALITY CONTROL DATA

Blank

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

Selected Volatile Organic Compounds by EPA Method 8260B

9080050-BLK1

Benzene	<0.000670		mg/kg wet	9080050	9080050-BLK1	08/09/09 14:33
Ethylbenzene	<0.000670		mg/kg wet	9080050	9080050-BLK1	08/09/09 14:33
Naphthalene	<0.00170		mg/kg wet	9080050	9080050-BLK1	08/09/09 14:33
Toluene	<0.000400		mg/kg wet	9080050	9080050-BLK1	08/09/09 14:33
Xylenes, total	<0.00130		mg/kg wet	9080050	9080050-BLK1	08/09/09 14:33
Surrogate: 1,2-Dichloroethane-d4	100%			9080050	9080050-BLK1	08/09/09 14:33
Surrogate: Dibromofluoromethane	101%			9080050	9080050-BLK1	08/09/09 14:33
Surrogate: Toluene-d8	100%			9080050	9080050-BLK1	08/09/09 14:33
Surrogate: 4-Bromofluorobenzene	99%			9080050	9080050-BLK1	08/09/09 14:33

9080198-BLK1

Benzene	<0.000670		mg/kg wet	9080198	9080198-BLK1	08/10/09 12:26
Ethylbenzene	<0.000670		mg/kg wet	9080198	9080198-BLK1	08/10/09 12:26
Naphthalene	<0.00170		mg/kg wet	9080198	9080198-BLK1	08/10/09 12:26
Toluene	<0.000400		mg/kg wet	9080198	9080198-BLK1	08/10/09 12:26
Xylenes, total	<0.00130		mg/kg wet	9080198	9080198-BLK1	08/10/09 12:26
Surrogate: 1,2-Dichloroethane-d4	106%			9080198	9080198-BLK1	08/10/09 12:26
Surrogate: Dibromofluoromethane	98%			9080198	9080198-BLK1	08/10/09 12:26
Surrogate: Toluene-d8	97%			9080198	9080198-BLK1	08/10/09 12:26
Surrogate: 4-Bromofluorobenzene	99%			9080198	9080198-BLK1	08/10/09 12:26

9081549-BLK1

Benzene	<0.000670		mg/kg wet	9081549	9081549-BLK1	08/11/09 12:56
Ethylbenzene	<0.000670		mg/kg wet	9081549	9081549-BLK1	08/11/09 12:56
Naphthalene	<0.00170		mg/kg wet	9081549	9081549-BLK1	08/11/09 12:56
Toluene	<0.000400		mg/kg wet	9081549	9081549-BLK1	08/11/09 12:56
Xylenes, total	<0.00130		mg/kg wet	9081549	9081549-BLK1	08/11/09 12:56
Surrogate: 1,2-Dichloroethane-d4	106%			9081549	9081549-BLK1	08/11/09 12:56
Surrogate: Dibromofluoromethane	103%			9081549	9081549-BLK1	08/11/09 12:56
Surrogate: Toluene-d8	102%			9081549	9081549-BLK1	08/11/09 12:56
Surrogate: 4-Bromofluorobenzene	99%			9081549	9081549-BLK1	08/11/09 12:56

Polyaromatic Hydrocarbons by EPA 8270D

9081287-BLK1

Acenaphthene	<0.0320		mg/kg wet	9081287	9081287-BLK1	08/13/09 17:46
Acenaphthylene	<0.0310		mg/kg wet	9081287	9081287-BLK1	08/13/09 17:46
Anthracene	<0.0330		mg/kg wet	9081287	9081287-BLK1	08/13/09 17:46
Benzo (a) anthracene	<0.0380		mg/kg wet	9081287	9081287-BLK1	08/13/09 17:46
Benzo (a) pyrene	<0.0300		mg/kg wet	9081287	9081287-BLK1	08/13/09 17:46
Benzo (b) fluoranthene	<0.0300		mg/kg wet	9081287	9081287-BLK1	08/13/09 17:46
Benzo (g,h,i) perylene	<0.0300		mg/kg wet	9081287	9081287-BLK1	08/13/09 17:46

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwcc

Work Order: NSG2788
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 07/31/09 08:15

PROJECT QUALITY CONTROL DATA
Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
Polyaromatic Hydrocarbons by EPA 8270D						
9081287-BLK1						
Benzo (k) fluoranthene	<0.0300		mg/kg wet	9081287	9081287-BLK1	08/13/09 17:46
Chrysene	<0.0400		mg/kg wet	9081287	9081287-BLK1	08/13/09 17:46
Dibenz (a,h) anthracene	<0.0310		mg/kg wet	9081287	9081287-BLK1	08/13/09 17:46
Fluoranthene	<0.0340		mg/kg wet	9081287	9081287-BLK1	08/13/09 17:46
Fluorene	<0.0360		mg/kg wet	9081287	9081287-BLK1	08/13/09 17:46
Indeno (1,2,3-cd) pyrene	<0.0310		mg/kg wet	9081287	9081287-BLK1	08/13/09 17:46
Naphthalene	<0.0410		mg/kg wet	9081287	9081287-BLK1	08/13/09 17:46
Phenanthrene	<0.0340		mg/kg wet	9081287	9081287-BLK1	08/13/09 17:46
Pyrene	<0.0410		mg/kg wet	9081287	9081287-BLK1	08/13/09 17:46
1-Methylnaphthalene	<0.0320		mg/kg wet	9081287	9081287-BLK1	08/13/09 17:46
2-Methylnaphthalene	<0.0330		mg/kg wet	9081287	9081287-BLK1	08/13/09 17:46
Surrogate: Terphenyl-d14	90%			9081287	9081287-BLK1	08/13/09 17:46
Surrogate: 2-Fluorobiphenyl	81%			9081287	9081287-BLK1	08/13/09 17:46
Surrogate: Nitrobenzene-d5	74%			9081287	9081287-BLK1	08/13/09 17:46

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSG2788
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 07/31/09 08:15

PROJECT QUALITY CONTROL DATA

Duplicate

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	% Rec.	Analyzed Date/Time
General Chemistry Parameters										
9081656-DUP1										
% Dry Solids	89.6	89.2		%	0.4	20	9081656	NSG2786-04		08/12/09 13:02

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSG2788
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 07/31/09 08:15

PROJECT QUALITY CONTROL DATA LCS

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Selected Volatile Organic Compounds by EPA Method 8260B								
9080050-BS1								
Benzene	50.0	46.0	MNR1	ug/kg	92%	78 - 126	9080050	08/09/09 13:01
Ethylbenzene	50.0	47.7	MNR1	ug/kg	95%	79 - 130	9080050	08/09/09 13:01
Naphthalene	50.0	48.3	MNR1	ug/kg	97%	72 - 150	9080050	08/09/09 13:01
Toluene	50.0	50.1	MNR1	ug/kg	100%	76 - 126	9080050	08/09/09 13:01
Xylenes, total	150	146	MNR1	ug/kg	97%	80 - 130	9080050	08/09/09 13:01
Surrogate: 1,2-Dichloroethane-d4	50.0	52.6			105%	67 - 138	9080050	08/09/09 13:01
Surrogate: Dibromofluoromethane	50.0	49.4			99%	75 - 125	9080050	08/09/09 13:01
Surrogate: Toluene-d8	50.0	52.1			104%	76 - 129	9080050	08/09/09 13:01
Surrogate: 4-Bromofluorobenzene	50.0	49.2			98%	67 - 147	9080050	08/09/09 13:01
9080198-BS1								
Benzene	50.0	53.2		ug/kg	106%	78 - 126	9080198	08/10/09 10:54
Ethylbenzene	50.0	56.1		ug/kg	112%	79 - 130	9080198	08/10/09 10:54
Naphthalene	50.0	57.8		ug/kg	116%	72 - 150	9080198	08/10/09 10:54
Toluene	50.0	55.3		ug/kg	111%	76 - 126	9080198	08/10/09 10:54
Xylenes, total	150	174		ug/kg	116%	80 - 130	9080198	08/10/09 10:54
Surrogate: 1,2-Dichloroethane-d4	50.0	55.6			111%	67 - 138	9080198	08/10/09 10:54
Surrogate: Dibromofluoromethane	50.0	50.2			100%	75 - 125	9080198	08/10/09 10:54
Surrogate: Toluene-d8	50.0	48.5			97%	76 - 129	9080198	08/10/09 10:54
Surrogate: 4-Bromofluorobenzene	50.0	49.2			98%	67 - 147	9080198	08/10/09 10:54
9081549-BS1								
Benzene	50.0	50.1		ug/kg	100%	78 - 126	9081549	08/11/09 11:53
Ethylbenzene	50.0	52.9		ug/kg	106%	79 - 130	9081549	08/11/09 11:53
Naphthalene	50.0	55.4		ug/kg	111%	72 - 150	9081549	08/11/09 11:53
Toluene	50.0	54.7		ug/kg	109%	76 - 126	9081549	08/11/09 11:53
Xylenes, total	150	163		ug/kg	109%	80 - 130	9081549	08/11/09 11:53
Surrogate: 1,2-Dichloroethane-d4	50.0	56.0			112%	67 - 138	9081549	08/11/09 11:53
Surrogate: Dibromofluoromethane	50.0	50.0			100%	75 - 125	9081549	08/11/09 11:53
Surrogate: Toluene-d8	50.0	52.3			105%	76 - 129	9081549	08/11/09 11:53
Surrogate: 4-Bromofluorobenzene	50.0	50.4			101%	67 - 147	9081549	08/11/09 11:53
Polyaromatic Hydrocarbons by EPA 8270D								
9081287-BS1								
Acenaphthene	1.67	1.36	MNR1	mg/kg wet	82%	49 - 120	9081287	08/13/09 18:08
Acenaphthylene	1.67	1.47	MNR1	mg/kg wet	88%	52 - 120	9081287	08/13/09 18:08
Anthracene	1.67	1.63	MNR1	mg/kg wet	98%	58 - 120	9081287	08/13/09 18:08
Benzo (a) anthracene	1.67	1.46	MNR1	mg/kg wet	87%	57 - 120	9081287	08/13/09 18:08
Benzo (a) pyrene	1.67	1.54	MNR1	mg/kg wet	92%	55 - 120	9081287	08/13/09 18:08
Benzo (b) fluoranthene	1.67	1.37	MNR1	mg/kg wet	82%	51 - 123	9081287	08/13/09 18:08
Benzo (g,h,i) perylene	1.67	1.52	MNR1	mg/kg wet	91%	49 - 121	9081287	08/13/09 18:08

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSG2788
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 07/31/09 08:15

PROJECT QUALITY CONTROL DATA
LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Polyaromatic Hydrocarbons by EPA 8270D								
9081287-BS1								
Benzo (k) fluoranthene	1.67	1.48	MNR1	mg/kg wet	89%	42 - 129	9081287	08/13/09 18:08
Chrysene	1.67	1.39	MNR1	mg/kg wet	84%	55 - 120	9081287	08/13/09 18:08
Dibenz (a,h) anthracene	1.67	1.50	MNR1	mg/kg wet	90%	50 - 123	9081287	08/13/09 18:08
Fluoranthene	1.67	1.49	MNR1	mg/kg wet	89%	58 - 120	9081287	08/13/09 18:08
Fluorene	1.67	1.40	MNR1	mg/kg wet	84%	54 - 120	9081287	08/13/09 18:08
Indeno (1,2,3-cd) pyrene	1.67	1.53	MNR1	mg/kg wet	92%	50 - 122	9081287	08/13/09 18:08
Naphthalene	1.67	1.12	MNR1	mg/kg wet	67%	28 - 120	9081287	08/13/09 18:08
Phenanthrene	1.67	1.43	MNR1	mg/kg wet	86%	56 - 120	9081287	08/13/09 18:08
Pyrene	1.67	1.46	MNR1	mg/kg wet	87%	56 - 120	9081287	08/13/09 18:08
1-Methylnaphthalene	1.67	1.10	MNR1	mg/kg wet	66%	36 - 120	9081287	08/13/09 18:08
2-Methylnaphthalene	1.67	1.15	MNR1	mg/kg wet	69%	36 - 120	9081287	08/13/09 18:08
Surrogate: Terphenyl-d14	1.67	1.28			77%	18 - 120	9081287	08/13/09 18:08
Surrogate: 2-Fluorobiphenyl	1.67	1.20			72%	14 - 120	9081287	08/13/09 18:08
Surrogate: Nitrobenzene-d5	1.67	1.03			62%	17 - 120	9081287	08/13/09 18:08

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwce

Work Order: NSG2788
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 07/31/09 08:15

PROJECT QUALITY CONTROL DATA

LCS Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Selected Volatile Organic Compounds by EPA Method 8260B												
9080050-BSD1												
Benzene		53.8		ug/kg	50.0	108%	78 - 126	16	50	9080050		08/09/09 13:31
Ethylbenzene		56.0		ug/kg	50.0	112%	79 - 130	16	50	9080050		08/09/09 13:31
Naphthalene		56.9		ug/kg	50.0	114%	72 - 150	16	50	9080050		08/09/09 13:31
Toluene		55.4		ug/kg	50.0	111%	76 - 126	10	50	9080050		08/09/09 13:31
Xylenes, total		169		ug/kg	150	113%	80 - 130	15	50	9080050		08/09/09 13:31
Surrogate: 1,2-Dichloroethane-d4		52.9		ug/kg	50.0	106%	67 - 138			9080050		08/09/09 13:31
Surrogate: Dibromofluoromethane		50.2		ug/kg	50.0	100%	75 - 125			9080050		08/09/09 13:31
Surrogate: Toluene-d8		50.3		ug/kg	50.0	101%	76 - 129			9080050		08/09/09 13:31
Surrogate: 4-Bromofluorobenzene		48.5		ug/kg	50.0	97%	67 - 147			9080050		08/09/09 13:31
9080198-BSD1												
Benzene		49.8		ug/kg	50.0	100%	78 - 126	7	50	9080198		08/10/09 11:25
Ethylbenzene		49.8		ug/kg	50.0	100%	79 - 130	12	50	9080198		08/10/09 11:25
Naphthalene		53.1		ug/kg	50.0	106%	72 - 150	8	50	9080198		08/10/09 11:25
Toluene		48.7		ug/kg	50.0	97%	76 - 126	13	50	9080198		08/10/09 11:25
Xylenes, total		154		ug/kg	150	103%	80 - 130	12	50	9080198		08/10/09 11:25
Surrogate: 1,2-Dichloroethane-d4		58.9		ug/kg	50.0	118%	67 - 138			9080198		08/10/09 11:25
Surrogate: Dibromofluoromethane		54.4		ug/kg	50.0	109%	75 - 125			9080198		08/10/09 11:25
Surrogate: Toluene-d8		48.1		ug/kg	50.0	96%	76 - 129			9080198		08/10/09 11:25
Surrogate: 4-Bromofluorobenzene		49.3		ug/kg	50.0	99%	67 - 147			9080198		08/10/09 11:25

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSG2788
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 07/31/09 08:15

PROJECT QUALITY CONTROL DATA

Matrix Spike

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Selected Volatile Organic Compounds by EPA Method 8260B										
9080198-MS1										
Benzene	ND	2.26		mg/kg wet	2.39	94%	42 - 141	9080198	NSH0064-04	08/10/09 20:23
Ethylbenzene	ND	2.39		mg/kg wet	2.39	100%	21 - 165	9080198	NSH0064-04	08/10/09 20:23
Naphthalene	0.174	2.17		mg/kg wet	2.39	83%	10 - 160	9080198	NSH0064-04	08/10/09 20:23
Toluene	ND	2.46		mg/kg wet	2.39	103%	45 - 145	9080198	NSH0064-04	08/10/09 20:23
Xylenes, total	ND	7.26		mg/kg wet	7.18	101%	31 - 159	9080198	NSH0064-04	08/10/09 20:23
Surrogate: 1,2-Dichloroethane-d4		51.3		ug/kg	50.0	103%	67 - 138	9080198	NSH0064-04	08/10/09 20:23
Surrogate: Dibromofluoromethane		49.3		ug/kg	50.0	99%	75 - 125	9080198	NSH0064-04	08/10/09 20:23
Surrogate: Toluene-d8		61.2		ug/kg	50.0	122%	76 - 129	9080198	NSH0064-04	08/10/09 20:23
Surrogate: 4-Bromofluorobenzene		58.4		ug/kg	50.0	117%	67 - 147	9080198	NSH0064-04	08/10/09 20:23
9081549-MS1										
Benzene	ND	6.27		mg/kg dry	6.41	98%	42 - 141	9081549	NSG2788-06RE 2	08/11/09 20:57
Ethylbenzene	0.812	7.77		mg/kg dry	6.41	108%	21 - 165	9081549	NSG2788-06RE 2	08/11/09 20:57
Naphthalene	15.8	22.6		mg/kg dry	6.41	107%	10 - 160	9081549	NSG2788-06RE 2	08/11/09 20:57
Toluene	0.205	6.91		mg/kg dry	6.41	105%	45 - 145	9081549	NSG2788-06RE 2	08/11/09 20:57
Xylenes, total	3.45	24.9		mg/kg dry	19.2	111%	31 - 159	9081549	NSG2788-06RE 2	08/11/09 20:57
Surrogate: 1,2-Dichloroethane-d4		51.5		ug/kg	50.0	103%	67 - 138	9081549	NSG2788-06RE 2	08/11/09 20:57
Surrogate: Dibromofluoromethane		47.6		ug/kg	50.0	95%	75 - 125	9081549	NSG2788-06RE 2	08/11/09 20:57
Surrogate: Toluene-d8		50.6		ug/kg	50.0	101%	76 - 129	9081549	NSG2788-06RE 2	08/11/09 20:57
Surrogate: 4-Bromofluorobenzene		53.0		ug/kg	50.0	106%	67 - 147	9081549	NSG2788-06RE 2	08/11/09 20:57

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwec

Work Order: NSG2788
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 07/31/09 08:15

PROJECT QUALITY CONTROL DATA

Matrix Spike Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Selected Volatile Organic Compounds by EPA Method 8260B												
9080198-MSD1												
Benzene	ND	2.36		mg/kg wet	2.39	99%	42 - 141	4	50	9080198	NSH0064-04	08/10/09 20:54
Ethylbenzene	ND	2.52		mg/kg wet	2.39	105%	21 - 165	5	50	9080198	NSH0064-04	08/10/09 20:54
Naphthalene	0.174	2.46		mg/kg wet	2.39	96%	10 - 160	13	50	9080198	NSH0064-04	08/10/09 20:54
Toluene	ND	2.57		mg/kg wet	2.39	107%	45 - 145	4	50	9080198	NSH0064-04	08/10/09 20:54
Xylenes, total	ND	7.61		mg/kg wet	7.18	106%	31 - 159	5	50	9080198	NSH0064-04	08/10/09 20:54
Surrogate: 1,2-Dichloroethane-d4		52.0		ug/kg	50.0	104%	67 - 138			9080198	NSH0064-04	08/10/09 20:54
Surrogate: Dibromofluoromethane		50.2		ug/kg	50.0	100%	75 - 125			9080198	NSH0064-04	08/10/09 20:54
Surrogate: Toluene-d8		59.7		ug/kg	50.0	119%	76 - 129			9080198	NSH0064-04	08/10/09 20:54
Surrogate: 4-Bromofluorobenzene		59.5		ug/kg	50.0	119%	67 - 147			9080198	NSH0064-04	08/10/09 20:54
9081549-MSD1												
Benzene	ND	6.20		mg/kg dry	6.41	97%	42 - 141	1	50	9081549	NSG2788-06RE 2	08/11/09 21:28
Ethylbenzene	0.812	7.71		mg/kg dry	6.41	108%	21 - 165	0.8	50	9081549	NSG2788-06RE 2	08/11/09 21:28
Naphthalene	15.8	22.1		mg/kg dry	6.41	98%	10 - 160	2	50	9081549	NSG2788-06RE 2	08/11/09 21:28
Toluene	0.205	6.45		mg/kg dry	6.41	97%	45 - 145	7	50	9081549	NSG2788-06RE 2	08/11/09 21:28
Xylenes, total	3.45	24.3		mg/kg dry	19.2	109%	31 - 159	2	50	9081549	NSG2788-06RE 2	08/11/09 21:28
Surrogate: 1,2-Dichloroethane-d4		49.5		ug/kg	50.0	99%	67 - 138			9081549	NSG2788-06RE 2	08/11/09 21:28
Surrogate: Dibromofluoromethane		46.6		ug/kg	50.0	93%	75 - 125			9081549	NSG2788-06RE 2	08/11/09 21:28
Surrogate: Toluene-d8		46.7		ug/kg	50.0	93%	76 - 129			9081549	NSG2788-06RE 2	08/11/09 21:28
Surrogate: 4-Bromofluorobenzene		53.2		ug/kg	50.0	106%	67 - 147			9081549	NSG2788-06RE 2	08/11/09 21:28

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSG2788
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 07/31/09 08:15

CERTIFICATION SUMMARY

TestAmerica Nashville

Method	Matrix	AIHA	Nelac	South Carolina
SW846 8260B	Soil	N/A	X	X
SW846 8270D	Soil		X	X
SW-846	Soil			

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSG2788
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 07/31/09 08:15

DATA QUALIFIERS AND DEFINITIONS

MNRI There was no MS/MSD analyzed with this batch due to insufficient sample volume. See Blank Spike.
RLI Reporting limit raised due to sample matrix effects.
ZX Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.
ND Not detected at the reporting limit (or method detection limit if shown)

METHOD MODIFICATION NOTES

NSG2788

08/14/09 23:59

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Nashville Division
2960 Foster Creighton
Nashville, TN 37204Phone: 615-726-0177
Toll Free: 800-765-0980
Fax: 615-726-3404To assist us in using the proper analytical
methods, is this work being conducted for
regulatory purposes?

Client Name/Account #: EEG # 2449

Address: 10179 Highway 78

City/State/Zip: Ladson, SC 29456

Project Manager: Tom McElwee email: mcelwee@eeginc.net

Telephone Number: 843.412.2097

Fax No.: 843-879-0401

Sampler Name: (Print) PRATH SHAW

Sampler Signature: *Prath Shaw*Compliance Monitoring? Yes ☐ No ☐Enforcement Action? Yes ☐ No ☐

Site State: SC

PO#: 0829

TA Quote #:

Project ID: Laurel Bay Housing Project

Project #:

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Preservative							Matrix					Analyze For:										RUSH TAT (Pre-Schedule)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
							Ice	HNO ₃ (Red Label)	H ₂ SO ₄ (Blue Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (Specify)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	BTEX + Napth - 8260E	PAH - 8270C																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

Special Instructions:

Method of Shipment: FEDEX					
Relinquished by: <i>[Signature]</i>	Date: 7/30/09	Time: 1900	Received by: <i>FEDEX</i>	Date:	Time:
Relinquished by:	Date:	Time:	Received by TestAmerica: <i>[Signature]</i>	Date: 7-31-09	Time: 0845

Laboratory Comments:

Temperature Upon Receipt: 54°C
VOCs Free of Headspace?

Y

ATTACHMENT A

UST Certificate of Disposal

CONTRACTOR

Small Business Group, Inc.
10179 Highway 78
Ladson, SC 29456

TEL (843) 879-0403
FAX (843) 879-0401

TANK ID & LOCATION

UST 1422 Albatross, 1422 Albatross Drive, Laurel Bay Housing Area, MCAS Beaufort, S.C.

DISPOSAL LOCATION

Coastal Auto Salvage Co., Inc.
130 Laurel Bay Road
Beaufort, S.C. 29906

TYPE OF TANK

SIZE (GAL)

Steel

280

CLEANING/DISPOSAL METHOD

The tank and piping were unearthed, cut open, cleaned with a pressure washer, cut into sections, and recycled.

DISPOSAL CERTIFICATION

I certify that the above tank, piping and equipment has been properly cleaned and disposed of.

T.E. V. [Signature]

(Name)

8/26/09

(Date)

South Carolina Department of Health and Environmental Control (SCDHEC)
Underground Storage Tank (UST) Assessment Report

Date Received

State Use Only

Submit Completed Form To:

UST Program

SCDHEC

2600 Bull Street

Columbia, South Carolina 29201

Telephone (803) 896-7957

RECEIVED

OCT 23 2014

SC DHEC - Bureau of
Land & Waste Management**I. OWNERSHIP OF UST (S)**

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)

Owner Name (Corporation, Individual, Public Agency, Other)

P.O. Box 55001

Mailing Address

Beaufort,

South Carolina

29904-5001

City

State

Zip Code

843

228-7317

Craig Ehde

Area Code

Telephone Number

Contact Person

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #

Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC
Facility Name or Company Site Identifier

1422 Albatross Drive, Laurel Bay Military Housing Area

Street Address or State Road (as applicable)

Beaufort,

Beaufort

City

County

III. INSURANCE INFORMATION

Insurance Statement

The petroleum release reported to DHEC on _____ at Permit ID Number _____ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES _____ NO _____ (check one)

If you answered YES to the above question, please complete the following information:

My policy provider is: _____
The policy deductible is: _____
The policy limit is: _____

If you have this type of insurance, please include a copy of the policy with this report.

IV. REQUEST FOR SUPERB FUNDING

I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)

V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

To be completed by Notary Public:

Sworn before me this _____ day of _____, 20____

(Name)

Notary Public for the state of _____
Please affix State seal if you are commissioned outside South Carolina

VI. UST INFORMATION

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity...(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material...(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....

1422 Albatross		
Heating oil		
280 gal		
Late 1950s		
Steel		
Mid 80s		
3'9"		
No		
No		
Removed		
4/8/2013		
Yes		
Yes		

- M. Method of disposal for any USTs removed from the ground (attach disposal manifests)
UST 1422Albatross was removed from the ground and disposed
at a Subtitle "D" landfill. See Attachment "A".
- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)
UST 1422Albatross was previously filled with sand by others.
- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST
Corrosion, pitting and holes were found throughout the tank.

VII. PIPING INFORMATION

A. Construction Material..(ex. Steel, FRP).....

B. Distance from UST to Dispenser.....

C. Number of Dispensers.....

D. Type of System Pressure or Suction.....

E. Was Piping Removed from the Ground? Y/N

F. Visible Corrosion or Pitting Y/N.....

G. Visible Holes Y/N.....

H. Age.....

I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

1422 Albatross		
Steel & Copper		
N/A		
N/A		
Suction		
No		
Yes		
No		
Late 1950s		

Corrosion and pitting were found on the surface of the steel vent pipe. Copper supply and return lines were sound.

VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

IX. SITE CONDITIONS

	Yes	No	Unk
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells? If yes, indicate depth and location on the site map.		X	
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells? If yes, indicate location on site map and describe the odor (strong, mild, etc.)		X	
C. Was water present in the UST excavation, soil borings, or trenches? If yes, how far below land surface (indicate location and depth)?		X	
D. Did contaminated soils remain stockpiled on site after closure? If yes, indicate the stockpile location on the site map. Name of DHEC representative authorizing soil removal:		X	
E. Was a petroleum sheen or free product detected on any excavation or boring waters? If yes, indicate location and thickness.		X	

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
1422 Albatros	Excav at fill end	Soil	Sandy	3'9"	4/8/13 1345 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

* = Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.


XII. RECEPTORS

	Yes	No
A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system? * Pond If yes, indicate type of receptor, distance, and direction on site map.	*X	
B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system? If yes, indicate type of well, distance, and direction on site map.		X
C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system? If yes, indicate type of structure, distance, and direction on site map.		X
D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? *Sewer, water, electricity cable, fiber optic & geothermal If yes, indicate the type of utility, distance, and direction on the site map.	*X	
E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete? If yes, indicate the area of contaminated soil on the site map.		X

XIII. SITE MAP

You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)



1422 ALBATROSS

0 100 200 400 600 800 1,000
 Feet

SBG-EEG, Inc.

7301 Rivers Ave., Suite 245
 N. Charleston SC 29406-9643

Ph. (843) 573-7140

Drawn By: L. DiAsio

Dwg Date: May 2013


FIGURE 1: LOCATION MAP
1422 ALBATROSS DRIVE
LAUREL BAY, BEAUFORT SC

POND $\approx$ 850'




1422 ALBATROSS DRIVE
LAUREL BAY MILITARY HOUSING
MCAS BEAUFORT, SC

UST 1422ALBATROSS



UST 1422ALBATROSS WAS
9" BELOW GRADE.

GRAPHIC SCALE



SBG-EEG

7301 RIVERS AVE., SUITE 245
N. CHARLESTON SC 29406
(843) 573-7140

FIGURE 2 SITE MAP
1422 ALBATROSS DRIVE, LAUREL BAY
MCAS BEAUFORT SC


SCALE: GRAPHIC

DWG DATE MAY 2013



UST
1422ALBATROSS,
280 GAL.

SOIL SAMPLE
1422 ALBATROSS



FILL END

EXCAVATION

GRASS

ASPHALT DRIVEWAY

GRAPHIC SCALE



POND $\approx$ 850'



SBG-EEG

7301 RIVERS AVE., SUITE 245
N. CHARLESTON SC 29406
(843) 573-7140

FIGURE 3 UST SAMPLE LOCATIONS
1422 ALBATROSS DRIVE LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE MAY 2013



Picture 1: Location of UST 1422 Albatross.



Picture 2: UST 1422 Albatross excavation.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	UST	1422Albatross					
Benzene		ND					
Toluene		ND					
Ethylbenzene		ND					
Xylenes		ND					
Naphthalene		ND					
Benzo (a) anthracene		ND					
Benzo (b) fluoranthene		ND					
Benzo (k) fluoranthene		ND					
Chrysene		ND					
Dibenz (a, h) anthracene		ND					
TPH (EPA 3550)							

CoC							
Benzene							
Toluene							
Ethylbenzene							
Xylenes							
Naphthalene							
Benzo (a) anthracene							
Benzo (b) fluoranthene							
Benzo (k) fluoranthene							
Chrysene							
Dibenz (a, h) anthracene							
TPH (EPA 3550)							

SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here)
(Please see Form #4)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING


ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Nashville
2960 Foster Creighton Drive
Nashville, TN 37204
Tel: (615)726-0177

TestAmerica Job ID: 490-24495-1
Client Project/Site: Laurel Bay Housing Project

For:
Environmental Enterprise Group
10179 Highway 78
Ladson, South Carolina 29456

Attn: Mr. Tom McElwee



Authorized for release by:
4/30/2013 11:49:21 AM

Ken Hayes
Project Manager I
ken.hayes@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Definitions	5
Client Sample Results	6
QC Sample Results	14
QC Association	20
Chronicle	22
Method Summary	25
Certification Summary	26
Chain of Custody	27
Receipt Checklists	30

Sample Summary

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
490-24495-1	1433 Dove	Solid	04/08/13 15:30	04/17/13 08:30
490-24495-2	1435-2 Dove	Solid	04/09/13 15:30	04/17/13 08:30
490-24495-3	590 Aster	Solid	04/10/13 14:15	04/17/13 08:30
490-24495-4	642 Dahlia-2	Solid	04/11/13 14:15	04/17/13 08:30
490-24495-5	1422 Albatross	Solid	04/08/13 13:45	04/17/13 08:30
490-24495-6	1418 Albatross	Solid	04/09/13 15:30	04/17/13 08:30
490-24495-7	591 Aster	Solid	04/10/13 14:45	04/17/13 08:30
490-24495-8	434 Elderberry	Solid	04/11/13 11:45	04/17/13 08:30

TestAmerica Nashville

Case Narrative

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Job ID: 490-24495-1

Laboratory: TestAmerica Nashville

Narrative

Job Narrative 490-24495-1

Comments

No additional comments.

Receipt

The samples were received on 4/17/2013 8:30 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.2° C.

GC/MS VOA

Method(s) 8260B: Due to sample matrix effect on the internal standard (ISTD), a dilution was required for the following sample(s): 1418 Albatross (490-24495-6), 1433 Dove (490-24495-1), 1435-2 Dove (490-24495-2).

Method(s) 8260B: Surrogate recovery for the following sample(s) was outside control limits: 1433 Dove (490-24495-1), 1435-2 Dove (490-24495-2), 1418 Albatross (490-24495-6), SB-2-13 (0-2) (490-24512-6), SB-2-13 (0-2) (490-24512-6 MS), SB-2-13 (0-2) (490-24512-6 MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method(s) 8260B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with batch 74074.

No other analytical or quality issues were noted.

GC/MS Semi VOA

No analytical or quality issues were noted.

Organic Prep

No analytical or quality issues were noted.

VOA Prep

No analytical or quality issues were noted.

Definitions/Glossary

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
X	Surrogate is outside control limits

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 1433 Dove

Date Collected: 04/08/13 15:30

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-1

Matrix: Solid

Percent Solids: 77.8

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00231	0.000775	mg/Kg	☐	04/17/13 20:15	04/19/13 16:28	1
Ethylbenzene	0.177		0.00231	0.000775	mg/Kg	☐	04/17/13 20:15	04/19/13 16:28	1
Naphthalene	16.8		0.760	0.259	mg/Kg	☐	04/17/13 20:10	04/22/13 23:44	2
Toluene	0.00358		0.00231	0.000856	mg/Kg	☐	04/17/13 20:15	04/19/13 16:28	1
Xylenes, Total	0.605		0.00578	0.000775	mg/Kg	☐	04/17/13 20:15	04/19/13 16:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		70 - 130	04/17/13 20:15	04/19/13 16:28	1
1,2-Dichloroethane-d4 (Surr)	94		70 - 130	04/17/13 20:10	04/22/13 23:44	2
4-Bromofluorobenzene (Surr)	956	X	70 - 130	04/17/13 20:15	04/19/13 16:28	1
4-Bromofluorobenzene (Surr)	114		70 - 130	04/17/13 20:10	04/22/13 23:44	2
Dibromofluoromethane (Surr)	94		70 - 130	04/17/13 20:15	04/19/13 16:28	1
Dibromofluoromethane (Surr)	92		70 - 130	04/17/13 20:10	04/22/13 23:44	2
Toluene-d8 (Surr)	112		70 - 130	04/17/13 20:15	04/19/13 16:28	1
Toluene-d8 (Surr)	105		70 - 130	04/17/13 20:10	04/22/13 23:44	2

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.182		0.0860	0.0128	mg/Kg	☐	04/18/13 12:55	04/18/13 20:17	1
Acenaphthylene	0.147		0.0860	0.0116	mg/Kg	☐	04/18/13 12:55	04/18/13 20:17	1
Anthracene	0.165		0.0860	0.0116	mg/Kg	☐	04/18/13 12:55	04/18/13 20:17	1
Benzo[a]anthracene	0.0808	J	0.0860	0.0193	mg/Kg	☐	04/18/13 12:55	04/18/13 20:17	1
Benzo[a]pyrene	ND		0.0860	0.0154	mg/Kg	☐	04/18/13 12:55	04/18/13 20:17	1
Benzo[b]fluoranthene	0.0521	J	0.0860	0.0154	mg/Kg	☐	04/18/13 12:55	04/18/13 20:17	1
Benzo[g,h,i]perylene	ND		0.0860	0.0116	mg/Kg	☐	04/18/13 12:55	04/18/13 20:17	1
Benzo[k]fluoranthene	ND		0.0860	0.0180	mg/Kg	☐	04/18/13 12:55	04/18/13 20:17	1
1-Methylnaphthalene	5.17		0.344	0.0719	mg/Kg	☐	04/18/13 12:55	04/19/13 18:06	4
Pyrene	0.280		0.0860	0.0154	mg/Kg	☐	04/18/13 12:55	04/18/13 20:17	1
Phenanthrene	1.41		0.0860	0.0116	mg/Kg	☐	04/18/13 12:55	04/18/13 20:17	1
Chrysene	0.0769	J	0.0860	0.0116	mg/Kg	☐	04/18/13 12:55	04/18/13 20:17	1
Dibenz[a,h]anthracene	ND		0.0860	0.00899	mg/Kg	☐	04/18/13 12:55	04/18/13 20:17	1
Fluoranthene	0.257		0.0860	0.0116	mg/Kg	☐	04/18/13 12:55	04/18/13 20:17	1
Fluorene	0.841		0.0860	0.0154	mg/Kg	☐	04/18/13 12:55	04/18/13 20:17	1
Indeno[1,2,3-cd]pyrene	ND		0.0860	0.0128	mg/Kg	☐	04/18/13 12:55	04/18/13 20:17	1
Naphthalene	1.47		0.0860	0.0116	mg/Kg	☐	04/18/13 12:55	04/18/13 20:17	1
2-Methylnaphthalene	7.93		0.344	0.0822	mg/Kg	☐	04/18/13 12:55	04/19/13 18:06	4

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	57		29 - 120	04/18/13 12:55	04/18/13 20:17	1
Terphenyl-d14 (Surr)	77		13 - 120	04/18/13 12:55	04/18/13 20:17	1
Nitrobenzene-d5 (Surr)	59		27 - 120	04/18/13 12:55	04/18/13 20:17	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	78		0.10	0.10	%			04/18/13 11:20	1

TestAmerica Nashville

Client Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 1435-2 Dove

Date Collected: 04/09/13 15:30

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-2

Matrix: Solid

Percent Solids: 80.3

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.0222		0.00214	0.000717	mg/Kg	☐	04/17/13 20:15	04/19/13 16:55	1
Ethylbenzene	3.21		0.138	0.0470	mg/Kg	☐	04/17/13 20:10	04/22/13 17:25	1
Naphthalene	23.8		6.91	2.35	mg/Kg	☐	04/17/13 20:10	04/22/13 17:52	20
Toluene	0.0190		0.00214	0.000792	mg/Kg	☐	04/17/13 20:15	04/19/13 16:55	1
Xylenes, Total	8.51		0.346	0.0470	mg/Kg	☐	04/17/13 20:10	04/22/13 17:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		70 - 130	04/17/13 20:15	04/19/13 16:55	1
1,2-Dichloroethane-d4 (Surr)	96		70 - 130	04/17/13 20:10	04/22/13 17:25	1
1,2-Dichloroethane-d4 (Surr)	96		70 - 130	04/17/13 20:10	04/22/13 17:52	20
4-Bromofluorobenzene (Surr)	1302	X	70 - 130	04/17/13 20:15	04/19/13 16:55	1
4-Bromofluorobenzene (Surr)	122		70 - 130	04/17/13 20:10	04/22/13 17:25	1
4-Bromofluorobenzene (Surr)	107		70 - 130	04/17/13 20:10	04/22/13 17:52	20
Dibromofluoromethane (Surr)	93		70 - 130	04/17/13 20:15	04/19/13 16:55	1
Dibromofluoromethane (Surr)	95		70 - 130	04/17/13 20:10	04/22/13 17:25	1
Dibromofluoromethane (Surr)	96		70 - 130	04/17/13 20:10	04/22/13 17:52	20
Toluene-d8 (Surr)	118		70 - 130	04/17/13 20:15	04/19/13 16:55	1
Toluene-d8 (Surr)	108		70 - 130	04/17/13 20:10	04/22/13 17:25	1
Toluene-d8 (Surr)	110		70 - 130	04/17/13 20:10	04/22/13 17:52	20

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.221		0.0828	0.0124	mg/Kg	☐	04/18/13 12:55	04/18/13 20:39	1
Acenaphthylene	0.142		0.0828	0.0111	mg/Kg	☐	04/18/13 12:55	04/18/13 20:39	1
Anthracene	0.115		0.0828	0.0111	mg/Kg	☐	04/18/13 12:55	04/18/13 20:39	1
Benzo[a]anthracene	ND		0.0828	0.0185	mg/Kg	☐	04/18/13 12:55	04/18/13 20:39	1
Benzo[a]pyrene	ND		0.0828	0.0148	mg/Kg	☐	04/18/13 12:55	04/18/13 20:39	1
Benzo[b]fluoranthene	ND		0.0828	0.0148	mg/Kg	☐	04/18/13 12:55	04/18/13 20:39	1
Benzo[g,h,i]perylene	ND		0.0828	0.0111	mg/Kg	☐	04/18/13 12:55	04/18/13 20:39	1
Benzo[k]fluoranthene	ND		0.0828	0.0173	mg/Kg	☐	04/18/13 12:55	04/18/13 20:39	1
1-Methylnaphthalene	4.12		0.0828	0.0173	mg/Kg	☐	04/18/13 12:55	04/18/13 20:39	1
Pyrene	0.125		0.0828	0.0148	mg/Kg	☐	04/18/13 12:55	04/18/13 20:39	1
Phenanthrene	1.36		0.0828	0.0111	mg/Kg	☐	04/18/13 12:55	04/18/13 20:39	1
Chrysene	0.0586	J	0.0828	0.0111	mg/Kg	☐	04/18/13 12:55	04/18/13 20:39	1
Dibenz[a,h]anthracene	ND		0.0828	0.00865	mg/Kg	☐	04/18/13 12:55	04/18/13 20:39	1
Fluoranthene	0.0584	J	0.0828	0.0111	mg/Kg	☐	04/18/13 12:55	04/18/13 20:39	1
Fluorene	0.678		0.0828	0.0148	mg/Kg	☐	04/18/13 12:55	04/18/13 20:39	1
Indeno[1,2,3-cd]pyrene	ND		0.0828	0.0124	mg/Kg	☐	04/18/13 12:55	04/18/13 20:39	1
Naphthalene	1.03		0.0828	0.0111	mg/Kg	☐	04/18/13 12:55	04/18/13 20:39	1
2-Methylnaphthalene	5.56		0.166	0.0395	mg/Kg	☐	04/18/13 12:55	04/19/13 18:28	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	67		29 - 120	04/18/13 12:55	04/18/13 20:39	1
Terphenyl-d14 (Surr)	92		13 - 120	04/18/13 12:55	04/18/13 20:39	1
Nitrobenzene-d5 (Surr)	68		27 - 120	04/18/13 12:55	04/18/13 20:39	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	80		0.10	0.10	%			04/18/13 11:20	1

TestAmerica Nashville

Client Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 590 Aster

Date Collected: 04/10/13 14:15

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-3

Matrix: Solid

Percent Solids: 95.9

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00236	0.000790	mg/Kg	☐	04/17/13 20:15	04/22/13 16:04	1
Ethylbenzene	ND		0.00236	0.000790	mg/Kg	☐	04/17/13 20:15	04/22/13 16:04	1
Naphthalene	ND		0.00589	0.00200	mg/Kg	☐	04/17/13 20:15	04/22/13 16:04	1
Toluene	ND		0.00236	0.000872	mg/Kg	☐	04/17/13 20:15	04/22/13 16:04	1
Xylenes, Total	ND		0.00589	0.000790	mg/Kg	☐	04/17/13 20:15	04/22/13 16:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		70 - 130	04/17/13 20:15	04/22/13 16:04	1
4-Bromofluorobenzene (Surr)	106		70 - 130	04/17/13 20:15	04/22/13 16:04	1
Dibromofluoromethane (Surr)	100		70 - 130	04/17/13 20:15	04/22/13 16:04	1
Toluene-d8 (Surr)	106		70 - 130	04/17/13 20:15	04/22/13 16:04	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0678	0.0101	mg/Kg	☐	04/18/13 12:55	04/18/13 21:02	1
Acenaphthylene	ND		0.0678	0.00911	mg/Kg	☐	04/18/13 12:55	04/18/13 21:02	1
Anthracene	ND		0.0678	0.00911	mg/Kg	☐	04/18/13 12:55	04/18/13 21:02	1
Benzo[a]anthracene	ND		0.0678	0.0152	mg/Kg	☐	04/18/13 12:55	04/18/13 21:02	1
Benzo[a]pyrene	ND		0.0678	0.0122	mg/Kg	☐	04/18/13 12:55	04/18/13 21:02	1
Benzo[b]fluoranthene	ND		0.0678	0.0122	mg/Kg	☐	04/18/13 12:55	04/18/13 21:02	1
Benzo[g,h,i]perylene	ND		0.0678	0.00911	mg/Kg	☐	04/18/13 12:55	04/18/13 21:02	1
Benzo[k]fluoranthene	ND		0.0678	0.0142	mg/Kg	☐	04/18/13 12:55	04/18/13 21:02	1
1-Methylnaphthalene	ND		0.0678	0.0142	mg/Kg	☐	04/18/13 12:55	04/18/13 21:02	1
Pyrene	ND		0.0678	0.0122	mg/Kg	☐	04/18/13 12:55	04/18/13 21:02	1
Phenanthrene	ND		0.0678	0.00911	mg/Kg	☐	04/18/13 12:55	04/18/13 21:02	1
Chrysene	ND		0.0678	0.00911	mg/Kg	☐	04/18/13 12:55	04/18/13 21:02	1
Dibenz[a,h]anthracene	ND		0.0678	0.00709	mg/Kg	☐	04/18/13 12:55	04/18/13 21:02	1
Fluoranthene	ND		0.0678	0.00911	mg/Kg	☐	04/18/13 12:55	04/18/13 21:02	1
Fluorene	ND		0.0678	0.0122	mg/Kg	☐	04/18/13 12:55	04/18/13 21:02	1
Indeno[1,2,3-cd]pyrene	ND		0.0678	0.0101	mg/Kg	☐	04/18/13 12:55	04/18/13 21:02	1
Naphthalene	ND		0.0678	0.00911	mg/Kg	☐	04/18/13 12:55	04/18/13 21:02	1
2-Methylnaphthalene	ND		0.0678	0.0162	mg/Kg	☐	04/18/13 12:55	04/18/13 21:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	52		29 - 120	04/18/13 12:55	04/18/13 21:02	1
Terphenyl-d14 (Surr)	73		13 - 120	04/18/13 12:55	04/18/13 21:02	1
Nitrobenzene-d5 (Surr)	48		27 - 120	04/18/13 12:55	04/18/13 21:02	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	96		0.10	0.10	%			04/18/13 11:20	1

TestAmerica Nashville

Client Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 642 Dahlia-2

Date Collected: 04/11/13 14:15

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-4

Matrix: Solid

Percent Solids: 79.4

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00211	0.000707	mg/Kg	☐	04/17/13 20:15	04/19/13 17:49	1
Ethylbenzene	ND		0.00211	0.000707	mg/Kg	☐	04/17/13 20:15	04/19/13 17:49	1
Naphthalene	ND		0.00527	0.00179	mg/Kg	☐	04/17/13 20:15	04/19/13 17:49	1
Toluene	ND		0.00211	0.000780	mg/Kg	☐	04/17/13 20:15	04/19/13 17:49	1
Xylenes, Total	ND		0.00527	0.000707	mg/Kg	☐	04/17/13 20:15	04/19/13 17:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		70 - 130	04/17/13 20:15	04/19/13 17:49	1
4-Bromofluorobenzene (Surr)	113		70 - 130	04/17/13 20:15	04/19/13 17:49	1
Dibromofluoromethane (Surr)	94		70 - 130	04/17/13 20:15	04/19/13 17:49	1
Toluene-d8 (Surr)	108		70 - 130	04/17/13 20:15	04/19/13 17:49	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0833	0.0124	mg/Kg	☐	04/18/13 12:55	04/18/13 21:24	1
Acenaphthylene	ND		0.0833	0.0112	mg/Kg	☐	04/18/13 12:55	04/18/13 21:24	1
Anthracene	ND		0.0833	0.0112	mg/Kg	☐	04/18/13 12:55	04/18/13 21:24	1
Benzo[a]anthracene	ND		0.0833	0.0186	mg/Kg	☐	04/18/13 12:55	04/18/13 21:24	1
Benzo[a]pyrene	ND		0.0833	0.0149	mg/Kg	☐	04/18/13 12:55	04/18/13 21:24	1
Benzo[b]fluoranthene	ND		0.0833	0.0149	mg/Kg	☐	04/18/13 12:55	04/18/13 21:24	1
Benzo[g,h,i]perylene	ND		0.0833	0.0112	mg/Kg	☐	04/18/13 12:55	04/18/13 21:24	1
Benzo[k]fluoranthene	ND		0.0833	0.0174	mg/Kg	☐	04/18/13 12:55	04/18/13 21:24	1
1-Methylnaphthalene	ND		0.0833	0.0174	mg/Kg	☐	04/18/13 12:55	04/18/13 21:24	1
Pyrene	ND		0.0833	0.0149	mg/Kg	☐	04/18/13 12:55	04/18/13 21:24	1
Phenanthrene	ND		0.0833	0.0112	mg/Kg	☐	04/18/13 12:55	04/18/13 21:24	1
Chrysene	ND		0.0833	0.0112	mg/Kg	☐	04/18/13 12:55	04/18/13 21:24	1
Dibenz[a,h]anthracene	ND		0.0833	0.00870	mg/Kg	☐	04/18/13 12:55	04/18/13 21:24	1
Fluoranthene	ND		0.0833	0.0112	mg/Kg	☐	04/18/13 12:55	04/18/13 21:24	1
Fluorene	ND		0.0833	0.0149	mg/Kg	☐	04/18/13 12:55	04/18/13 21:24	1
Indeno[1,2,3-cd]pyrene	ND		0.0833	0.0124	mg/Kg	☐	04/18/13 12:55	04/18/13 21:24	1
Naphthalene	ND		0.0833	0.0112	mg/Kg	☐	04/18/13 12:55	04/18/13 21:24	1
2-Methylnaphthalene	ND		0.0833	0.0199	mg/Kg	☐	04/18/13 12:55	04/18/13 21:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	68		29 - 120	04/18/13 12:55	04/18/13 21:24	1
Terphenyl-d14 (Surr)	94		13 - 120	04/18/13 12:55	04/18/13 21:24	1
Nitrobenzene-d5 (Surr)	66		27 - 120	04/18/13 12:55	04/18/13 21:24	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	79		0.10	0.10	%			04/18/13 11:20	1

TestAmerica Nashville

Client Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 1422 Albatross

Date Collected: 04/08/13 13:45

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-5

Matrix: Solid

Percent Solids: 76.3

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00213	0.000714	mg/Kg	☐	04/17/13 20:15	04/19/13 18:16	1
Ethylbenzene	ND		0.00213	0.000714	mg/Kg	☐	04/17/13 20:15	04/19/13 18:16	1
Naphthalene	ND		0.00533	0.00181	mg/Kg	☐	04/17/13 20:15	04/19/13 18:16	1
Toluene	ND		0.00213	0.000789	mg/Kg	☐	04/17/13 20:15	04/19/13 18:16	1
Xylenes, Total	ND		0.00533	0.000714	mg/Kg	☐	04/17/13 20:15	04/19/13 18:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		70 - 130	04/17/13 20:15	04/19/13 18:16	1
4-Bromofluorobenzene (Surr)	113		70 - 130	04/17/13 20:15	04/19/13 18:16	1
Dibromofluoromethane (Surr)	94		70 - 130	04/17/13 20:15	04/19/13 18:16	1
Toluene-d8 (Surr)	108		70 - 130	04/17/13 20:15	04/19/13 18:16	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0867	0.0129	mg/Kg	☐	04/18/13 12:55	04/18/13 21:46	1
Acenaphthylene	ND		0.0867	0.0116	mg/Kg	☐	04/18/13 12:55	04/18/13 21:46	1
Anthracene	ND		0.0867	0.0116	mg/Kg	☐	04/18/13 12:55	04/18/13 21:46	1
Benzo[a]anthracene	ND		0.0867	0.0194	mg/Kg	☐	04/18/13 12:55	04/18/13 21:46	1
Benzo[a]pyrene	ND		0.0867	0.0155	mg/Kg	☐	04/18/13 12:55	04/18/13 21:46	1
Benzo[b]fluoranthene	ND		0.0867	0.0155	mg/Kg	☐	04/18/13 12:55	04/18/13 21:46	1
Benzo[g,h,i]perylene	ND		0.0867	0.0116	mg/Kg	☐	04/18/13 12:55	04/18/13 21:46	1
Benzo[k]fluoranthene	ND		0.0867	0.0181	mg/Kg	☐	04/18/13 12:55	04/18/13 21:46	1
1-Methylnaphthalene	ND		0.0867	0.0181	mg/Kg	☐	04/18/13 12:55	04/18/13 21:46	1
Pyrene	ND		0.0867	0.0155	mg/Kg	☐	04/18/13 12:55	04/18/13 21:46	1
Phenanthrene	ND		0.0867	0.0116	mg/Kg	☐	04/18/13 12:55	04/18/13 21:46	1
Chrysene	ND		0.0867	0.0116	mg/Kg	☐	04/18/13 12:55	04/18/13 21:46	1
Dibenz(a,h)anthracene	ND		0.0867	0.00906	mg/Kg	☐	04/18/13 12:55	04/18/13 21:46	1
Fluoranthene	ND		0.0867	0.0116	mg/Kg	☐	04/18/13 12:55	04/18/13 21:46	1
Fluorene	ND		0.0867	0.0155	mg/Kg	☐	04/18/13 12:55	04/18/13 21:46	1
Indeno[1,2,3-cd]pyrene	ND		0.0867	0.0129	mg/Kg	☐	04/18/13 12:55	04/18/13 21:46	1
Naphthalene	ND		0.0867	0.0116	mg/Kg	☐	04/18/13 12:55	04/18/13 21:46	1
2-Methylnaphthalene	ND		0.0867	0.0207	mg/Kg	☐	04/18/13 12:55	04/18/13 21:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	58		29 - 120	04/18/13 12:55	04/18/13 21:46	1
Terphenyl-d14 (Surr)	77		13 - 120	04/18/13 12:55	04/18/13 21:46	1
Nitrobenzene-d5 (Surr)	57		27 - 120	04/18/13 12:55	04/18/13 21:46	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	76		0.10	0.10	%			04/18/13 11:20	1

TestAmerica Nashville

Client Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 1418 Albatross

Date Collected: 04/09/13 15:30

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-6

Matrix: Solid

Percent Solids: 77.0

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.00293		0.00215	0.000720	mg/Kg	☐	04/17/13 20:15	04/19/13 18:43	1
Ethylbenzene	0.975		0.136	0.0462	mg/Kg	☐	04/17/13 20:10	04/22/13 18:19	1
Naphthalene	5.81		0.340	0.116	mg/Kg	☐	04/17/13 20:10	04/22/13 18:19	1
Toluene	0.00736		0.00215	0.000795	mg/Kg	☐	04/17/13 20:15	04/19/13 18:43	1
Xylenes, Total	4.14		0.340	0.0462	mg/Kg	☐	04/17/13 20:10	04/22/13 18:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		70 - 130	04/17/13 20:15	04/19/13 18:43	1
1,2-Dichloroethane-d4 (Surr)	93		70 - 130	04/17/13 20:10	04/22/13 18:19	1
4-Bromofluorobenzene (Surr)	804	X	70 - 130	04/17/13 20:15	04/19/13 18:43	1
4-Bromofluorobenzene (Surr)	113		70 - 130	04/17/13 20:10	04/22/13 18:19	1
Dibromofluoromethane (Surr)	94		70 - 130	04/17/13 20:15	04/19/13 18:43	1
Dibromofluoromethane (Surr)	93		70 - 130	04/17/13 20:10	04/22/13 18:19	1
Toluene-d8 (Surr)	111		70 - 130	04/17/13 20:15	04/19/13 18:43	1
Toluene-d8 (Surr)	104		70 - 130	04/17/13 20:10	04/22/13 18:19	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.225		0.0852	0.0127	mg/Kg	☐	04/18/13 12:55	04/18/13 22:08	1
Acenaphthylene	0.144		0.0852	0.0114	mg/Kg	☐	04/18/13 12:55	04/18/13 22:08	1
Anthracene	0.342		0.0852	0.0114	mg/Kg	☐	04/18/13 12:55	04/18/13 22:08	1
Benzo[a]anthracene	0.870		0.0852	0.0191	mg/Kg	☐	04/18/13 12:55	04/18/13 22:08	1
Benzo[a]pyrene	0.334		0.0852	0.0153	mg/Kg	☐	04/18/13 12:55	04/18/13 22:08	1
Benzo[b]fluoranthene	0.571		0.0852	0.0153	mg/Kg	☐	04/18/13 12:55	04/18/13 22:08	1
Benzo[g,h,i]perylene	0.103		0.0852	0.0114	mg/Kg	☐	04/18/13 12:55	04/18/13 22:08	1
Benzo[k]fluoranthene	0.230		0.0852	0.0178	mg/Kg	☐	04/18/13 12:55	04/18/13 22:08	1
1-Methylnaphthalene	3.88		0.0852	0.0178	mg/Kg	☐	04/18/13 12:55	04/18/13 22:08	1
Pyrene	2.07		0.0852	0.0153	mg/Kg	☐	04/18/13 12:55	04/18/13 22:08	1
Phenanthrene	2.73		0.0852	0.0114	mg/Kg	☐	04/18/13 12:55	04/18/13 22:08	1
Chrysene	0.745		0.0852	0.0114	mg/Kg	☐	04/18/13 12:55	04/18/13 22:08	1
Dibenz(a,h)anthracene	ND		0.0852	0.00890	mg/Kg	☐	04/18/13 12:55	04/18/13 22:08	1
Fluoranthene	2.19		0.0852	0.0114	mg/Kg	☐	04/18/13 12:55	04/18/13 22:08	1
Fluorene	0.735		0.0852	0.0153	mg/Kg	☐	04/18/13 12:55	04/18/13 22:08	1
Indeno[1,2,3-cd]pyrene	0.0905		0.0852	0.0127	mg/Kg	☐	04/18/13 12:55	04/18/13 22:08	1
Naphthalene	0.998		0.0852	0.0114	mg/Kg	☐	04/18/13 12:55	04/18/13 22:08	1
2-Methylnaphthalene	5.50		0.170	0.0407	mg/Kg	☐	04/18/13 12:55	04/19/13 18:50	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	63		29 - 120	04/18/13 12:55	04/18/13 22:08	1
Terphenyl-d14 (Surr)	93		13 - 120	04/18/13 12:55	04/18/13 22:08	1
Nitrobenzene-d5 (Surr)	62		27 - 120	04/18/13 12:55	04/18/13 22:08	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	77		0.10	0.10	%			04/18/13 11:20	1

TestAmerica Nashville

Client Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 591 Aster

Date Collected: 04/10/13 14:45

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-7

Matrix: Solid

Percent Solids: 96.7

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00222	0.000745	mg/Kg	11	04/17/13 20:15	04/22/13 16:31	1
Ethylbenzene	ND		0.00222	0.000745	mg/Kg	11	04/17/13 20:15	04/22/13 16:31	1
Naphthalene	ND		0.00556	0.00189	mg/Kg	11	04/17/13 20:15	04/22/13 16:31	1
Toluene	ND		0.00222	0.000823	mg/Kg	11	04/17/13 20:15	04/22/13 16:31	1
Xylenes, Total	ND		0.00556	0.000745	mg/Kg	11	04/17/13 20:15	04/22/13 16:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		70 - 130	04/17/13 20:15	04/22/13 16:31	1
4-Bromofluorobenzene (Surr)	105		70 - 130	04/17/13 20:15	04/22/13 16:31	1
Dibromofluoromethane (Surr)	97		70 - 130	04/17/13 20:15	04/22/13 16:31	1
Toluene-d8 (Surr)	106		70 - 130	04/17/13 20:15	04/22/13 16:31	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0692	0.0103	mg/Kg	11	04/18/13 12:55	04/18/13 22:30	1
Acenaphthylene	ND		0.0692	0.00929	mg/Kg	11	04/18/13 12:55	04/18/13 22:30	1
Anthracene	ND		0.0692	0.00929	mg/Kg	11	04/18/13 12:55	04/18/13 22:30	1
Benzo[a]anthracene	ND		0.0692	0.0155	mg/Kg	11	04/18/13 12:55	04/18/13 22:30	1
Benzo[a]pyrene	ND		0.0692	0.0124	mg/Kg	11	04/18/13 12:55	04/18/13 22:30	1
Benzo[b]fluoranthene	ND		0.0692	0.0124	mg/Kg	11	04/18/13 12:55	04/18/13 22:30	1
Benzo[g,h,i]perylene	ND		0.0692	0.00929	mg/Kg	11	04/18/13 12:55	04/18/13 22:30	1
Benzo[k]fluoranthene	ND		0.0692	0.0145	mg/Kg	11	04/18/13 12:55	04/18/13 22:30	1
1-Methylnaphthalene	ND		0.0692	0.0145	mg/Kg	11	04/18/13 12:55	04/18/13 22:30	1
Pyrene	ND		0.0692	0.0124	mg/Kg	11	04/18/13 12:55	04/18/13 22:30	1
Phenanthrene	ND		0.0692	0.00929	mg/Kg	11	04/18/13 12:55	04/18/13 22:30	1
Chrysene	ND		0.0692	0.00929	mg/Kg	11	04/18/13 12:55	04/18/13 22:30	1
Dibenz(a,h)anthracene	ND		0.0692	0.00723	mg/Kg	11	04/18/13 12:55	04/18/13 22:30	1
Fluoranthene	ND		0.0692	0.00929	mg/Kg	11	04/18/13 12:55	04/18/13 22:30	1
Fluorene	ND		0.0692	0.0124	mg/Kg	11	04/18/13 12:55	04/18/13 22:30	1
Indeno[1,2,3-cd]pyrene	ND		0.0692	0.0103	mg/Kg	11	04/18/13 12:55	04/18/13 22:30	1
Naphthalene	ND		0.0692	0.00929	mg/Kg	11	04/18/13 12:55	04/18/13 22:30	1
2-Methylnaphthalene	ND		0.0692	0.0165	mg/Kg	11	04/18/13 12:55	04/18/13 22:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	66		29 - 120	04/18/13 12:55	04/18/13 22:30	1
Terphenyl-d14 (Surr)	83		13 - 120	04/18/13 12:55	04/18/13 22:30	1
Nitrobenzene-d5 (Surr)	65		27 - 120	04/18/13 12:55	04/18/13 22:30	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	97		0.10	0.10	%			04/18/13 11:20	1

TestAmerica Nashville

Client Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 434 Elderberry

Date Collected: 04/11/13 11:45

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-8

Matrix: Solid

Percent Solids: 81.2

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00242	0.000811	mg/Kg	☐	04/17/13 20:15	04/19/13 19:37	1
Ethylbenzene	ND		0.00242	0.000811	mg/Kg	☐	04/17/13 20:15	04/19/13 19:37	1
Naphthalene	ND		0.00605	0.00206	mg/Kg	☐	04/17/13 20:15	04/19/13 19:37	1
Toluene	ND		0.00242	0.000896	mg/Kg	☐	04/17/13 20:15	04/19/13 19:37	1
Xylenes, Total	ND		0.00605	0.000811	mg/Kg	☐	04/17/13 20:15	04/19/13 19:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		70 - 130	04/17/13 20:15	04/19/13 19:37	1
4-Bromofluorobenzene (Surr)	111		70 - 130	04/17/13 20:15	04/19/13 19:37	1
Dibromofluoromethane (Surr)	93		70 - 130	04/17/13 20:15	04/19/13 19:37	1
Toluene-d8 (Surr)	107		70 - 130	04/17/13 20:15	04/19/13 19:37	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0824	0.0123	mg/Kg	☐	04/18/13 12:55	04/18/13 22:52	1
Acenaphthylene	ND		0.0824	0.0111	mg/Kg	☐	04/18/13 12:55	04/18/13 22:52	1
Anthracene	ND		0.0824	0.0111	mg/Kg	☐	04/18/13 12:55	04/18/13 22:52	1
Benzo[a]anthracene	ND		0.0824	0.0185	mg/Kg	☐	04/18/13 12:55	04/18/13 22:52	1
Benzo[a]pyrene	ND		0.0824	0.0148	mg/Kg	☐	04/18/13 12:55	04/18/13 22:52	1
Benzo[b]fluoranthene	ND		0.0824	0.0148	mg/Kg	☐	04/18/13 12:55	04/18/13 22:52	1
Benzo[g,h,i]perylene	ND		0.0824	0.0111	mg/Kg	☐	04/18/13 12:55	04/18/13 22:52	1
Benzo[k]fluoranthene	ND		0.0824	0.0172	mg/Kg	☐	04/18/13 12:55	04/18/13 22:52	1
1-Methylnaphthalene	ND		0.0824	0.0172	mg/Kg	☐	04/18/13 12:55	04/18/13 22:52	1
Pyrene	ND		0.0824	0.0148	mg/Kg	☐	04/18/13 12:55	04/18/13 22:52	1
Phenanthrene	ND		0.0824	0.0111	mg/Kg	☐	04/18/13 12:55	04/18/13 22:52	1
Chrysene	ND		0.0824	0.0111	mg/Kg	☐	04/18/13 12:55	04/18/13 22:52	1
Dibenz(a,h)anthracene	ND		0.0824	0.00861	mg/Kg	☐	04/18/13 12:55	04/18/13 22:52	1
Fluoranthene	ND		0.0824	0.0111	mg/Kg	☐	04/18/13 12:55	04/18/13 22:52	1
Fluorene	ND		0.0824	0.0148	mg/Kg	☐	04/18/13 12:55	04/18/13 22:52	1
Indeno[1,2,3-cd]pyrene	ND		0.0824	0.0123	mg/Kg	☐	04/18/13 12:55	04/18/13 22:52	1
Naphthalene	ND		0.0824	0.0111	mg/Kg	☐	04/18/13 12:55	04/18/13 22:52	1
2-Methylnaphthalene	ND		0.0824	0.0197	mg/Kg	☐	04/18/13 12:55	04/18/13 22:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	69		29 - 120	04/18/13 12:55	04/18/13 22:52	1
Terphenyl-d14 (Surr)	99		13 - 120	04/18/13 12:55	04/18/13 22:52	1
Nitrobenzene-d5 (Surr)	63		27 - 120	04/18/13 12:55	04/18/13 22:52	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	81		0.10	0.10	%			04/18/13 11:20	1

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: 490-24512-C-6-B MS

Matrix: Solid

Analysis Batch: 73618

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 73519

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Benzene	0.00110	J	0.0539	0.03448		mg/Kg	☐	62	31 - 143
Ethylbenzene	ND		0.0539	0.01888		mg/Kg	☐	35	23 - 161
Naphthalene	ND		0.0539	0.005860		mg/Kg	☐	11	10 - 176
Toluene	0.000864	J	0.0539	0.02707		mg/Kg	☐	49	30 - 155
Xylenes, Total	0.000843	J	0.162	0.05274		mg/Kg	☐	32	25 - 162

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	101		70 - 130
4-Bromofluorobenzene (Surr)	198	X	70 - 130
Dibromofluoromethane (Surr)	96		70 - 130
Toluene-d8 (Surr)	110		70 - 130

Lab Sample ID: 490-24512-C-6-C MSD

Matrix: Solid

Analysis Batch: 73618

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 73519

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	0.00110	J	0.0518	0.04027		mg/Kg	☐	76	31 - 143	15	50
Ethylbenzene	ND		0.0518	0.02704		mg/Kg	☐	52	23 - 161	36	50
Naphthalene	ND		0.0518	0.009543		mg/Kg	☐	18	10 - 176	48	50
Toluene	0.000864	J	0.0518	0.03447		mg/Kg	☐	65	30 - 155	24	50
Xylenes, Total	0.000843	J	0.155	0.07682		mg/Kg	☐	49	25 - 162	37	50

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	103		70 - 130
4-Bromofluorobenzene (Surr)	132	X	70 - 130
Dibromofluoromethane (Surr)	98		70 - 130
Toluene-d8 (Surr)	109		70 - 130

Lab Sample ID: MB 490-73618/7

Matrix: Solid

Analysis Batch: 73618

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.000670	mg/Kg			04/19/13 12:45	1
Ethylbenzene	ND		0.00200	0.000670	mg/Kg			04/19/13 12:45	1
Naphthalene	ND		0.00500	0.00170	mg/Kg			04/19/13 12:45	1
Toluene	ND		0.00200	0.000740	mg/Kg			04/19/13 12:45	1
Xylenes, Total	ND		0.00500	0.000670	mg/Kg			04/19/13 12:45	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		70 - 130		04/19/13 12:45	1
4-Bromofluorobenzene (Surr)	107		70 - 130		04/19/13 12:45	1
Dibromofluoromethane (Surr)	97		70 - 130		04/19/13 12:45	1
Toluene-d8 (Surr)	106		70 - 130		04/19/13 12:45	1

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-73618/3

Matrix: Solid

Analysis Batch: 73618

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.0500	0.05508		mg/Kg		110	75 - 127
Ethylbenzene	0.0500	0.05505		mg/Kg		110	80 - 134
Naphthalene	0.0500	0.06555		mg/Kg		131	69 - 150
Toluene	0.0500	0.05675		mg/Kg		113	80 - 132
Xylenes, Total	0.150	0.1661		mg/Kg		111	80 - 137

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		70 - 130
4-Bromofluorobenzene (Surr)	108		70 - 130
Dibromofluoromethane (Surr)	99		70 - 130
Toluene-d8 (Surr)	107		70 - 130

Lab Sample ID: LCSD 490-73618/4

Matrix: Solid

Analysis Batch: 73618

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.0500	0.05389		mg/Kg		108	75 - 127	2	50
Ethylbenzene	0.0500	0.05412		mg/Kg		108	80 - 134	2	50
Naphthalene	0.0500	0.06231		mg/Kg		125	69 - 150	5	50
Toluene	0.0500	0.05611		mg/Kg		112	80 - 132	1	50
Xylenes, Total	0.150	0.1635		mg/Kg		109	80 - 137	2	50

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	100		70 - 130
4-Bromofluorobenzene (Surr)	109		70 - 130
Dibromofluoromethane (Surr)	98		70 - 130
Toluene-d8 (Surr)	108		70 - 130

Lab Sample ID: MB 490-74074/6

Matrix: Solid

Analysis Batch: 74074

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.100	0.0335	mg/Kg			04/22/13 14:05	1
Ethylbenzene	ND		0.100	0.0335	mg/Kg			04/22/13 14:05	1
Naphthalene	ND		0.250	0.0850	mg/Kg			04/22/13 14:05	1
Toluene	ND		0.100	0.0370	mg/Kg			04/22/13 14:05	1
Xylenes, Total	ND		0.250	0.0335	mg/Kg			04/22/13 14:05	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		70 - 130		04/22/13 14:05	1
4-Bromofluorobenzene (Surr)	102		70 - 130		04/22/13 14:05	1
Dibromofluoromethane (Surr)	98		70 - 130		04/22/13 14:05	1
Toluene-d8 (Surr)	104		70 - 130		04/22/13 14:05	1

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-74074/7

Matrix: Solid

Analysis Batch: 74074

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.000670	mg/Kg			04/22/13 14:32	1
Ethylbenzene	ND		0.00200	0.000670	mg/Kg			04/22/13 14:32	1
Naphthalene	ND		0.00500	0.00170	mg/Kg			04/22/13 14:32	1
Toluene	ND		0.00200	0.000740	mg/Kg			04/22/13 14:32	1
Xylenes, Total	ND		0.00500	0.000670	mg/Kg			04/22/13 14:32	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		70 - 130		04/22/13 14:32	1
4-Bromofluorobenzene (Surr)	104		70 - 130		04/22/13 14:32	1
Dibromofluoromethane (Surr)	100		70 - 130		04/22/13 14:32	1
Toluene-d8 (Surr)	106		70 - 130		04/22/13 14:32	1

Lab Sample ID: LCS 490-74074/3

Matrix: Solid

Analysis Batch: 74074

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.0500	0.05114		mg/Kg		102	75 - 127
Ethylbenzene	0.0500	0.05100		mg/Kg		102	80 - 134
Naphthalene	0.0500	0.05759		mg/Kg		115	69 - 150
Toluene	0.0500	0.05120		mg/Kg		102	80 - 132
Xylenes, Total	0.150	0.1566		mg/Kg		104	80 - 137

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	101		70 - 130
4-Bromofluorobenzene (Surr)	103		70 - 130
Dibromofluoromethane (Surr)	100		70 - 130
Toluene-d8 (Surr)	105		70 - 130

Lab Sample ID: LCSD 490-74074/4

Matrix: Solid

Analysis Batch: 74074

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	0.0500	0.05255		mg/Kg		105	75 - 127	3	50
Ethylbenzene	0.0500	0.05238		mg/Kg		105	80 - 134	3	50
Naphthalene	0.0500	0.05937		mg/Kg		119	69 - 150	3	50
Toluene	0.0500	0.05273		mg/Kg		105	80 - 132	3	50
Xylenes, Total	0.150	0.1601		mg/Kg		107	80 - 137	2	50

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	102		70 - 130
4-Bromofluorobenzene (Surr)	103		70 - 130
Dibromofluoromethane (Surr)	102		70 - 130
Toluene-d8 (Surr)	105		70 - 130

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 490-73447/1-A

Matrix: Solid

Analysis Batch: 73484

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 73447

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0670	0.0100	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Acenaphthylene	ND		0.0670	0.00900	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Anthracene	ND		0.0670	0.00900	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Benzo[a]anthracene	ND		0.0670	0.0150	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Benzo[a]pyrene	ND		0.0670	0.0120	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Benzo[b]fluoranthene	ND		0.0670	0.0120	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Benzo[g,h,i]perylene	ND		0.0670	0.00900	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Benzo[k]fluoranthene	ND		0.0670	0.0140	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
1-Methylnaphthalene	ND		0.0670	0.0140	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Pyrene	ND		0.0670	0.0120	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Phenanthrene	ND		0.0670	0.00900	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Chrysene	ND		0.0670	0.00900	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Dibenz(a,h)anthracene	ND		0.0670	0.00700	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Fluoranthene	ND		0.0670	0.00900	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Fluorene	ND		0.0670	0.0120	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Indeno[1,2,3-cd]pyrene	ND		0.0670	0.0100	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Naphthalene	ND		0.0670	0.00900	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
2-Methylnaphthalene	ND		0.0670	0.0160	mg/Kg		04/18/13 12:55	04/18/13 16:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	64		29 - 120	04/18/13 12:55	04/18/13 16:35	1
Terphenyl-d14 (Surr)	87		13 - 120	04/18/13 12:55	04/18/13 16:35	1
Nitrobenzene-d5 (Surr)	66		27 - 120	04/18/13 12:55	04/18/13 16:35	1

Lab Sample ID: LCS 490-73447/2-A

Matrix: Solid

Analysis Batch: 73484

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 73447

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Acenaphthylene	1.67	1.263		mg/Kg		76	38 - 120
Anthracene	1.67	1.377		mg/Kg		83	46 - 124
Benzo[a]anthracene	1.67	1.317		mg/Kg		79	45 - 120
Benzo[a]pyrene	1.67	1.318		mg/Kg		79	45 - 120
Benzo[b]fluoranthene	1.67	1.301		mg/Kg		78	42 - 120
Benzo[g,h,i]perylene	1.67	1.313		mg/Kg		79	38 - 120
Benzo[k]fluoranthene	1.67	1.372		mg/Kg		82	42 - 120
1-Methylnaphthalene	1.67	1.330		mg/Kg		80	32 - 120
Pyrene	1.67	1.361		mg/Kg		82	43 - 120
Phenanthrene	1.67	1.389		mg/Kg		83	45 - 120
Chrysene	1.67	1.374		mg/Kg		82	43 - 120
Dibenz(a,h)anthracene	1.67	1.222		mg/Kg		73	32 - 128
Fluoranthene	1.67	1.346		mg/Kg		81	46 - 120
Fluorene	1.67	1.267		mg/Kg		76	42 - 120
Indeno[1,2,3-cd]pyrene	1.67	1.281		mg/Kg		77	41 - 121
Naphthalene	1.67	1.218		mg/Kg		73	32 - 120
2-Methylnaphthalene	1.67	1.402		mg/Kg		84	28 - 120

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-73447/2-A

Matrix: Solid

Analysis Batch: 73484

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 73447

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Fluorobiphenyl (Surr)	66		29 - 120
Terphenyl-d14 (Surr)	84		13 - 120
Nitrobenzene-d5 (Surr)	67		27 - 120

Lab Sample ID: 490-24039-A-1-B MS

Matrix: Solid

Analysis Batch: 73484

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 73447

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Acenaphthylene	ND		1.85	1.302		mg/Kg	☐	70	25 - 120
Anthracene	0.0350	J	1.85	1.433		mg/Kg	☐	75	28 - 125
Benzo[a]anthracene	0.125		1.85	1.436		mg/Kg	☐	71	23 - 120
Benzo[a]pyrene	0.129		1.85	1.412		mg/Kg	☐	69	15 - 128
Benzo[b]fluoranthene	0.161		1.85	1.486		mg/Kg	☐	72	12 - 133
Benzo[g,h,i]perylene	0.0772		1.85	1.349		mg/Kg	☐	69	22 - 120
Benzo[k]fluoranthene	0.0753		1.85	1.454		mg/Kg	☐	74	28 - 120
1-Methylnaphthalene	ND		1.85	1.299		mg/Kg	☐	70	10 - 120
Pyrene	0.230		1.85	1.667		mg/Kg	☐	78	20 - 123
Phenanthrene	0.125		1.85	1.493		mg/Kg	☐	74	21 - 122
Chrysene	0.132		1.85	1.478		mg/Kg	☐	73	20 - 120
Dibenz(a,h)anthracene	ND		1.85	1.258		mg/Kg	☐	68	12 - 128
Fluoranthene	0.232		1.85	1.426		mg/Kg	☐	64	10 - 143
Fluorene	ND		1.85	1.321		mg/Kg	☐	71	20 - 120
Indeno[1,2,3-cd]pyrene	0.0666	J	1.85	1.285		mg/Kg	☐	66	22 - 121
Naphthalene	ND		1.85	1.116		mg/Kg	☐	60	10 - 120
2-Methylnaphthalene	ND		1.85	1.331		mg/Kg	☐	72	13 - 120

Surrogate	MS %Recovery	MS Qualifier	Limits
2-Fluorobiphenyl (Surr)	56		29 - 120
Terphenyl-d14 (Surr)	87		13 - 120
Nitrobenzene-d5 (Surr)	52		27 - 120

Lab Sample ID: 490-24039-A-1-C MSD

Matrix: Solid

Analysis Batch: 73484

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 73447

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Acenaphthylene	ND		1.83	1.384		mg/Kg	☐	76	25 - 120	6	50
Anthracene	0.0350	J	1.83	1.352		mg/Kg	☐	72	28 - 125	6	49
Benzo[a]anthracene	0.125		1.83	1.404		mg/Kg	☐	70	23 - 120	2	50
Benzo[a]pyrene	0.129		1.83	1.336		mg/Kg	☐	66	15 - 128	5	50
Benzo[b]fluoranthene	0.161		1.83	1.479		mg/Kg	☐	72	12 - 133	0	50
Benzo[g,h,i]perylene	0.0772		1.83	1.276		mg/Kg	☐	65	22 - 120	6	50
Benzo[k]fluoranthene	0.0753		1.83	1.363		mg/Kg	☐	70	28 - 120	6	45
1-Methylnaphthalene	ND		1.83	1.393		mg/Kg	☐	76	10 - 120	7	50
Pyrene	0.230		1.83	1.600		mg/Kg	☐	75	20 - 123	4	50
Phenanthrene	0.125		1.83	1.443		mg/Kg	☐	72	21 - 122	3	50
Chrysene	0.132		1.83	1.390		mg/Kg	☐	69	20 - 120	6	49

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 490-24039-A-1-C MSD

Matrix: Solid

Analysis Batch: 73484

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 73447

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Dibenz(a,h)anthracene	ND		1.83	1.233		mg/Kg	☐	67	12 - 128	2	50
Fluoranthene	0.232		1.83	1.377		mg/Kg	☐	62	10 - 143	4	50
Fluorene	ND		1.83	1.315		mg/Kg	☐	72	20 - 120	0	50
Indeno[1,2,3-cd]pyrene	0.0666	J	1.83	1.218		mg/Kg	☐	63	22 - 121	5	50
Naphthalene	ND		1.83	1.253		mg/Kg	☐	68	10 - 120	12	50
2-Methylnaphthalene	ND		1.83	1.374		mg/Kg	☐	75	13 - 120	3	50

Surrogate	MSD %Recovery	MSD Qualifier	Limits
2-Fluorobiphenyl (Surr)	57		29 - 120
Terphenyl-d14 (Surr)	79		13 - 120
Nitrobenzene-d5 (Surr)	62		27 - 120

Method: Moisture - Percent Moisture

Lab Sample ID: 490-24492-A-21 DU

Matrix: Solid

Analysis Batch: 73396

Client Sample ID: Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Percent Solids	89		89		%		0.06	20

TestAmerica Nashville

QC Association Summary

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

GC/MS VOA

Prep Batch: 73253

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-24495-1	1433 Dove	Total/NA	Solid	5035	5
490-24495-2	1435-2 Dove	Total/NA	Solid	5035	
490-24495-6	1418 Albatross	Total/NA	Solid	5035	

Prep Batch: 73254

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-24495-1	1433 Dove	Total/NA	Solid	5035	8
490-24495-2	1435-2 Dove	Total/NA	Solid	5035	
490-24495-3	590 Aster	Total/NA	Solid	5035	
490-24495-4	642 Dahlia-2	Total/NA	Solid	5035	
490-24495-5	1422 Albatross	Total/NA	Solid	5035	
490-24495-6	1418 Albatross	Total/NA	Solid	5035	
490-24495-7	591 Aster	Total/NA	Solid	5035	
490-24495-8	434 Elderberry	Total/NA	Solid	5035	

Prep Batch: 73519

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-24512-C-6-B MS	Matrix Spike	Total/NA	Solid	5035	
490-24512-C-6-C MSD	Matrix Spike Duplicate	Total/NA	Solid	5035	

Analysis Batch: 73618

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-24495-1	1433 Dove	Total/NA	Solid	8260B	73254
490-24495-2	1435-2 Dove	Total/NA	Solid	8260B	73254
490-24495-4	642 Dahlia-2	Total/NA	Solid	8260B	73254
490-24495-5	1422 Albatross	Total/NA	Solid	8260B	73254
490-24495-6	1418 Albatross	Total/NA	Solid	8260B	73254
490-24495-8	434 Elderberry	Total/NA	Solid	8260B	73254
490-24512-C-6-B MS	Matrix Spike	Total/NA	Solid	8260B	73519
490-24512-C-6-C MSD	Matrix Spike Duplicate	Total/NA	Solid	8260B	73519
LCS 490-73618/3	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 490-73618/4	Lab Control Sample Dup	Total/NA	Solid	8260B	
MB 490-73618/7	Method Blank	Total/NA	Solid	8260B	

Analysis Batch: 74074

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-24495-1	1433 Dove	Total/NA	Solid	8260B	73253
490-24495-2	1435-2 Dove	Total/NA	Solid	8260B	73253
490-24495-2	1435-2 Dove	Total/NA	Solid	8260B	73253
490-24495-3	590 Aster	Total/NA	Solid	8260B	73254
490-24495-6	1418 Albatross	Total/NA	Solid	8260B	73253
490-24495-7	591 Aster	Total/NA	Solid	8260B	73254
LCS 490-74074/3	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 490-74074/4	Lab Control Sample Dup	Total/NA	Solid	8260B	
MB 490-74074/6	Method Blank	Total/NA	Solid	8260B	
MB 490-74074/7	Method Blank	Total/NA	Solid	8260B	

TestAmerica Nashville

QC Association Summary

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

GC/MS Semi VOA

Prep Batch: 73447

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-24039-A-1-B MS	Matrix Spike	Total/NA	Solid	3550C	
490-24039-A-1-C MSD	Matrix Spike Duplicate	Total/NA	Solid	3550C	
490-24495-1	1433 Dove	Total/NA	Solid	3550C	
490-24495-2	1435-2 Dove	Total/NA	Solid	3550C	
490-24495-3	590 Aster	Total/NA	Solid	3550C	
490-24495-4	642 Dahlia-2	Total/NA	Solid	3550C	
490-24495-5	1422 Albatross	Total/NA	Solid	3550C	
490-24495-6	1418 Albatross	Total/NA	Solid	3550C	
490-24495-7	591 Aster	Total/NA	Solid	3550C	
490-24495-8	434 Elderberry	Total/NA	Solid	3550C	
LCS 490-73447/2-A	Lab Control Sample	Total/NA	Solid	3550C	
MB 490-73447/1-A	Method Blank	Total/NA	Solid	3550C	

Analysis Batch: 73484

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-24039-A-1-B MS	Matrix Spike	Total/NA	Solid	8270D	73447
490-24039-A-1-C MSD	Matrix Spike Duplicate	Total/NA	Solid	8270D	73447
490-24495-1	1433 Dove	Total/NA	Solid	8270D	73447
490-24495-2	1435-2 Dove	Total/NA	Solid	8270D	73447
490-24495-3	590 Aster	Total/NA	Solid	8270D	73447
490-24495-4	642 Dahlia-2	Total/NA	Solid	8270D	73447
490-24495-5	1422 Albatross	Total/NA	Solid	8270D	73447
490-24495-6	1418 Albatross	Total/NA	Solid	8270D	73447
490-24495-7	591 Aster	Total/NA	Solid	8270D	73447
490-24495-8	434 Elderberry	Total/NA	Solid	8270D	73447
LCS 490-73447/2-A	Lab Control Sample	Total/NA	Solid	8270D	73447
MB 490-73447/1-A	Method Blank	Total/NA	Solid	8270D	73447

Analysis Batch: 73722

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-24495-1	1433 Dove	Total/NA	Solid	8270D	73447
490-24495-2	1435-2 Dove	Total/NA	Solid	8270D	73447
490-24495-6	1418 Albatross	Total/NA	Solid	8270D	73447

General Chemistry

Analysis Batch: 73396

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-24492-A-21 DU	Duplicate	Total/NA	Solid	Moisture	
490-24495-1	1433 Dove	Total/NA	Solid	Moisture	
490-24495-2	1435-2 Dove	Total/NA	Solid	Moisture	
490-24495-3	590 Aster	Total/NA	Solid	Moisture	
490-24495-4	642 Dahlia-2	Total/NA	Solid	Moisture	
490-24495-5	1422 Albatross	Total/NA	Solid	Moisture	
490-24495-6	1418 Albatross	Total/NA	Solid	Moisture	
490-24495-7	591 Aster	Total/NA	Solid	Moisture	
490-24495-8	434 Elderberry	Total/NA	Solid	Moisture	

TestAmerica Nashville

Lab Chronicle

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 1433 Dove

Date Collected: 04/08/13 15:30

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-1

Matrix: Solid

Percent Solids: 77.8

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			73254	04/17/13 20:15	ML	TAL NSH
Total/NA	Analysis	8260B		1	73618	04/19/13 16:28	MH	TAL NSH
Total/NA	Prep	5035			73253	04/17/13 20:10	ML	TAL NSH
Total/NA	Analysis	8260B		2	74074	04/22/13 23:44	MH	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		1	73484	04/18/13 20:17	KP	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		4	73722	04/19/13 18:06	KP	TAL NSH
Total/NA	Analysis	Moisture		1	73396	04/18/13 11:20	RS	TAL NSH

Client Sample ID: 1435-2 Dove

Date Collected: 04/09/13 15:30

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-2

Matrix: Solid

Percent Solids: 80.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			73254	04/17/13 20:15	ML	TAL NSH
Total/NA	Analysis	8260B		1	73618	04/19/13 16:55	MH	TAL NSH
Total/NA	Prep	5035			73253	04/17/13 20:10	ML	TAL NSH
Total/NA	Analysis	8260B		1	74074	04/22/13 17:25	MH	TAL NSH
Total/NA	Prep	5035			73253	04/17/13 20:10	ML	TAL NSH
Total/NA	Analysis	8260B		20	74074	04/22/13 17:52	MH	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		1	73484	04/18/13 20:39	KP	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		2	73722	04/19/13 18:28	KP	TAL NSH
Total/NA	Analysis	Moisture		1	73396	04/18/13 11:20	RS	TAL NSH

Client Sample ID: 590 Aster

Date Collected: 04/10/13 14:15

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-3

Matrix: Solid

Percent Solids: 95.9

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			73254	04/17/13 20:15	ML	TAL NSH
Total/NA	Analysis	8260B		1	74074	04/22/13 16:04	MH	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		1	73484	04/18/13 21:02	KP	TAL NSH
Total/NA	Analysis	Moisture		1	73396	04/18/13 11:20	RS	TAL NSH

TestAmerica Nashville

Lab Chronicle

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 642 Dahlia-2

Date Collected: 04/11/13 14:15

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-4

Matrix: Solid

Percent Solids: 79.4

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			73254	04/17/13 20:15	ML	TAL NSH
Total/NA	Analysis	8260B		1	73618	04/19/13 17:49	MH	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		1	73484	04/18/13 21:24	KP	TAL NSH
Total/NA	Analysis	Moisture		1	73396	04/18/13 11:20	RS	TAL NSH

Client Sample ID: 1422 Albatross

Date Collected: 04/08/13 13:45

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-5

Matrix: Solid

Percent Solids: 76.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			73254	04/17/13 20:15	ML	TAL NSH
Total/NA	Analysis	8260B		1	73618	04/19/13 18:16	MH	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		1	73484	04/18/13 21:46	KP	TAL NSH
Total/NA	Analysis	Moisture		1	73396	04/18/13 11:20	RS	TAL NSH

Client Sample ID: 1418 Albatross

Date Collected: 04/09/13 15:30

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-6

Matrix: Solid

Percent Solids: 77.0

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			73254	04/17/13 20:15	ML	TAL NSH
Total/NA	Analysis	8260B		1	73618	04/19/13 18:43	MH	TAL NSH
Total/NA	Prep	5035			73253	04/17/13 20:10	ML	TAL NSH
Total/NA	Analysis	8260B		1	74074	04/22/13 18:19	MH	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		1	73484	04/18/13 22:08	KP	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		2	73722	04/19/13 18:50	KP	TAL NSH
Total/NA	Analysis	Moisture		1	73396	04/18/13 11:20	RS	TAL NSH

Client Sample ID: 591 Aster

Date Collected: 04/10/13 14:45

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-7

Matrix: Solid

Percent Solids: 96.7

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			73254	04/17/13 20:15	ML	TAL NSH
Total/NA	Analysis	8260B		1	74074	04/22/13 16:31	MH	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		1	73484	04/18/13 22:30	KP	TAL NSH
Total/NA	Analysis	Moisture		1	73396	04/18/13 11:20	RS	TAL NSH

TestAmerica Nashville

Lab Chronicle

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 434 Elderberry

Date Collected: 04/11/13 11:45

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-8

Matrix: Solid

Percent Solids: 81.2

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			73254	04/17/13 20:15	ML	TAL NSH
Total/NA	Analysis	8260B		1	73618	04/19/13 19:37	MH	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		1	73484	04/18/13 22:52	KP	TAL NSH
Total/NA	Analysis	Moisture		1	73396	04/18/13 11:20	RS	TAL NSH

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Method Summary

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL NSH
8270D	Semivolatile Organic Compounds (GC/MS)	SW846	TAL NSH
Moisture	Percent Moisture	EPA	TAL NSH

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Certification Summary

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Laboratory: TestAmerica Nashville

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
	ACIL		393	10-30-13
A2LA	ISO/IEC 17025		0453.07	12-31-13
Alabama	State Program	4	41150	05-31-13
Alaska (UST)	State Program	10	UST-087	07-24-13
Arizona	State Program	9	AZ0473	05-05-13 *
Arkansas DEQ	State Program	6	88-0737	04-25-13 *
California	NELAP	9	1168CA	10-31-13
Connecticut	State Program	1	PH-0220	12-31-13
Florida	NELAP	4	E87358	06-30-13
Illinois	NELAP	5	200010	12-09-13
Iowa	State Program	7	131	05-01-14
Kansas	NELAP	7	E-10229	10-31-13
Kentucky (UST)	State Program	4	19	09-15-13
Louisiana	NELAP	6	30613	06-30-13
Maryland	State Program	3	316	03-31-14
Massachusetts	State Program	1	M-TN032	06-30-13
Minnesota	NELAP	5	047-999-345	12-31-13
Mississippi	State Program	4	N/A	06-30-13
Montana (UST)	State Program	8	NA	01-01-15
Nevada	State Program	9	TN00032	07-31-13
New Hampshire	NELAP	1	2963	10-10-13
New Jersey	NELAP	2	TN965	06-30-13
New York	NELAP	2	11342	04-01-14
North Carolina DENR	State Program	4	387	12-31-13
North Dakota	State Program	8	R-146	06-30-13
Ohio VAP	State Program	5	CL0033	01-19-14
Oregon	NELAP	10	TN200001	04-30-13 *
Pennsylvania	NELAP	3	68-00585	06-30-13
Rhode Island	State Program	1	LAO00268	12-30-13
South Carolina	State Program	4	84009 (001)	05-31-14 *
South Carolina	State Program	4	84009 (002)	02-23-14
Tennessee	State Program	4	2008	02-23-14
Texas	NELAP	6	T104704077-09-TX	08-31-13
USDA	Federal		S-48469	11-02-13
Utah	NELAP	8	TAN	06-30-13
Virginia	NELAP	3	460152	06-14-13
Washington	State Program	10	C789	07-19-13
West Virginia DEP	State Program	3	219	02-28-14
Wisconsin	State Program	5	998020430	08-31-13
Wyoming (UST)	A2LA	8	453.07	12-31-13

* Expired certification is currently pending renewal and is considered valid.

TestAmerica Nashville

COOLER RECEIPT FORM

Charleston



490-24495 Chain of Custody

Cooler Received/Opened On 4/17/2013 @ 0830

1. Tracking # 9041 (last 4 digits, FedEx)

Courier: FedEx IR Gun ID 97310166

2. Temperature of rep. sample or temp blank when opened: 3.2 Degrees Celsius

3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank frozen? YES NO...NA

4. Were custody seals on outside of cooler? YES...NO...NA

If yes, how many and where: 1 Front + Back

5. Were the seals intact, signed, and dated correctly? YES...NO...NA

6. Were custody papers inside cooler? YES...NO...NA

I certify that I opened the cooler and answered questions 1-6 (Initial) TH

7. Were custody seals on containers: YES NO and Intact YES...NO...NA

Were these signed and dated correctly? YES...NO...NA

8. Packing mat'l used? Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert Paper Other None

9. Cooling process: Ice Ice-pack Ice (direct contact) Dry Ice Other None

10. Did all containers arrive in good condition (unbroken)? YES...NO...NA

11. Were all container labels complete (#, date, signed, pres., etc)? YES...NO...NA

12. Did all container labels and tags agree with custody papers? YES...NO...NA

13a. Were VOA vials received? YES...NO...NA

b. Was there any observable headspace present in any VOA vial? YES...NO...NA So: 1

14. Was there a Trip Blank in this cooler? YES NO...NA If multiple coolers, sequence # NA

I certify that I unloaded the cooler and answered questions 7-14 (Initial) TH

15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? YES...NO...NA

b. Did the bottle labels indicate that the correct preservatives were used YES...NO...NA

16. Was residual chlorine present? YES...NO...NA

I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (Initial) TH

17. Were custody papers properly filled out (lnk, signed, etc)? YES...NO...NA

18. Did you sign the custody papers in the appropriate place? YES...NO...NA

19. Were correct containers used for the analysis requested? YES...NO...NA

20. Was sufficient amount of sample sent in each container? YES...NO...NA

I certify that I entered this project into LIMS and answered questions 17-20 (Initial) TH

I certify that I attached a label with the unique LIMS number to each container (Initial) TH

21. Were there Non-Conformance issues at login? YES...NO Was a NCM generated? YES...NO..#

Page 28 of 30 Send OC

☐ Send QC with report

Login Sample Receipt Checklist

Client: Environmental Enterprise Group

Job Number: 490-24495-1

Login Number: 24495

List Source: TestAmerica Nashville

List Number: 1

Creator: Buckingham, Paul

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $\leq 6\text{mm}$ (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

13

ATTACHMENT A



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.		Manifest Doc No.		2. Page 1 of 1		
3. Generator's Mailing Address: MCAS BEAUFORT LAUREL BAY HOUSING BEAUFORT, SC 29904		4. Generator's Phone 843-879-0411		Generator's Site Address (if different than mailing):		A. Manifest Number WMNA 01519145		
5. Transporter 1 Company Name		6. US EPA ID Number		C. State Transporter's ID		B. State Generator's ID		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone		E. State Transporter's ID		
9. Designated Facility Name and Site Address HICKORY HILL LANDFILL 2621 LOW COUNTRY DRIVE RIDGELAND, SC 29936		10. US EPA ID Number		F. Transporter's Phone		G. State Facility ID		
				H. State Facility Phone 843-987-4643				
GENERATOR	11. Description of Waste Materials		12. Containers		13. Total Quantity	14. Unit Wt./Vol.	I. Misc. Comments	
	a. HEATING OIL TANK FILLED WITH SAND WM Profile # 102655SC		No.	Type				
	b.							
	c.							
	d.							
J. Additional Descriptions for Materials Listed Above		K. Disposal Location						
		Cell			Level			
		Grid						
15. Special Handling Instructions and Additional Information UST's from: 1) 755 Altlanta 2) 925 Albatross 3) 741 Bluebell 4) 1422 Albatross 5) 1433 Down 6) 1418 Albatross								
Purchase Order #		EMERGENCY CONTACT / PHONE NO.:						
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by 40 CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.								
Printed Name		Signature "On behalf of"				Month	Day	Year
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed Name				Signature		
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed Name				Signature		
19. Certificate of Final Treatment/Disposal		I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.						
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.		Printed Name				Signature		
						Month	Day	Year

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY

Appendix C
Laboratory Analytical Report - Groundwater

Volatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants				Laboratory ID: QF17014-006			
Description: BEALB1422TW01WG20150617				Matrix: Aqueous			
Date Sampled: 06/16/2015 0930							
Date Received: 06/18/2015							

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/25/2015 0119	PMM2		78064

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzene	71-43-2	8260B	0.45	U	5.0	0.45	0.21	ug/L	1
Ethylbenzene	100-41-4	8260B	0.51	U	5.0	0.51	0.21	ug/L	1
Naphthalene	91-20-3	8260B	0.96	U	5.0	0.96	0.14	ug/L	1
Toluene	108-88-3	8260B	0.48	U	5.0	0.48	0.24	ug/L	1
Xylenes (total)	1330-20-7	8260B	0.57	U	5.0	0.57	0.19	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Bromofluorobenzene		106	75-120
1,2-Dichloroethane-d4		89	70-120
Toluene-d8		94	85-120
Dibromofluoromethane		85	85-115

PQL = Practical quantitation limit B = Detected in the method blank E = Quantitation of compound exceeded the calibration range H = Out of holding time Q = Surrogate failure
 ND = Not detected at or above the MDL J = Estimated result < PQL and ≥ MDL P = The RPD between two GC columns exceeds 40% N = Recovery is out of criteria L = LCS/LCSD failure
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W" S = MS/MSD failure

Shealy Environmental Services, Inc.
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Semivolatile Organic Compounds by GC/MS (SIM)

Client: AECOM - Resolution Consultants	Laboratory ID: QF17014-006
Description: BEALB1422TW01WG20150617	Matrix: Aqueous
Date Sampled: 06/16/2015 0930	
Date Received: 06/18/2015	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3520C	8270D (SIM)	1	06/22/2015 1357	RBH	06/19/2015 1430	77693

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzo(a)anthracene	56-55-3	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	0.040	U	0.20	0.040	0.024	ug/L	1
Chrysene	218-01-9	8270D (SIM)	0.040	U	0.20	0.040	0.021	ug/L	1
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	0.080	U	0.20	0.080	0.040	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
2-Methylnaphthalene-d10		81	15-139
Fluoranthene-d10		64	23-154

PQL = Practical quantitation limit B = Detected in the method blank E = Quantitation of compound exceeded the calibration range H = Out of holding time Q = Surrogate failure
 ND = Not detected at or above the MDL J = Estimated result < PQL and ≥ MDL P = The RPD between two GC columns exceeds 40% N = Recovery is out of criteria L = LCS/LCSD failure
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W" S = MS/MSD failure

Shealy Environmental Services, Inc.
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Appendix D
Laboratory Analytical Report - Vapor

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: AECOM

Client Sample ID: BEALB1422SG01GS20160510

Client Project ID: WE56 LBMH Soil Vapor Assesments / 60342031.FI.WI

ALS Project ID: P1602451

ALS Sample ID: P1602451-002

Test Code: EPA TO-15

Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8

Analyst: Wida Ang

Sampling Media: 6.0 L Silonite Canister

Test Notes:

Container ID: SSC00233

Date Collected: 5/10/16

Date Received: 5/11/16

Date Analyzed: 5/17/16

Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): -1.14 Final Pressure (psig): 3.72

Canister Dilution Factor: 1.36

CAS #	Compound	Result µg/m ³	LOQ µg/m ³	LOD µg/m ³	MDL µg/m ³	Data Qualifier
71-43-2	Benzene	0.60	0.68	0.60	0.22	U
108-88-3	Toluene	1.6	0.68	0.57	0.23	
100-41-4	Ethylbenzene	1.4	0.68	0.57	0.22	
179601-23-1	m,p-Xylenes	4.6	1.4	1.1	0.41	
95-47-6	o-Xylene	2.4	0.68	0.56	0.20	
91-20-3	Naphthalene	0.69	0.68	0.54	0.24	

U = Undetected at the limit of detection: The associated data value is the limit of detection, adjusted by any dilution factor used in the analysis.

LOQ = Limit of Quantitation - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

Appendix E
Regulatory Correspondence

D H E C

PROMOTE PROTECT PROSPER

Catherine B. Templeton, Director

May 15, 2014

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: IGWA
Laurel Bay Underground Storage Tank Assessment Reports for:
See attached sheet

Dear Mr. Drawdy,


The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tank Assessment Reports for the addresses listed above. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

The Department has reviewed the referenced assessment reports. The submitted analytical results indicate that petroleum constituents are above established Risk-Based Screening Levels and additional investigation is warranted. Specifically, the Department requests that a groundwater sampling proposal be generated to determine if there has been an impact to groundwater at this site.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at kriegkm@dhec.sc.gov or 803-898-0255.

Sincerely,



Kent Krieg
Department of Defense Corrective Action Section
Bureau of Land and Waste Management
South Carolina Department of Health and Environmental Control

Cc: Russell Berry (via email)
Craig Ehde (via email)

D H E C

PROMOTE PROTECT PROSPER

Catherine B. Templeton, Director

Attachment to: Krieg to Drawdy
Subject: IGWA
Dated 5/15/2014

Laurel Bay Underground Storage Tank Assessment Reports for: (121 addresses/139 tanks)

137 Laurel Bay Tank 2	387 Acorn
139 Laurel Bay	392 Acorn Tank 2
229 Cypress Tank 2	396 Acorn Tank 1
261 Beech Tank 1	396 Acorn Tank 2
261 Beech Tank 3	430 Elderberry
273 Birch Tank 1	433 Elderberry
273 Birch Tank 2	439 Elderberry
273 Birch Tank 3	440 Elderberry
276 Birch Tank 2	442 Elderberry
278 Birch Tank 2	443 Elderberry
291 Birch Tank 2	444 Elderberry Tank 1
300 Ash	445 Elderberry
304 Ash	446 Elderberry
314 Ash Tank 1	448 Elderberry
314 Ash Tank 2	449 Elderberry
322 Ash Tank 2	451 Elderberry
323 Ash	453 Elderberry
324 Ash	456 Elderberry Tank 1
325 Ash Tank 1	456 Elderberry Tank 2
325 Ash Tank 2	458 Elderberry Tank 1
326 Ash	458 Elderberry Tank 3
336 Ash	464 Dogwood
339 Ash	466 Dogwood
343 Ash Tank 1	467 Dogwood
344 Ash Tank 1	468 Dogwood
348 Ash	469 Dogwood
349 Ash Tank 1	471 Dogwood Tank 2
353 Ash Tank 1	471 Dogwood Tank 3
362 Aspen	475 Dogwood Tank 1
376 Aspen	475 Dogwood Tank 2
380 Aspen	516 Laurel Bay Tank 1 (UST#03747)
383 Aspen Tank 2	518 Laurel Bay

Laurel Bay Underground Storage Tank Assessment Reports for: (121 addresses/139 tanks) cont.

531 Laurel Bay	1219 Cardinal
532 Laurel Bay	1272 Albatross
635 Dahlia Tank 2	1305 Eagle
638 Dahlia	1353 Cardinal
640 Dahlia Tank 1	1356 Cardinal
640 Dahlia Tank 2	1357 Cardinal
645 Dahlia	1359 Cardinal
647 Dahlia	1360 Cardinal
648 Dahlia Tank 2	1361 Cardinal
650 Dahlia Tank 1	1368 Cardinal
650 Dahlia Tank 2	1370 Cardinal Tank 1
652 Dahlia Tank 1	1377 Dove
652 Dahlia Tank 2	1381 Dove
760 Althea	1382 Dove
763 Althea	1384 Dove
771 Althea	1385 Dove
927 Albacore	1389 Dove
1015 Foxglove	1391 Dove
1046 Gardenia	1392 Dove
1062 Gardenia Tank 2	1393 Dove Tank 1
1070 Heather	1393 Dove Tank 2
1072 Heather	1406 Eagle
1102 Iris Tank 1	1407 Eagle Tank 1
1107 Iris	1411 Eagle Tank 1
1126 Iris	1411 Eagle Tank 2
1129 Iris	1412 Eagle
1132 Iris	1413 Albatross
1133 Iris Tank 1	1414 Albatross
1138 Iris	1422 Albatross
1144 Iris Tank 1	1425 Albatross
1144 Iris Tank 2	1426 Albatross
1148 Iris Tank 1	1432 Dove
1148 Iris Tank 2	1434 Dove
1161 Jasmine	1436 Dove
1167 Jasmine	1438 Dove Tank 1
1170 Jasmine	1440 Dove
1190 Bobwhite	1442 Dove Tank 1
1192 Bobwhite	



Catherine E. Heigel, Director

Promoting and protecting the health of the public and the environment

Division of Waste Management
Bureau of Land and Waste Management

February 22, 2016

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: Approval and Concurrence with Draft Final Initial Groundwater Investigation Report-May and June 2015
Laurel Bay Military Housing Area Multiple Properties
Dated October 2015

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received groundwater data in the above referenced Groundwater Investigation Report for the addresses attached. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

Per the Department's request, groundwater samples were collected from the attached referenced addresses. The Department reviewed the groundwater data and previous investigations and it agrees with the conclusions and recommendations included in the document. To further assess the impact to groundwater, permanent wells should be installed at the 52 stated addresses. For the remaining 91 addresses, there is no indication of contamination on the property and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at petruslb@dhec.sc.gov or 803-898-0294.

Sincerely,

Laurel Petrus
RCRA Federal Facilities Section

Attachment: Specific Property Recommendations

Cc: Russell Berry, EQC Region 8 (via email)
Shawn Dolan, Resolution Consultants (via email)
Bryan Beck, NAVFAC MIDATLANTIC (via email)
Craig Ehde (via email)

Attachment to: Petrus to Drawdy
 Subject: Draft Final Initial Groundwater Investigation Report-May and June 2015
 Specific Property Recommendations
 Dated February 22, 2016

Draft Final Initial Groundwater Investigation Report for (143 addresses)

Permanent Monitoring Well Investigation recommendation (52 addresses)

273 Birch Drive	1192 Bobwhite Drive
325 Ash Street	1194 Bobwhite Drive
326 Ash Street	1272 Albatross Drive
336 Ash Street	1352 Cardinal Lane
343 Ash Street	1356 Cardinal Lane
353 Ash Street	1359 Cardinal Lane
430 Elderberry Drive	1360 Cardinal Lane
440 Elderberry Drive	1362 Cardinal Lane
456 Elderberry Drive	1370 Cardinal Lane
458 Elderberry Drive	1382 Dove Lane
468 Dogwood Drive	1384 Dove lane
518 Laurel Bay Blvd	1385 Dove Lane
635 Dahlia Drive	1389 Dove Lane
638 Dahlia Drive	1392 Dove Lane
640 Dahlia Drive	1393 Dove Lane
647 Dahlia Drive	1407 Eagle Lane
648 Dahlia Drive	1411 Eagle Lane
650 Dahlia Drive	1418 Albatross Drive
652 Dahlia Drive	1420 Albatross Drive
760 Althea Street	1426 Albatross Drive
1102 Iris Lane	1429 Albatross Drive
1132 Iris Lane	1434 Dove Lane
1133 Iris Lane	1436 Dove Lane
1144 Iris Lane	1440 Dove Lane
1148 Iris Lane	1442 Dove Lane
1186 Bobwhite Drive	1444 Dove Lane

No Further Action recommendation (91 addresses):

137 Laurel Bay Blvd	771 Althea Street
139 Laurel Bay Blvd	927 Albacore Street
229 Cypress Street	1015 Foxglove Street
261 Beech Street	1046 Gardenia Drive
276 Birch Drive	1062 Gardenia Drive
278 Birch Drive	1070 Heather Street
291 Birch Drive	1072 Heather Street

300 Ash Street	1107 Iris Lane
304 Ash Street	1126 Iris Lane
314 Ash Street	1129 Iris Lane
322 Ash Street	1138 Iris Lane
323 Ash Street	1161 Jasmine Street
324 Ash Street	1167 Jasmine Street
339 Ash Street	1170 Jasmine Street
344 Ash Street	1190 Bobwhite Drive
348 Ash Street	1219 Cardinal Lane
349 Ash Street	1305 Eagle Lane
362 Aspen Street	1353 Cardinal Lane
376 Aspen Street	1354 Cardinal Lane
380 Aspen Street	1357 Cardinal Lane
383 Aspen Street	1361 Cardinal Lane
387 Acorn Drive	1364 Cardinal Lane
392 Acorn Drive	1368 Cardinal Lane
396 Acorn Drive	1377 Dove Lane
433 Elderberry Drive	1381 Dove Lane
439 Elderberry Drive	1391 Dove Lane
442 Elderberry Drive	1403 Eagle Lane
443 Elderberry Drive	1404 Eagle Lane
444 Elderberry Drive	1405 Eagle Lane
445 Elderberry Drive	1406 Eagle Lane
446 Elderberry Drive	1408 Eagle Lane
448 Elderberry Drive	1410 Eagle Lane
449 Elderberry Drive	1412 Eagle Lane
451 Elderberry Drive	1413 Albatross Drive
453 Elderberry Drive	1414 Albatross Drive
464 Dogwood Drive	1417 Albatross Drive
466 Dogwood Drive	1421 Albatross Drive
467 Dogwood Drive	1422 Albatross Drive
469 Dogwood Drive	1425 Albatross Drive
471 Dogwood Drive	1427 Albatross Drive
475 Dogwood Drive	1430 Dove Lane
516 Laurel Bay Blvd	1432 Dove Lane
531 Laurel Bay Blvd	1438 Dove Lane
532 Laurel Bay Blvd	1453 Cardinal Lane
645 Dahlia Drive	1455 Cardinal Lane
763 Althea Street	



June 20, 2017

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: Approval Response to Comments and Draft Final Revision 1 Vapor Intrusion Report July 2015, January 2016 and May 2016, Laurel Bay Military Housing Area, Multiple Properties

RE: Approval Response to Comments and Draft Final Revision 1 Letter Report - Petroleum Vapor Intrusion Investigations - June 2016 and January 2017, Multiple Properties, Laurel Bay Military Housing Area

Dear Mr. Drawdy:

The South Carolina Department of Health and Environmental Control (DHEC) received the above referenced response to comments and errata pages on May 24 and June 7, 2017. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

DHEC has reviewed the response to comments and errata pages. Based on this review, DHEC did not generate any additional comments. Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary. If you have any questions, please contact me at petruslb@dhec.sc.gov or 803-898-0294.

Sincerely,

Laurel Petrus
Department of Defense Corrective Action Section

Cc: Russell Berry, EQC Region 8
Shawn Dolan, Resolution Consultants
Bryan Beck, NAVFAC MIDLANT