

SUMMARY REPORT
480 WEST DOVE LANE (FORMERLY 1431 WEST DOVE LANE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid-Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT
480 WEST DOVE LANE (FORMERLY 1431 WEST DOVE LANE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid- Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue
Norfolk, Virginia 23511-3095

Prepared by:

CDM - AECOM
Multimedia Joint Venture

CDM - AECOM Multimedia Joint Venture
10560 Arrowhead Drive, Suite 500
Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016
CTO WE52
JUNE 2021

Table of Contents

| | |
|--|-----------|
| 1.0 INTRODUCTION | 1 |
| 1.1 BACKGROUND INFORMATION..... | 1 |
| 1.2 UST REMOVAL AND ASSESSMENT PROCESS..... | 2 |
| 2.0 SAMPLING ACTIVITIES AND RESULTS | 4 |
| 2.1 UST REMOVAL AND SOIL SAMPLING | 4 |
| 2.2 SOIL ANALYTICAL RESULTS..... | 5 |
| 2.3 INITIAL GROUNDWATER SAMPLING | 5 |
| 2.4 INITIAL GROUNDWATER ANALYTICAL RESULTS | 6 |
| 2.5 PERMANENT WELL GROUNDWATER SAMPLING | 6 |
| 2.6 PERMANENT WELL GROUNDWATER ANALYTICAL RESULTS..... | 7 |
| 2.7 LONG TERM MONITORING | 7 |
| 2.8 LONG TERM MONITORING ANALYTICAL RESULTS | 8 |
| 2.9 SOIL GAS SAMPLING..... | 8 |
| 2.10 SOIL GAS ANALYTICAL RESULTS | 9 |
| 3.0 PROPERTY STATUS..... | 9 |
| 4.0 REFERENCES | 10 |

Tables

| | |
|---------|---|
| Table 1 | Laboratory Analytical Results - Soil |
| Table 2 | Laboratory Analytical Results - Initial Groundwater |
| Table 3 | Laboratory Analytical Results - Permanent Monitoring Well Groundwater |
| Table 4 | Laboratory Analytical Results - Long Term Monitoring |
| Table 5 | Laboratory Analytical Results - Vapor |

Appendices

| | |
|------------|--|
| Appendix A | Multi-Media Selection Process for LBMH |
| Appendix B | UST Assessment Report |
| Appendix C | Laboratory Analytical Report - Initial Groundwater |
| Appendix D | Laboratory Analytical Reports - Permanent Well Groundwater |
| Appendix E | Historical Groundwater Analytical Results |
| Appendix F | Laboratory Analytical Reports - Vapor |
| Appendix G | Regulatory Correspondence |

List of Acronyms

| | |
|-----------------|---|
| bgs | below ground surface |
| BTEX | benzene, toluene, ethylbenzene, and xylenes |
| CTO | Contract Task Order |
| COPC | constituents of potential concern |
| ft | feet |
| IDIQ | Indefinite Delivery, Indefinite Quantity |
| IGWA | Initial Groundwater Assessment |
| JV | Joint Venture |
| LBMH | Laurel Bay Military Housing |
| LTM | long-term monitoring |
| MCAS | Marine Corps Air Station |
| NAVFAC Mid-Lant | Naval Facilities Engineering Command Mid-Atlantic |
| NFA | No Further Action |
| PAH | polynuclear aromatic hydrocarbon |
| QAPP | Quality Assurance Program Plan |
| RBSL | risk-based screening level |
| SCDHEC | South Carolina Department of Health and Environmental Control |
| Site | LBMH area at MCAS Beaufort, South Carolina |
| UFP SAP | Uniform Federal Policy Sampling and Analysis Plan |
| USEPA | United States Environmental Protection Agency |
| UST | underground storage tank |
| VI | vapor intrusion |
| VISL | vapor intrusion screening level |

1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, long-term monitoring (LTM) was approved by the South Carolina Department of Health and Environmental Control (SCDHEC) for 480 West Dove Lane (Formerly 1431 West Dove Lane) in order to monitor groundwater impacts from the former heating oil USTs. LTM consists of annual groundwater sampling and is currently being conducted at the referenced property. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential heating oil USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with the SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

In 2015, the Public-Private Venture (PPV) responsible for the management of the residential area at LBMH initiated a plan to replace outdated homes in the LBMH area. The plan includes the demolition of existing homes and subsequent construction of new homes. In discussions with the PPV it was revealed that construction of the new homes could occur on portions of the property where the USTs were formerly located. In response to this plan, MCAS Beaufort assessed subsurface soil gas concentrations in the area of the former USTs at select properties within the demolition areas. The subject property of this report is one of the properties within the planned demolition area which was selected for a soil gas evaluation. It should be noted that the house at the subject property has since been demolished and this property is an empty lot. There are no current plans for construction in this area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan*

(QAPP) for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The IGWA sampling process utilizes temporary groundwater sampling points that are typically installed and sampled within the same day. The intent of the sampling point is to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations may require additional delineation of COPCs in groundwater. These sampling points are not subjected to the same installation standards as permanent monitoring wells and, as such; the data obtained from the IGWA wells can sometimes be biased high and is considered preliminary data. In order to confirm the presence of any impact to groundwater, a permanent well is installed where IGWA sampling has indicated the presence of COPCs is in excess of the SCDHEC RBSLs for groundwater. If COPCs are found to be present in the permanent well, additional permanent wells are installed to delineate the extent of impact to groundwater and a sampling program (LTM) is established. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

In accordance with the multi-media investigation selection process (Appendix A), groundwater analytical results are typically compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion into existing homes and

the necessity for an investigation associated with this media. However, as previously stated, this property did not have an existing home and instead was among those selected for an evaluation of soil gas because of the planned demolition and construction activities.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 480 West Dove Lane (Formerly 1431 West Dove Lane). The sampling activities at 480 West Dove Lane (Formerly 1431 West Dove Lane) comprised a soil investigation, IGWA sampling, installation and sampling of five permanent monitoring wells, LTM sampling, and a vapor intrusion (VI) investigation. Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 1431 West Dove Lane* (MCAS Beaufort, 2009). The UST Assessment Report is provided in Appendix B. Details regarding the IGWA sampling activities at this site are provided in the *Initial Groundwater Investigation Report – February 2015* (Resolution Consultants, 2015). The laboratory report that includes the pertinent IGWA analytical results for this site is presented in Appendix C. Details regarding the permanent well installations and initial sampling activities at this site are provided in the *Groundwater Assessment Report – March and April 2017* (Resolution Consultants, 2017) and in the *Groundwater Assessment Report – November and December 2018 and April 2019* (CDM-AECOM Multimedia JV, 2019). The laboratory reports that includes the pertinent groundwater analytical results for this site are presented in Appendix D. Details regarding the LTM activities to date at this site are provided in the *2019 Groundwater Monitoring Report* (Resolution Consultants, 2019). A comprehensive table of the historical groundwater analytical results for all permanent monitoring wells at the site through 2019 is presented in Appendix E. Details regarding the VI investigation at this site are provided in the *Letter Report Petroleum Vapor Intrusion Investigations – May 2018 through July 2018* (CDM-AECOM Multimedia JV, 2018). The laboratory reports that include the pertinent soil gas analytical results for this site are presented in Appendix F.

2.1 UST Removal and Soil Sampling

On August 3, 2009, a single 280 gallon heating oil UST was removed from the front grassed area, adjacent to the concrete porch at 480 West Dove Lane (Formerly 1431 West Dove Lane). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report

(Appendix B), the depth to the base of the UST was 6'2" bgs and a single soil sample was collected from that depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or No Further Action [NFA]) for the property. The soil results collected from the former UST location at 480 West Dove Lane (Formerly 1431 West Dove Lane) were greater than the SCDHEC RBSLs, which indicated further investigation was required. In a letter dated April 1, 2014, SCDHEC requested an IGWA for 480 West Dove Lane (Formerly 1431 West Dove Lane) to determine if the groundwater was impacted by petroleum COPCs. SCDHEC's request letter is provided in Appendix G.

2.3 Initial Groundwater Sampling

On February 2, 2015, a single temporary monitoring well was installed at 480 West Dove Lane (Formerly 1431 West Dove Lane), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the monitoring well was placed in the same general location as the former heating oil UST. The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). Further details are provided in the *Initial Groundwater Investigation Report – February 2015* (Resolution Consultants, 2015).

The sampling strategy for this phase of the investigation required a one-time sampling event of the temporary monitoring well. Following well installation and development, a groundwater sample was collected using low-flow methods and shipped to an offsite laboratory for analysis

of the petroleum COPCs. Upon completion of groundwater sampling, the temporary well was abandoned in accordance with the South Carolina Well Standards and Regulations R.61-71 (SCDHEC, 2016). Field forms are provided in the *Initial Groundwater Investigation Report – February 2015* (Resolution Consultants, 2015).

2.4 Initial Groundwater Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 2. A copy of the laboratory analytical data report is included in Appendix C.

The groundwater results collected from 480 West Dove Lane (Formerly 1431 West Dove Lane) were greater than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 2), which indicated further investigation was required. In a letter dated May 5, 2015, SCDHEC requested a permanent well be installed for 480 West Dove Lane (Formerly 1431 West Dove Lane) to confirm the impact to groundwater detected in the temporary well sample. SCDHEC's request letter is provided in Appendix G.

2.5 Permanent Well Groundwater Sampling

On March 14, 2017, a permanent monitoring well was installed at 480 West Dove Lane (Formerly 1431 West Dove Lane), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the permanent monitoring well, MW01, was placed in the same general location as the former heating oil UST and the IGWA sample location. The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). Further details are provided in the *Groundwater Assessment Report – March and April 2017* (Resolution Consultants, 2017). The sampling strategy for this phase of the investigation required a one-time sampling event of the permanent monitoring well to confirm the impact to groundwater detected in the temporary well sample.

In November 2018, four additional permanent wells (MW02, MW03, MW04 and MW05) were also installed around the property at 480 West Dove Lane (Formerly 1431 West Dove Lane) to delineate potential contamination. Further details are provided in the *Groundwater Assessment Report – November and December 2018 and April 2019* (CDM-AECOM Multimedia JV, 2019).

The sampling strategy for this phase of the investigation required an initial sampling event of the permanent monitoring wells.

Following well installation and development, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Field forms are provided in the *Groundwater Assessment Report – March and April 2017* (Resolution Consultants, 2017) and in the *Groundwater Assessment Report – November and December 2018 and April 2019* (CDM-AECOM Multimedia JV, 2019).

2.6 Permanent Well Groundwater Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 3. A copy of the laboratory analytical data reports are included in Appendix D.

During the March and April 2017 groundwater assessment, the groundwater results collected from 480 West Dove Lane (Formerly 1431 West Dove Lane) at MW01 were greater than the SCDHEC RBSLs (Table 3), which indicated that further investigation was required. Based on these results, a recommendation was made to conduct LTM at 480 West Dove Lane (Formerly 1431 West Dove Lane). In a letter dated December 11, 2017, SCDHEC approved the LTM recommendation for 480 West Dove Lane (Formerly 1431 West Dove Lane) to continue to monitor the impact to groundwater detected in the permanent well sample (MW01). SCDHEC's approval letter is provided in Appendix G.

During the November and December 2018 and April 2019 groundwater assessments, the groundwater results collected from 480 West Dove Lane (Formerly 1431 West Dove Lane) were less than the SCDHEC RBSLs (Table 3). Based on these results, a recommendation was made to adopt the delineation wells into the existing LTM program for 480 West Dove Lane (Formerly 1431 West Dove Lane). In a letter dated August 14, 2019, SCDHEC approved the recommendation to add the additional permanent wells to the LTM program for 480 West Dove Lane (Formerly 1431 West Dove Lane) in order to monitor the impact to groundwater at this property. SCDHEC's approval letter is provided in Appendix G.

2.7 Long Term Monitoring

The LTM program at 480 West Dove Lane (Formerly 1431 West Dove Lane) consists of annual groundwater sampling at the five permanent monitoring wells. LTM sampling activities have

been conducted annually since 2018 at the referenced site. The latest groundwater sampling details are provided in the *2019 Groundwater Monitoring Report* (Resolution Consultants, 2019).

The sampling strategy for this phase of the investigation required annual LTM sampling of the permanent wells until an optimized monitoring strategy (e.g., reduced COPCs, reduced sampling frequency, reduce number of wells, etc.) or NFA determination could be made for the site. During each LTM sampling event, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Field forms from the most recent sampling event in February and March 2019 are provided in the *2019 Groundwater Monitoring Report* (Resolution Consultants, 2019).

2.8 Long Term Monitoring Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 4. A comprehensive table of the historical groundwater analytical results for all permanent monitoring wells at the site through 2019 is presented in Appendix E. The associated laboratory analytical data reports are located in each of the annual LBMH groundwater monitoring reports.

The groundwater results collected from 480 West Dove Lane (Formerly 1431 West Dove Lane) from at least one of the monitoring wells were greater than the SCDHEC RBSLs and/or the site specific groundwater VISLs (Table 4) during the 2018 and 2019 groundwater sampling event. This indicated LTM was required to continue at the property to further assess the impact in groundwater by COPCs associated with the former UST at concentrations that may present a potential risk to human health and the environment. In a letter dated December 17, 2019, SCDHEC approved continuing LTM at 480 West Dove Lane (Formerly 1431 West Dove Lane) in order to monitor groundwater impacts from the former heating oil UST. SCDHEC's approval letter is provided in Appendix G.

LTM will continue at this property until COPC concentrations in groundwater sampled from all permanent monitoring wells are less than the SCDHEC RBSLs for three or more consecutive sampling events.

2.9 Soil Gas Sampling

On May 21, 2018, two temporary subsurface soil gas wells were installed at 480 West Dove Lane (Formerly 1431 West Dove Lane) in accordance with the SCDHEC approved *Uniform*

Federal Policy Sampling and Analysis Plan (UFP SAP) for Vapor Media (CDM-AECOM Multimedia JV, 2018). Soil gas sampling was conducted at this property to assess the potential risk for vapor intrusion associated with the possible construction of a new home on top of the former UST location. A subsurface soil gas well was placed in the same general location as the former heating oil UST and MW01. The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). A second subsurface soil gas well was placed within the former residence footprint. Further details are provided in the *Letter Report Petroleum Vapor Intrusion Investigations – May 2018 through July 2018* (CDM-AECOM Multimedia JV, 2018).

The sampling strategy for this phase of the investigation required a one-time sampling event of the subsurface soil gas wells. The subsurface soil gas wells at 480 West Dove Lane (Formerly 1431 West Dove Lane) were sampled on May 24, 2018. Soil gas samples were collected and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of soil gas sampling, the temporary subsurface soil gas wells were abandoned in accordance with the *UFP SAP for Vapor Media* (CDM-AECOM Multimedia JV, 2018). Field forms are provided in the *Letter Report Petroleum Vapor Intrusion Investigations – May 2018 through July 2018* (Resolution Consultants, 2018).

2.10 Soil Gas Analytical Results

A summary of the laboratory analytical results and United States Environmental Protection Agency (USEPA) VISLs is presented in Table 5. A copy of the laboratory analytical data report is included in Appendix F.

The soil gas results collected from the subsurface soil gas well near the former heating oil UST and monitoring well MW01 at 480 West Dove Lane (Formerly 1431 West Dove Lane) were above the USEPA VISLs, which indicated further investigation was required. The soil gas results collected from the subsurface soil gas well underneath the former residence footprint at 480 West Dove Lane (Formerly 1431 West Dove Lane) were below the USEPA VISLs, which indicated that the subsurface soil gas underneath the former residence was not impacted by COPCs associated with the former UST at concentrations that present a potential risk to human health and the environment.

3.0 PROPERTY STATUS

The house at 480 West Dove Lane (Formerly 1431 West Dove Lane) was demolished and the property is an empty lot. There are no current plans for construction in this area. Based on the

analytical results for groundwater collected from the permanent monitoring wells, LTM is required to continue at 480 West Dove Lane (Formerly 1431 West Dove Lane) to further assess the impact in groundwater by COPCs associated with the former UST. Groundwater monitoring results for this site beyond 2019 will be available on the Laurel Bay Health Study website, which is located at: <https://www.beaufort.marines.mil/Resources/Laurel-Bay-Health-Study/>. Based on the analytical results for soil gas underneath the former residence footprint, it was determined that there was not a VI concern at this property and a recommendation was made for no additional VI assessment activities. SCDHEC approved the no further VI investigation recommendation for 480 West Dove Lane (Formerly 1431 West Dove Lane) in a letter dated October 30, 2018. SCDHEC's letter is provided in Appendix G.

4.0 REFERENCES

CDM-AECOM Multimedia JV, 2018. *Letter Report Petroleum Vapor Intrusion Investigations – May 2018 through July 2018 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, September 2018.

CDM-AECOM Multimedia JV, 2018. *Uniform Federal Policy Sampling and Analysis Plan for Vapor Media for Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, February 2018.

CDM-AECOM Multimedia JV, 2019. *Groundwater Assessment Report – November and December 2018 and April 2019 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, July 2019.

Marine Corps Air Station Beaufort, 2009. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 1431 West Dove Lane, Laurel Bay Military Housing Area*, November 2009.

Resolution Consultants, 2015. *Initial Groundwater Investigation Report – February 2015 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, April 2015.

Resolution Consultants, 2017. *Groundwater Assessment Report – March and April 2017 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, August 2017.

Resolution Consultants, 2019. *2019 Groundwater Monitoring Report for Laurel Bay Military Housing Area, Long-Term Monitoring (LTM), Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, October 2019.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

South Carolina Department of Health and Environmental Control Bureau of Water, 2016. *R.61-71, Well Standards*, June 2016.

United States Environmental Protection Agency, 2018. *USEPA OSWER Vapor Intrusion Assessment, Vapor Intrusion Screening Level Calculator*, May 2018.

Tables

Table 1
Laboratory Analytical Results - Soil
480 West Dove Lane (Formerly 1431 West Dove Lane)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

| Constituent | SCDHEC RBSLs ⁽¹⁾ | Results Sample Collected 08/03/09 |
|--|-----------------------------|--------------------------------------|
| Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg) | | |
| Benzene | 0.003 | ND |
| Ethylbenzene | 1.15 | 0.00423 |
| Naphthalene | 0.036 | 0.638 |
| Toluene | 0.627 | ND |
| Xylenes, Total | 13.01 | ND |
| Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg) | | |
| Benzo(a)anthracene | 0.066 | ND |
| Benzo(b)fluoranthene | 0.066 | ND |
| Benzo(k)fluoranthene | 0.066 | ND |
| Chrysene | 0.066 | ND |
| Dibenz(a,h)anthracene | 0.066 | ND |

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 (SCDHEC, May 2001).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligrams per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The soil laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

Table 2
Laboratory Analytical Results -Initial Groundwater
480 West Dove Lane (Formerly 1431 West Dove Lane)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

| Constituent | SCDHEC RBSLs ⁽¹⁾ | Site-Specific Groundwater VISLs ⁽²⁾ | Results Sample Collected 02/02/15 |
|---|-----------------------------|--|--------------------------------------|
| Volatile Organic Compounds Analyzed by EPA Method 8260B (µg/L) | | | |
| Benzene | 5 | 16.24 | ND |
| Ethylbenzene | 700 | 45.95 | 3.5 |
| Naphthalene | 25 | 29.33 | 51 |
| Toluene | 1000 | 105,445 | ND |
| Xylenes, Total | 10,000 | 2,133 | 0.73 |
| Semivolatile Organic Compounds Analyzed by EPA Method 8270D (µg/L) | | | |
| Benzo(a)anthracene | 10 | NA | 0.16 |
| Benzo(b)fluoranthene | 10 | NA | 0.099 |
| Benzo(k)fluoranthene | 10 | NA | 0.043 |
| Chrysene | 10 | NA | 0.12 |
| Dibenz(a,h)anthracene | 10 | NA | ND |

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0 (SCDHEC, April 2013).

⁽²⁾ Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of 1×10^{-6} , a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - not applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix C.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

µg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

Table 3
Laboratory Analytical Results - Permanent Monitoring Well Groundwater
480 West Dove Lane (Formerly 1431 West Dove Lane)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

| Constituent | SCDHEC RBSLs ⁽¹⁾ | Site-Specific Groundwater VISLs ⁽²⁾ | Results | | | | |
|---|-----------------------------|--|---|------------------|------------------|------------------|------------------|
| | | | Samples Collected 03/24/17 and 12/13/18 | | | | |
| | | | MW01 03/24/17 | MW02 12/14/18 | MW03 12/13/18 | MW04 12/13/18 | MW05 12/13/18 |
| Volatile Organic Compounds Analyzed by EPA Method 8260B (µg/L) | | | | | | | |
| Benzene | 5 | 16.24 | ND | ND | ND | ND | ND |
| Ethylbenzene | 700 | 45.95 | 0.86 | ND | ND | ND | ND |
| Naphthalene | 25 | 29.33 | 69 | 2.2 | 3.9 | ND | ND |
| Toluene | 1000 | 105,445 | ND | ND | ND | ND | ND |
| Xylenes, Total | 10,000 | 2,133 | ND | ND | ND | ND | ND |
| Semivolatile Organic Compounds Analyzed by EPA Method 8270D (µg/L) | | | | | | | |
| Benzo(a)anthracene | 10 | NA | ND | ND | ND | ND | ND |
| Benzo(b)fluoranthene | 10 | NA | ND | ND | ND | ND | ND |
| Benzo(k)fluoranthene | 10 | NA | ND | ND | ND | ND | ND |
| Chrysene | 10 | NA | ND | ND | ND | ND | ND |
| Dibenz(a,h)anthracene | 10 | NA | ND | ND | ND | ND | ND |

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, February 2016).

⁽²⁾ Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of 1×10^{-6} , a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - not applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix D.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

µg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

Table 4
Laboratory Analytical Results - Long Term Monitoring
480 West Dove Lane (Formerly 1431 West Dove Lane)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

| Constituent | | Benzene | Ethylbenzene | Naphthalene | Toluene | Xylenes | Benzo(a)anthracene | Benzo(b)fluoranthene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene |
|--|-------------|---------|--------------|-------------|---------|---------|--------------------|----------------------|----------------------|----------|-----------------------|
| SCDHEC RBSLs ⁽¹⁾ ($\mu\text{g/L}$) | | 5 | 700 | 25 | 1000 | 10,000 | 10 | 10 | 10 | 10 | 10 |
| Site-Specific Groundwater VISLs ⁽²⁾ ($\mu\text{g/L}$) | | 16.24 | 45.95 | 29.33 | 105,445 | 2,133 | N/A | N/A | N/A | N/A | N/A |
| Well ID | Sample Date | | | | | | | | | | |
| BEALB1431MW01 | 3/24/2017 | ND | 0.86 | 69 | ND | ND | ND | ND | ND | ND | ND |
| | 1/29/2018 | ND | ND | 29 | ND | ND | ND | ND | ND | ND | ND |
| | 2/25/2019 | ND | 0.72 | 81 | ND | ND | ND | ND | ND | ND | ND |
| BEALB1431MW02 | 12/14/2018 | ND | ND | 2.2 | ND | ND | ND | ND | ND | ND | ND |
| | 2/25/2019 | ND | ND | 2.5 | ND | ND | ND | ND | ND | ND | ND |
| BEALB1431MW03 | 12/13/2018 | ND | ND | 3.9 | ND | ND | ND | ND | ND | ND | ND |
| | 2/25/2019 | ND | ND | 1 | ND | ND | ND | ND | ND | ND | ND |
| BEALB1431MW04 | 12/13/2018 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 2/25/2019 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| BEALB1431MW05 | 12/13/2018 | ND | ND | ND | ND | ND | ND | ND | ND | ND | ND |
| | 2/25/2019 | ND | ND | 0.83 | ND | ND | ND | ND | ND | ND | ND |

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, February 2016).

⁽²⁾ Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of 1×10^{-6} , a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

JE - Johnson & Ettinger

N/A - not applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). A comprehensive table of the historical groundwater analytical results for all permanent monitoring wells at the site through 2019 is presented in Appendix E.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

$\mu\text{g/L}$ - micrograms per liter

VISL - Vapor Intrusion Screening Level

Table 5
Laboratory Analytical Results - Vapor
480 West Dove Lane (Formerly 1431 West Dove Lane)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

| Constituent | USEPA VISL ⁽¹⁾ | Soil Vapor Results Samples Collected 05/24/18 | |
|--|---------------------------|--|------------|
| | | SG01 | SG02 |
| Volatile Organic Compounds Analyzed by USEPA Method TO-15 ($\mu\text{g}/\text{m}^3$) | | | |
| Benzene | 12 | 24 | 3.8 |
| Toluene | 17000 | 17 | 10 |
| Ethylbenzene | 37 | 1400 | 3.5 |
| m,p-Xylenes | 350 | 270 | 5.0 |
| o-Xylene | 350 | 15 | 2.7 |
| Naphthalene | 2.8 | 250 | 1.4 |

Notes:

⁽¹⁾ United States Environmental Protection Agency Exterior Soil Gas Vapor Intrusion Screening Level (VISL) from VISL Calculator (May 2018).

VISLs are based on a residual exposure scenario and a target risk level of 1×10^{-6} and a hazard quotient of 0.1.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the residential VISL.

The vapor laboratory report is provided in Appendix F.


RBSL - Risk-Based Screening Level

$\mu\text{g}/\text{m}^3$ - micrograms per cubic meter

USEPA - United States Environmental Protection Agency

VISL - Vapor Intrusion Screening Level

Appendix A
Multi-Media Selection Process for LBMH



Appendix A - Multi-Media Selection Process for LBMH

Appendix B
UST Assessment Report

South Carolina Department of Health and Environmental Control (SCDHEC)
Underground Storage Tank (UST) Assessment Report

Date Received

State Use Only

Submit Completed Form To:
UST Program
SCDHEC
2600 Bull Street
Columbia, South Carolina 29201
Telephone (803) 896-7957

RECEIVED

NOV 09 2009

SC DHEC - Bureau of
Land & Waste Management

OWNERSHIP OF UST (S)

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)
Owner Name (Corporation, Individual, Public Agency, Other)

P.O. Box 55001
Mailing Address

| | | |
|-------------------|------------------------------|------------------------------|
| Beaufort, City | South Carolina State | 29904-5001 Zip Code |
| 843 Area Code | 228-7317 Telephone Number | Craig Ehde Contact Person |

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #

Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC
Facility Name or Company Site Identifier

1431 Dove Lane, Laurel Bay Military Housing Area
Street Address or State Road (as applicable)

Beaufort,
City

Beaufort
County

III. INSURANCE INFORMATION

Insurance Statement

The petroleum release reported to DHEC on _____ at Permit ID Number _____ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? **YES** ____ **NO** ____ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: _____

The policy deductible is: _____

The policy limit is: _____

If you have this type of insurance, please include a copy of the policy with this report.

IV. REQUEST FOR SUPERB FUNDING

I **DO / DO NOT** wish to participate in the SUPERB Program. (Circle one.)

V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.) _____

Signature _____

To be completed by Notary Public:

Sworn before me this _____ day of _____, 20_____

(Name) _____

Notary Public for the state of _____.
Please affix State seal if you are commissioned outside South Carolina

VI. UST INFORMATION

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity..(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material..(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....

- M. Method of disposal for any USTs removed from the ground (attach disposal manifests)
UST 1431Dove was removed from the ground and disposed of at a Subtitle "D" landfill. See Attachment "A."
-
- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)
UST 1431Dove had been previously filled with sand by others.
-
- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST
Corrosion, pitting and holes were found throughout the tank.

| | | | |
|-------------|--|--|--|
| 1431Dove | | | |
| Heating oil | | | |
| 280 gal | | | |
| Late 1950s | | | |
| Steel | | | |
| Mid 1980s | | | |
| 6 ' 2 " | | | |
| No | | | |
| No | | | |
| Removed | | | |
| 8/3/09 | | | |
| Yes | | | |
| Yes | | | |

VII. PIPING INFORMATION

- A. Construction Material..(ex. Steel, FRP).....
- B. Distance from UST to Dispenser.....
- C. Number of Dispensers.....
- D. Type of System Pressure or Suction.....
- E. Was Piping Removed from the Ground? Y/N
- F. Visible Corrosion or Pitting Y/N.....
- G. Visible Holes Y/N.....
- H. Age.....
- I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

| | | | | |
|-------------------|--|--|--|--|
| 1431Dove | | | | |
| Steel & Copper | | | | |
| N/A | | | | |
| N/A | | | | |
| Suction | | | | |
| Yes | | | | |
| Yes | | | | |
| No | | | | |
| Late 1950s | | | | |

Corrosion and pitting were found on the surface of the steel vent pipe. Copper supply and return lines were sound.

VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

IX. SITE CONDITIONS

| | Yes | No | Unk |
|---|-------------------------------------|-------------------------------------|-----|
| A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells? If yes, indicate depth and location on the site map. | | <input checked="" type="checkbox"/> | |
| B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells? *Mild odor noted. If yes, indicate location on site map and describe the odor (strong, mild, etc.) | <input checked="" type="checkbox"/> | | |
| C. Was water present in the UST excavation, soil borings, or trenches? If yes, how far below land surface (indicate location and depth)? | <input checked="" type="checkbox"/> | | |
| D. Did contaminated soils remain stockpiled on site after closure? If yes, indicate the stockpile location on the site map. Name of DHEC representative authorizing soil removal: | <input checked="" type="checkbox"/> | | |
| E. Was a petroleum sheen or free product detected on any excavation or boring waters? If yes, indicate location and thickness. | <input checked="" type="checkbox"/> | | |

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 96012001

B.

| Sample # | Location | Sample Type (Soil/Water) | Soil Type (Sand/Clay) | Depth* | Date/Time of Collection | Collected by | OVA # |
|----------|-------------------|-----------------------------|--------------------------|--------|----------------------------|-----------------|-------|
| 1431Dove | Excav at fill end | Soil | Sandy | 6' 2" | 8/3/09 1345 hrs | P. Shaw | |
| 8 | | | | | | | |
| 9 | | | | | | | |
| 10 | | | | | | | |
| 11 | | | | | | | |
| 12 | | | | | | | |
| 13 | | | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| 16 | | | | | | | |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |

* = Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.


XII. RECEPTORS

| | Yes | No |
|---|-----|----|
| A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system? *Broad R. ~820' | *X | |
| If yes, indicate type of receptor, distance, and direction on site map. | | |
| B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system? If yes, indicate type of well, distance, and direction on site map. | | X |
| C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system? If yes, indicate type of structure, distance, and direction on site map. | | X |
| D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? *Sewer & water. If yes, indicate the type of utility, distance, and direction on the site map. | *X | |
| E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete? If yes, indicate the area of contaminated soil on the site map. | | X |

XIII. SITE MAP

You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)



1431 DOVE LANE

0 105 210 420 630 840
 Feet

SBG-EEG, Inc.

Small Business Group, Inc.
 10179 Hwy 78
 Ladson, SC 29456

Ph. (843) 879-0400



Drawn By: L. DiAsia

Dwg Date: Aug 2009

**FIGURE 1: LOCATION MAP
 1431 DOVE LANE, LAUREL BAY
 MCAS BEAUFORT SC**



BROAD RIVER ≈820'



SBG-EEG
10179 HWY 78
LADSON, SC 29456
ph. (843) 879-0400

FIGURE 2 SITE MAP
1431 DOVE LN., LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC


DWG DATE AUG 2009

1431 DOVE LANE



CONCRETE
PORCH

GRASS



BROAD RIVER ≈820'

GRAPHIC SCALE
0 5'

UST 1431DOVE WAS
38" BELOW GRADE

SBG-EEG
10179 HWY 78
LADSON, SC 29456

ph. (843) 879-0400

FIGURE 3 UST SAMPLE LOCATIONS
1431 DOVE LN., LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE AUG 2009



Picture 1: Location of UST 1431Dove.



Picture 2: Site after completion of work.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

| | | | | | | | | |
|---------------------------------|------------|---------------|--|--|--|--|--|--|
| CoC | UST | 1431Dove | | | | | | |
| Benzene | | ND | | | | | | |
| Toluene | | ND | | | | | | |
| Ethylbenzene | | 0.00423 mg/kg | | | | | | |
| Xylenes | | ND | | | | | | |
| Naphthalene | | 0.638 mg/kg | | | | | | |
| Benzo (a) anthracene | | ND | | | | | | |
| Benzo (b) fluoranthene | | ND | | | | | | |
| Benzo (k) fluoranthene | | ND | | | | | | |
| Chrysene | | ND | | | | | | |
| Dibenz (a, h) anthracene | | ND | | | | | | |
| TPH (EPA 3550) | | | | | | | | |

| | | | | | | | | |
|---------------------------------|--|--|--|--|--|--|--|--|
| CoC | | | | | | | | |
| Benzene | | | | | | | | |
| Toluene | | | | | | | | |
| Ethylbenzene | | | | | | | | |
| Xylenes | | | | | | | | |
| Naphthalene | | | | | | | | |
| Benzo (a) anthracene | | | | | | | | |
| Benzo (b) fluoranthene | | | | | | | | |
| Benzo (k) fluoranthene | | | | | | | | |
| Chrysene | | | | | | | | |
| Dibenz (a, h) anthracene | | | | | | | | |
| TPH (EPA 3550) | | | | | | | | |

SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

| CoC | RBSL ($\mu\text{g/l}$) | W-1 | W-2 | W -3 | W -4 |
|-------------------------------|-----------------------------|-----|-----|------|------|
| Free Product Thickness | None | | | | |
| Benzene | 5 | | | | |
| Toluene | 1,000 | | | | |
| Ethylbenzene | 700 | | | | |
| Xylenes | 10,000 | | | | |
| Total BTEX | N/A | | | | |
| MTBE | 40 | | | | |
| Naphthalene | 25 | | | | |
| Benzo (a) anthracene | 10 | | | | |
| Benzo (b) flouranthene | 10 | | | | |
| Benzo (k) flouranthene | 10 | | | | |
| Chrysene | 10 | | | | |
| Dibenz (a, h) anthracene | 10 | | | | |
| EDB | .05 | | | | |
| 1,2-DCA | 5 | | | | |
| Lead | Site specific | | | | |

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here)
(Please see Form #4)

August 21, 2009 12:35:36PM

Client: EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn: Tom McElwee

Work Order: NSH0575
Project Name: Laurel Bay Housing Project
Project Nbr: [none]
P/O Nbr: 08087
Date Received: 08/07/09

SAMPLE IDENTIFICATION**LAB NUMBER****COLLECTION DATE AND TIME**

| | | |
|----------------|------------|----------------|
| 1423 Albatross | NSH0575-01 | 08/03/09 09:35 |
| 1426 Albatross | NSH0575-02 | 08/03/09 09:15 |
| 1428 Albatross | NSH0575-03 | 08/03/09 13:30 |
| 1431 Dove | NSH0575-04 | 08/03/09 13:45 |
| 1440 Dove | NSH0575-05 | 08/04/09 09:00 |
| 1447 Dove | NSH0575-06 | 08/04/09 09:30 |
| 1438 Dove | NSH0575-07 | 08/04/09 11:45 |
| 1441 Dove | NSH0575-08 | 08/04/09 13:55 |
| 1439 Dove | NSH0575-09 | 08/04/09 15:15 |

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

South Carolina Certification Number: 84009001

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.

This report has been electronically signed.

Report Approved By:



Ken A. Hayes

Senior Project Manager

Client EEG - Small Business Group, Inc. (2449) Work Order: NSH0575
10179 Highway 78 Project Name: Laurel Bay Housing Project
Ladson, SC 29456 Project Number: [none]
Attn Tom McElwee Received: 08/07/09 08:00

ANALYTICAL REPORT

| Analyte | Result | Flag | Units | MRL | Dilution Factor | Analysis Date/Time | Method | Batch |
|--|--------|------|-----------|---------|-----------------|--------------------|-------------|---------|
| Sample ID: NSH0575-01 (1423 Albatross - Soil) Sampled: 08/03/09 09:35 | | | | | | | | |
| General Chemistry Parameters | | | | | | | | |
| % Dry Solids | 82.8 | | % | 0.500 | | 08/19/09 14:20 | SW-846 | 9082734 |
| Selected Volatile Organic Compounds by EPA Method 8260B | | | | | | | | |
| Benzene | ND | | mg/kg dry | 0.00206 | | 08/13/09 15:22 | SW846 8260B | 9081164 |
| Ethylbenzene | ND | | mg/kg dry | 0.00206 | | 08/13/09 15:22 | SW846 8260B | 9081164 |
| Naphthalene | ND | | mg/kg dry | 0.00515 | | 08/13/09 15:22 | SW846 8260B | 9081164 |
| Toluene | ND | | mg/kg dry | 0.00206 | | 08/13/09 15:22 | SW846 8260B | 9081164 |
| Xylenes, total | ND | | mg/kg dry | 0.00515 | | 08/13/09 15:22 | SW846 8260B | 9081164 |
| <i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i> | 93 % | | | | | 08/13/09 15:22 | SW846 8260B | 9081164 |
| <i>Surr: Dibromoformmethane (75-125%)</i> | 89 % | | | | | 08/13/09 15:22 | SW846 8260B | 9081164 |
| <i>Surr: Toluene-d8 (76-129%)</i> | 102 % | | | | | 08/13/09 15:22 | SW846 8260B | 9081164 |
| <i>Surr: 4-Bromofluorobenzene (67-147%)</i> | 110 % | | | | | 08/13/09 15:22 | SW846 8260B | 9081164 |

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSH0575
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 08/07/09 08:00

ANALYTICAL REPORT

| Analyte | Result | Flag | Units | MDL | MRL | Dilution Factor | Analysis Date/Time | Method | Batch |
|--|--------|------|-----------|--------|--------|-----------------|--------------------|-------------|---------|
| Sample ID: NSH0575-01 (1423 Albatross - Soil) - cont. Sampled: 08/03/09 09:35 | | | | | | | | | |
| Polyaromatic Hydrocarbons by EPA 8270D | | | | | | | | | |
| Acenaphthene | ND | | mg/kg dry | 0.0382 | 0.0799 | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |
| Acenaphthylene | ND | | mg/kg dry | 0.0370 | 0.0799 | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |
| Anthracene | ND | L | mg/kg dry | 0.0394 | 0.0799 | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |
| Benzo (a) anthracene | ND | | mg/kg dry | 0.0453 | 0.0799 | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |
| Benzo (a) pyrene | ND | L | mg/kg dry | 0.0358 | 0.0799 | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |
| Benzo (b) fluoranthene | ND | | mg/kg dry | 0.0358 | 0.0799 | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |
| Benzo (g,h,i) perylene | ND | | mg/kg dry | 0.0358 | 0.0799 | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |
| Benzo (k) fluoranthene | ND | | mg/kg dry | 0.0358 | 0.0799 | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |
| Chrysene | ND | | mg/kg dry | 0.0477 | 0.0799 | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |
| Dibenz (a,h) anthracene | ND | | mg/kg dry | 0.0370 | 0.0799 | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |
| Fluoranthene | ND | | mg/kg dry | 0.0405 | 0.0799 | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |
| Fluorene | ND | | mg/kg dry | 0.0429 | 0.0799 | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |
| Indeno (1,2,3-cd) pyrene | ND | | mg/kg dry | 0.0370 | 0.0799 | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |
| Naphthalene | ND | | mg/kg dry | 0.0489 | 0.0799 | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |
| Phenanthrene | ND | | mg/kg dry | 0.0405 | 0.0799 | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |
| Pyrene | ND | L | mg/kg dry | 0.0489 | 0.0799 | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |
| 1-Methylnaphthalene | ND | | mg/kg dry | 0.0382 | 0.0799 | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |
| 2-Methylnaphthalene | ND | | mg/kg dry | 0.0394 | 0.0799 | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |
| Surr: Terphenyl-d14 (18-120%) | 74 % | | | | | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |
| Surr: 2-Fluorobiphenyl (14-120%) | 59 % | | | | | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |
| Surr: Nitrobenzene-d5 (17-120%) | 65 % | | | | | 1 | 08/14/09 17:51 | SW846 8270D | 9081773 |

| | | | |
|--------|---|-----------------|----------------------------|
| Client | EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456 | Work Order: | NSH0575 |
| Attn | Tom McElwec | Project Name: | Laurel Bay Housing Project |
| | | Project Number: | [none] |
| | | Received: | 08/07/09 08:00 |

ANALYTICAL REPORT

| Analyte | Result | Flag | Units | MRL | Dilution Factor | Analysis Date/Time | Method | Batch |
|--|----------------|------|-----------|---------|-----------------|--------------------|-------------|---------|
| Sample ID: NSH0575-02 (1426 Albatross - Soil) Sampled: 08/03/09 09:15 | | | | | | | | |
| General Chemistry Parameters | | | | | | | | |
| % Dry Solids | 82.9 | | % | 0.500 | | 08/19/09 14:20 | SW-846 | 9082734 |
| Selected Volatile Organic Compounds by EPA Method 8260B | | | | | | | | |
| Benzene | ND | | mg/kg dry | 0.00207 | | 08/13/09 15:52 | SW846 8260B | 9081164 |
| Ethylbenzene | 0.00873 | | mg/kg dry | 0.00207 | 1 | 08/13/09 15:52 | SW846 8260B | 9081164 |
| Naphthalene | 0.464 | | mg/kg dry | 0.272 | 50 | 08/14/09 19:29 | SW846 8260B | 9082671 |
| Toluene | ND | | mg/kg dry | 0.00207 | | 08/13/09 15:52 | SW846 8260B | 9081164 |
| Xylenes, total | ND | | mg/kg dry | 0.00517 | | 08/13/09 15:52 | SW846 8260B | 9081164 |
| Surr: 1,2-Dichloroethane-d4 (67-138%) | 95 % | | | | | 08/13/09 15:52 | SW846 8260B | 9081164 |
| Surr: 1,2-Dichloroethane-d4 (67-138%) | 90 % | | | | | 08/14/09 19:29 | SW846 8260B | 9082671 |
| Surr: Dibromofluoromethane (75-125%) | 92 % | | | | | 08/13/09 15:52 | SW846 8260B | 9081164 |
| Surr: Dibromofluoromethane (75-125%) | 97 % | | | | | 08/14/09 19:29 | SW846 8260B | 9082671 |
| Surr: Toluene-d8 (76-129%) | 99 % | | | | | 08/13/09 15:52 | SW846 8260B | 9081164 |
| Surr: Toluene-d8 (76-129%) | 87 % | | | | | 08/14/09 19:29 | SW846 8260B | 9082671 |
| Surr: 4-Bromofluorobenzene (67-147%) | 104 % | | | | | 08/13/09 15:52 | SW846 8260B | 9081164 |
| Surr: 4-Bromofluorobenzene (67-147%) | 88 % | | | | | 08/14/09 19:29 | SW846 8260B | 9082671 |

Client EEG - Small Business Group, Inc. (2449) Work Order: NSH0575
10179 Highway 78 Project Name: Laurel Bay Housing Project
Ladson, SC 29456 Project Number: [none]
Attn Tom McElwee Received: 08/07/09 08:00

ANALYTICAL REPORT

| Analyte | Result | Flag | Units | MDL | MRL | Dilution Factor | Analysis Date/Time | Method | Batch |
|--|--------|--------------|-----------|--------|--------|-----------------|--------------------|-------------|---------|
| Sample ID: NSH0575-02 (1426 Albatross - Soil) - cont. Sampled: 08/03/09 09:15 | | | | | | | | | |
| Polyaromatic Hydrocarbons by EPA 8270D | | | | | | | | | |
| Acenaphthene | ND | | mg/kg dry | 0.0379 | 0.0794 | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |
| Acenaphthylene | ND | | mg/kg dry | 0.0367 | 0.0794 | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |
| Anthracene | ND | L | mg/kg dry | 0.0391 | 0.0794 | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |
| Benzo (a) anthracene | ND | | mg/kg dry | 0.0450 | 0.0794 | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |
| Benzo (a) pyrene | ND | L | mg/kg dry | 0.0355 | 0.0794 | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |
| Benzo (b) fluoranthene | ND | | mg/kg dry | 0.0355 | 0.0794 | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |
| Benzo (g,h,i) perylene | ND | | mg/kg dry | 0.0355 | 0.0794 | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |
| Benzo (k) fluoranthene | ND | | mg/kg dry | 0.0355 | 0.0794 | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |
| Chrysene | ND | | mg/kg dry | 0.0474 | 0.0794 | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |
| Dibenz (a,h) anthracene | ND | | mg/kg dry | 0.0367 | 0.0794 | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |
| Fluoranthene | 0.153 | | mg/kg dry | 0.0403 | 0.0794 | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |
| Fluorene | ND | | mg/kg dry | 0.0426 | 0.0794 | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |
| Indeno (1,2,3-cd) pyrene | ND | | mg/kg dry | 0.0367 | 0.0794 | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |
| Naphthalene | 0.0648 | | mg/kg dry | 0.0486 | 0.0794 | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |
| Phenanthrene | 0.224 | | mg/kg dry | 0.0403 | 0.0794 | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |
| Pyrene | 0.143 | CF2, CF6, L1 | mg/kg dry | 0.0486 | 0.0794 | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |
| 1-Methylnaphthalene | 0.295 | | mg/kg dry | 0.0379 | 0.0794 | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |
| 2-Methylnaphthalene | 0.411 | | mg/kg dry | 0.0391 | 0.0794 | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |
| Surr: Terphenyl-dl4 (18-120%) | 77 % | | | | | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |
| Surr: 2-Fluorobiphenyl (14-120%) | 54 % | | | | | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |
| Surr: Nitrobenzene-d5 (17-120%) | 63 % | | | | | 1 | 08/14/09 18:14 | SW846 8270D | 9081773 |

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSH0575
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 08/07/09 08:00

ANALYTICAL REPORT

| Analyte | Result | Flag | Units | MRL | Dilution Factor | Analysis Date/Time | Method | Batch |
|--|--------|------|-----------|---------|-----------------|--------------------|-------------|---------|
| Sample ID: NSH0575-03 (1428 Albatross - Soil) Sampled: 08/03/09 13:30 | | | | | | | | |
| General Chemistry Parameters | | | | | | | | |
| % Dry Solids | 75.9 | | % | 0.500 | 1 | 08/19/09 14:20 | SW-846 | 9082734 |
| Selected Volatile Organic Compounds by EPA Method 8260B | | | | | | | | |
| Benzene | ND | | mg/kg dry | 0.00230 | 1 | 08/13/09 16:22 | SW846 8260B | 9081164 |
| Ethylbenzene | ND | | mg/kg dry | 0.00230 | 1 | 08/13/09 16:22 | SW846 8260B | 9081164 |
| Naphthalene | ND | | mg/kg dry | 0.00574 | 1 | 08/13/09 16:22 | SW846 8260B | 9081164 |
| Toluene | ND | | mg/kg dry | 0.00230 | 1 | 08/13/09 16:22 | SW846 8260B | 9081164 |
| Xylenes, total | ND | | mg/kg dry | 0.00574 | 1 | 08/13/09 16:22 | SW846 8260B | 9081164 |
| <i>Surrogate:</i> 1,2-Dichloroethane-d4 (67-138%) | 104 % | | | | | 08/13/09 16:22 | SW846 8260B | 9081164 |
| <i>Surrogate:</i> Dibromoformmethane (75-125%) | 96 % | | | | | 08/13/09 16:22 | SW846 8260B | 9081164 |
| <i>Surrogate:</i> Toluene-d8 (76-129%) | 95 % | | | | | 08/13/09 16:22 | SW846 8260B | 9081164 |
| <i>Surrogate:</i> 4-Bromoformbenzene (67-147%) | 98 % | | | | | 08/13/09 16:22 | SW846 8260B | 9081164 |

Client EEG - Small Business Group, Inc. (2449) Work Order: NSH0575
10179 Highway 78 Project Name: Laurel Bay Housing Project
Ladson, SC 29456 Project Number: [none]
Attn Tom McElwee Received: 08/07/09 08:00

ANALYTICAL REPORT

| Analyte | Result | Flag | Units | MDL | MRL | Dilution Factor | Analysis Date/Time | Method | Batch |
|--|--------|--------------|-----------|--------|--------|-----------------|--------------------|-------------|---------|
| Sample ID: NSH0575-03 (1428 Albatross - Soil) - cont. Sampled: 08/03/09 13:30 | | | | | | | | | |
| Polyaromatic Hydrocarbons by EPA 8270D | | | | | | | | | |
| Acenaphthene | ND | | mg/kg dry | 0.0418 | 0.0875 | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |
| Acenaphthylene | ND | | mg/kg dry | 0.0405 | 0.0875 | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |
| Anthracene | ND | L | mg/kg dry | 0.0431 | 0.0875 | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |
| Benzo (a) anthracene | 0.132 | | mg/kg dry | 0.0496 | 0.0875 | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |
| Benzo (a) pyrene | 0.0566 | J, L | mg/kg dry | 0.0392 | 0.0875 | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |
| Benzo (b) fluoranthene | 0.0705 | J | mg/kg dry | 0.0392 | 0.0875 | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |
| Benzo (g,h,i) perylene | ND | | mg/kg dry | 0.0392 | 0.0875 | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |
| Benzo (k) fluoranthene | 0.0701 | J | mg/kg dry | 0.0392 | 0.0875 | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |
| Chrysene | 0.133 | | mg/kg dry | 0.0522 | 0.0875 | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |
| Dibenz (a,h) anthracene | ND | | mg/kg dry | 0.0405 | 0.0875 | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |
| Fluoranthene | 0.260 | J | mg/kg dry | 0.0444 | 0.0875 | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |
| Fluorene | 0.0575 | J | mg/kg dry | 0.0470 | 0.0875 | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |
| Indeno (1,2,3-cd) pyrene | ND | | mg/kg dry | 0.0405 | 0.0875 | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |
| Naphthalene | ND | | mg/kg dry | 0.0536 | 0.0875 | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |
| Phenanthrene | 0.163 | | mg/kg dry | 0.0444 | 0.0875 | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |
| Pyrene | 0.253 | CF2, CF6, L1 | mg/kg dry | 0.0536 | 0.0875 | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |
| 1-Methylnaphthalene | 0.123 | | mg/kg dry | 0.0418 | 0.0875 | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |
| 2-Methylnaphthalene | 0.165 | | mg/kg dry | 0.0431 | 0.0875 | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |
| Surr: Terphenyl-d14 (18-120%) | 85 % | | | | | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |
| Surr: 2-Fluorobiphenyl (14-120%) | 64 % | | | | | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |
| Surr: Nitrobenzene-d5 (17-120%) | 69 % | | | | | 1 | 08/14/09 18:38 | SW846 8270D | 9081773 |

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSH0575
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 08/07/09 08:00

ANALYTICAL REPORT

| Analyte | Result | Flag | Units | MRL | Dilution Factor | Analysis Date/Time | Method | Batch |
|---|---------|------|-----------|---------|-----------------|--------------------|-------------|---------|
| Sample ID: NSH0575-04 (1431 Dove - Soil) Sampled: 08/03/09 13:45 | | | | | | | | |
| General Chemistry Parameters | | | | | | | | |
| % Dry Solids | 85.9 | | % | 0.500 | 1 | 08/19/09 14:20 | SW-846 | 9082734 |
| Selected Volatile Organic Compounds by EPA Method 8260B | | | | | | | | |
| Benzene | ND | | mg/kg dry | 0.00208 | 1 | 08/13/09 16:53 | SW846 8260B | 9081164 |
| Ethylbenzene | 0.00423 | | mg/kg dry | 0.00208 | 1 | 08/13/09 16:53 | SW846 8260B | 9081164 |
| Naphthalene | 0.638 | | mg/kg dry | 0.243 | 50 | 08/14/09 19:59 | SW846 8260B | 9082671 |
| Toluene | ND | | mg/kg dry | 0.00208 | 1 | 08/13/09 16:53 | SW846 8260B | 9081164 |
| Xylenes, total | ND | | mg/kg dry | 0.00521 | 1 | 08/13/09 16:53 | SW846 8260B | 9081164 |
| Surr: 1,2-Dichloroethane-d4 (67-138%) | 135 % | | | | | 08/13/09 16:53 | SW846 8260B | 9081164 |
| Surr: 1,2-Dichloroethane-d4 (67-138%) | 100 % | | | | | 08/14/09 19:59 | SW846 8260B | 9082671 |
| Surr: Dibromoformmethane (75-125%) | 130 % | ZX | | | | 08/13/09 16:53 | SW846 8260B | 9081164 |
| Surr: Dibromoformmethane (75-125%) | 108 % | | | | | 08/14/09 19:59 | SW846 8260B | 9082671 |
| Surr: Toluene-d8 (76-129%) | 98 % | | | | | 08/13/09 16:53 | SW846 8260B | 9081164 |
| Surr: Toluene-d8 (76-129%) | 82 % | | | | | 08/14/09 19:59 | SW846 8260B | 9082671 |
| Surr: 4-Bromofluorobenzene (67-147%) | 128 % | | | | | 08/13/09 16:53 | SW846 8260B | 9081164 |
| Surr: 4-Bromofluorobenzene (67-147%) | 92 % | | | | | 08/14/09 19:59 | SW846 8260B | 9082671 |

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSH0575
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 08/07/09 08:00

ANALYTICAL REPORT

| Analyte | Result | Flag | Units | MDL | MRL | Dilution Factor | Analysis Date/Time | Method | Batch |
|---|-------------|------|-----------|-------|-------|-----------------|--------------------|-------------|---------|
| Sample ID: NSH0575-04 (1431 Dove - Soil) - cont. Sampled: 08/03/09 13:45 | | | | | | | | | |
| Polyaromatic Hydrocarbons by EPA 8270D | | | | | | | | | |
| Acenaphthene | ND | | mg/kg dry | 0.364 | 0.762 | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |
| Acenaphthylene | ND | | mg/kg dry | 0.353 | 0.762 | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |
| Anthracene | ND | L | mg/kg dry | 0.376 | 0.762 | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |
| Benzo (a) anthracene | ND | | mg/kg dry | 0.432 | 0.762 | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |
| Benzo (a) pyrene | ND | L | mg/kg dry | 0.341 | 0.762 | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |
| Benzo (b) fluoranthene | ND | | mg/kg dry | 0.341 | 0.762 | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |
| Benzo (g,h,i) perylene | ND | | mg/kg dry | 0.341 | 0.762 | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |
| Benzo (k) fluoranthene | ND | | mg/kg dry | 0.341 | 0.762 | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |
| Chrysene | ND | | mg/kg dry | 0.455 | 0.762 | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |
| Dibenz (a,h) anthracene | ND | | mg/kg dry | 0.353 | 0.762 | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |
| Fluoranthene | ND | | mg/kg dry | 0.387 | 0.762 | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |
| Fluorene | 1.69 | | mg/kg dry | 0.410 | 0.762 | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |
| Indeno (1,2,3-cd) pyrene | ND | | mg/kg dry | 0.353 | 0.762 | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |
| Naphthalene | ND | | mg/kg dry | 0.467 | 0.762 | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |
| Phenanthrene | ND | | mg/kg dry | 0.387 | 0.762 | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |
| Pyrene | ND | L | mg/kg dry | 0.467 | 0.762 | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |
| 1-Methylnaphthalene | 4.20 | | mg/kg dry | 0.364 | 0.762 | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |
| 2-Methylnaphthalene | 3.71 | | mg/kg dry | 0.376 | 0.762 | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |
| Surr: Terphenyl-d14 (18-120%) | 85 % | | | | | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |
| Surr: 2-Fluorobiphenyl (14-120%) | 86 % | | | | | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |
| Surr: Nitrobenzene-d5 (17-120%) | 79 % | | | | | 10 | 08/15/09 20:58 | SW846 8270D | 9081773 |

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwec

Work Order: NSH0575
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 08/07/09 08:00

ANALYTICAL REPORT

| Analyte | Result | Flag | Units | MRL | Dilution Factor | Analysis Date/Time | Method | Batch |
|---|----------------|------|-----------|---------|-----------------|--------------------|-------------|---------|
| Sample ID: NSH0575-05 (1440 Dove - Soil) Sampled: 08/04/09 09:00 | | | | | | | | |
| General Chemistry Parameters | | | | | | | | |
| % Dry Solids | 82.6 | | % | 0.500 | 1 | 08/19/09 14:20 | SW-846 | 9082734 |
| Selected Volatile Organic Compounds by EPA Method 8260B | | | | | | | | |
| Benzene | 0.00351 | | mg/kg dry | 0.00205 | 1 | 08/13/09 17:23 | SW846 8260B | 9081164 |
| Ethylbenzene | 1.87 | | mg/kg dry | 0.108 | 50 | 08/14/09 20:29 | SW846 8260B | 9082671 |
| Naphthalene | 12.2 | | mg/kg dry | 2.70 | 500 | 08/17/09 18:23 | SW846 8260B | 9082672 |
| Toluene | 0.0156 | | mg/kg dry | 0.00205 | 1 | 08/13/09 17:23 | SW846 8260B | 9081164 |
| Xylenes, total | 8.08 | | mg/kg dry | 0.270 | 50 | 08/14/09 20:29 | SW846 8260B | 9082671 |
| Surr: 1,2-Dichloroethane-d4 (67-138%) | 96 % | | | | | 08/13/09 17:23 | SW846 8260B | 9081164 |
| Surr: 1,2-Dichloroethane-d4 (67-138%) | 87 % | | | | | 08/14/09 20:29 | SW846 8260B | 9082671 |
| Surr: 1,2-Dichloroethane-d4 (67-138%) | 95 % | | | | | 08/17/09 18:23 | SW846 8260B | 9082672 |
| Surr: Dibromoformmethane (75-125%) | 90 % | | | | | 08/13/09 17:23 | SW846 8260B | 9081164 |
| Surr: Dibromoformmethane (75-125%) | 90 % | | | | | 08/14/09 20:29 | SW846 8260B | 9082671 |
| Surr: Dibromoformmethane (75-125%) | 94 % | | | | | 08/17/09 18:23 | SW846 8260B | 9082672 |
| Surr: Toluene-d8 (76-129%) | 131 % | ZX | | | | 08/13/09 17:23 | SW846 8260B | 9081164 |
| Surr: Toluene-d8 (76-129%) | 95 % | | | | | 08/14/09 20:29 | SW846 8260B | 9082671 |
| Surr: Toluene-d8 (76-129%) | 94 % | | | | | 08/17/09 18:23 | SW846 8260B | 9082672 |
| Surr: 4-Bromoformbenzene (67-147%) | 458 % | ZX | | | | 08/13/09 17:23 | SW846 8260B | 9081164 |
| Surr: 4-Bromoformbenzene (67-147%) | 106 % | | | | | 08/14/09 20:29 | SW846 8260B | 9082671 |
| Surr: 4-Bromoformbenzene (67-147%) | 94 % | | | | | 08/17/09 18:23 | SW846 8260B | 9082672 |

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSH0575
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 08/07/09 08:00

ANALYTICAL REPORT

| Analyte | Result | Flag | Units | MDL | MRL | Dilution Factor | Analysis Date/Time | Method | Batch |
|---|---------------|------|-----------|--------|--------|-----------------|--------------------|-------------|---------|
| Sample ID: NSH0575-05 (1440 Dove - Soil) - cont. Sampled: 08/04/09 09:00 | | | | | | | | | |
| Polyaromatic Hydrocarbons by EPA 8270D | | | | | | | | | |
| Acenaphthene | ND | | mg/kg dry | 0.0379 | 0.0793 | 1 | 08/19/09 04:51 | SW846 8270D | 9082723 |
| Acenaphthylene | ND | | mg/kg dry | 0.0367 | 0.0793 | 1 | 08/19/09 04:51 | SW846 8270D | 9082723 |
| Anthracene | 0.357 | | mg/kg dry | 0.0390 | 0.0793 | 1 | 08/19/09 04:51 | SW846 8270D | 9082723 |
| Benzo (a) anthracene | 0.0816 | | mg/kg dry | 0.0450 | 0.0793 | 1 | 08/19/09 04:51 | SW846 8270D | 9082723 |
| Benzo (a) pyrene | ND | | mg/kg dry | 0.0355 | 0.0793 | 1 | 08/19/09 04:51 | SW846 8270D | 9082723 |
| Benzo (b) fluoranthene | 0.0599 | | mg/kg dry | 0.0355 | 0.0793 | 1 | 08/19/09 04:51 | SW846 8270D | 9082723 |
| Benzo (g,h,i) perylene | ND | | mg/kg dry | 0.0355 | 0.0793 | 1 | 08/19/09 04:51 | SW846 8270D | 9082723 |
| Benzo (k) fluoranthene | ND | | mg/kg dry | 0.0355 | 0.0793 | 1 | 08/19/09 04:51 | SW846 8270D | 9082723 |
| Chrysene | 0.128 | | mg/kg dry | 0.0473 | 0.0793 | 1 | 08/19/09 04:51 | SW846 8270D | 9082723 |
| Dibenz (a,h) anthracene | ND | | mg/kg dry | 0.0367 | 0.0793 | 1 | 08/19/09 04:51 | SW846 8270D | 9082723 |
| Fluoranthene | 0.395 | | mg/kg dry | 0.0402 | 0.0793 | 1 | 08/19/09 04:51 | SW846 8270D | 9082723 |
| Fluorene | 2.79 | | mg/kg dry | 0.0426 | 0.0793 | 1 | 08/19/09 04:51 | SW846 8270D | 9082723 |
| Indeno (1,2,3-cd) pyrene | ND | | mg/kg dry | 0.0367 | 0.0793 | 1 | 08/19/09 04:51 | SW846 8270D | 9082723 |
| Naphthalene | 2.33 | | mg/kg dry | 0.0485 | 0.0793 | 1 | 08/19/09 04:51 | SW846 8270D | 9082723 |
| Phenanthrene | 6.70 | | mg/kg dry | 0.201 | 0.396 | 5 | 08/19/09 15:25 | SW846 8270D | 9082723 |
| Pyrene | 0.487 | | mg/kg dry | 0.0485 | 0.0793 | 1 | 08/19/09 04:51 | SW846 8270D | 9082723 |
| 1-Methylnaphthalene | 17.2 | | mg/kg dry | 0.379 | 0.793 | 10 | 08/19/09 18:36 | SW846 8270D | 9082723 |
| 2-Methylnaphthalene | 23.5 | | mg/kg dry | 0.390 | 0.793 | 10 | 08/19/09 18:36 | SW846 8270D | 9082723 |
| Surr: Terphenyl-d14 (18-120%) | 64 % | | | | | 1 | 08/19/09 04:51 | SW846 8270D | 9082723 |
| Surr: 2-Fluorobiphenyl (14-120%) | 84 % | | | | | 1 | 08/19/09 04:51 | SW846 8270D | 9082723 |
| Surr: Nitrobenzene-d5 (17-120%) | 182 % | ZX | | | | 1 | 08/19/09 04:51 | SW846 8270D | 9082723 |

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456

Attn Tom McElwec

Work Order: NSH0575
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 08/07/09 08:00

ANALYTICAL REPORT

| Analyte | Result | Flag | Units | MRL | Dilution Factor | Analysis Date/Time | Method | Batch |
|---|--------|------|-----------|-------|-----------------|--------------------|-------------|---------|
| Sample ID: NSH0575-06 (1447 Dove - Soil) Sampled: 08/04/09 09:30 | | | | | | | | |
| General Chemistry Parameters | | | | | | | | |
| % Dry Solids | 75.7 | | % | 0.500 | 1 | 08/19/09 14:20 | SW-846 | 9082734 |
| Selected Volatile Organic Compounds by EPA Method 8260B | | | | | | | | |
| Benzene | ND | | mg/kg dry | 0.106 | 50 | 08/18/09 18:56 | SW846 8260B | 9081749 |
| Ethylbenzene | ND | | mg/kg dry | 0.106 | 50 | 08/18/09 18:56 | SW846 8260B | 9081749 |
| Naphthalene | 0.923 | | mg/kg dry | 0.264 | 50 | 08/18/09 18:56 | SW846 8260B | 9081749 |
| Toluene | ND | | mg/kg dry | 0.106 | 50 | 08/18/09 18:56 | SW846 8260B | 9081749 |
| Xylenes, total | ND | | mg/kg dry | 0.264 | 50 | 08/18/09 18:56 | SW846 8260B | 9081749 |
| <i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i> | 96 % | | | | | 08/18/09 18:56 | SW846 8260B | 9081749 |
| <i>Surr: Dibromoformmethane (75-125%)</i> | 94 % | | | | | 08/18/09 18:56 | SW846 8260B | 9081749 |
| <i>Surr: Toluene-d8 (76-129%)</i> | 100 % | | | | | 08/18/09 18:56 | SW846 8260B | 9081749 |
| <i>Surr: 4-Bromoformbenzene (67-147%)</i> | 106 % | | | | | 08/18/09 18:56 | SW846 8260B | 9081749 |

Client EEG - Small Business Group, Inc. (2449) Work Order: NSH0575
10179 Highway 78 Project Name: Laurel Bay Housing Project
Ladson, SC 29456 Project Number: [none]
Attn Tom McElwee Received: 08/07/09 08:00

ANALYTICAL REPORT

| Analyte | Result | Flag | Units | MDL | MRL | Dilution Factor | Analysis Date/Time | Method | Batch |
|---|--------------|------|-----------|--------|--------|-----------------|--------------------|-------------|---------|
| Sample ID: NSH0575-06 (1447 Dove - Soil) - cont. Sampled: 08/04/09 09:30 | | | | | | | | | |
| Polyaromatic Hydrocarbons by EPA 8270D | | | | | | | | | |
| Acenaphthene | 0.590 | | mg/kg dry | 0.0413 | 0.0864 | 1 | 08/19/09 05:15 | SW846 8270D | 9082723 |
| Acenaphthylene | ND | | mg/kg dry | 0.0400 | 0.0864 | 1 | 08/19/09 05:15 | SW846 8270D | 9082723 |
| Anthracene | 2.23 | | mg/kg dry | 0.0426 | 0.0864 | 1 | 08/19/09 05:15 | SW846 8270D | 9082723 |
| Benzo (a) anthracene | 7.13 | | mg/kg dry | 0.245 | 0.432 | 5 | 08/19/09 15:49 | SW846 8270D | 9082723 |
| Benzo (a) pyrene | 2.15 | | mg/kg dry | 0.0387 | 0.0864 | 1 | 08/19/09 05:15 | SW846 8270D | 9082723 |
| Benzo (b) fluoranthene | 2.57 | | mg/kg dry | 0.0387 | 0.0864 | 1 | 08/19/09 05:15 | SW846 8270D | 9082723 |
| Benzo (g,h,i) perylene | 0.581 | | mg/kg dry | 0.0387 | 0.0864 | 1 | 08/19/09 05:15 | SW846 8270D | 9082723 |
| Benzo (k) fluoranthene | 2.00 | | mg/kg dry | 0.0387 | 0.0864 | 1 | 08/19/09 05:15 | SW846 8270D | 9082723 |
| Chrysene | 4.14 | | mg/kg dry | 0.0516 | 0.0864 | 1 | 08/19/09 05:15 | SW846 8270D | 9082723 |
| Dibenz (a,h) anthracene | 0.443 | | mg/kg dry | 0.0400 | 0.0864 | 1 | 08/19/09 05:15 | SW846 8270D | 9082723 |
| Fluoranthene | 15.5 | | mg/kg dry | 0.439 | 0.864 | 10 | 08/19/09 19:00 | SW846 8270D | 9082723 |
| Fluorene | 1.70 | | mg/kg dry | 0.0464 | 0.0864 | 1 | 08/19/09 05:15 | SW846 8270D | 9082723 |
| Indeno (1,2,3-cd) pyrene | 0.690 | | mg/kg dry | 0.0400 | 0.0864 | 1 | 08/19/09 05:15 | SW846 8270D | 9082723 |
| Naphthalene | ND | | mg/kg dry | 0.0529 | 0.0864 | 1 | 08/19/09 05:15 | SW846 8270D | 9082723 |
| Phenanthrene | 15.3 | | mg/kg dry | 0.219 | 0.432 | 5 | 08/19/09 15:49 | SW846 8270D | 9082723 |
| Pyrene | 18.3 | | mg/kg dry | 0.264 | 0.432 | 5 | 08/19/09 15:49 | SW846 8270D | 9082723 |
| 1-Methylnaphthalene | 2.44 | | mg/kg dry | 0.0413 | 0.0864 | 1 | 08/19/09 05:15 | SW846 8270D | 9082723 |
| 2-Methylnaphthalene | 3.79 | | mg/kg dry | 0.0426 | 0.0864 | 1 | 08/19/09 05:15 | SW846 8270D | 9082723 |
| Surr: Terphenyl-d14 (18-120%) | 68 % | | | | | 1 | 08/19/09 05:15 | SW846 8270D | 9082723 |
| Surr: 2-Fluorobiphenyl (14-120%) | 62 % | | | | | 1 | 08/19/09 05:15 | SW846 8270D | 9082723 |
| Surr: Nitrobenzene-d5 (17-120%) | 92 % | | | | | 1 | 08/19/09 05:15 | SW846 8270D | 9082723 |

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwec

Work Order: NSH0575
Project Name: Laurel Bay Housing Project
Project Number: [nonc]
Received: 08/07/09 08:00

ANALYTICAL REPORT

| Analyte | Result | Flag | Units | MRL | Dilution Factor | Analysis Date/Time | Method | Batch |
|---|----------------|------|-----------|---------|-----------------|--------------------|-------------|---------|
| Sample ID: NSH0575-07 (1438 Dove - Soil) Sampled: 08/04/09 11:45 | | | | | | | | |
| General Chemistry Parameters | | | | | | | | |
| % Dry Solids | 86.1 | | % | 0.500 | 1 | 08/19/09 14:20 | SW-846 | 9082734 |
| Selected Volatile Organic Compounds by EPA Method 8260B | | | | | | | | |
| Benzene | ND | | mg/kg dry | 0.00201 | 1 | 08/13/09 18:23 | SW846 8260B | 9081164 |
| Ethylbenzene | 1.18 | | mg/kg dry | 0.0989 | 50 | 08/14/09 21:00 | SW846 8260B | 9082671 |
| Naphthalene | 4.42 | | mg/kg dry | 0.247 | 50 | 08/14/09 21:00 | SW846 8260B | 9082671 |
| Toluene | 0.00805 | | mg/kg dry | 0.00201 | 1 | 08/13/09 18:23 | SW846 8260B | 9081164 |
| Xylenes, total | 6.20 | | mg/kg dry | 0.247 | 50 | 08/14/09 21:00 | SW846 8260B | 9082671 |
| <i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i> | 95 % | | | | | 08/13/09 18:23 | SW846 8260B | 9081164 |
| <i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i> | 91 % | | | | | 08/14/09 21:00 | SW846 8260B | 9082671 |
| <i>Surr: Dibromoformmethane (75-125%)</i> | 88 % | | | | | 08/13/09 18:23 | SW846 8260B | 9081164 |
| <i>Surr: Dibromoformmethane (75-125%)</i> | 92 % | | | | | 08/14/09 21:00 | SW846 8260B | 9082671 |
| <i>Surr: Toluene-d8 (76-129%)</i> | 108 % | | | | | 08/13/09 18:23 | SW846 8260B | 9081164 |
| <i>Surr: Toluene-d8 (76-129%)</i> | 94 % | | | | | 08/14/09 21:00 | SW846 8260B | 9082671 |
| <i>Surr: 4-Bromofluorobenzene (67-147%)</i> | 126 % | | | | | 08/13/09 18:23 | SW846 8260B | 9081164 |
| <i>Surr: 4-Bromofluorobenzene (67-147%)</i> | 105 % | | | | | 08/14/09 21:00 | SW846 8260B | 9082671 |

| | | | |
|--------|---|-----------------|----------------------------|
| Client | EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456 | Work Order: | NSH0575 |
| | | Project Name: | Laural Bay Housing Project |
| | | Project Number: | [none] |
| Attn | Tom McElwee | Received: | 08/07/09 08:00 |

ANALYTICAL REPORT

| Analyte | Result | Flag | Units | MDL | MRL | Dilution Factor | Analysis Date/Time | Method | Batch |
|---|--------------|------|-----------|-------|-------|-----------------|--------------------|-------------|---------|
| Sample ID: NSH0575-07 (1438 Dove - Soil) - cont. Sampled: 08/04/09 11:45 | | | | | | | | | |
| Polyaromatic Hydrocarbons by EPA 8270D | | | | | | | | | |
| Acenaphthene | ND | | mg/kg dry | 0.368 | 0.771 | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |
| Acenaphthylene | ND | | mg/kg dry | 0.357 | 0.771 | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |
| Anthracene | 0.453 | J, L | mg/kg dry | 0.380 | 0.771 | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |
| Benz(a)anthracene | ND | | mg/kg dry | 0.437 | 0.771 | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |
| Benz(a)pyrene | ND | L | mg/kg dry | 0.345 | 0.771 | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |
| Benz(b)fluoranthene | ND | | mg/kg dry | 0.345 | 0.771 | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |
| Benz(g,h,i)perylene | ND | | mg/kg dry | 0.345 | 0.771 | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |
| Benz(k)fluoranthene | ND | | mg/kg dry | 0.345 | 0.771 | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |
| Chrysene | ND | | mg/kg dry | 0.460 | 0.771 | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |
| Dibenz(a,h)anthracene | ND | | mg/kg dry | 0.357 | 0.771 | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |
| Fluoranthene | 1.12 | | mg/kg dry | 0.391 | 0.771 | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |
| Fluorene | 2.54 | | mg/kg dry | 0.414 | 0.771 | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |
| Indeno(1,2,3-cd)pyrene | ND | | mg/kg dry | 0.357 | 0.771 | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |
| Naphthalene | 6.93 | | mg/kg dry | 0.472 | 0.771 | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |
| Phenanthrene | 4.49 | | mg/kg dry | 0.391 | 0.771 | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |
| Pyrene | ND | L | mg/kg dry | 0.472 | 0.771 | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |
| 1-Methylnaphthalene | 21.7 | | mg/kg dry | 0.368 | 0.771 | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |
| 2-Methylnaphthalene | 30.1 | | mg/kg dry | 0.380 | 0.771 | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |
| Surr: Terphenyl-d14 (18-120%) | 82 % | | | | | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |
| Surr: 2-Fluorobiphenyl (14-120%) | 86 % | | | | | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |
| Surr: Nitrobenzene-d5 (17-120%) | 194 % | ZX | | | | 10 | 08/15/09 22:09 | SW846 8270D | 9081773 |

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwec

Work Order: NSH0575
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 08/07/09 08:00

ANALYTICAL REPORT

| Analyte | Result | Flag | Units | MRL | Dilution Factor | Analysis Date/Time | Method | Batch |
|---|----------------|------|-----------|---------|-----------------|--------------------|-------------|---------|
| Sample ID: NSH0575-08 (1441 Dove - Soil) Sampled: 08/04/09 13:55 | | | | | | | | |
| General Chemistry Parameters | | | | | | | | |
| % Dry Solids | 81.6 | | % | 0.500 | 1 | 08/19/09 10:43 | SW-846 | 9082732 |
| Selected Volatile Organic Compounds by EPA Method 8260B | | | | | | | | |
| Benzene | 0.00373 | | mg/kg dry | 0.00196 | 1 | 08/13/09 18:53 | SW846 8260B | 9081164 |
| Ethylbenzene | ND | RL1 | mg/kg dry | 0.103 | 50 | 08/14/09 21:30 | SW846 8260B | 9082671 |
| Naphthalene | 0.697 | | mg/kg dry | 0.258 | 50 | 08/14/09 21:30 | SW846 8260B | 9082671 |
| Toluene | 0.193 | | mg/kg dry | 0.103 | 50 | 08/14/09 21:30 | SW846 8260B | 9082671 |
| Xylenes, total | 2.86 | | mg/kg dry | 0.258 | 50 | 08/14/09 21:30 | SW846 8260B | 9082671 |
| Surr: 1,2-Dichloroethane-d4 (67-138%) | 114 % | | | | | 08/13/09 18:53 | SW846 8260B | 9081164 |
| Surr: 1,2-Dichloroethane-d4 (67-138%) | 92 % | | | | | 08/14/09 21:30 | SW846 8260B | 9082671 |
| Surr: Dibromofluoromethane (75-125%) | 101 % | | | | | 08/13/09 18:53 | SW846 8260B | 9081164 |
| Surr: Dibromofluoromethane (75-125%) | 89 % | | | | | 08/14/09 21:30 | SW846 8260B | 9082671 |
| Surr: Toluene-d8 (76-129%) | 161 % | ZX | | | | 08/13/09 18:53 | SW846 8260B | 9081164 |
| Surr: Toluene-d8 (76-129%) | 94 % | | | | | 08/14/09 21:30 | SW846 8260B | 9082671 |
| Surr: 4-Bromofluorobenzene (67-147%) | 349 % | ZX | | | | 08/13/09 18:53 | SW846 8260B | 9081164 |
| Surr: 4-Bromofluorobenzene (67-147%) | 110 % | | | | | 08/14/09 21:30 | SW846 8260B | 9082671 |

| | | | |
|--------|---|-----------------|----------------------------|
| Client | EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456 | Work Order: | NSH0575 |
| Attn | Tom McElwee | Project Name: | Laural Bay Housing Project |
| | | Project Number: | [none] |
| | | Received: | 08/07/09 08:00 |

ANALYTICAL REPORT

| Analyte | Result | Flag | Units | MDL | MRL | Dilution Factor | Analysis Date/Time | Method | Batch |
|---|--------|------|-----------|------|------|-----------------|--------------------|-------------|---------|
| Sample ID: NSH0575-08 (1441 Dove - Soil) - cont. Sampled: 08/04/09 13:55 | | | | | | | | | |
| Polyaromatic Hydrocarbons by EPA 8270D | | | | | | | | | |
| Acenaphthene | ND | | mg/kg dry | 1.53 | 3.21 | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |
| Acenaphthylene | ND | | mg/kg dry | 1.48 | 3.21 | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |
| Anthracene | ND | L | mg/kg dry | 1.58 | 3.21 | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |
| Benzo (a) anthracene | ND | | mg/kg dry | 1.82 | 3.21 | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |
| Benzo (a) pyrene | ND | L | mg/kg dry | 1.44 | 3.21 | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |
| Benzo (b) fluoranthene | ND | | mg/kg dry | 1.44 | 3.21 | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |
| Benzo (g,h,i) perylene | ND | | mg/kg dry | 1.44 | 3.21 | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |
| Benzo (k) fluoranthene | ND | | mg/kg dry | 1.44 | 3.21 | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |
| Chrysene | ND | | mg/kg dry | 1.91 | 3.21 | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |
| Dibenz (a,h) anthracene | ND | | mg/kg dry | 1.48 | 3.21 | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |
| Fluoranthene | ND | | mg/kg dry | 1.63 | 3.21 | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |
| Fluorene | ND | | mg/kg dry | 1.72 | 3.21 | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |
| Indeno (1,2,3-cd) pyrene | ND | | mg/kg dry | 1.48 | 3.21 | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |
| Naphthalene | ND | | mg/kg dry | 1.96 | 3.21 | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |
| Phenanthrene | ND | | mg/kg dry | 1.63 | 3.21 | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |
| Pyrene | 2.36 | J, L | mg/kg dry | 1.96 | 3.21 | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |
| 1-Methylnaphthalene | 6.96 | | mg/kg dry | 1.53 | 3.21 | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |
| 2-Methylnaphthalene | 5.60 | | mg/kg dry | 1.58 | 3.21 | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |
| Surr: Terphenyl-d14 (18-120%) | 98 % | | | | | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |
| Surr: 2-Fluorobiphenyl (14-120%) | 78 % | | | | | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |
| Surr: Nitrobenzene-d5 (17-120%) | 150 % | ZX | | | | 20 | 08/14/09 20:37 | SW846 8270D | 9081773 |

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwec

Work Order: NSH0575
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 08/07/09 08:00

ANALYTICAL REPORT

| Analyte | Result | Flag | Units | MRL | Dilution Factor | Analysis Date/Time | Method | Batch |
|---|----------------|------|-----------|---------|-----------------|--------------------|-------------|---------|
| Sample ID: NSH0575-09 (1439 Dove - Soil) Sampled: 08/04/09 15:15 | | | | | | | | |
| General Chemistry Parameters | | | | | | | | |
| % Dry Solids | 80.6 | | % | 0.500 | | 08/19/09 10:43 | SW-846 | 9082732 |
| Selected Volatile Organic Compounds by EPA Method 8260B | | | | | | | | |
| Benzene | 0.00268 | | mg/kg dry | 0.00197 | | 08/17/09 16:03 | SW846 8260B | 9082672 |
| Ethylbenzene | 0.0283 | | mg/kg dry | 0.00197 | | 08/17/09 16:03 | SW846 8260B | 9082672 |
| Naphthalene | 1.27 | | mg/kg dry | 0.350 | 50 | 08/17/09 18:53 | SW846 8260B | 9082672 |
| Toluene | ND | | mg/kg dry | 0.00197 | | 08/17/09 16:03 | SW846 8260B | 9082672 |
| Xylenes, total | 0.122 | | mg/kg dry | 0.00492 | | 08/17/09 16:03 | SW846 8260B | 9082672 |
| <i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i> | 103 % | | | | | 08/17/09 16:03 | SW846 8260B | 9082672 |
| <i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i> | 93 % | | | | | 08/17/09 18:53 | SW846 8260B | 9082672 |
| <i>Surr: Dibromoiodomethane (75-125%)</i> | 99 % | | | | | 08/17/09 16:03 | SW846 8260B | 9082672 |
| <i>Surr: Dibromoiodomethane (75-125%)</i> | 96 % | | | | | 08/17/09 18:53 | SW846 8260B | 9082672 |
| <i>Surr: Toluene-d8 (76-129%)</i> | 106 % | | | | | 08/17/09 16:03 | SW846 8260B | 9082672 |
| <i>Surr: Toluene-d8 (76-129%)</i> | 89 % | | | | | 08/17/09 18:53 | SW846 8260B | 9082672 |
| <i>Surr: 4-Bromoiodobenzene (67-147%)</i> | 129 % | | | | | 08/17/09 16:03 | SW846 8260B | 9082672 |
| <i>Surr: 4-Bromoiodobenzene (67-147%)</i> | 96 % | | | | | 08/17/09 18:53 | SW846 8260B | 9082672 |

| | | | |
|--------|---|-----------------|----------------------------|
| Client | EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456 | Work Order: | NSH0575 |
| | | Project Name: | Laurel Bay Housing Project |
| | | Project Number: | [none] |
| Attn | Tom McElwee | Received: | 08/07/09 08:00 |

ANALYTICAL REPORT

| Analyte | Result | Flag | Units | MDL | MRL | Dilution Factor | Analysis Date/Time | Method | Batch |
|---|---------------|------|-----------|--------|--------|-----------------|--------------------|-------------|---------|
| Sample ID: NSH0575-09 (1439 Dove - Soil) - cont. Sampled: 08/04/09 15:15 | | | | | | | | | |
| Polyaromatic Hydrocarbons by EPA 8270D | | | | | | | | | |
| Acenaphthene | ND | | mg/kg dry | 0.0394 | 0.0824 | | 08/14/09 21:01 | SW846 8270D | 9081773 |
| Acenaphthylene | ND | | mg/kg dry | 0.0381 | 0.0824 | | 08/14/09 21:01 | SW846 8270D | 9081773 |
| Anthracene | ND | L | mg/kg dry | 0.0406 | 0.0824 | | 08/14/09 21:01 | SW846 8270D | 9081773 |
| Benzo (a) anthracene | ND | | mg/kg dry | 0.0467 | 0.0824 | | 08/14/09 21:01 | SW846 8270D | 9081773 |
| Benzo (a) pyrene | ND | L | mg/kg dry | 0.0369 | 0.0824 | | 08/14/09 21:01 | SW846 8270D | 9081773 |
| Benzo (b) fluoranthene | ND | | mg/kg dry | 0.0369 | 0.0824 | | 08/14/09 21:01 | SW846 8270D | 9081773 |
| Benzo (g,h,i) perylene | ND | | mg/kg dry | 0.0369 | 0.0824 | | 08/14/09 21:01 | SW846 8270D | 9081773 |
| Benzo (k) fluoranthene | ND | | mg/kg dry | 0.0369 | 0.0824 | | 08/14/09 21:01 | SW846 8270D | 9081773 |
| Chrysene | ND | | mg/kg dry | 0.0492 | 0.0824 | | 08/14/09 21:01 | SW846 8270D | 9081773 |
| Dibenz (a,h) anthracene | ND | | mg/kg dry | 0.0381 | 0.0824 | | 08/14/09 21:01 | SW846 8270D | 9081773 |
| Fluoranthene | ND | | mg/kg dry | 0.0418 | 0.0824 | | 08/14/09 21:01 | SW846 8270D | 9081773 |
| Fluorene | 0.202 | | mg/kg dry | 0.0443 | 0.0824 | | 08/14/09 21:01 | SW846 8270D | 9081773 |
| Indeno (1,2,3-cd) pyrene | ND | | mg/kg dry | 0.0381 | 0.0824 | | 08/14/09 21:01 | SW846 8270D | 9081773 |
| Naphthalene | 0.194 | | mg/kg dry | 0.0504 | 0.0824 | | 08/14/09 21:01 | SW846 8270D | 9081773 |
| Phenanthrene | 0.421 | | mg/kg dry | 0.0418 | 0.0824 | | 08/14/09 21:01 | SW846 8270D | 9081773 |
| Pyrene | 0.0586 | J, L | mg/kg dry | 0.0504 | 0.0824 | | 08/14/09 21:01 | SW846 8270D | 9081773 |
| 1-Methylnaphthalene | 0.917 | | mg/kg dry | 0.0394 | 0.0824 | | 08/14/09 21:01 | SW846 8270D | 9081773 |
| 2-Methylnaphthalene | 1.33 | | mg/kg dry | 0.0406 | 0.0824 | | 08/14/09 21:01 | SW846 8270D | 9081773 |
| Surr: Terphenyl-d14 (18-120%) | 87 % | | | | | t | 08/14/09 21:01 | SW846 8270D | 9081773 |
| Surr: 2-Fluorobiphenyl (14-120%) | 55 % | | | | | t | 08/14/09 21:01 | SW846 8270D | 9081773 |
| Surr: Nitrobenzene-d5 (17-120%) | 64 % | | | | | t | 08/14/09 21:01 | SW846 8270D | 9081773 |

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456

Attn Tom McElwec

Work Order: NSH0575
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 08/07/09 08:00

SAMPLE EXTRACTION DATA

| Parameter | Batch | Lab Number | Wt/Vol Extracted | Extracted Vol | Date | Analyst | Extraction Method |
|--|---------|---------------|---------------------|---------------|----------------|---------|----------------------|
| Polyaromatic Hydrocarbons by EPA 8270D | | | | | | | |
| SW846 8270D | 9081773 | NSH0575-01 | 30.38 | 1.00 | 08/13/09 14:30 | TEM | EPA 3550C |
| SW846 8270D | 9081773 | NSH0575-02 | 30.55 | 1.00 | 08/13/09 14:30 | TEM | EPA 3550C |
| SW846 8270D | 9082723 | NSH0575-02RE1 | 30.14 | 1.00 | 08/18/09 11:30 | AJF | EPA 3550C |
| SW846 8270D | 9081773 | NSH0575-03 | 30.26 | 1.00 | 08/13/09 14:30 | TEM | EPA 3550C |
| SW846 8270D | 9082723 | NSH0575-03RE1 | 30.39 | 1.00 | 08/18/09 11:30 | AJF | EPA 3550C |
| SW846 8270D | 9081773 | NSH0575-04 | 30.69 | 1.00 | 08/13/09 14:30 | TEM | EPA 3550C |
| SW846 8270D | 9081773 | NSH0575-04RE1 | 30.69 | 1.00 | 08/13/09 14:30 | TEM | EPA 3550C |
| SW846 8270D | 9082723 | NSH0575-04RE2 | 30.77 | 1.00 | 08/18/09 11:30 | AJF | EPA 3550C |
| SW846 8270D | 9082723 | NSH0575-04RE3 | 30.77 | 1.00 | 08/18/09 11:30 | AJF | EPA 3550C |
| SW846 8270D | 9081773 | NSH0575-05 | 30.44 | 1.00 | 08/13/09 14:30 | TEM | EPA 3550C |
| SW846 8270D | 9081773 | NSH0575-05RE1 | 30.44 | 1.00 | 08/13/09 14:30 | TEM | EPA 3550C |
| SW846 8270D | 9081773 | NSH0575-05RE2 | 30.44 | 1.00 | 08/13/09 14:30 | TEM | EPA 3550C |
| SW846 8270D | 9082723 | NSH0575-05RE3 | 30.70 | 1.00 | 08/18/09 11:30 | AJF | EPA 3550C |
| SW846 8270D | 9082723 | NSH0575-05RE4 | 30.70 | 1.00 | 08/18/09 11:30 | AJF | EPA 3550C |
| SW846 8270D | 9082723 | NSH0575-05RE5 | 30.70 | 1.00 | 08/18/09 11:30 | AJF | EPA 3550C |
| SW846 8270D | 9081773 | NSH0575-06 | 30.26 | 1.00 | 08/13/09 14:30 | TEM | EPA 3550C |
| SW846 8270D | 9081773 | NSH0575-06RE1 | 30.26 | 1.00 | 08/13/09 14:30 | TEM | EPA 3550C |
| SW846 8270D | 9081773 | NSH0575-06RE2 | 30.26 | 1.00 | 08/13/09 14:30 | TEM | EPA 3550C |
| SW846 8270D | 9082723 | NSH0575-06RE3 | 30.72 | 1.00 | 08/18/09 11:30 | AJF | EPA 3550C |
| SW846 8270D | 9082723 | NSH0575-06RE4 | 30.72 | 1.00 | 08/18/09 11:30 | AJF | EPA 3550C |
| SW846 8270D | 9082723 | NSH0575-06RE5 | 30.72 | 1.00 | 08/18/09 11:30 | AJF | EPA 3550C |
| SW846 8270D | 9081773 | NSH0575-07 | 30.28 | 1.00 | 08/13/09 14:30 | TEM | EPA 3550C |
| SW846 8270D | 9081773 | NSH0575-07RE1 | 30.28 | 1.00 | 08/13/09 14:30 | TEM | EPA 3550C |
| SW846 8270D | 9081773 | NSH0575-08 | 30.72 | 2.00 | 08/13/09 14:30 | TEM | EPA 3550C |
| SW846 8270D | 9081773 | NSH0575-08RE1 | 30.72 | 2.00 | 08/13/09 14:30 | TEM | EPA 3550C |
| SW846 8270D | 9081773 | NSH0575-09 | 30.26 | 1.00 | 08/13/09 14:30 | TEM | EPA 3550C |
| Selected Volatile Organic Compounds by EPA Method 8260B | | | | | | | |
| SW846 8260B | 9081164 | NSH0575-01 | 5.86 | 5.00 | 08/03/09 09:35 | JRL | EPA 5035 |
| SW846 8260B | 9081164 | NSH0575-02 | 5.83 | 5.00 | 08/03/09 09:15 | JRL | EPA 5035 |
| SW846 8260B | 9082671 | NSH0575-02RE1 | 5.54 | 5.00 | 08/03/09 09:15 | JRL | EPA 5035 |
| SW846 8260B | 9081164 | NSH0575-03 | 5.74 | 5.00 | 08/03/09 13:30 | JRL | EPA 5035 |
| SW846 8260B | 9081164 | NSH0575-04 | 5.59 | 5.00 | 08/03/09 13:45 | JRL | EPA 5035 |
| SW846 8260B | 9082671 | NSH0575-04RE1 | 6.00 | 5.00 | 08/03/09 13:45 | JRL | EPA 5035 |
| SW846 8260B | 9081164 | NSH0575-05 | 5.92 | 5.00 | 08/04/09 09:00 | JRL | EPA 5035 |
| SW846 8260B | 9082671 | NSH0575-05RE1 | 5.61 | 5.00 | 08/04/09 09:00 | JRL | EPA 5035 |
| SW846 8260B | 9082672 | NSH0575-05RE2 | 5.61 | 5.00 | 08/04/09 09:00 | JRL | EPA 5035 |
| SW846 8260B | 9081164 | NSH0575-06 | 6.12 | 5.00 | 08/04/09 09:30 | JRL | EPA 5035 |
| SW846 8260B | 9082672 | NSH0575-06RE1 | 5.94 | 5.00 | 08/04/09 09:30 | JRL | EPA 5035 |
| SW846 8260B | 9081749 | NSH0575-06RE2 | 6.25 | 5.00 | 08/04/09 09:30 | JRL | EPA 5035 |
| SW846 8260B | 9081164 | NSH0575-07 | 5.78 | 5.00 | 08/04/09 11:45 | JRL | EPA 5035 |
| SW846 8260B | 9082671 | NSH0575-07RE1 | 5.87 | 5.00 | 08/04/09 11:45 | JRL | EPA 5035 |
| SW846 8260B | 9081164 | NSH0575-08 | 6.25 | 5.00 | 08/04/09 13:55 | JRL | EPA 5035 |
| SW846 8260B | 9082671 | NSH0575-08RE1 | 5.94 | 5.00 | 08/04/09 13:55 | JRL | EPA 5035 |
| SW846 8260B | 9081164 | NSH0575-09 | 6.58 | 5.00 | 08/04/09 15:15 | JRL | EPA 5035 |

Client EEG - Small Business Group, Inc. (2449) Work Order: NSH0575
10179 Highway 78 Project Name: Laurel Bay Housing Project
Ladson, SC 29456 Project Number: [none]
Attn Tom McElwec Received: 08/07/09 08:00

SAMPLE EXTRACTION DATA

| Parameter | Batch | Lab Number | Wt/Vol Extracted | Extracted Vol | Date | Analyst | Extraction Method |
|-------------|---------|---------------|---------------------|---------------|----------------|---------|----------------------|
| SW846 8260B | 9082672 | NSH0575-09RE1 | 6.30 | 5.00 | 08/04/09 15:15 | JRL | EPA 5035 |
| SW846 8260B | 9082672 | NSH0575-09RE2 | 4.43 | 5.00 | 08/04/09 15:15 | JRL | EPA 5035 |

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSH0575
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 08/07/09 08:00

PROJECT QUALITY CONTROL DATA Blank

| Analyte | Blank Value | Q | Units | Q.C. Batch | Lab Number | Analyzed Date/Time |
|---------|-------------|---|-------|------------|------------|--------------------|
|---------|-------------|---|-------|------------|------------|--------------------|

Selected Volatile Organic Compounds by EPA Method 8260B

9081164-BLK1

| | | | | | | |
|----------------------------------|-----------|--|-----------|---------|--------------|----------------|
| Benzene | <0.000670 | | mg/kg wet | 9081164 | 9081164-BLK1 | 08/13/09 14:21 |
| Ethylbenzene | <0.000670 | | mg/kg wet | 9081164 | 9081164-BLK1 | 08/13/09 14:21 |
| Naphthalene | <0.00170 | | mg/kg wet | 9081164 | 9081164-BLK1 | 08/13/09 14:21 |
| Toluene | <0.000400 | | mg/kg wet | 9081164 | 9081164-BLK1 | 08/13/09 14:21 |
| Xylenes, total | <0.00130 | | mg/kg wet | 9081164 | 9081164-BLK1 | 08/13/09 14:21 |
| Surrogate: 1,2-Dichloroethane-d4 | 103% | | | 9081164 | 9081164-BLK1 | 08/13/09 14:21 |
| Surrogate: Dibromofluoromethane | 94% | | | 9081164 | 9081164-BLK1 | 08/13/09 14:21 |
| Surrogate: Toluene-d8 | 94% | | | 9081164 | 9081164-BLK1 | 08/13/09 14:21 |
| Surrogate: 4-Bromofluorobenzene | 97% | | | 9081164 | 9081164-BLK1 | 08/13/09 14:21 |

9081749-BLK1

| | | | | | | |
|----------------------------------|---------|---|-----------|---------|--------------|----------------|
| Benzene | <0.0335 | | mg/kg wet | 9081749 | 9081749-BLK1 | 08/18/09 15:16 |
| Ethylbenzene | <0.0335 | | mg/kg wet | 9081749 | 9081749-BLK1 | 08/18/09 15:16 |
| Naphthalene | <0.0850 | | mg/kg wet | 9081749 | 9081749-BLK1 | 08/18/09 15:16 |
| Toluene | 0.0240 | B | mg/kg wet | 9081749 | 9081749-BLK1 | 08/18/09 15:16 |
| Xylenes, total | <0.0650 | | mg/kg wet | 9081749 | 9081749-BLK1 | 08/18/09 15:16 |
| Surrogate: 1,2-Dichloroethane-d4 | 104% | | | 9081749 | 9081749-BLK1 | 08/18/09 15:16 |
| Surrogate: Dibromofluoromethane | 99% | | | 9081749 | 9081749-BLK1 | 08/18/09 15:16 |
| Surrogate: Toluene-d8 | 102% | | | 9081749 | 9081749-BLK1 | 08/18/09 15:16 |
| Surrogate: 4-Bromofluorobenzene | 102% | | | 9081749 | 9081749-BLK1 | 08/18/09 15:16 |

9082671-BLK1

| | | | | | | |
|----------------------------------|-----------|--|-----------|---------|--------------|----------------|
| Benzene | <0.000670 | | mg/kg wet | 9082671 | 9082671-BLK1 | 08/14/09 18:59 |
| Ethylbenzene | <0.000670 | | mg/kg wet | 9082671 | 9082671-BLK1 | 08/14/09 18:59 |
| Naphthalene | <0.00170 | | mg/kg wet | 9082671 | 9082671-BLK1 | 08/14/09 18:59 |
| Toluene | <0.000400 | | mg/kg wet | 9082671 | 9082671-BLK1 | 08/14/09 18:59 |
| Xylenes, total | <0.00130 | | mg/kg wet | 9082671 | 9082671-BLK1 | 08/14/09 18:59 |
| Surrogate: 1,2-Dichloroethane-d4 | 99% | | | 9082671 | 9082671-BLK1 | 08/14/09 18:59 |
| Surrogate: Dibromofluoromethane | 95% | | | 9082671 | 9082671-BLK1 | 08/14/09 18:59 |
| Surrogate: Toluene-d8 | 95% | | | 9082671 | 9082671-BLK1 | 08/14/09 18:59 |
| Surrogate: 4-Bromofluorobenzene | 95% | | | 9082671 | 9082671-BLK1 | 08/14/09 18:59 |

9082672-BLK1

| | | | | | | |
|----------------------------------|-----------|--|-----------|---------|--------------|----------------|
| Benzene | <0.000670 | | mg/kg wet | 9082672 | 9082672-BLK1 | 08/17/09 14:31 |
| Ethylbenzene | <0.000670 | | mg/kg wet | 9082672 | 9082672-BLK1 | 08/17/09 14:31 |
| Naphthalene | <0.00170 | | mg/kg wet | 9082672 | 9082672-BLK1 | 08/17/09 14:31 |
| Toluene | <0.000400 | | mg/kg wet | 9082672 | 9082672-BLK1 | 08/17/09 14:31 |
| Xylenes, total | <0.00130 | | mg/kg wet | 9082672 | 9082672-BLK1 | 08/17/09 14:31 |
| Surrogate: 1,2-Dichloroethane-d4 | 106% | | | 9082672 | 9082672-BLK1 | 08/17/09 14:31 |
| Surrogate: Dibromofluoromethane | 101% | | | 9082672 | 9082672-BLK1 | 08/17/09 14:31 |
| Surrogate: Toluene-d8 | 94% | | | 9082672 | 9082672-BLK1 | 08/17/09 14:31 |
| Surrogate: 4-Bromofluorobenzene | 94% | | | 9082672 | 9082672-BLK1 | 08/17/09 14:31 |

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwec

Work Order: NSH0575
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 08/07/09 08:00

PROJECT QUALITY CONTROL DATA Blank - Cont.

| Analyte | Blank Value | Q | Units | Q.C. Batch | Lab Number | Analyzed Date/Time |
|---------|-------------|---|-------|------------|------------|--------------------|
|---------|-------------|---|-------|------------|------------|--------------------|

Selected Volatile Organic Compounds by EPA Method 8260B

Polyaromatic Hydrocarbons by EPA 8270D

9081773-BLK1

| | | | | | | |
|-----------------------------|---------|--|-----------|---------|--------------|----------------|
| Acenaphthene | <0.0320 | | mg/kg wet | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |
| Acenaphthylene | <0.0310 | | mg/kg wet | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |
| Anthracene | <0.0330 | | mg/kg wet | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |
| Benzo (a) anthracene | <0.0380 | | mg/kg wet | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |
| Benzo (a) pyrene | <0.0300 | | mg/kg wet | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |
| Benzo (b) fluoranthene | <0.0300 | | mg/kg wet | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |
| Benzo (g,h,i) perylene | <0.0300 | | mg/kg wet | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |
| Benzo (k) fluoranthene | <0.0300 | | mg/kg wet | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |
| Chrysene | <0.0400 | | mg/kg wet | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |
| Dibenz (a,h) anthracene | <0.0310 | | mg/kg wet | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |
| Fluoranthene | <0.0340 | | mg/kg wet | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |
| Fluorene | <0.0360 | | mg/kg wet | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |
| Indeno (1,2,3-cd) pyrene | <0.0310 | | mg/kg wet | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |
| Naphthalene | <0.0410 | | mg/kg wet | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |
| Phenanthrene | <0.0340 | | mg/kg wet | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |
| Pyrene | <0.0410 | | mg/kg wet | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |
| 1-Methylnaphthalene | <0.0320 | | mg/kg wet | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |
| 2-Methylnaphthalene | <0.0330 | | mg/kg wet | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |
| Surrogate: Terphenyl-d14 | 96% | | | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |
| Surrogate: 2-Fluorobiphenyl | 81% | | | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |
| Surrogate: Nitrobenzene-d5 | 86% | | | 9081773 | 9081773-BLK1 | 08/14/09 15:30 |

9082723-BLK1

| | | | | | | |
|--------------------------|---------|--|-----------|---------|--------------|----------------|
| Acenaphthene | <0.0320 | | mg/kg wet | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |
| Acenaphthylene | <0.0310 | | mg/kg wet | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |
| Anthracene | <0.0330 | | mg/kg wet | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |
| Benzo (a) anthracene | <0.0380 | | mg/kg wet | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |
| Benzo (a) pyrene | <0.0300 | | mg/kg wet | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |
| Benzo (b) fluoranthene | <0.0300 | | mg/kg wet | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |
| Benzo (g,h,i) perylene | <0.0300 | | mg/kg wet | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |
| Benzo (k) fluoranthene | <0.0300 | | mg/kg wet | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |
| Chrysene | <0.0400 | | mg/kg wet | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |
| Dibenz (a,h) anthracene | <0.0310 | | mg/kg wet | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |
| Fluoranthene | <0.0340 | | mg/kg wet | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |
| Fluorene | <0.0360 | | mg/kg wet | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |
| Indeno (1,2,3-cd) pyrene | <0.0310 | | mg/kg wet | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |
| Naphthalene | <0.0410 | | mg/kg wet | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |
| Phenanthrene | <0.0340 | | mg/kg wet | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |
| Pyrene | <0.0410 | | mg/kg wet | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSH0575
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 08/07/09 08:00

PROJECT QUALITY CONTROL DATA Blank - Cont.

| Analyte | Blank Value | Q | Units | Q.C. Batch | Lab Number | Analyzed Date/Time |
|---|-------------|---|-----------|------------|--------------|--------------------|
| Polyaromatic Hydrocarbons by EPA 8270D | | | | | | |
| 9082723-BLK1 | | | | | | |
| 1-Methylnaphthalene | <0.0320 | | mg/kg wet | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |
| 2-Methylnaphthalene | <0.0330 | | mg/kg wet | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |
| <i>Surrogate: Terphenyl-d14</i> | 78% | | | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |
| <i>Surrogate: 2-Fluorobiphenyl</i> | 70% | | | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |
| <i>Surrogate: Nitrobenzene-d5</i> | 81% | | | 9082723 | 9082723-BLK1 | 08/19/09 02:02 |

Client EEG - Small Business Group, Inc. (2449) Work Order: NSH0575
10179 Highway 78 Project Name: Laurel Bay Housing Project
Ladson, SC 29456 Project Number: [none]
Attn Tom McElwec Received: 08/07/09 08:00

PROJECT QUALITY CONTROL DATA
Duplicate

| Analyte | Orig. Val. | Duplicate | Q | Units | RPD | Limit | Batch | Sample Duplicated | % Rec. | Analyzed Date/Time |
|-------------------------------------|------------|-----------|---|-------|-----|-------|---------|-------------------|--------|--------------------|
| General Chemistry Parameters | | | | | | | | | | |
| 9082732-DUP1 | | | | | | | | | | |
| % Dry Solids | 81.6 | 82.7 | | % | | 20 | 9082732 | NSH0575-08 | | 08/19/09 10:43 |
| 9082734-DUP1 | | | | | | | | | | |
| % Dry Solids | 85.5 | 85.8 | | % | 0.4 | 20 | 9082734 | NSH1273-05 | | 08/19/09 14:20 |

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwec

Work Order: NSH0575
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 08/07/09 08:00

PROJECT QUALITY CONTROL DATA LCS

| Analyte | Known Val. | Analyzed Val | Q | Units | % Rec. | Target Range | Batch | Analyzed Date/Time |
|--|------------|--------------|---|-------|--------|--------------|---------|--------------------|
| Selected Volatile Organic Compounds by EPA Method 8260B | | | | | | | | |
| 9081164-BS1 | | | | | | | | |
| Benzene | 50.0 | 50.8 | | ug/kg | 102% | 78 - 126 | 9081164 | 08/13/09 12:19 |
| Ethylbenzene | 50.0 | 51.8 | | ug/kg | 104% | 79 - 130 | 9081164 | 08/13/09 12:19 |
| Naphthalene | 50.0 | 52.5 | | ug/kg | 105% | 72 - 150 | 9081164 | 08/13/09 12:19 |
| Toluene | 50.0 | 49.4 | | ug/kg | 99% | 76 - 126 | 9081164 | 08/13/09 12:19 |
| Xylenes, total | 150 | 157 | | ug/kg | 105% | 80 - 130 | 9081164 | 08/13/09 12:19 |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | 50.0 | 52.5 | | | 105% | 67 - 138 | 9081164 | 08/13/09 12:19 |
| <i>Surrogate: Dibromofluoromethane</i> | 50.0 | 50.2 | | | 100% | 75 - 125 | 9081164 | 08/13/09 12:19 |
| <i>Surrogate: Toluene-d8</i> | 50.0 | 49.2 | | | 98% | 76 - 129 | 9081164 | 08/13/09 12:19 |
| <i>Surrogate: 4-Bromofluorobenzene</i> | 50.0 | 49.0 | | | 98% | 67 - 147 | 9081164 | 08/13/09 12:19 |
| 9081749-BS1 | | | | | | | | |
| Benzene | 50.0 | 42.4 | | ug/kg | 85% | 78 - 126 | 9081749 | 08/18/09 12:30 |
| Ethylbenzene | 50.0 | 48.8 | | ug/kg | 98% | 79 - 130 | 9081749 | 08/18/09 12:30 |
| Naphthalene | 50.0 | 53.0 | | ug/kg | 106% | 72 - 150 | 9081749 | 08/18/09 12:30 |
| Toluene | 50.0 | 47.6 | | ug/kg | 95% | 76 - 126 | 9081749 | 08/18/09 12:30 |
| Xylenes, total | 150 | 149 | | ug/kg | 99% | 80 - 130 | 9081749 | 08/18/09 12:30 |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | 25.0 | 23.2 | | | 93% | 67 - 138 | 9081749 | 08/18/09 12:30 |
| <i>Surrogate: Dibromofluoromethane</i> | 25.0 | 24.7 | | | 99% | 75 - 125 | 9081749 | 08/18/09 12:30 |
| <i>Surrogate: Toluene-d8</i> | 25.0 | 26.5 | | | 106% | 76 - 129 | 9081749 | 08/18/09 12:30 |
| <i>Surrogate: 4-Bromofluorobenzene</i> | 25.0 | 22.2 | | | 89% | 67 - 147 | 9081749 | 08/18/09 12:30 |
| 9082671-BS1 | | | | | | | | |
| Benzene | 50.0 | 49.9 | | ug/kg | 100% | 78 - 126 | 9082671 | 08/14/09 16:59 |
| Ethylbenzene | 50.0 | 52.1 | | ug/kg | 104% | 79 - 130 | 9082671 | 08/14/09 16:59 |
| Naphthalene | 50.0 | 55.7 | | ug/kg | 111% | 72 - 150 | 9082671 | 08/14/09 16:59 |
| Toluene | 50.0 | 50.1 | | ug/kg | 100% | 76 - 126 | 9082671 | 08/14/09 16:59 |
| Xylenes, total | 150 | 155 | | ug/kg | 104% | 80 - 130 | 9082671 | 08/14/09 16:59 |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | 50.0 | 51.6 | | | 103% | 67 - 138 | 9082671 | 08/14/09 16:59 |
| <i>Surrogate: Dibromofluoromethane</i> | 50.0 | 50.5 | | | 101% | 75 - 125 | 9082671 | 08/14/09 16:59 |
| <i>Surrogate: Toluene-d8</i> | 50.0 | 50.0 | | | 100% | 76 - 129 | 9082671 | 08/14/09 16:59 |
| <i>Surrogate: 4-Bromofluorobenzene</i> | 50.0 | 50.5 | | | 101% | 67 - 147 | 9082671 | 08/14/09 16:59 |
| 9082672-BS1 | | | | | | | | |
| Benzene | 50.0 | 55.8 | | ug/kg | 112% | 78 - 126 | 9082672 | 08/17/09 12:30 |
| Ethylbenzene | 50.0 | 53.9 | | ug/kg | 108% | 79 - 130 | 9082672 | 08/17/09 12:30 |
| Naphthalene | 50.0 | 59.8 | | ug/kg | 120% | 72 - 150 | 9082672 | 08/17/09 12:30 |
| Toluene | 50.0 | 52.1 | | ug/kg | 104% | 76 - 126 | 9082672 | 08/17/09 12:30 |
| Xylenes, total | 150 | 163 | | ug/kg | 109% | 80 - 130 | 9082672 | 08/17/09 12:30 |
| <i>Surrogate: 1,2-Dichloroethane-d4</i> | 50.0 | 55.2 | | | 110% | 67 - 138 | 9082672 | 08/17/09 12:30 |
| <i>Surrogate: Dibromofluoromethane</i> | 50.0 | 54.5 | | | 109% | 75 - 125 | 9082672 | 08/17/09 12:30 |
| <i>Surrogate: Toluene-d8</i> | 50.0 | 49.2 | | | 98% | 76 - 129 | 9082672 | 08/17/09 12:30 |
| <i>Surrogate: 4-Bromofluorobenzene</i> | 50.0 | 50.2 | | | 100% | 67 - 147 | 9082672 | 08/17/09 12:30 |

| | | | |
|--------|---|-----------------|----------------------------|
| Client | EEG - Small Business Group, Inc. (2449) | Work Order: | NSH0575 |
| | 10179 Highway 78 | Project Name: | Laurcl Bay Housing Project |
| | Ladson, SC 29456 | Project Number: | [nonc] |
| Attn | Tom McElwee | Received: | 08/07/09 08:00 |

PROJECT QUALITY CONTROL DATA LCS - Cont.

| Analyte | Known Val. | Analyzed Val | Q | Units | % Rec. | Target Range | Batch | Analyzed Date/Time |
|---------|------------|--------------|---|-------|--------|--------------|-------|--------------------|
|---------|------------|--------------|---|-------|--------|--------------|-------|--------------------|

Selected Volatile Organic Compounds by EPA Method 8260B

Polyaromatic Hydrocarbons by EPA 8270D

9081773-BS1

| | | | | | | | |
|------------------------------------|------|------|-----------|------|----------|---------|----------------|
| Acenaphthene | 1.67 | 1.43 | mg/kg wet | 86% | 49 - 120 | 9081773 | 08/14/09 15:53 |
| Acenaphthylene | 1.67 | 1.49 | mg/kg wet | 90% | 52 - 120 | 9081773 | 08/14/09 15:53 |
| Anthracene | 1.67 | 1.71 | mg/kg wet | 103% | 58 - 120 | 9081773 | 08/14/09 15:53 |
| Benzo (a) anthracene | 1.67 | 1.62 | mg/kg wet | 97% | 57 - 120 | 9081773 | 08/14/09 15:53 |
| Benzo (a) pyrene | 1.67 | 1.70 | mg/kg wet | 102% | 55 - 120 | 9081773 | 08/14/09 15:53 |
| Benzo (b) fluoranthene | 1.67 | 1.82 | mg/kg wet | 109% | 51 - 123 | 9081773 | 08/14/09 15:53 |
| Benzo (g,h,i) perylene | 1.67 | 1.53 | mg/kg wet | 92% | 49 - 121 | 9081773 | 08/14/09 15:53 |
| Benzo (k) fluoranthene | 1.67 | 1.44 | mg/kg wet | 86% | 42 - 129 | 9081773 | 08/14/09 15:53 |
| Chrysene | 1.67 | 1.56 | mg/kg wet | 94% | 55 - 120 | 9081773 | 08/14/09 15:53 |
| Dibenz (a,h) anthracene | 1.67 | 1.60 | mg/kg wet | 96% | 50 - 123 | 9081773 | 08/14/09 15:53 |
| Fluoranthene | 1.67 | 1.54 | mg/kg wet | 93% | 58 - 120 | 9081773 | 08/14/09 15:53 |
| Fluorene | 1.67 | 1.44 | mg/kg wet | 86% | 54 - 120 | 9081773 | 08/14/09 15:53 |
| Indeno (1,2,3-cd) pyrene | 1.67 | 1.59 | mg/kg wet | 95% | 50 - 122 | 9081773 | 08/14/09 15:53 |
| Naphthalene | 1.67 | 1.22 | mg/kg wet | 73% | 28 - 120 | 9081773 | 08/14/09 15:53 |
| Phenanthrene | 1.67 | 1.52 | mg/kg wet | 91% | 56 - 120 | 9081773 | 08/14/09 15:53 |
| Pyrene | 1.67 | 1.70 | mg/kg wet | 102% | 56 - 120 | 9081773 | 08/14/09 15:53 |
| 1-Methylnaphthalene | 1.67 | 1.21 | mg/kg wet | 73% | 36 - 120 | 9081773 | 08/14/09 15:53 |
| 2-Methylnaphthalene | 1.67 | 1.23 | mg/kg wet | 74% | 36 - 120 | 9081773 | 08/14/09 15:53 |
| <i>Surrogate: Terphenyl-dl4</i> | 1.67 | 1.66 | | 99% | 18 - 120 | 9081773 | 08/14/09 15:53 |
| <i>Surrogate: 2-Fluorobiphenyl</i> | 1.67 | 1.38 | | 83% | 14 - 120 | 9081773 | 08/14/09 15:53 |
| <i>Surrogate: Nitrobenzene-d5</i> | 1.67 | 1.37 | | 82% | 17 - 120 | 9081773 | 08/14/09 15:53 |

9082723-BS1

| | | | | | | | |
|--------------------------|------|-------|-----------|-----|----------|---------|----------------|
| Acenaphthene | 1.67 | 1.16 | mg/kg wet | 70% | 49 - 120 | 9082723 | 08/19/09 02:26 |
| Acenaphthylene | 1.67 | 1.18 | mg/kg wet | 71% | 52 - 120 | 9082723 | 08/19/09 02:26 |
| Anthracene | 1.67 | 1.43 | mg/kg wet | 86% | 58 - 120 | 9082723 | 08/19/09 02:26 |
| Benzo (a) anthracene | 1.67 | 1.36 | mg/kg wet | 82% | 57 - 120 | 9082723 | 08/19/09 02:26 |
| Benzo (a) pyrene | 1.67 | 1.39 | mg/kg wet | 83% | 55 - 120 | 9082723 | 08/19/09 02:26 |
| Benzo (b) fluoranthene | 1.67 | 1.47 | mg/kg wet | 88% | 51 - 123 | 9082723 | 08/19/09 02:26 |
| Benzo (g,h,i) perylene | 1.67 | 1.29 | mg/kg wet | 77% | 49 - 121 | 9082723 | 08/19/09 02:26 |
| Benzo (k) fluoranthene | 1.67 | 1.17 | mg/kg wet | 70% | 42 - 129 | 9082723 | 08/19/09 02:26 |
| Chrysene | 1.67 | 1.30 | mg/kg wet | 78% | 55 - 120 | 9082723 | 08/19/09 02:26 |
| Dibenz (a,h) anthracene | 1.67 | 1.35 | mg/kg wet | 81% | 50 - 123 | 9082723 | 08/19/09 02:26 |
| Fluoranthene | 1.67 | 1.35 | mg/kg wet | 81% | 58 - 120 | 9082723 | 08/19/09 02:26 |
| Fluorene | 1.67 | 1.23 | mg/kg wet | 74% | 54 - 120 | 9082723 | 08/19/09 02:26 |
| Indeno (1,2,3-cd) pyrene | 1.67 | 1.34 | mg/kg wet | 81% | 50 - 122 | 9082723 | 08/19/09 02:26 |
| Naphthalene | 1.67 | 0.977 | mg/kg wet | 59% | 28 - 120 | 9082723 | 08/19/09 02:26 |
| Phenanthrene | 1.67 | 1.28 | mg/kg wet | 77% | 56 - 120 | 9082723 | 08/19/09 02:26 |
| Pyrene | 1.67 | 1.39 | mg/kg wet | 84% | 56 - 120 | 9082723 | 08/19/09 02:26 |

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwec

Work Order: NSH0575
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 08/07/09 08:00

PROJECT QUALITY CONTROL DATA
LCS - Cont.

| Analyte | Known Val. | Analyzed Val | Q | Units | % Rec. | Target Range | Batch | Analyzed Date/Time |
|---|------------|--------------|---|-----------|--------|--------------|---------|--------------------|
| Polyaromatic Hydrocarbons by EPA 8270D | | | | | | | | |
| 9082723-BS1 | | | | | | | | |
| 1-Methylnaphthalene | 1.67 | 0.964 | | mg/kg wet | 58% | 36 - 120 | 9082723 | 08/19/09 02:26 |
| 2-Methylnaphthalene | 1.67 | 1.01 | | mg/kg wet | 61% | 36 - 120 | 9082723 | 08/19/09 02:26 |
| <i>Surrogate: Terphenyl-d14</i> | 1.67 | 1.27 | | | 76% | 18 - 120 | 9082723 | 08/19/09 02:26 |
| <i>Surrogate: 2-Fluorobiphenyl</i> | 1.67 | 1.02 | | | 61% | 14 - 120 | 9082723 | 08/19/09 02:26 |
| <i>Surrogate: Nitrobenzene-d5</i> | 1.67 | 1.11 | | | 67% | 17 - 120 | 9082723 | 08/19/09 02:26 |

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NSH0575
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 08/07/09 08:00

PROJECT QUALITY CONTROL DATA

LCS Dup

| Analyte | Orig. Val. | Duplicate | Q | Units | Spike Conc | % Rec. | Target Range | RPD | Limit | Batch | Sample Duplicated | Analyzed Date/Time |
|--|------------|-----------|---|-------|------------|--------|--------------|------|-------|---------|-------------------|--------------------|
| Selected Volatile Organic Compounds by EPA Method 8260B | | | | | | | | | | | | |
| 9081164-BSD1 | | | | | | | | | | | | |
| Benzene | | | | | | | | | | | | |
| Benzene | 51.1 | | | ug/kg | 50.0 | 102% | 78 - 126 | 0.5 | 50 | 9081164 | | 08/13/09 12:49 |
| Ethylbenzene | 51.7 | | | ug/kg | 50.0 | 103% | 79 - 130 | 0.08 | 50 | 9081164 | | 08/13/09 12:49 |
| Naphthalene | 53.2 | | | ug/kg | 50.0 | 106% | 72 - 150 | 1 | 50 | 9081164 | | 08/13/09 12:49 |
| Toluene | 49.0 | | | ug/kg | 50.0 | 98% | 76 - 126 | 0.8 | 50 | 9081164 | | 08/13/09 12:49 |
| Xylenes, total | 156 | | | ug/kg | 150 | 104% | 80 - 130 | 0.8 | 50 | 9081164 | | 08/13/09 12:49 |
| Surrogate: 1,2-Dichloroethane-d4 | 51.2 | | | ug/kg | 50.0 | 102% | 67 - 138 | | | 9081164 | | 08/13/09 12:49 |
| Surrogate: Dibromoformmethane | 50.6 | | | ug/kg | 50.0 | 101% | 75 - 125 | | | 9081164 | | 08/13/09 12:49 |
| Surrogate: Toluene-d8 | 48.7 | | | ug/kg | 50.0 | 97% | 76 - 129 | | | 9081164 | | 08/13/09 12:49 |
| Surrogate: 4-Bromofluorobenzene | 48.7 | | | ug/kg | 50.0 | 97% | 67 - 147 | | | 9081164 | | 08/13/09 12:49 |
| 9081749-BSD1 | | | | | | | | | | | | |
| Benzene | | | | | | | | | | | | |
| Benzene | 41.8 | | | ug/kg | 50.0 | 84% | 78 - 126 | 1 | 50 | 9081749 | | 08/18/09 12:58 |
| Ethylbenzene | 47.8 | | | ug/kg | 50.0 | 96% | 79 - 130 | 2 | 50 | 9081749 | | 08/18/09 12:58 |
| Naphthalene | 55.1 | | | ug/kg | 50.0 | 110% | 72 - 150 | 4 | 50 | 9081749 | | 08/18/09 12:58 |
| Toluene | 47.2 | | | ug/kg | 50.0 | 94% | 76 - 126 | 1 | 50 | 9081749 | | 08/18/09 12:58 |
| Xylenes, total | 145 | | | ug/kg | 150 | 97% | 80 - 130 | 2 | 50 | 9081749 | | 08/18/09 12:58 |
| Surrogate: 1,2-Dichloroethane-d4 | 23.2 | | | ug/kg | 25.0 | 93% | 67 - 138 | | | 9081749 | | 08/18/09 12:58 |
| Surrogate: Dibromoformmethane | 24.3 | | | ug/kg | 25.0 | 97% | 75 - 125 | | | 9081749 | | 08/18/09 12:58 |
| Surrogate: Toluene-d8 | 26.7 | | | ug/kg | 25.0 | 107% | 76 - 129 | | | 9081749 | | 08/18/09 12:58 |
| Surrogate: 4-Bromofluorobenzene | 23.0 | | | ug/kg | 25.0 | 92% | 67 - 147 | | | 9081749 | | 08/18/09 12:58 |
| 9082671-BSD1 | | | | | | | | | | | | |
| Benzene | | | | | | | | | | | | |
| Benzene | 49.0 | | | ug/kg | 50.0 | 98% | 78 - 126 | 2 | 50 | 9082671 | | 08/14/09 17:29 |
| Ethylbenzene | 50.4 | | | ug/kg | 50.0 | 101% | 79 - 130 | 3 | 50 | 9082671 | | 08/14/09 17:29 |
| Naphthalene | 53.7 | | | ug/kg | 50.0 | 107% | 72 - 150 | 4 | 50 | 9082671 | | 08/14/09 17:29 |
| Toluene | 48.7 | | | ug/kg | 50.0 | 97% | 76 - 126 | 3 | 50 | 9082671 | | 08/14/09 17:29 |
| Xylenes, total | 151 | | | ug/kg | 150 | 101% | 80 - 130 | 3 | 50 | 9082671 | | 08/14/09 17:29 |
| Surrogate: 1,2-Dichloroethane-d4 | 51.5 | | | ug/kg | 50.0 | 103% | 67 - 138 | | | 9082671 | | 08/14/09 17:29 |
| Surrogate: Dibromoformmethane | 49.6 | | | ug/kg | 50.0 | 99% | 75 - 125 | | | 9082671 | | 08/14/09 17:29 |
| Surrogate: Toluene-d8 | 49.7 | | | ug/kg | 50.0 | 99% | 76 - 129 | | | 9082671 | | 08/14/09 17:29 |
| Surrogate: 4-Bromofluorobenzene | 49.4 | | | ug/kg | 50.0 | 99% | 67 - 147 | | | 9082671 | | 08/14/09 17:29 |
| 9082672-BSD1 | | | | | | | | | | | | |
| Benzene | | | | | | | | | | | | |
| Benzene | 51.7 | | | ug/kg | 50.0 | 103% | 78 - 126 | 8 | 50 | 9082672 | | 08/17/09 13:00 |
| Ethylbenzene | 51.7 | | | ug/kg | 50.0 | 103% | 79 - 130 | 4 | 50 | 9082672 | | 08/17/09 13:00 |
| Naphthalene | 57.7 | | | ug/kg | 50.0 | 115% | 72 - 150 | 4 | 50 | 9082672 | | 08/17/09 13:00 |
| Toluene | 50.2 | | | ug/kg | 50.0 | 100% | 76 - 126 | 4 | 50 | 9082672 | | 08/17/09 13:00 |
| Xylenes, total | 155 | | | ug/kg | 150 | 103% | 80 - 130 | 5 | 50 | 9082672 | | 08/17/09 13:00 |
| Surrogate: 1,2-Dichloroethane-d4 | 51.2 | | | ug/kg | 50.0 | 102% | 67 - 138 | | | 9082672 | | 08/17/09 13:00 |
| Surrogate: Dibromoformmethane | 52.0 | | | ug/kg | 50.0 | 104% | 75 - 125 | | | 9082672 | | 08/17/09 13:00 |
| Surrogate: Toluene-d8 | 48.7 | | | ug/kg | 50.0 | 97% | 76 - 129 | | | 9082672 | | 08/17/09 13:00 |

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwec

Work Order: NSH0575
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 08/07/09 08:00

PROJECT QUALITY CONTROL DATA
LCS Dup - Cont.

| Analyte | Orig. Val. | Duplicate | Q | Units | Spike Conc | % Rec. | Target Range | RPD | Limit | Batch | Sample Duplicated | Analyzed Date/Time |
|--|------------|-----------|---|-----------|------------|--------|--------------|-----|-------|---------|-------------------|--------------------|
| Selected Volatile Organic Compounds by EPA Method 8260B | | | | | | | | | | | | |
| 9082672-BSD1 | | | | | | | | | | | | |
| Surrogate: 4-Bromofluorobenzene | 47.8 | | | ug/kg | 50.0 | 96% | 67 - 147 | | | 9082672 | | 08/17/09 13:00 |
| Polyaromatic Hydrocarbons by EPA 8270D | | | | | | | | | | | | |
| 9081773-BSD1 | | | | | | | | | | | | |
| Acenaphthene | 1.81 | | | mg/kg wet | 1.67 | 108% | 49 - 120 | 23 | 40 | 9081773 | | 08/14/09 16:16 |
| Acenaphthylene | 1.90 | | | mg/kg wet | 1.67 | 114% | 52 - 120 | 24 | 30 | 9081773 | | 08/14/09 16:16 |
| Anthracene | 2.08 | L | | mg/kg wet | 1.67 | 125% | 58 - 120 | 20 | 50 | 9081773 | | 08/14/09 16:16 |
| Benzo (a) anthracene | 1.98 | | | mg/kg wet | 1.67 | 119% | 57 - 120 | 20 | 30 | 9081773 | | 08/14/09 16:16 |
| Benzo (a) pyrene | 2.09 | L | | mg/kg wet | 1.67 | 125% | 55 - 120 | 20 | 33 | 9081773 | | 08/14/09 16:16 |
| Benzo (b) fluoranthene | 1.98 | | | mg/kg wet | 1.67 | 119% | 51 - 123 | 9 | 42 | 9081773 | | 08/14/09 16:16 |
| Benzo (g,h,i) perylene | 1.90 | | | mg/kg wet | 1.67 | 114% | 49 - 121 | 22 | 32 | 9081773 | | 08/14/09 16:16 |
| Benzo (k) fluoranthene | 1.97 | | | mg/kg wet | 1.67 | 118% | 42 - 129 | 31 | 39 | 9081773 | | 08/14/09 16:16 |
| Chrysene | 1.93 | | | mg/kg wet | 1.67 | 116% | 55 - 120 | 21 | 34 | 9081773 | | 08/14/09 16:16 |
| Dibenz (a,h) anthracene | 1.94 | | | mg/kg wet | 1.67 | 117% | 50 - 123 | 19 | 31 | 9081773 | | 08/14/09 16:16 |
| Fluoranthene | 1.86 | | | mg/kg wet | 1.67 | 112% | 58 - 120 | 19 | 35 | 9081773 | | 08/14/09 16:16 |
| Fluorene | 1.85 | | | mg/kg wet | 1.67 | 111% | 54 - 120 | 25 | 37 | 9081773 | | 08/14/09 16:16 |
| Indeno (1,2,3-cd) pyrene | 1.91 | | | mg/kg wet | 1.67 | 115% | 50 - 122 | 19 | 32 | 9081773 | | 08/14/09 16:16 |
| Naphthalene | 1.47 | | | mg/kg wet | 1.67 | 88% | 28 - 120 | 18 | 34 | 9081773 | | 08/14/09 16:16 |
| Phenanthrene | 1.87 | | | mg/kg wet | 1.67 | 112% | 56 - 120 | 21 | 32 | 9081773 | | 08/14/09 16:16 |
| Pyrene | 2.08 | L | | mg/kg wet | 1.67 | 124% | 56 - 120 | 20 | 40 | 9081773 | | 08/14/09 16:16 |
| 1-Methylnaphthalene | 1.49 | | | mg/kg wet | 1.67 | 89% | 36 - 120 | 21 | 45 | 9081773 | | 08/14/09 16:16 |
| 2-Methylnaphthalene | 1.52 | | | mg/kg wet | 1.67 | 91% | 36 - 120 | 21 | 50 | 9081773 | | 08/14/09 16:16 |
| Surrogate: Terphenyl-d14 | 1.94 | | | mg/kg wet | 1.67 | 116% | 18 - 120 | | | 9081773 | | 08/14/09 16:16 |
| Surrogate: 2-Fluorobiphenyl | 1.67 | | | mg/kg wet | 1.67 | 100% | 14 - 120 | | | 9081773 | | 08/14/09 16:16 |
| Surrogate: Nitrobenzene-d5 | 1.54 | | | mg/kg wet | 1.67 | 93% | 17 - 120 | | | 9081773 | | 08/14/09 16:16 |

| | | | |
|--------|---|-----------------|----------------------------|
| Client | EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456 | Work Order: | NSH0575 |
| | | Project Name: | Laurel Bay Housing Project |
| | | Project Number: | [none] |
| Attn | Tom McElwec | Received: | 08/07/09 08:00 |

PROJECT QUALITY CONTROL DATA
Matrix Spike

| Analyte | Orig. Val. | MS Val | Q | Units | Spike Conc | % Rec. | Target Range | Batch | Sample Spiked | Analyzed Date/Time |
|---|------------|--------|---|-----------|------------|--------|--------------|---------|---------------|--------------------|
| Polyaromatic Hydrocarbons by EPA 8270D | | | | | | | | | | |
| 9081773-MS1 | | | | | | | | | | |
| | | | | | | | | | | |
| Acenaphthene | ND | 1.74 | | mg/kg dry | 1.77 | 98% | 42 - 120 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| Acenaphthylene | ND | 1.75 | | mg/kg dry | 1.77 | 99% | 32 - 120 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| Anthracene | ND | 1.92 | | mg/kg dry | 1.77 | 108% | 10 - 200 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| Benzo (a) anthracene | ND | 1.78 | | mg/kg dry | 1.77 | 100% | 41 - 120 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| Benzo (a) pyrene | ND | 1.90 | | mg/kg dry | 1.77 | 107% | 33 - 121 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| Benzo (b) fluoranthene | ND | 1.89 | | mg/kg dry | 1.77 | 107% | 26 - 137 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| Benzo (g,h,i) perylene | ND | 1.71 | | mg/kg dry | 1.77 | 96% | 21 - 124 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| Benzo (k) fluoranthene | ND | 1.76 | | mg/kg dry | 1.77 | 99% | 14 - 140 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| Chrysene | ND | 1.74 | | mg/kg dry | 1.77 | 98% | 28 - 123 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| Dibenz (a,h) anthracene | ND | 1.81 | | mg/kg dry | 1.77 | 102% | 25 - 127 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| Fluoranthene | ND | 1.72 | | mg/kg dry | 1.77 | 97% | 38 - 120 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| Fluorene | ND | 1.71 | | mg/kg dry | 1.77 | 96% | 41 - 120 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| Indeno (1,2,3-cd) pyrene | ND | 1.80 | | mg/kg dry | 1.77 | 101% | 25 - 123 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| Naphthalene | ND | 1.40 | | mg/kg dry | 1.77 | 79% | 25 - 120 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| Phenanthrone | ND | 1.74 | | mg/kg dry | 1.77 | 98% | 37 - 120 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| Pyrene | ND | 1.91 | | mg/kg dry | 1.77 | 108% | 29 - 125 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| 1-Methylnaphthalene | ND | 1.41 | | mg/kg dry | 1.77 | 80% | 19 - 120 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| 2-Methylnaphthalene | ND | 1.45 | | mg/kg dry | 1.77 | 82% | 11 - 120 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| <i>Surrogate: Terphenyl-d14</i> | | 1.77 | | mg/kg dry | 1.77 | 100% | 18 - 120 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| <i>Surrogate: 2-Fluorobiphenyl</i> | | 1.44 | | mg/kg dry | 1.77 | 81% | 14 - 120 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| <i>Surrogate: Nitrobenzene-d5</i> | | 1.39 | | mg/kg dry | 1.77 | 78% | 17 - 120 | 9081773 | NSG2706-01 | 08/14/09 16:40 |
| 9082723-MS1 | | | | | | | | | | |
| Acenaphthene | ND | 1.52 | | mg/kg dry | 2.01 | 76% | 42 - 120 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |
| Acenaphthylene | ND | 1.51 | | mg/kg dry | 2.01 | 75% | 32 - 120 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |
| Anthracene | ND | 1.78 | | mg/kg dry | 2.01 | 89% | 10 - 200 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |
| Benzo (a) anthracene | ND | 1.76 | | mg/kg dry | 2.01 | 88% | 41 - 120 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |
| Benzo (a) pyrene | ND | 1.71 | | mg/kg dry | 2.01 | 85% | 33 - 121 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |
| Benzo (b) fluoranthene | ND | 1.74 | | mg/kg dry | 2.01 | 87% | 26 - 137 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |
| Benzo (g,h,i) perylene | ND | 1.56 | | mg/kg dry | 2.01 | 78% | 21 - 124 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |
| Benzo (k) fluoranthene | ND | 1.53 | | mg/kg dry | 2.01 | 76% | 14 - 140 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |
| Chrysene | ND | 1.66 | | mg/kg dry | 2.01 | 83% | 28 - 123 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |

Client EEG - Small Business Group, Inc. (2449) Work Order: NSH0575
10179 Highway 78 Project Name: Laurel Bay Housing Project
Ladson, SC 29456 Project Number: [none]
Attn Tom McElwec Received: 08/07/09 08:00

PROJECT QUALITY CONTROL DATA
Matrix Spike - Cont.

| Analyte | Orig. Val. | MS Val | Q | Units | Spike Conc | % Rec. | Target Range | Batch | Sample Spiked | Analyzed Date/Time |
|---|------------|--------|---|-----------|------------|--------|--------------|---------|---------------|--------------------|
| Polyaromatic Hydrocarbons by EPA 8270D | | | | | | | | | | |
| 9082723-MS1 | | | | | | | | | | |
| Dibenz (a,h) anthracene | ND | 1.64 | | mg/kg dry | 2.01 | 82% | 25 - 127 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |
| Fluoranthene | 0.134 | 1.83 | | mg/kg dry | 2.01 | 84% | 38 - 120 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |
| Fluorene | ND | 1.62 | | mg/kg dry | 2.01 | 81% | 41 - 120 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |
| Indeno (1,2,3-cd) pyrene | ND | 1.66 | | mg/kg dry | 2.01 | 83% | 25 - 123 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |
| Naphthalene | ND | 1.28 | | mg/kg dry | 2.01 | 64% | 25 - 120 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |
| Phenanthrene | 0.138 | 1.85 | | mg/kg dry | 2.01 | 85% | 37 - 120 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |
| Pyrene | 0.154 | 1.87 | | mg/kg dry | 2.01 | 85% | 29 - 125 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |
| 1-Methylnaphthalene | 0.0997 | 1.45 | | mg/kg dry | 2.01 | 67% | 19 - 120 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |
| 2-Methylnaphthalene | 0.125 | 1.59 | | mg/kg dry | 2.01 | 73% | 11 - 120 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |
| <i>Surrogate: Terphenyl-d14</i> | | 1.52 | | mg/kg dry | 2.01 | 76% | 18 - 120 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |
| <i>Surrogate: 2-Fluorobiphenyl</i> | | 1.25 | | mg/kg dry | 2.01 | 62% | 14 - 120 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |
| <i>Surrogate: Nitrobenzene-d5</i> | | 1.30 | | mg/kg dry | 2.01 | 65% | 17 - 120 | 9082723 | NSH0575-02RE | 08/19/09 02:50 |

| | | | |
|--------|---|-----------------|----------------------------|
| Client | EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456 | Work Order: | NSH0575 |
| | | Project Name: | Laurcl Bay Housing Project |
| | | Project Number: | [none] |
| Attn | Tom McElwee | Received: | 08/07/09 08:00 |

PROJECT QUALITY CONTROL DATA

Matrix Spike Dup

| Analyte | Orig. Val. | Duplicate | Q | Units | Spike Conc | % Rec. | Target Range | RPD | Limit | Batch | Sample Duplicated | Analyzed Date/Time |
|---|------------|-----------|---|-----------|------------|--------|--------------|------|-------|---------|-------------------|--------------------|
| Polyaromatic Hydrocarbons by EPA 8270D | | | | | | | | | | | | |
| 9081773-MSD1 | | | | | | | | | | | | |
| Acenaphthene | ND | 1.71 | | mg/kg dry | 1.82 | 94% | 42 - 120 | 2 | 40 | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| Acenaphthylene | ND | 1.75 | | mg/kg dry | 1.82 | 96% | 32 - 120 | 0.1 | 30 | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| Anthracene | ND | 1.91 | | mg/kg dry | 1.82 | 105% | 10 - 200 | 0.4 | 50 | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| Benzo (a) anthracene | ND | 1.82 | | mg/kg dry | 1.82 | 100% | 41 - 120 | 2 | 30 | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| Benzo (a) pyrene | ND | 1.87 | | mg/kg dry | 1.82 | 102% | 33 - 121 | 2 | 33 | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| Benzo (b) fluoranthene | ND | 2.03 | | mg/kg dry | 1.82 | 111% | 26 - 137 | 7 | 42 | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| Benzo (g,h,i) perylene | ND | 1.74 | | mg/kg dry | 1.82 | 95% | 21 - 124 | 2 | 32 | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| Benzo (k) fluoranthene | ND | 1.59 | | mg/kg dry | 1.82 | 87% | 14 - 140 | 10 | 39 | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| Chrysene | ND | 1.73 | | mg/kg dry | 1.82 | 95% | 28 - 123 | 0.5 | 34 | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| Dibenz (a,h) anthracene | ND | 1.82 | | mg/kg dry | 1.82 | 100% | 25 - 127 | 0.6 | 31 | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| Fluoranthene | ND | 1.72 | | mg/kg dry | 1.82 | 94% | 38 - 120 | 0.06 | 35 | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| Fluorene | ND | 1.72 | | mg/kg dry | 1.82 | 94% | 41 - 120 | 0.8 | 37 | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| Indeno (1,2,3-cd) pyrene | ND | 1.78 | | mg/kg dry | 1.82 | 98% | 25 - 123 | 1 | 32 | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| Naphthalene | ND | 1.36 | | mg/kg dry | 1.82 | 75% | 25 - 120 | 3 | 42 | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| Phenanthrene | ND | 1.71 | | mg/kg dry | 1.82 | 94% | 37 - 120 | 2 | 32 | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| Pyrene | ND | 1.90 | | mg/kg dry | 1.82 | 104% | 29 - 125 | 0.6 | 40 | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| 1-Methylnaphthalene | ND | 1.40 | | mg/kg dry | 1.82 | 77% | 19 - 120 | 0.9 | 45 | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| 2-Methylnaphthalene | ND | 1.41 | | mg/kg dry | 1.82 | 77% | 11 - 120 | 3 | 50 | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| <i>Surrogate: Terphenyl-d14</i> | | 1.78 | | mg/kg dry | 1.82 | 98% | 18 - 120 | | | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| <i>Surrogate: 2-Fluorobiphenyl</i> | | 1.42 | | mg/kg dry | 1.82 | 78% | 14 - 120 | | | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| <i>Surrogate: Nitrobenzene-d5</i> | | 1.39 | | mg/kg dry | 1.82 | 76% | 17 - 120 | | | 9081773 | NSG2706-01 | 08/14/09 17:03 |
| 9082723-MSD1 | | | | | | | | | | | | |
| Acenaphthene | ND | 1.45 | | mg/kg dry | 1.99 | 73% | 42 - 120 | 5 | 40 | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |
| Acenaphthylene | ND | 1.47 | | mg/kg dry | 1.99 | 74% | 32 - 120 | 3 | 30 | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |
| Anthracene | ND | 1.67 | | mg/kg dry | 1.99 | 84% | 10 - 200 | 7 | 50 | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |
| Benzo (a) anthracene | ND | 1.57 | | mg/kg dry | 1.99 | 79% | 41 - 120 | 11 | 30 | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |
| Benzo (a) pyrene | ND | 1.59 | | mg/kg dry | 1.99 | 80% | 33 - 121 | 7 | 33 | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |
| Benzo (b) fluoranthene | ND | 1.64 | | mg/kg dry | 1.99 | 82% | 26 - 137 | 6 | 42 | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |
| Benzo (g,h,i) perylene | ND | 1.50 | | mg/kg dry | 1.99 | 75% | 21 - 124 | 4 | 32 | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |
| Benzo (k) fluoranthene | ND | 1.42 | | mg/kg dry | 1.99 | 71% | 14 - 140 | 7 | 39 | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |
| Chrysene | ND | 1.50 | | mg/kg dry | 1.99 | 75% | 28 - 123 | 10 | 34 | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |
| Dibenz (a,h) anthracene | ND | 1.55 | | mg/kg dry | 1.99 | 78% | 25 - 127 | 5 | 31 | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |
| Fluoranthene | 0.134 | 1.67 | | mg/kg dry | 1.99 | 77% | 38 - 120 | 9 | 35 | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |

Client EEG - Small Business Group, Inc. (2449) Work Order: NSH0575
10179 Highway 78 Project Name: Laurel Bay Housing Project
Ladson, SC 29456 Project Number: [none]
Attn Tom McElwec Received: 08/07/09 08:00

PROJECT QUALITY CONTROL DATA**Matrix Spike Dup - Cont.**

| Analyte | Orig. Val. | Duplicate | Q | Units | Spike Conc | % Rec. | Target Range | RPD | Limit | Batch | Sample Duplicated | Analyzed Date/Time |
|---|------------|-----------|---|-----------|------------|--------|--------------|-----|-------|---------|-------------------|--------------------|
| Polyaromatic Hydrocarbons by EPA 8270D | | | | | | | | | | | | |
| 9082723-MSD1 | | | | | | | | | | | | |
| Fluorene | ND | 1.53 | | mg/kg dry | 1.99 | 77% | 41 - 120 | 6 | 37 | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |
| Indeno (1,2,3-cd) pyrene | ND | 1.53 | | mg/kg dry | 1.99 | 77% | 25 - 123 | 8 | 32 | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |
| Naphthalene | ND | 1.13 | | mg/kg dry | 1.99 | 57% | 25 - 120 | 13 | 42 | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |
| Phenanthrene | 0.138 | 1.66 | | mg/kg dry | 1.99 | 77% | 37 - 120 | 11 | 32 | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |
| Pyrene | 0.154 | 1.77 | | mg/kg dry | 1.99 | 81% | 29 - 125 | 5 | 40 | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |
| 1-Methylnaphthalene | 0.0997 | 1.25 | | mg/kg dry | 1.99 | 58% | 19 - 120 | 15 | 45 | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |
| 2-Methylnaphthalene | 0.125 | 1.32 | | mg/kg dry | 1.99 | 60% | 11 - 120 | 19 | 50 | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |
| <i>Surrogate: Terphenyl-d14</i> | | 1.51 | | mg/kg dry | 1.99 | 76% | 18 - 120 | | | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |
| <i>Surrogate: 2-Fluorobiphenyl</i> | | 1.22 | | mg/kg dry | 1.99 | 61% | 14 - 120 | | | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |
| <i>Surrogate: Nitrobenzene-d5</i> | | 1.25 | | mg/kg dry | 1.99 | 63% | 17 - 120 | | | 9082723 | NSH0575-02R E1 | 08/19/09 03:14 |

| | | | |
|--------|---|-----------------|----------------------------|
| Client | EEG - Small Business Group, Inc. (2449) | Work Order: | NSH0575 |
| | 10179 Highway 78 | Project Name: | Laurcl Bay Housing Project |
| | Ladson, SC 29456 | Project Number: | [nonc] |
| Attn | Tom McElwee | Received: | 08/07/09 08:00 |

CERTIFICATION SUMMARY

TestAmerica Nashville

| Method | Matrix | AIHA | Nelac | South Carolina |
|-------------|--------|------|-------|----------------|
| SW846 8260B | Soil | N/A | X | X |
| SW846 8270D | Soil | | X | X |
| SW-846 | Soil | | | |

| | | | |
|--------|---|-----------------|----------------------------|
| Client | EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456 | Work Order: | NSH0575 |
| Attn | Tom McElwec | Project Name: | Laurel Bay Housing Project |
| | | Project Number: | [none] |
| | | Received: | 08/07/09 08:00 |

DATA QUALIFIERS AND DEFINITIONS

- B** Analyte was detected in the associated Method Blank.
- CF2** Confirmatory analysis was past holding time.
- CF6** Results confirmed by reanalysis.
- J** Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.
- L** Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above the acceptance limits. Analyte not detected, data not impacted.
- L1** Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above acceptance limits.
- RL1** Reporting limit raised due to sample matrix effects.
- ZX** Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.
- ND** Not detected at the reporting limit (or method detection limit if shown)

METHOD MODIFICATION NOTES



COOLER RECEIPT

NSH0575

Cooler Received/Opened On 08/07/09 @ 08:001. Tracking # 5268 (last 4 digits, FedEx)Courier: FED-EX IR Gun ID 973101662. Temperature of rep. sample or temp blank when opened: 34 Degrees Celsius3. If item #2 temperature is 0°C or less, was the representative sample or temp blank frozen? YES NO... NA4. Were custody seals on outside of cooler? YES NO... NAIf yes, how many and where: 1-BACK: 1-FRONT5. Were the seals intact, signed, and dated correctly? YES... NO... NA6. Were custody papers inside cooler? YES... NO... NAI certify that I opened the cooler and answered questions 1-6 (initial) MM7. Were custody seals on containers: YES NO and Intact YES... NO... NAWere these signed and dated correctly? YES... NO... NA8. Packing mat'l used? Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert Paper Other None9. Cooling process: ice Ice-pack Ice (direct contact) Dry Ice Other None10. Did all containers arrive in good condition (unbroken)? YES... NO... NA11. Were all container labels complete (#, date, signed, pres., etc)? YES... NO... NA12. Did all container labels and tags agree with custody papers? YES... NO... NA13a. Were VOA vials received? YES... NO... NAb. Was there any observable headspace present in any VOA vial? YES... NO... NA14. Was there a Trip Blank in this cooler? YES... NO If multiple coolers, sequence # MMI certify that I unloaded the cooler and answered questions 7-14 (initial) MM15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? YES... NO... NAb. Did the bottle labels indicate that the correct preservatives were used YES... NO... NA16. Was residual chlorine present? YES... NO... NAI certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (initial) MM17. Were custody papers properly filled out (ink, signed, etc)? YES... NO... NA18. Did you sign the custody papers in the appropriate place? YES... NO... NA19. Were correct containers used for the analysis requested? YES... NO... NA20. Was sufficient amount of sample sent in each container? YES... NO... NAI certify that I entered this project into LIMS and answered questions 17-20 (initial) MMI certify that I attached a label with the unique LIMS number to each container (initial) MM21. Were there Non-Conformance issues at login? YES... NO Was a PIPE generated? YES... NO...# _____

NSH0575

08/21/09 23 59

TestAmerica

TH - LEADER IN ENVIRONMENTAL TESTING

**Nashville Division
2960 Foster Creighton
Nashville TN 37204**

**Phone: 615-726-0177
Toll Free: 800-765-0988
Fax: 615-726-3400**

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?

Yes _____ No _____

Yes _____ **No** _____

Client Name/Account #: EEG # 2449

Address: 10179 Highway 78

City/State/Zip: Ladson, SC 29456

Project Manager: Tom McElwee email: mcelwee@comcast.net

Telephone Number: 543-412-2097

Fax No.: 843-89-0401

Site State: SC

PO#: 0824

TA Cuadro 8

Project ID: Laurel Bay Housing Project

Chapter 1

Special Instructions:

Laboratory Comments

Temperature Upon Recovery of VOCs Free of Headspace

Bilingual by

Method of Shipment:

FEDE

Date _____

Reinquished By:

Date Time Received by:
8/19/09 1900 F. C. x

Relinquished by

ATTACHMENT A



NON-HAZARDOUS MANIFEST

CWM

Please print or type. (Form designed for use on elite (12 pitch) typewriter.)

| | | | | | |
|--|---------------------------------|--|---|-----------------------------------|-------------------|
| NON-HAZARDOUS MANIFEST | | 1. Generator's US EPA ID No. | Manifest Document No. | 2. Page 1 of 1 | |
| 3. Generator's Name and Mailing Address MCAS, Beaufort Laurel Bay Housing Beaufort SC 29902 | | A. Manifest Number WMNA 10885467 | | | |
| 4. Generator's Phone 843 226-6480 | | B. State Generator's ID | | | |
| 5. Transporter 1 Company Name EEG, Inc. | | 6. US EPA ID Number | C. State Transporter's ID | | |
| 7. Transporter 2 Company Name | | 8. US EPA ID Number | D. Transporter's Phone 843 879-0411 | | |
| 9. Designated Facility Name and Site Address HICKORY HILL LANDFILL ROUTE 1, BOX 121 HICKORY, NC 28632 | | 10. US EPA ID Number | E. State Transporter's ID | | |
| 11. Description of Waste Materials Heating Oil Tank filled with Sand | | 12. Containers No. | 13. Total Quantity | 14. Unit Wt/Vol. | I. Misc. Comments |
| a. | WM Profile # 1028558C | 0 0 1 | 8.43 TN | | |
| b. | WM Profile # | | | | |
| c. | WM Profile # | | | | |
| d. | WM Profile # | | | | |
| J. Additional Descriptions for Materials Listed Above | | K. Disposal Location | | | |
| Landfill _____ | Solidification _____ | Cell _____ Level _____ | | | |
| Bio Remediation _____ | | Grid _____ | | | |
| 15. Special Handling Instructions and Additional Information 6EA LIST 3 & 40cc ③ 1440 DOOR ✓ ④ 1447 DOOR ✓ ⑤ 1459 DOOR ✓ ⑥ 1442 DOOR-2 ✓ Purchase Order # ② 1431 DOOR ✓ | | EMERGENCY CONTACT: | | | |
| 16. GENERATOR'S CERTIFICATION: I hereby certify that the above-described materials are not hazardous wastes as defined by 40 CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged, and are in proper condition for transportation according to applicable regulations. | | | | | |
| Printed/Typed Name W.G. Dukes Jr. | | Signature "On behalf of" | | Month Day Year 08/26/09 | |
| 17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name James Baldwin | | Signature James Baldwin | | Month Day Year 09/01/09 | |
| 18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name | | Signature | | Month Day Year | |
| 19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above. | | | | | |
| 20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest. Printed/Typed Name Jan Collins | | Signature | | Month Day Year 09/01/09 | |

Appendix C
Laboratory Analytical Report - Initial Groundwater

Volatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants

Laboratory ID: QB04032-001

Description: BEALB1431TW01WG20150202

Matrix: Aqueous

Date Sampled: 02/02/2015 1600

Date Received: 02/04/2015

| Run | Prep Method | Analytical Method | Dilution | Analysis Date | Analyst | Prep Date | Batch | | | |
|-----------------------|-------------|-------------------|-------------------|-----------------|---------|-----------|-------|------|-------|-----|
| 1 | 5030B | 8260B | 1 | 02/06/2015 1417 | ALL | | 67113 | | | |
| Parameter | | CAS Number | Analytical Method | Result | Q | LOQ | LOD | DL | Units | Run |
| Benzene | | 71-43-2 | 8260B | 0.45 | U | 5.0 | 0.45 | 0.15 | ug/L | 1 |
| Ethylbenzene | | 100-41-4 | 8260B | 3.5 | J | 5.0 | 0.51 | 0.17 | ug/L | 1 |
| Naphthalene | | 91-20-3 | 8260B | 51 | | 5.0 | 0.96 | 0.32 | ug/L | 1 |
| Toluene | | 108-88-3 | 8260B | 0.48 | U | 5.0 | 0.48 | 0.16 | ug/L | 1 |
| Xylenes (total) | | 1330-20-7 | 8260B | 0.73 | J | 5.0 | 0.57 | 0.19 | ug/L | 1 |
| Surrogate | Q | Run 1 % Recovery | Acceptance Limits | | | | | | | |
| Bromofluorobenzene | | 110 | 75-120 | | | | | | | |
| 1,2-Dichloroethane-d4 | | 111 | 70-120 | | | | | | | |
| Toluene-d8 | | 101 | 85-120 | | | | | | | |
| Dibromofluoromethane | | 106 | 85-115 | | | | | | | |

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

H = Out of holding time

Q = Surrogate failure

ND = Not detected at or above the MDL

J = Estimated result < PQL and \geq MDL

P = The RPD between two GC columns exceeds 40%

N = Recovery is out of criteria

L

= LCS/LCSD failure

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

S = MS/MSD failure

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Level 1 Report v2.1

Semivolatile Organic Compounds by GC/MS (SIM)

Client: AECOM - Resolution Consultants

Laboratory ID: QB04032-001

Description: BEALB1431TW01WG20150202

Matrix: Aqueous

Date Sampled: 02/02/2015 1600

Date Received: 02/04/2015

| Run | Prep Method | Analytical Method | Dilution | Analysis Date | Analyst | Prep Date | Batch |
|-----|-------------|-------------------|----------|-----------------|---------|-----------------|-------|
| 1 | 3520C | 8270D (SIM) | 1 | 02/09/2015 1152 | RBH | 02/05/2015 1624 | 67030 |

| Parameter | CAS | Analytical | | Result | Q | LOQ | LOD | DL | Units | Run |
|-------------------------|----------|-------------|------------|--------|----|------|-------|-------|-------|-----|
| | Number | Method | | | | | | | | |
| Benzo(a)anthracene | 56-55-3 | 8270D (SIM) | | 0.16 | J | 0.20 | 0.040 | 0.019 | ug/L | 1 |
| Benzo(b)fluoranthene | 205-99-2 | 8270D (SIM) | | 0.099 | BJ | 0.20 | 0.040 | 0.019 | ug/L | 1 |
| Benzo(k)fluoranthene | 207-08-9 | 8270D (SIM) | | 0.043 | J | 0.20 | 0.040 | 0.024 | ug/L | 1 |
| Chrysene | 218-01-9 | 8270D (SIM) | | 0.12 | J | 0.20 | 0.040 | 0.021 | ug/L | 1 |
| Dibenzo(a,h)anthracene | 53-70-3 | 8270D (SIM) | | 0.080 | U | 0.20 | 0.080 | 0.040 | ug/L | 1 |
| Surrogate | | | | | | | | | | |
| | | Run 1 | Acceptance | | | | | | | |
| | | Q | % Recovery | | | | | | | |
| 2-Methylnaphthalene-d10 | | 96 | 15-139 | | | | | | | |
| Fluoranthene-d10 | | 35 | 23-154 | | | | | | | |

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

H = Out of holding time

Q = Surrogate failure

ND = Not detected at or above the MDL

J = Estimated result < PQL and \geq MDL

P = The RPD between two GC columns exceeds 40%

N = Recovery is out of criteria

L = LCS/LCSD failure

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

S = MS/MSD failure

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Level 1 Report v2.1

Appendix D
Laboratory Analytical Reports – Permanent Well Groundwater

Volatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants

Laboratory ID: SC25010-017

Description: BEALB1431MW01WG20170324

Matrix: Aqueous

Date Sampled: 03/24/2017 0945

Date Received: 03/25/2017

| Run | Prep Method | Analytical Method | Dilution | Analysis Date | Analyst | Prep Date | Batch | | | |
|-----------------------|-------------|-------------------|-------------------|-------------------|---------|-----------|-------|------|-------|-----|
| 1 | 5030B | 8260B | 1 | 03/29/2017 0218 | ECP | | 38260 | | | |
| Parameter | | CAS Number | Analytical Method | Result | Q | LOQ | LOD | DL | Units | Run |
| Benzene | | 71-43-2 | 8260B | 0.80 | U | 1.0 | 0.80 | 0.40 | ug/L | 1 |
| Ethylbenzene | | 100-41-4 | 8260B | 0.86 | J | 1.0 | 0.80 | 0.40 | ug/L | 1 |
| Naphthalene | | 91-20-3 | 8260B | 69 | | 1.0 | 0.80 | 0.40 | ug/L | 1 |
| Toluene | | 108-88-3 | 8260B | 0.80 | U | 1.0 | 0.80 | 0.40 | ug/L | 1 |
| Xylenes (total) | | 1330-20-7 | 8260B | 0.80 | U | 1.0 | 0.80 | 0.40 | ug/L | 1 |
| Surrogate | | Run 1 Q | % Recovery | Acceptance Limits | | | | | | |
| Bromofluorobenzene | | 101 | | 85-114 | | | | | | |
| Dibromofluoromethane | | 105 | | 80-119 | | | | | | |
| 1,2-Dichloroethane-d4 | | 94 | | 81-118 | | | | | | |
| Toluene-d8 | | 96 | | 89-112 | | | | | | |

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

H = Out of holding time

Q = Surrogate failure

ND = Not detected at or above the MDL

J = Estimated result < PQL and ≥ MDL

P = The RPD between two GC columns exceeds 40%

N = Recovery is out of criteria

L = LCS/LCSD failure

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

S = MS/MSD failure

Semivolatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants

Laboratory ID: SC25010-017

Description: BEALB1431MW01WG20170324

Matrix: Aqueous

Date Sampled: 03/24/2017 0945

Date Received: 03/25/2017

| Run | Prep Method | Analytical Method | Dilution | Analysis Date | Analyst | Prep Date | Batch | | |
|------------------------|-------------|-------------------|-------------------|-------------------|----------|-----------------|-------|-------|-----------|
| 1 | 3520C | 8270D | 1 | 04/05/2017 2353 | RBH | 03/30/2017 1010 | 38407 | | |
| Parameter | | CAS Number | Analytical Method | | Result Q | LOQ | LOD | DL | Units Run |
| Benzo(a)anthracene | | 56-55-3 | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L 1 |
| Benzo(b)fluoranthene | | 205-99-2 | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L 1 |
| Benzo(k)fluoranthene | | 207-08-9 | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L 1 |
| Chrysene | | 218-01-9 | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L 1 |
| Dibenzo(a,h)anthracene | | 53-70-3 | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L 1 |
| Surrogate | | Run 1 Q | % Recovery | Acceptance Limits | | | | | |
| Nitrobenzene-d5 | | 72 | | 44-120 | | | | | |
| 2-Fluorobiphenyl | | 65 | | 44-119 | | | | | |
| Terphenyl-d14 | | 60 | | 50-134 | | | | | |

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

H = Out of holding time

Q = Surrogate failure

ND = Not detected at or above the MDL

J = Estimated result < PQL and \geq MDL

P = The RPD between two GC columns exceeds 40%

N = Recovery is out of criteria

L = LCS/LCSD failure

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

S = MS/MSD failure

Volatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants

Laboratory ID: TL15001-033

Description: BEALB1431MW02WG20181214

Matrix: Aqueous

Date Sampled: 12/14/2018 0825

Date Received: 12/14/2018

| Run | Prep Method | Analytical Method | Dilution | Analysis Date | Analyst | Prep Date | Batch | | | |
|-----------------------|-------------|-------------------|----------|-------------------|----------|-----------|-------|------|-------|-----|
| 1 | 5030B | 8260B | 1 | 12/27/2018 0555 | STM | | 93376 | | | |
| Parameter | | CAS Number | | Analytical Method | Result Q | LOQ | LOD | DL | Units | Run |
| Benzene | | 71-43-2 | | 8260B | 0.80 U | 1.0 | 0.80 | 0.40 | ug/L | 1 |
| Ethylbenzene | | 100-41-4 | | 8260B | 0.80 U | 1.0 | 0.80 | 0.40 | ug/L | 1 |
| Naphthalene | | 91-20-3 | | 8260B | 2.2 | 1.0 | 0.80 | 0.40 | ug/L | 1 |
| Toluene | | 108-88-3 | | 8260B | 0.80 U | 1.0 | 0.80 | 0.40 | ug/L | 1 |
| Xylenes (total) | | 1330-20-7 | | 8260B | 0.80 U | 1.0 | 0.80 | 0.40 | ug/L | 1 |
| Surrogate | Q | Run 1 % Recovery | | Acceptance Limits | | | | | | |
| Bromofluorobenzene | 100 | | | 85-114 | | | | | | |
| Dibromofluoromethane | 105 | | | 80-119 | | | | | | |
| 1,2-Dichloroethane-d4 | 102 | | | 81-118 | | | | | | |
| Toluene-d8 | 104 | | | 89-112 | | | | | | |

LOQ = Limit of Quantitation

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

DL = Detection Limit

Q = Surrogate failure

U = Not detected at or above the LOQ

N = Recovery is out of criteria

P = The RPD between two GC columns exceeds 40%

J = Estimated result < LOQ and ≥ DL

L = LCS/LCSD failure

H = Out of holding time

W = Reported on wet weight basis

LOD = Limit of Detection

S = MS/MSD failure

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Semivolatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants

Laboratory ID: TL15001-033

Description: BEALB1431MW02WG20181214

Matrix: Aqueous

Date Sampled: 12/14/2018 0825

Date Received: 12/14/2018

| Run | Prep Method | Analytical Method | Dilution | Analysis Date | Analyst | Prep Date | Batch |
|-----|-------------|-------------------|----------|-----------------|---------|-----------------|-------|
| 1 | 3520C | 8270D | 1 | 12/24/2018 1348 | CMP2 | 12/19/2018 1229 | 92840 |

| Parameter | CAS Number | Analytical Method | Result | Q | LOQ | LOD | DL | Units | Run |
|------------------------|------------|-------------------|-------------------|---|------|------|-------|-------|-----|
| Benzo(a)anthracene | 56-55-3 | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L | 1 |
| Benzo(b)fluoranthene | 205-99-2 | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L | 1 |
| Benzo(k)fluoranthene | 207-08-9 | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L | 1 |
| Chrysene | 218-01-9 | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L | 1 |
| Dibenzo(a,h)anthracene | 53-70-3 | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L | 1 |
| Surrogate | Q | Run 1 % Recovery | Acceptance Limits | | | | | | |
| Nitrobenzene-d5 | | 58 | 44-120 | | | | | | |
| 2-Fluorobiphenyl | | 48 | 44-119 | | | | | | |
| Terphenyl-d14 | | 77 | 50-134 | | | | | | |

LOQ = Limit of Quantitation

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

DL = Detection Limit

Q = Surrogate failure

U = Not detected at or above the LOQ

N = Recovery is out of criteria

P = The RPD between two GC columns exceeds 40%

J = Estimated result < LOQ and \geq DL

L = LCS/LCSD failure

H = Out of holding time

W = Reported on wet weight basis

LOD = Limit of Detection

S = MS/MSD failure

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Volatile Organic Compounds by GC/MS

| | |
|--|----------------------------|
| Client: AECOM - Resolution Consultants | Laboratory ID: TL15001-051 |
| Description: BEALB1431MW03 WG20181213 | Matrix: Aqueous |
| Date Sampled: 12/13/2018 1745 | |
| Date Received: 12/14/2018 | |

| Run | Prep Method | Analytical Method | Dilution | Analysis Date | Analyst | Prep Date | Batch |
|-----------------------|-------------|-------------------|----------|-------------------|----------|-----------|-------|
| 1 | 5030B | 8260B | 1 | 12/27/2018 1802 | BWS | | 93447 |
| Parameter | | CAS Number | | Analytical Method | Result Q | LOQ | LOD |
| Benzene | | 71-43-2 | | 8260B | 0.80 U | 1.0 | 0.80 |
| Ethylbenzene | | 100-41-4 | | 8260B | 0.80 U | 1.0 | 0.80 |
| Naphthalene | | 91-20-3 | | 8260B | 3.9 | 1.0 | 0.80 |
| Toluene | | 108-88-3 | | 8260B | 0.80 U | 1.0 | 0.80 |
| Xylenes (total) | | 1330-20-7 | | 8260B | 0.80 U | 1.0 | 0.80 |
| Surrogate | Q | Run 1 % Recovery | | Acceptance Limits | | | |
| Bromofluorobenzene | | 103 | | 85-114 | | | |
| Dibromofluoromethane | | 104 | | 80-119 | | | |
| 1,2-Dichloroethane-d4 | | 104 | | 81-118 | | | |
| Toluene-d8 | | 104 | | 89-112 | | | |

LOQ = Limit of Quantitation B = Detected in the method blank E = Quantitation of compound exceeded the calibration range DL = Detection Limit Q = Surrogate failure
 U = Not detected at or above the LOQ N = Recovery is out of criteria P = The RPD between two GC columns exceeds 40% J = Estimated result < LOQ and ≥ DL L = LCS/LCSD failure
 H = Out of holding time W = Reported on wet weight basis LOD = Limit of Detection S = MS/MSD failure

Shealy Environmental Services, Inc.
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Semivolatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants

Laboratory ID: TL15001-051

Description: BEALB1431MW03 WG20181213

Matrix: Aqueous

Date Sampled: 12/13/2018 1745

Date Received: 12/14/2018

| Run | Prep Method | Analytical Method | Dilution | Analysis Date | Analyst | Prep Date | Batch | | | | |
|------------------------|-------------|-------------------|----------|-------------------|---------|-----------|-------|------|-------|-------|-----|
| Parameter | | CAS Number | | Analytical Method | Result | Q | LOQ | LOD | DL | Units | Run |
| Benzo(a)anthracene | | 56-55-3 | | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L | 1 |
| Benzo(b)fluoranthene | | 205-99-2 | | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L | 1 |
| Benzo(k)fluoranthene | | 207-08-9 | | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L | 1 |
| Chrysene | | 218-01-9 | | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L | 1 |
| Dibenzo(a,h)anthracene | | 53-70-3 | | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L | 1 |
| Surrogate | Q | Run 1 % Recovery | | Acceptance Limits | | | | | | | |
| Nitrobenzene-d5 | | 84 | | 44-120 | | | | | | | |
| 2-Fluorobiphenyl | | 63 | | 44-119 | | | | | | | |
| Terphenyl-d14 | | 73 | | 50-134 | | | | | | | |

LOQ = Limit of Quantitation

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

DL = Detection Limit

Q = Surrogate failure

U = Not detected at or above the LOQ

N = Recovery is out of criteria

P = The RPD between two GC columns exceeds 40%

J = Estimated result < LOQ and \geq DL

L = LCS/LCSD failure

H = Out of holding time

W = Reported on wet weight basis

LOD = Limit of Detection

S = MS/MSD failure

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Volatile Organic Compounds by GC/MS

| | |
|--|----------------------------|
| Client: AECOM - Resolution Consultants | Laboratory ID: TL15001-031 |
| Description: BEALB1431MW04WG20181213 | Matrix: Aqueous |
| Date Sampled: 12/13/2018 1750 | |
| Date Received: 12/14/2018 | |

| Run | Prep Method | Analytical Method | Dilution | Analysis Date | Analyst | Prep Date | Batch | | | | |
|-----------------------|-------------|-------------------|------------|-------------------|---------|-----------|-------|------|------|-------|-----|
| Parameter | | CAS Number | | Analytical Method | Result | Q | LOQ | LOD | DL | Units | Run |
| Benzene | | 71-43-2 | | 8260B | 0.80 | U | 1.0 | 0.80 | 0.40 | ug/L | 1 |
| Ethylbenzene | | 100-41-4 | | 8260B | 0.80 | U | 1.0 | 0.80 | 0.40 | ug/L | 1 |
| Naphthalene | | 91-20-3 | | 8260B | 0.80 | U | 1.0 | 0.80 | 0.40 | ug/L | 1 |
| Toluene | | 108-88-3 | | 8260B | 0.80 | U | 1.0 | 0.80 | 0.40 | ug/L | 1 |
| Xylenes (total) | | 1330-20-7 | | 8260B | 0.80 | U | 1.0 | 0.80 | 0.40 | ug/L | 1 |
| Surrogate | | Run 1 Q | % Recovery | Acceptance Limits | | | | | | | |
| Bromofluorobenzene | | 103 | | 85-114 | | | | | | | |
| Dibromofluoromethane | | 103 | | 80-119 | | | | | | | |
| 1,2-Dichloroethane-d4 | | 103 | | 81-118 | | | | | | | |
| Toluene-d8 | | 104 | | 89-112 | | | | | | | |

LOQ = Limit of Quantitation B = Detected in the method blank E = Quantitation of compound exceeded the calibration range DL = Detection Limit Q = Surrogate failure
 U = Not detected at or above the LOQ N = Recovery is out of criteria P = The RPD between two GC columns exceeds 40% J = Estimated result < LOQ and \geq DL L = LCS/LCSD failure
 H = Out of holding time W = Reported on wet weight basis LOD = Limit of Detection S = MS/MSD failure

Shealy Environmental Services, Inc.
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Semivolatile Organic Compounds by GC/MS

| | |
|--|----------------------------|
| Client: AECOM - Resolution Consultants | Laboratory ID: TL15001-031 |
| Description: BEALB1431MW04WG20181213 | Matrix: Aqueous |
| Date Sampled: 12/13/2018 1750 | |
| Date Received: 12/14/2018 | |

| Run | Prep Method | Analytical Method | Dilution | Analysis Date | Analyst | Prep Date | Batch | | | | |
|------------------------|-------------|-------------------|------------|-------------------|---------|-----------|-------|------|-------|-------|-----|
| Parameter | | CAS Number | | Analytical Method | Result | Q | LOQ | LOD | DL | Units | Run |
| Benzo(a)anthracene | | 56-55-3 | | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L | 1 |
| Benzo(b)fluoranthene | | 205-99-2 | | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L | 1 |
| Benzo(k)fluoranthene | | 207-08-9 | | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L | 1 |
| Chrysene | | 218-01-9 | | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L | 1 |
| Dibenzo(a,h)anthracene | | 53-70-3 | | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L | 1 |
| Surrogate | | Run 1 Q | % Recovery | Acceptance Limits | | | | | | | |
| Nitrobenzene-d5 | | 56 | | 44-120 | | | | | | | |
| 2-Fluorobiphenyl | | 50 | | 44-119 | | | | | | | |
| Terphenyl-d14 | | 79 | | 50-134 | | | | | | | |

LOQ = Limit of Quantitation B = Detected in the method blank E = Quantitation of compound exceeded the calibration range DL = Detection Limit Q = Surrogate failure
 U = Not detected at or above the LOQ N = Recovery is out of criteria P = The RPD between two GC columns exceeds 40% J = Estimated result < LOQ and \geq DL L = LCS/LCSD failure
 H = Out of holding time W = Reported on wet weight basis LOD = Limit of Detection S = MS/MSD failure

Shealy Environmental Services, Inc.
 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Volatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants

Laboratory ID: TL15001-050

Description: BEALB1431MW05WG20181213

Matrix: Aqueous

Date Sampled: 12/13/2018 1715

Date Received: 12/14/2018

| Run | Prep Method | Analytical Method | Dilution | Analysis Date | Analyst | Prep Date | Batch | | | |
|-----------------------|-------------|-------------------|------------|-------------------|----------|-----------|-------|------|-------|-----|
| 1 | 5030B | 8260B | 1 | 12/27/2018 1736 | BWS | | 93447 | | | |
| Parameter | | CAS Number | | Analytical Method | Result Q | LOQ | LOD | DL | Units | Run |
| Benzene | | 71-43-2 | | 8260B | 0.80 U | 1.0 | 0.80 | 0.40 | ug/L | 1 |
| Ethylbenzene | | 100-41-4 | | 8260B | 0.80 U | 1.0 | 0.80 | 0.40 | ug/L | 1 |
| Naphthalene | | 91-20-3 | | 8260B | 0.80 U | 1.0 | 0.80 | 0.40 | ug/L | 1 |
| Toluene | | 108-88-3 | | 8260B | 0.80 U | 1.0 | 0.80 | 0.40 | ug/L | 1 |
| Xylenes (total) | | 1330-20-7 | | 8260B | 0.80 U | 1.0 | 0.80 | 0.40 | ug/L | 1 |
| Surrogate | | Run 1 Q | % Recovery | Acceptance Limits | | | | | | |
| Bromofluorobenzene | | 103 | | 85-114 | | | | | | |
| Dibromofluoromethane | | 103 | | 80-119 | | | | | | |
| 1,2-Dichloroethane-d4 | | 103 | | 81-118 | | | | | | |
| Toluene-d8 | | 104 | | 89-112 | | | | | | |

LOQ = Limit of Quantitation

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

DL = Detection Limit

Q = Surrogate failure

U = Not detected at or above the LOQ

N = Recovery is out of criteria

P = The RPD between two GC columns exceeds 40%

J = Estimated result < LOQ and ≥ DL

L = LCS/LCSD failure

H = Out of holding time

W = Reported on wet weight basis

LOD = Limit of Detection

S = MS/MSD failure

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Semivolatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants

Laboratory ID: TL15001-050

Description: BEALB1431MW05WG20181213

Matrix: Aqueous

Date Sampled: 12/13/2018 1715

Date Received: 12/14/2018

| Run | Prep Method | Analytical Method | Dilution | Analysis Date | Analyst | Prep Date | Batch | | | | |
|------------------------|-------------|-------------------|----------|-------------------|---------|-----------|-------|------|-------|-------|-----|
| Parameter | | CAS Number | | Analytical Method | Result | Q | LOQ | LOD | DL | Units | Run |
| Benzo(a)anthracene | | 56-55-3 | | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L | 1 |
| Benzo(b)fluoranthene | | 205-99-2 | | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L | 1 |
| Benzo(k)fluoranthene | | 207-08-9 | | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L | 1 |
| Chrysene | | 218-01-9 | | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L | 1 |
| Dibenzo(a,h)anthracene | | 53-70-3 | | 8270D | 0.10 | U | 0.20 | 0.10 | 0.040 | ug/L | 1 |
| Surrogate | Q | Run 1 % Recovery | | Acceptance Limits | | | | | | | |
| Nitrobenzene-d5 | | 87 | | 44-120 | | | | | | | |
| 2-Fluorobiphenyl | | 67 | | 44-119 | | | | | | | |
| Terphenyl-d14 | | 79 | | 50-134 | | | | | | | |

LOQ = Limit of Quantitation

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

DL = Detection Limit

Q = Surrogate failure

U = Not detected at or above the LOQ

N = Recovery is out of criteria

P = The RPD between two GC columns exceeds 40%

J = Estimated result < LOQ and \geq DL

L = LCS/LCSD failure

H = Out of holding time

W = Reported on wet weight basis

LOD = Limit of Detection

S = MS/MSD failure

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Appendix E
Historical Groundwater Analytical Results

Appendix E-3
Historical Groundwater Analytical Results - 2013 through 2019
Laurel Bay Military Housing Area
MCAS Beaufort, South Carolina

| Old Laurel Bay Military Housing Area Address | New Laurel Bay Military Housing Area Address | | | | Benzene | Ethylbenzene | Naphthalene | Toluene | Xylenes | Benzo(a)anthracene | Benzo(b)fluoranthene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene |
|--|--|--------------|-------------|-------------|----------|--------------|-------------|----------|-----------|--------------------|----------------------|----------------------|-----------|-----------------------|
| | | SCDHEC RBSLS | | | 5 | 700 | 25 | 1000 | 10000 | 10 | 10 | 10 | 10 | 10 |
| | | Well ID | Sample Date | Sample Type | | | | | | | | | | |
| 119 Banyan Drive | 57 Banyan Drive | BEALB119MW01 | 12/11/2015 | N | < 0.45 U | 5 | 36 J | < 0.48 U | 3.3 J | 0.065 J | 0.034 J | < 0.040 U | 0.079 J | < 0.080 U |
| | | | 12/11/2015 | FD | < 0.45 U | 5 | 37 J | < 0.48 U | 3.5 J | < 0.040 U | < 0.040 U | < 0.040 U | 0.037 J | < 0.080 UJ |
| | | | 7/28/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 6/14/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 1/23/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB119MW02 | 12/11/2015 | N | < 0.45 U | < 0.51 U | < 0.96 U | 0.31 J | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 7/28/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 6/13/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 1/23/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB119MW03 | 12/11/2015 | N | < 0.45 U | < 0.51 U | < 0.96 U | < 0.48 U | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 7/28/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 6/13/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 1/23/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB119MW04 | 12/14/2015 | N | < 0.45 U | < 0.51 U | < 0.96 U | < 0.48 U | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 7/28/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 6/13/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 1/23/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| 128 Banyan Drive | 156 Banyan Drive | BEALB128MW01 | 12/14/2015 | N | 0.68 J | 6.5 | 29 | 0.42 J | 21 | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 7/28/2016 | N | 1.7 | 18 | 51 | 0.87 J | 19 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 6/14/2017 | N | 1.4 | 19 | 55 | 0.79 J | 33 | 0.048 J | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 1/22/2018 | N | NA | NA | 64 | NA | NA | NA | NA | NA | NA | NA |
| | | | 3/19/2019 | N | NA | NA | 6.1 | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB128MW02 | 12/14/2015 | N | < 0.45 U | < 0.51 U | < 0.96 U | < 0.48 U | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 7/28/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 6/14/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | 0.043 J | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 1/22/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 3/19/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB128MW03 | 12/14/2015 | N | < 0.45 U | < 0.51 U | < 0.96 U | < 0.48 U | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 7/29/2016 | N | 1.4 | 7.1 | 39 | < 0.80 U | 15 | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 6/13/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 1/22/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 3/19/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB128MW04 | 12/14/2015 | N | < 0.45 U | < 0.51 U | < 0.96 U | 7.4 | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 7/29/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 7/29/2016 | FD | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 6/13/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | 0.043 J | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 UJ |
| | | | 1/22/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 3/19/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| 130 Banyan Drive | 174 Banyan Drive | BEALB130MW01 | 3/23/2017 | N | 1.2 | 66 | 160 | < 0.80 | 12 | < 0.10 | < 0.10 | < 0.10 | < 0.10 | < 0.10 |
| | | | 1/19/2018 | N | 0.45 J | 35 | 96 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/19/2019 | N | < 0.80 U | 19 | 54 | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 3/19/2019 | FD | < 0.80 U | 18 | 49 | < 0.80 U | < 0.80 U | | | | | |

Appendix E-3
Historical Groundwater Analytical Results - 2013 through 2019
Laurel Bay Military Housing Area
MCAS Beaufort, South Carolina

| Old Laurel Bay Military Housing Area Address | New Laurel Bay Military Housing Area Address | | | | Benzene | Ethylbenzene | Naphthalene | Toluene | Xylenes | Benzo(a)anthracene | Benzo(b)fluoranthene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene | |
|--|--|--------------|-------------|-------------|----------|--------------|-------------|----------|----------|--------------------|----------------------|----------------------|-----------|-----------------------|-----------|
| | | SCDHEC RBSLS | | | 5 | 700 | 25 | 1000 | 10000 | 10 | 10 | 10 | 10 | 10 | |
| | | Well ID | Sample Date | Sample Type | | | | | | | | | | | |
| 132 Banyan Drive | 188 Banyan Drive | BEALB132MW01 | 12/15/2015 | N | 7.9 | 42 | 150 J | < 0.48 U | 39 | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U | |
| | | | 7/29/2016 | N | 30 | 78 | 200 | < 0.80 U | 60 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 6/15/2017 | N | 17 | 52 | 150 | < 0.80 U | 33 | 0.050 J | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | |
| | | | 1/19/2018 | N | 33 | NA | 310 | NA | NA | NA | NA | NA | NA | NA | |
| | | | 3/19/2019 | N | 22 | NA | 160 | NA | NA | NA | NA | NA | NA | NA | |
| | | | 3/19/2019 | FD | 23 | NA | 180 | NA | NA | NA | NA | NA | NA | NA | |
| | | BEALB132MW02 | 12/15/2015 | N | 0.50 J | < 0.51 U | 2.8 J | < 0.48 U | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U | |
| | | | 7/29/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 6/14/2017 | N | < 0.80 U | < 0.80 U | 1.2 | < 0.80 U | < 0.80 U | 0.041 J | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 1/19/2018 | N | < 0.80 U | NA | 0.99 J | NA | NA | NA | NA | NA | NA | NA | |
| | | | 3/19/2019 | N | 0.47 J | NA | 2.1 | NA | NA | NA | NA | NA | NA | NA | |
| | | BEALB132MW03 | 12/15/2015 | N | < 0.45 U | < 0.51 U | < 0.96 U | < 0.48 U | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U | |
| | | | 7/29/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 6/14/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 UJ | |
| | | | 1/19/2018 | N | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA | |
| | | | 3/19/2019 | N | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA | |
| | | BEALB132MW04 | 12/15/2015 | N | < 0.45 U | < 0.51 U | 0.47 J | < 0.48 U | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U | |
| | | | 7/29/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 6/14/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | 0.13 J | < 0.10 U | < 0.10 U | < 0.10 U | 0.080 J | |
| | | | 1/19/2018 | N | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA | |
| | | | 3/19/2019 | N | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA | |
| 135 Birch Drive | 378 Birch Drive | BEALB135MW01 | 12/15/2015 | N | < 0.45 U | 3.4 J | 79 | < 0.48 U | 0.36 J | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U | |
| | | | 8/2/2016 | N | < 0.80 U | 2.4 | 45 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 8/2/2016 | FD | < 0.80 U | 2.6 | 47 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 6/14/2017 | N | 1 | 4.6 | 61 | < 0.80 U | 2.2 | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | |
| | | | 1/23/2018 | N | NA | NA | 64 | NA | NA | NA | NA | NA | NA | NA | |
| | | | 3/19/2019 | N | NA | NA | 36 | NA | NA | NA | NA | NA | NA | NA | |
| | | BEALB135MW02 | 3/19/2019 | FD | NA | NA | 35 | NA | NA | NA | NA | NA | NA | NA | |
| | | | 12/14/2015 | N | < 0.45 U | < 0.51 U | < 0.96 U | < 0.48 U | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U | |
| | | | 8/1/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 6/13/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | |
| | | | 1/23/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA | |
| | | BEALB135MW03 | 3/18/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA | |
| | | | 12/14/2015 | N | < 0.45 U | < 0.51 U | < 0.96 U | < 0.48 U | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 UJ | |
| | | | 8/2/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 6/13/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | 0.096 J | < 0.10 U | < 0.10 U | < 0.10 U | 0.042 J | < 0.10 UJ |
| | | | 1/22/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA | |
| | | BEALB135MW04 | 3/18/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA | |
| | | | 12/14/2015 | N | < 0.45 U | < 0.51 U | < 0.96 U | < 0.48 U | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U | |
| | | | 8/1/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 6/13/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | 0.044 J | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 UJ | |
| | | | 1/22/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA | |
| | | BEALB148MW01 | 3/18/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA | |
| | | | 12/16/2015 | N | < 0.45 U | 13 | 110 J | < 0.48 U | 8.9 | 0.04 | | | | | |

Appendix E-3
Historical Groundwater Analytical Results - 2013 through 2019
Laurel Bay Military Housing Area
MCAS Beaufort, South Carolina

| Old Laurel Bay Military Housing Area Address | New Laurel Bay Military Housing Area Address | | | | Benzene | Ethylbenzene | Naphthalene | Toluene | Xylenes | Benzo(a)anthracene | Benzo(b)fluoranthene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene |
|--|--|--------------|-------------|-------------|----------|--------------|-------------|----------|----------|--------------------|----------------------|----------------------|-----------|-----------------------|
| | | SCDHEC RBSLs | | | 5 | 700 | 25 | 1000 | 10000 | 10 | 10 | 10 | 10 | 10 |
| | | Well ID | Sample Date | Sample Type | | | | | | | | | | |
| 156 Laurel Bay Boulevard | 989 Laurel Bay Boulevard | BEALB156MW01 | 12/15/2015 | N | < 0.45 U | 9.2 | 72 | < 0.48 U | 25 | < 0.20 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.40 U |
| | | | 12/15/2015 | FD | < 0.45 U | 11 | 82 | < 0.48 U | 31 | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 8/1/2016 | N | < 0.80 U | 13 | 110 | < 0.80 U | 18 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 6/14/2017 | N | < 0.80 U | 8.6 | 62 | < 0.80 U | 6.2 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 1/23/2018 | N | NA | NA | 110 | NA | NA | NA | NA | NA | NA | NA |
| | | | 3/19/2019 | N | NA | NA | 16 | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB156MW02 | 12/15/2015 | N | < 0.45 U | < 0.51 U | < 0.96 U | < 0.48 U | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 8/1/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 6/14/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 1/23/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 3/18/2019 | N | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB156MW03 | 12/15/2015 | N | < 0.45 U | < 0.51 U | < 0.96 U | < 0.48 U | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 8/1/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 6/14/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 1/22/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 3/18/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB156MW04 | 12/15/2015 | N | < 0.45 U | < 0.51 U | < 0.96 U | < 0.48 U | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 8/1/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 6/14/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 1/22/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 3/18/2019 | N | NA | NA | 0.50 J | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB156MW05 | 12/15/2015 | N | < 0.45 U | < 0.51 U | < 0.96 U | < 0.48 U | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 8/3/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 6/14/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 1/22/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 3/18/2019 | N | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA | NA |
| 228 Cypress Street | 136 Cypress Street | BEALB228MW01 | 3/20/2018 | N | < 0.80 U | 18 | 86 | 1.3 | 52 | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 3/7/2019 | N | < 0.80 U | < 0.80 U | 1.5 J | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 3/7/2019 | FD | < 0.80 U | < 0.80 U | 2.1 | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB228MW02 | 12/18/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/7/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB228MW03 | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/7/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB228MW04 | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/7/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB228MW05 | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/7/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| 254 Beech Street | 37 Beech Street | BEALB254MW01 | 3/20/2018 | N | 17 J | 15 J | 190 | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 3/20/2018 | FD | 13 | 12 | 160 | < 0.80 U | < 0.80 U | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ |
| | | | 3/13/2019 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP |
| | | BEALB254MW02 | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/13/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB254MW03 | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 12/17/2018 | FD | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB254MW04 | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/11/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB256MW01 | 3/23/2017 | N | 1.2 | 14 | 38 | < 0.80 | 12 | < 0.10 | < 0.10 | < 0.10 | < 0.10 | < 0.10 |
| | | | 3/23/2017 | FD | 1.3 | 15 | 38 | < 0.80 | 13 | < 0.10 | < 0.10 | < 0.10 | < 0.10 | < 0.10 |
| | | | 1/23/2018 | N | 2.3 | 14 | 50 | < 0.80 U | 2.2 | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 3/11/2019 | N | < 0.80 U | 0.73 J | 1.8 | < 0.80 U | < 0.80 U | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ |
| | | | 3/11/2019 | FD | < 0.80 U | 0.75 J | 1.9 | < 0.80 U | < 0.80 U | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ |
| 256 Beech Street | 53 Beech Street | BEALB256MW02 | 12/13/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/8/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB256MW03 | 12/13/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < | |

Appendix E-3
Historical Groundwater Analytical Results - 2013 through 2019
Laurel Bay Military Housing Area
MCAS Beaufort, South Carolina

| Old Laurel Bay Military Housing Area Address | New Laurel Bay Military Housing Area Address | | | | Benzene | Ethylbenzene | Naphthalene | Toluene | Xylenes | Benzo(a)anthracene | Benzo(b)fluoranthene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene |
|--|--|---------------|-------------|-------------|-----------|--------------|-------------|-----------|-----------|--------------------|----------------------|----------------------|-----------|-----------------------|
| | | SCDHEC RBSLs | | | 5 | 700 | 25 | 1000 | 10000 | 10 | 10 | 10 | 10 | 10 |
| | | Well ID | Sample Date | Sample Type | | | | | | | | | | |
| 273 Birch Drive | 82 Birch Drive | BEALB273MW01 | 7/25/2016 | N | 2.4 | 5.9 | 75 | < 0.80 U | 1.5 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 6/14/2017 | N | 1.9 | 16 | 170 | < 0.80 U | < 0.80 U | 0.056 J | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 1/23/2018 | N | 2.6 | 11 | 140 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/5/2019 | N | NA | NA | 100 | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB273MW02 | 12/13/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/6/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB273MW03 | 12/13/2018 | N | < 0.80 UJ | 0.72 J | 24 J | < 0.80 UJ | 0.67 J | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/5/2019 | N | NA | NA | 15 | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB273MW04 | 12/13/2018 | N | < 0.80 UJ | < 0.80 UJ | 0.78 J | < 0.80 UJ | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/5/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB273MW05 | 12/13/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/6/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| 282 Birch Drive | 191 Birch Drive | BEALB282MW136 | 7/30/2013 | N | 0.41 J | 1.2 | 57 | < 0.25 U | < 0.25 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U |
| | | | 9/11/2014 | N | < 0.40 U | 0.76 J | 14 | < 0.20 U | < 0.40 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 9/11/2014 | FD | < 0.40 U | 0.76 J | 15 | < 0.20 U | < 0.40 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 9/15/2015 | N | < 0.45 U | NA | 16 | NA | NA | NA | NA | NA | NA | NA |
| | | | 9/15/2015 | FD | < 0.45 U | NA | 13 | NA | NA | NA | NA | NA | NA | NA |
| | | | 7/28/2016 | N | NA | NA | 15 | NA | NA | NA | NA | NA | NA | NA |
| | | | 7/28/2016 | FD | NA | NA | 16 | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB282MW137 | 7/30/2013 | N | < 0.25 U | < 0.25 U | < 0.25 U | < 0.25 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 9/11/2014 | N | < 0.40 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 9/15/2015 | N | < 0.45 U | NA | < 0.96 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB282MW138 | 7/28/2016 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 7/30/2013 | N | < 0.25 U | < 0.25 U | < 0.25 U | < 0.25 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 9/12/2014 | N | < 0.40 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 9/15/2015 | N | < 0.45 U | NA | 0.14 J | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB282MW139 | 7/27/2016 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 7/30/2013 | N | < 0.25 U | < 0.25 U | 0.41 J | < 0.25 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 9/12/2014 | N | < 0.40 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 9/15/2015 | N | < 0.45 U | NA | < 0.96 U | NA | NA | NA | NA | NA | NA | NA |
| 285 Birch Drive | 174 Birch Drive | BEALB285MW01 | 3/6/2019 | N | 0.95 | 5.1 | 33 | < 0.80 | 5.9 | < 0.10 | < 0.10 | < 0.10 | < 0.10 | < 0.10 |
| | | | 1/23/2018 | N | 2.1 | 10 | 60 | < 0.80 U | 7.2 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/6/2019 | N | 1.6 | 5.2 | 35 | < 0.80 | 1.4 | < 0.10 UJ | < 0.10 | < 0.10 | < 0.10 UJ | < 0010 |
| | | BEALB285MW02 | 12/18/2018 | N | < 0.80 U | < 0.80 U | 0.41 J | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/6/2019 | N | < 0.80 U | < 0.80 U | 2 | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB285MW03 | 12/18/2018 | N | 0.52 J | 1.5 | 39 | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 3/6/2019 | N | 0.66 J | 1.6 | 37 | < 0.80 | < 0.80 | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB285MW04 | 12/18/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/6/2019 | N | < 0.80 | < 0.80 | 0.49 J | < 0.80 | < 0.80 | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB285MW05 | 12/18/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/6/2019 | N | < 0.80 | < 0.80 | 0.6 J | < 0.80 | < 0.80 | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB285MW06 | 12/18/2018 | N | 3.1 | 4.9 | 56 | < 0.80 U | 12 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 12/18/2018 | FD | 3.3 | 5.2 | 61 | < 0.80 U | 13 | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 3/6/2019 | N | 4.6 | 5.2 | 49 | < 0.80 U | 7.1 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/6/2019 | FD | 4.2 | 4.7 | 53 | < 0.80 U | 7.2 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB285MW07 | 4/8/2019 | N | < 0.80 U | < 0.80 U | 9.1 | < 0.80 UJ | 0.52 J | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| 292 Birch Drive | 273 Birch Drive | BEALB292MW01 | 3/23/2017 | N | < 0.80 | 3.2 | 10 | < 0.80 | < 0.80 | < 0.10 | < 0.10 | < 0.10 | < 0.10 | < 0.10 |

Appendix E-3
Historical Groundwater Analytical Results - 2013 through 2019
Laurel Bay Military Housing Area
MCAS Beaufort, South Carolina

| Old Laurel Bay Military Housing Area Address | New Laurel Bay Military Housing Area Address | | | | Benzene | Ethylbenzene | Naphthalene | Toluene | Xylenes | Benzo(a)anthracene | Benzo(b)fluoranthene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene |
|--|--|--------------|-------------|-------------|----------|--------------|-------------|----------|-----------|--------------------|----------------------|----------------------|-----------|-----------------------|
| | | SCDHEC RBSLs | | | 5 | 700 | 25 | 1000 | 10000 | 10 | 10 | 10 | 10 | 10 |
| | | Well ID | Sample Date | Sample Type | | | | | | | | | | |
| 325 Ash Street | 238 Ash Street | BEALB325MW01 | 7/25/2016 | N | < 0.80 U | 25 | 100 J | < 0.80 U | 18 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 UJ |
| | | | 6/14/2017 | N | < 0.80 U | 18 | 86 | < 0.80 U | 8.8 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 UJ |
| | | | 1/23/2018 | N | < 0.80 U | 16 | 92 | < 0.80 U | 7.1 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/18/2019 | N | NA | NA | 80 | NA | NA | NA | NA | NA | NA | NA |
| | | | 3/18/2019 | FD | NA | NA | 86 | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB325MW02 | 12/19/2018 | N | < 0.80 U | 6.9 | 41 | < 0.80 U | 20 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/18/2019 | N | NA | NA | 27 | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB325MW03 | 12/19/2018 | N | < 0.80 U | 2.4 | 10 | < 0.80 U | 0.87 J | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/15/2019 | N | NA | NA | 8.8 | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB325MW04 | 12/19/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/15/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB325MW05 | 12/19/2018 | N | < 0.80 U | < 0.80 U | 0.66 J | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 3/18/2019 | N | NA | NA | 0.62 J | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB325MW06 | 12/19/2018 | N | < 0.80 U | 21 | 91 | 0.56 J | 36 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/18/2019 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP |
| | | BEALB325MW07 | 12/19/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/18/2019 | N | NA | NA | 0.43 J | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB325MW08 | 12/19/2018 | N | 1.7 | 21 | 140 | 0.51 J | 39 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/18/2019 | N | NA | NA | 91 | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB325MW09 | 4/8/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 4/8/2019 | FD | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB325MW10 | 4/8/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 326 Ash Street | 239 Ash Street | BEALB326MW01 | 7/25/2016 | N | 2.6 | 15 | 49 | 0.86 J | 59 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 6/14/2017 | N | 2.2 | 8 | 37 | < 0.80 U | 23 | < 0.50 U | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ |
| | | | 1/23/2018 | N | 3.7 | 19 | 74 | 0.68 J | 43 | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 3/18/2019 | N | NA | NA | 51 | NA | NA | NA | NA | NA | NA | NA |
| | | | 3/18/2019 | FD | NA | NA | 48 | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB326MW02 | 12/19/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 12/19/2018 | FD | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB326MW03 | 3/15/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 12/19/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB326MW04 | 3/14/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 12/19/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB326MW05 | 3/15/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| 330 Ash Street | 309 Ash Street | BEALB330MW01 | 7/26/2016 | N | 1.3 | 48 | 120 | 0.86 J | 100 | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 6/14/2017 | N | 1.5 | 46 | 150 | 1.1 | 68 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/14/2019 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP |
| | | BEALB330MW02 | 12/18/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/14/2019 | N | < 0.80 U | < 0.80 U | 1.1 | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB330MW03 | 12/17/2018 | N | < 0.80 U | < 0.80 U | 1.2 | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 3/15/2019 | N | < 0.80 U | 0.84 J | 4.2 | < 0.80 U | 0.76 J | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB330MW04 | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 3/15/2019 | N | < 0.80 U | < 0.80 U | 3.5 | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB330MW05 | 12/18/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 12/18/2018 | FD | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/14/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 331 Ash Street | 324 Ash Street | BEALB331MW01 | 3/23/2017 | N | < 0.80 | 2 | 41 | < 0.80 | 3.6 | < 0.10 | < 0.10 | < 0.10 | < 0.10 | < 0.10 |
| | | | 1/24/2018 | N | < 0.80 U | 1 | 32 | < 0.80 U | 1.8 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/15/2019 | N | < 0.80 U | 0.82 J | 22 | < 0.80 U | 1.1 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/15/2019 | FD | < 0.80 U | 0.88 J | 23 | < 0.80 U | 1.1 | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB331MW02 | 12/18/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/14/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB331MW03 | 12/18/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/14/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB331MW04 | 12/18/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/14/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | | | | | | | | | | | | |

Appendix E-3
Historical Groundwater Analytical Results - 2013 through 2019
Laurel Bay Military Housing Area
MCAS Beaufort, South Carolina

| Old Laurel Bay Military Housing Area Address | New Laurel Bay Military Housing Area Address | | | | Benzene | Ethylbenzene | Naphthalene | Toluene | Xylenes | Benzo(a)anthracene | Benzo(b)fluoranthene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene |
|--|--|--------------|-------------|-------------|-----------|--------------|-------------|-----------|-----------|--------------------|----------------------|----------------------|-----------|-----------------------|
| | | SCDHEC RBSLs | | | 5 | 700 | 25 | 1000 | 10000 | 10 | 10 | 10 | 10 | 10 |
| | | Well ID | Sample Date | Sample Type | | | | | | | | | | |
| 335 Ash Street | 350 Ash Street | BEALB335MW01 | 1/24/2018 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP |
| | | | 3/14/2019 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP |
| | | BEALB335MW02 | 12/17/2018 | N | < 0.80 U | < 0.80 U | 6 | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 12/17/2018 | FD | < 0.80 U | < 0.80 U | 6.7 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB335MW03 | 3/14/2019 | N | < 0.80 U | < 0.80 U | 2.2 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 12/13/2018 | N | < 0.80 U | < 0.80 U | 12 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB335MW04 | 3/14/2019 | N | < 0.80 U | < 0.80 U | 18 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 12/17/2018 | N | < 0.80 U | < 0.80 U | 12 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB335MW05 | 3/14/2019 | N | < 0.80 U | < 0.80 U | 18 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 7/25/2016 | N | 5.9 | 12 | 55 | < 0.80 U | 2 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 336 Ash Street | 381 Ash Street | BEALB336MW01 | 7/25/2016 | FD | 6.6 | 13 | 63 | < 0.80 U | 2.3 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 6/15/2017 | N | 7.7 | 21 | 130 | < 0.80 U | < 0.80 U | 0.041 J | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB336MW02 | 1/24/2018 | N | 6.6 | 18 | 79 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/14/2019 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP |
| | | BEALB336MW03 | 12/19/2018 | N | < 0.80 U | < 0.80 U | 12 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/14/2019 | N | < 0.80 U | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA |
| | | BEALB336MW04 | 12/19/2018 | N | < 0.80 U | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA |
| | | | 3/14/2019 | N | < 0.80 U | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA |
| | | BEALB336MW05 | 12/19/2018 | N | < 0.80 U | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA |
| | | | 3/14/2019 | N | < 0.80 U | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA |
| 342 Ash Street | 445 Ash Street | BEALB342MW01 | 3/23/2017 | N | 0.68 | 0.72 | 5.1 | < 0.80 | < 0.80 | < 0.10 | < 0.10 | < 0.10 | < 0.10 | < 0.10 |
| | | | 7/25/2016 | N | < 0.80 U | 13 | 37 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 343 Ash Street | 410 Ash Street | BEALB343MW01 | 6/15/2017 | N | < 0.80 U | 3.9 | 7.7 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 1/24/2018 | N | < 0.80 U | 1.7 | 8.7 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB343MW02 | 3/14/2019 | N | NA | NA | 3.5 | NA | NA | NA | NA | NA | NA | NA |
| | | | 12/13/2018 | N | < 0.80 UJ | < 0.80 UJ | 0.60 J | < 0.80 UJ | < 0.80 UJ | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB343MW03 | 3/14/2019 | N | NA | NA | 1.3 J | < 0.80 UJ | < 0.80 UJ | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 12/13/2018 | N | NA | NA | 34 | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB343MW04 | 12/13/2018 | N | < 0.80 U | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA |
| | | | 3/14/2019 | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB343MW05 | 12/13/2018 | N | < 0.80 UU | < 0.80 UU | NA | < 0.80 UU | NA | NA | NA | NA | NA | NA |
| | | | 3/13/2019 | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 353 Ash Street | 502 Ash Street | BEALB353MW01 | 7/25/2016 | N | 0.97 J | 15 | 100 | < 0.80 U | 1.2 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 6/15/2017 | N | 1.4 | 11 | 17 | < 0.80 U | 0.47 J | < 0.50 U | < 0.50 U | < 0.50 U | < 0.50 U | < 0.50 U |
| | | BEALB353MW02 | 1/26/2018 | N | 1.2 | 18 | 1.6 | < 0.80 U | 0.56 J | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ |
| | | | 3/14/2019 | N | NA | NA | 2.2 | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB353MW03 | 12/19/2018 | N | < 0.80 U | 1.2 | 1.3 | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 3/13/2019 | N | NA | NA | 1.2 | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB353MW04 | 12/19/2018 | N | < 0.80 U | 4.5 | 29 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/13/2019 | FD | NA | NA | 12 | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB353MW05 | 12/19/2018 | N | < 0.80 U | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA |
| | | | 3/14/2019 | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| 353 Ash Street | 502 Ash Street | BEALB353MW06 | 12/19/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 3/13/2019 | N | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB353MW07 | 12/18/2018 | N | < 0.80 U | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA |
| | | | | | | | | | | | | | | |

Appendix E-3
Historical Groundwater Analytical Results - 2013 through 2019
Laurel Bay Military Housing Area
MCAS Beaufort, South Carolina

| Old Laurel Bay Military Housing Area Address | New Laurel Bay Military Housing Area Address | | | | Benzene | Ethylbenzene | Naphthalene | Toluene | Xylenes | Benzo(a)anthracene | Benzo(b)fluoranthene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene | |
|--|--|---------------|---------------|---------------|---------------|---------------|----------------|----------|----------------|--------------------|----------------------|----------------------|---------------|-----------------------|-----------|
| | | SCDHEC RBSLs | | | 5 | 700 | 25 | 1000 | 10000 | 10 | 10 | 10 | 10 | 10 | |
| | | Well ID | Sample Date | Sample Type | | | | | | | | | | | |
| 388 Acorn Drive | 125 Acorn Drive | BEALB388MW110 | 7/29/2013 | N | 0.25 J | 15 | 72 | < 0.25 U | 23 | 0.33 | 0.19 J | < 0.11 U | 0.20 J | < 0.11 U | |
| | | | 9/10/2014 | N | 2.0 | 14 | 71 | < 0.20 U | 18 | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U | |
| | | | 9/14/2015 | N | 0.75 J | NA | 49 BJ | NA | NA | NA | NA | NA | NA | NA | |
| | | | 7/27/2016 | N | NA | NA | 30 | NA | NA | NA | NA | NA | NA | NA | |
| | | | 6/15/2017 | N | NA | NA | 34 | NA | NA | NA | NA | NA | NA | NA | |
| | | | 1/24/2018 | N | NA | NA | 62 | NA | NA | NA | NA | NA | NA | NA | |
| | | | 3/18/2019 | N | NA | NA | 35 | NA | NA | NA | NA | NA | NA | NA | |
| | | | 3/18/2019 | FD | NA | NA | 32 | NA | NA | NA | NA | NA | NA | NA | |
| | | BEALB388MW111 | 7/29/2013 | N | < 0.25 U | < 0.25 U | < 0.25 U | < 0.25 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 9/10/2014 | N | < 0.40 U | < 0.20 U | 0.48 J | < 0.20 U | < 0.40 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U | |
| | | | 9/14/2015 | N | < 0.45 U | NA | < 0.96 U | NA | NA | NA | NA | NA | NA | NA | |
| | | | 7/27/2016 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA | |
| | | | 6/15/2017 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA | |
| | | | 1/24/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA | |
| | | | 3/18/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA | |
| | | BEALB388MW112 | 7/29/2013 | N | < 0.25 U | < 0.25 U | 14 | < 0.25 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U | |
| | | | 9/10/2014 | N | < 0.40 U | < 0.20 U | 26 | < 0.20 U | < 0.40 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U | |
| | | | 9/14/2015 | N | < 0.45 U | NA | 6.8 BJ | NA | NA | NA | NA | NA | NA | NA | |
| | | | 7/27/2016 | N | NA | NA | 2.8 | NA | NA | NA | NA | NA | NA | NA | |
| | | | 7/27/2016 | FD | NA | NA | 3.2 | NA | NA | NA | NA | NA | NA | NA | |
| | | | 6/15/2017 | N | NA | NA | 8.5 | NA | NA | NA | NA | NA | NA | NA | |
| | | | 1/24/2018 | N | NA | NA | 3.5 | NA | NA | NA | NA | NA | NA | NA | |
| | | | 3/18/2019 | N | NA | NA | 2.1 | NA | NA | NA | NA | NA | NA | NA | |
| | | | BEALB391MW113 | 7/30/2013 | N | < 0.25 U | < 0.25 U | < 0.25 U | < 0.25 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U | |
| | | | | 9/10/2014 | N | < 0.40 U | < 0.20 U | < 0.20 U | < 0.40 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U | |
| | | | | 9/15/2015 | N | < 0.45 U | NA | < 0.96 U | NA | NA | NA | NA | NA | NA | |
| | | | | BEALB391MW114 | 7/29/2013 | N | < 0.25 U | < 0.25 U | 6.6 | < 0.25 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U |
| | | | | | 7/29/2013 | FD | < 0.25 U | < 0.25 U | 6.3 | < 0.25 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U |
| | | | | | 9/10/2014 | N | < 0.40 U | < 0.20 U | 12 | < 0.20 U | < 0.40 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | | | 9/14/2015 | N | < 0.45 U | NA | 0.51 BJ | NA | NA | NA | NA | NA | NA |
| | | BEALB391MW115 | 7/29/2013 | N | < 0.25 U | < 0.25 U | < 0.25 U | < 0.25 U | < 0.12 U | < 0.12 U | < 0.12 U | < 0.12 U | < 0.12 U | < 0.12 U | |
| | | | 9/10/2014 | N | < 0.40 U | < 0.20 U | 0.89 J | < 0.20 U | < 0.40 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U | |
| | | | 9/14/2015 | N | < 0.45 U | NA | 0.63 BJ | NA | NA | NA | NA | NA | NA | NA | |
| | | BEALB391MW116 | 7/29/2013 | N | < 0.25 U | < 0.25 U | 3.7 | < 0.25 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 9/10/2014 | N | < 0.40 U | < 0.20 U | 0.57 J | < 0.20 U | < 0.40 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U | |
| | | | 9/14/2015 | N | < 0.45 U | NA | 19 BJ | NA | NA | NA | NA | NA | NA | NA | |
| 398 Acorn Drive | 203 Acorn Drive | BEALB398MW104 | 7/30/2013 | N | < 0.25 U | < 0.25 U | < 0.25 U | < 0.25 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 9/10/2014 | N | < 0.40 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.40 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U | |
| | | | 9/15/2015 | N | < 0.45 U | NA | < 0.96 U | NA | NA | NA | NA | NA | NA | NA | |
| | | BEALB398MW105 | 7/30/2013 | N | < 0.25 U | < 0.25 U | < 0.25 U | < 0.25 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U | |
| | | | 9/10/2014 | N | < 0.40 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.40 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U | |
| | | | 9/15/2015 | N | < 0.45 U | NA | 0.18 J | NA | NA | NA | NA | NA | NA | NA | |
| | | BEALB398MW106 | 7/30/2013 | N | 0.71 | 0.18 J | 0.93 | < 0.25 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U | |
| | | | 9/10/2014 | N | < 0.40 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.40 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U | |
| | | | 9/15/2015 | N | < | | | | | | | | | | |

Appendix E-3
Historical Groundwater Analytical Results - 2013 through 2019
Laurel Bay Military Housing Area
MCAS Beaufort, South Carolina

| Old Laurel Bay Military Housing Area Address | New Laurel Bay Military Housing Area Address | | | | Benzene | Ethylbenzene | Naphthalene | Toluene | Xylenes | Benzo(a)anthracene | Benzo(b)fluoranthene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene |
|--|--|---------------|-------------|-------------|---------------|--------------|---------------|-------------|---------------|--------------------|----------------------|----------------------|-----------|-----------------------|
| | | SCDHEC RBSLs | | | 5 | 700 | 25 | 1000 | 10000 | 10 | 10 | 10 | 10 | 10 |
| | | Well ID | Sample Date | Sample Type | | | | | | | | | | |
| 437 Elderberry Drive | 362 Elderberry Drive | BEALB437MW133 | 7/31/2013 | N | 0.93 | 25 | 110 | 0.57 | 49 | < 0.21 UJ | < 0.21 UJ | < 0.21 UJ | < 0.21 UJ | < 0.21 UJ |
| | | | 7/31/2013 | FD | 0.96 | 26 | 110 | 0.61 | 50 | < 0.21 UJ | < 0.21 UJ | < 0.21 UJ | < 0.21 UJ | < 0.21 UJ |
| | | | 9/11/2014 | N | 0.40 J | 8.8 | 41 | < 0.20 U | 18 | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 9/11/2014 | FD | 0.41 J | 9.3 | 45 | < 0.20 U | 19 | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 9/15/2015 | N | 1.5 J | NA | 180 BJ | NA | NA | NA | NA | NA | NA | NA |
| | | | 9/15/2015 | FD | 1.3 J | NA | 200 BJ | NA | NA | NA | NA | NA | NA | NA |
| | | | 7/27/2016 | N | NA | NA | 77 | NA | NA | NA | NA | NA | NA | NA |
| | | | 6/15/2017 | N | NA | NA | 170 | NA | NA | NA | NA | NA | NA | NA |
| | | | 1/25/2018 | N | NA | NA | 83 | NA | NA | NA | NA | NA | NA | NA |
| | | | 3/11/2019 | N | NA | NA | 120 | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB437MW134 | 7/31/2013 | N | < 0.50 U | < 0.50 U | 6.9 | < 0.50 U | < 0.50 U | < 0.21 U | < 0.21 U | < 0.21 U | < 0.21 U | < 0.21 U |
| | | | 9/11/2014 | N | < 0.40 U | < 0.20 U | 1.1 | < 0.20 U | < 0.40 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 9/15/2015 | N | < 0.45 U | NA | 0.86 J | NA | NA | NA | NA | NA | NA | NA |
| | | | 7/27/2016 | N | NA | NA | 0.88 J | NA | NA | NA | NA | NA | NA | NA |
| | | | 6/15/2017 | N | NA | NA | 1.7 | NA | NA | NA | NA | NA | NA | NA |
| | | | 1/25/2018 | N | NA | NA | 1.0 | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB437MW135 | 3/11/2019 | N | NA | NA | 0.72 J | NA | NA | NA | NA | NA | NA | NA |
| | | | 7/31/2013 | N | < 0.50 U | < 0.50 U | < 0.50 U | < 0.50 U | < 0.21 U | < 0.21 U | < 0.21 U | < 0.21 U | < 0.21 U | < 0.21 U |
| | | | 9/11/2014 | N | < 0.40 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.40 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 9/15/2015 | N | < 0.45 U | NA | < 0.96 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 7/27/2016 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 6/15/2017 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB437MW140 | 1/24/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 3/11/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 7/31/2013 | N | < 0.50 U | < 0.50 U | < 0.50 U | < 0.50 U | < 0.21 U | < 0.21 U | < 0.21 U | < 0.21 U | < 0.21 U | < 0.21 U |
| | | | 9/11/2014 | N | < 0.40 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.40 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 9/15/2015 | N | < 0.45 U | NA | < 0.96 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 7/27/2016 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB437MW141 | 6/15/2017 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 1/24/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 3/12/2019 | N | NA | NA | 0.66 J | NA | NA | NA | NA | NA | NA | NA |
| | | | 7/31/2013 | N | < 0.50 U | < 0.50 U | 0.33 J | < 0.50 U | 0.18 J | < 0.21 U | < 0.21 U | < 0.21 U | < 0.21 U | < 0.21 U |
| | | | 9/11/2014 | N | < 0.40 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.40 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 9/15/2015 | N | < 0.45 U | NA | < 0.96 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB437MW142 | 7/27/2016 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 6/15/2017 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 1/24/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 3/12/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 7/22/2016 | N | 1.1 | 16 | 88 | < 0.80 U | 11 | < 0.50 U | < 0.50 U | < 0.50 U | < 0.50 U | < 0.50 U |
| | | | 7/22/2016 | FD | 1 | 15 | 90 | < 0.80 U | 9.7 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 440 Elderberry Drive | 405 Elderberry Drive | BEALB440MW01 | 6/15/2017 | N | 0.56 J | 8.5 | 64 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 1/24/2018 | N | < 0.80 U | 3.4 | 31 | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 3/12/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 12/18/2018 | N | < 0.80 U | < 0.80 U | 1.6 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/12/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB440MW03 | 12/18/2018 | N | < 0.80 U | < 0.80 U | 3.2 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/12/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | | | |

Appendix E-3
Historical Groundwater Analytical Results - 2013 through 2019
Laurel Bay Military Housing Area
MCAS Beaufort, South Carolina

| Old Laurel Bay Military Housing Area Address | New Laurel Bay Military Housing Area Address | | | | Benzene | Ethylbenzene | Naphthalene | Toluene | Xylenes | Benzo(a)anthracene | Benzo(b)fluoranthene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene |
|--|--|--------------|-------------|-------------|----------|--------------|-------------|----------|-----------|--------------------|----------------------|----------------------|-----------|-----------------------|
| | | SCDHEC RBSLs | | | 5 | 700 | 25 | 1000 | 10000 | 10 | 10 | 10 | 10 | 10 |
| | | Well ID | Sample Date | Sample Type | | | | | | | | | | |
| 456 Elderberry Drive | 537 Elderberry Drive | BEALB456MW01 | 7/22/2016 | N | 6.1 | 44 | 200 | < 4.0 U | 28 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 6/15/2017 | N | 5.4 | 64 | 340 | < 0.80 U | 41 | 0.21 J | < 0.50 U | < 0.50 U | < 0.50 U | < 0.50 U |
| | | | 1/26/2018 | N | 4.4 J | 51 | 320 | < 4.0 U | 36 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/8/2019 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP |
| | | BEALB456MW02 | 12/18/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/8/2019 | N | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB456MW03 | 12/18/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/8/2019 | N | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB456MW04 | 12/18/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 3/11/2019 | N | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB456MW05 | 12/18/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 3/8/2019 | N | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| 458 Elderberry Drive | 551 Elderberry Drive | BEALB458MW01 | 7/22/2016 | N | 1.5 | 19 | 76 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 6/15/2017 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP |
| | | | 1/26/2018 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP |
| | | | 3/13/2019 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP |
| | | BEALB458MW02 | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/13/2019 | N | < 0.80 U | < 0.80 U | 7.6 | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB458MW03 | 12/18/2018 | N | < 0.80 U | < 0.80 U | 0.75 J | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/13/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB458MW04 | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | 0.040 J | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/13/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| 468 Dogwood Drive | 65 Dogwood Drive | BEALB468MW01 | 7/25/2016 | N | < 0.80 U | < 0.80 U | 1.3 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 473 Dogwood Drive | 82 Dogwood Drive | BEALB473MW01 | 3/23/2017 | N | < 0.80 | 11 | 57 | < 0.80 | 2.7 | < 0.10 | < 0.10 | < 0.10 | < 0.10 | < 0.10 |
| | | | 1/24/2018 | N | < 0.80 U | 5.3 | 37 | < 0.80 U | 0.60 J | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/13/2019 | N | < 0.80 U | 4.4 | 32 | < 0.80 U | 1.4 | < 0.10 UJ | < 0.10 U | < 0.10 UJ | < 0.10 UJ | < 0.10 U |
| | | | 3/13/2019 | FD | < 0.80 U | 4.5 | 30 | < 0.80 U | 1.4 | < 0.10 UJ | < 0.10 U | < 0.10 UJ | < 0.10 UJ | < 0.10 U |
| | | BEALB473MW02 | 12/18/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 3/12/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB473MW03 | 12/18/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/13/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB473MW04 | 12/18/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 12/18/2018 | FD | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB473MW05 | 12/18/2018 | N | < 0.80 U | < 0.80 U | 0.51 J | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/12/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| 518 Laurel Bay Boulevard | 403 Laurel Bay Boulevard | BEALB518MW01 | 7/26/2016 | N | < 0.80 U | 1.5 | 20 | < 0.80 U | 2.6 | < 0.10 U | 0.16 J | 0.15 J | < 0.10 U | 0.15 J |
| 635 Dahlia Drive | 542 Dahlia Drive | BEALB635MW01 | 7/22/2016 | N | < 0.80 U | < 0.80 U | 0.81 J | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 638 Dahlia Drive | 549 Dahlia Drive | BEALB638MW01 | 7/22/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 640 Dahlia Drive | 569 Dahlia Drive | BEALB640MW01 | 7/22/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | | | | | | | | | | | | |

Appendix E-3
Historical Groundwater Analytical Results - 2013 through 2019
Laurel Bay Military Housing Area
MCAS Beaufort, South Carolina

| Old Laurel Bay Military Housing Area Address | New Laurel Bay Military Housing Area Address | | | | Benzene | Ethylbenzene | Naphthalene | Toluene | Xylenes | Benzo(a)anthracene | Benzo(b)fluoranthene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene |
|--|--|--------------|-------------|-------------|---------------|---------------|---------------|-----------|---------------|--------------------|----------------------|----------------------|----------------|-----------------------|
| | | SCDHEC RBSLs | | | 5 | 700 | 25 | 1000 | 10000 | 10 | 10 | 10 | 10 | 10 |
| | | Well ID | Sample Date | Sample Type | | | | | | | | | | |
| 650 Dahlia Drive | 653 Dahlia Drive | BEALB650MW01 | 7/21/2016 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP |
| | | | 6/16/2017 | N | 0.56 J | 13 | 59 | < 0.80 U | 2.3 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 1/26/2018 | N | < 0.80 U | 4.3 | 12 | < 0.80 U | 0.46 J | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/7/2019 | N | < 0.80 U | 0.62 J | 0.84 J | < 0.80 U | < 0.80 U | 0.11 J | 0.067 J | 0.053 J | 0.072 J | 0.050 J |
| | | | 3/7/2019 | FD | < 0.80 U | 0.74 J | 1.1 | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB650MW02 | 7/21/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 6/15/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 1/26/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/7/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB650MW03 | 12/17/2018 | N | < 0.80 U | < 0.80 UJ | < 0.80 UJ | < 0.80 UJ | < 0.80 UJ | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/7/2019 | N | < 0.80 U | < 0.80 U | 0.86 J | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB650MW04 | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 3/7/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB650MW05 | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 3/7/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB650MW06 | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/6/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| 652 Dahlia Drive | 669 Dahlia Drive | BEALB652MW01 | 7/21/2016 | N | < 0.80 U | < 0.80 U | 0.61 J | < 0.80 U | 0.49 J | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 747 Blue Bell Lane | 426 Blue Bell Lane | BEALB747MW01 | 3/23/2017 | N | < 0.80 | 2.1 | 22 | < 0.80 | 0.7 | < 0.10 | < 0.10 | < 0.10 | < 0.10 | < 0.10 |
| 749 Blue Bell Lane | 440 Blue Bell Lane | BEALB749MW01 | 3/23/2017 | N | < 0.80 | 3.3 | 29 | < 0.80 | 7.4 | < 0.10 | < 0.10 | < 0.10 | < 0.10 | < 0.10 |
| | | | 1/25/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/6/2019 | N | < 0.80 U | < 0.80 U | 0.53 J | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB749MW02 | 12/13/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/6/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB749MW03 | 12/13/2018 | N | < 0.80 U | < 0.80 UJ | < 0.80 UJ | < 0.80 UJ | < 0.80 UJ | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/6/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB749MW04 | 12/13/2018 | N | < 0.80 U | < 0.80 UJ | < 0.80 UJ | < 0.80 UJ | < 0.80 UJ | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/6/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB749MW05 | 12/13/2018 | N | < 0.80 U | < 0.80 UJ | < 0.80 UJ | < 0.80 UJ | < 0.80 UJ | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/5/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| 760 Althea Street | 101 Althea Street | BEALB760MW01 | 7/21/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 774 Althea Street | 247 Althea Street | BEALB774MW01 | 3/20/2018 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP |
| | | | 3/12/2019 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP |
| | | BEALB774MW02 | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/12/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB774MW03 | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/12/2019 | N | < 0.80 U | < | | | | | | | | |

Appendix E-3
Historical Groundwater Analytical Results - 2013 through 2019
Laurel Bay Military Housing Area
MCAS Beaufort, South Carolina

| Old Laurel Bay Military Housing Area Address | New Laurel Bay Military Housing Area Address | | | | Benzene | Ethylbenzene | Naphthalene | Toluene | Xylenes | Benzo(a)anthracene | Benzo(b)fluoranthene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene |
|--|--|----------------|-------------|-------------|---------------|--------------|---------------|---------------|-------------|--------------------|----------------------|----------------------|-----------|-----------------------|
| | | SCDHEC RBSLs | | | 5 | 700 | 25 | 1000 | 10000 | 10 | 10 | 10 | 10 | 10 |
| | | Well ID | Sample Date | Sample Type | | | | | | | | | | |
| 1054 Gardenia Drive | Empty Lot | BEALB1054DMW1 | 8/1/2013 | N | < 0.50 U | < 0.50 U | < 0.50 U | < 0.50 U | < 0.50 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.20 U |
| | | | 9/11/2014 | N | < 0.40 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.40 U | < 0.40 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 9/16/2015 | N | < 0.45 U | NA | < 0.96 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 7/27/2016 | N | NA | NA | 0.99 J | NA | NA | NA | NA | NA | NA | NA |
| | | | 6/19/2017 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 1/25/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 3/4/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB1054MW2 | 8/1/2013 | N | < 0.50 U | < 0.50 U | 3.7 | < 0.50 U | < 0.50 U | < 0.21 U | < 0.21 U | < 0.21 U | < 0.21 U | < 0.21 U |
| | | | 8/1/2013 | FD | < 0.50 U | < 0.50 U | 3.7 | < 0.50 U | < 0.50 U | < 0.21 U | < 0.21 U | < 0.21 U | < 0.21 U | < 0.21 U |
| | | | 9/11/2014 | N | < 0.40 U | < 0.20 U | 0.45 J | < 0.20 U | < 0.40 U | < 0.40 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 9/16/2015 | N | < 0.45 U | NA | < 0.96 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 7/27/2016 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 6/19/2017 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 1/25/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB1054MW4 | 3/4/2019 | N | NA | NA | 0.58 J | NA | NA | NA | NA | NA | NA | NA |
| | | | 8/1/2013 | N | < 0.50 U | < 0.50 U | < 0.50 U | < 0.50 U | < 0.50 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.20 U |
| | | | 9/11/2014 | N | < 0.40 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.40 U | < 0.40 U | < 0.40 U | < 0.40 U | < 0.40 U | < 0.80 U |
| | | | 9/16/2015 | N | < 0.45 U | NA | < 0.96 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 7/28/2016 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 6/19/2017 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 1/25/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB1054MW7 | 3/4/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 8/1/2013 | N | < 0.50 U | < 0.50 U | 3.6 | < 0.50 U | < 0.50 U | < 0.21 U | < 0.21 U | < 0.21 U | < 0.21 U | < 0.21 U |
| | | | 9/11/2014 | N | < 0.40 U | < 0.20 U | 1.5 | < 0.40 U | < 0.40 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 9/16/2015 | N | < 0.45 U | NA | < 0.96 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 7/27/2016 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 6/19/2017 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 1/25/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB1054MW127 | 3/4/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 8/1/2013 | N | < 0.50 U | 2.5 | 25 | < 0.50 U | 0.62 | < 0.21 UJ | < 0.21 UJ | < 0.21 UJ | < 0.21 UJ | < 0.21 UJ |
| | | | 9/11/2014 | N | < 0.40 U | 2.3 | 15 | < 0.20 U | 1.1 | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 9/16/2015 | N | < 0.45 U | NA | 17 | NA | NA | NA | NA | NA | NA | NA |
| | | | 7/28/2016 | N | NA | NA | 8.3 | NA | NA | NA | NA | NA | NA | NA |
| | | | 6/19/2017 | N | NA | NA | 7.2 | NA | NA | NA | NA | NA | NA | NA |
| | | | 1/25/2018 | N | NA | NA | 8.7 | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB1054MW128 | 3/4/2019 | N | NA | NA | 5.4 | NA | NA | NA | NA | NA | NA | NA |
| | | | 8/1/2013 | N | < 0.50 U | 4.4 | 42 | 0.20 J | 6.3 | < 0.21 UJ | < 0.21 UJ | < 0.21 UJ | < 0.21 UJ | < 0.21 UJ |
| | | | 9/11/2014 | N | < 0.40 U | 2.4 | 18 | < 0.20 U | 2.5 | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 9/16/2015 | N | < 0.45 U | NA | 23 BJ | NA | NA | NA | NA | NA | NA | NA |
| | | | 7/27/2016 | N | NA | NA | 4.9 | NA | NA | NA | NA | NA | NA | NA |
| | | | 6/19/2017 | N | NA | NA | 13 | NA | NA | NA | NA | NA | NA | NA |
| | | | 1/25/2018 | N | NA | NA | 7.0 | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB1054MW129 | 3/4/2019 | N | NA | NA | 11 | NA | NA | NA | NA | NA | NA | NA |
| | | | 8/1/2013 | N | 0.32 J | 18 | 73 | 2.1 | 35 | < 0.21 U | < 0.21 U | < 0.21 U | < 0.21 U | < 0.21 U |
| | | | 9/11/2014 | N | 0.19 J | 13 | 54 | 1.3 | 25 | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 9/11/2014 | FD | 0.19 J | 12 | 44 | 1.3 | 22 | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 9/16/2015 | N | < 0.45 U | NA | 54 BJ | NA | NA | NA | NA | NA | NA | NA |
| | | | 9/16/2015 | FD | < 0.45 U | NA | 59 | NA | NA | NA | NA | NA | NA | NA |
| | | | 7/28/2016 | N | NA | | | | | | | | | |

Appendix E-3
Historical Groundwater Analytical Results - 2013 through 2019
Laurel Bay Military Housing Area
MCAS Beaufort, South Carolina

| Old Laurel Bay Military Housing Area Address | New Laurel Bay Military Housing Area Address | | | | Benzene | Ethylbenzene | Naphthalene | Toluene | Xylenes | Benzo(a)anthracene | Benzo(b)fluoranthene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene |
|--|--|---------------|-------------|-------------|---------------|--------------|---------------|---------------|---------------|--------------------|----------------------|----------------------|-----------|-----------------------|
| | | SCDHEC RBSLs | | | 5 | 700 | 25 | 1000 | 10000 | 10 | 10 | 10 | 10 | 10 |
| | | Well ID | Sample Date | Sample Type | | | | | | | | | | |
| 1055 Gardenia Drive | 191 Gardenia Drive | BEALB1055MW01 | 12/16/2015 | N | < 0.45 U | 3.6 J | 39 J | < 0.48 U | 0.32 J | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 8/2/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 6/16/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 1/25/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB1055MW02 | 12/16/2015 | N | < 0.45 U | < 0.51 U | < 0.96 U | < 0.48 U | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 8/2/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 6/16/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 1/25/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB1055MW03 | 12/16/2015 | N | < 0.45 U | < 0.51 U | < 0.96 U | < 0.48 U | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 8/2/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 6/16/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 1/25/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB1055MW04 | 12/16/2015 | N | < 0.45 U | < 0.51 U | < 0.96 U | < 0.48 U | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 8/2/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 6/15/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 1/25/2018 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| 1059 Gardenia Drive | 159 Gardenia Drive | BEALB1059MW01 | 12/16/2015 | N | 1.8 J | 8.8 | 39 J | 3.8 J | 39 | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 8/3/2016 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP |
| | | | 6/19/2017 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP |
| | | | 1/29/2018 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP |
| | | BEALB1059MW02 | 3/6/2019 | N | 2.3 | 14 | 41 | 0.91 J | 14 | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 12/16/2015 | N | < 0.45 U | 2.7 J | 10 J | < 0.48 U | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 8/3/2016 | N | < 0.80 U | < 0.80 U | 4.4 | < 0.80 U | 0.86 J | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 6/19/2017 | N | < 0.80 U | < 0.80 U | 3.2 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1059MW03 | 1/29/2018 | N | < 0.80 U | < 0.80 U | 0.50 J | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/6/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 12/16/2015 | N | < 0.45 U | < 0.51 U | < 0.96 U | < 0.48 U | < 0.57 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 8/3/2016 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | BEALB1059MW04 | 6/16/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 1/29/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 3/6/2019 | N | < 0.80 U | < 0.80 U | 0.58 J | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 3/24/2017 | N | < 0.80 | < 0.80 | < 0.80 | < 0.80 | < 0.80 | < 0.10 | < 0.10 | < 0.10 | < 0.10 | < 0.10 |
| | | BEALB1059MW05 | 1/29/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 3/6/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | |
| | | | 12/18/2018 | N | < 0.80 U | < 0.80 U | 1.2 | 40 | 60 | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| 1102 Iris Lane | 123 Iris Lane | BEALB1102MW01 | 7/26/2016 | N | < 0.80 U | < 0.80 UJ | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 UJ |
| 1104 Iris Lane | 141 Iris Lane | BEALB1104MW01 | 3/24/2017 | N | < 0.80 | < 0.80 | < 0.80 | < 0.80 | < 0.80 | < 0.10 | < 0.10 | < 0.10 | < 0.10 | < 0.10 |
| 1124 Iris Lane | 287 Iris Lane | BEALB1124MW01 | 3/24/2017 | N | < 0.80 | 11 | 49 | < 0.80 | 1.8 | < 0.10 | < 0.10 | < 0.10 | < 0.10 | < 0.10 |
| | | | 1/26/2018 | N | < 0.80 U | 5.1 | 24 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/5/2019 | N | 0.46 J | 5.9 | 12 | < 0 | | | | | | |

Appendix E-3
Historical Groundwater Analytical Results - 2013 through 2019
Laurel Bay Military Housing Area
MCAS Beaufort, South Carolina

| Old Laurel Bay Military Housing Area Address | New Laurel Bay Military Housing Area Address | | | | Benzene | Ethylbenzene | Naphthalene | Toluene | Xylenes | Benzo(a)anthracene | Benzo(b)fluoranthene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene | |
|--|--|---------------|-------------|-------------|----------------|----------------|----------------|----------------|----------------|--------------------|----------------------|----------------------|----------------|-----------------------|-----------|
| | | SCDHEC RBSLs | | | 5 | 700 | 25 | 1000 | 10000 | 10 | 10 | 10 | 10 | 10 | |
| | | Well ID | Sample Date | Sample Type | | | | | | | | | | | |
| 1132 Iris Lane | 345 Iris Lane | BEALB1132MW01 | 7/26/2016 | N | < 0.80 U | 5.4 | 33 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 6/16/2017 | N | < 0.80 U | 1.1 | 2.2 | < 0.80 U | 0.83 J | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | |
| | | | 1/25/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 3/5/2019 | N | NA | NA | 0.76 J | NA | NA | NA | NA | NA | NA | NA | |
| | | | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | |
| | | BEALB1132MW02 | 3/5/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA | |
| | | | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | |
| | | BEALB1132MW03 | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | |
| | | | 3/5/2019 | N | NA | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA | |
| | | BEALB1132MW04 | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | |
| | | | 3/5/2019 | N | NA | NA | 0.64 J | NA | NA | NA | NA | NA | NA | NA | |
| | | BEALB1132MW05 | 12/17/2018 | N | < 0.80 UJ | < 0.80 UJ | < 0.80 UJ | < 0.80 UJ | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 3/5/2019 | N | NA | NA | 1.5 | NA | NA | NA | NA | NA | NA | NA | |
| 1133 Iris Lane | 408 Iris Lane | BEALB1133MW01 | 7/26/2016 | N | < 0.80 U | < 0.80 U | 0.45 J | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| 1144 Iris Lane | 433 Iris Lane | BEALB1144MW01 | 7/26/2016 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | |
| | | | 6/16/2017 | N | 4.4 | 25 | 180 | < 0.80 U | 3.3 | < 1.0 UJ | < 1.0 UJ | < 1.0 UJ | < 1.0 UJ | < 1.0 UJ | < 1.0 UJ |
| | | | 1/29/2018 | N | 4 | 19 | 130 J | < 0.80 U | < 0.80 U | 0.42 J | < 0.50 UJ | < 0.50 UJ | 0.21 J | < 0.50 UJ | < 0.50 UJ |
| | | | 3/5/2019 | N | 1.4 | 10 | 59 | < 0.80 U | < 0.80 U | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ |
| | | | 3/5/2019 | FD | 1.4 | 10 | 61 | < 0.80 U | < 0.80 U | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ |
| | | BEALB1144MW02 | 7/26/2016 | N | 5 | 52 | 210 | < 4.0 U | < 4.0 U | < 1.0 UJ | < 1.0 UJ | < 1.0 UJ | < 1.0 UJ | < 1.0 UJ | < 1.0 UJ |
| | | | 7/26/2016 | FD | 5 | 53 | 200 | < 4.0 U | < 4.0 U | < 1.0 UJ | < 1.0 UJ | < 1.0 UJ | < 1.0 UJ | < 1.0 UJ | < 1.0 UJ |
| | | | 6/16/2017 | N | 5.4 | 58 | 230 | < 0.80 U | 3.1 | < 1.0 UJ | < 1.0 UJ | < 1.0 UJ | < 1.0 UJ | < 1.0 UJ | < 1.0 UJ |
| | | | 1/26/2018 | N | 2.8 | 23 | 110 | < 0.80 U | < 0.80 U | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ | < 0.50 UJ |
| | | | 3/4/2019 | N | 1 | 8.1 | 22 | 0.49 J | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB1144MW03 | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 3/4/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 12/13/2018 | N | < 0.80 U | < 0.80 UJ | < 0.80 UJ | < 0.80 UJ | < 0.10 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | |
| | | BEALB1144MW04 | 3/4/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | BEALB1144MW05 | 3/5/2019 | N | < 0.80 U | < 0.80 U | 0.44 J | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 12/13/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | BEALB1144MW06 | 3/5/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | |
| | | | 7/26/2016 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | |
| 1148 Iris Lane | 467 Iris Lane | BEALB1148MW01 | 6/16/2017 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | |
| | | | 1/29/2018 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | |
| | | | 3/4/2019 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | |
| | | | 7/26/2016 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | |
| | | BEALB1148MW02 | 6/16/2017 | N | 0.61 J | 15 | 10 | | | | | | | | |

Appendix E-3
Historical Groundwater Analytical Results - 2013 through 2019
Laurel Bay Military Housing Area
MCAS Beaufort, South Carolina

| Old Laurel Bay Military Housing Area Address | New Laurel Bay Military Housing Area Address | | | | Benzene | Ethylbenzene | Naphthalene | Toluene | Xylenes | Benzo(a)anthracene | Benzo(b)fluoranthene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene |
|--|--|---------------|-------------|-------------|---------------|---------------|---------------|---------------|---------------|--------------------|----------------------|----------------------|-----------|-----------------------|
| | | SCDHEC RBSLs | | | 5 | 700 | 25 | 1000 | 10000 | 10 | 10 | 10 | 10 | 10 |
| | | Well ID | Sample Date | Sample Type | | | | | | | | | | |
| 1359 Cardinal Lane | Empty Lot | BEALB1359MW01 | 12/8/2017 | N | < 0.80 U | 15 | 110 | < 0.80 U | 16 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/28/2019 | N | < 0.80 U | 8.9 | 70 J | < 0.80 U | 4.4 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/28/2019 | FD | < 0.80 U | 8.8 | 70 J | < 0.80 U | 4.3 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 12/18/2018 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/28/2019 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1359MW03 | 12/18/2018 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/28/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | 0.45 J | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 12/18/2018 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/28/2019 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 12/18/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | 0.57 J | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 1360 Cardinal Lane | Empty Lot | BEALB1360MW01 | 12/8/2017 | N | 2.6 | 30 | 100 | < 0.80 U | 25 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/1/2019 | N | 1.7 | 18 | 55 J | < 0.80 U | 1.9 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1360MW02 | 12/19/2018 | N | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 12/19/2018 | FD | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1360MW03 | 3/1/2019 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 12/19/2018 | N | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB1360MW04 | 3/1/2019 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 12/19/2018 | N | < 0.80 U | < 0.10 UJ | < 0.10 U | < 0.10 UJ | < 0.10 U | < 0.10 UJ |
| 1362 Cardinal Lane | Empty Lot | BEALB1362MW01 | 12/8/2017 | N | 4.9 | 38 | 170 | < 0.80 U | 46 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 12/8/2017 | FD | 4.7 | 36 | 160 | < 0.80 U | 43 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/28/2019 | N | 3.5 | 19 | 74 J | < 0.80 U | 1.5 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/28/2019 | FD | 3.5 | 20 | 75 J | < 0.80 U | 1.5 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1362MW02 | 12/19/2018 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/28/2019 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1362MW03 | 12/19/2018 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/28/2019 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1362MW04 | 12/19/2018 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 UJ |
| | | | 2/28/2019 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 1370 Cardinal Lane | Empty Lot | BEALB1370MW01 | 12/8/2017 | N | < 0.80 U | < 0.80 U | 0.43 J | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/26/2019 | N | < 0.80 U | < 0.80 U | 1.4 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1370MW02 | 4/17/2018 | N | < 0.80 U | 4.4 | 46 | < 0.80 U | < 0.80 U | 0.054 J | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 2/26/2019 | N | < 0.80 U | 0.84 J | 4.8 J | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1370MW03 | 2/26/2019 | FD | < 0.80 U | 0.45 J | 3.1 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 12/20/2018 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1370MW04 | 12/19/2018 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/26/2019 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1370MW05 | 12/20/2018 | N | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 2/26/2019 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 1382 Dove Lane | Empty Lot | BEALB1382MW01 | 12/8/2017 | N | < 0.80 U | < 0.80 U | 1.1 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 UJ | < 0.10 U | < 0.10 UJ |
| 1384 Dove Lane | Empty Lot | BEALB1384MW01 | 12/8/2017 | N | 0.59 J | 3.3 | 6.9 | < 0.80 U | 2.1 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 1385 Dove Lane | Empty Lot | BEALB1385MW01 | 12/8/2017 | N | < 0.80 U | 19 | 88 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/27/2019 | N | < 0.80 U | 11 | 260 | < 0.80 U | 0.63 J | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1385MW02 | 12/20/2018 | N | < 0.80 U | 3.6 | 31 J | < 0.80 U | 1.1 J | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/28/2019 | N | < 0.80 U | 7 | 48 | < 0.80 U | 1.4 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1385MW03 | 12/19/2018 | N | < 0.80 U | 10 | 60 J | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | | 2/28/2019 | N | < 0.80 U | 11 | 57 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1385MW04 | 12/19/2018 | N | < 0.80 U | < 0.80 U | 4.5 J | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | | | | | | | | | | | | |



Appendix E-3
Historical Groundwater Analytical Results - 2013 through 2019
Laurel Bay Military Housing Area
MCAS Beaufort, South Carolina

| Old Laurel Bay Military Housing Area Address | New Laurel Bay Military Housing Area Address | | | | Benzene | Ethylbenzene | Naphthalene | Toluene | Xylenes | Benzo(a)anthracene | Benzo(b)fluoranthene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene | |
|--|--|---------------|-------------|-------------|---------------|---------------|---------------|---------------|---------------|--------------------|----------------------|----------------------|-----------|-----------------------|----------|
| | | SCDHEC RBSLs | | | 5 | 700 | 25 | 1000 | 10000 | 10 | 10 | 10 | 10 | 10 | |
| | | Well ID | Sample Date | Sample Type | | | | | | | | | | | |
| 1389 Dove Lane | Empty Lot | BEALB1389MW01 | 12/11/2017 | N | < 0.80 U | 16 | 82 | < 0.80 U | 23 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 2/27/2019 | N | < 0.80 U | 12 | 49 | < 0.80 U | 0.72 J | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | BEALB1389MW02 | 12/17/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 2/27/2019 | N | < 0.80 U | < 0.80 U | 0.60 J | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | BEALB1389MW03 | 12/18/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 2/27/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| 1392 Dove Lane | Empty Lot | BEALB1392MW01 | 12/8/2017 | N | < 0.80 U | 11 | 60 | 0.47 J | 42 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 12/8/2017 | FD | < 0.80 U | 11 | 61 | 0.41 J | 41 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 2/27/2019 | N | < 0.80 U | 2 | 7.7 | < 0.80 U | 0.51 J | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | BEALB1392MW02 | 12/15/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | |
| | | | 2/27/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | BEALB1392MW03 | 12/14/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| 1393 Dove Lane | Empty Lot | BEALB1393MW04 | 12/14/2018 | N | < 0.80 U | < 0.80 U | 0.58 J | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 2/27/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | BEALB1393MW05 | 12/14/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 12/14/2018 | FD | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | BEALB1393MW06 | 12/14/2018 | N | < 0.80 U | < 0.80 U | 1.6 | < 0.80 UJ | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/26/2019 | N | < 0.80 U | < 0.80 U | 1.4 | 46 | 170 J | 1.9 | 100 J | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 1407 Eagle Lane | Empty Lot | BEALB1407MW01 | 12/11/2017 | N | < 0.80 U | 10 | 40 | < 0.80 U | 4.1 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 2/26/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | BEALB1407MW02 | 12/20/2018 | N | < 0.80 U | 2.6 | 25 J | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 2/26/2019 | N | < 0.80 U | 0.85 J | 11 | < 0.80 U | < 0.80 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | |
| | | BEALB1407MW03 | 12/20/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 2/26/2019 | N | 1.4 | 46 | 170 J | 1.9 | 100 J | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| 1411 Eagle Lane | Empty Lot | BEALB1407MW04 | 12/15/2018 | N | 0.80 J | 31 | 140 | 0.87 J | 52 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 2/26/2019 | N | 0.85 J | 34 | 150 | 0.99 J | 61 | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | |
| | | BEALB1407MW05 | 12/20/2018 | N | < 0.80 U | < 0.80 U | 0.41 J | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | |
| | | | 2/26/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | |
| | | BEALB1407MW06 | 12/20/2018 | N | < 0.80 U | < 0.80 U | 9.0 J | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/26/2019 | N | 1.4 | 27 | 98 | 0.60 J | 33 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 1418 Albatross Drive | Empty Lot | BEALB1407MW07 | 12/20/2018 | N | < 0.80 U | 4.2 | 11 J | < 0.80 U | 8.7 J | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 12/20/2018 | FD | < 0.80 U | 4.2 | 11 J | < 0.80 U | 9.1 J | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | |
| | | BEALB1407MW08 | 12/20/2018 | N | < 0.80 U | 12 | 41 | < 0.80 U | 13 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | | 2/26/2019 | N | < 0.80 U | 3.5 | 57 J | < 0.80 U | 0.64 J | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | |
| | | BEALB1407MW09 | 4/9/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | |
| | | BEALB1407MW10 | 4/9/2019 | N | < 0.80 U | 4.7 | 57 J | < 0.80 U | 0.64 J | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | |
| 1411 Eagle Lane | Empty Lot | BEALB1411MW01 | 12/11/2017 | N | < 0.80 U | 2.5 | 1 | | | | | | | | |

Appendix E-3
Historical Groundwater Analytical Results - 2013 through 2019
Laurel Bay Military Housing Area
MCAS Beaufort, South Carolina

| Old Laurel Bay Military Housing Area Address | New Laurel Bay Military Housing Area Address | | | | Benzene | Ethylbenzene | Naphthalene | Toluene | Xylenes | Benzo(a)anthracene | Benzo(b)fluoranthene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene |
|--|--|---------------|-------------|-------------|---------------|---------------|---------------|------------|---------------|--------------------|----------------------|----------------------|----------------|-----------------------|
| | | SCDHEC RBSLs | | | 5 | 700 | 25 | 1000 | 10000 | 10 | 10 | 10 | 10 | 10 |
| | | Well ID | Sample Date | Sample Type | | | | | | | | | | |
| 1420 Albatross Drive | Empty Lot | BEALB1420MW01 | 12/7/2017 | N | < 0.80 U | 7.5 | 33 | < 0.80 U | 9.6 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/27/2019 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP |
| | | BEALB1420MW02 | 12/14/2018 | N | < 0.80 U | < 0.80 U | 0.58 J | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/27/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1420MW03 | 12/14/2018 | N | < 0.80 U | 3.4 | 12 | < 0.80 U | 5.3 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/27/2019 | N | 0.44 J | 5.2 | 17 | < 0.80 U | 2.8 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1420MW04 | 12/14/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/27/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB1420MW05 | 12/14/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/27/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 1426 Albatross Drive | Empty Lot | BEALB1426MW01 | 12/7/2017 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 1429 Albatross Drive | Empty Lot | BEALB1429MW01 | 12/7/2017 | N | < 0.80 U | 9.7 | 60 | < 0.80 U | 13 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/26/2019 | N | < 0.80 U | 3.8 | 16 | < 0.80 U | 0.83 J | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1429MW02 | 12/14/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/26/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1429MW03 | 12/14/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/26/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1429MW04 | 12/14/2018 | N | < 0.80 U | < 0.80 U | 0.58 J | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 12/14/2018 | FD | < 0.80 U | < 0.80 U | 0.56 J | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 3/6/2019 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB1429MW05 | 12/14/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 1431 Dove Lane | 480 Dove Lane | BEALB1431MW01 | 3/24/2017 | N | < 0.80 | 0.86 | 69 | < 0.80 | < 0.80 | < 0.10 | < 0.10 | < 0.10 | < 0.10 | < 0.10 |
| | | | 1/29/2018 | N | < 0.80 U | < 0.80 U | 29 J | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/25/2019 | N | < 0.80 U | 0.72 J | 81 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1431MW02 | 12/14/2018 | N | < 0.80 U | < 0.80 U | 2.2 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/25/2019 | N | < 0.80 U | < 0.80 U | 2.5 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1431MW03 | 12/13/2018 | N | < 0.80 U | < 0.80 U | 3.9 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/25/2019 | N | < 0.80 U | < 0.80 U | 1 | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1431MW04 | 12/13/2018 | N | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 12/13/2018 | FD | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/25/2019 | N | < 0.80 UJ | < 0.80 UJ | < 0.80 UJ | < 0.80 UJ | < 0.80 UJ | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 1434 Dove Lane | Empty Lot | BEALB1434MW01 | 12/7/2017 | N | < 0.80 U | 0.50 J | 6.5 | < 0.80 U | < 0.80 U | 0.18 J | < 0.10 UJ | < 0.10 UJ | 0.092 J | < 0.10 UJ |
| | | BEALB1435MW01 | 3/23/2017 | N | 7.4 | 65 | 240 | 13 | 300 | < 0.50 | < 0.50 | < 0.50 | < 0.50 | < 0.50 |
| | | | 1/29/2018 | N | 5.2 | 42 | 180 J | 2.9 | 77 | < 1.0 U | < 1.0 U | < 1.0 U | < 1.0 U | < 1.0 U |
| | | | 1/29/2018 | FD | 4.8 | 40 | 150 J | 2.5 | 64 | < 0.50 U | < 0.50 U | < 0.50 U | < 0.50 U | < 0.50 U |
| | | | 2/25/2019 | N | 4.2 | 35 | 97 | 1.1 | 35 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 2/25/2019 | FD | 4.4 | 37 | 91 | 1.1 | 35 | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1435MW02 | 12/13/2018 | N | < 0.80 U | < 0.80 U | | | | | | | | |

Appendix E-3
Historical Groundwater Analytical Results - 2013 through 2019
Laurel Bay Military Housing Area
MCAS Beaufort, South Carolina

| Old Laurel Bay Military Housing Area Address | New Laurel Bay Military Housing Area Address | | | | Benzene | Ethylbenzene | Naphthalene | Toluene | Xylenes | Benzo(a)anthracene | Benzo(b)fluoranthene | Benzo(k)fluoranthene | Chrysene | Dibenz(a,h)anthracene |
|--|--|-----------------|-------------|-------------|----------------|----------------|----------------|----------------|----------------|--------------------|----------------------|----------------------|----------------|-----------------------|
| | | SCDHEC RBSLs | | | 5 | 700 | 25 | 1000 | 10000 | 10 | 10 | 10 | 10 | 10 |
| | | Well ID | Sample Date | Sample Type | | | | | | | | | | |
| 1452 Cardinal Lane | 567 Cardinal Lane | BEALB1452MW01 | 3/23/2017 | N | < 0.80 | < 0.80 | < 0.80 | < 0.80 | < 0.80 | < 0.10 | < 0.10 | < 0.10 | < 0.10 | < 0.10 |
| | | BEALB1452MW01 | 2/26/2019 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1452MW02 | 3/20/2018 | N | < 0.80 U | 3.9 | 45 | < 0.80 U | 17 | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ | < 0.10 UJ |
| | | BEALB1452MW02 | 2/26/2019 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP |
| | | BEALB1452MW03 | 12/14/2018 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1452MW03 | 2/26/2019 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1452MW04 | 12/14/2018 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1452MW04 | 2/26/2019 | FD | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1452MW05 | 12/14/2018 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | BEALB1452MW05 | 2/26/2019 | N | < 0.80 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| 1472 Cardinal Lane | 743 Cardinal Lane | BEALB1472MW130 | 8/2/2013 | N | 3.3 | 13 | 37 | 0.33 J | 19 | < 0.11 UJ | < 0.11 UJ | < 0.11 UJ | < 0.11 UJ | < 0.11 UJ |
| | | | 8/2/2013 | FD | 3.2 | 13 | 37 | 0.32 J | 18 | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U |
| | | | 9/12/2014 | N | 5.6 | 17 | 36 | 0.40 J | 14 J | < 0.40 U | < 0.40 U | < 0.40 U | < 0.40 U | < 0.40 U |
| | | | 9/12/2014 | FD | 5.8 | 19 | 40 | 0.42 J | 18 | < 0.40 U | < 0.40 U | < 0.40 U | < 0.40 U | < 0.40 U |
| | | BEALB1472MW130R | 3/24/2017 | N | 2.9 | 41 | 110 | 1.1 | 110 | < 0.10 | < 0.10 | < 0.10 | < 0.10 | < 0.10 |
| | | | 3/24/2017 | FD | 2.6 | 39 | 110 | 1 | 100 | < 0.10 | < 0.10 | < 0.10 | < 0.10 | < 0.10 |
| | | | 6/19/2017 | N | 2.6 | NA | 74 | NA | NA | NA | NA | NA | NA | NA |
| | | | 1/30/2018 | N | 2.3 | NA | 62 J | NA | NA | NA | NA | NA | NA | NA |
| | | | 1/30/2018 | FD | 2.4 | NA | 56 J | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB1472MW131 | 2/26/2019 | N/A | NS - FP | NS - FP | NS - FP | NS - FP | NS - FP |
| | | | 8/2/2013 | N | < 0.25 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U |
| | | | 9/12/2014 | N | < 0.40 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 6/19/2017 | N | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 1/30/2018 | N | < 0.80 U | NA | 0.98 J | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB1472MW132 | 2/26/2019 | N | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 8/2/2013 | N | < 0.25 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U | < 0.10 U |
| | | | 9/12/2014 | N | < 0.40 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 6/16/2017 | N | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 1/30/2018 | N | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB1472MW143 | 2/26/2019 | N | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 8/2/2013 | N | < 0.25 U | < 0.25 U | 3.8 | < 0.25 U | < 0.25 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U | < 0.11 U |
| | | | 9/12/2014 | N | < 0.40 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 6/16/2017 | N | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 1/29/2018 | N | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB1472MW144 | 2/26/2019 | N | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 8/2/2013 | N | < 0.25 U | < 0.25 U | 4.1 | < 0.25 U | < 0.25 U | < 0.11 UJ | < 0.11 UJ | < 0.11 UJ | < 0.11 UJ | < 0.11 UJ |
| | | | 9/12/2014 | N | < 0.40 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.20 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.040 U | < 0.080 U |
| | | | 6/16/2017 | N | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 1/29/2018 | N | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | BEALB1472MW145 | 2/26/2019 | N | < 0.80 U | NA | < 0.80 U | NA | NA | NA | NA | NA | NA | NA |
| | | | 8/1/2013 | N | < 0.50 U | < 0.21 U | < 0.21 U | < 0.21 U | < 0.21 U | < 0.21 U |
| | | | 9/12/2014 | N | < 0.40 U | < 0.20 U | < 0.20 U | < 0.20 U</ | | | | | | |

Appendix F
Laboratory Analytical Reports - Vapor

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: AECOM

Client Sample ID: BEALB1431SG01GS20180524

ALS Project ID: P1802849

Client Project ID: WE39-1431 Dove Lane / 60514950L3

ALS Sample ID: P1802849-001

Test Code: EPA TO-15

Date Collected: 5/24/18

Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8

Date Received: 6/4/18

Analyst: Anusha Bayyarapu

Date Analyzed: 6/6/18

Sampling Media: 1.0 L Summa Canister

Volume(s) Analyzed: 0.015 Liter(s)

Test Notes:

Container ID: 1SC01010

Initial Pressure (psig): -1.21

Final Pressure (psig): 5.25

Container Dilution Factor: 1.48

| CAS # | Compound | Result µg/m³ | LOQ µg/m³ | LOD µg/m³ | MDL µg/m³ | Data Qualifier |
|-------------|--------------|-----------------|--------------|--------------|--------------|-------------------|
| 71-43-2 | Benzene | 24 | 52 | 17 | 7.6 | J |
| 108-88-3 | Toluene | 17 | 52 | 17 | 6.4 | J |
| 100-41-4 | Ethylbenzene | 1,400 | 52 | 17 | 7.4 | |
| 179601-23-1 | m,p-Xylenes | 270 | 110 | 34 | 14 | |
| 95-47-6 | o-Xylene | 15 | 52 | 17 | 7.6 | J |
| 91-20-3 | Naphthalene | 250 | 52 | 32 | 13 | |

U = Undetected at the limit of detection: The associated data value is the limit of detection, adjusted by any dilution factor used in the analysis.

LOQ = Limit of Quantitation - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

J = The result is an estimated concentration that is less than the LOQ but greater than or equal to the MDL.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: AECOM

Client Sample ID: BEALB1431SG02GS20180524

ALS Project ID: P1802849

Client Project ID: WE39-1431 Dove Lane / 60514950L3

ALS Sample ID: P1802849-002

Test Code: EPA TO-15

Date Collected: 5/24/18

Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8

Date Received: 6/4/18

Analyst: Anusha Bayyarapu

Date Analyzed: 6/6/18

Sampling Media: 1.0 L Silonite Summa Canister

Volume(s) Analyzed: 0.40 Liter(s)

Test Notes:

Container ID: ISS00710

Initial Pressure (psig): -2.36

Final Pressure (psig): 5.55

Container Dilution Factor: 1.64

| CAS # | Compound | Result µg/m³ | LOQ µg/m³ | LOD µg/m³ | MDL µg/m³ | Data Qualifier |
|-------------|--------------|-----------------|--------------|--------------|--------------|-------------------|
| 71-43-2 | Benzene | 3.8 | 2.2 | 0.70 | 0.32 | |
| 108-88-3 | Toluene | 10 | 2.2 | 0.70 | 0.27 | |
| 100-41-4 | Ethylbenzene | 3.5 | 2.2 | 0.70 | 0.31 | |
| 179601-23-1 | m,p-Xylenes | 5.0 | 4.5 | 1.4 | 0.57 | |
| 95-47-6 | o-Xylene | 2.7 | 2.2 | 0.70 | 0.32 | |
| 91-20-3 | Naphthalene | 1.4 | 2.2 | 1.3 | 0.53 | J |

U = Undetected at the limit of detection: The associated data value is the limit of detection, adjusted by any dilution factor used in the analysis.

LOQ = Limit of Quantitation - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

J = The result is an estimated concentration that is less than the LOQ but greater than or equal to the MDL.

Appendix G
Regulatory Correspondence

April 1, 2014

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: IGWA
Laurel Bay Underground Storage Tank Assessment Reports for:
See attached sheet

Dear Mr. Drawdy,


The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tank Assessment Reports for the addresses listed above. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 *et seq.*, as amended).

The Department has reviewed the referenced assessment reports. The submitted analytical results indicate that petroleum constituents are above established Risk-Based Screening Levels and additional investigation is warranted. Specifically, the Department requests that a groundwater sampling proposal be generated to determine if there has been an impact to groundwater at this site.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at kriegkm@gmail.com or 803-898-0255.

Sincerely,



Kent Krieg
Department of Defense Corrective Action Section
Bureau of Land and Waste Management
South Carolina Department of Health and Environmental Control

Cc: Russell Berry (via email)
Craig Ehde (via email)

Attachment to: Krieg to Drawdy
Subject: IGWA
Dated 4/1/2014

Laurel Bay Underground Storage Tank Assessment Reports for: (25 addresses/26 tanks)

| | |
|-------------------|---------------|
| 1187 Bobwhite | 1456 Cardinal |
| 1431 Dove | 1457 Cardinal |
| 1433 Dove | 1461 Cardinal |
| 1435 Dove Tank #1 | 1465 Cardinal |
| 1435 Dove Tank #2 | 1467 Cardinal |
| 1437 Dove | 1469 Cardinal |
| 1439 Dove | 1470 Cardinal |
| 1441 Dove | 1471 Cardinal |
| 1447 Dove | 1473 Cardinal |
| 1449 Dove | 1477 Cardinal |
| 1451 Dove | 1478 Cardinal |
| 1452 Cardinal | 1479 Cardinal |
| 1454 Cardinal | 1485 Cardinal |



May 5, 2015

W. Marshall Taylor Jr., Acting Director

Promoting and protecting the health of the public and the environment

Commanding Officer

Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: Correction - Recommendation Concurrence
Draft Final Initial Groundwater Investigation Report
Dated April 2015

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received groundwater data in the above referenced Groundwater Investigation Report for the addresses attached. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

Per the Department's request, groundwater samples were collected from the attached referenced addresses. The Department reviewed the groundwater data and previous investigations and it agrees with the conclusions and recommendations included in the document. To further assess the impact to groundwater, permanent wells should be installed at the 3 stated addresses. For the remaining 23 addresses, there is no indication of contamination on the property and therefore no further investigation is required at this time. *Note the correction to the attachment, properly referencing 1431 Dove and 1435 Dove Tank 1 and Tank 2 in the Permanent Monitoring Well Investigation recommendation section.*

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at kriegkm@dhec.sc.gov or 803-898-0255.

Sincerely,

Kent Krieg

Department of Defense Corrective Action Section
Bureau of Land and Waste Management
South Carolina Department of Health and Environmental Control

Attachment: Specific Property Recommendations

Cc: Russell Berry (via email)
Craig Ehde (via email)
Bryan Beck (via email)



W. Marshall Taylor Jr., Acting Director

Promoting and protecting the health of the public and the environment

Attachment to: Krieg to Drawdy
Subject: Draft Final Initial Groundwater Investigation Report - April 2015
Specific Property Recommendations
Dated 5/5/2015

Draft Final Initial Groundwater Investigation Report for: (26 addresses/28 tanks)

| Permanent Monitoring Well Investigation recommendation (3 addresses/4 tanks): | |
|--|----------------------|
| 1431 Dove | 1435 Dove Tank 2 |
| 1435 Dove Tank 1 | 1452 Cardinal |
| | |
| No Further Action recommendation (23 addresses/24 tanks): | |
| 1187 Bobwhite | 1463 Cardinal |
| 1433 Dove | 1465 Cardinal |
| 1437 Dove | 1467 Cardinal |
| 1439 Dove | 1469 Cardinal |
| 1441 Dove | 1470 Cardinal |
| 1447 Dove | 1473 Cardinal |
| 1449 Dove | 1471 Cardinal |
| 1451 Dove | 1477 Cardinal |
| 1454 Cardinal | 1478 Cardinal |
| 1456 Cardinal | 1479 Cardinal Tank 1 |
| 1457 Cardinal | 1479 Cardinal Tank 2 |
| 1461 Cardinal | 1485 Cardinal |



December 11, 2017

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: Approved Response to Comments
Draft Final Revision 1 Groundwater Assessment Report March and April 2017
Laurel Bay Military Housing Area

Dear Mr. Drawdy:

The South Carolina Department of Health and Environmental Control (DHEC) received the above referenced report on November 2, 2017. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

DHEC has reviewed the report. Based on this review, DHEC has not generated any additional comments.

Please note that DHEC's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, DHEC retains the right to request further investigation if deemed necessary. If you have any questions, please contact me at petruslb@dhec.sc.gov or 803-898-0294.

Sincerely,

Laurel Petrus
Department of Defense Corrective Action Section

Cc: EQC Region 8
Shawn Dolan, Resolution Consultants
Bryan Beck, NAVFAC MIDLANT



August 14, 2019

Commanding Officer
Attention: NREAO Mr. Christopher L. Vaigneur
United States Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: Approval Draft Final Groundwater Assessment Report, November and December 2018 and April 2019, Laurel Bay Military Housing Area, Multiple Properties
(CDM - AECOM Multimedia JV, dated July 2019)

Dear Mr. Vaigneur,

The South Carolina Department of Health and Environmental Control (DHEC) received the above referenced document on July 24, 2019. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

DHEC has not generated any comments and agrees with the conclusions and recommendations included in the document. The installation approval of the additional monitoring well at 1385 Dove Lane will need to be requested under separate cover.

Please note that DHEC's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, DHEC retains the right to request further investigation if deemed necessary. If you have any questions, please contact Kent Krieg at kriegkm@dhec.sc.gov or 803-898-0255.

Sincerely,

Lisa Appel
RCRA Federal Facilities Section
Division of Waste Management

cc: Bryan Beck, NAVFAC MIDLANT (via email)
Craig Ehde, NREAO (via email)
Shawn Dolan, CDM-AECOM (via email)
Reahnita Tuten, EQC Region 8 (via email)



December 17, 2019

Commanding Officer

Attention: NREAO Mr. Christopher L. Vaigneur
United States Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: Approval - Draft Final 2019 Groundwater Monitoring Report
Laurel Bay Military Housing Area, Multiple Properties, Beaufort, SC
(Resolution Consultants, dated October 2019)

Dear Mr. Vaigneur,

The South Carolina Department of Health and Environmental Control (DHEC) received the above referenced document on October 28, 2019. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

DHEC has reviewed the document and requests some additional down-gradient wells be installed at some properties. DHEC also requests a topic be added to the next Tier I Meeting to review the groundwater trends at the attached listed properties to discuss the current monitoring program and the data gaps.

No changes to this document are necessary and DHEC now considers the 2019 Groundwater Monitoring Report for the Laurel Bay Military Housing Area, Multiple Properties to be Final. DHEC agrees with the recommendation of NFA for 1132 Iris Lane.

Please note that DHEC's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this may require additional action. Furthermore, DHEC retains the right to request further investigation if it is deemed necessary. If you have any questions, please contact Kent Krieg at kriegkm@dhec.sc.gov or 803-898-0255.

Sincerely,

Lisa Appel
RCRA Federal Facilities Section
Division of Waste Management

Attachment

cc: Bryan Beck, NAVFAC MIDLANT (via email)
Craig Ehde, NREAO (via email)
Shawn Dolan, AECOM (via email)
Reahnita Tuten, EQC Region 8 (via email)

Attachment: Appel to Vaigneur, Dated December 17, 2019

Re: Approval Draft Final 2019 Groundwater Monitoring Report
Laurel Bay Military Housing Area, Multiple Properties, Beaufort, SC
(Resolution Consultants, dated October 2019)

Properties to discuss the current monitoring program, and address any potential data gaps, during the next Tier I Meeting in February 2020:

| | |
|-----------------|---|
| 285 Birch Drive | 388 Acorn Drive (due to proximity of 326 Ash) |
| 325 Ash Street | 1054 Gardenia Street |
| 326 Ash Street | 1148 Iris Lane |
| 330 Ash Street | 1385 Dove Lane |
| 343 Ash Street | 1407 Eagle Lane |



Healthy People. Healthy Communities.

October 30, 2018

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: Approval Draft Final Letter Report-Petroleum Vapor Intrusion Investigations
May 2018 through July 2018
Laurel Bay Military Housing Area

Dear Mr. Drawdy:

The South Carolina Department of Health and Environmental Control (DHEC) received the Vapor Intrusion Investigation Report for multiple properties on October 1, 2018. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

DHEC has reviewed the Investigation Report and based on this review, DHEC did not generate any comments on the report. DHEC agrees no additional VI assessment activities are required for these properties at this time. Please note that DHEC's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, DHEC retains the right to request further investigation if deemed necessary. If you have any questions, please contact me at petruslb@dhec.sc.gov or 803-898-0294.

Sincerely,

Laurel Petrus, Environmental Engineer Associate
Bureau of Land and Waste Management

Cc: EQC Region 8
Shawn Dolan, Resolution Consultants
Bryan Beck, NAVFAC MIDLANT