SUMMARY REPORT
511 WEST DOVE LANE (FORMERLY 1432 WEST DOVE LANE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid-Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095 SUMMARY REPORT
511 WEST DOVE LANE (FORMERLY 1432 WEST DOVE LANE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid- Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture 10560 Arrowhead Drive, Suite 500 Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016

CTO WE52

JUNE 2021



Table of Contents

1.0	INTRODUC	TION	L
1.1		ND INFORMATION	
1.2	UST REMO	VAL AND ASSESSMENT PROCESS	2
2.0	SAMPLING	ACTIVITIES AND RESULTS	1
2.1		VAL AND SOIL SAMPLING4	
2.2		/TICAL RESULTS	
2.3		ATER SAMPLING	
2.5	SOIL GAS S	SAMPLING	6
2.6	Soil Gas A	ANALYTICAL RESULTS6	õ
3.0	PROPERTY	STATUS	7
4.0	REFERENC	ES	7
		Tables	
Table	1	Laboratory Analytical Results - Soil	
Table	2	Laboratory Analytical Results - Groundwater	
Table	3	Laboratory Analytical Results - Vapor	
		Appendices	
Appen	ıdix A	Multi-Media Selection Process for LBMH	
Appen	dix B	UST Assessment Report	
Appen	dix C	Laboratory Analytical Report - Groundwater	
Appen	dix D	Laboratory Analytical Report - Vapor	
Appen	ıdix E	Regulatory Correspondence	



List of Acronyms

bgs below ground surface

BTEX benzene, toluene, ethylbenzene, and xylenes

CTO Contract Task Order

COPC constituents of potential concern

ft feet

IDIQ Indefinite Delivery, Indefinite Quantity

IGWA Initial Groundwater Assessment

JV Joint Venture

LBMH Laurel Bay Military Housing MCAS Marine Corps Air Station

NAVFAC Mid-Lant Naval Facilities Engineering Command Mid-Atlantic

NFA No Further Action

PAH polynuclear aromatic hydrocarbon

PPV Public-Private Venture

QAPP Quality Assurance Program Plan

RBSL risk-based screening level

SCDHEC South Carolina Department of Health and Environmental Control

Site LBMH area at MCAS Beaufort, South Carolina

UFP SAP Uniform Federal Policy Sampling and Analysis Plan
USEPA United States Environmental Protection Agency

UST underground storage tank

VISL vapor intrusion screening level



1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 511 West Dove Lane (Formerly 1432 West Dove Lane). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area



is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.


Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

In 2015, the Public-Private Venture (PPV) responsible for the management of the residential area at LBMH initiated a plan to replace outdated homes in the LBMH area. The plan includes the demolition of existing homes and subsequent construction of new homes. In discussions with the PPV it was revealed that construction of the new homes could occur on portions of the property where the USTs were formerly located. In response to this plan, MCAS Beaufort assessed subsurface soil gas concentrations in the area of the former USTs at select properties within the demolition areas. The subject property of this report is one of the properties within the planned demolition area which was selected for a soil gas evaluation. It should be noted that the house at the subject property has since been demolished and this property is an empty lot. There are no current plans for construction in this area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan*





(QAPP) for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, 2016) and the Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

In accordance with the multi-media investigation selection process (Appendix A), groundwater analytical results are typically compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion into existing homes and the necessity for an investigation associated with this media. However, as previously stated, this property did not have an existing home and instead was among those selected for an evaluation of soil gas because of the planned demolition and construction activities.



2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 511 West Dove Lane (Formerly 1432 West Dove Lane). The sampling activities at 511 West Dove Lane (Formerly 1432 West Dove Lane) comprised a soil investigation, IGWA sampling, and a soil gas investigation. Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 1432 West Dove Lane* (MCAS Beaufort, 2012). The UST Assessment Report is provided in Appendix B. Details regarding the IGWA sampling activities at this site are provided in the *Initial Groundwater Investigation Report – May and June 2015* (Resolution Consultants, 2015). The laboratory report that includes the pertinent IGWA analytical results for this site is presented in Appendix C. Details regarding the vapor intrusion investigation at this site are provided in the *Vapor Intrusion Report – July 2015, January 2016, and May 2016* (Resolution Consultants, 2017). The laboratory report that includes the pertinent soil gas analytical results for this site is presented in Appendix D.

2.1 UST Removal and Soil Sampling

On April 18, 2012, a single 280 gallon heating oil UST was removed from underneath the rear patio area at 511 West Dove Lane (Formerly 1432 West Dove Lane). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 5'1" bgs and a single soil sample was collected from that depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.



The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 511 West Dove Lane (Formerly 1432 West Dove Lane) were greater than the SCDHEC RBSLs, which indicated further investigation was required. In a letter dated May 15, 2014, SCDHEC requested an IGWA for 511 West Dove Lane (Formerly 1432 West Dove Lane) to determine if the groundwater was impacted by petroleum COPCs. SCDHEC's request letter is provided in Appendix E.

2.3 Groundwater Sampling

On June 16, 2015, a temporary monitoring well was installed at 511 West Dove Lane (Formerly 1432 West Dove Lane), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the monitoring well was placed in the same general location as the former heating oil UST. The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). Further details are provided in the *Initial Groundwater Investigation Report – May and June 2015* (Resolution Consultants, 2015).

The sampling strategy for this phase of the investigation required a one-time sampling event of the temporarily installed monitoring well. Following well installation and development, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of groundwater sampling, the temporary well was abandoned in accordance with the South Carolina Well Standards and Regulations R.61-71 (SCDHEC, 2016). Field forms are provided in the *Initial Groundwater Investigation Report – May and June 2015* (Resolution Consultants, 2015).

2.4 Groundwater Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 2. A copy of the laboratory analytical data report is included in Appendix C.

The groundwater results collected from 511 West Dove Lane (Formerly 1432 West Dove Lane) were less than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 2), which



indicated that the groundwater was not impacted by COPCs associated with the former UST at concentrations that present a potential risk to human health and the environment.

2.5 Soil Gas Sampling

On May 4, 2016, a temporary subsurface soil gas well was installed at 511 West Dove Lane (Formerly 1432 West Dove Lane) in accordance with the SCDHEC approved *Uniform Federal Policy Sampling and Analysis Plan (UFP SAP) for Vapor Media, Revision 2* (Resolution Consultants, 2016). Soil gas sampling was conducted at this property to assess the potential risk for vapor intrusion associated with the possible construction of a new home on top of former the UST location. The soil gas well was placed in the same general location as the former heating oil UST and the IGWA sample location. The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). Further details are provided in the *Vapor Intrusion Report – July 2015, January 2016, and May 2016* (Resolution Consultants, 2017).

The sampling strategy for this phase of the investigation required a one-time sampling event of the soil gas well. The subsurface soil gas well at 511 West Dove Lane (Formerly 1432 West Dove Lane) was sampled on May 6, 2016. A soil gas sample was collected and was shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of soil gas sampling, the temporary well was abandoned in accordance with the *UFP SAP for Vapor Media, Revision 2* (Resolution Consultants, 2016). Field forms are provided in the *Vapor Intrusion Report – July 2015, January 2016, and May 2016* (Resolution Consultants, 2017).

2.6 Soil Gas Analytical Results

A summary of the laboratory analytical results and USEPA (United States Environmental Protection Agency) VISLs is presented in Table 3. A copy of the laboratory analytical data report is included in Appendix D.

The soil gas results collected from 511 West Dove Lane (Formerly 1432 West Dove Lane) were below the USEPA VISLs, which indicated that subsurface soil gas was not impacted by COPCs associated with the former UST at concentrations that present a potential risk to human health and the environment.



3.0 PROPERTY STATUS

The house at 511 West Dove Lane (Formerly 1432 West Dove Lane) was demolished and the property is an empty lot. There are no current plans for construction in this area. Based on the analytical results for groundwater, SCDHEC made the determination that NFA was required for 511 West Dove Lane (Formerly 1432 West Dove Lane). The NFA determination for groundwater was obtained in a letter dated February 22, 2016. Based on the analytical results for soil gas, it was determined that there was not a vapor intrusion concern at this property and a recommendation was made for no additional vapor intrusion assessment activities. SCDHEC approved the no further vapor intrusion investigation recommendation for 511 West Dove Lane (Formerly 1432 West Dove Lane) in a letter dated June 20, 2017. SCDHEC's letters are provided in Appendix E.

4.0 REFERENCES

- Marine Corps Air Station Beaufort, 2012. South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report 1432 Albatross Drive, Laurel Bay Military Housing Area, August 2012.
- Resolution Consultants, 2015. *Initial Groundwater Investigation Report May and June 2015*for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing

 Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina, October 2015.
- Resolution Consultants, 2016. *Uniform Federal Policy Sampling and Analysis Plan for Vapor Media, Revision 2, for Laurel Bay Military Housing Area Marine Corps Air Station Beaufort, Beaufort, South Carolina*, March 2016.
- Resolution Consultants, 2017. Vapor Intrusion Report July 2015, January 2016, and May 2016 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina, May 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 2.0*, April 2013.



- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.0*, May 2015.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.
- South Carolina Department of Health and Environmental Control Bureau of Water, 2016. *R.61-71, Well Standards,* June 2016.
- United States Environmental Protection Agency, 2015. *USEPA OSWER Vapor Intrusion Assessment, Vapor Intrusion Screening Level Calculator, Version 3.4,* June 2015.

Tables



Table 1

Laboratory Analytical Results - Soil 511 West Dove Lane (Formerly 1432 West Dove Lane)

Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs (1)	Results Sample Collected 04/18/12
Volatile Organic Compounds Analyze	d by EPA Method 8260B (mg/kg)	
Benzene	0.007	ND
Ethylbenzene	1.15	0.0674
Naphthalene	0.036	0.191
Toluene	1.45	ND
Xylenes, Total	14.5	0.0385
Semivolatile Organic Compounds Ana	alyzed by EPA Method 8270D (mg/kg)	
Benzo(a)anthracene	0.066	0.0609
Benzo(b)fluoranthene	0.066	ND
Benzo(k)fluoranthene	0.066	ND
Chrysene	0.066	0.0902
Dibenz(a,h)anthracene	0.066	ND

Notes:

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligrams per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The soil laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.1 (SCDHEC, February 2011).

Table 2

Laboratory Analytical Results - Groundwater 511 West Dove Lane (Formerly 1432 West Dove Lane) Laurel Bay Military Housing Area

Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent			Results Sample Collected 06/16/15
Volatile Organic Compounds Analyzed	d by EPA Method 8260B (µg	g/L)	
Benzene	5	16.24	ND
Ethylbenzene	700	45.95	1.4
Naphthalene	25	29.33	9.5
Toluene	1000	105,445	ND
Xylenes, Total	10,000	2,133	0.50
Semivolatile Organic Compounds Ana	lyzed by EPA Method 8270	D (µg/L)	
Benzo(a)anthracene	10	NA	ND
Benzo(b)fluoranthene	10	NA	ND
Benzo(k)fluoranthene	10	NA	ND
Chrysene	10	NA	ND
Dibenz(a,h)anthracene	10	NA	ND

Notes:

- (1) South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0 (SCDHEC, May 2015).
- (2) Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of 1×10^{-6} , a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - not applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix C.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

μg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

Table 3

Laboratory Analytical Results - Vapor 511 West Dove Lane (Formerly 1432 West Dove Lane)

Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent Volatile Organic Compounds Analyze	USEPA VISL ⁽¹⁾ d by USEPA Method TO-15	Results Sample Collected 05/06/16 (ug/m³)		
Benzene	12	ND ND		
Toluene	17000	ND		
Ethylbenzene	37	ND		
m,p-Xylenes	350	ND		
m,p-Xylenes o-Xylene	350	ND		
Naphthalene	2.8	ND		

Notes:

VISLs are based on a residual exposure scenario and a target risk level of $1x10^{-6}$ and a hazard quotient of 0.1. Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the residential VISL.

USEPA - United States Environmental Protection Agency

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The vapor laboratory report is provided in Appendix D.

RBSL - Risk-Based Screening Level


µg/m³ - micrograms per cubic meter

VISL - Vapor Intrusion Screening Level

⁽¹⁾ United States Environmental Protection Agency Exterior Soil Gas Vapor Intrusion Screening Level (VISL) from VISL Calculator (Version 3.4, June 2015).

Appendix A Multi-Media Selection Process for LBMH





Appendix A - Multi-Media Selection Process for LBMH

Appendix B UST Assessment Report



Attachment 1

South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank (UST) Assessment Report



Submit Completed Form To: UST Program SCDHEC 2600 Bull Street Columbia, South Carolina 29201 Telephone (803) 896-7957

I. OWNERSHIP OF UST (S)

	II OWITERSHIII	
	ommanding Officer Attn: NF n, Individual, Public Agency, Other)	REAO (Craig Ehde)
P.O. Box 55001 Mailing Address		
Beaufort, City	South Carolina State	29904-5001 Zip Code
843 Area Code	228-7317 Telephone Number	Craig Ehde Contact Person

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC
Facility Name or Company Site Identifier
1432 Dove Lane, Laurel Bay Military Housing Area
Street Address or State Road (as applicable)
Beaufort, Beaufort City County
City County

Attachment 2

III. INSURANCE INFORMATION

Insurance Statement
The petroleum release reported to DHEC on at Permit ID Number may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. This section must be completed.
Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES NO (check one)
If you answered YES to the above question, please complete the following information:
My policy provider is: The policy deductible is: The policy limit is:
If you have this type of insurance, please include a copy of the policy with this report.
IV. REQUEST FOR SUPERB FUNDING
I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)
V. CERTIFICATION (To be signed by the UST owner)
I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.
Name (Type or print.)
Signature
To be completed by Notary Public:
To be completed by Notary Public: Sworn before me this day of, 20

		l l		ı
	1432Dove			
ct(ex. Gas, Kerosene)	Heating oil			
city(ex. 1k, 2k)	280 gal			
	Late 1950s			
ruction Material(ex. Steel, FRP)	Steel		_	
n/Year of Last Use	Mid 1980s			
(ft.) To Base of Tank	5'1"			
Prevention Equipment Y/N	No			
ill Prevention Equipment Y/N	No			
od of Closure Removed/Filled	Removed		-	
Γanks Removed/Filled	4/18/2012			
e Corrosion or Pitting Y/N	Yes			
e Holes Y/N	Yes			
i .	ruction Material(ex. Steel, FRP) n/Year of Last Use (ft.) To Base of Tank Prevention Equipment Y/N d of Closure Removed/Filled Fanks Removed/Filled e Corrosion or Pitting Y/N d of disposal for any USTs removed from the 1432Dove was removed from the	city(ex. 1k, 2k)	city(ex. 1k, 2k)	city(ex. 1k, 2k)

VII. PIPING INFORMATION

	1432Dove				
	Steel				
Construction Material(ex. Steel, FRP)	& Copper				
Distance from UST to Dispenser	N/A				
Number of Dispensers	N/A			!	
Type of System Pressure or Suction	Suction				
Was Piping Removed from the Ground? Y/N	No				
Visible Corrosion or Pitting Y/N	Yes				
Visible Holes Y/N	No				
Age	Late 1950s				
	1	1 4.		.1	
If any corrosion, pitting, or holes were observed, of					
Corrosion and pitting were found				teel v	ent
pipe. The copper supply and re	turn lines were	e sour	ıa.		
VIII. BRIEF SITE DESCR					
The USTs at the residences are co	onstructed of s	ingle	wall		
The USTs at the residences are co	onstructed of stor heating. Th	ingle ese U	wall	ere	
The USTs at the residences are co	onstructed of stor heating. Th	ingle ese U	wall	ere	
The USTs at the residences are co	onstructed of stor heating. Th	ingle ese U	wall	ere	
The USTs at the residences are co	onstructed of stor heating. Th	ingle ese U	wall	ere	
The USTs at the residences are co	onstructed of stor heating. Th	ingle ese U	wall	ere	
The USTs at the residences are co	onstructed of stor heating. Th	ingle ese U	wall	ere	

IX. SITE CONDITIONS

	Yes	No	Unk
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells? If yes, indicate depth and location on the site map.		Х	
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells? If yes, indicate location on site map and describe the odor (strong, mild, etc.)		х	
C. Was water present in the UST excavation, soil borings, or trenches? If yes, how far below land surface (indicate location and depth)?		х	
D. Did contaminated soils remain stockpiled on site after closure? If yes, indicate the stockpile location on the site map. Name of DHEC representative authorizing soil removal:		х	
E. Was a petroleum sheen or free product detected on any excavation or boring waters? If yes, indicate location and thickness.		X	

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA#
1432Dove	Excav at fill end	Soil	Sandy	5'1"	4/18/12 1215 hrs	P. Shaw	
1325			1	3 4			
8							
9							
10							
11							-
12							
13							
14							
15							
16		·				1	
17							
18							
19							
20				-			

^{* =} Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect <u>and</u> store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280
and SC DHEC Assessment Guidelines. Sample containers were prepared by th
testing laboratory. The grab method was utilized to fill the sample
containers leaving as little head space as possible and immediately
capped. Soil samples were extracted from area below tank. The
samples were marked, logged, and immediately placed in a sample cooler
packed with ice to maintain an approximate temperature of 4 degrees
Centigrade. Tools were thoroughly cleaned and decontaminated with
the seven step decon process after each use. The samples remained in
custody of SBG-EEG, Inc. until they were transferred to Test America
Incorporated for analysis as documented in the Chain of Custody Record.


XII. RECEPTORS


Yes No A. Are there any lakes, ponds, streams, or wetlands located within *X 1000 feet of the UST system? *~950' to Broad R., 570' canal & 950' pond If yes, indicate type of receptor, distance, and direction on site map. B. Are there any public, private, or irrigation water supply wells within Х 1000 feet of the UST system? If yes, indicate type of well, distance, and direction on site map. C. Are there any underground structures (e.g., basements) Х Located within 100 feet of the UST system? If yes, indicate type of structure, distance, and direction on site map. D. Are there any underground utilities (e.g., telephone, electricity, gas, * X water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the *Sewer, water, electridity, contamination? cable & fiber optic If yes, indicate the type of utility, distance, and direction on the site map. E. Has contaminated soil been identified at a depth less than 3 feet Х below land surface in an area that is not capped by asphalt or concrete? If yes, indicate the area of contaminated soil on the site map.


XIII. SITE MAP

You must supply a <u>scaled</u> site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)









Picture 1: Location of UST 1432Dove.



Picture 2: UST 1432Dove excavation pit.



Picture 3: Site work after removal of the tank.



Picture 4: UST 1432Dove site after completion of work.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

	14200	T	T	T	1	T
CoC UST	1432Dove					
Benzene	ND					
Toluene	ND					
Ethylbenzene	0.0674 mg/kg					
Xylenes	0.0385 mg/kg					
Naphthalene	0.191 mg/kg					
Benzo (a) anthracene	0.0609 mg/kg					
Benzo (b) fluoranthene	ND					
Benzo (k) fluoranthene	ND					
Chrysene	0.0902 mg/kg					
Dibenz (a, h) anthracene	ND					
TPH (EPA 3550)						
			 ·			
CoC						
Benzene						
Toluene						
Ethylbenzene						
Xylenes						
Naphthalene						
Benzo (a) anthracene						
Benzo (b) fluoranthene						
Benzo (k) fluoranthene						
Chrysene						
Dibenz (a, h) anthracene						
TPH (EPA 3550)						

SUMMARY OF ANALYSIS RESULTS (cont'd)
Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
МТВЕ	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				,
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here) (Please see Form #4)



3

5

8

10

I



THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Nashville 2960 Foster Creighton Road Nashville, TN 37204 Tel: 800-765-0980

TestAmerica Job ID: NWD2696

Client Project/Site: [none]

Client Project Description: Laurel Bay Housing Project

For:

EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456

Attn: Tom McElwee

Roxanne L. Connor

Authorized for release by: 5/2/2012 10:51:21 AM

Roxanne Connor

Program Manager - Conventional Accounts roxanne.connor@testamericainc.com

Designee for

Ken A. Hayes Senior Project Manager ken.hayes@testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



www.testamericainc.com



Ŀ	
•	

Ġ		

B	9		
B)	9		
OT # 100			

Cover Page	1
Table of Contents	2
Sample Summary	3
Definitions	4
Client Sample Results	5
QC Sample Results	6
QC Association	11
Chronicle	12
Method Summary	13
Certification Summary	14
Chain of Custody	15

Sample Summary

Client: EEG - Small Business Group, Inc. (2449)

Project/Site: [none]

TestAmerica Job ID: NWD2696

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
NWD2696-01	1432 Dour	Soil	04/18/12 12:15	04/21/12 09:00

3

R

6

7

8

10

Definitions/Glossary

Client: EEG - Small Business Group, Inc. (2449)

Project/Site: [none]

TestAmerica Job ID: NWD2696

Ħ

Qualifiers

GCMS Volatiles

Qualifier Qualifier Description

ZX Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.

Relative Percent Difference, a measure of the relative difference between two points

Toxicity Equivalent Factor (Dioxin)

Toxicity Equivalent Quotient (Dioxin)

GCMS Semivolatiles

Qualifier	Qualifier Description	
M7	The MS and/or MSD were above the acceptance limits. See Blank Spike (LCS).	
M8	The MS and/or MSD were below the acceptance limits. See Blank Spike (LCS).	
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.	

Glossary

RPD

TEF

TEQ

Abbreviation	These commonly used abbreviations may or may not be present in this report.
₩.	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DL, RA, RE, IN	Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample
EDL	Estimated Detection Limit
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RL	Reporting Limit

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)

Client Sample ID: 1432 Dour

Date Collected: 04/18/12 12:15

Project/Site: [none]

% Dry Solids

TestAmerica Job ID: NWD2696

Lab Sample ID: NWD2696-01

Matrix: Soil

ate Received: 04/21/12	09:00							Percent Soli	as: 84.6
	- Volatile Organic Comp				I I - I I				Dil Fac
Analyte		Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00217	0.00120			04/18/12 12:15	04/24/12 17:59	1.00
Ethylbenzene	0.0674		0.00217	0.00120	mg/kg dry		04/18/12 12:15	04/24/12 17:59	1.00
Naphthalene	0.191		0.00543		mg/kg dry	#	04/18/12 12:15	04/24/12 17:59	1.00
Toluene	ND		0.00217	0.00120		33	04/18/12 12:15	04/24/12 17:59	1.00
Xylenes, total	0.0385		0.00543	0.00272	mg/kg dry	D	04/18/12 12:15	04/24/12 17:59	1.00
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	92		70 - 130				04/18/12 12:15	04/24/12 17:59	1.00
Dibromofluoromethane	104		70 - 130				04/18/12 12:15	04/24/12 17:59	1.00
Toluene-d8	119		70 - 130				04/18/12 12:15	04/24/12 17:59	1.00
4-Bromofluorobenzene	60	ZX	70 - 130				04/18/12 12:15	04/24/12 17:59	1.00
Method: SW846 8270D	- Polyaromatic Hydroca	rbons by E	PA 8270D						
Analyte	and the second s	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0785	0.0398	mg/kg dry	×	04/26/12 09:30	04/26/12 18:27	1.00
Acenaphthylene	ND		0.0785	0.0398	mg/kg dry	325	04/26/12 09:30	04/26/12 18:27	1.00
Anthracene	ND		0.0785	0.0398	mg/kg dry	32	04/26/12 09:30	04/26/12 18:27	1.00
Benzo (a) anthracene	0.0609	J	0.0785	0.0398	mg/kg dry	33	04/26/12 09:30	04/26/12 18:27	1.00
Benzo (a) pyrene	ND		0.0785	0.0398	mg/kg dry	22	04/26/12 09:30	04/26/12 18:27	1.00
Benzo (b) fluoranthene	ND		0.0785	0.0398	mg/kg dry	×	04/26/12 09:30	04/26/12 18:27	1.00
Benzo (g,h,i) perylene	ND		0.0785	0.0398	mg/kg dry	22	04/26/12 09:30	04/26/12 18:27	1.00
Benzo (k) fluoranthene	ND		0.0785	0.0398	mg/kg dry	=======================================	04/26/12 09:30	04/26/12 18:27	1.00
Chrysene	0.0902		0.0785	0.0398	mg/kg dry	- 12	04/26/12 09:30	04/26/12 18:27	1.00
Dibenz (a,h) anthracene	ND		0.0785	0.0398	mg/kg dry	122	04/26/12 09:30	04/26/12 18:27	1.00
Fluoranthene	0.228		0.0785	0.0398	mg/kg dry	n	04/26/12 09:30	04/26/12 18:27	1.00
Fluorene	2.80		0.0785	0.0398	mg/kg dry	125	04/26/12 09:30	04/26/12 18:27	1.00
Indeno (1,2,3-cd) pyrene	ND.		0.0785	0.0398	mg/kg dry	22	04/26/12 09:30	04/26/12 18:27	1.00
Naphthalene	3.78	M8	0.0785	0.0398	mg/kg dry	12	04/26/12 09:30	04/26/12 18:27	1.00
Pyrene	0.592	INIO	0.0785	0.0398	mg/kg dry	×	04/26/12 09:30	04/26/12 18:27	1.00
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Terphenyl-d14	85	Quanner	18 - 120				04/26/12 09:30	04/26/12 18:27	1.00
	61		14 - 120				04/26/12 09:30	04/26/12 18:27	1.00
2-Fluorobiphenyl Nitrobenzene-d5	91		17 - 120				04/26/12 09:30	04/26/12 18:27	1.00
	Land Company								
Method: SW846 8270D Analyte	 Polyaromatic Hydroca Result 	rbons by E Qualifier	PA 8270D - RE1 RL		Unit	D	Prepared	Analyzed	Dil Fac
Phenanthrene	5.34	913111111	0.157	0.0796	mg/kg dry	×	04/26/12 09:30	04/27/12 17:49	2.00
Method: SW846 8270D	- Polyaromatic Hydroca	rbons by F	PA 8270D - RF2						
Analyte		Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	16.4	M8	0.785	0.398	mg/kg dry	22	04/26/12 09:30	04/27/12 18:11	10.0
2-Methylnaphthalene	28.5	M7 M8	0.785	0.398	mg/kg dry	¤	04/26/12 09:30	04/27/12 18:11	10.0
Method: SW-846 - Gene	eral Chemistry Paramete	ers							
Analyte	AND THE RESERVE OF THE PERSON	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac

1.00

04/24/12 13:40 04/25/12 08:03

0.500

0.500 %

84.6

Project/Site: [none]

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Lab Sample ID: 12D4588-BLK1

Matrix: Soil

Analysis Batch: V006927

Client	Sample	ID: Method	Blank
		Prop Typo	. Total

Prep Type: Total Prep Batch: 12D4588 P

	Blank	Blank							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.00110	mg/kg wet		04/24/12 11:12	04/24/12 13:48	1.00
Ethylbenzene	ND		0.00200	0.00110	mg/kg wet		04/24/12 11:12	04/24/12 13:48	1.00
Naphthalene	ND		0.00500	0.00250	mg/kg wet		04/24/12 11:12	04/24/12 13:48	1.00
Toluene	ND		0.00200	0.00110	mg/kg wet		04/24/12 11:12	04/24/12 13:48	1.00
Xylenes, total	ND		0.00500	0.00250	mg/kg wet		04/24/12 11:12	04/24/12 13:48	1.00

	Blank Blank				
Surrogate	%Recovery Qualifie	er Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	88	70 - 130	04/24/12 11:12	04/24/12 13:48	1.00
Dibromofluoromethane	98	70 - 130	04/24/12 11:12	04/24/12 13:48	1.00
Toluene-d8	105	70 - 130	04/24/12 11:12	04/24/12 13:48	1.00
4-Bromofluorobenzene	93	70 - 130	04/24/12 11:12	04/24/12 13:48	1.00

Lab Sample ID: 12D4588-BLK2

Matrix: Soil

Analysis Batch: V006927

Client Sample ID: Method Blank Prep Type: Total

Prep Batch: 12D4588_P

	Blank	Blank							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.100	0.0550	mg/kg wet		04/24/12 11:12	04/24/12 14:20	50.0
Ethylbenzene	ND		0.100	0.0550	mg/kg wet		04/24/12 11:12	04/24/12 14:20	50.0
Naphthalene	ND		0.250	0.125	mg/kg wet		04/24/12 11:12	04/24/12 14:20	50.0
Toluene	ND		0.100	0.0550	mg/kg wet		04/24/12 11:12	04/24/12 14:20	50.0
Xylenes, total	ND		0.250	0.125	mg/kg wet		04/24/12 11:12	04/24/12 14:20	50.0

	Blank Blank				
Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	89	70 - 130	04/24/12 11:12	04/24/12 14:20	50.0
Dibromofluoromethane	95	70 - 130	04/24/12 11:12	04/24/12 14:20	50.0
Toluene-d8	103	70 - 130	04/24/12 11:12	04/24/12 14:20	50.0
4-Bromofluorobenzene	90	70 - 130	04/24/12 11:12	04/24/12 14:20	50.0

Lab Sample ID: 12D4588-BS1

Matrix: Soil

Analysis Batch: V006927

Client Sample ID: Lab Control Sample Prep Type: Total

Prep Batch: 12D4588_P

Spike LCS LCS %Rec. %Rec Limits Analyte Added Result Qualifier Unit 50.0 44.1 88 75 - 127 Benzene ug/kg 50.0 52.7 105 80 - 134 Ethylbenzene ug/kg Naphthalene 50.0 59.7 ug/kg 119 69 - 150 50.0 102 80 - 132 Toluene 51.1 ug/kg 101 80 - 137 150 152 Xylenes, total ug/kg

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4	87		70 - 130
Dibromofluoromethane	97		70 - 130
Toluene-d8	104		70 - 130
4-Bromofluorobenzene	90		70 - 130

Prep Batch: 12D4588_P

Client: EEG - Small Business Group, Inc. (2449)

Project/Site: [none]

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B (Continued)

Lab Sample ID: 12D4588-BSD1 Client Sample ID: Lab Control Sample Dup Matrix: Soil Prep Type: Total

Analysis Batch: V006927							Prep Batc	h: 12D4	588_P
	Spike	LCS Dup	LCS Dup				%Rec.		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	50.0	46.2		ug/kg		92	75 - 127	5	50
Ethylbenzene	50.0	53.7		ug/kg		107	80 - 134	2	50
Naphthalene	50.0	60.3		ug/kg		121	69 - 150	1	50
Toluene	50.0	52.0		ug/kg		104	80 - 132	2	50
Xylenes, total	150	154		ug/kg		103	80 - 137	1	50

	LCS Dup	LCS Dup	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4	90		70 - 130
Dibromofluoromethane	101		70 - 130
Toluene-d8	105		70 - 130
4-Bromofluorobenzene	90		70 - 130

Lab Sample ID: 12D4588-MS1 Client Sample ID: Matrix Spike Matrix: Soil Prep Type: Total

Analysis Batch: V006927

Sample	Sample	Spike	Matrix Spike	Matrix Spil	ke			%Rec.	
Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
ND		0.0530	0.0491		mg/kg dry	107	93	31 - 143	
ND		0.0530	0.0613		mg/kg dry	n	116	23 - 161	
ND		0.0530	0.0404		mg/kg dry	n	76	10 - 176	
ND		0.0530	0.0616		mg/kg dry	425	116	30 - 155	
ND		0.159	0.176		mg/kg dry	332	111	25 - 162	
	Result ND ND ND ND	ND ND ND	Result Qualifier Added ND 0.0530 ND 0.0530 ND 0.0530 ND 0.0530 ND 0.0530	Result Qualifier Added Result ND 0.0530 0.0491 ND 0.0530 0.0613 ND 0.0530 0.0404 ND 0.0530 0.0616	Result Qualifier Added Result Qualifier ND 0.0530 0.0491 ND 0.0530 0.0613 ND 0.0530 0.0404 ND 0.0530 0.0616	Result Qualifier Added Result Qualifier Unit ND 0.0530 0.0491 mg/kg dry ND 0.0530 0.0613 mg/kg dry ND 0.0530 0.0404 mg/kg dry ND 0.0530 0.0616 mg/kg dry	Result Qualifier Added Result Qualifier Unit D ND 0.0530 0.0491 mg/kg dry mg/kg dry	Result Qualifier Added Result Qualifier Unit D %Rec ND 0.0530 0.0491 mg/kg dry 93 ND 0.0530 0.0613 mg/kg dry 116 ND 0.0530 0.0404 mg/kg dry 76 ND 0.0530 0.0616 mg/kg dry 116	Result Qualifier Added Result Qualifier Unit D %Rec Limits ND 0.0530 0.0491 mg/kg dry 93 31 - 143 ND 0.0530 0.0613 mg/kg dry 116 23 - 161 ND 0.0530 0.0404 mg/kg dry 76 10 - 176 ND 0.0530 0.0616 mg/kg dry 116 30 - 155

Matrix Spike	Matrix Spike	
%Recovery	Qualifier	Limits
86		70 - 130
100		70 - 130
112		70 - 130
102		70 - 130
	%Recovery 86 100 112	100 112

Lab Sample ID: 12D4588-MSD1 Client Sample ID: Matrix Spike Duplicate Matrix: Soil Prep Type: Total

Analysis Batch: V006927

Analysis Batch: V006927									Prep Bato	h: 12D4	588_P
Acceptance of the second	Sample	Sample	Spike	ıtrix Spike Dup	Matrix Spi	ke Duş			%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	ND		0.0542	0.0478		mg/kg dry	n	88	31 - 143	3	50
Ethylbenzene	ND		0.0542	0.0595		mg/kg dry	E	110	23 - 161	3	50
Naphthalene	ND		0.0542	0.0381		mg/kg dry	332	70	10 - 176	6	50
Toluene	ND		0.0542	0.0601		mg/kg dry	12	111	30 - 155	3	50
Xylenes, total	ND		0.163	0.171		mg/kg dry	302	105	25 - 162	3	50

Xylenes, total	ND		0.163	0.171	mg/kg dry	323	105	25 - 162	3	50
	Matrix Spike Dup	Matrix Spike	Dup							
Surrogate	%Recovery	Qualifier	Limits							
1,2-Dichloroethane-d4	88		70 - 130							
Dibromofluoromethane	98		70 - 130							
Toluene-d8	110		70 - 130							
4-Bromofluorobenzene	100		70 - 130							

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)

Project/Site: [none]

TestAmerica Job ID: NWD2696

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Lab Sample ID: 12D4820-BLK1

Matrix: Soil

Analysis Batch: 12D4820

Client Sample ID: Method Blank Prep Type: Total

Prep Batch: 12D4820_P

	Blank B	Blank							
Analyte	Result C	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0670	0.0340	mg/kg wet		04/26/12 09:30	04/26/12 16:53	1.00
Acenaphthylene	ND		0.0670	0.0340	mg/kg wet		04/26/12 09:30	04/26/12 16:53	1.00
Anthracene	ND		0.0670	0.0340	mg/kg wet		04/26/12 09:30	04/26/12 16:53	1.00
Benzo (a) anthracene	ND		0.0670	0.0340	mg/kg wet		04/26/12 09:30	04/26/12 16:53	1.00
Benzo (a) pyrene	ND		0.0670	0.0340	mg/kg wet		04/26/12 09:30	04/26/12 16:53	1.00
Benzo (b) fluoranthene	ND		0.0670	0.0340	mg/kg wet		04/26/12 09:30	04/26/12 16:53	1.00
Benzo (g,h,i) perylene	ND		0.0670	0.0340	mg/kg wet		04/26/12 09:30	04/26/12 16:53	1.00
Benzo (k) fluoranthene	ND		0.0670	0.0340	mg/kg wet		04/26/12 09:30	04/26/12 16:53	1.00
Chrysene	ND		0.0670	0.0340	mg/kg wet		04/26/12 09:30	04/26/12 16:53	1.00
Dibenz (a,h) anthracene	ND		0.0670	0.0340	mg/kg wet		04/26/12 09:30	04/26/12 16:53	1.00
Fluoranthene	ND		0.0670	0.0340	mg/kg wet		04/26/12 09:30	04/26/12 16:53	1.00
Fluorene	ND		0.0670	0.0340	mg/kg wet		04/26/12 09:30	04/26/12 16:53	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0670	0.0340	mg/kg wet		04/26/12 09:30	04/26/12 16:53	1.00
Naphthalene	ND		0.0670	0.0340	mg/kg wet		04/26/12 09:30	04/26/12 16:53	1.00
Phenanthrene	ND		0.0670	0.0340	mg/kg wet		04/26/12 09:30	04/26/12 16:53	1.00
Pyrene	ND		0.0670	0.0340	mg/kg wet		04/26/12 09:30	04/26/12 16:53	1.00
1-Methylnaphthalene	ND		0.0670	0.0340	mg/kg wet		04/26/12 09:30	04/26/12 16:53	1.00
2-Methylnaphthalene	ND		0.0670	0.0340	mg/kg wet		04/26/12 09:30	04/26/12 16:53	1.00

Blank Blank

Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
Terphenyl-d14	102	18 - 120	04/26/12 09:30	04/26/12 16:53	1.00
2-Fluorobiphenyl	76	14 - 120	04/26/12 09:30	04/26/12 16:53	1.00
Nitrobenzene-d5	75	17 - 120	04/26/12 09:30	04/26/12 16:53	1.00

Lab Sample ID: 12D4820-BS1

Matrix: Soil

Analysis Batch: 12D4820

Client Sample ID: Lab Control Sample Prep Type: Total

Prep Batch: 12D4820_P

Spike LCS LCS %Rec. Analyte Added Result Qualifier Unit %Rec Limits Acenaphthene 1.67 1.50 mg/kg wet 90 36 - 120 1.67 Acenaphthylene 1.44 mg/kg wet 86 38 - 120 1.67 1.53 92 46 - 124 Anthracene mg/kg wet 1.67 1.48 mg/kg wet 89 45 - 120 Benzo (a) anthracene 1.67 1.53 mg/kg wet 92 45 - 120 Benzo (a) pyrene 1.67 1.46 87 42 - 120 Benzo (b) fluoranthene mg/kg wet Benzo (g,h,i) perylene 1.67 1.43 mg/kg wet 86 38 - 120 Benzo (k) fluoranthene 1.67 1.55 mg/kg wet 93 42 - 120 Chrysene 1.67 1.49 mg/kg wet 90 43 - 120 1.45 87 32 - 128 Dibenz (a,h) anthracene 1.67 mg/kg wet Fluoranthene 1.67 1.59 mg/kg wet 96 46 - 120 Fluorene 1.67 1.57 mg/kg wet 94 42 - 120 1.67 87 41 - 121 Indeno (1,2,3-cd) pyrene 1.44 mg/kg wet 86 32 - 120 Naphthalene 1.67 1.43 mg/kg wet 1.67 1.52 91 45 - 120 Phenanthrene mg/kg wet 1.67 1.54 92 43 - 120 mg/kg wet Pyrene 32 - 120 1.07 64 1-Methylnaphthalene 1.67 mg/kg wet 2-Methylnaphthalene 1.67 1.38 mg/kg wet 83 28 - 120

QC Sample Results

Spike

Added

1.94

1.94

1.94

Matrix Spike Matrix Spike

1.70

1.37

2 36

1.54

1.56

1.72

1.47

1.30

1.54

1.47

1.74

3.97

1.48

5.78

6.67

2.10

13.1

21.9 M7

Result Qualifier

n

DE

n

17

ū

302

32

n

n

T

Ø

ü

ü

17

Unit

mg/kg dry

%Rec

88

71

122

77

89

76

67

75

76

78

60

76

103

103

78

90

145

Client: EEG - Small Business Group, Inc. (2449)

Project/Site: [none]

TestAmerica Job ID: NWD2696

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D (Continued)

Lab Sample ID: 12D4820-BS1

Matrix: Soil

Matrix: Soil

Fluoranthene

2-Methylnaphthalene

Analysis Batch: 12D4820

Client Sample ID: Lab Control Sample

Limits

19 - 120

25 - 120

28 - 125

23 - 120

15 - 128

12 - 133

22 - 120

28 - 120

20 - 120

12 - 128

10 - 143

20 - 120

22 - 121

10 - 120

21 - 122

20 - 123

10 - 120

13 - 120

Prep Type: Total

Prep Batch: 12D4820_P

LCS LCS

Surrogate	%Recovery	Qualifier	Limits
Terphenyl-d14	93		18 - 120
2-Fluorobiphenyl	70		14 - 120
Nitrobenzene-d5	64		17 - 120

Client Sample ID: 1432 Dour

Prep Type: Total

Prep Batch: 12D4820_P %Rec.

Analysis Batch: 12D4820

Lab Sample ID: 12D4820-MS1

Sample Sample Result Qualifier Analyte Acenaphthene ND Acenaphthylene ND

1.94 ND Anthracene 1.94 Benzo (a) anthracene 0.0609 1.94 ND 1.94 Benzo (a) pyrene ND 1.94 Benzo (b) fluoranthene

ND Benzo (g,h,i) perylene 1.94 Benzo (k) fluoranthene ND 1.94 Chrysene 0.0902 1.94 Dibenz (a,h) anthracene ND 1.94 0.228

Fluorene 2.80 1.94 Indeno (1,2,3-cd) pyrene ND 1.94 Naphthalene 3.78 M8 1.94 Phenanthrene 4.67 1.94 Pyrene 0.592 1.94 1-Methylnaphthalene 11.4 1.94

19.0

Matrix Spike Matrix Spike Qualifier %Recovery Limits Surrogate 80

Terphenyl-d14 18 - 120 2-Fluorobiphenyl 49 14 - 120 Nitrobenzene-d5 73 17 - 120

Lab Sample ID: 12D4820-MSD1

Matrix: Soil

Analysis Batch: 12D4820

Client Sample ID: 1432 Dour

Prep Type: Total

Prep Batch: 12D4820_P

											_
	Sample	Sample	Spike	ıtrix Spike Dup	Matrix Spi	ke Duş			%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Acenaphthene	ND		1.96	1.66		mg/kg dry	121	85	19 - 120	2	50
Acenaphthylene	ND		1.96	1.42		mg/kg dry	325	72	25 - 120	3	50
Anthracene	ND		1.96	1.70		mg/kg dry	325	87	28 - 125	33	49
Benzo (a) anthracene	0.0609	J	1.96	1.67		mg/kg dry	n	82	23 - 120	8	50
Benzo (a) pyrene	ND		1.96	1.64		mg/kg dry	125	84	15 - 128	5	50
Benzo (b) fluoranthene	ND		1.96	1.74		mg/kg dry	n	89	12 - 133	1	50
Benzo (g,h,i) perylene	ND		1.96	1.56		mg/kg dry	127	79	22 - 120	6	50
Benzo (k) fluoranthene	ND		1.96	1.47		mg/kg dry		75	28 - 120	13	45
Chrysene	0.0902		1.96	1.69		mg/kg dry	n	81	20 - 120	9	49
Dibenz (a,h) anthracene	ND		1.96	1.57		mg/kg dry	111	80	12 - 128	7	50
Fluoranthene	0.228		1.96	1.77		mg/kg dry	n	79	10 - 143	1	50

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)

Project/Site: [none]

TestAmerica Job ID: NWD2696

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D (Continued)

Lab Sample ID: 12D4820-MSD1 Matrix: Soil

Analysis Batch: 12D4820

Client Sample ID: 1432 Dour

Prep Type: Total

	Prep Batc	h: 12D4	820_P	X
	%Rec.		RPD	
lec	Limits	RPD	Limit	ı
36	20 - 120	12	50	ı

Sample Sample Spike Itrix Spike Dup Matrix Spike Dug Analyte Result Qualifier Added Result Qualifier D %R T 2.80 3.50 Fluorene 1.96 mg/kg dry 32 7 ND 1.96 1.59 mg/kg dry 81 22 - 121 50 Indeno (1,2,3-cd) pyrene n 10 - 120 50 -4 44 Naphthalene 3.78 M8 1.96 3.71 M8 mg/kg dry n Phenanthrene 4.67 1.96 5.12 mg/kg dry 23 21 - 122 26 50 mg/kg dry 79 20 - 123 2 Pyrene 0.592 1.96 2.14 n 46 50 1.96 -162 10 - 120 1-Methylnaphthalene 11.4 8.21 M8 mg/kg dry 32 -287 2-Methylnaphthalene 19.0 1.96 13.4 M8 mg/kg dry 13 - 120 48

Duplicate Duplicate

80.4

Result Qualifier

Unit

Matrix Spike Dup Matrix Spike Dup Qualifier Surrogate %Recovery Limits Terphenyl-d14 85 18 - 120 2-Fluorobiphenyl 54 14 - 120 Nitrobenzene-d5 73 17 - 120

Method: SW-846 - General Chemistry Parameters

Lab Sample ID: 12D4959-DUP1

Matrix: Soil

Analysis Batch: 12D4959

Sample Sample Result Qualifier Analyte % Dry Solids 82.5

Client Sample ID: Duplicate Prep Type: Total Prep Batch: 12D4959_P

D

RPD RPD Limit 3 20

QC Association Summary

Client: EEG - Small Business Group, Inc. (2449)

Project/Site: [none]

TestAmerica Job ID: NWD2696

H

GCMS Volatiles

Analysis Batch: V006927

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
12D4588-BLK1	Method Blank	Total	Soil	SW846 8260B	12D4588_P
12D4588-BLK2	Method Blank	Total	Soil	SW846 8260B	12D4588_P
12D4588-BS1	Lab Control Sample	Total	Soil	SW846 8260B	12D4588_P
12D4588-BSD1	Lab Control Sample Dup	Total	Soil	SW846 8260B	12D4588_P
12D4588-MS1	Matrix Spike	Total	Soil	SW846 8260B	12D4588_P
12D4588-MSD1	Matrix Spike Duplicate	Total	Soil	SW846 8260B	12D4588_P
NWD2696-01	1432 Dour	Total	Soil	SW846 8260B	12D4588_P

Prep Batch: 12D4588_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
12D4588-BLK1	Method Blank	Total	Soil	EPA 5035	
12D4588-BLK2	Method Blank	Total	Soil	EPA 5035	
12D4588-BS1	Lab Control Sample	Total	Soil	EPA 5035	
12D4588-BSD1	Lab Control Sample Dup	Total	Soil	EPA 5035	
12D4588-MS1	Matrix Spike	Total	Soil	EPA 5035	
12D4588-MSD1	Matrix Spike Duplicate	Total	Soil	EPA 5035	
NWD2696-01	1432 Dour	Total	Soil	EPA 5035	

GCMS Semivolatiles

Analysis Batch: 12D4820

There's the Automotive of the Control					
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
12D4820-BLK1	Method Blank	Total	Soil	SW846 8270D	12D4820_P
12D4820-BS1	Lab Control Sample	Total	Soil	SW846 8270D	12D4820_P
12D4820-MS1	1432 Dour	Total	Soil	SW846 8270D	12D4820_P
12D4820-MSD1	1432 Dour	Total	Soil	SW846 8270D	12D4820_P
NWD2696-01	1432 Dour	Total	Soil	SW846 8270D	12D4820_P
NWD2696-01 - RE1	1432 Dour	Total	Soil	SW846 8270D	12D4820_P
NWD2696-01 - RE2	1432 Dour	Total	Soil	SW846 8270D	12D4820_P

Prep Batch: 12D4820_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
12D4820-BLK1	Method Blank	Total	Soil	EPA 3550C	
12D4820-BS1	Lab Control Sample	Total	Soil	EPA 3550C	
12D4820-MS1	1432 Dour	Total	Soil	EPA 3550C	
12D4820-MSD1	1432 Dour	Total	Soil	EPA 3550C	
NWD2696-01	1432 Dour	Total	Soil	EPA 3550C	
NWD2696-01 - RE1	1432 Dour	Total	Soil	EPA 3550C	
NWD2696-01 - RE2	1432 Dour	Total	Soil	EPA 3550C	

Extractions

Analysis Batch: 12D4959

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
12D4959-DUP1	Duplicate	Total	Soil	SW-846	12D4959_P
NWD2696-01	1432 Dour	Total	Soil	SW-846	12D4959_P

Prep Batch: 12D4959_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
12D4959-DUP1	Duplicate	Total	Soil	% Solids	
NWD2696-01	1432 Dour	Total	Soil	% Solids	

Lab Chronicle

Client: EEG - Small Business Group, Inc. (2449)

Client Sample ID: 1432 Dour Date Collected: 04/18/12 12:15 Date Received: 04/21/12 09:00


Project/Site: [none]

TestAmerica Job ID: NWD2696

Lab Sample ID: NWD2696-01

	watrix:	Soll
Percent	Solids:	84 6

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total	Prep	EPA 5035		0.919	12D4588_P	04/18/12 12:15	AAN	TAL NSH
Total	Analysis	SW846 8260B		1.00	V006927	04/24/12 17:59	MJH	TAL NSH
Total	Prep	EPA 3550C		0.991	12D4820_P	04/26/12 09:30	JJR	TAL NSH
Total	Analysis	SW846 8270D		1.00	12D4820	04/26/12 18:27	KJP	TAL NSH
Total	Prep	EPA 3550C	RE1	0.991	12D4820_P	04/26/12 09:30	JJR	TAL NSH
Total	Analysis	SW846 8270D	RE1	2.00	12D4820	04/27/12 17:49	KJP	TAL NSH
Total	Prep	EPA 3550C	RE2	0.991	12D4820_P	04/26/12 09:30	JJR	TAL NSH
Total	Analysis	SW846 8270D	RE2	10.0	12D4820	04/27/12 18:11	KJP	TAL NSH
Total	Prep	% Solids		1.00	12D4959_P	04/24/12 13:40	KDJ	TAL NSH
Total	Analysis	SW-846		1.00	12D4959	04/25/12 08:03	KDJ	TAL NSH



TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Road, Nashville, TN 37204, TEL 800-765-0980











Method Summary

Client: EEG - Small Business Group, Inc. (2449)

Project/Site: [none]

TestAmerica Job ID: NWD2696

Method	Method Description	Protocol	Laboratory
SW-846	General Chemistry Parameters		TAL NSH
SW846 8260B	Volatile Organic Compounds by EPA Method 8260B		TAL NSH
SW846 8270D	Polyaromatic Hydrocarbons by EPA 8270D		TAL NSH

Protocol References:

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Road, Nashville, TN 37204, TEL 800-765-0980

Certification Summary

Client: EEG - Small Business Group, Inc. (2449)

Project/Site: [none]

TestAmerica Job ID: NWD2696

Laboratory	Authority	Program	EPA Region	Certification ID
TestAmerica Nashville		ACIL		393
TestAmerica Nashville	A2LA	ISO/IEC 17025		0453.07
TestAmerica Nashville	Alabama	State Program	4	41150
TestAmerica Nashville	Alaska (UST)	State Program	10	UST-087
TestAmerica Nashville	Arizona	State Program	9	AZ0473
TestAmerica Nashville	Arkansas DEQ	State Program	6	88-0737
TestAmerica Nashville	California	NELAC	9	1168CA
TestAmerica Nashville	Canadian Assoc Lab Accred (CALA)	Canada		3744
TestAmerica Nashville	Colorado	State Program	8	N/A
TestAmerica Nashville	Connecticut	State Program	1	PH-0220
TestAmerica Nashville	Florida	NELAC	4	E87358
TestAmerica Nashville	Illinois	NELAC	5	200010
TestAmerica Nashville	lowa	State Program	7	131
TestAmerica Nashville	Kansas	NELAC	7	E-10229
TestAmerica Nashville	Kentucky	State Program	4	90038
TestAmerica Nashville	Kentucky (UST)	State Program	4	19
TestAmerica Nashville	Louisiana	NELAC	6	30613
TestAmerica Nashville	Louisiana	NELAC	6	LA110014
TestAmerica Nashville	Maryland	State Program	3	316
TestAmerica Nashville	Massachusetts	State Program	1	M-TN032
TestAmerica Nashville	Mississippi	State Program	4	N/A
TestAmerica Nashville	Montana (UST)	State Program	8	NA
TestAmerica Nashville	New Hampshire	NELAC	1	2963
TestAmerica Nashville	New Jersey	NELAC	2	TN965
TestAmerica Nashville	New York	NELAC	2	11342
TestAmerica Nashville	North Carolina DENR	State Program	4	387
TestAmerica Nashville	North Dakota	State Program	8	R-146
TestAmerica Nashville	Ohio VAP	State Program	5	CL0033
TestAmerica Nashville	Oklahoma	State Program	6	9412
TestAmerica Nashville	Oregon	NELAC	10	TN200001
TestAmerica Nashville	Pennsylvania	NELAC	3	68-00585
TestAmerica Nashville	Rhode Island	State Program	1	LAO00268
TestAmerica Nashville	South Carolina	State Program	4	84009
TestAmerica Nashville	South Carolina	State Program	4	84009
TestAmerica Nashville	Tennessee	State Program	4	2008
TestAmerica Nashville	Texas	NELAC	6	T104704077-09-TX
TestAmerica Nashville	USDA	Federal		S-48469
TestAmerica Nashville	Utah	NELAC	8	TAN
TestAmerica Nashville	Virginia	NELAC	3	460152
TestAmerica Nashville	Virginia	State Program	3	00323
TestAmerica Nashville	Washington	State Program	10	C789
TestAmerica Nashville	West Virginia DEP	State Program	3	219
TestAmerica Nashville	Wisconsin	State Program	5	998020430
TestAmerica Nashville	Wyoming (UST)	A2LA	8	453.07

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.

ATTACHMENT A



NON-HAZARDOUS MANIFEST

100 HAZARDOUS MANIFEST	1. Generator's US EPA	ID No.	Manifest Doc	No.	2. Page 1				
3. Generator's Mailing Address: MCAS, BEAUFORT LAUREL BAY HOUSING				nailing):	A. Manife	est Number	0031		
	28-6461					S. State	A III		
5. Transporter 1 Company Name EEG, INC.		6. US	EPA ID Number		The second second	ransporter's II	AND DESCRIPTION OF THE PERSON NAMED IN	270.044	
7. Transporter 2 Company Name		8. US	EPA ID Number		MARSON.	orter's Phone	The second	879-041	
9. Designated Facility Name and Site HICKORY HILL LANDFILL	Address	10. US	EPA ID Number		PER IN	orter's Phone			
2621 LOW COUNTRY ROAD RIDGELAND, SC 29936					G. State F	acility Phone	843-	987-464	3
G 11. Description of Waste Materials			12. Co	ontainers Type	13. Total Quantity	14. Unit Wt./Vol.	1, 1	lisc. Comme	nts
a. HEATING OIL TANKS FILLED								15/02/1	1
R WM Prof	file # 102655SC								
WM Profile #								73.11	
WM Profile #					7				
WM Profile #						08/08/08/0		GE STATE	10 (C)
J. Additional Descriptions for Mater	rials Listed Above		Cell Grid	sal Location			Level		
15. Special Handling Instructions and UST'S FROM D 482 KALIR	3	2) 138 3) 143	9 Dou) 53.	3 LAW CAMZ		BAY BB	4 ME
Purchase Order # 16. GENERATOR'S CERTIFICATE:	Marie Control	EMERGENO	CY CONTACT / PH	ONE NO.:	ing and				A SU
I hereby certify that the above-descri accurately described, classified and p			ansportation acco						I vee
17. Transporter 1 Acknowledgement	of Receipt of Materials	Signature On	bertailfol	nothe	q W.	Hala	Month 5	Day 9	Year /2
Printed Name PRAH 3		Signature	124	-		0	Month 3	Day	Year
18. Transporter 2 Acknowledgement of Receipt of Materials Printed Name Signature						Month	Day	Year	
19. Certificate of Final Treatment/Dis	CONTRACTOR OF THE PARTY OF THE	I Then	nes Bol	du			15	2	12
l certify, on behalf of the above listed applicable laws, regulations, permits	and licenses on the dates	s listed above.				as managed in	complian	e with all	
20. Facility Owner or Operator: Certi	fication of receipt of non	Signature	rials covered by th	nis manifest	eld		Month	Day	Year / 2
White- TREATMENT, STORAGE, DISPO			ATOR #2 COPY		Ye	llow- GENERA	TOR #1 CO		10

Appendix C Laboratory Analytical Report - Groundwater



Volatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants

Description: BEALB1432TW01WG20150616

Laboratory ID: QF17014-005

Matrix: Aqueous

Date Sampled: 06/16/2015 1450 Date Received: 06/17/2015

Run	Prep Method	Analytical Method	Dilution	Analysis Date Analyst	Prep Date	Batch
1	5030B	8260B	1	06/25/2015 0056 PMM2		78064

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL Units Run
Benzene	71-43-2	8260B	0.45	U	5.0	0.45	0.21 ug/L 1
Ethylbenzene	100-41-4	8260B	1.4	J	5.0	0.51	0.21 ug/L 1
Naphthalene	91-20-3	8260B	9.5		5.0	0.96	0.14 ug/L 1
Toluene	108-88-3	8260B	0.48	U	5.0	0.48	0.24 ug/L 1
Xylenes (total)	1330-20-7	8260B	0.50	J	5.0	0.57	0.19 ug/L 1

Surrogate	Run 1 A Q % Recovery	Acceptance Limits
Bromofluorobenzene	108	75-120
1,2-Dichloroethane-d4	88	70-120
Toluene-d8	95	85-120
Dibromofluoromethane	86	85-115

PQL = Practical quantitation limit ND = Not detected at or above the MDL B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range P = The RPD between two GC columns exceeds 40%

H = Out of holding time

Q = Surrogate failure N = Recovery is out of criteria L = LCS/LCSD failure S = MS/MSD failure

 $J = Estimated result < PQL and <math>\geq MDL$ Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Shealy Environmental Services, Inc. 106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Semivolatile Organic Compounds by GC/MS (SIM)

Client: AECOM - Resolution Consultants

Description: BEALB1432TW01WG20150616

Matrix: Aqueous

Laboratory ID: QF17014-005

Date Sampled: 06/16/2015 1450 Date Received: 06/17/2015

Run Prep Method **Analytical Method Dilution Analysis Date Analyst** Batch **Prep Date** 1 3520C 8270D (SIM) 06/22/2015 1227 RBH 06/19/2015 1430 77693

	CAS	Analytical				
Parameter	Number	Method	Result Q	LOQ	LOD	DL Units Run
Benzo(a)anthracene	56-55-3	8270D (SIM)	0.040 U	0.20	0.040	0.019 ug/L 1
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	0.040 U	0.20	0.040	0.019 ug/L 1
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	0.040 U	0.20	0.040	0.024 ug/L 1
Chrysene	218-01-9	8270D (SIM)	0.040 U	0.20	0.040	0.021 ug/L 1
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	0.080 U	0.20	0.080	0.040 ug/L 1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
2-Methylnaphthalene-d10		72	15-139
Fluoranthene-d10		78	23-154

PQL = Practical quantitation limit ND = Not detected at or above the MDL B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

H = Out of holding time

Q = Surrogate failure L = LCS/LCSD failure

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

 $J = Estimated result < PQL and <math>\geq MDL$

P = The RPD between two GC columns exceeds 40%

N = Recovery is out of criteria

S = MS/MSD failure

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Appendix D Laboratory Analytical Report - Vapor



ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: AECOM

Client Sample ID: BEALB1432SG01GS20160506 ALS Project ID: P1602413
Client Project ID: WE56-LBMH Soil Vapor Assessments / 60342031.FI.WI ALS Sample ID: P1602413-006

Test Code: EPA TO-15 Date Collected: 5/6/16
Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS9 Date Received: 5/9/16
Analyst: Wida Ang Date Analyzed: 5/24/16

Sampling Media: 6.0 L Summa Canister Volume(s) Analyzed: 0.025 Liter(s)

Test Notes:

Container ID: SC00114

Initial Pressure (psig): -0.90 Final Pressure (psig): 3.59

Canister Dilution Factor: 1.33

CAS#	Compound	Result μg/m³	LOQ μg/m³	LOD μg/m³	MDL μg/m³	Data Qualifier
71-43-2	Benzene	23	27	23	8.5	U
108-88-3	Toluene	22	27	22	9.0	${f U}$
100-41-4	Ethylbenzene	22	27	22	8.5	${f U}$
179601-23-1	m,p-Xylenes	44	53	44	16	\mathbf{U}
95-47-6	o-Xylene	22	27	22	8.0	U
91-20-3	Naphthalene	21	27	21	9.6	U

U = Undetected at the limit of detection: The associated data value is the limit of detection, adjusted by any dilution factor used in the analysis. LOQ = Limit of Quantitation - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

Appendix E Regulatory Correspondence





May 15, 2014

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: IGWA

Laurel Bay Underground Storage Tank Assessment Reports for: See attached sheet

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tank Assessment Reports for the addresses listed above. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

The Department has reviewed the referenced assessment reports. The submitted analytical results indicate that petroleum constituents are above established Risk-Based Screening Levels and additional investigation is warranted. Specifically, the Department requests that a groundwater sampling proposal be generated to determine if there has been an impact to groundwater at this site.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at kriegkm@dhec.sc.gov or 803-898-0255.

Sincerely,

Kent Krieg

Department of Defense Corrective Action Section

Bureau of Land and Waste Management

South Carolina Department of Health and Environmental Control

Cc: Russell Berry (via email)
Craig Ehde (via email)

,



PROMOTE PROTECT PROSPER
Catherine B. Templeton, Director

Attachment to:

Krieg to Drawdy Subject: IGWA

Dated 5/15/2014

Laurel Bay Underground Storage Tank Assessment Reports for: (121 addresses/139 tanks)

137 Laurel Bay Tank 2	387 Acorn
139 Laurel Bay	392 Acorn Tank 2
229 Cypress Tank 2	396 Acorn Tank 1
261 Beech Tank 1 *	396 Acorn Tank 2
261 Beech Tank 3	430 Elderberry
273 Birch Tank 1	433 Elderberry
273 Birch Tank 2	439 Elderberry
273 Birch Tank 3	440 Elderberry
276 Birch Tank 2	442 Elderberry
278 Birch Tank 2	443 Elderberry
291 Birch Tank 2	444 Elderberry Tank 1
300 Ash	445 Elderberry
304 Ash *	446 Elderberry
314 Ash Tank 1	448 Elderberry
314 Ash Tank 2	449 Elderberry
322 Ash Tank 2 *	451 Elderberry
323 Ash	453 Elderberry
324 Ash	456 Elderberry Tank 1
325 Ash Tank 1 *	456 Elderberry Tank 2
325 Ash Tank 2	458 Elderberry Tank 1
326 Ash •	458 Elderberry Tank 3
336 Ash	464 Dogwood
339 Ash	466 Dogwood
343 Ash Tank 1	467 Dogwood
344 Ash Tank 1	468 Dogwood
348 Ash *	469 Dogwood
349 Ash Tank 1 *	471 Dogwood Tank 2
353 Ash Tank 1 *	471 Dogwood Tank 3
362 Aspen *	475 Dogwood Tank 1
376 Aspen	475 Dogwood Tank 2
380 Aspen	516 Laurel Bay Tank 1 (UST#03747)
383 Aspen Tank 2 *	518 Laurel Bay

Laurel Bay Underground Storage Tank Assessment Reports for: (121 addresses/139 tanks) cont.

531 Laurel Bay	1219 Cardinal	
532 Laurel Bay	1272 Albatross	
635 Dahlia Tank 2	1305 Eagle	
638 Dahlia	1353 Cardinal	
640 Dahlia Tank 1	1356 Cardinal	
640 Dahlia Tank 2	1357 Cardinal	
645 Dahlia	1359 Cardinal	
647 Dahlia	1360 Cardinal	
648 Dahlia Tank 2	1361 Cardinal	
650 Dahlia Tank 1	1368 Cardinal	
650 Dahlia Tank 2	1370 Cardinal Tank 1	
652 Dahlia Tank 1	1377 Dove	
652 Dahlia Tank 2	1381 Dove	
760 Althea	1382 Dove	
763 Althea	1384 Dove	
771 Althea	1385 Dove	
927 Albacore	1389 Dove	
1015 Foxglove	1391 Dove	
1046 Gardenia	1392 Dove	
1062 Gardenia Tank 2	1393 Dove Tank 1	
1070 Heather	1393 Dove Tank 2	
1072 Heather	1406 Eagle	
1102 Iris Tank 1	1407 Eagle Tank 1	
1107 Iris	1411 Eagle Tank 1	
1126 Iris	1411 Eagle Tank 2	
1129 Iris	1412 Eagle	
1132 Iris	1413 Albatross	
1133 Iris Tank 1	1414 Albatross	
1138 Iris	1422 Albatross	
1144 Iris Tank 1	1425 Albatross	
1144 Iris Tank 2	1426 Albatross	
1148 Iris Tank 1	1432 Dove	
1148 Iris Tank 2	1434 Dove	
1161 Jasmine	1436 Dove	
1167 Jasmine	1438 Dove Tank 1	
1170 Jasmine	1440 Dove	
1190 Bobwhite	1442 Dove Tank 1	
1192 Bobwhite		



Catherine E. Heigel, Director

Promoting and protecting the health of the public and the environment

Division of Waste Management Bureau of Land and Waste Management

February 22, 2016

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: Approval and Concurrence with Draft Final Initial Groundwater Investigation Report-May and June 2015

Laurel Bay Military Housing Area Multiple Properties

Dated October 2015

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received groundwater data in the above referenced Groundwater Investigation Report for the addresses attached. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

Per the Department's request, groundwater samples were collected from the attached referenced addresses. The Department reviewed the groundwater data and previous investigations and it agrees with the conclusions and recommendations included in the document. To further assess the impact to groundwater, permanent wells should be installed at the 52 stated addresses. For the remaining 91 addresses, there is no indication of contamination on the property and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at petruslb@dhec.sc.gov or 803-898-0294.

Sincerely,

Laurel Petrus

LIRA

RCRA Federal Facilities Section

Attachment: Specific Property Recommendations

Cc: Russell Berry, EQC Region 8 (via email)

Shawn Dolan, Resolution Consultants (via email)

Bryan Beck, NAVFAC MIDATLANTIC (via email)

Craig Ehde (via email)

Attachment to: Petrus to Drawdy

Subject: Draft Final Initial Groundwater Investigation Report-May and June 2015

Specific Property Recommendations

Dated February 22, 2016

Draft Final Initial Groundwater Investigation Report for (143 addresses)

273 Birch Drive	1192 Bobwhite Drive
325 Ash Street	1194 Bobwhite Drive
326 Ash Street	1272 Albatross Drive
336 Ash Street	1352 Cardinal Lane
343 Ash Street	1356 Cardinal Lane
353 Ash Street	1359 Cardinal Lane
430 Elderberry Drive	1360 Cardinal Lane
440 Elderberry Drive	1362 Cardinal Lane
456 Elderberry Drive	1370 Cardinal Lane
458 Elderberry Drive	1382 Dove Lane
468 Dogwood Drive	1384 Dove lane
518 Laurel Bay Blvd	1385 Dove Lane
635 Dahlia Drive	1389 Dove Lane
638 Dahlia Drive	1392 Dove Lane
640 Dahlia Drive	1393 Dove Lane
647 Dahlia Drive	1407 Eagle Lane
648 Dahlia Drive	1411 Eagle Lane
650 Dahlia Drive	1418 Albatross Drive
652 Dahlia Drive	1420 Albatross Drive
760 Althea Street	1426 Albatross Drive
1102 Iris Lane	1429 Albatross Drive
1132 Iris Lane	1434 Dove Lane
1133 Iris Lane	1436 Dove Lane
1144 Iris Lane	1440 Dove Lane
1148 Iris Lane	1442 Dove Lane
1186 Bobwhite Drive	1444 Dove Lane
No Fur	ther Action recommendation (91 addresses):
137 Laurel Bay Blvd	771 Althea Street
139 Laurel Bay Blvd	927 Albacore Street
229 Cypress Street	1015 Foxglove Street
261 Beech Street	1046 Gardenia Drive
276 Birch Drive	1062 Gardenia Drive
278 Birch Drive	1070 Heather Street
291 Birch Drive	1072 Heather Street

300 Ash Street	1107 Iris Lane	
304 Ash Street	1126 Iris Lane	
314 Ash Street	1129 Iris Lane	
322 Ash Street	1138 Iris Lane	70/00/2-00
323 Ash Street	1161 Jasmine Street	
324 Ash Street	1167 Jasmine Street	
339 Ash Street	1170 Jasmine Street	
344 Ash Street	1190 Bobwhite Drive	
348 Ash Street	1219 Cardinal Lane	
349 Ash Street	1305 Eagle Lane	
362 Aspen Street	1353 Cardinal Lane	
376 Aspen Street	1354 Cardinal Lane	
380 Aspen Street	1357 Cardinal Lane	
383 Aspen Street	1361 Cardinal Lane	
387 Acorn Drive	1364 Cardinal Lane	- 3
392 Acorn Drive	1368 Cardinal Lane	
396 Acorn Drive	1377 Dove Lane	
433 Elderberry Drive	1381 Dove Lane	
439 Elderberry Drive	1391 Dove Lane	
442 Elderberry Drive	1403 Eagle Lane	
443 Elderberry Drive	1404 Eagle Lane	
444 Elderberry Drive	1405 Eagle Lane	
445 Elderberry Drive	1406 Eagle Lane	
446 Elderberry Drive	1408 Eagle Lane	
448 Elderberry Drive	1410 Eagle Lane	
449 Elderberry Drive	1412 Eagle Lane	
451 Elderberry Drive	1413 Albatross Drive	7777
453 Elderberry Drive	1414 Albatross Drive	
464 Dogwood Drive	1417 Albatross Drive	
466 Dogwood Drive	1421 Albatross Drive	-20.014
467 Dogwood Drive	1422 Albatross Drive	
469 Dogwood Drive	1425 Albatross Drive	
471 Dogwood Drive	1427 Albatross Drive	
475 Dogwood Drive	1430 Dove Lane	
516 Laurel Bay Blvd	1432 Dove Lane	
531 Laurel Bay Blvd	1438 Dove Lane	
532 Laurel Bay Blvd	1453 Cardinal Lane	
645 Dahlia Drive	1455 Cardinal Lane	
763 Althea Street		

Attachment to: Petrus to Drawdy

Subject: Draft Final Initial Groundwater Investigation Report-May and June 2015

Specific Property Recommendations Dated February 22, 2016, Page 2



June 20, 2017

Commanding Officer Attention: NREAO Mr. William A. Drawdy United State Marine Corps Air Station Post Office Box 55001 Beaufort, SC 29904-5001

RE: Approval Response to Comments and Draft Final Revision 1 Vapor Intrusion Report July 2015, January 2016 and May 2016, Laurel Bay Military Housing Area, Multiple Properties

RE: Approval Response to Comments and Draft Final Revision 1 Letter Report - Petroleum Vapor Intrusion Investigations - June 2016 and January 2017, Multiple Properties, Laurel Bay Military Housing Area

Dear Mr. Drawdy:

The South Carolina Department of Health and Environmental Control (DHEC) received the above referenced response to comments and errata pages on May 24 and June 7, 2017. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

DHEC has reviewed the response to comments and errata pages. Based on this review, DHEC did not generate any additional comments. Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary. If you have any questions, please contact me at petruslb@dhec.sc.gov or 803-898-0294.

Sincerely,

Laurel Petrus

ZIRES

Department of Defense Corrective Action Section

Cc:

Russell Berry, EQC Region 8

Shawn Dolan, Resolution Consultants Bryan Beck, NAVFAC MIDLANT