SUMMARY REPORT 624 WEST CARDINAL LANE (FORMERLY 1463 WEST CARDINAL LANE) LAUREL BAY MILITARY HOUSING AREA MARINE CORPS AIR STATION BEAUFORT BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid-Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT 624 WEST CARDINAL LANE (FORMERLY 1463 WEST CARDINAL LANE) LAUREL BAY MILITARY HOUSING AREA MARINE CORPS AIR STATION BEAUFORT BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid- Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture 10560 Arrowhead Drive, Suite 500 Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016 CTO WE52 JUNE 2021



Summary Report 624 West Cardinal Lane (Formerly 1463 West Cardinal Lane) Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort June 2021

Table of Contents

1.0	INTRODUCTION	. 1
1.1 1.2	BACKGROUND INFORMATION UST REMOVAL AND ASSESSMENT PROCESS	.1 .2
2.0	SAMPLING ACTIVITIES AND RESULTS	3
2.1	UST REMOVAL AND SOIL SAMPLING	.3
2.2	SOIL ANALYTICAL RESULTS	.4
2.3	GROUNDWATER SAMPLING	.4
2.4	GROUNDWATER ANALYTICAL RESULTS	.5
3.0	PROPERTY STATUS	. 5
4.0	REFERENCES	. 5

Tables

Table 1	Laboratory Analytical Results - Soil
Table 2	Laboratory Analytical Results - Groundwater

Appendices

- Appendix A Multi-Media Selection Process for LBMH
- Appendix B UST Assessment Report
- Appendix C Laboratory Analytical Report Groundwater
- Appendix D Regulatory Correspondence



List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
СТО	Contract Task Order
COPC	constituents of potential concern
ft	feet
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level



1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 624 West Cardinal Lane (Formerly 1463 West Cardinal Lane). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area



is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service,* (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*



Division (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 624 West Cardinal Lane (Formerly 1463 West Cardinal Lane). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 1463 Cardinal Lane* (MCAS Beaufort, 2014). The UST Assessment Report is provided in Appendix B. Details regarding the IGWA sampling activities at this site are provided in the *Initial Groundwater Investigation Report – February 2015* (Resolution Consultants, 2015). The laboratory report that includes the pertinent IGWA analytical results for this site is presented in Appendix C.

2.1 UST Removal and Soil Sampling

On January 27, 2014, a single 280 gallon heating oil UST was removed from the concrete porch area at 624 West Cardinal Lane (Formerly 1463 West Cardinal Lane). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed, cleaned, and shipped offsite for recycling. There was no visual evidence (i.e.,



staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 5'8" bgs and a single soil sample was collected from that depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 624 West Cardinal Lane (Formerly 1463 West Cardinal Lane) were greater than the SCDHEC RBSLs, which indicated further investigation was required. In a letter dated October 1, 2014, SCDHEC requested an IGWA for 624 West Cardinal Lane (Formerly 1463 West Cardinal Lane) to determine if the groundwater was impacted by petroleum COPCs. SCDHEC's request letter is provided in Appendix D.

2.3 Groundwater Sampling

On February 4, 2015, a temporary monitoring well was installed at 624 West Cardinal Lane (Formerly 1463 West Cardinal Lane), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the monitoring well was placed in the same general location as the former heating oil UST. The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). Further details are provided in the *Initial Groundwater Investigation Report – February 2015* (Resolution Consultants, 2015).



The sampling strategy for this phase of the investigation required a one-time sampling event of the temporarily installed monitoring well. Following well installation and development, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of groundwater sampling, the temporary well was abandoned in accordance with the South Carolina Well Standards and Regulations R.61-71 (SCDHEC, 2016). Field forms are provided in the *Initial Groundwater Investigation Report – February 2015* (Resolution Consultants, 2015).

2.4 Groundwater Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 2. A copy of the laboratory analytical data report is included in Appendix C.

The groundwater results collected from 624 West Cardinal Lane (Formerly 1463 West Cardinal Lane) were less than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 2), which indicated that the groundwater was not impacted by COPCs associated with the former UST at concentrations that present a potential risk to human health and the environment.

3.0 **PROPERTY STATUS**

Based on the analytical results for groundwater, SCDHEC made the determination that NFA was required for 624 West Cardinal Lane (Formerly 1463 West Cardinal Lane). This NFA determination was obtained in a letter dated May 15, 2015. SCDHEC's NFA letter is provided in Appendix D.

4.0 **REFERENCES**

- Marine Corps Air Station Beaufort, 2014. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 1463 Cardinal Lane, Laurel Bay Military Housing Area*, September 2014.
- Resolution Consultants, 2015. Initial Groundwater Investigation Report February 2015 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina, April 2015.



- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 2.0*, April 2013.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.0*, May 2015.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations,* March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.
- South Carolina Department of Health and Environmental Control Bureau of Water, 2016. *R.61-71, Well Standards*, June 2016.

Tables



Table 1Laboratory Analytical Results - Soil624 West Cardinal Lane (Formerly 1463 West Cardinal Lane)Laurel Bay Military Housing AreaMarine Corps Air Station BeaufortBeaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾	Results Sample Collected 01/27/14					
/olatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)							
Benzene	0.003	ND					
Ethylbenzene	1.15	ND					
Naphthalene	0.036	0.624					
Toluene	0.627	ND					
Xylenes, Total	13.01	0.000872					
Semivolatile Organic Compounds Ana	lyzed by EPA Method 8270D (mg/kg)						
Benzo(a)anthracene	0.66	0.269					
Benzo(b)fluoranthene	0.66	0.376					
Benzo(k)fluoranthene	0.66	ND					
Chrysene	0.66	0.271					
Dibenz(a,h)anthracene	0.66	0.0618					

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0 (SCDHEC, April 2013).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligrams per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The soil laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

Table 2 Laboratory Analytical Results - Groundwater 624 West Cardinal Lane (Formerly 1463 West Cardinal Lane) Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾	Site-Specific Groundwater VISLs (µg/L) ⁽²⁾	Results Sample Collected 02/05/15
Volatile Organic Compounds Analyzed	d by EPA Method 8260B (µg	j/L)	
Benzene	5	16.24	ND
Ethylbenzene	700	45.95	ND
Naphthalene	25	29.33	ND
Toluene	1000	105,445	ND
Xylenes, Total	10,000	2,133	ND
Semivolatile Organic Compounds Ana	lyzed by EPA Method 8270	D (µg/L)	
Benzo(a)anthracene	10	NA	ND
Benzo(b)fluoranthene	10	NA	ND
Benzo(k)fluoranthene	10	NA	ND
Chrysene	10	NA	ND
Dibenz(a,h)anthracene	10	NA	ND

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, February 2016).

⁽²⁾ Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of 1×10^{-6} , a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - Not Applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix C.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

µg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

Appendix A Multi-Media Selection Process for LBMH





Appendix A - Multi-Media Selection Process for LBMH

Appendix B UST Assessment Report



Rec'd 9/11/14

Attachment 1

South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank (UST) Assessment Report

Date Received State Use Only

ſ

Submit Completed Form To: UST Program SCDHEC 2600 Bull Street Columbia, South Carolina 29201 Telephone (803) 896-7957

I. OWNERSHIP OF UST (S)

MCAS Beaufort, Comman	ding Officer Attn: NR	EAO (Craig Ehde)					
Owner Name (Corporation, Individual, Public Agency, Other)							
P.O. Box 55001 Mailing Address							
_Beaufort,	South Carolina	29904-5001					
City	State	Zip Code					
843	228-7317	Craig Ehde					
Area Code	Telephone Number	Contact Person					

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. # Laurel Bay Military Housing Area, Marine Corps Air Station, Beau Facility Name or Company Site Identifier	ifort, SC				
1463 Cardinal Lane, Laurel Bay Military Housing Area Street Address or State Road (as applicable)					
Beaufort,BeaufortCityCounty					

Attachment 2

Insurance Statement

The petroleum release reported to DHEC on ______ at Permit ID Number _____ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. This section must be completed.

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES____ NO____ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: ______ The policy deductible is: ______ The policy limit is:

If you have this type of insurance, please include a copy of the policy with this report.

IV. REQUEST FOR SUPERB FUNDING

I **DO** / DO **NOT** wish to participate in the SUPERB Program. (Circle one.)

V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

To be completed by Notary Public:

Sworn before me this ______ day of _____, 20____

(Name)

Notary Public for the state of ______. Please affix State seal if you are commissioned outside South Carolina

VI. UST INFORMATION

1463

M. Method of disposal for any USTs removed from the ground (attach disposal manifests) UST 1463Cardinal was removed from the ground and disposed

at a Subtitle "D" landfill. See Attachment "A".

- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)
 <u>UST 1463Cardinal was previously filled with sand by others.</u>
- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST Corrosion, pitting and holes were found throughout the tank.

VII. PIPING INFORMATION

		1463 Cardinal		
		Steel		
A.	Construction Material(ex. Steel, FRP)	& Copper		
B.	Distance from UST to Dispenser	N/A		
C.	Number of Dispensers	N/A		
D.	Type of System Pressure or Suction	Suction		
E.	Was Piping Removed from the Ground? Y/N	No		
F.	Visible Corrosion or Pitting Y/N	Yes		
G.	Visible Holes Y/N	No		
H.	Age	Late 1950s		
I.	If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.			

Corrosion and pitting were found on the surface of the steel vent pipe. Copper supply and return lines were sound.

VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

	Yes	No	Unk
 A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells? 		x	
If yes, indicate depth and location on the site map.	<u> </u>		
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?		х	
If yes, indicate location on site map and describe the odor (strong, mild, etc.)			
C. Was water present in the UST excavation, soil borings, or trenches?	i	x	
If yes, how far below land surface (indicate location and depth)?			
D. Did contaminated soils remain stockpiled on site after closure?		х	
If yes, indicate the stockpile location on the site map.			
Name of DHEC representative authorizing soil removal:			
E. Was a petroleum sheen or free product detected on any excavation or boring waters?		х	
If yes, indicate location and thickness.			

IX. SITE CONDITIONS

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009

Β.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
1463 Cardinal	Excav at fill end	Soil	Sandy	5'8"	1/27/14 1500 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16			N.				
17							
18							
19							
20							

* = Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect <u>and</u> store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.

XII. RECEPTORS

		Yes	No
A.	Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?	*X	
	*Broad Rive	r	
	If yes, indicate type of receptor, distance, and direction on site map.		
В.	Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?		х
	If yes, indicate type of well, distance, and direction on site map.		
C.	Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?		х
	If yes, indicate type of structure, distance, and direction on site map.		
D.	Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the	*X	
	contamination? *Sewer, water, electrici	ty	
	cable & fiber optic & ge If yes, indicate the type of utility, distance, and direction on the site map.	other	nal
E.	Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?		х
	If yes, indicate the area of contaminated soil on the site map.		

XIII. SITE MAP

You must supply a <u>scaled</u> site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)









Picture 1: Location of UST 1463Cardinal.



Picture 2: UST 1463Cardinal excavation.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC UST	1463Cardinal				
Benzene	ND				
Toluene	ND				
Ethylbenzene	ND				
Xylenes	0.000872 mg/	kg			
Naphthalene	0.624 mg/kg				
Benzo (a) anthracene	0.269 mg/kg				
Benzo (b) fluoranthene	0.376 mg/kg				
Benzo (k) fluoranthene	ND				
Chrysene	0.271 mg/kg				
Dibenz (a, h) anthracene	0.0618 mg/kg				
TPH (EPA 3550)					

CoC				
Benzene				
Toluene				
Ethylbenzene				
Xylenes				
Naphthalene				
Benzo (a) anthracene				
Benzo (b) fluoranthene				
Benzo (k) fluoranthene				
Chrysene				
Dibenz (a, h) anthracene				
TPH (EPA 3550)				

SUMMARY OF ANALYSIS RESULTS (cont'd) Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
МТВЕ	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here) (Please see Form #4)



THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc. TestAmerica Nashville 2960 Foster Creighton Drive Nashville, TN 37204 Tel: (615)726-0177

TestAmerica Job ID: 490-45557-1 Client Project/Site: Laurel Bay Housing Project

For:

Small Business Group Inc. 10179 Highway 78 Ladson, South Carolina 29456

Attn: Tom McElwee

Kuth Hay

Authorized for release by: 2/6/2014 2:42:49 PM

Ken Hayes, Project Manager II (615)301-5035 ken.hayes@testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

..... LINKS **Review your project** results through Total Access Have a Question? Ask-The Expert Visit us at: www.testamericainc.com

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Definitions	5
Client Sample Results	6
QC Sample Results	10
QC Association	16
Chronicle	18
Method Summary	20
Certification Summary	21
Chain of Custody	22
Receipt Checklists	24
Receipt Checklists	24

Sample Summary

Client: Small Business Group Inc. Project/Site: Laurel Bay Housing Project

Client Sample ID

340 Ash-2

1352 Cardinal

509 Laurel Bay

1463 Cardinal

Lab Sample ID

490-45557-1

490-45557-2

490-45557-3

490-45557-4

Matrix	Collected	Received
Soil	01/21/14 13:15	01/31/14 08:15
Soil	01/22/14 14:45	01/31/14 08:15
Soil	01/23/14 12:15	01/31/14 08:15
Soil	01/27/14 15:00	01/31/14 08:15

TestAmerica Nashville

Job ID: 490-45557-1

Laboratory: TestAmerica Nashville

Narrative

Job Narrative 490-45557-1

Comments

No additional comments.

Receipt

The samples were received on 1/31/2014 8:15 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 0.4° C.

GC/MS VOA

Method(s) 8260B: Due to sample matrix effect on the internal standard (ISTD), a dilution was required for the following sample(s): 1352 Cardinal (490-45557-2).

Method(s) 8260B: Surrogate recovery for the following sample(s) was outside control limits: 1352 Cardinal (490-45557-2). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method(s) 8260B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with batch 138971. See LCS/LCSD.

Method(s) 8260B: Due to sample matrix effect on the internal standard (ISTD), a dilution was required for the following sample(s): 1463 Cardinal (490-45557-4).

Method(s) 8260B: Surrogate recovery for the following sample(s) was outside control limits: 1463 Cardinal (490-45557-4). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method(s) 8260B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with batch 139335. See LCS/LCSD.

No other analytical or quality issues were noted.

GC/MS Semi VOA

No analytical or quality issues were noted.

Organic Prep

Method(s) Moisture: The sample duplicate precision for the following sample associated with batch 139043 was outside control limits: (490-45545-1 DU). The associated Laboratory Control Sample / Laboratory Control Sample Duplicate (LCS/LCSD) precision met acceptance criteria.

No other analytical or quality issues were noted.

VOA Prep

No analytical or quality issues were noted.

3

Qualifiers

quanters	
GC/MS VOA	
Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
*	ISTD response or retention time outside acceptable limits
х	Surrogate is outside control limits
GC/MS Semi	VOA
Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
•	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery

%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client Sample ID: 340 Ash-2 Date Collected: 01/21/14 13:15

Date Received: 01/31/14 08:15

Analyte

Percent Solids

Lab Sample ID: 490-45557-1 Matrix: Soil

Percent Solids: 70.1

6 7

Method: 8260B - Volatile Orga	anic Compounds	(GC/MS)							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.00125	J	0.00263	0.000881	mg/Kg	¤	02/01/14 10:44	02/01/14 14:49	1
Ethylbenzene	ND		0.00263	0.000881	mg/Kg	ü	02/01/14 10:44	02/01/14 14:49	1
Naphthalene	0.0114		0.00657	0.00223	mg/Kg	Ħ	02/01/14 10:44	02/01/14 14:49	1
Toluene	ND		0.00263	0.000973	mg/Kg	¤	02/01/14 10:44	02/01/14 14:49	1
Xylenes, Total	0.0104		0.00657	0.000881	mg/Kg	ü	02/01/14 10:44	02/01/14 14:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	95		70 - 130				02/01/14 10:44	02/01/14 14:49	1
4-Bromofluorobenzene (Surr)	99		70 - 130				02/01/14 10:44	02/01/14 14:49	1
Dibromofluoromethane (Surr)	116		70 - 130				02/01/14 10:44	02/01/14 14:49	1
Toluene-d8 (Surr)	103		70 - 130				02/01/14 10:44	02/01/14 14:49	1
Method: 8270D - Semivolatile	Organic Compou	nds (GC/MS	5)			_			
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0938	0.0140	mg/Kg	ш ж	02/03/14 10:21	02/03/14 18:49	1
Acenaphthylene	ND		0.0938	0.0126	mg/Kg	2	02/03/14 10:21	02/03/14 18:49	1
Anthracene	ND		0.0938	0.0126	mg/Kg	ц 2	02/03/14 10:21	02/03/14 18:49	1
Benzolajanthracene	ND		0.0938	0.0210	mg/Kg	5.4 W	02/03/14 10:21	02/03/14 18:49	1
Benzolajpyrene	ND		0.0938	0.0168	mg/Kg	и ж	02/03/14 10:21	02/03/14 18:49	1
Benzolbjtluoranthene	ND		0.0938	0.0168	mg/Kg	ы 2	02/03/14 10:21	02/03/14 18:49	1
Benzolg,h,ijperylene	ND		0.0938	0.0126	mg/Kg	2	02/03/14 10:21	02/03/14 18:49	1
Benzolkjiluoranthene			0.0938	0.0196	mg/Kg	и 	02/03/14 10:21	02/03/14 18:49	1
1-Methylnaphthalene	0.113		0.0938	0.0196	mg/Kg	ы ~	02/03/14 10:21	02/03/14 18:49	1
Pyrene	ND		0.0938	0.0168	mg/Kg	12 ~	02/03/14 10:21	02/03/14 18:49	1
Phenanthrene	0.0562	J	0.0938	0.0126	mg/Kg	Ω 	02/03/14 10:21	02/03/14 18:49	1
Chrysene	ND		0.0938	0.0126	mg/Kg		02/03/14 10:21	02/03/14 18:49	1
Dibenz(a,h)anthracene	ND		0.0938	0.00980	mg/Kg	2	02/03/14 10:21	02/03/14 18:49	1
-iuoranthene	ND		0.0938	0.0126	mg/Kg	ш 	02/03/14 10:21	02/03/14 18:49	1
Fluorene	ND		0.0938	0.0168	mg/Kg	ц 	02/03/14 10:21	02/03/14 18:49	1
Indeno[1,2,3-cd]pyrene	ND		0.0938	0.0140	mg/Kg	Ω	02/03/14 10:21	02/03/14 18:49	1
Naphthalene	ND		0.0938	0.0126	mg/Kg	a	02/03/14 10:21	02/03/14 18:49	1
2-Methylnaphthalene	0.0579	J	0.0938	0.0224	mg/Kg	Ω	02/03/14 10:21	02/03/14 18:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	66		29 - 120				02/03/14 10:21	02/03/14 18:49	1
Terphenyl-d14 (Surr)	76		13 - 120				02/03/14 10:21	02/03/14 18:49	1
Nitrobenzene-d5 (Surr)	59		27 - 120				02/03/14 10:21	02/03/14 18:49	1
General Chemistry									

70

1

Client Sample ID: 1352 Cardinal

Date	Collected:	01/22/14	14:45
Date	Received:	01/31/14	08:15

_

Lab	Sample	ID:	490-45557-2
			Matrix: Soil

Percent Solids: 85.7

6

Method: 8260B - Volatile Organic	Compounds	(GC/MS)							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00211	0.000707	mg/Kg	Π	02/01/14 10:44	02/01/14 15:18	1
Ethylbenzene	0.0303		0.00211	0.000707	mg/Kg	121	02/01/14 10:44	02/01/14 15:18	1
Naphthalene	1.18		0.310	0.106	mg/Kg	¤	02/01/14 10:39	02/01/14 20:41	1
Toluene	ND		0.00211	0.000781	mg/Kg	¤	02/01/14 10:44	02/01/14 15:18	1
Xylenes, Total	0.0189		0.00527	0.000707	mg/Kg	¤	02/01/14 10:44	02/01/14 15:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	DII Fac
1,2-Dichloroethane-d4 (Surr)	94		70 - 130				02/01/14 10:44	02/01/14 15:18	1
1,2-Dichloroethane-d4 (Surr)	72		70 - 130				02/01/14 10:39	02/01/14 20:41	1
4-Bromofluorobenzene (Surr)	426	* <i>X</i>	70 - 130				02/01/14 10:44	02/01/14 15:18	1
4-Bromofluorobenzene (Surr)	102		70 - 130				02/01/14 10:39	02/01/14 20:41	1
Dibromofluoromethane (Surr)	118		70 - 130				02/01/14 10:44	02/01/14 15:18	1
Dibromofluoromethane (Surr)	94		70 - 130				02/01/14 10:39	02/01/14 20:41	1
Toluene-d8 (Surr)	92		70 - 130				02/01/14 10:44	02/01/14 15:18	1
Toluene-d8 (Surr)	97		70 - 130				02/01/14 10:39	02/01/14 20:41	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.331	0.0494	mg/Kg	n	02/03/14 10:21	02/04/14 18:39	5
Acenaphthylene	ND		0.331	0.0445	mg/Kg	μ	02/03/14 10:21	02/04/14 18:39	5
Anthracene	0.317	J	0.331	0.0445	mg/Kg	¤	02/03/14 10:21	02/04/14 18:39	5
Benzo[a]anthracene	ND		0.331	0.0742	mg/Kg	n	02/03/14 10:21	02/04/14 18:39	5
Benzo[a]pyrene	ND		0.331	0.0593	mg/Kg	ü	02/03/14 10:21	02/04/14 18:39	5
Benzo[b]fluoranthene	ND		0.331	0.0593	mg/Kg	¤	02/03/14 10:21	02/04/14 18:39	5
Benzo[g,h,i]perylene	ND		0.331	0.0445	mg/Kg	¤	02/03/14 10:21	02/04/14 18:39	5
Benzo[k]fluoranthene	ND		0.331	0.0692	mg/Kg	¤	02/03/14 10:21	02/04/14 18:39	5
1-Methylnaphthalene	6.25		0.331	0.0692	mg/Kg	n	02/03/14 10:21	02/04/14 18:39	5
Pyrene	0.219	J	0.331	0.0593	mg/Kg	¤	02/03/14 10:21	02/04/14 18:39	5
Phenanthrene	2.35		0.331	0.0445	mg/Kg	ü	02/03/14 10:21	02/04/14 18:39	5
Chrysene	ND		0.331	0.0445	mg/Kg	¤	02/03/14 10:21	02/04/14 18:39	5
Dibenz(a,h)anthracene	ND		0.331	0.0346	mg/Kg	Π	02/03/14 10:21	02/04/14 18:39	5
Fluoranthene	ND		0.331	0.0445	mg/Kg	п	02/03/14 10:21	02/04/14 18:39	5
Fluorene	ND		0.331	0.0593	mg/Kg	Π	02/03/14 10:21	02/04/14 18:39	5
Indeno[1,2,3-cd]pyrene	ND		0.331	0.0494	mg/Kg	Π	02/03/14 10:21	02/04/14 18:39	5
Naphthalene	1.15		0.331	0.0445	mg/Kg	α	02/03/14 10:21	02/04/14 18:39	5
2-Methylnaphthalene	8.46		0.331	0.0791	mg/Kg	п	02/03/14 10:21	02/04/14 18:39	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	DII Fac
2-Fluorobiphenyl (Surr)	97		29 - 120				02/03/14 10:21	02/04/14 18:39	5
Terphenyl-d14 (Surr)	87		13 - 120				02/03/14 10:21	02/04/14 18:39	5
Nitrobenzene-d5 (Surr)	79		27 - 120				02/03/14 10:21	02/04/14 18:39	5
General Chemistry									
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	86		0.10	0.10	%			02/01/14 14:15	1

Lab Sample ID: 490-45557-3 Matrix: Soil

Percent Solids: 93.2

6

Date Collected: 01/23/14 12:15 Date Received: 01/31/14 08:15

Method: 8260B - Volatile Organic Comp	ounds	(GC/MS)							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00246	0.000825	mg/Kg	¤	02/01/14 10:44	02/01/14 15:47	1
Ethylbenzene	ND		0.00246	0.000825	mg/Kg	¤	02/01/14 10:44	02/01/14 15:47	1
Naphthalene	0.00448	J	0.00616	0.00209	mg/Kg	¤	02/01/14 10:44	02/01/14 15:47	1
Toluene	ND		0.00246	0.000911	mg/Kg	n	02/01/14 10:44	02/01/14 15:47	1
Xylenes, Total	ND		0.00616	0.000825	mg/Kg	ü	02/01/14 10:44	02/01/14 15:47	1
Surrogate %R	Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		70 - 130				02/01/14 10:44	02/01/14 15:47	1
4-Bromofluorobenzene (Surr)	100		70 - 130				02/01/14 10:44	02/01/14 15:47	1
Dibromofluoromethane (Surr)	105		70 - 130				02/01/14 10:44	02/01/14 15:47	1
Toluene-d8 (Surr)	89		70 - 130				02/01/14 10.44	02/01/14 15:47	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0668	0.00997	mg/Kg	Π	02/03/14 10:21	02/03/14 20:26	1
Acenaphthylene	ND		0.0668	0.00897	mg/Kg	¤	02/03/14 10:21	02/03/14 20:26	1
Anthracene	ND		0.0668	0.00897	mg/Kg	¤	02/03/14 10:21	02/03/14 20:26	1
Benzo[a]anthracene	ND		0.0668	0.0150	mg/Kg	¤	02/03/14 10:21	02/03/14 20:26	1
Benzo[a]pyrene	ND		0.0668	0.0120	mg/Kg	π	02/03/14 10:21	02/03/14 20:26	1
Benzo[b]fluoranthene	ND		0.0668	0.0120	mg/Kg	¤	02/03/14 10:21	02/03/14 20:26	1
Benzo[g,h,i]perylene	ND		0.0668	0.00897	mg/Kg	¤	02/03/14 10:21	02/03/14 20:26	1
Benzo[k]fluoranthene	ND		0.0668	0.0140	mg/Kg	Ξ	02/03/14 10:21	02/03/14 20:26	1
1-Methylnaphthalene	ND		0.0668	0.0140	mg/Kg	Ξ	02/03/14 10:21	02/03/14 20:26	1
Pyrene	ND		0.0668	0.0120	mg/Kg	E	02/03/14 10:21	02/03/14 20:26	1
Phenanthrene	ND		0.0668	0.00897	mg/Kg	α	02/03/14 10:21	02/03/14 20:26	1
Chrysene	ND		0.0668	0.00897	mg/Kg	Π	02/03/14 10:21	02/03/14 20:26	1
Dibenz(a,h)anthracene	ND		0.0668	0.00698	mg/Kg	n	02/03/14 10:21	02/03/14 20:26	1
Fluoranthene	ND		0.0668	0.00897	mg/Kg	Π	02/03/14 10:21	02/03/14 20:26	1
Fluorene	ND		0.0668	0.0120	mg/Kg	¤	02/03/14 10:21	02/03/14 20:26	1
Indeno[1,2,3-cd]pyrene	ND		0.0668	0.00997	mg/Kg	Π	02/03/14 10:21	02/03/14 20:26	1
Naphthalene	ND		0.0668	0.00897	mg/Kg	Ξ	02/03/14 10:21	02/03/14 20:26	1
2-Methylnaphthalene	ND		0.0668	0.0160	mg/Kg	Π	02/03/14 10:21	02/03/14 20:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	63		29 - 120				02/03/14 10:21	02/03/14 20:26	1
Terphenyl-d14 (Surr)	74		13 - 120				02/03/14 10:21	02/03/14 20:26	1
Nitrobenzene-d5 (Surr)	64		27 - 120				02/03/14 10:21	02/03/14 20:26	1
General Chemistry									
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	93		0.10	0.10	%			02/01/14 14:15	1

Client Sample ID: 1463 Cardinal Date Collected: 01/27/14 15:00

Date	conected.	01/2//14	13.00
Date	Received:	01/31/14	08:15

Lab Sample ID: 490-45557-4 Matrix: Soil

Percent Solids: 84.1

Method: 8260B - Volatile Organi	ic Compounds	(GC/MS)							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00241	0.000809	mg/Kg	<u>д</u>	02/01/14 10:44	02/04/14 14:28	1
Ethylbenzene	ND		0.00241	0.000809	mg/Kg	¤	02/01/14 10:44	02/04/14 14:28	1
Naphthalene	0.624		0.361	0.123	mg/Kg	Д	02/01/14 10:39	02/04/14 19:11	1
loluene	ND		0.00241	0.000893	mg/Kg	a	02/01/14 10:44	02/04/14 14:28	1
Xylenes, Total	0.000872	J	0.00604	0.000809	mg/Kg	Ω	02/01/14 10:44	02/04/14 14:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		70 - 130				02/01/14 10:44	02/04/14 14:28	1
1,2-Dichloroethane-d4 (Surr)	84		70 - 130				02/01/14 10:39	02/04/14 19:11	1
4-Bromofluorobenzene (Surr)	175	* <i>X</i>	70 - 130				02/01/14 10:44	02/04/14 14:28	1
4-Bromofluorobenzene (Surr)	110		70 - 130				02/01/14 10:39	02/04/14 19:11	1
Dibromofluoromethane (Surr)	93		70 - 130				02/01/14 10:44	02/04/14 14:28	1
Dibromofluoromethane (Surr)	87		70 - 130				02/01/14 10:39	02/04/14 19:11	1
Toluene-d8 (Surr)	139	x	70 - 130				02/01/14 10:44	02/04/14 14:28	1
Toluene-d8 (Surr)	122		70 - 130				02/01/14 10:39	02/04/14 19:11	1
– Method: 8270D - Semivolatile O	rganic Compou	nds (GC/MS	3)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.333	0.0498	mg/Kg	π	02/03/14 10:21	02/04/14 19:04	5
Acenaphthylene	ND		0.333	0.0448	mg/Kg	ü	02/03/14 10:21	02/04/14 19:04	5
Anthracene	ND		0.333	0.0448	mg/Kg	Π	02/03/14 10:21	02/04/14 19:04	5
Benzo[a]anthracene	0.269	J	0.333	0.0746	mg/Kg	Π	02/03/14 10:21	02/04/14 19:04	5
Benzo[a]pyrene	ND		0.333	0.0597	mg/Kg	¤	02/03/14 10:21	02/04/14 19:04	5
Benzo[b]fluoranthene	0.376		0.333	0.0597	mg/Kg	¤	02/03/14 10:21	02/04/14 19:04	5
Benzo[g,h,i]perylene	0.307	J	0.333	0.0448	mg/Kg	¤	02/03/14 10:21	02/04/14 19:04	5
Benzo[k]fluoranthene	ND		0.333	0.0697	mg/Kg	¤	02/03/14 10:21	02/04/14 19:04	5
1-Methylnaphthalene	ND		0.333	0.0697	mg/Kg	¤	02/03/14 10:21	02/04/14 19:04	5
Pyrene	ND		0.333	0.0597	mg/Kg	¤	02/03/14 10:21	02/04/14 19:04	5
Phenanthrene	ND		0.333	0.0448	mg/Kg	Π	02/03/14 10:21	02/04/14 19:04	5
Chrysene	0.271	J	0.333	0.0448	mg/Kg	π	02/03/14 10:21	02/04/14 19:04	5
Dibenz(a,h)anthracene	0.0618	J	0.333	0.0348	mg/Kg	n	02/03/14 10:21	02/04/14 19:04	5
Fluoranthene	ND		0.333	0.0448	mg/Kg	ü	02/03/14 10:21	02/04/14 19:04	5
Fluorene	ND		0.333	0.0597	mg/Kg	Ц	02/03/14 10:21	02/04/14 19:04	5
Indeno[1,2,3-cd]pyrene	0.272	J	0.333	0.0498	mg/Kg	п	02/03/14 10:21	02/04/14 19:04	5
Naphthalene	ND		0.333	0.0448	mg/Kg	¤	02/03/14 10:21	02/04/14 19:04	5
2-Methylnaphthalene	ND		0.333	0.0796	mg/Kg	ц	02/03/14 10:21	02/04/14 19:04	5
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	DII Fac
2-Fluorobiphenyl (Surr)	82		29 - 120				02/03/14 10:21	02/04/14 19:04	5
Terphenyl-d14 (Surr)	57		13 - 120				02/03/14 10:21	02/04/14 19:04	5
Nitrobenzene-d5 (Surr)	54		27 - 120				02/03/14 10:21	02/04/14 19:04	5
General Chemistry									
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	84		0.10	0.10	%			02/01/14 14:15	1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 490-138971/6 Matrix: Solid									Client	Sample ID: Metho	od Blank
Analysis Batch: 138071										Prep Type:	l otal/NA
Analysis Daten. 150571	MB	MB									
Analyte	Result	Qualifier	R	L	MDL	Unit		D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.10	0 0	0.0335	ma/K	0			02/01/14 11:52	1
Ethylbenzene	ND		0.10	o c).0335	ma/K	0			02/01/14 11:52	1
Naphthalene	ND		0.25	0 0	0.0850	ma/K				02/01/14 11:52	1
Toluene	ND		0.10	0 0	0.0370	ma/K	3			02/01/14 11:52	1
Xylenes, Total	ND		0.25	0 0	0.0335	mg/K	3			02/01/14 11:52	1
	МВ	МВ									
Surrogate	%Recovery	Qualifier	Limits						Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	79		70 - 130							02/01/14 11:52	1
4-Bromofluorobenzene (Surr)	97		70 - 130							02/01/14 11:52	1
Dibromofluoromethane (Surr)	96		70 - 130							02/01/14 11:52	1
Toluene-d8 (Surr)	112		70 - 130							02/01/14 11:52	1
Lab Sample ID: MB 490-138971/7									Client	Sample ID: Mathe	d Diank
Matrix: Solid									Gliefit	Brop Types 1	
Analysis Batch: 138971										Fieb Type: I	otal/NA
Analysis Baten. 199911	MB	MB									
Analyte	Result	Qualifier	RI	L,	MDL	Unit		D	Prepared	Analyzed	Dil Fac
Benzene	ND		0,00200	0.00	00670	mg/Kg	1			02/01/14 12:21	1
Ethylbenzene	ND		0.00200	0.00	00670	mg/Kc	1			02/01/14 12:21	1
Naphthalene	ND		0.00500	0.0	00170	ma/Ka	, 1			02/01/14 12:21	1
Toluene	ND		0.00200	0.00	0740	ma/Ka	,			02/01/14 12:21	1
Xylenes, Total	ND		0.00500	0.00	00670	mg/Kg	r I			02/01/14 12:21	1
	МВ	MB									
Surrogate	%Recovery	Qualifier	Limits						Prepared	Analyzed	Dll Fac
1,2-Dichloroethane-d4 (Surr)	100		70 - 130							02/01/14 12:21	1
4-Bromofluorobenzene (Surr)	106		70 - 130							02/01/14 12:21	1
Dibromofluoromethane (Surr)	129		70 - 130							02/01/14 12:21	1
Toluene-d8 (Surr)	86		70 - 130							02/01/14 12:21	1
Lab Sample ID: LCS 490-138971/3								Clie	nt Sample	e ID: Lab Control:	Sample
Matrix: Solid										Pren Type: T	otal/NA
Analysis Batch: 138971										Thep Type. T	otai/IIA
-			Spike	LCS	LCS					%Rec.	
Analyte			Added	Result	Quali	ifier	Unit	D	%Rec	Limits	
Benzene			0.0500	0.05896			mg/Kg		118	75 - 127	
Ethylbenzene			0.0500	0.05966			mg/Kg		119	80 - 134	
Naphthalene			0.0500	0.05810			mg/Kg		116	69 - 150	
Toluene			0.0500	0.05040			mg/Kg		101	80 - 132	

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	100		70 - 130
4-Bromofluorobenzene (Surr)	90		70 - 130
Dibromofluoromethane (Surr)	124		70 - 130
Toluene-d8 (Surr)	84		70 - 130

Xylenes, Total

TestAmerica Nashville

0.100

0,1126

mg/Kg

113

80 - 137

7

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 490-1 Matrix: Solid Analysis Batch: 138971					Clie	Client Sample ID: Lab Control Sar Prep Type:							
Analysis Daton. 100071			Spike	LCSD	LCSD				%Rec.		RPD		
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit		
Benzene			0.0500	0.05966		mg/Kg		119	75 - 127	1	50		
Ethylbenzene			0.0500	0.05449		mg/Kg		109	80 - 134	9	50		
Naphthalene			0.0500	0.05805		mg/Kg		116	69 - 150	0	50		
Toluene			0.0500	0.05470		mg/Kg		109	80 - 132	8	50		
Xylenes, Total			0.100	0.1064		mg/Kg		106	80 - 137	6	50		
	LCSD	LCSD											
Surrogate	%Recovery	Qualifier	Limits										
1,2-Dichloroethane-d4 (Surr)	100		70 - 130										
4-Bromofluorobenzene (Surr)	102		70 - 130										
Dibromofluoromethane (Surr)	111		70 - 130										
Toluene-d8 (Surr)	95		70 - 130										
Lab Sample ID: MB 490-139	335/7							Client S	ample ID: I	Viethod	Blank		
Matrix: Solid									Prep T	pe: Tot	al/NA		
Analysis Batch: 139335													

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.100	0.0335	mg/Kg			02/04/14 13:03	1
Ethylbenzene	ND		0.100	0.0335	mg/Kg			02/04/14 13:03	1
Naphthalene	ND		0.250	0.0850	mg/Kg			02/04/14 13:03	1
Toluene	ND		0.100	0.0370	mg/Kg			02/04/14 13:03	1
Xylenes, Total	ND		0.250	0.0335	mg/Kg			02/04/14 13:03	1
	МВ	MB							
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		70 - 130			-		02/04/14 13:03	1
4-Bromofluorobenzene (Surr)	107		70 - 130					02/04/14 13:03	1
Dibromofluoromethane (Surr)	90		70 - 130					02/04/14 13:03	1
Toluene-d8 (Surr)	115		70 - 130					02/04/14 13:03	1

Lab Sample ID: MB 490-139335/8 Matrix: Solid

Analysis Batch: 139335

-	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.000670	mg/Kg			02/04/14 13:32	1
Ethylbenzene	ND		0.00200	0.000670	mg/Kg			02/04/14 13:32	1
Naphthalene	ND		0.00500	0.00170	mg/Kg			02/04/14 13:32	1
Toluene	ND		0.00200	0.000740	mg/Kg			02/04/14 13:32	1
Xylenes, Total	ND		0.00500	0.000670	mg/Kg			02/04/14 13:32	1
	MB	MB							
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	DII Fac
1,2-Dichloroethane-d4 (Surr)	95		70 - 130					02/04/14 13:32	1
4-Bromofluorobenzene (Surr)	101		70 - 130					02/04/14 13:32	1
Dibromofluoromethane (Surr)	91		70 - 130					02/04/14 13:32	1
Toluene-d8 (Surr)	113		70 - 130					02/04/14 13:32	1

TestAmerica Nashville

Client Sample ID: Method Blank

Prep Type: Total/NA

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

117

Lab Sample ID: LCS 490-1393	35/4						Client	Sample	ID: Lab Control Sample
Matrix: Solid									Prep Type: Total/NA
Analysis Batch: 139335									
			Spike	LCS	LCS				%Rec.
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits
Benzene			0.0500	0.05363		mg/Kg		107	75 - 127
Ethylbenzene			0.0500	0.05520		mg/Kg		110	80 - 134
Naphthalene			0.0500	0.05747		mg/Kg		115	69 - 150
Toluene			0.0500	0.06116		mg/Kg		122	80 - 132
Xylenes, Total			0.100	0.1089		mg/Kg		109	80 - 137
	LCS	LCS							
Surrogate	%Recovery	Qualifier	Limits						
1,2-Dichloroethane-d4 (Surr)	96		70 - 130						
4-Bromofluorobenzene (Surr)	103		70 _ 130						
Dibromofluoromethane (Surr)	93		70 - 130						

70 - 130

Lab Sample ID: LCSD 490-139335/5 Matrix: Solid Analysis Batch: 139335

Toluene-d8 (Surr)

			Spike	LCSD	LCSD				%Rec.		RPD
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene			0.0500	0.05551		mg/Kg		111	75 - 127	3	50
Ethylbenzene			0.0500	0.05824		mg/Kg		116	80 - 134	5	50
Naphthalene			0.0500	0.06417		mg/Kg		128	69 - 150	11	50
Toluene	4.5		0.0500	0.06539		mg/Kg		131	80 - 132	7	50
Xylenes, Total			0.100	0.1160		mg/Kg		116	80 - 137	6	50
	LCSD	LCSD									
Surrogate	%Recovery	Qualifier	Limits								
1,2-Dichloroethane-d4 (Surr)	94		70 - 130								
4-Bromofluorobenzene (Surr)	103		70 - 130								
Dibromofluoromethane (Surr)	93		70 - 130								
Toluene-d8 (Surr)	119		70 - 130								

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 490-139169/1-A							Client Sa	mple ID: Metho	d Blank
Matrix: Solid								Prep Type: 1	otal/NA
Analysis Batch: 139093								Prep Batch:	139169
	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0670	0.0100	mg/Kg		02/03/14 10:21	02/03/14 18:00	1
Acenaphthylene	ND		0.0670	0.00900	mg/Kg		02/03/14 10:21	02/03/14 18:00	1
Anthracene	ND		0.0670	0.00900	mg/Kg		02/03/14 10:21	02/03/14 18:00	1
Benzo[a]anthracene	ND		0.0670	0.0150	mg/Kg		02/03/14 10:21	02/03/14 18:00	1
Benzo[a]pyrene	ND		0.0670	0.0120	mg/Kg		02/03/14 10:21	02/03/14 18:00	1
Benzo[b]fluoranthene	ND		0.0670	0.0120	mg/Kg		02/03/14 10:21	02/03/14 18:00	1
Benzo[g,h,i]perylene	ND		0.0670	0.00900	mg/Kg		02/03/14 10:21	02/03/14 18:00	1
Benzo[k]fluoranthene	ND		0.0670	0.0140	mg/Kg		02/03/14 10:21	02/03/14 18:00	1
1-Methylnaphthalene	ND		0.0670	0.0140	mg/Kg		02/03/14 10:21	02/03/14 18:00	1
Pyrene	ND		0.0670	0.0120	mg/Kg		02/03/14 10:21	02/03/14 18:00	1
Phenanthrene	ND		0.0670	0.00900	mg/Kg		02/03/14 10:21	02/03/14 18:00	1

TestAmerica Nashville

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 139169

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-139169/1-A							Client Sa	mple ID: Metho	d Blank
Matrix: Solid								Prep Type: 1	otal/NA
Analysis Batch: 139093								Prep Batch:	139169
	MB	MB						•	
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chrysene	ND		0.0670	0.00900	mg/Kg		02/03/14 10:21	02/03/14 18:00	1
Dibenz(a,h)anthracene	ND		0.0670	0.00700	mg/Kg		02/03/14 10:21	02/03/14 18:00	1
Fluoranthene	ND		0.0670	0.00900	mg/Kg		02/03/14 10:21	02/03/14 18:00	1
Fluorene	ND		0.0670	0.0120	mg/Kg		02/03/14 10:21	02/03/14 18:00	1
Indeno[1,2,3-cd]pyrene	ND		0.0670	0.0100	mg/Kg		02/03/14 10:21	02/03/14 18:00	1
Naphthalene	ND		0.0670	0.00900	mg/Kg		02/03/14 10:21	02/03/14 18:00	1
2-Methylnaphthalene	ND		0.0670	0.0160	mg/Kg		02/03/14 10:21	02/03/14 18:00	1
	MB	МВ							
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	DII Fac
2-Fluorobiphenyl (Surr)	94		29 - 120				02/03/14 10:21	02/03/14 18:00	1
Terphenyl-d14 (Surr)	107		13 - 120				02/03/14 10:21	02/03/14 18:00	1
Nitrobenzene-d5 (Surr)	92		27 - 120				02/03/14 10:21	02/03/14 18:00	1

Lab Sample ID: LCS 490-139169/2-A Matrix: Solid Analysis Batch: 139093

	Spike	LCS	LCS				%Rec.
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits
Acenaphthylene	1.67	1.468		mg/Kg		88	38 - 120
Anthracene	1.67	1,454		mg/Kg		87	46 - 124
Benzo[a]anthracene	1.67	1.500		mg/Kg		90	45 - 120
Benzo[a]pyrene	1.67	1.474		mg/Kg		88	45 - 120
Benzo[b]fluoranthene	1.67	1.383		mg/Kg		83	42 - 120
Benzo[g,h,i]perylene	1.67	1.524		mg/Kg		91	38 - 120
Benzo[k]fluoranthene	1.67	1.548		mg/Kg		93	42 - 120
1-Methylnaphthalene	1.67	1.343		mg/Kg		81	32 - 120
Ругепе	1.67	1.537		mg/Kg		92	43 - 120
Phenanthrene	1.67	1.442		mg/Kg		87	45 - 120
Chrysene	1.67	1.516		mg/Kg		91	43 - 120
Dibenz(a,h)anthracene	1.67	1.551		mg/Kg		93	32 - 128
Fluoranthene	1.67	1.461		mg/Kg		88	46 - 120
Fluorene	1.67	1.439		mg/Kg		86	42 - 120
Indeno[1,2,3-cd]pyrene	1.67	1.482		mg/Kg		89	41 - 121
Naphthalene	1.67	1.246		mg/Kg		75	32 - 120
2-Methylnaphthalene	1.67	1.311		mg/Kg		79	28 - 120
100 100							

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
2-Fluorobiphenyl (Surr)	74		29 - 120
Terphenyl-d14 (Surr)	86		13 - 120
Nitrobenzene-d5 (Surr)	72		27 - 120

Lab Sample ID: 490-45557-1 MS Matrix: Soil

Analysis Batch: 139093									Prep Batci	1: 139169
	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Acenaphthylene	ND		2.30	2.195		mg/Kg	Ħ	95	25_120	
Anthracene	ND		2.30	2,146		mg/Kg	a	93	28 - 125	

TestAmerica Nashville

Client Sample ID: 340 Ash-2

Prep Type: Total/NA

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

94

83

Lab Sample ID: 490-45557-1 MS Matrix: Soil								Clie	ent Sample ID: 340 Ash-2
Analysis Batch: 139093									Prep Batch: 139169
	Sample	Sample	Spike	MS	MS				%Rec.
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits
Benzo[a]anthracene	ND		2.30	2.287		mg/Kg	¤	99	23 - 120
Benzo[a]pyrene	ND		2.30	2.213		mg/Kg	¤	96	15 - 128
Benzo[b]fluoranthene	ND		2.30	2.063		mg/Kg	Д	90	12 - 133
Benzo[g,h,i]perylene	ND		2.30	2.277		mg/Kg	Ħ	99	22 - 120
Benzo[k]fluoranthene	ND		2.30	2.190		mg/Kg	п	95	28 - 120
1-Methylnaphthalene	0.113		2.30	2.052		mg/Kg	ü	84	10 - 120
Pyrene	ND		2.30	2.215		mg/Kg	n	96	20 - 123
Phenanthrene	0.0562	J	2.30	2.136		mg/Kg	¤	90	21 - 122
Chrysene	ND		2.30	2.174		mg/Kg	¤	94	20 - 120
Dibenz(a,h)anthracene	ND		2.30	2.408		mg/Kg	Π	104	12 - 128
Fluoranthene	ND		2.30	2.230		mg/Kg	¤	97	10 - 143
Fluorene	ND		2.30	2.168		mg/Kg	¤	94	20 - 120
Indeno[1,2,3-cd]pyrene	ND		2.30	2.250		mg/Kg	Π	98	22 - 121
Naphthalene	ND		2.30	1.887		mg/Kg	Ħ	82	10 - 120
2-Methylnaphthalene	0.0579	J	2.30	2.029		mg/Kg	ш	86	13 - 120
	MS	MS							
Surrogate	%Recovery	Qualifier	Limits						
2-Fluorobiphenyl (Surr)	83		29 - 120						

13 - 120

27 - 120

Lab Sample ID: 490-45557-1 MSD

Matrix: Soil Analysis Batch: 139093

Terphenyl-d14 (Surr)

Nitrobenzene-d5 (Surr)

Analysis Batch: 139093									Prep	Batch: 1	39169
	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Acenaphthylene	ND		2.31	2.210		mg/Kg	¤	96	25 - 120	1	50
Anthracene	ND		2.31	2.214		mg/Kg	ш	96	28 - 125	3	49
Benzo[a]anthracene	ND		2.31	2,300		mg/Kg	n	99	23 - 120	1	50
Benzo[a]pyrene	ND		2.31	2.215		mg/Kg	Π	96	15 - 128	0	50
Benzo[b]fluoranthene	ND		2.31	2.102		mg/Kg	Ξ	91	12 - 133	2	50
Benzo[g,h,i]perylene	ND		2.31	2.286		mg/Kg	п	99	22 - 120	0	50
Benzo[k]fluoranthene	ND		2.31	2.232		mg/Kg	Π	97	28 - 120	2	45
1-Methylnaphthalene	0.113		2,31	2.147		mg/Kg	Π	88	10 - 120	5	50
Pyrene	ND		2.31	2,255		mg/Kg	n	98	20 - 123	2	50
Phenanthrene	0.0562	J	2.31	2.172		mg/Kg	Π	91	21 122	2	50
Chrysene	ND		2.31	2.214		mg/Kg	¤	96	20 - 120	2	49
Dibenz(a,h)anthracene	ND		2.31	2.365		mg/Kg	Π	102	12 - 128	2	50
Fluoranthene	ND		2.31	2.304		mg/Kg	¤	100	10 - 143	3	50
Fluorene	ND		2.31	2.173		mg/Kg	Π	94	20 - 120	0	50
Indeno[1,2,3-cd]pyrene	ND		2.31	2.220		mg/Kg	Π	96	22 - 121	1	50
Naphthalene	ND		2.31	1.981		mg/Kg	Π	86	10 - 120	5	50
2-Methylnaphthalene	0.0579	J	2.31	2.103		mg/Kg	¤	88	13 120	4	50
	MSD	MSD									
Surrogate	%Recovery	Qualifier	Limits								

Surrogate	%Recovery	Qualifier	Limits
2-Fluorobiphenyl (Surr)	86		29 - 120
Terphenyl-d14 (Surr)	98		13 - 120

Client Sample ID: 340 Ash-2

Prep Type: Total/NA

Analyte

Percent Solids

D

Unit

%

RPD

Limit

20

RPD

1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Result Qualifier

95

Lab Sample ID: 490-45557-1 MSD Matrix: Soil Analysis Batch: 139093)				Client Sample ID: 340 Ash-2 Prep Type: Total/NA Prep Batch: 139169
Surrogate Nitrobenzene-d5 (Surr)	MSD %Recovery 89	MSD Qualifier	Limits 27 - 120		
Method: Moisture - Percent M	Moisture				
Lab Sample ID: 490-45545-A-1 DI Matrix: Solid Analysis Batch: 139043	U				Client Sample ID: Duplicate Prep Type: Total/NA
	Sample	Sample		DU DU	RPD

Result Qualifier

94

QC Association Summary

Client: Small Business Group Inc. Project/Site: Laurel Bay Housing Project

3 4 5

GC/MS VOA

Analysis Batch: 13897	71				
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-45557-1	340 Ash-2	Total/NA	Soil	8260B	139004
490-45557-2	1352 Cardinal	Total/NA	Soil	8260B	139004
490-45557-2	1352 Cardinal	Total/NA	Soil	8260B	139003
490-45557-3	509 Laurel Bay	Total/NA	Soil	8260B	139004
LCS 490-138971/3	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 490-138971/4	Lab Control Sample Dup	Total/NA	Solid	8260B	
MB 490-138971/6	Method Blank	Total/NA	Solid	8260B	
MB 490-138971/7	Method Blank	Total/NA	Solid	8260B	
Prep Batch: 139003					
Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
490-45557-2	1352 Cardinal	Total/NA	Soil	5035	
490-45557-4	1463 Cardinal	Total/NA	Soil	5035	
Prep Batch: 139004					
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-45557-1	340 Ash-2	Total/NA	Soil	5035	
490-45557-2	1352 Cardinal	Total/NA	Soil	5035	
490-45557-3	509 Laurel Bay	Total/NA	Soil	5035	
490-45557-4	1463 Cardinal	Total/NA	Soil	5035	
Analysis Batch: 13933	5				
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-45557-4	1463 Cardinal	Total/NA	Soil	8260B	139004
490-45557-4	1463 Cardinal	Total/NA	Soil	8260B	139003
LCS 490-139335/4	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 490-139335/5	Lab Control Sample Dup	Total/NA	Solid	8260B	
MB 490-139335/7	Method Blank	Total/NA	Solid	8260B	
MB 490-139335/8	Method Blank	Total/NA	Solid	8260B	
GC/MS Semi VOA					
Analysis Batch: 13909	3				
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Pren Batch
490-45557-1	340 Ash-2	Total/NA	Soil	8270D	139169
490-45557-1 MS	340 Ash-2	Total/NA	Soil	8270D	139169
490-45557-1 MSD	340 Ash-2	Total/NA	Soil	8270D	139169
490-45557-3	509 Laurel Bay	Total/NA	Soil	8270D	139169
LCS 490-139169/2-A	Lab Control Sample	Total/NA	Solid	82700	139169
MB 490-139169/1-A	Method Blank	Total/NA	Solid	8270D	139169
Prep Batch: 139169					
Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
490-45557-1	340 Ash-2	Total/NA	Soil	3550C	
490-45557-1 MS	340 Ash-2	Total/NA	Soil	3550C	
490-45557-1 MSD	340 Ash-2	Total/NA	Soil	3550C	
490-45557-2	1352 Cardinal	Total/NA	Soil	3550C	
490-45557-3	509 Laurel Bay	Total/NA	Soil	3550C	
490-45557-4	1463 Cardinal	Total/NA	Soil	3550C	
LCS 490-139169/2-A	Lab Control Sample	Total/NA	Solid	3550C	

GC/MS Semi VOA (Continued)

1463 Cardinal

|--|

490-45557-4

Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
MB 490-139169/1-A	Method Blank	Total/NA	Solid	3550C	· · · ·
Analysis Batch: 1393	92				
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-45557-2	1352 Cardinal	Total/NA	Soil	8270D	139169
490-45557-4	1463 Cardinal	Total/NA	Soil	8270D	139169
General Chemistr	у				
Analysis Batch: 1390	43				
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-45545-A-1 DU	Duplicate	Total/NA	Solid	Moisture	
490-45557-1	340 Ash-2	Total/NA	Soil	Moisture	
490-45557-2	1352 Cardinal	Total/NA	Soil	Moisture	
490-45557-3	509 Laurel Bay	Total/NA	Soil	Moisture	

Total/NA

Soil

Moisture

Client Sampl	e ID: 340 A	sh-2						Lab Samp	ole ID: 4	90-45557-1
Date Collected:	01/21/14 13:	15								Matrix: Soil
Date Received:	01/31/14 08:1	15							Percent	Solids: 70.1
	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Ргер Туре	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.424 g	5.0 mL	139004	02/01/14 10:44	JLP	TAL NSH
Total/NA	Analysis	8260B		1	5.424 g	5.0 mL	138971	02/01/14 14:49	SNR	TAL NSH
Total/NA	Prep	3550C			30.56 g	1.0 mL	139169	02/03/14 10:21	LP	TAL NSH
Total/NA	Analysis	8270D		1	30.56 g	1.0 mL	139093	02/03/14 18:49	ккн	TAL NSH
Total/NA	Analysis	Moisture		1			139043	02/01/14 14:15	JJS	TAL NSH

Client Sample ID: 1352 Cardinal Date Collected: 01/22/14 14:45 Date Received: 01/31/14 08:15

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Ргер Туре	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.53 g	5.0 mL	139004	02/01/14 10:44	JLP	TAL NSH
Total/NA	Analysis	8260B		1	5.53 g	5.0 mL	138971	02/01/14 15:18	SNR	TAL NSH
Total/NA	Prep	5035			5.427 g	5.0 mL	139003	02/01/14 10:39	JLP	TAL NSH
Total/NA	Analysis	8260B		1	5.427 g	5.0 mL	138971	02/01/14 20:41	SNR	TAL NSH
Total/NA	Prep	3550C			35.40 g	1.0 mL	139169	02/03/14 10:21	LP	TAL NSH
Total/NA	Analysis	8270D		5	35.40 g	1.0 mL	139392	02/04/14 18:39	ккн	TAL NSH
Total/NA	Analysis	Moisture		1			139043	02/01/14 14:15	JJS	TAL NSH

Client Sample ID: 509 Laurel Bay

Date Collected: 01/23/14 12:15

Date Received: 01/31/14 08:15

Lab	Sample	ID:	490-4	5557-3
-----	--------	-----	-------	--------

Matrix: Soil Percent Solids: 93.2

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Ргер Туре	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.358 g	5.0 mL	139004	02/01/14 10:44	JLP	TAL NSH
Total/NA	Analysis	8260B		1	4.358 g	5.0 mL	138971	02/01/14 15:47	SNR	TAL NSH
Total/NA	Prep	3550C			32.28 g	1.0 mL	139169	02/03/14 10:21	LP	TAL NSH
Total/NA	Analysis	8270D		1	32.28 g	1.0 mL	139093	02/03/14 20:26	ккн	TAL NSH
Total/NA	Analysis	Moisture		1			139043	02/01/14 14:15	JJS	TAL NSH

Client Sample ID: 1463 Cardinal Date Collected: 01/27/14 15:00

Date Received: 01/31/14 08:15

Lab Sample ID: 490-45557-4

Matrix: Soil

Percent	Solids:	84.1

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Ргер Туре	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.922 g	5.0 mL	139004	02/01/14 10:44	JLP	TAL NSH
Total/NA	Analysis	8260B		1	4.922 g	5.0 mL	139335	02/04/14 14:28	SNR	TAL NSH
Total/NA	Prep	5035			4.732 g	5.0 mL	139003	02/01/14 10:39	JLP	TAL NSH
Total/NA	Analysis	8260B		1	4.732 g	5.0 mL	139335	02/04/14 19:11	SNR	TAL NSH
Total/NA	Prep	3550C			35.82 g	1.0 mL	139169	02/03/14 10:21	LP	TAL NSH
Total/NA	Analysis	8270D		5	35.82 g	1.0 mL	139392	02/04/14 19:04	ккн	TAL NSH
Total/NA	Analysis	Moisture		1			139043	02/01/14 14:15	JJS	TAL NSH

TestAmerica Nashville

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

TestAmerica Nashville

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL NSH
8270D	Semivolatile Organic Compounds (GC/MS)	SW846	TAL NSH
Moisture	Percent Moisture	EPA	TAL NSH

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

TestAmerica Job ID: 490-45557-1

Laboratory: TestAmerica Nashville

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

ithority	Program	Program State Program		Certification ID	Expiration Date
outh Carolina	State Prog			84009 (001)	02-28-14
The following analytes	are included in this report, bu	t are not certified unde	er this certification:		
Analysis Method	Prep Method	Matrix	Analy	te	
8270D	3550C	Soil	1-Met	hylnaphthalene	
8270D	3550C	Solid	1-Met	hylnaphthalene	
The following analytes Analysis Method	are included in this report, bu Prep Method	t certification is not off Matrix	ered by the governing a Analyi	authority: le	
Moisture	· · · · · · · · · · · · · · · · · · ·	Soil	Perce	nt Solids	
Moisture		Solid	Perce	nt Solids	

TestAmerica Nashville

<u>TestAmerica</u>	
THE LEADER IN ENVIRONMENTAL TESTING Nashville, TN COOLER RECEIPT FORM	Charleston
Cooler Received/Opened On: 1/31/2014 @0815 1. Tracking #	15557 Chain of Custody
Courler:Fed-Ex IR Gun ID: 14740456	
2. Temperature of rep. sample or temp blank when opened: $O_1 \mathcal{G}_2$ Degrees Celsius	
3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank frozen?	YES NO NA
4. Were custody seals on outside of cooler?	DNONA
If yes, how many and where: IFront	
5. Were the seals intact, signed, and dated correctly?	TESNONA
6. Were custody papers inside cooler?	VES NONA
I certify that I opened the cooler and answered questions 1-6 (intial)	
7. Were custody seals on containers: YES MO and Intact	YESNO
Were these signed and dated correctly?	YESNO.
8. Packing mat'l used? Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert Pape	er Other None
9. Cooling process: Ce lce-pack lce (direct contact) Dry ice	e Other None
10. Did all containers arrive in good condition (unbroken)?	ES. NONA
11. Were all container labels complete (#, date, signed, pres., etc)?	ESNONA
12. Did all container labels and tags agree with custody papers?	ESNONA
13a. Were VOA vials received?	ESNONA
b. Was there any observable headspace present in any VOA vial?	YESNO
14. Was there a Trip Blank in this cooler? YES X. If multiple coolers, sequer	nce #
I certify that I unloaded the cooler and answered guestions 7-14 (intial)	<u>M DM</u>
15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level?	YESNO.
b. Did the bottle labels indicate that the correct preservatives were used	ESNONA
16. Was residual chlorine present?	YESNO
I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (intial)	mom
17. Were custody papers properly filled out (ink, signed, etc)?	ESNONA
18. Did you sign the custody papers in the appropriate place?	ESNONA
19. Were correct containers used for the analysis requested?	TESNONA
20. Was sufficient amount of sample sent in each container?	ESNONA
I certify that I entered this project into LIMS and answered questions 17-20 (intial)	mon
I certify that I attached a label with the unique LIMS number to each container (intial)	MPM
21. Were there Non-Conformance Issues at login? YES	MO).#

+



Login Sample Receipt Checklist

Client: Small Business Group Inc.

Login Number: 45557 List Number: 1

Creator: McBride, Mike

Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a<br survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	0.4
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Job Number: 490-45557-1

List Source: TestAmerica Nashville

ATTACHMENT A



NON-HAZARDOUS MANIFEST

		1. Generator's US EPA ID No.			anifest Doc	No.	2. Page 1 of						
	NON-HĄZARDOUS MANIFEST	62						1					
	3. Generator's Mailing Address.		Generator's	Site Address (If a	lifferent than m	nalling):	A. Manif	est Number					
	MCAS BEAUFORT		ស្រាមលើរដ្ឋារ	11121			l v	MNA	0151	9136			
	LAUREL BAY HOUSING	LAUREL BAY HOUSING								B. State Generator's ID			
	BEAUFORT, SC 29904	The Sheer					b. State Generator S ID						
	4. Generator's Phone 843-8	79-0411											
	5. Transporter 1 Company Name		6.	US EPA II	O Number		- Starker		States 1	21.5			
	Parolina Contern P						C. State	Fransporter's	D	1100	action for		
	7 Terresonter 2 Common Nome	20 29.90						porter's Phone	5 73	-00	1100		
	7. Transporter 2 Company Name		0.	8. US EPA ID Number				J J d e	<u>+ /)</u>	00	and the second second		
	Contraction State Contraction Memory					E. Transp	orter's Phone	<u> </u>		PLO IF			
	9. Designated Facility Name and Site	Address	10.	US EPA	ID Number					173535			
	HICKORY HILL LANDFILL						G. State I	Facility ID		i les cifitar	60		
	2621 LOW COUNTRY DRIVE						H. State	acility Phone	843-	987-46	43		
	RIDGELAND, SC 29936								1110	1635			
						1.001.000	a subsection		-				
G	11. Description of Waste Materials				No.	Type	13. Total Quantity	14. Unit Wt./Vol.	E LI	Misc. Comm	ents		
E	a. HEATING OIL TANK FILLED V	VITH SAND				-	La total		-				
F N					/	24	7 7	7810	1	PERMIT	7		
R	WM Profi	le# 102655S	С				1 /						
Α	b. Marke Market					The second	· Tritell						
T						11 10 10	- Cthy	AV OF A DIV	- L		21) 201		
R	WM Profile #										ene contra contra		
	c. Canada and the				N.I.	3. 11	i interi	NUL 1800		Section and			
					a transferration of the								
۰,	WM Profile #	10 10 10 10 10 10 10 10 10 10 10 10 10 1	0, marca		a no secondo				1.2320		A. A. A.		
	d.				i No. I	Type :	Tetef	West Vers	1 de 1 de				
							NET V.						
	WM Profile #	WM Profile #					- Andrews						
						al Location							
				Cell					Level				
					Grid								
	15. Special Handling Instructions and	Additional Inform	ation		h - 2 -)				B		
	as san all	22.00 4	~			1.							
	17291710	MOORE	<u> </u>)	ARDINAL								
	Purchase Order #	THE REAL	E	MERGENCY CON	NTACT / PHO	ONE NO.:	Linearen	ortanist.					
	16. GENERATOR'S CERTIFICATE:												
	I hereby certify that the above-describe	ed materials are in changed and are in	not hazardous	wastes as define	ined by 40 CFR Part 261 or any applicable state law, have been fully and								
	Printed Name	chaged and are in	Sign	ature "On behal	f of S	on B to abl	Jillable regu	lations.	Month	Day	Year		
	(d. 6))			6	R	~		2	10	14		
Ţ	17. Transporter 1 Acknowledgement of	of Receipt of Mate	erials		111								
A	Printed Name	<u>,</u>	Sign	ature 🔗	INU				Month	Day	Year		
S I	PRAIL SADIS			//	PA.				2	10	14		
O R	18. Transporter 2 Acknowledgement of	of Receipt of Mate	erials		(,	, ,			-				
T E		Printed Name Signature							Month	Day	Year		
R	to 100/ last) son	La	man	ett		2	10	1.4				
F	19. Certificate of Final Treatment/Disp	1		-									
A I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in complian						n complian	ce with al	u f					
i	applicable laws, regulations, permits a	bove.											
1 T	20. Facility Owner or Operator: Certif	ication of receipt	of non-hazard	ous materials co	vered by th	is manifest.							
Y	Printeg Name		Sign	ature	Cr) /-(Month	Day	Year		
	White-TREATMENT STORAGE DISPO		Y Blue	GENERATOP +	12 COPV	und	Val	OW- GENERA	TOPATCO		17		
	Pink- FACILITY LISE ON		. oiui	TRANSDODTED	#1 COPY	1	Te	IOW- GEINEKA	ION #1 CO	гТ			
	THIC PACEFF USE ON		9010	THANSFURIER	TI COPT	/							

Appendix C Laboratory Analytical Report - Groundwater



Client: AECOM - Resolution Consultants					Laboratory I	D: QB06006-	009		
Description: BEALB1463TW01WG20150205					Matr	ix: Aqueous			
Date Sampled:02/05/2015 1140									
Date Received: 02/06/2015									
RunPrep Method15030B	Analytical Method 8260B	Dilution Ana 1 02/1	Ilysis Date Analys 2/2015 1334 EH1	t Prep Da	te Batch 67618				
Parameter		CAS Number	Analytical Method	Result (Q LOQ	LOD	DL	Units	Run
Benzene		71-43-2	8260B	0.40 U	J 1.0	0.40	0.13	ug/L	1
Ethylbenzene		100-41-4	8260B	0.50 l	J 1.0	0.50	0.33	ug/L	1
Naphthalene		91-20-3	8260B	0.20 l	J 1.0	0.20	0.40	ug/L	1
Toluene		108-88-3	8260B	0.50 l	J 1.0	0.50	0.33	ug/L	1
Xylenes (total)		1330-20-7	8260B	0.40 U	J 1.0	0.40	0.33	ug/L	1
Surrogate	Q %	Run 1 Acce Recovery Li	eptance imits						
1,2-Dichloroethane-d4		93 7	0-120						
Bromofluorobenzene		98 7	5-120						
Toluene-d8		97 8	5-120						
Dibromofluoromethane		98 8	5-115						

PQL = Practical quantitation limitB = Detected in the method blankE = Quantitation of compound exceeded the calibration rangeH = Out of holding timeQ = Surrogate failureND = Not detected at or above the MDLJ = Estimated result < PQL and \geq MDLP = The RPD between two GC columns exceeds 40%N = Recovery is out of criteriaL = LCS/LCSD failureWhere applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"S = MS/MSD failure

Shealy Environmental Services, Inc.106 Vantage Point DriveWest Columbia, SC 29172(803) 791-9700Fax (803) 791-9111www.shealylab.com

Level 1 Report v2.1

Semivolatile Organic Compounds by GC/MS (SIM)

Client: AECOM - Resolution Consultants

Description: BEALB1463TW01WG20150205

Laboratory ID: QB06006-009

Date Sampled:02/05/2015 1140

Matrix: Aqueous

Date Received: 02/06/2015

Run 2

Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
3520C	8270D (SIM)	50	02/19/2015 1325	RBH	02/10/2015 1512	67395

Parameter	Ν	CAS umber	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzo(a)anthracene	Ę	56-55-3	8270D (SIM)	2.0	U	10	2.0	0.95	ug/L	2
Benzo(b)fluoranthene	20)5-99-2	8270D (SIM)	2.0	U	10	2.0	0.95	ug/L	2
Benzo(k)fluoranthene	20	07-08-9	8270D (SIM)	2.0	U	10	2.0	1.2	ug/L	2
Chrysene	21	8-01-9	8270D (SIM)	2.0	U	10	2.0	1.1	ug/L	2
Dibenzo(a,h)anthracene	Ę	53-70-3	8270D (SIM)	4.0	U	10	4.0	2.0	ug/L	2
Surrogate	Run 2 Q % Recove	Accep ry Lim	tance its							
2-Methylnaphthalene-d10	63	15-	139							
Fluoranthene-d10	34	23-	154							

PQL = Practical quantitation limit	B = Detected in the method blank	E=Quantitation of compound exceeded the calibration range	H = Out of holding time	Q = Surrogate failure	
ND = Not detected at or above the MDL	J = Estimated result < PQL and \ge MDL	P = The RPD between two GC columns exceeds 40%	N = Recovery is out of criteria	L = LCS/LCSD failure	
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W" S					

Shealy Environmental Services, Inc.106 Vantage Point DriveWest Columbia, SC 29172(803) 791-9700Fax (803) 791-9111www.shealylab.com

Level 1 Report v2.1

Appendix D Regulatory Correspondence





Catherine B. Templeton, Director Promoting and protecting the health of the public and the environment

October 1, 2014

Commanding Officer Attention: NREAO Mr. William A. Drawdy United State Marine Corps Air Station Post Office Box 55001 Beaufort, SC 29904-5001

RE: IGWA

Laurel Bay Underground Storage Tank Assessment Reports for: *See attached sheet*

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tank Assessment Reports for the addresses listed above. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

The Department has reviewed the referenced assessment reports. The submitted analytical results indicate that petroleum constituents are above established Risk-Based Screening Levels and additional investigation is warranted. Specifically, the Department requests that a groundwater sampling proposal be generated to determine if there has been an impact to groundwater at this site.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at kriegkm@dhec.sc.gov or 803-898-0255.

Sincerely,

Kent Krieg Department of Defense Corrective Action Section Bureau of Land and Waste Management South Carolina Department of Health and Environmental Control

Cc: Russell Berry (via email) Craig Ehde (via email)

**



Catherine B. Templeton, Director Promoting and protecting the health of the public and the environment

Attachment to: Krieg to Drawdy Subject: IGWA Dated 10/1/2014

Laurel Bay Underground Storage Tank Assessment Reports for: (2 addresses/2 tanks)

1352 Cardinal	1463 Cardinal
---------------	---------------



May 5, 2015

W. Marshall Taylor Jr., Acting Director Promoting and protecting the health of the public and the environment

Commanding Officer Attention: NREAO Mr. William A. Drawdy United State Marine Corps Air Station Post Office Box 55001 Beaufort, SC 29904-5001

RE: Correction - Recommendation Concurrence Draft Final Initial Groundwater Investigation Report Dated April 2015

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received groundwater data in the above referenced Groundwater Investigation Report for the addresses attached. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 <u>et seq</u>., as amended).

Per the Department's request, groundwater samples were collected from the attached referenced addresses. The Department reviewed the groundwater data and previous investigations and it agrees with the conclusions and recommendations included in the document. To further assess the impact to groundwater, permanent wells should be installed at the 3 stated addresses. For the remaining 23 addresses, there is no indication of contamination on the property and therefore no further investigation is required at this time. *Note the correction to the attachment, properly referencing 1431 Dove and 1435 Dove Tank 1 and Tank 2 in the Permanent Monitoring Well Investigation recommendations.*

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at kriegkm@dhec.sc.gov or 803-898-0255.

Sincerely,

Kent Krieg

Department of Defense Corrective Action Section Bureau of Land and Waste Management South Carolina Department of Health and Environmental Control

Attachment: Specific Property Recommendations

Cc: Russell Berry (via email) Craig Ehde (via email) Bryan Beck (via email)



W. Marshall Taylor Jr., Acting Director Promoting and protecting the health of the public and the environment

Attachment to:Krieg to DrawdySubject: Draft Final Initial Groundwater Investigation Report - April 2015Specific Property RecommendationsDated 5/5/2015

Draft Final Initial Groundwater Investigation Report for: (26 addresses/28 tanks)

Permanent Monitoring Well Investigation recommendation (3 addresses/4 tanks):				
1431 Dove	1435 Dove Tank 2			
1435 Dove Tank 1	1452 Cardinal			
No Further Action recommendation (23 addres	ses/24 tanks):			
1187 Bobwhite	1463 Cardinal			
1433 Dove	1465 Cardinal			
1437 Dove	1467 Cardinal			
1439 Dove	1469 Cardinal			
1441 Dove	1470 Cardinal			
1447 Dove	1473 Cardinal			
1449 Dove	1471 Cardinal			
1451 Dove	1477 Cardinal			
1454 Cardinal	1478 Cardinal			
1456 Cardinal	1479 Cardinal Tank 1			
1457 Cardinal	1479 Cardinal Tank 2			
1461 Cardinal	1485 Cardinal			