SUMMARY REPORT

171 WEST LAUREL BAY BOULEVARD (FORMERLY 544 WEST LAUREL BAY BOULEVARD)

LAUREL BAY MILITARY HOUSING AREA

MARINE CORPS AIR STATION BEAUFORT

BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid-Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

SUMMARY REPORT

171 WEST LAUREL BAY BOULEVARD (FORMERLY 544 WEST LAUREL BAY BOULEVARD)

LAUREL BAY MILITARY HOUSING AREA

MARINE CORPS AIR STATION BEAUFORT

BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid- Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture 10560 Arrowhead Drive, Suite 500 Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016

CTO WE52

JUNE 2021



Table of Contents

1.0	Backgroui	ND INFORMATION
1.2 2.0		VAL AND ASSESSMENT PROCESS
2.1 2.2		VAL AND SOIL SAMPLING
3.0	PROPERTY	STATUS4
4.0	REFERENC	ES4
Table	1	Table Laboratory Analytical Results - Soil Appendices
Appen Appen Appen	dix B	Multi-Media Selection Process for LBMH UST Assesment Report Regulatory Correspondence



List of Acronyms

bgs below ground surface

BTEX benzene, toluene, ethylbenzene, and xylenes

CTO Contract Task Order

COPC constituents of potential concern

IDIQ Indefinite Delivery, Indefinite Quantity

IGWA Initial Groundwater Assessment

JV Joint Venture

LBMH Laurel Bay Military Housing MCAS Marine Corps Air Station

NAVFAC Mid-Lant Naval Facilities Engineering Command Mid-Atlantic

NFA No Further Action

PAH polynuclear aromatic hydrocarbon

QAPP Quality Assurance Program Plan

RBSL risk-based screening level

SCDHEC South Carolina Department of Health and Environmental Control

Site LBMH area at MCAS Beaufort, South Carolina

UST underground storage tank

VISL vapor intrusion screening level



1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 171 West Laurel Bay Boulevard (Formerly 544 West Laurel Bay Boulevard). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area



is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service,* (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*



Division (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 171 West Laurel Bay Boulevard (Formerly 544 West Laurel Bay Boulevard). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 544 West Laurel Bay Boulevard* (MCAS Beaufort, 2010). The UST Assessment Report is provided in Appendix B.

2.1 UST Removal and Soil Sampling

On November 30, 2009, a single 280 gallon heating oil UST was removed from the landscaped area adjacent to the driveway at 171 West Laurel Bay Boulevard (Formerly 544 West Laurel Bay Boulevard). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 6'2" bgs and a sample was collected from



that depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 171 West Laurel Bay Boulevard (Formerly 544 West Laurel Bay Boulevard) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment.

3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 171 West Laurel Bay Boulevard (Formerly 544 West Laurel Bay Boulevard). This NFA determination was obtained in a letter dated February 17, 2011. SCDHEC's NFA letter is provided in Appendix C.

4.0 REFERENCES

Marine Corps Air Station Beaufort, 2010. South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 544 West Laurel Bay Boulevard, Laurel Bay Military Housing Area, April 2010.



- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 2.0*, April 2013.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.0*, May 2015.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

Table



Table 1

Laboratory Analytical Results - Soil 171 West Laurel Bay Boulevard (Formerly 544 West Laurel Bay Boulevard)

Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs (1)	Results Sample Collected 11/30/09	
Volatile Organic Compounds Analyze	d by EPA Method 8260B (mg/kg)		
Benzene	0.003	ND	
Ethylbenzene	1.15	ND	
Naphthalene	0.036	ND	
Toluene	0.627	ND	
Xylenes, Total	13.01	ND	
Semivolatile Organic Compounds Ana	alyzed by EPA Method 8270D (mg/kg)		
Benzo(a)anthracene	0.66	ND	
Benzo(b)fluoranthene	0.66	ND	
Benzo(k)fluoranthene	0.66	ND	
Chrysene	0.66	ND	
Dibenz(a,h)anthracene	0.66	ND	

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 and 1.1 (SCDHEC, May 2001 and SCDHEC, February 2011) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligram per kilogram


ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

Appendix A Multi-Media Selection Process for LBMH





Appendix A - Multi-Media Selection Process for LBMH

Appendix B UST Assessment Report



South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank (UST) Assessment Report



Submit Completed Form To: UST Program SCDHEC 2600 Bull Street Columbia, South Carolina 29201 Telephone (803) 896-7957

I. OWNERSHIP OF UST (S)

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde) Owner Name (Corporation, Individual, Public Agency, Other)								
P.O. Box 55001 Mailing Address								
Beaufort,	South Carolina	29904-5001						
City	State	Zip Code						
843	228-7317	Craig Ehde						
Area Code	Telephone Number	Contact Person						

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC
Facility Name or Company Site Identifier
544 Laurel Bay Blvd., Laurel Bay Military Housing Area Street Address or State Road (as applicable)
Beaufort, Beaufort
City County

Attachment 2

III. INSURANCE INFORMATION

Insurance Statement
The petroleum release reported to DHEC on at Permit ID Number may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. This section must be completed.
Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES NO (check one)
If you answered YES to the above question, please complete the following information:
My policy provider is: The policy deductible is: The policy limit is:
If you have this type of insurance, please include a copy of the policy with this report.
IV. REQUEST FOR SUPERB FUNDING
I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)
V. CERTIFICATION (To be signed by the UST owner)
I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.
Name (Type or print.)
Signature
To be completed by Notary Public:
Sworn before me this day of, 20
(Name)
Notary Public for the state of Please affix State seal if you are commissioned outside South Carolina

VI. UST INFORMATION	544 LaurelBB
Product(ex. Gas, Kerosene)	Heating oil
Capacity(ex. 1k, 2k)	280 gal
Age	Late 1950s
Construction Material(ex. Steel, FRP)	Steel
Month/Year of Last Use	Mid 1980s
Depth (ft.) To Base of Tank	6'2"
Spill Prevention Equipment Y/N	No
Overfill Prevention Equipment Y/N	No
Method of Closure Removed/Filled	Removed
Date Tanks Removed/Filled	11/30/09
Visible Corrosion or Pitting Y/N	Yes
Visible Holes Y/N	Yes
Method of disposal for any USTs removed from the UST 544LaurelBB was removed from the	the ground and disposed of at a
Method of disposal for any liquid petroleum, sludge disposal manifests)	
	Capacity(ex. 1k, 2k)

VII. PIPING INFORMATION

	LaurelBB	
	Steel	
Construction Material(ex. Steel, FRP)	& Copper	
Distance from UST to Dispenser	N/A	
Number of Dispensers	N/A	
Type of System Pressure or Suction	Suction	
Was Piping Removed from the Ground? Y/N	Yes	
Visible Corrosion or Pitting Y/N	Yes	
Visible Holes Y/N	No	
Age	Late 1950s	
If any corrosion, pitting, or holes were observed, or	escribe the location and extent for each pip	ing ru
Corrosion and pitting were found pipe. Copper supply and return 1	on the surface of the steel	_
Corrosion and pitting were found pipe. Copper supply and return l	on the surface of the steel ines were sound.	
Corrosion and pitting were found pipe. Copper supply and return 1	on the surface of the steel ines were sound. IPTION AND HISTORY	vent
Corrosion and pitting were found pipe. Copper supply and return l	on the surface of the steel ines were sound. IPTION AND HISTORY onstructed of single wall stee	vent
Corrosion and pitting were found pipe. Copper supply and return 1 VIII. BRIEF SITE DESCR The USTs at the residences are co	on the surface of the steel ines were sound. IPTION AND HISTORY onstructed of single wall steed or heating. These USTs were	vent
Corrosion and pitting were found pipe. Copper supply and return 1 VIII. BRIEF SITE DESCR The USTs at the residences are contained fuel oil formerly contained fuel oil fo	on the surface of the steel ines were sound. IPTION AND HISTORY onstructed of single wall steed or heating. These USTs were	vent
Corrosion and pitting were found pipe. Copper supply and return 1 VIII. BRIEF SITE DESCR The USTs at the residences are contained fuel oil formerly contained fuel oil fo	on the surface of the steel ines were sound. IPTION AND HISTORY onstructed of single wall steed or heating. These USTs were	vent
Corrosion and pitting were found pipe. Copper supply and return 1 VIII. BRIEF SITE DESCR The USTs at the residences are contained fuel oil formerly contained fuel oil fo	on the surface of the steel ines were sound. IPTION AND HISTORY onstructed of single wall steed or heating. These USTs were	vent
Corrosion and pitting were found pipe. Copper supply and return 1 VIII. BRIEF SITE DESCR The USTs at the residences are contained fuel oil formerly contained fuel oil fo	on the surface of the steel ines were sound. IPTION AND HISTORY onstructed of single wall steed or heating. These USTs were	vent

IX. SITE CONDITIONS

	Yes	No	Unk
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells? If yes, indicate depth and location on the site map.		Х	
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?If yes, indicate location on site map and describe the odor (strong,		х	
mild, etc.) C. Was water present in the UST excavation, soil borings, or trenches? If yes, how far below land surface (indicate location and depth)?		Х	
D. Did contaminated soils remain stockpiled on site after closure? If yes, indicate the stockpile location on the site map. Name of DHEC representative authorizing soil removal:		х	
E. Was a petroleum sheen or free product detected on any excavation or boring waters? If yes, indicate location and thickness.		х	

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009001

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA#
544 LaurelBB	Excav at fill end	Soil	Sandy	6'2"	11/30/09 0945 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

^{* =} Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect <u>and</u> store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280
and SC DHEC Assessment Guidelines. Sample containers were prepared by the
testing laboratory. The grab method was utilized to fill the sample
containers leaving as little head space as possible and immediately
capped. Soil samples were extracted from area below tank. The
samples were marked, logged, and immediately placed in a sample cooler
packed with ice to maintain an approximate temperature of 4 degrees
Centigrade. Tools were thoroughly cleaned and decontaminated with
the seven step decon process after each use. The samples remained in
custody of SBG-EEG, Inc. until they were transferred to Test America
Incorporated for analysis as documented in the Chain of Custody Record.


XII. RECEPTORS

Yes No A. Are there any lakes, ponds, streams, or wetlands located within *X 1000 feet of the UST system? *Stormwater drainage canal ~ 145' If yes, indicate type of receptor, distance, and direction on site map. B. Are there any public, private, or irrigation water supply wells within Х 1000 feet of the UST system? If yes, indicate type of well, distance, and direction on site map. C. Are there any underground structures (e.g., basements) Х Located within 100 feet of the UST system? If yes, indicate type of structure, distance, and direction on site map. D. Are there any underground utilities (e.g., telephone, electricity, gas, *X water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? *Sewer and water If yes, indicate the type of utility, distance, and direction on the site map. E. Has contaminated soil been identified at a depth less than 3 feet Х below land surface in an area that is not capped by asphalt or concrete? If yes, indicate the area of contaminated soil on the site map.

XIII. SITE MAP

You must supply a <u>scaled</u> site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)




STORMWATER DRAINAGE CANAL ≈ 145' 544 LAUREL BAY BLVD LAUREL BAY MILITARY HOUSING MCAS BEAUFORT, SC CONCRETE PORCH & WALK **ASPHALT DRIVEWAY UST 544LAURELBB** SBG-EEG FIGURE 2 SITE MAP GRAPHIC SCALE 544 LAUREL BAY BLVD, LAUREL BAY 10179 HWY 78 10' 20'

LADSON, SC 29456 MCAS BEAUFORT SC

ph. (843) 879-0400 SCALE: GRAPHIC

DWG DATE FEB 2010





Picture 1: Location of UST 544LaurelBB.



Picture 2: UST 544LaurelBB.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC UST	544LaurelBB					
Benzene	ND					
Toluene	ND					
Ethylbenzene	ND					
Xylenes	ND					
Naphthalene	ND					
Benzo (a) anthracene	ND					
Benzo (b) fluoranthene	ND					
Benzo (k) fluoranthene	ND					
Chrysene	ND					
Dibenz (a, h) anthracene	ND			*		
TPH (EPA 3550)						
	· · · · · · · · · · · · · · · · · · ·				1	
СоС						
Benzene						
Toluene						
Ethylbenzene						
Xylenes		·				
Naphthalene						
Benzo (a) anthracene						
Benzo (b) fluoranthene						
Benzo (k) fluoranthene						
Chrysene						
Dibenz (a, h) anthracene						
TPH (EPA 3550)						


SUMMARY OF ANALYSIS RESULTS (cont'd)
Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5		:		
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here) (Please see Form #4)





December 21, 2009

5:02:24PM

Client:

EEG - Small Business Group, Inc. (2449)

10179 Highway 78

Ladson, SC 29456

Attn:

Tom McElwee

Work Order: NSL0727

Project Name: Laurel Bay Housing Project

Project Nbr: [none]
P/O Nbr: 0829
Date Received: 12/05/09

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
544 Laurel Bay Blvd	NSL0727-01	11/30/09 09:45
550 Dahlia	NSL0727-02	11/30/09 12:05
552 Dahlia	NSL0727-03	11/30/09 15:45
554 Dahlia	NSL0727-04	12/01/09 09:45
349 Ash-2	NSL0727-05	12/01/09 15:30
564 Dahlia	NSL0727-06	12/03/09 09:45

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

South Carolina Certification Number: 84009001

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.

This report has been electronically signed.

Ven & A Hage

Report Approved By:

Ken A. Hayes

Senior Project Manager



2960 Foster Creighton Road Nashville, TN 37204 * 800-765-0980 * Fax 615-726-3404

Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSL0727

Project Name:

Laurel Bay Housing Project


Project Number:

r: [none]

Received:

12/05/09 08:30

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-01 (544 Lau	rel Bay Blvd - :	Soil) Samp	led: 11/30/09	09:45					
General Chemistry Parameters									
% Dry Solids	88.4		%	0.500	1	12/17/09 07:22	SW-846	HLB	9122861
Selected Volatile Organic Compounds	s by EPA Method	8260B							
Benzene	ND		mg/kg dry	0.00237	1	12/14/09 20:07	SW846 8260B	KxC	9121162
Ethylbenzene	ND		mg/kg dry	0.00237	1	12/14/09 20:07	SW846 8260B	KxC	9121162
Naphthalene	ND		mg/kg dry	0.00593	1	12/14/09 20:07	SW846 8260B	KxC	9121162
Toluene	ND		mg/kg dry	0.00237	1	12/14/09 20:07	SW846 8260B	KxC	9121162
Xylenes, total	ND		mg/kg dry	0.00593	1	12/14/09 20:07	SW846 8260B	KxC	9121162
Surr: 1,2-Dichloroethane-d4 (67-138%)	93 %					12/14/09 20:07	SW846 8260B	KxC	9121162
Surr: Dibromofluoromethane (75-125%)	96 %					12/14/09 20:07	SW846 8260B	KxC	9121162
Surr: Toluene-d8 (76-129%)	104 %					12/14/09 20:07	SW846 8260B	KxC	9121162
Surr: 4-Bromofluorobenzene (67-147%)	97 %					12/14/09 20:07	SW846 8260B	KxC	9121162





Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSL0727

Project Name:

Laurel Bay Housing Project

Project Number: [none]

Received:

12/05/09 08:30

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-01 (544 I	Laurel Bay Blvd	- Soil) -	cont. Samı	oled: 11/30/	09 09:45					
Polyaromatic Hydrocarbons by EP	A 8270D									
Acenaphthene	ND		mg/kg dry	0.0249	0.0758	l	12/15/09 03:06	SW846 8270D	RMC	9122120
Acenaphthylene	ND		mg/kg dry	0.0249	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Anthracene	ND		mg/kg dry	0.0170	0.0758	ì	12/15/09 03:06	SW846 8270D	RMC	9122120
Benzo (a) anthracene	ND		mg/kg dry	0.0147	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Benzo (a) pyrene	ND		mg/kg dry	0.0170	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Benzo (b) fluoranthene	ND		mg/kg dry	0.0192	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0158	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Benzo (k) fluoranthene	ND		mg/kg dry	0.0215	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Chrysene	ND		mg/kg dry	0.0170	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0158	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Fluoranthene	ND		mg/kg dry	0.0158	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Fluorene	ND		mg/kg dry	0.0147	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0136	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Naphthalene	ND		mg/kg dry	0.0226	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Phenanthrene	ND		mg/kg dry	0.0147	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Pyrene	ND		mg/kg dry	0.0136	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
1-Methylnaphthalene	ND		mg/kg dry	0.0192	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
2-Methylnaphthalene	ND		mg/kg dry	0.0204	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Surr: Terphenyl-d14 (18-120%)	54 %					1	12/15/09 03:06	SW846 8270D	RMC	9122120
Surr: 2-Fluorobiphenyl (14-120%)	42 %					1	12/15/09 03:06	SW846 8270D	RMC	9122120
Surr: Nitrobenzene-d5 (17-120%)	42 %					1	12/15/09 03:06	SW846 8270D	RMC	9122120



2960 Foster Creighton Road Nashville, TN 37204 * 800-765-0980 * Fax 615-726-3404

EEG - Small Business Group, Inc. (2449) Client

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order: Project Name: NSL0727


Project Number:

Laurel Bay Housing Project [none]

Received:

12/05/09 08:30

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-02 (550 Dah	ılia - Soil) Samı	9	/09 12:05						
General Chemistry Parameters									
% Dry Solids	91.3		%	0.500	1	12/17/09 07:22	SW-846	HLB	9122861
Selected Volatile Organic Compounds	by EPA Method	8260B							
Benzene	ND		mg/kg dry	0.00226	1	12/14/09 20:38	SW846 8260B	KxC	9121162
Ethylbenzene	ND		mg/kg dry	0.00226	1	12/14/09 20:38	SW846 8260B	KxC	9121162
Naphthalene	ND		mg/kg dry	0.00565	i	12/14/09 20:38	SW846 8260B	KxC	9121162
Toluene	ND		mg/kg dry	0.00226	1	12/14/09 20:38	SW846 8260B	KxC	9121162
Xylenes, total	ND		mg/kg dry	0.00565	1	12/14/09 20:38	SW846 8260B	KxC	9121162
Surr: 1,2-Dichloroethane-d4 (67-138%)	93 %					12/14/09 20:38	SW846 8260B	KxC	9121162
Surr: Dibromofluoromethane (75-125%)	99 %					12/14/09 20:38	SW846 8260B	KxC	9121162
Surr: Toluene-d8 (76-129%)	106 %					12/14/09 20:38	SW846 8260B	KxC	9121162
Surr: 4-Bromofluorobenzene (67-147%)	95 %					12/14/09 20:38	SW846 8260B	KxC	9121162





Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NSL0727

Project Name:

Laurel Bay Housing Project

Project Number:

: [none]

Received:

12/05/09 08:30

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-02 (550)	Dahlia - Soil) - c	ont. Sam	pled: 11/3	0/09 12:05						
Polyaromatic Hydrocarbons by EF	PA 8270D									
Acenaphthene	ND		mg/kg dry	0.0236	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Acenaphthylene	ND		mg/kg dry	0.0236	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Anthracene	ND		mg/kg dry	0.0161	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Benzo (a) anthracene	ND		mg/kg dry	0.0139	0.0718	i	12/15/09 03:28	SW846 8270D	RMC	9122120
Benzo (a) pyrene	ND		mg/kg dry	0.0161	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Benzo (b) fluoranthene	ND		mg/kg dry	0.0182	0.0718	ì	12/15/09 03:28	SW846 8270D	RMC	9122120
Benzo (g,h,i) perylene	0.0371	J	mg/kg dry	0.0150	0.0718	ì	12/15/09 03:28	SW846 8270D	RMC	9122120
Benzo (k) fluoranthene	ND		mg/kg dry	0.0204	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Chrysene	ND		mg/kg dry	0.0161	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0150	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Fluoranthene	ND		mg/kg dry	0.0150	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Fluorene	ND		mg/kg dry	0.0139	0.0718	l	12/15/09 03:28	SW846 8270D	RMC	9122120
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0129	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Naphthalene	ND		mg/kg dry	0.0214	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Phenanthrene	ND		mg/kg dry	0.0139	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Pyrene	ND		mg/kg dry	0.0129	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
1-Methylnaphthalene	ND		mg/kg dry	0.0182	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
2-Methylnaphthalene	ND		mg/kg dry	0.0193	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Surr: Terphenyl-d14 (18-120%)	46 %					1	12/15/09 03:28	SW846 8270D	RMC	912212
Surr: 2-Fluorobiphenyl (14-120%)	39 %					I	12/15/09 03:28	SW846 8270D	RMC	912212
Surr: Nitrobenzene-d5 (17-120%)	38 %					1	12/15/09 03:28	SW846 8270D	RMC	912212



THE LEADER IN ENVIRONMENTAL TESTING 2960 Foster Creighton Road Nashville, TN 37204 *800-765-0980 * Fax 615-726-3404

Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456 Work Order: Project Name: NSL0727

e: Laurel Bay Housing Project

Project Number: [


[none]

Attn Tom McElwee

Received:

12/05/09 08:30

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-03 (552 Dal	ılia - Soil) Samı	oled: 11/30	/09 15:45						
General Chemistry Parameters	5011, 54111								
% Dry Solids	96.0		%	0.500	1	12/17/09 07:22	SW-846	HLB	9122861
Selected Volatile Organic Compounds	s by EPA Method	8260B							
Benzene	ND		mg/kg dry	0.00236	1	12/14/09 19:48	SW846 8260B	SMS	9121095
Ethylbenzene	ND		mg/kg dry	0.00236	1	12/14/09 19:48	SW846 8260B	SMS	9121095
Naphthalene	ND		mg/kg dry	0.00589	i	12/14/09 19:48	SW846 8260B	SMS	9121095
Toluene	ND		mg/kg dry	0.00236	1	12/14/09 19:48	SW846 8260B	SMS	9121095
Xylenes, total	ND		mg/kg dry	0.00589	1	12/14/09 19:48	SW846 8260B	SMS	9121095
Surr: 1,2-Dichloroethane-d4 (67-138%)	113 %					12/14/09 19:48	SW846 8260B	SMS	9121095
Surr: Dibromofluoromethane (75-125%)	114 %					12/14/09 19:48	SW846 8260B	SMS	9121095
Surr: Toluene-d8 (76-129%)	98 %					12/14/09 19:48	SW846 8260B	SMS	9121095
Surr: 4-Bromofluorobenzene (67-147%)	96 %					12/14/09 19:48	SW846 8260B	SMS	9121095





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSL0727

Project Name:

Laurel Bay Housing Project

Project Number: [

[none]

Received:

12/05/09 08:30

A	Docuit	Elec	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Analyte	Result	Flag				1 actor	· ·	Method	Anaiyst	Daten
Sample ID: NSL0727-03 (552 I	Dahlia - Soil) - co	ont. Sam	pled: 11/3	0/09 15:45						
Polyaromatic Hydrocarbons by EP	A 8270D									
Acenaphthene	ND		mg/kg dry	0.0227	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Acenaphthylene	ND		mg/kg dry	0.0227	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Anthracene	ND		mg/kg dry	0.0155	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Benzo (a) anthracene	ND		mg/kg dry	0.0134	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Benzo (a) pyrene	ND		mg/kg dry	0.0155	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Benzo (b) fluoranthene	ND		mg/kg dry	0.0175	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0144	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Benzo (k) fluoranthene	ND		mg/kg dry	0.0196	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Chrysene	ND		mg/kg dry	0.0155	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0144	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Fluoranthene	ND		mg/kg dry	0.0144	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Fluorene	ND		mg/kg dry	0.0134	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0124	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Naphthalene	ND		mg/kg dry	0.0206	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Phenanthrene	ND		mg/kg dry	0.0134	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Pyrene	ND		mg/kg dry	0.0124	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
1-Methylnaphthalene	ND		mg/kg dry	0.0175	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
2-Methylnaphthalene	ND		mg/kg dry	0.0186	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Surr: Terphenyl-d14 (18-120%)	57 %					1	12/15/09 03:51	SW846 8270D	RMC	9122120
Surr: 2-Fluorobiphenyl (14-120%)	44 %					1	12/15/09 03:51	SW846 8270D	RMC	9122120
Surr: Nitrobenzene-d5 (17-120%)	43 %					1	12/15/09 03:51	SW846 8270D	RMC	9122120



Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn


Work Order: NSL0727

Project Name: Laurel Bay Housing Project

Project Number: [none]

Received: 12/05/09 08:30

Analyte _	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-04 (554 Dal	hlia - Soil) Samı	oled: 12/01	/09 09:45						
General Chemistry Parameters									
% Dry Solids	94.8		%	0.500	1	12/17/09 07:22	SW-846	HLB	9122861
Selected Volatile Organic Compounds	s by EPA Method	8260B							
Benzene	ND		mg/kg dry	0.00179	l	12/14/09 20:19	SW846 8260B	SMS	9121095
Ethylbenzene	ND		mg/kg dry	0.00179	i	12/14/09 20:19	SW846 8260B	SMS	9121095
Naphthalene	ND		mg/kg dry	0.00447	i	12/14/09 20:19	SW846 8260B	SMS	9121095
Toluene	ND		mg/kg dry	0.00179	l	12/14/09 20:19	SW846 8260B	SMS	9121095
Xylenes, total	ND		mg/kg dry	0.00447	1	12/14/09 20:19	SW846 8260B	SMS	9121095
Surr: 1,2-Dichloroethane-d4 (67-138%)	119 %					12/14/09 20:19	SW846 8260B	SMS	9121095
Surr: Dibromofluoromethane (75-125%)	115 %					12/14/09 20:19	SW846 8260B	SMS	9121095
Surr: Toluene-d8 (76-129%)	97 %					12/14/09 20:19	SW846 8260B	SMS	9121095
Surr: 4-Bromofluorobenzene (67-147%)	95 %					12/14/09 20:19	SW846 8260B	SMS	9121095





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order: NSL0727

Project Name: Laurel Bay Housing Project

Project Number: [none]

Received: 12/05/09 08:30

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-04 (554 I	Dahlia - Soil) - co	ont. Sam	pled: 12/0	1/09 09:45						
Polyaromatic Hydrocarbons by EP.	A 8270D									
Acenaphthene	ND		mg/kg dry	0.0228	0.0696	ı	12/15/09 04:14	SW846 8270D	RMC	9122120
Acenaphthylene	ND		mg/kg dry	0.0228	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Anthracene	ND		mg/kg dry	0.0156	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Benzo (a) anthracene	ND		mg/kg dry	0.0135	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Benzo (a) pyrene	ND		mg/kg dry	0.0156	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Benzo (b) fluoranthene	ND		mg/kg dry	0.0177	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0145	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Benzo (k) fluoranthene	ND		mg/kg dry	0.0197	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Chrysene	ND		mg/kg dry	0.0156	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0145	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Fluoranthene	ND		mg/kg dry	0.0145	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Fluorene	ND		mg/kg dry	0.0135	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0125	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Naphthalene	ND		mg/kg dry	0.0208	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Phenanthrene	ND		mg/kg dry	0.0135	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Pyrene	ND		mg/kg dry	0.0125	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
1-Methylnaphthalene	ND		mg/kg dry	0.0177	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
2-Methylnaphthalene	ND		mg/kg dry	0.0187	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Surr: Terphenyl-d14 (18-120%)	52 %					1	12/15/09 04:14	SW846 8270D	RMC	9122120
Surr: 2-Fluorobiphenyl (14-120%)	39 %					1	12/15/09 04:14	SW846 8270D	RMC	9122120
Surr: Nitrobenzene-d5 (17-120%)	38 %					1	12/15/09 04:14	SW846 8270D	RMC	9122120



Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSL0727

Project Name:


Laurel Bay Housing Project

Project Number: [none]

Received:

12/05/09 08:30

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-05 (349 Ash	-2 - Soil) Samp	led: 12/01	/09 15:30						
General Chemistry Parameters									
% Dry Solids	82.7		%	0.500	1	12/17/09 07:22	SW-846	HLB	9122861
Selected Volatile Organic Compounds	s by EPA Method	8260B							
Benzene	ND		mg/kg dry	0.00269	1	12/14/09 20:49	SW846 8260B	SMS	9121095
Ethylbenzene	ND		mg/kg dry	0.00269	1	12/14/09 20:49	SW846 8260B	SMS	9121095
Naphthalene	ND		mg/kg dry	0.00672	i	12/14/09 20:49	SW846 8260B	SMS	9121095
Toluene	ND		mg/kg dry	0.00269	1	12/14/09 20:49	SW846 8260B	SMS	9121095
Xylenes, total	ND		mg/kg dry	0.00672	1	12/14/09 20:49	SW846 8260B	SMS	9121095
Surr: 1,2-Dichloroethane-d4 (67-138%)	108 %					12/14/09 20:49	SW846 8260B	SMS	912109
Surr: Dibromofluoromethane (75-125%)	110 %					12/14/09 20:49	SW846 8260B	SMS	912109
Surr: Toluene-d8 (76-129%)	102 %					12/14/09 20:49	SW846 8260B	SMS	912109
Surr: 4-Bromofluorobenzene (67-147%)	100 %					12/14/09 20:49	SW846 8260B	SMS	912109





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSL0727

Project Name:

Laurel Bay Housing Project

Project Number:

[none]

Received:

12/05/09 08:30

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-05 (349)	Ash-2 - Soil) - co	nt. Sam	pled: 12/01	/09 15:30						
Polyaromatic Hydrocarbons by EF	PA 8270D									
Acenaphthene	ND		mg/kg dry	0.0259	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	9122120
Acenaphthylene	ND		mg/kg dry	0.0259	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	9122120
Anthracene	0.0561	J	mg/kg dry	0.0177	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	9122120
Benzo (a) anthracene	ND		mg/kg dry	0.0153	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	9122120
Benzo (a) pyrene	ND		mg/kg dry	0.0177	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	9122120
Benzo (b) fluoranthene	ND		mg/kg dry	0.0200	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	9122120
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0165	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	9122120
Benzo (k) fluoranthene	ND		mg/kg dry	0.0224	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	9122120
Chrysene	ND		mg/kg dry	0.0177	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	9122120
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0165	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	9122120
Fluoranthene	0.566		mg/kg dry	0.0165	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	9122120
Fluorene	ND		mg/kg dry	0.0153	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	9122120
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0141	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	9122120
Naphthalene	ND		mg/kg dry	0.0235	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	9122120
Phenanthrene	ND		mg/kg dry	0.0153	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	9122120
Pyrene	0.515		mg/kg dry	0.0141	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	9122120
1-Methylnaphthalene	ND		mg/kg dry	0.0200	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	9122120
2-Methylnaphthalene	ND		mg/kg dry	0.0212	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	9122120
Surr: Terphenyl-d14 (18-120%)	63 %					1	12/15/09 04:36	SW846 8270D	RMC	9122120
Surr: 2-Fluorobiphenyl (14-120%)	43 %					1	12/15/09 04:36	SW846 8270D	RMC	9122120
Surr: Nitrobenzene-d5 (17-120%)	43 %					1	12/15/09 04:36	SW846 8270D	RMC	9122120



THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 * 800-765-0980 * Fax 615-726-3404

Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSL0727

Project Name:


Laurel Bay Housing Project

Project Number: [none]

Received:

12/05/09 08:30

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-06 (564 Dah								•	
·	11a - 3011) Saint)ieu: 12/03	7/09 09:43						
General Chemistry Parameters									
% Dry Solids	94.6		%	0.500	1	12/17/09 07:22	SW-846	HLB	9122861
Selected Volatile Organic Compounds	by EPA Method	8260B							
Benzene	ND		mg/kg dry	0.00235	1	12/14/09 21:08	SW846 8260B	KxC	9121162
Ethylbenzene	ND		mg/kg dry	0.00235	1	12/14/09 21:08	SW846 8260B	KxC	9121162
Naphthalene	ND		mg/kg dry	0.00587	1	12/14/09 21:08	SW846 8260B	KxC	9121162
Toluene	ND		mg/kg dry	0.00235	1	12/14/09 21:08	SW846 8260B	KxC	9121162
Xylenes, total	ND		mg/kg dry	0.00587	1	12/14/09 21:08	SW846 8260B	KxC	9121162
Surr: 1,2-Dichloroethane-d4 (67-138%)	93 %					12/14/09 21:08	SW846 8260B	KxC	9121162
Surr: Dibromofluoromethane (75-125%)	96 %					12/14/09 21:08	SW846 8260B	KxC	9121162
Surr: Toluene-d8 (76-129%)	106 %					12/14/09 21:08	SW846 8260B	KxC	9121162
Surr: 4-Bromofluorobenzene (67-147%)	95 %					12/14/09 21:08	SW846 8260B	KxC	9121162





10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order: NSL0727

Project Name: Laurel Bay Housing Project

Project Number: [none]

Received: 12/05/09 08:30

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-06 (564 Da	hlia - Soil) - co	nt. Sam	pled: 12/0	3/09 09:45						
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	ND		mg/kg dry	0.0231	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Acenaphthylene	ND		mg/kg dry	0.0231	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Anthracene	ND		mg/kg dry	0.0158	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Benzo (a) anthracene	ND		mg/kg dry	0.0137	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Benzo (a) pyrene	ND		mg/kg dry	0.0158	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Benzo (b) fluoranthene	ND		mg/kg dry	0.0179	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0147	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Benzo (k) fluoranthene	ND		mg/kg dry	0.0200	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Chrysene	ND		mg/kg dry	0.0158	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0147	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Fluoranthene	ND		mg/kg dry	0.0147	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Fluorene	ND		mg/kg dry	0.0137	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0126	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Naphthalene	ND		mg/kg dry	0.0210	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Phenanthrene	ND		mg/kg dry	0.0137	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Pyrene	ND		mg/kg dry	0.0126	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
1-Methylnaphthalene	ND		mg/kg dry	0.0179	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
2-Methylnaphthalene	ND		mg/kg dry	0.0189	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Surr: Terphenyl-d14 (18-120%)	58 %					1	12/15/09 04:59	SW846 8270D	RMC	9122120
Surr: 2-Fluorobiphenyl (14-120%)	40 %					1	12/15/09 04:59	SW846 8270D	RMC	9122120
Surr: Nitrobenzene-d5 (17-120%)	39 %					1	12/15/09 04:59	SW846 8270D	RMC	9122120



Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSL0727

Project Name:

Laurel Bay Housing Project

Project Number:

[none]

Received:

12/05/09 08:30

SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
Polyaromatic Hydrocarbons by EF	PA 8270D						
SW846 8270D	9122120	NSL0727-01	30.01	1.00	12/14/09 11:20	TEM	EPA 3550C
SW846 8270D	9122120	NSL0727-02	30.67	1.00	12/14/09 11:20	TEM	EPA 3550C
SW846 8270D	9122120	NSL0727-03	30.30	1.00	12/14/09 11:20	TEM	EPA 3550C
SW846 8270D	9122120	NSL0727-04	30.48	1.00	12/14/09 11:20	TEM	EPA 3550C
SW846 8270D	9122120	NSL0727-05	30.81	1.00	12/14/09 11:20	TEM	EPA 3550C
SW846 8270D	9122120	NSL0727-06	30.16	1.00	12/14/09 11:20	TEM	EPA 3550C
Selected Volatile Organic Compo	unds by EPA Method	8260B					
SW846 8260B	9121162	NSL0727-01	4.77	5.00	11/30/09 09:45	СНН	EPA 5035
SW846 8260B	9121162	NSL0727-02	4.85	5.00	11/30/09 12:05	СНН	EPA 5035
SW846 8260B	9121095	NSL0727-03	4.42	5.00	11/30/09 15:45	СНН	EPA 5035
SW846 8260B	9121095	NSL0727-04	5.90	5.00	12/01/09 09:45	СНН	EPA 5035
SW846 8260B	9121095	NSL0727-05	4.50	5.00	12/01/09 15:30	СНН	EPA 5035
SW846 8260B	9121162	NSL0727-06	4.50	5.00	12/03/09 09:45	СНН	EPA 5035





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSL0727

Project Name:

Laurel Bay Housing Project

Project Number: Received: [none] 12/05/09 08:30

PROJECT QUALITY CONTROL DATA Blank

				· · · · · · · · · · · · · · · · · · ·		
Analyte	Blank Value Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time	
Selected Volatile Organic Compo	ounds by EPA Method 8260B					
9121095-BLK1	•					
Benzene	<0.000670	mg/kg wet	9121095	9121095-BLK1	12/14/09 18:47	
Ethylbenzene	<0.000670	mg/kg wet	9121095	9121095-BLK1	12/14/09 18:47	
Naphthalene	<0.00170	mg/kg wet	9121095	9121095-BLK1	12/14/09 18:47	
Toluene	<0.000400	mg/kg wet	9121095	9121095-BLK1	12/14/09 18:47	
Xylenes, total	<0.00130	mg/kg wet	9121095	9121095-BLK1	12/14/09 18:47	
Surrogate: 1,2-Dichloroethane-d4	114%		9121095	9121095-BLK1	12/14/09 18:47	
Surrogate: Dibromosluoromethane	111%		9121095	9121095-BLK1	12/14/09 18:47	
Surrogate: Toluene-d8	97%		9121095	9121095-BLK1	12/14/09 18:47	
Surrogate: 4-Bromofluorobenzene	96%		9121095	9121095-BLK1	12/14/09 18:47	
9121162-BLK1						
Benzene	<0.000670	mg/kg wet	9121162	9121162-BLK1	12/14/09 13:29	
Ethylbenzene	<0.000670	mg/kg wet	9121162	9121162-BLK1	12/14/09 13:29	
Naphthalene	<0.00170	mg/kg wet	9121162	9121162-BLK1	12/14/09 13:29	
Toluene	<0.000400	mg/kg wet	9121162	9121162-BLK1	12/14/09 13:29	
Xylenes, total	< 0.00130	mg/kg wet	9121162	9121162-BLK1	12/14/09 13:29	
Surrogate: 1,2-Dichloroethane-d4	92%		9121162	9121162-BLK1	12/14/09 13:29	
Surrogate: Dibromofluoromethane	96%		9121162	9121162-BLK1	12/14/09 13:29	
Surrogate: Toluene-d8	104%		9121162	9121162-BLK1	12/14/09 13:29	
Surrogate: 4-Bromofluorobenzene	94%		9121162	9121162-BLK1	12/14/09 13:29	
Polyaromatic Hydrocarbons by I	EPA 8270D					
9122120-BLK1						
Acenaphthene	<0.0220	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Acenaphthylene	<0.0220	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Anthracene	< 0.0150	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Benzo (a) anthracene	< 0.0130	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Benzo (a) pyrene	< 0.0150	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Benzo (b) fluoranthene	< 0.0170	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Benzo (g,h,i) perylene	< 0.0140	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Benzo (k) fluoranthene	<0.0190	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Chrysene	< 0.0150	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Dibenz (a,h) anthracene	<0.0140	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Fluoranthene	<0.0140	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Fluorene	<0.0130	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Indeno (1,2,3-cd) pyrene	<0.0120	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Naphthalene	<0.0200	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Phenanthrene	< 0.0130	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Pyrene	<0.0120	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
1-Methylnaphthalene	<0.0170	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
2-Methylnaphthalene	<0.0180	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	



Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78

Attn

Ladson, SC 29456 Tom McElwee Work Order:

NSL0727

Project Name:

Laurel Bay Housing Project

Project Number: [none]

Received:

12/05/09 08:30

PROJECT QUALITY CONTROL DATA Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
Polyaromatic Hydrocarbons by EPA 8	3270D					
9122120-BLK1						
Surrogate: Terphenyl-d14	78%			9122120	9122120-BLK1	12/15/09 01:58
Surrogate: 2-Fluorobiphenyl	62%			9122120	9122120-BLK1	12/15/09 01:58
Surrogate: Nitrobenzene-d5	61%			9122120	9122120-BLK1	12/15/09 01:58



Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order: NSL0727

Project Name: Laurel Bay Housing Project


Project Number: [none]

Received: 12/05/09 08:30

PROJECT QUALITY CONTROL DATA

Dυ	ıpli	cate
----	------	------

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	% Rec.	Analyzed Date/Time
General Chemistry Parameters										
9122861-DUP1										
% Dry Solids	96.4	95.6		%	0.8	20	9122861	NSL0706-16		12/17/09 07:22





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order: NSL0727

Project Name: Laurel Bay Housing Project

Project Number: [none]

Received: 12/05/09 08:30

PROJECT QUALITY CONTROL DATA LCS

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Selected Volatile Organic Compour	nds by EPA Method 82	60B						
9121095-BS1								
Benzene	50.0	48.5		ug/kg	97%	78 - 126	9121095	12/14/09 16:31
Ethylbenzenc	50.0	48.1		ug/kg	96%	79 - 130	9121095	12/14/09 16:31
Naphthalene	50.0	41.8		ug/kg	84%	72 - 150	9121095	12/14/09 16:31
Toluene	50.0	47.2		ug/kg	94%	76 - 126	9121095	12/14/09 16:31
Xylenes, total	150	145		ug/kg	96%	80 - 130	9121095	12/14/09 16:31
Surrogate: 1,2-Dichloroethane-d4	50.0	51.7			103%	67 - 138	9121095	12/14/09 16:31
Surrogate: Dibromofluoromethane	50.0	55.2			110%	75 - 125	9121095	12/14/09 16:31
Surrogate: Toluene-d8	50.0	50.0			100%	76 - 129	9121095	12/14/09 16:31
Surrogate: 4-Bromofluorobenzene	50.0	48.2			96%	67 - 147	9121095	12/14/09 16:31
9121162-BS1								
Benzene	50.0	52.6		ug/kg	105%	78 - 126	9121162	12/14/09 11:57
Ethylbenzene	50.0	53.2		ug/kg	106%	79 - 130	9121162	12/14/09 11:57
Naphthalene	50.0	58.9		ug/kg	118%	72 - 150	9121162	12/14/09 11:57
Toluene	50.0	54.8		ug/kg	110%	76 - 126	9121162	12/14/09 11:57
Xylenes, total	150	151		ug/kg	101%	80 - 130	9121162	12/14/09 11:57
Surrogate: 1,2-Dichloroethane-d4	50.0	46.2			92%	67 - 138	9121162	12/14/09 11:57
Surrogate: Dibromofluoromethane	50.0	47.5			95%	75 - 125	9121162	12/14/09 11:57
Surrogate: Toluene-d8	50.0	50.8			102%	76 - 129	9121162	12/14/09 11:57
Surrogate: 4-Bromofluorobenzene	50.0	48.2			96%	67 - 147	9121162	12/14/09 11:57
Polyaromatic Hydrocarbons by EP	A 8270D							
9122120-BS1								
Acenaphthene	1.67	1.15		mg/kg wet	69%	49 - 120	9122120	12/14/09 18:26
Acenaphthylene	1.67	1.13		mg/kg wet	68%	52 - 120	9122120	12/14/09 18:26
Anthracene	1.67	1.37		mg/kg wet	82%	58 - 120	9122120	12/14/09 18:26
Benzo (a) anthracene	1.67	1.26		mg/kg wet	75%	57 - 120	9122120	12/14/09 18:26
Benzo (a) pyrene	1.67	1.32		mg/kg wet	79%	55 - 120	9122120	12/14/09 18:26
Benzo (b) fluoranthene	1.67	1.15		mg/kg wet	69%	51 - 123	9122120	12/14/09 18:26
Benzo (g,h,i) perylene	1.67	1.24		mg/kg wet	75%	49 - 121	9122120	12/14/09 18:26
Benzo (k) fluoranthene	1.67	1.41		mg/kg wet	84%	42 - 129	9122120	12/14/09 18:26
Chrysene	1.67	1.16		mg/kg wet	69%	55 - 120	9122120	12/14/09 18:26
Dibenz (a,h) anthracene	1.67	1.28		mg/kg wet	77%	50 - 123	9122120	12/14/09 18:26
Fluoranthene	1.67	1.29		mg/kg wet	78%	58 - 120	9122120	12/14/09 18:26
Fluorene	1.67	1.23		mg/kg wet	74%	54 - 120	9122120	12/14/09 18:26
Indeno (1,2,3-cd) pyrene	1.67	1.31		mg/kg wet	79%	50 - 122	9122120	12/14/09 18:26
Naphthalene	1.67	1.06		mg/kg wet	64%	28 - 120	9122120	12/14/09 18:26
Phenanthrene	1.67	1.24		mg/kg wet	74%	56 - 120	9122120	12/14/09 18:26
Pyrene	1.67	1.25		mg/kg wet	75%	56 - 120	9122120	12/14/09 18:26
1-Methylnaphthalene	1.67	1.07		mg/kg wet	64%	36 - 120	9122120	12/14/09 18:26
2-Methylnaphthalene	1.67	1.16		mg/kg wet	70%	36 - 120	9122120	12/14/09 18:26



Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order: NSL0727


Project Name: Laurel Bay Housing Project

Project Number: [none]

Received: 12/05/09 08:30

PROJECT QUALITY CONTROL DATA LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Polyaromatic Hydrocarbons by EPA 8	3270D							
9122120-B\$1								
Surrogate: Terphenyl-d14	1.67	1.08			65%	18 - 120	9122120	12/14/09 18:26
Surrogate: 2-Fluorobiphenyl	1.67	0.885			53%	14 - 120	9122120	12/14/09 18:26
Surrogate: Nitrobenzene-d5	1.67	0.946			57%	17 - 120	9122120	12/14/09 18:26





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSL0727

Project Name:

Received:


Laurel Bay Housing Project

Project Number: [none]

12/05/09 08:30

PROJECT QUALITY CONTROL DATA LCS Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Selected Volatile Organic Compound	ds by EPA	Method 826	60B									
9121095-BSD1												
Benzene		47.6		ug/kg	50.0	95%	78 - 126	2	50	9121095		12/14/09 17:01
Ethylbenzene		48.9		ug/kg	50.0	98%	79 - 130	2	50	9121095		12/14/09 17:01
Naphthalene		44.2		ug/kg	50.0	88%	72 - 150	6	50	9121095		12/14/09 17:01
Toluene		48.5		ug/kg	50.0	97%	76 - 126	3	50	9121095		12/14/09 17:01
Xylenes, total		148		ug/kg	150	98%	80 - 130	2	50	9121095		12/14/09 17:01
Surrogate: 1,2-Dichloroethane-d4		51.3		ug/kg	50.0	103%	67 - 138			9121095		12/14/09 17:01
Surrogate: Dibromofluoromethane		55.2		ug/kg	50.0	110%	75 - 125			9121095		12/14/09 17:01
Surrogate: Toluene-d8		50.3		ug/kg	50.0	101%	76 - 129			9121095		12/14/09 17:01
Surrogate: 4-Bromofluorobenzene		47.9		ug/kg	50.0	96%	67 - 147			9121095		12/14/09 17:01
9121162-BSD1												
Benzene		52.4		ug/kg	50.0	105%	78 - 126	0.5	50	9121162		12/14/09 12:28
Ethylbenzene		52.1		ug/kg	50.0	104%	79 - 130	2	50	9121162		12/14/09 12:28
Naphthalene		58.7		ug/kg	50.0	117%	72 - 150	0.4	50	9121162		12/14/09 12:28
Toluene		54.0		ug/kg	50.0	108%	76 - 126	1	50	9121162		12/14/09 12:28
Xylenes, total		149		ug/kg	150	99%	80 - 130	1	50	9121162		12/14/09 12:28
Surrogate: 1,2-Dichloroethane-d4		46.7		ug/kg	50.0	93%	67 - 138			9121162		12/14/09 12:28
Surrogate: Dibromofluoromethane		47.8		ug/kg	50.0	96%	75 - 125			9121162		12/14/09 12:28
Surrogate: Toluene-d8		50.5		ug/kg	50.0	101%	76 - 129			9121162		12/14/09 12:28
Surrogate: 4-Bromofluorobenzene		48.0		ug/kg	50.0	96%	67 - 147			9121162		12/14/09 12:28





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order: NSL0727

Project Name:


Laurel Bay Housing Project

Project Number: [none]

Received: 12/05/09 08:30

PROJECT QUALITY CONTROL DATA Matrix Spike

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time	
Selected Volatile Organic Compoun	ds by EPA Me	thod 8260B									
9121162-MS1	· ·										
Benzene	ND	42.5		ug/kg	50.0	85%	42 - 141	9121162	NSL1304-04	12/14/09 22:09	
Ethylbenzene	ND	43.6		ug/kg	50.0	87%	21 - 165	9121162	NSL1304-04	12/14/09 22:09	
Naphthalene	ND	46.7		ug/kg	50.0	93%	10 - 160	9121162	NSL1304-04	12/14/09 22:09	
Toluene	ND	46.5		ug/kg	50.0	93%	45 - 145	9121162	NSL1304-04	12/14/09 22:09	
Xylenes, total	ND	128		ug/kg	150	85%	31 - 159	9121162	NSL1304-04	12/14/09 22:09	
Surrogate: 1,2-Dichloroethane-d4		49.4		ug/kg	50.0	99%	67 - 138	9121162	NSL1304-04	12/14/09 22:09	
Surrogate: Dibromofluoromethane		49.6		ug/kg	50.0	99%	75 - 125	9121162	NSL1304-04	12/14/09 22:09	
Surrogate: Toluene-d8		56.3		ug/kg	50.0	113%	76 - 129	9121162	NSL1304-04	12/14/09 22:09	
Surrogate: 4-Bromofluorobenzene		46.3		ug/kg	50.0	93%	67 - 147	9121162	NSL1304-04	12/14/09 22:09	
Polyaromatic Hydrocarbons by EP.	A 8270D										
9122120-MS1											
Acenaphthene	ND	1.04		mg/kg dry	1.76	59%	42 - 120	9122120	NSL0727-06	12/15/09 02:21	
Acenaphthylene	ND	1.01		mg/kg dry	1.76	58%	32 - 120	9122120	NSL0727-06	12/15/09 02:21	
Anthracene	ND	1.25		mg/kg dry	1.76	71%	10 - 200	9122120	NSL0727-06	12/15/09 02:21	
Benzo (a) anthracene	ND	1.19		mg/kg dry	1.76	68%	41 - 120	9122120	NSL0727-06	12/15/09 02:21	
Benzo (a) pyrene	ND	1.17		mg/kg dry	1.76	66%	33 - 121	9122120	NSL0727-06	12/15/09 02:21	
Benzo (b) fluoranthene	ND	1.09		mg/kg dry	1.76	62%	26 - 137	9122120	NSL0727-06	12/15/09 02:21	
Benzo (g,h,i) perylene	ND	0.967		mg/kg dry	1.76	55%	21 - 124	9122120	NSL0727-06	12/15/09 02:21	
Benzo (k) fluoranthene	ND	1.25		mg/kg dry	1.76	71%	14 - 140	9122120	NSL0727-06	12/15/09 02:21	
Chrysene	ND	1.07		mg/kg dry	1.76	61%	28 - 123	9122120	NSL0727-06	12/15/09 02:21	
Dibenz (a,h) anthracene	ND	1.10		mg/kg dry	1.76	63%	25 - 127	9122120	NSL0727-06	12/15/09 02:21	
Fluoranthene	ND	1.09		mg/kg dry	1.76	62%	38 - 120	9122120	NSL0727-06	12/15/09 02:21	
Fluorene	ND	1.07		mg/kg dry	1.76	61%	41 - 120	9122120	NSL0727-06	12/15/09 02:21	
Indeno (1,2,3-cd) pyrene	ND	1.13		mg/kg dry	1.76	64%	25 - 123	9122120	NSL0727-06	12/15/09 02:21	
Naphthalene	ND	1.02		mg/kg dry	1.76	58%	25 - 120	9122120	NSL0727-06	12/15/09 02:21	
Phenanthrene	ND	1.13		mg/kg dry	1.76	64%	37 - 120	9122120	NSL0727-06	12/15/09 02:21	
Pyrene	ND	1.21		mg/kg dry	1.76	69%	29 - 125	9122120	NSL0727-06	12/15/09 02:21	
I-Mcthylnaphthalene	ND	1.01		mg/kg dry	1.76	58%	19 - 120	9122120	NSL0727-06	12/15/09 02:21	
2-Methylnaphthalene	ND	1.11		mg/kg dry	1.76	63%	11 - 120	9122120	NSL0727-06	12/15/09 02:21	
Surrogate: Terphenyl-d14		1.02		mg/kg dry	1.76	58%	18 - 120	9122120	NSL0727-06	12/15/09 02:21	
Surrogate: 2-Fluorobiphenyl		0.749		mg/kg dry	1.76	43%	14 - 120	9122120	NSL0727-06	12/15/09 02:21	
Surrogate: Nitrobenzene-d5		0.809		mg/kg dry	1.76	46%	17 - 120	9122120	NSL0727-06	12/15/09 02:21	





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

NSL0727 Work Order:

Project Name:

Project Number:

Laurel Bay Housing Project

[none] 12/05/09 08:30 Received:

PROJECT QUALITY CONTROL DATA Matrix Spike Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Selected Volatile Organic Compou	inds by EPA	Method 826	60B									
9121162-MSD1												
Benzene	ND	50.8		ug/kg	50.0	102%	42 - 141	18	50	9121162	NSL1304-04	12/14/09 22:40
Ethylbenzene	ND	52.6		ug/kg	50.0	105%	21 - 165	19	50	9121162	NSL1304-04	12/14/09 22:40
Naphthalene	ND	51.0		ug/kg	50.0	102%	10 - 160	9	50	9121162	NSL1304-04	12/14/09 22:40
Toluene	ND	55.6		ug/kg	50.0	111%	45 - 145	18	50	9121162	NSL1304-04	12/14/09 22:40
Xylenes, total	ND	154		ug/kg	150	103%	31 - 159	19	50	9121162	NSL1304-04	12/14/09 22:40
Surrogate: 1,2-Dichloroethane-d4		45.6		ug/kg	50.0	91%	67 - 138			9121162	NSL1304-04	12/14/09 22:40
Surrogate: Dibromofluoromethane		47.5		ug/kg	50.0	95%	75 - 125			9121162	NSL1304-04	12/14/09 22:40
Surrogate: Toluene-d8		56.3		ug/kg	50.0	113%	76 - 129			9121162	NSL1304-04	12/14/09 22:40
Surrogate: 4-Bromofluorobenzene		45.8		ug/kg	50.0	92%	67 - 147			9121162	NSL1304-04	12/14/09 22:40
Polyaromatic Hydrocarbons by El	PA 8270D											
9122120-MSD1												
Acenaphthene	ND	0.963		mg/kg dry	1.74	55%	42 - 120	8	40	9122120	NSL0727-06	12/15/09 02:43
Acenaphthylene	ND	0.957		mg/kg dry	1.74	55%	32 - 120	6	30	9122120	NSL0727-06	12/15/09 02:43
Anthracene	ND	1.17		mg/kg dry	1.74	68%	10 - 200	6	50	9122120	NSL0727-06	12/15/09 02:43
Benzo (a) anthracene	ND	1.11		mg/kg dry	1.74	64%	41 - 120	7	30	9122120	NSL0727-06	12/15/09 02:43
Benzo (a) pyrene	ND	1.11		mg/kg dry	1.74	64%	33 - 121	5	33	9122120	NSL0727-06	12/15/09 02:43
Benzo (b) fluoranthene	ND	0.978		mg/kg dry	1.74	56%	26 - 137	11	42	9122120	NSL0727-06	12/15/09 02:43
Benzo (g,h,i) perylene	ND	0.939		mg/kg dry	1.74	54%	21 - 124	3	32	9122120	NSL0727-06	12/15/09 02:43
Benzo (k) fluoranthene	ND	1.17		mg/kg dry	1.74	67%	14 - 140	6	39	9122120	NSL0727-06	12/15/09 02:43
Chrysene	ND	0.995		mg/kg dry	1.74	57%	28 - 123	8	34	9122120	NSL0727-06	12/15/09 02:43
Dibenz (a,h) anthracene	ND	1.06		mg/kg dry	1.74	61%	25 - 127	4	31	9122120	NSL0727-06	12/15/09 02:43
Fluoranthene	ND	1.03		mg/kg dry	1.74	59%	38 - 120	6	35	9122120	NSL0727-06	12/15/09 02:43
Fluorene	ND	1.02		mg/kg dry	1.74	59%	41 - 120	4	37	9122120	NSL0727-06	12/15/09 02:43
Indeno (1,2,3-cd) pyrene	ND	1.06		mg/kg dry	1.74	61%	25 - 123	6	32	9122120	NSL0727-06	12/15/09 02:43
Naphthalene	ND	0.892		mg/kg dry	1.74	51%	25 - 120	13	42	9122120	NSL0727-06	12/15/09 02:43
Phenanthrene	ND	1.06		mg/kg dry	1.74	61%	37 - 120	6	32	9122120	NSL0727-06	12/15/09 02:43
Pyrene	ND	1.12		mg/kg dry	1.74	64%	29 - 125	8	40	9122120	NSL0727-06	12/15/09 02:43
I-Methylnaphthalene	ND	0.921		mg/kg dry	1.74	53%	19 - 120	9	45	9122120	NSL0727-06	12/15/09 02:43
2-Methylnaphthalene	ND	1.00		mg/kg dry	1.74	58%	11 - 120	10	50	9122120	NSL0727-06	12/15/09 02:43
Surrogate: Terphenyl-d14		0.970		mg/kg dry	1.74	56%	18 - 120			9122120	NSL0727-06	12/15/09 02:43
Surrogate: 2-Fluorobiphenyl		0.836		mg/kg dry	1.74	48%	14 - 120			9122120	NSL0727-06	12/15/09 02:43
Surrogate: Nitrobenzene-d5		0.838		mg/kg dry	1.74	48%	17 - 120			9122120	NSL0727-06	12/15/09 02:43



Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78

Ladson, SC 29456 Tom McElwee Work Order:

NSL0727

Project Name:

Laurel Bay Housing Project

Project Number: [none]

Received:

12/05/09 08:30

CERTIFICATION SUMMARY

TestAmerica Nashville

Attn

Method	Matrix	Alha	Nelac	South Carolina	
SW846 8260B	Soil	N/A	X	X	
SW846 8270D	Soil		X	X	
SW-846	Soil				



lient EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NSL0727

Project Name:

Laurel Bay Housing Project

Project Number:

[none]

Received:

12/05/09 08:30

DATA QUALIFIERS AND DEFINITIONS

J Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL).

Concentrations within this range are estimated.

ND Not detected at the reporting limit (or method detection limit if shown)

METHOD MODIFICATION NOTES

NSL0727

12/21/09 23 59

THE CADER IN ENVIRONMENTA		Nashville 2960 Fost Nashville,	er Creig	hton				Free:	800	-726-6 -765-6 -726-	980	1						meth	ods, is		ork beir		inalytica ucted fo				
Client Name/Account #:	EEG # 2449													-							Compl	iance M	lonitorin	g?	Yes	·	_ No
Address:	10179 Highway	78												-							Enfo	rcemen	Action?	7	Yes	·	_ No
City/State/Zip:	Ladson, SC 294	56														Site	State:		<u> </u>		<u> </u>						
Project Manager:	Tom McElwee e	mail: mcelw	ee@eeg	inc.ne	<u>t</u>		-/-	7.1	-	A	==			_			PO#:		2/2	(2)	1_						
Telephone Number:						Fax No	»:(<u>چ</u>	73)_	8	19	-0	41	\mathscr{U}_{-}		TA Qu	ote #:										
Sampler Name: (Print)	PR.	it,	5/4	9 %	<u>/</u>									_		Proje	ect ID:	Laur	el Bay	Housin	g Proje	ct					
Sampler Signature:		1/	4											_		Pro	ject #:										
	·						.70	serva	live		I		Matri	x						- /	Inalyze	For:					7
Sample ID / Description 544 Anyrel Bny Bod. 550 DALI:A 552 DALI:A 654 DALI:A 349 ASL-2 564 DALI:A		0945 1205 1545 1545 0945	5 5 5	X X X Grab	Composite Field Fittered	3 2]	HNO, (Red Laber)	NaOH (Orange Label) H;SO, Plastic (Yellow Label)	H ₂ SO ₄ Glass(Yellow Label)	といいい None (Black Label)	7	Wastewater	Drinking Water	Soul X X X X X X X X X X X X X X X X X X X		(4 WW W W BTEX + Napth - 8260F	LENIC R PAH - 8270D	1									RUSH TAT (Pre-Schedule)
						#		+		+	+		+	+						-	=	-					
Special Instructions:	1.2 /4	Toes	Time	,	Received		nod of !	Shipmo	ent:				Date	_	DEX	Time		Labo	Tem		e Upon	Receip dspace?			_		'
Relinquished by:	Date		Time		Received	by Tes	Wrienc	`				ľ	Date			Time V:											

ATTACHMENT A



NON-HAZARDOUS MANIFEST

CVARMS (Form designed for use on elite (12-pitch) typewriter.) Generator's LIS EPA ID No. 2. Page 1 NON-HAZARDOUS MANIFEST of Generator's Name and Mailing Address A. Manifest Number 10885457 MCAS, Beaufort Laurel Bay Housing Beaufort SC 29904 WMNA B. State Generator's ID Generator's Phone 843 228-8460 Transporter 1 Company Name US EPA ID Number C. State Transporter's ID D. Transporter's Phone EEG, Inc. 843 879-041 F. State Transporter's ID Transporter 2 Company Name 8. US EPA ID Number F. Transporter's Phone 9. Designated Facility Name and Site Address 10. US EPA ID Number G. State Facility's ID HICKORY HILL LANDFILL H. Facility's Phone ROUTE 1, BOX 121 843 987-4643 RIDGELAND SC 2005 11. Description of Waste Materials Misc. Comments *Heating Oil Tank filled with Sand WM Profile # 1026558C .0 11816 WM Profile # WM Profile # WM Profile # K. Disposal Location J. Additional Descriptions for Materials Listed Above Landfill Solidification Level **Bio Remediation** Special Handling Instructions and Additional Information Rom houses 560 DighliA 550 DAH **EMERGENCY CONTACT:** Purchase Order # GENERATOR'S CERTIFICATION: I hereby certify that the above-described materials are not hazardous wastes as defined by 40 CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged, and are in proper condition for transportation according to applicable regulations. Printed/Typed Name Signature "On behalf of Month Day 17. Transporter 1 Acknowledgement of Receipt of Materials Month Day Printed/Typed Name Signature James 18. Transporter 2 Acknowledgement of Receipt of Materials Month Day Year Printed/Typed Name Signature Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above. Facitilty Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest. 20. Month Day Printed/Typed Name 111151110

Appendix C Regulatory Correspondence



BOARD: Paul C. Aughtry, III Chairman Edwin H. Cooper, III Vice Chairman

Steven G, Kisner Secretary



C. Earl Hunter, Commissioner

Promoting and protecting the health of the public and the environment

BOARD:

Henry C. Scott

Glenn A. McCall

M. David Mitchell, MD

Coleman F. Buckhouse, MD

Bureau of Land and Waste Management Division of Waste Management

February 17, 2011

Commanding Officer Attention: NREAO Mr. William A. Drawdy United States Marine Corp Air Station Post Office Box 55001 Beaufort, SC 29904-5001

No Further Action

Laurel Bay Underground Storage Tank Assessment Report for:

RE:

• 554 Dahlia

550 Dahlia
 552 Dahlia

544 Laurel

564 Dahlia

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tanks (USTs) Assessment Report on April 22, 2010 for the addresses listed above.

The Department has reviewed the referenced assessment report along with the additional information submitted and agrees there is no indication of soil or groundwater contamination on this property, and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corp Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary. If you have any questions, please contact me at picketcn@dhec.sc.gov or 803-896-4131.

Sincerely,

Christi Pickett

Corrective Action Engineering Section Bureau of Land and Waste Management

Chust Picket

South Carolina Department of Health and Environmental Control

cc:

Laurel Rhoten (via email) Craig Ehde (via email)