

**SUMMARY REPORT  
479 ASH STREET (FORMERLY 346 ASH STREET)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC**

**Revision: 0  
Prepared for:**

**Department of the Navy  
Naval Facilities Engineering Command, Mid-Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095**

**and**



**Naval Facilities Engineering Command Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095**

**JUNE 2021**

**SUMMARY REPORT  
479 ASH STREET (FORMERLY 346 ASH STREET)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC**

**Revision: 0  
Prepared for:**

**Department of the Navy  
Naval Facilities Engineering Command, Mid- Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095**

**and**



**Naval Facilities Engineering Command Atlantic**

**9324 Virginia Avenue  
Norfolk, Virginia 23511-3095**

**Prepared by:**



**CDM - AECOM Multimedia Joint Venture  
10560 Arrowhead Drive, Suite 500  
Fairfax, Virginia 22030**

**Contract Number: N62470-14-D-9016  
CTO WE52  
JUNE 2021**

---

## Table of Contents

<b>1.0</b>	<b>INTRODUCTION .....</b>	<b>1</b>
1.1	BACKGROUND INFORMATION.....	1
1.2	UST REMOVAL AND ASSESSMENT PROCESS.....	2
<b>2.0</b>	<b>SAMPLING ACTIVITIES AND RESULTS .....</b>	<b>3</b>
2.1	UST REMOVAL AND SOIL SAMPLING .....	3
2.2	SOIL ANALYTICAL RESULTS.....	4
2.3	GROUNDWATER SAMPLING.....	4
2.4	GROUNDWATER ANALYTICAL RESULTS .....	5
<b>3.0</b>	<b>PROPERTY STATUS .....</b>	<b>5</b>
<b>4.0</b>	<b>REFERENCES .....</b>	<b>5</b>

## Tables

Table 1	Laboratory Analytical Results - Soil
Table 2	Laboratory Analytical Results - Groundwater

## Appendices

Appendix A	Multi-Media Selection Process for LBMH
Appendix B	UST Assessment Report
Appendix C	Laboratory Analytical Report - Groundwater
Appendix D	Regulatory Correspondence

---

### List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
ft	feet
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level

## **1.0 INTRODUCTION**

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 479 Ash Street (Formerly 346 Ash Street). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

### **1.1 Background Information**

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

## **1.2 UST Removal and Assessment Process**

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*

*Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

## **2.0 SAMPLING ACTIVITIES AND RESULTS**

The following section presents the sampling activities and associated results for 479 Ash Street (Formerly 346 Ash Street). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 346 Ash Street* (MCAS Beaufort, 2011). The UST Assessment Report is provided in Appendix B. Details regarding the IGWA sampling activities at this site are provided in the *Initial Groundwater Investigation Report – February and March 2017* (Resolution Consultants, 2017). The laboratory report that includes the pertinent IGWA analytical results for this site is presented in Appendix C.

### **2.1 UST Removal and Soil Sampling**

On June 6, 2011, a single 280 gallon heating oil UST was removed from the front landscaped bed area adjacent to the front concrete porch at 479 Ash Street (Formerly 346 Ash Street). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed, cleaned, and shipped offsite for recycling. There was no visual

evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 5'10" bgs and a single soil sample was collected from that depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

## **2.2 Soil Analytical Results**

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 479 Ash Street (Formerly 346 Ash Street) were greater than the SCDHEC RBSLs, which indicated further investigation was required. In a letter dated August 24, 2016, SCDHEC requested an IGWA for 479 Ash Street (Formerly 346 Ash Street) to determine if the groundwater was impacted by petroleum COPCs. SCDHEC's request letter is provided in Appendix D.

## **2.3 Groundwater Sampling**

On March 1, 2017, a temporary monitoring well was installed at 479 Ash Street (Formerly 346 Ash Street), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the monitoring well was placed in the same general location as the former heating oil UST. The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). Further details are provided in the *Initial Groundwater Investigation Report – February and March 2017* (Resolution Consultants, 2017).



The sampling strategy for this phase of the investigation required a one-time sampling event of the temporarily installed monitoring well. Following well installation and development, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of groundwater sampling, the temporary well was abandoned in accordance with the South Carolina Well Standards and Regulations R.61-71 (SCDHEC, 2016). Field forms are provided in the *Initial Groundwater Investigation Report – February and March 2017* (Resolution Consultants, 2017).

## **2.4 Groundwater Analytical Results**

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 2. A copy of the laboratory analytical data report is included in Appendix C.

The groundwater results collected from 479 Ash Street (Formerly 346 Ash Street) were less than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 2), which indicated that the groundwater was not impacted by COPCs associated with the former UST at concentrations that present a potential risk to human health and the environment.

## **3.0 PROPERTY STATUS**

Based on the analytical results for groundwater, SCDHEC made the determination that NFA was required for 479 Ash Street (Formerly 346 Ash Street). This NFA determination was obtained in a letter dated July 27, 2017. SCDHEC's NFA letter is provided in Appendix D.

## **4.0 REFERENCES**

Marine Corps Air Station Beaufort, 2011. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 346 Ash Street, Laurel Bay Military Housing Area, September 2011.*

Resolution Consultants, 2017. *Initial Groundwater Investigation Report – February and March 2017 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina, June 2017.*

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0, April 2013.*

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

South Carolina Department of Health and Environmental Control Bureau of Water, 2016. *R.61-71, Well Standards*, June 2016.

## Tables

**Table 1**  
**Laboratory Analytical Results - Soil**  
**479 Ash Street (Formerly 346 Ash Street)**  
**Laurel Bay Military Housing Area**  
**Marine Corps Air Station Beaufort**  
**Beaufort, South Carolina**

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Results Sample Collected 06/06/11
<b>Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)</b>		
Benzene	0.003	ND
Ethylbenzene	1.15	<b>0.0355</b>
Naphthalene	0.036	<b>0.0424</b>
Toluene	0.627	ND
Xylenes, Total	13.01	<b>0.00387</b>
<b>Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)</b>		
Benzo(a)anthracene	0.66	<b>0.0859</b>
Benzo(b)fluoranthene	0.66	ND
Benzo(k)fluoranthene	0.66	ND
Chrysene	0.66	<b>0.0638</b>
Dibenz(a,h)anthracene	0.66	ND

**Notes:**

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0 and 3.1 (SCDHEC, May 2015 and SCDHEC, February 2016) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligrams per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The soil laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

**Table 2**  
**Laboratory Analytical Results - Groundwater**  
**479 Ash Street (Formerly 346 Ash Street)**  
**Laurel Bay Military Housing Area**  
**Marine Corps Air Station Beaufort**  
**Beaufort, South Carolina**

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Site-Specific Groundwater VISLs (µg/L) <sup>(2)</sup>	Results Sample Collected 03/02/17
<b>Volatile Organic Compounds Analyzed by EPA Method 8260B (µg/L)</b>			
Benzene	5	16.24	ND
Ethylbenzene	700	45.95	ND
Naphthalene	25	29.33	<b>5.0</b>
Toluene	1000	105,445	ND
Xylenes, Total	10,000	2,133	ND
<b>Semivolatile Organic Compounds Analyzed by EPA Method 8270D (µg/L)</b>			
Benzo(a)anthracene	10	NA	ND
Benzo(b)fluoranthene	10	NA	ND
Benzo(k)fluoranthene	10	NA	ND
Chrysene	10	NA	ND
Dibenz(a,h)anthracene	10	NA	ND

**Notes:**

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, February 2016).

<sup>(2)</sup> Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of  $1 \times 10^{-6}$ , a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - Not Applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix C.


RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

µg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

**Appendix A**  
**Multi-Media Selection Process for LBMH**



Appendix A - Multi-Media Selection Process for LBMH

**Appendix B**  
**UST Assessment Report**



Rec'd 9/30/11

Attachment 1

South Carolina Department of Health and Environmental Control (SCDHEC)  
**Underground Storage Tank (UST) Assessment Report**

<b>Date Received</b>
<b>State Use Only</b>

Submit Completed Form To:  
UST Program  
SCDHEC  
2600 Bull Street  
Columbia, South Carolina 29201  
Telephone (803) 896-7957

**I. OWNERSHIP OF UST (S)**

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)		
Owner Name (Corporation, Individual, Public Agency, Other)		
P.O. Box 55001		
Mailing Address		
Beaufort,	South Carolina	29904-5001
City	State	Zip Code
843	228-7317	Craig Ehde
Area Code	Telephone Number	Contact Person

**II. SITE IDENTIFICATION AND LOCATION**

Permit I.D. #	
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC	
Facility Name or Company Site Identifier	
346 Ash Street, Laurel Bay Military Housing Area	
Street Address or State Road (as applicable)	
Beaufort,	Beaufort
City	County

Attachment 2

### III. INSURANCE INFORMATION

#### Insurance Statement

The petroleum release reported to DHEC on \_\_\_\_\_ at Permit ID Number \_\_\_\_\_ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? **YES** \_\_\_\_\_ **NO** \_\_\_\_\_ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: \_\_\_\_\_

The policy deductible is: \_\_\_\_\_

The policy limit is: \_\_\_\_\_

If you have this type of insurance, please include a copy of the policy with this report.

### IV. REQUEST FOR SUPERB FUNDING

I **DO** / **DO NOT** wish to participate in the SUPERB Program. (Circle one.)

### V. CERTIFICATION (To be signed by the UST owner)

**I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.**

\_\_\_\_\_  
Name (Type or print.)

\_\_\_\_\_  
Signature

#### To be completed by Notary Public:

Sworn before me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_

\_\_\_\_\_  
(Name)

Notary Public for the state of \_\_\_\_\_.  
*Please affix State seal if you are commissioned outside South Carolina*

## VI. UST INFORMATION

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity..(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material..(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....

346Ash				
Heating oil				
280 gal				
Late 1950s				
Steel				
Mid 1980s				
5'10"				
No				
No				
Removed				
6/6/11				
Yes				
Yes				

- M. Method of disposal for any USTs removed from the ground (attach disposal manifests)  
UST 346Ash was removed from the ground, and disposed at a Subtitle "D" landfill. See Attachment "A."
- 
- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)  
UST 346Ash had been previously filled with sand by others.
- 
- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST  
Corrosion, pitting and holes were found throughout the tank.

## VII. PIPING INFORMATION

A. Construction Material..(ex. Steel, FRP).....

B. Distance from UST to Dispenser.....

C. Number of Dispensers.....

D. Type of System Pressure or Suction.....

E. Was Piping Removed from the Ground? Y/N

F. Visible Corrosion or Pitting Y/N.....

G. Visible Holes Y/N.....

H. Age.....

I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

346Ash				
Steel & Copper				
N/A				
N/A				
Suction				
No				
Yes				
No				
Late 1950s				

Corrosion and pitting were found on the surface of the steel vent pipe. Copper supply and return lines were sound.

## VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

## IX. SITE CONDITIONS

	Yes	No	Unk
<p>A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate depth and location on the site map.</p>		X	
<p>B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate location on site map and describe the odor (strong, mild, etc.)</p>		X	
<p>C. Was water present in the UST excavation, soil borings, or trenches?</p> <p>If yes, how far below land surface (indicate location and depth)?</p>		X	
<p>D. Did contaminated soils remain stockpiled on site after closure?</p> <p>If yes, indicate the stockpile location on the site map.</p> <p>Name of DHEC representative authorizing soil removal:</p>		X	
<p>E. Was a petroleum sheen or free product detected on any excavation or boring waters?</p> <p>If yes, indicate location and thickness.</p>		X	

## X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
346Ash	Excav at fill end	Soil	Sandy	5'10	6/6/11 1500 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

\* = Depth Below the Surrounding Land Surface

## **XI. SAMPLING METHODOLOGY**

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.

---

---

---

---

---

---

---

---

---

---

## XII. RECEPTORS


	Yes	No
<p>A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?      *~400' to stormwater canal</p> <p>If yes, indicate type of receptor, distance, and direction on site map.</p>	*X	
<p>B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?</p> <p>If yes, indicate type of well, distance, and direction on site map.</p>		X
<p>C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?</p> <p>If yes, indicate type of structure, distance, and direction on site map.</p>		X
<p>D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination?      *Sewer, water, electricity, cable &amp; fiber optic</p> <p>If yes, indicate the type of utility, distance, and direction on the site map.</p>	*X	
<p>E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?</p> <p>If yes, indicate the area of contaminated soil on the site map.</p>		X



### **XIII. SITE MAP**

**You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.**


(Attach Site Map Here)



Broad River



**346 ASH ST.**



**SBG-EEG, Inc.**


398 E. 5th North Street, Suite C  
Summerville SC 29483-6954

Ph. (843) 875-1930

Drawn By: L. DiAsio

Dwg Date: JUNE 2011

**FIGURE 1: LOCATION MAP**  
**346 ASH STREET**  
**LAUREL BAY, BEAUFORT SC**



STORMWATER DRAINAGE  
CANAL  $\approx$  400'



346 ASH STREET  
LAUREL BAY MILITARY HOUSING  
MCAS BEAUFORT, SC


UST 346ASH,  
280 GAL.



CONCRETE  
PORCH & WALK

ASPHALT  
DRIVEWAY

GRAPHIC SCALE



***SBG-EEG***

398 E. 5 NORTH ST., SUITE C  
SUMMERVILLE, SC  
29483-6954

FIGURE 2 SITE MAP  
346 ASH ST., LAUREL BAY  
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE JUNE 2011






346 ASH STREET

STORMWATER DRAINAGE  
CANAL  $\approx$  400'




EXCAVATION

FILL END



SOIL SAMPLE  
346 ASH



TANK DEPTH BELOW GRADE  
346ASH = 34"

***SBG-EEG***

398 E. 5 NORTH ST, SUITE C  
SUMMERVILLE, SC  
29483-6954

FIGURE 3 UST SAMPLE LOCATIONS  
346 ASH ST., LAUREL BAY  
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE JUNE 2011





Picture 1: Location of UST 346Ash.



Picture 2: UST 346Ash excavation in progress.

#### XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

<b>CoC</b>	<b>UST</b>	<b>346Ash</b>						
<b>Benzene</b>		ND						
<b>Toluene</b>		ND						
<b>Ethylbenzene</b>		0.0355 mg/kg						
<b>Xylenes</b>		0.00387 mg/kg						
<b>Naphthalene</b>		0.0424 mg/kg						
<b>Benzo (a) anthracene</b>		0.0859 mg/kg						
<b>Benzo (b) fluoranthene</b>		ND						
<b>Benzo (k) fluoranthene</b>		ND						
<b>Chrysene</b>		0.0638 mg/kg						
<b>Dibenz (a, h) anthracene</b>		ND						
<b>TPH (EPA 3550)</b>								

<b>CoC</b>								
<b>Benzene</b>								
<b>Toluene</b>								
<b>Ethylbenzene</b>								
<b>Xylenes</b>								
<b>Naphthalene</b>								
<b>Benzo (a) anthracene</b>								
<b>Benzo (b) fluoranthene</b>								
<b>Benzo (k) fluoranthene</b>								
<b>Chrysene</b>								
<b>Dibenz (a, h) anthracene</b>								
<b>TPH (EPA 3550)</b>								

### SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

## **XV. ANALYTICAL RESULTS**

**You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.**

(Attach Certified Analytical Results and Chain-of-Custody Here)  
(Please see Form #4)



June 27, 2011

3:33:26PM

Client: EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn: Tom McElwee

Work Order: NUF1953  
Project Name: Laurel Bay Housing Project  
Project Nbr: [none]  
P/O Nbr: 1027  
Date Received: 06/11/11

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
346 Ash	NUF1953-01	06/06/11 15:00
471 Dogwood	NUF1953-02	06/07/11 11:45
465 Dogwood	NUF1953-03	06/08/11 10:45
366 Aspen	NUF1953-04	06/09/11 11:15

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

Additional Laboratory Comments: \*\*\*Revised Report 6/27/2011\*\*

Corrected client sample ID per client request.

Replaces report dated 6/27/2011 at 12:05.

South Carolina Certification Number: 84009

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.

This report has been electronically signed.

Report Approved By:



Roxanne Connor

Program Manager - Conventional Accounts

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUF1953  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/11/11 09:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NUF1953-01 (346 Ash - Soil) Sampled: 06/06/11 15:00</b>										
General Chemistry Parameters										
% Dry Solids	65.5		%	0.500	0.500	1	06/21/11 14:20	SW-846	RRS	11F5216
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00142	0.00258	1	06/19/11 04:30	SW846 8260B	MJH	11F5296
Ethylbenzene	0.0355		mg/kg dry	0.00126	0.00258	1	06/19/11 04:30	SW846 8260B	MJH	11F5296
Naphthalene	0.0424		mg/kg dry	0.00219	0.00645	1	06/19/11 04:30	SW846 8260B	MJH	11F5296
Toluene	ND		mg/kg dry	0.00115	0.00258	1	06/19/11 04:30	SW846 8260B	MJH	11F5296
Xylenes, total	0.00387	J	mg/kg dry	0.00245	0.00645	1	06/19/11 04:30	SW846 8260B	MJH	11F5296
Surr: 1,2-Dichloroethane-d4 (67-138%)	114 %					1	06 19 11 04:30	SW846 8260B	MJH	11F5296
Surr: Dibromofluoromethane (75-125%)	100 %					1	06 19 11 04:30	SW846 8260B	MJH	11F5296
Surr: Toluene-d8 (76-129%)	112 %					1	06 19 11 04:30	SW846 8260B	MJH	11F5296
Surr: 4-Bromofluorobenzene (67-147%)	97 %					1	06 19 11 04:30	SW846 8260B	MJH	11F5296
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0211	0.101	1	06/17/11 17:51	SW846 8270D	JLS	11F3269
Acenaphthylene	ND		mg/kg dry	0.0301	0.101	1	06/17/11 17:51	SW846 8270D	JLS	11F3269
Anthracene	0.0899	J	mg/kg dry	0.0136	0.101	1	06/17/11 17:51	SW846 8270D	JLS	11F3269
Benzo (a) anthracene	0.0859	J	mg/kg dry	0.0166	0.101	1	06/17/11 17:51	SW846 8270D	JLS	11F3269
Benzo (a) pyrene	ND		mg/kg dry	0.0120	0.101	1	06/17/11 17:51	SW846 8270D	JLS	11F3269
Benzo (b) fluoranthene	ND		mg/kg dry	0.0572	0.101	1	06/17/11 17:51	SW846 8270D	JLS	11F3269
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0136	0.101	1	06/17/11 17:51	SW846 8270D	JLS	11F3269
Benzo (k) fluoranthene	ND		mg/kg dry	0.0557	0.101	1	06/17/11 17:51	SW846 8270D	JLS	11F3269
Chrysene	0.0638	J	mg/kg dry	0.0467	0.101	1	06/17/11 17:51	SW846 8270D	JLS	11F3269
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0226	0.101	1	06/17/11 17:51	SW846 8270D	JLS	11F3269
Fluoranthene	0.134		mg/kg dry	0.0166	0.101	1	06/17/11 17:51	SW846 8270D	JLS	11F3269
Fluorene	0.392		mg/kg dry	0.0301	0.101	1	06/17/11 17:51	SW846 8270D	JLS	11F3269
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0467	0.101	1	06/17/11 17:51	SW846 8270D	JLS	11F3269
Naphthalene	ND		mg/kg dry	0.0211	0.101	1	06/17/11 17:51	SW846 8270D	JLS	11F3269
Phenanthrene	0.786		mg/kg dry	0.0151	0.101	1	06/17/11 17:51	SW846 8270D	JLS	11F3269
Pyrene	0.164		mg/kg dry	0.0346	0.101	1	06/17/11 17:51	SW846 8270D	JLS	11F3269
1-Methylnaphthalene	1.16		mg/kg dry	0.0181	0.101	1	06/17/11 17:51	SW846 8270D	JLS	11F3269
2-Methylnaphthalene	1.35		mg/kg dry	0.0316	0.101	1	06/17/11 17:51	SW846 8270D	JLS	11F3269
Surr: Terphenyl-d14 (18-120%)	91 %					1	06 17 11 17:51	SW846 8270D	JLS	11F3269
Surr: 2-Fluorobiphenyl (14-120%)	69 %					1	06 17 11 17:51	SW846 8270D	JLS	11F3269
Surr: Nitrobenzene-d5 (17-120%)	69 %					1	06 17 11 17:51	SW846 8270D	JLS	11F3269

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUF1953  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/11/11 09:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NUF1953-02 (471 Dogwood - Soil) Sampled: 06/07/11 11:45</b>										
General Chemistry Parameters										
% Dry Solids	71.3		%	0.500	0.500	1	06/21/11 14:20	SW-846	RRS	11F5216
Volatile Organic Compounds by EPA Method 8260B										
Benzene	0.00302	PX	mg/kg dry	0.00145	0.00263	1	06/19/11 06:04	SW846 8260B	MJH	11F5296
Ethylbenzene	0.343	PX	mg/kg dry	0.00129	0.00263	1	06/19/11 06:04	SW846 8260B	MJH	11F5296
Naphthalene	2.96		mg/kg dry	0.0993	0.292	50	06/18/11 02:03	SW846 8260B	MJH	11F2812
Toluene	0.00130	PX, J	mg/kg dry	0.00117	0.00263	1	06/19/11 06:04	SW846 8260B	MJH	11F5296
Xylenes, total	0.257	PX	mg/kg dry	0.00250	0.00657	1	06/19/11 06:04	SW846 8260B	MJH	11F5296
Surr: 1,2-Dichloroethane-d4 (67-138%)	88 %					50	06 18 11 02:03	SW846 8260B	MJH	11F2812
Surr: 1,2-Dichloroethane-d4 (67-138%)	91 %					1	06 19 11 06:04	SW846 8260B	MJH	11F5296
Surr: Dibromofluoromethane (75-125%)	75 %					50	06 18 11 02:03	SW846 8260B	MJH	11F2812
Surr: Dibromofluoromethane (75-125%)	81 %					1	06 19 11 06:04	SW846 8260B	MJH	11F5296
Surr: Toluene-d8 (76-129%)	110 %					50	06 18 11 02:03	SW846 8260B	MJH	11F2812
Surr: Toluene-d8 (76-129%)	140 %					1	06 19 11 06:04	SW846 8260B	MJH	11F5296
Surr: 4-Bromofluorobenzene (67-147%)	99 %					50	06 18 11 02:03	SW846 8260B	MJH	11F2812
Surr: 4-Bromofluorobenzene (67-147%)	248 %					1	06 19 11 06:04	SW846 8260B	MJH	11F5296
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0193	0.0925	1	06/17/11 18:12	SW846 8270D	JLS	11F3269
Acenaphthylene	ND		mg/kg dry	0.0276	0.0925	1	06/17/11 18:12	SW846 8270D	JLS	11F3269
Anthracene	0.0465	J	mg/kg dry	0.0124	0.0925	1	06/17/11 18:12	SW846 8270D	JLS	11F3269
Benzo (a) anthracene	ND		mg/kg dry	0.0152	0.0925	1	06/17/11 18:12	SW846 8270D	JLS	11F3269
Benzo (a) pyrene	ND		mg/kg dry	0.0110	0.0925	1	06/17/11 18:12	SW846 8270D	JLS	11F3269
Benzo (b) fluoranthene	ND		mg/kg dry	0.0525	0.0925	1	06/17/11 18:12	SW846 8270D	JLS	11F3269
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0124	0.0925	1	06/17/11 18:12	SW846 8270D	JLS	11F3269
Benzo (k) fluoranthene	ND		mg/kg dry	0.0511	0.0925	1	06/17/11 18:12	SW846 8270D	JLS	11F3269
Chrysene	ND		mg/kg dry	0.0428	0.0925	1	06/17/11 18:12	SW846 8270D	JLS	11F3269
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0207	0.0925	1	06/17/11 18:12	SW846 8270D	JLS	11F3269
Fluoranthene	ND		mg/kg dry	0.0152	0.0925	1	06/17/11 18:12	SW846 8270D	JLS	11F3269
Fluorene	0.262		mg/kg dry	0.0276	0.0925	1	06/17/11 18:12	SW846 8270D	JLS	11F3269
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0428	0.0925	1	06/17/11 18:12	SW846 8270D	JLS	11F3269
Naphthalene	0.378		mg/kg dry	0.0193	0.0925	1	06/17/11 18:12	SW846 8270D	JLS	11F3269
Phenanthrene	0.478		mg/kg dry	0.0138	0.0925	1	06/17/11 18:12	SW846 8270D	JLS	11F3269
Pyrene	ND		mg/kg dry	0.0318	0.0925	1	06/17/11 18:12	SW846 8270D	JLS	11F3269
1-Methylnaphthalene	1.29		mg/kg dry	0.0166	0.0925	1	06/17/11 18:12	SW846 8270D	JLS	11F3269
2-Methylnaphthalene	2.12		mg/kg dry	0.0290	0.0925	1	06/17/11 18:12	SW846 8270D	JLS	11F3269
Surr: Terphenyl-d14 (18-120%)	87 %					1	06 17 11 18:12	SW846 8270D	JLS	11F3269
Surr: 2-Fluorobiphenyl (14-120%)	67 %					1	06 17 11 18:12	SW846 8270D	JLS	11F3269
Surr: Nitrobenzene-d5 (17-120%)	62 %					1	06 17 11 18:12	SW846 8270D	JLS	11F3269

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUF1953  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/11/11 09:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NUF1953-03 (465 Dogwood - Soil) Sampled: 06/08/11 10:45</b>										
General Chemistry Parameters										
% Dry Solids	78.8		%	0.500	0.500	1	06/21/11 14:20	SW-846	RRS	11F5216
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00100	0.00182	1	06/19/11 05:01	SW846 8260B	MJH	11F5296
Ethylbenzene	0.00167	J	mg/kg dry	0.000894	0.00182	1	06/19/11 05:01	SW846 8260B	MJH	11F5296
Naphthalene	0.00392	J	mg/kg dry	0.00155	0.00456	1	06/19/11 05:01	SW846 8260B	MJH	11F5296
Toluene	ND		mg/kg dry	0.000812	0.00182	1	06/19/11 05:01	SW846 8260B	MJH	11F5296
Xylenes, total	ND		mg/kg dry	0.00173	0.00456	1	06/19/11 05:01	SW846 8260B	MJH	11F5296
Surr: 1,2-Dichloroethane-d4 (67-138%)	100 %					1	06 19 11 05:01	SW846 8260B	MJH	11F5296
Surr: Dibromofluoromethane (75-125%)	84 %					1	06 19 11 05:01	SW846 8260B	MJH	11F5296
Surr: Toluene-d8 (76-129%)	106 %					1	06 19 11 05:01	SW846 8260B	MJH	11F5296
Surr: 4-Bromofluorobenzene (67-147%)	137 %					1	06 19 11 05:01	SW846 8260B	MJH	11F5296
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0176	0.0840	1	06/17/11 18:32	SW846 8270D	JLS	11F3269
Acenaphthylene	ND		mg/kg dry	0.0251	0.0840	1	06/17/11 18:32	SW846 8270D	JLS	11F3269
Anthracene	ND		mg/kg dry	0.0113	0.0840	1	06/17/11 18:32	SW846 8270D	JLS	11F3269
Benzo (a) anthracene	ND		mg/kg dry	0.0138	0.0840	1	06/17/11 18:32	SW846 8270D	JLS	11F3269
Benzo (a) pyrene	ND		mg/kg dry	0.0100	0.0840	1	06/17/11 18:32	SW846 8270D	JLS	11F3269
Benzo (b) fluoranthene	ND		mg/kg dry	0.0477	0.0840	1	06/17/11 18:32	SW846 8270D	JLS	11F3269
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0113	0.0840	1	06/17/11 18:32	SW846 8270D	JLS	11F3269
Benzo (k) fluoranthene	ND		mg/kg dry	0.0464	0.0840	1	06/17/11 18:32	SW846 8270D	JLS	11F3269
Chrysene	ND		mg/kg dry	0.0389	0.0840	1	06/17/11 18:32	SW846 8270D	JLS	11F3269
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0188	0.0840	1	06/17/11 18:32	SW846 8270D	JLS	11F3269
Fluoranthene	ND		mg/kg dry	0.0138	0.0840	1	06/17/11 18:32	SW846 8270D	JLS	11F3269
Fluorene	ND		mg/kg dry	0.0251	0.0840	1	06/17/11 18:32	SW846 8270D	JLS	11F3269
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0389	0.0840	1	06/17/11 18:32	SW846 8270D	JLS	11F3269
Naphthalene	ND		mg/kg dry	0.0176	0.0840	1	06/17/11 18:32	SW846 8270D	JLS	11F3269
Phenanthrene	ND		mg/kg dry	0.0125	0.0840	1	06/17/11 18:32	SW846 8270D	JLS	11F3269
Pyrene	ND		mg/kg dry	0.0288	0.0840	1	06/17/11 18:32	SW846 8270D	JLS	11F3269
1-Methylnaphthalene	ND		mg/kg dry	0.0151	0.0840	1	06/17/11 18:32	SW846 8270D	JLS	11F3269
2-Methylnaphthalene	ND		mg/kg dry	0.0263	0.0840	1	06/17/11 18:32	SW846 8270D	JLS	11F3269
Surr: Terphenyl-d14 (18-120%)	84 %					1	06 17 11 18:32	SW846 8270D	JLS	11F3269
Surr: 2-Fluorobiphenyl (14-120%)	64 %					1	06 17 11 18:32	SW846 8270D	JLS	11F3269
Surr: Nitrobenzene-d5 (17-120%)	57 %					1	06 17 11 18:32	SW846 8270D	JLS	11F3269

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUF1953  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/11/11 09:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NUF1953-04 (366 Aspen - Soil) Sampled: 06/09/11 11:15</b>										
General Chemistry Parameters										
% Dry Solids	95.4		%	0.500	0.500	1	06/21/11 14:20	SW-846	RRS	11F5216
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00136	0.00248	1	06/19/11 05:33	SW846 8260B	MJH	11F5296
Ethylbenzene	ND		mg/kg dry	0.00121	0.00248	1	06/19/11 05:33	SW846 8260B	MJH	11F5296
Naphthalene	ND		mg/kg dry	0.00211	0.00619	1	06/19/11 05:33	SW846 8260B	MJH	11F5296
Toluene	ND		mg/kg dry	0.00110	0.00248	1	06/19/11 05:33	SW846 8260B	MJH	11F5296
Xylenes, total	ND		mg/kg dry	0.00235	0.00619	1	06/19/11 05:33	SW846 8260B	MJH	11F5296
Surr: 1,2-Dichloroethane-d4 (67-138%)	92 %					1	06 19 11 05:33	SW846 8260B	MJH	11F5296
Surr: Dibromofluoromethane (75-125%)	79 %					1	06 19 11 05:33	SW846 8260B	MJH	11F5296
Surr: Toluene-d8 (76-129%)	105 %					1	06 19 11 05:33	SW846 8260B	MJH	11F5296
Surr: 4-Bromofluorobenzene (67-147%)	122 %					1	06 19 11 05:33	SW846 8260B	MJH	11F5296
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0146	0.0701	1	06/17/11 18:52	SW846 8270D	JLS	11F3269
Acenaphthylene	ND		mg/kg dry	0.0209	0.0701	1	06/17/11 18:52	SW846 8270D	JLS	11F3269
Anthracene	ND		mg/kg dry	0.00941	0.0701	1	06/17/11 18:52	SW846 8270D	JLS	11F3269
Benzo (a) anthracene	ND		mg/kg dry	0.0115	0.0701	1	06/17/11 18:52	SW846 8270D	JLS	11F3269
Benzo (a) pyrene	ND		mg/kg dry	0.00837	0.0701	1	06/17/11 18:52	SW846 8270D	JLS	11F3269
Benzo (b) fluoranthene	ND		mg/kg dry	0.0397	0.0701	1	06/17/11 18:52	SW846 8270D	JLS	11F3269
Benzo (g,h,i) perylene	0.0816		mg/kg dry	0.00941	0.0701	1	06/17/11 18:52	SW846 8270D	JLS	11F3269
Benzo (k) fluoranthene	ND		mg/kg dry	0.0387	0.0701	1	06/17/11 18:52	SW846 8270D	JLS	11F3269
Chrysene	ND		mg/kg dry	0.0324	0.0701	1	06/17/11 18:52	SW846 8270D	JLS	11F3269
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0157	0.0701	1	06/17/11 18:52	SW846 8270D	JLS	11F3269
Fluoranthene	ND		mg/kg dry	0.0115	0.0701	1	06/17/11 18:52	SW846 8270D	JLS	11F3269
Fluorene	ND		mg/kg dry	0.0209	0.0701	1	06/17/11 18:52	SW846 8270D	JLS	11F3269
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0324	0.0701	1	06/17/11 18:52	SW846 8270D	JLS	11F3269
Naphthalene	ND		mg/kg dry	0.0146	0.0701	1	06/17/11 18:52	SW846 8270D	JLS	11F3269
Phenanthrene	ND		mg/kg dry	0.0105	0.0701	1	06/17/11 18:52	SW846 8270D	JLS	11F3269
Pyrene	ND		mg/kg dry	0.0241	0.0701	1	06/17/11 18:52	SW846 8270D	JLS	11F3269
1-Methylnaphthalene	ND		mg/kg dry	0.0126	0.0701	1	06/17/11 18:52	SW846 8270D	JLS	11F3269
2-Methylnaphthalene	ND		mg/kg dry	0.0220	0.0701	1	06/17/11 18:52	SW846 8270D	JLS	11F3269
Surr: Terphenyl-d14 (18-120%)	75 %					1	06 17 11 18:52	SW846 8270D	JLS	11F3269
Surr: 2-Fluorobiphenyl (14-120%)	54 %					1	06 17 11 18:52	SW846 8270D	JLS	11F3269
Surr: Nitrobenzene-d5 (17-120%)	51 %					1	06 17 11 18:52	SW846 8270D	JLS	11F3269

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUF1953  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/11/11 09:00

## SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extract Vol	Date	Analyst	Extraction Method
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>							
SW846 8270D	11F3269	NUF1953-01	30.39	1.00	06/16/11 15:05	JJR	EPA 3550C
SW846 8270D	11F3269	NUF1953-02	30.45	1.00	06/16/11 15:05	JJR	EPA 3550C
SW846 8270D	11F3269	NUF1953-03	30.36	1.00	06/16/11 15:05	JJR	EPA 3550C
SW846 8270D	11F3269	NUF1953-04	30.06	1.00	06/16/11 15:05	JJR	EPA 3550C
<b>Volatile Organic Compounds by EPA Method 8260B</b>							
SW846 8260B	11F2812	NUF1953-01	5.51	5.00	06/06/11 15:00	TSP	EPA 5035
SW846 8260B	11F5296	NUF1953-01RE1	5.91	5.00	06/06/11 15:00	TSP	EPA 5035
SW846 8260B	11F2812	NUF1953-02	6.00	5.00	06/07/11 11:45	TSP	EPA 5035
SW846 8260B	11F5296	NUF1953-02RE1	5.33	5.00	06/15/11 16:25	TSP	EPA 5035
SW846 8260B	11F2812	NUF1953-03	6.73	5.00	06/08/11 10:45	TSP	EPA 5035
SW846 8260B	11F5296	NUF1953-03RE1	6.96	5.00	06/08/11 10:45	TSP	EPA 5035
SW846 8260B	11F2812	NUF1953-04	4.35	5.00	06/09/11 11:15	TSP	EPA 5035
SW846 8260B	11F5296	NUF1953-04RE1	4.23	5.00	06/09/11 11:15	TSP	EPA 5035

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUF1953  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/11/11 09:00

## PROJECT QUALITY CONTROL DATA

### Blank

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

#### Volatile Organic Compounds by EPA Method 8260B

##### 11F2812-BLK1

Benzene	<0.00110		mg/kg wet	11F2812	11F2812-BLK1	06/17/11 18:41
Ethylbenzene	<0.000980		mg/kg wet	11F2812	11F2812-BLK1	06/17/11 18:41
Naphthalene	<0.00170		mg/kg wet	11F2812	11F2812-BLK1	06/17/11 18:41
Toluene	<0.000890		mg/kg wet	11F2812	11F2812-BLK1	06/17/11 18:41
Xylenes, total	<0.00190		mg/kg wet	11F2812	11F2812-BLK1	06/17/11 18:41
Surrogate: 1,2-Dichloroethane-d4	111%			11F2812	11F2812-BLK1	06/17/11 18:41
Surrogate: Dibromofluoromethane	95%			11F2812	11F2812-BLK1	06/17/11 18:41
Surrogate: Toluene-d8	107%			11F2812	11F2812-BLK1	06/17/11 18:41
Surrogate: 4-Bromofluorobenzene	115%			11F2812	11F2812-BLK1	06/17/11 18:41

##### 11F2812-BLK2

Benzene	<0.0550		mg/kg wet	11F2812	11F2812-BLK2	06/17/11 19:13
Ethylbenzene	<0.0490		mg/kg wet	11F2812	11F2812-BLK2	06/17/11 19:13
Naphthalene	<0.0850		mg/kg wet	11F2812	11F2812-BLK2	06/17/11 19:13
Toluene	<0.0445		mg/kg wet	11F2812	11F2812-BLK2	06/17/11 19:13
Xylenes, total	<0.0950		mg/kg wet	11F2812	11F2812-BLK2	06/17/11 19:13
Surrogate: 1,2-Dichloroethane-d4	97%			11F2812	11F2812-BLK2	06/17/11 19:13
Surrogate: Dibromofluoromethane	79%			11F2812	11F2812-BLK2	06/17/11 19:13
Surrogate: Toluene-d8	109%			11F2812	11F2812-BLK2	06/17/11 19:13
Surrogate: 4-Bromofluorobenzene	112%			11F2812	11F2812-BLK2	06/17/11 19:13

##### 11F5296-BLK1

Benzene	<0.00110		mg/kg wet	11F5296	11F5296-BLK1	06/18/11 21:40
Ethylbenzene	<0.000980		mg/kg wet	11F5296	11F5296-BLK1	06/18/11 21:40
Naphthalene	<0.00170		mg/kg wet	11F5296	11F5296-BLK1	06/18/11 21:40
Toluene	<0.000890		mg/kg wet	11F5296	11F5296-BLK1	06/18/11 21:40
Xylenes, total	<0.00190		mg/kg wet	11F5296	11F5296-BLK1	06/18/11 21:40
Surrogate: 1,2-Dichloroethane-d4	123%			11F5296	11F5296-BLK1	06/18/11 21:40
Surrogate: Dibromofluoromethane	106%			11F5296	11F5296-BLK1	06/18/11 21:40
Surrogate: Toluene-d8	105%			11F5296	11F5296-BLK1	06/18/11 21:40
Surrogate: 4-Bromofluorobenzene	117%			11F5296	11F5296-BLK1	06/18/11 21:40

##### 11F5296-BLK2

Benzene	<0.0550		mg/kg wet	11F5296	11F5296-BLK2	06/18/11 22:11
Ethylbenzene	<0.0490		mg/kg wet	11F5296	11F5296-BLK2	06/18/11 22:11
Naphthalene	<0.0850		mg/kg wet	11F5296	11F5296-BLK2	06/18/11 22:11
Toluene	<0.0445		mg/kg wet	11F5296	11F5296-BLK2	06/18/11 22:11
Xylenes, total	<0.0950		mg/kg wet	11F5296	11F5296-BLK2	06/18/11 22:11
Surrogate: 1,2-Dichloroethane-d4	95%			11F5296	11F5296-BLK2	06/18/11 22:11
Surrogate: Dibromofluoromethane	79%			11F5296	11F5296-BLK2	06/18/11 22:11
Surrogate: Toluene-d8	108%			11F5296	11F5296-BLK2	06/18/11 22:11
Surrogate: 4-Bromofluorobenzene	117%			11F5296	11F5296-BLK2	06/18/11 22:11

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUF1953  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/11/11 09:00

**PROJECT QUALITY CONTROL DATA**  
**Blank - Cont.**

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>						
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>						
<b>11F3269-BLK1</b>						
Acenaphthene	<0.0140		mg/kg wet	11F3269	11F3269-BLK1	06/17/11 15:09
Acenaphthylene	<0.0200		mg/kg wet	11F3269	11F3269-BLK1	06/17/11 15:09
Anthracene	<0.00900		mg/kg wet	11F3269	11F3269-BLK1	06/17/11 15:09
Benzo (a) anthracene	<0.0110		mg/kg wet	11F3269	11F3269-BLK1	06/17/11 15:09
Benzo (a) pyrene	<0.00800		mg/kg wet	11F3269	11F3269-BLK1	06/17/11 15:09
Benzo (b) fluoranthene	<0.0380		mg/kg wet	11F3269	11F3269-BLK1	06/17/11 15:09
Benzo (g,h,i) perylene	<0.00900		mg/kg wet	11F3269	11F3269-BLK1	06/17/11 15:09
Benzo (k) fluoranthene	<0.0370		mg/kg wet	11F3269	11F3269-BLK1	06/17/11 15:09
Chrysene	<0.0310		mg/kg wet	11F3269	11F3269-BLK1	06/17/11 15:09
Dibenz (a,h) anthracene	<0.0150		mg/kg wet	11F3269	11F3269-BLK1	06/17/11 15:09
Fluoranthene	<0.0110		mg/kg wet	11F3269	11F3269-BLK1	06/17/11 15:09
Fluorene	<0.0200		mg/kg wet	11F3269	11F3269-BLK1	06/17/11 15:09
Indeno (1,2,3-cd) pyrene	<0.0310		mg/kg wet	11F3269	11F3269-BLK1	06/17/11 15:09
Naphthalene	<0.0140		mg/kg wet	11F3269	11F3269-BLK1	06/17/11 15:09
Phenanthrene	<0.0100		mg/kg wet	11F3269	11F3269-BLK1	06/17/11 15:09
Pyrene	<0.0230		mg/kg wet	11F3269	11F3269-BLK1	06/17/11 15:09
1-Methylnaphthalene	<0.0120		mg/kg wet	11F3269	11F3269-BLK1	06/17/11 15:09
2-Methylnaphthalene	<0.0210		mg/kg wet	11F3269	11F3269-BLK1	06/17/11 15:09
Surrogate: Terphenyl-d14	75%			11F3269	11F3269-BLK1	06/17/11 15:09
Surrogate: 2-Fluorobiphenyl	58%			11F3269	11F3269-BLK1	06/17/11 15:09
Surrogate: Nitrobenzene-d5	57%			11F3269	11F3269-BLK1	06/17/11 15:09



Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUF1953  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/11/11 09:00

## PROJECT QUALITY CONTROL DATA

### Duplicate

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	% Rec.	Analyzed Date/Time
<b>General Chemistry Parameters</b>										
<b>11F5216-DUP1</b>										
% Dry Solids	82.2	82.4		%	0.3	20	11F5216	NUF1921-01		06/21/11 14:20

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUF1953  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/11/11 09:00

## PROJECT QUALITY CONTROL DATA

### LCS

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>								
<b>11F2812-BS1</b>								
Benzene	50.0	45.7		ug/kg	91%	78 - 126	11F2812	06/17/11 17:07
Ethylbenzene	50.0	55.2		ug/kg	110%	79 - 130	11F2812	06/17/11 17:07
Naphthalene	50.0	71.5		ug/kg	143%	72 - 150	11F2812	06/17/11 17:07
Toluene	50.0	53.7		ug/kg	107%	76 - 126	11F2812	06/17/11 17:07
Xylenes, total	150	168		ug/kg	112%	80 - 130	11F2812	06/17/11 17:07
Surrogate: 1,2-Dichloroethane-d4	50.0	51.4			103%	67 - 138	11F2812	06/17/11 17:07
Surrogate: Dibromofluoromethane	50.0	46.4			93%	75 - 125	11F2812	06/17/11 17:07
Surrogate: Toluene-d8	50.0	53.3			107%	76 - 129	11F2812	06/17/11 17:07
Surrogate: 4-Bromofluorobenzene	50.0	53.6			107%	67 - 147	11F2812	06/17/11 17:07
<b>11F5296-BS1</b>								
Benzene	50.0	44.5		ug/kg	89%	78 - 126	11F5296	06/18/11 20:06
Ethylbenzene	50.0	54.2		ug/kg	108%	79 - 130	11F5296	06/18/11 20:06
Naphthalene	50.0	67.0		ug/kg	134%	72 - 150	11F5296	06/18/11 20:06
Toluene	50.0	53.2		ug/kg	106%	76 - 126	11F5296	06/18/11 20:06
Xylenes, total	150	164		ug/kg	109%	80 - 130	11F5296	06/18/11 20:06
Surrogate: 1,2-Dichloroethane-d4	50.0	50.2			100%	67 - 138	11F5296	06/18/11 20:06
Surrogate: Dibromofluoromethane	50.0	44.8			90%	75 - 125	11F5296	06/18/11 20:06
Surrogate: Toluene-d8	50.0	53.3			107%	76 - 129	11F5296	06/18/11 20:06
Surrogate: 4-Bromofluorobenzene	50.0	55.5			111%	67 - 147	11F5296	06/18/11 20:06
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>								
<b>11F3269-BS1</b>								
Acenaphthene	1.67	1.46		mg/kg wet	88%	49 - 120	11F3269	06/17/11 15:29
Acenaphthylene	1.67	1.46		mg/kg wet	87%	52 - 120	11F3269	06/17/11 15:29
Anthracene	1.67	1.51		mg/kg wet	91%	58 - 120	11F3269	06/17/11 15:29
Benzo (a) anthracene	1.67	1.50		mg/kg wet	90%	57 - 120	11F3269	06/17/11 15:29
Benzo (a) pyrene	1.67	1.64		mg/kg wet	99%	55 - 120	11F3269	06/17/11 15:29
Benzo (b) fluoranthene	1.67	1.43		mg/kg wet	86%	51 - 123	11F3269	06/17/11 15:29
Benzo (g,h,i) perylene	1.67	1.53		mg/kg wet	92%	49 - 121	11F3269	06/17/11 15:29
Benzo (k) fluoranthene	1.67	1.59		mg/kg wet	95%	42 - 129	11F3269	06/17/11 15:29
Chrysene	1.67	1.47		mg/kg wet	88%	55 - 120	11F3269	06/17/11 15:29
Dibenz (a,h) anthracene	1.67	1.53		mg/kg wet	92%	50 - 123	11F3269	06/17/11 15:29
Fluoranthene	1.67	1.61		mg/kg wet	96%	58 - 120	11F3269	06/17/11 15:29
Fluorene	1.67	1.54		mg/kg wet	93%	54 - 120	11F3269	06/17/11 15:29
Indeno (1,2,3-cd) pyrene	1.67	1.53		mg/kg wet	92%	50 - 122	11F3269	06/17/11 15:29
Naphthalene	1.67	1.38		mg/kg wet	83%	28 - 120	11F3269	06/17/11 15:29
Phenanthrene	1.67	1.48		mg/kg wet	89%	56 - 120	11F3269	06/17/11 15:29
Pyrene	1.67	1.42		mg/kg wet	85%	56 - 120	11F3269	06/17/11 15:29
1-Methylnaphthalene	1.67	1.07		mg/kg wet	64%	36 - 120	11F3269	06/17/11 15:29
2-Methylnaphthalene	1.67	1.28		mg/kg wet	77%	36 - 120	11F3269	06/17/11 15:29

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUF1953  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/11/11 09:00

## PROJECT QUALITY CONTROL DATA

### LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>								
<b>11F3269-BS1</b>								
Surrogate: Terphenyl-d14	1.67	1.43			86%	18 - 120	11F3269	06/17/11 15:29
Surrogate: 2-Fluorobiphenyl	1.67	1.20			72%	14 - 120	11F3269	06/17/11 15:29
Surrogate: Nitrobenzene-d5	1.67	1.03			62%	17 - 120	11F3269	06/17/11 15:29

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUF1953  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/11/11 09:00

## PROJECT QUALITY CONTROL DATA

### LCS Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>												
<b>11F2812-BSD1</b>												
Benzene		47.2		ug/kg	50.0	94%	78 - 126	3	50	11F2812		06/17/11 17:38
Ethylbenzene		55.6		ug/kg	50.0	111%	79 - 130	0.8	50	11F2812		06/17/11 17:38
Naphthalene		72.8		ug/kg	50.0	146%	72 - 150	2	50	11F2812		06/17/11 17:38
Toluene		53.7		ug/kg	50.0	107%	76 - 126	0.09	50	11F2812		06/17/11 17:38
Xylenes, total		167		ug/kg	150	111%	80 - 130	0.4	50	11F2812		06/17/11 17:38
Surrogate: 1,2-Dichloroethane-d4		52.7		ug/kg	50.0	105%	67 - 138			11F2812		06/17/11 17:38
Surrogate: Dibromofluoromethane		46.7		ug/kg	50.0	93%	75 - 125			11F2812		06/17/11 17:38
Surrogate: Toluene-d8		53.5		ug/kg	50.0	107%	76 - 129			11F2812		06/17/11 17:38
Surrogate: 4-Bromofluorobenzene		55.0		ug/kg	50.0	110%	67 - 147			11F2812		06/17/11 17:38
<b>11F5296-BSD1</b>												
Benzene		56.3		ug/kg	50.0	113%	78 - 126	23	50	11F5296		06/18/11 20:37
Ethylbenzene		56.2		ug/kg	50.0	112%	79 - 130	4	50	11F5296		06/18/11 20:37
Naphthalene		73.6		ug/kg	50.0	147%	72 - 150	9	50	11F5296		06/18/11 20:37
Toluene		55.2		ug/kg	50.0	110%	76 - 126	4	50	11F5296		06/18/11 20:37
Xylenes, total		169		ug/kg	150	113%	80 - 130	3	50	11F5296		06/18/11 20:37
Surrogate: 1,2-Dichloroethane-d4		60.2		ug/kg	50.0	120%	67 - 138			11F5296		06/18/11 20:37
Surrogate: Dibromofluoromethane		54.9		ug/kg	50.0	110%	75 - 125			11F5296		06/18/11 20:37
Surrogate: Toluene-d8		53.5		ug/kg	50.0	107%	76 - 129			11F5296		06/18/11 20:37
Surrogate: 4-Bromofluorobenzene		55.8		ug/kg	50.0	112%	67 - 147			11F5296		06/18/11 20:37

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUF1953  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/11/11 09:00

## PROJECT QUALITY CONTROL DATA Matrix Spike

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>										
<b>11F2812-MS1</b>										
Benzene	ND	2.43		mg/kg wet	2.50	97%	42 - 141	11F2812	NUF1575-06	06/18/11 04:09
Ethylbenzene	0.239	3.18		mg/kg wet	2.50	118%	21 - 165	11F2812	NUF1575-06	06/18/11 04:09
Naphthalene	5.17	8.68		mg/kg wet	2.50	140%	10 - 160	11F2812	NUF1575-06	06/18/11 04:09
Toluene	ND	2.44		mg/kg wet	2.50	98%	45 - 145	11F2812	NUF1575-06	06/18/11 04:09
Xylenes, total	ND	8.99		mg/kg wet	7.50	120%	31 - 159	11F2812	NUF1575-06	06/18/11 04:09
Surrogate: 1,2-Dichloroethane-d4		51.0		ug/kg	50.0	102%	67 - 138	11F2812	NUF1575-06	06/18/11 04:09
Surrogate: Dibromofluoromethane		48.1		ug/kg	50.0	96%	75 - 125	11F2812	NUF1575-06	06/18/11 04:09
Surrogate: Toluene-d8		57.2		ug/kg	50.0	114%	76 - 129	11F2812	NUF1575-06	06/18/11 04:09
Surrogate: 4-Bromofluorobenzene		68.6		ug/kg	50.0	137%	67 - 147	11F2812	NUF1575-06	06/18/11 04:09
<b>11F5296-MS1</b>										
Benzene	0.00292	0.0369		mg/kg wet	0.0450	75%	42 - 141	11F5296	NUF2751-03RE I	06/19/11 07:08
Ethylbenzene	0.00379	0.0465		mg/kg wet	0.0450	95%	21 - 165	11F5296	NUF2751-03RE I	06/19/11 07:08
Naphthalene	ND	0.0556		mg/kg wet	0.0450	123%	10 - 160	11F5296	NUF2751-03RE I	06/19/11 07:08
Toluene	0.00889	0.0477		mg/kg wet	0.0450	86%	45 - 145	11F5296	NUF2751-03RE I	06/19/11 07:08
Xylenes, total	0.00711	0.137		mg/kg wet	0.135	96%	31 - 159	11F5296	NUF2751-03RE I	06/19/11 07:08
Surrogate: 1,2-Dichloroethane-d4		47.4		ug/kg	50.0	95%	67 - 138	11F5296	NUF2751-03RE I	06/19/11 07:08
Surrogate: Dibromofluoromethane		42.6		ug/kg	50.0	85%	75 - 125	11F5296	NUF2751-03RE I	06/19/11 07:08
Surrogate: Toluene-d8		54.6		ug/kg	50.0	109%	76 - 129	11F5296	NUF2751-03RE I	06/19/11 07:08
Surrogate: 4-Bromofluorobenzene		53.2		ug/kg	50.0	106%	67 - 147	11F5296	NUF2751-03RE I	06/19/11 07:08
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>										
<b>11F3269-MS1</b>										
Acenaphthene	ND	1.33		mg/kg dry	1.79	74%	42 - 120	11F3269	NUF1906-01	06/17/11 15:50
Acenaphthylene	ND	1.35		mg/kg dry	1.79	75%	32 - 120	11F3269	NUF1906-01	06/17/11 15:50
Anthracene	ND	1.43		mg/kg dry	1.79	80%	10 - 200	11F3269	NUF1906-01	06/17/11 15:50
Benzo (a) anthracene	ND	1.41		mg/kg dry	1.79	79%	41 - 120	11F3269	NUF1906-01	06/17/11 15:50
Benzo (a) pyrene	ND	1.53		mg/kg dry	1.79	85%	33 - 121	11F3269	NUF1906-01	06/17/11 15:50
Benzo (b) fluoranthene	ND	1.37		mg/kg dry	1.79	77%	26 - 137	11F3269	NUF1906-01	06/17/11 15:50
Benzo (g,h,i) perylene	ND	1.37		mg/kg dry	1.79	77%	21 - 124	11F3269	NUF1906-01	06/17/11 15:50
Benzo (k) fluoranthene	ND	1.37		mg/kg dry	1.79	76%	14 - 140	11F3269	NUF1906-01	06/17/11 15:50
Chrysene	ND	1.41		mg/kg dry	1.79	79%	28 - 123	11F3269	NUF1906-01	06/17/11 15:50
Dibenz (a,h) anthracene	ND	1.36		mg/kg dry	1.79	76%	25 - 127	11F3269	NUF1906-01	06/17/11 15:50

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUF1953  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/11/11 09:00

**PROJECT QUALITY CONTROL DATA**  
**Matrix Spike - Cont.**

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>										
<b>11F3269-MS1</b>										
Fluoranthene	ND	1.35		mg/kg dry	1.79	75%	38 - 120	11F3269	NUF1906-01	06/17/11 15:50
Fluorene	ND	1.40		mg/kg dry	1.79	78%	41 - 120	11F3269	NUF1906-01	06/17/11 15:50
Indeno (1,2,3-cd) pyrene	ND	1.35		mg/kg dry	1.79	75%	25 - 123	11F3269	NUF1906-01	06/17/11 15:50
Naphthalene	ND	1.34		mg/kg dry	1.79	75%	25 - 120	11F3269	NUF1906-01	06/17/11 15:50
Phenanthrene	ND	1.41		mg/kg dry	1.79	79%	37 - 120	11F3269	NUF1906-01	06/17/11 15:50
Pyrene	0.0369	1.59		mg/kg dry	1.79	87%	29 - 125	11F3269	NUF1906-01	06/17/11 15:50
1-Methylnaphthalene	ND	1.02		mg/kg dry	1.79	57%	19 - 120	11F3269	NUF1906-01	06/17/11 15:50
2-Methylnaphthalene	ND	1.18		mg/kg dry	1.79	66%	11 - 120	11F3269	NUF1906-01	06/17/11 15:50
Surrogate: Terphenyl-d14		1.46		mg/kg dry	1.79	81%	18 - 120	11F3269	NUF1906-01	06/17/11 15:50
Surrogate: 2-Fluorobiphenyl		1.02		mg/kg dry	1.79	57%	14 - 120	11F3269	NUF1906-01	06/17/11 15:50
Surrogate: Nitrobenzene-d5		0.893		mg/kg dry	1.79	50%	17 - 120	11F3269	NUF1906-01	06/17/11 15:50

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUF1953  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/11/11 09:00

## PROJECT QUALITY CONTROL DATA

### Matrix Spike Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>												
<b>11F2812-MSD1</b>												
Benzene	ND	1.75		mg/kg wet	2.50	70%	42 - 141	32	50	11F2812	NUF1575-06	06/18/11 04:40
Ethylbenzene	0.239	2.73		mg/kg wet	2.50	100%	21 - 165	15	50	11F2812	NUF1575-06	06/18/11 04:40
Naphthalene	5.17	6.16		mg/kg wet	2.50	40%	10 - 160	34	50	11F2812	NUF1575-06	06/18/11 04:40
Toluene	ND	2.16		mg/kg wet	2.50	86%	45 - 145	12	50	11F2812	NUF1575-06	06/18/11 04:40
Xylenes, total	ND	7.49		mg/kg wet	7.50	100%	31 - 159	18	50	11F2812	NUF1575-06	06/18/11 04:40
Surrogate: 1,2-Dichloroethane-d4		42.6		ug/kg	50.0	85%	67 - 138			11F2812	NUF1575-06	06/18/11 04:40
Surrogate: Dibromofluoromethane		40.4		ug/kg	50.0	81%	75 - 125			11F2812	NUF1575-06	06/18/11 04:40
Surrogate: Toluene-d8		58.0		ug/kg	50.0	116%	76 - 129			11F2812	NUF1575-06	06/18/11 04:40
Surrogate: 4-Bromofluorobenzene		56.5		ug/kg	50.0	113%	67 - 147			11F2812	NUF1575-06	06/18/11 04:40
<b>11F5296-MSD1</b>												
Benzene	0.00292	0.0321		mg/kg wet	0.0491	59%	42 - 141	14	50	11F5296	NUF2751-03RE	06/19/11 07:39
Ethylbenzene	0.00379	0.0319		mg/kg wet	0.0491	57%	21 - 165	37	50	11F5296	NUF2751-03RE	06/19/11 07:39
Naphthalene	ND	0.0470		mg/kg wet	0.0491	96%	10 - 160	17	50	11F5296	NUF2751-03RE	06/19/11 07:39
Toluene	0.00889	0.0390		mg/kg wet	0.0491	61%	45 - 145	20	50	11F5296	NUF2751-03RE	06/19/11 07:39
Xylenes, total	0.00711	0.0902		mg/kg wet	0.147	56%	31 - 159	41	50	11F5296	NUF2751-03RE	06/19/11 07:39
Surrogate: 1,2-Dichloroethane-d4		50.0		ug/kg	50.0	100%	67 - 138			11F5296	NUF2751-03RE	06/19/11 07:39
Surrogate: Dibromofluoromethane		43.9		ug/kg	50.0	88%	75 - 125			11F5296	NUF2751-03RE	06/19/11 07:39
Surrogate: Toluene-d8		53.4		ug/kg	50.0	107%	76 - 129			11F5296	NUF2751-03RE	06/19/11 07:39
Surrogate: 4-Bromofluorobenzene		58.5		ug/kg	50.0	117%	67 - 147			11F5296	NUF2751-03RE	06/19/11 07:39
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>												
<b>11F3269-MSD1</b>												
Acenaphthene	ND	1.40		mg/kg dry	1.79	78%	42 - 120	5	40	11F3269	NUF1906-01	06/17/11 16:10
Acenaphthylene	ND	1.39		mg/kg dry	1.79	77%	32 - 120	3	30	11F3269	NUF1906-01	06/17/11 16:10
Anthracene	ND	1.43		mg/kg dry	1.79	80%	10 - 200	0.4	50	11F3269	NUF1906-01	06/17/11 16:10
Benzo (a) anthracene	ND	1.43		mg/kg dry	1.79	79%	41 - 120	0.8	30	11F3269	NUF1906-01	06/17/11 16:10
Benzo (a) pyrene	ND	1.52		mg/kg dry	1.79	85%	33 - 121	0.6	33	11F3269	NUF1906-01	06/17/11 16:10
Benzo (b) fluoranthene	ND	1.43		mg/kg dry	1.79	80%	26 - 137	4	42	11F3269	NUF1906-01	06/17/11 16:10
Benzo (g,h,i) perylene	ND	1.40		mg/kg dry	1.79	78%	21 - 124	2	32	11F3269	NUF1906-01	06/17/11 16:10
Benzo (k) fluoranthene	ND	1.33		mg/kg dry	1.79	74%	14 - 140	2	39	11F3269	NUF1906-01	06/17/11 16:10
Chrysene	ND	1.42		mg/kg dry	1.79	79%	28 - 123	0.7	34	11F3269	NUF1906-01	06/17/11 16:10
Dibenz (a,h) anthracene	ND	1.36		mg/kg dry	1.79	76%	25 - 127	0.2	31	11F3269	NUF1906-01	06/17/11 16:10
Fluoranthene	ND	1.36		mg/kg dry	1.79	76%	38 - 120	0.6	35	11F3269	NUF1906-01	06/17/11 16:10
Fluorene	ND	1.40		mg/kg dry	1.79	78%	41 - 120	0.4	37	11F3269	NUF1906-01	06/17/11 16:10
Indeno (1,2,3-cd) pyrene	ND	1.39		mg/kg dry	1.79	77%	25 - 123	3	32	11F3269	NUF1906-01	06/17/11 16:10

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUF1953  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/11/11 09:00

## PROJECT QUALITY CONTROL DATA

### Matrix Spike Dup - Cont.

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>												
<b>11F3269-MSD1</b>												
Naphthalene	ND	1.36		mg/kg dry	1.79	76%	25 - 120	2	42	11F3269	NUF1906-01	06/17/11 16:10
Phenanthrene	ND	1.49		mg/kg dry	1.79	83%	37 - 120	6	32	11F3269	NUF1906-01	06/17/11 16:10
Pyrene	0.0369	1.75		mg/kg dry	1.79	95%	29 - 125	9	40	11F3269	NUF1906-01	06/17/11 16:10
1-Methylnaphthalene	ND	0.997		mg/kg dry	1.79	56%	19 - 120	2	45	11F3269	NUF1906-01	06/17/11 16:10
2-Methylnaphthalene	ND	1.20		mg/kg dry	1.79	67%	11 - 120	1	50	11F3269	NUF1906-01	06/17/11 16:10
Surrogate: Terphenyl-d14		1.52		mg/kg dry	1.79	85%	18 - 120			11F3269	NUF1906-01	06/17/11 16:10
Surrogate: 2-Fluorobiphenyl		1.05		mg/kg dry	1.79	59%	14 - 120			11F3269	NUF1906-01	06/17/11 16:10
Surrogate: Nitrobenzene-d5		0.904		mg/kg dry	1.79	50%	17 - 120			11F3269	NUF1906-01	06/17/11 16:10



Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUF1953  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/11/11 09:00

## CERTIFICATION SUMMARY

### TestAmerica Nashville

Method	Matrix	AIHA	Nelac	South Carolina
SW846 8260B	Soil	N/A	X	X
SW846 8270D	Soil		X	X
SW-846	Soil			

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NUF1953  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 06/11/11 09:00

## DATA QUALIFIERS AND DEFINITIONS

**J** Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL).  
Concentrations within this range are estimated.

**PX** Sample for VOA analysis not received in preserved VOA vials or Encore or similar sampling device.

**ND** Not detected at the reporting limit (or method detection limit if shown)

## METHOD MODIFICATION NOTES



ATTACHMENT A



Gold- TRANSPORTER #1 COPY

**Appendix C**  
**Laboratory Analytical Report - Groundwater**

# Volatile Organic Compounds by GC/MS

Client: <b>AECOM - Resolution Consultants</b>				Laboratory ID: <b>SC04007-001</b>			
Description: <b>BEALB346TW01WG20170302</b>				Matrix: <b>Aqueous</b>			
Date Sampled: <b>03/02/2017 1725</b>							
Date Received: <b>03/04/2017</b>							

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch			
1	5030B	8260B	1	03/07/2017 1445	PMV		36403			

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzene	71-43-2	8260B	0.80	U	1.0	0.80	0.40	ug/L	1
Ethylbenzene	100-41-4	8260B	0.80	U	1.0	0.80	0.40	ug/L	1
<b>Naphthalene</b>	<b>91-20-3</b>	<b>8260B</b>	<b>5.0</b>		<b>1.0</b>	0.80	<b>0.40</b>	<b>ug/L</b>	<b>1</b>
Toluene	108-88-3	8260B	0.80	U	1.0	0.80	0.40	ug/L	1
Xylenes (total)	1330-20-7	8260B	0.80	U	1.0	0.80	0.40	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Bromofluorobenzene		108	85-114
Dibromofluoromethane		108	80-119
1,2-Dichloroethane-d4		100	81-118
Toluene-d8		98	89-112

PQL = Practical quantitation limit      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      H = Out of holding time      Q = Surrogate failure  
 ND = Not detected at or above the MDL      J = Estimated result < PQL and ≥ MDL      P = The RPD between two GC columns exceeds 40%      N = Recovery is out of criteria      L = LCS/LCSD failure  
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"      S = MS/MSD failure

Shealy Environmental Services, Inc.  
 106 Vantage Point Drive   West Columbia, SC 29172   (803) 791-9700   Fax (803) 791-9111   www.shealylab.com

# Semivolatile Organic Compounds by GC/MS

Client: <b>AECOM - Resolution Consultants</b>	Laboratory ID: <b>SC04007-001</b>
Description: <b>BEALB346TW01WG20170302</b>	Matrix: <b>Aqueous</b>
Date Sampled: <b>03/02/2017 1725</b>	
Date Received: <b>03/04/2017</b>	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3520C	8270D	1	03/15/2017 1242	RBH	03/07/2017 1304	36374

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzo(a)anthracene	56-55-3	8270D	0.10	U	0.20	0.10	0.040	ug/L	1
Benzo(b)fluoranthene	205-99-2	8270D	0.10	U	0.20	0.10	0.040	ug/L	1
Benzo(k)fluoranthene	207-08-9	8270D	0.10	U	0.20	0.10	0.040	ug/L	1
Chrysene	218-01-9	8270D	0.10	U	0.20	0.10	0.040	ug/L	1
Dibenzo(a,h)anthracene	53-70-3	8270D	0.10	U	0.20	0.10	0.040	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Nitrobenzene-d5		67	44-120
2-Fluorobiphenyl		57	44-119
Terphenyl-d14		71	50-134

PQL = Practical quantitation limit      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      H = Out of holding time      Q = Surrogate failure  
 ND = Not detected at or above the MDL      J = Estimated result < PQL and ≥ MDL      P = The RPD between two GC columns exceeds 40%      N = Recovery is out of criteria      L = LCS/LCSD failure  
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"      S = MS/MSD failure

Shealy Environmental Services, Inc.  
 106 Vantage Point Drive   West Columbia, SC 29172   (803) 791-9700   Fax (803) 791-9111   www.shealylab.com



## **Appendix D**

### **Regulatory Correspondence**



August 24, 2016

Commanding Officer  
Attention: NREAO Mr. William A. Drawdy  
United State Marine Corps Air Station  
Post Office Box 55001  
Beaufort, SC 29904-5001

RE: IGWA  
Laurel Bay Underground Tank Assessment Reports

Dear Mr. Drawdy:

The South Carolina Department of Health and Environmental Control (the Department) received the Underground Storage Tanks (USTs) Assessment Reports for the addresses listed in the attachment. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

The Department has reviewed the referenced reports. The submitted analytical results indicate that petroleum constituents are above established Risk-Based Screening Levels and additional investigation is warranted. Specifically, the Department requests that a groundwater sampling proposal be generated to determine if there has been an impact to groundwater at these sites.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at [petruslb@dhec.sc.gov](mailto:petruslb@dhec.sc.gov) or 803-898-0294.

Sincerely,

Laurel Petrus, Environmental Engineer Associate  
RCRA Federal Facilities Section

Cc: Russell Berry, EQC Region 8 (via email)  
Shawn Dolan, Resolution Consultants (via email)  
Bryan Beck, NAVFAC MIDATLANTIC (via email)  
Craig Ehde (via email)

Attachment to: Petrus to Drawdy, August 24, 2016

Subject: IGWA, Laurel Bay Underground Tank Assessment Reports

Draft Final Initial Groundwater Investigation Report for (41 addresses)

Monitoring Well Investigation Recommendation	
122 Banyan	905 Barracuda
159 Cypress Tank 2	921 Barracuda
221 Cypress	935 Albacore
283 Birch Tank 2	946 Albacore
328 Ash Tank 2	1037 Iris
346 Ash	1039 Iris
359 Aspen	1110 Iris
370 Aspen	1134 Iris
377 Aspen	1143 Iris
409 Elderberry	1202 Cardinal
486 Laurel Bay	1212 Cardinal
515 Laurel Bay	1222 Cardinal
542 Laurel Bay	1224 Cardinal
593 Aster	1226 Dove
630 Dahlia	1236 Dove
693 Camellia	1245 Dove
723 Blue Bell	1247 Dove
774 Althea	1274 Albatross
860 Dolphin	1319 Albatross
873 Cobia	1337 Albatross
883 Cobia	



July 27, 2017

Commanding Officer  
Attention: NREAO Mr. William A. Drawdy  
United State Marine Corps Air Station  
Post Office Box 55001  
Beaufort, SC 29904-5001

RE: Draft Final Initial Groundwater Investigation Report, February and March 2017

Dear Mr. Drawdy:

The South Carolina Department of Health and Environmental Control (DHEC) received groundwater data from temporary monitoring well installations in the Draft Final Groundwater Investigation Report, Laurel Bay Military Housing Area for the fifty two (52) addresses shown in the attachment. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

Per DHEC's request, groundwater samples were collected from the attached referenced addresses. DHEC reviewed the groundwater data and previous investigations and it agrees with the conclusions and recommendations included in the document. To further assess the impact to groundwater, permanent groundwater monitoring wells should be installed at the three (3) stated addresses. For the remaining forty nine (49) addresses, there is no indication of contamination on the property and therefore no further investigation is required at this time.

Please note that DHEC's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, DHEC retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at [petruslb@dhec.sc.gov](mailto:petruslb@dhec.sc.gov) or 803-898-0294.

Sincerely,

Laurel Petrus, Environmental Engineer Associate  
Bureau of Land and Waste Management

Cc: Russell Berry, EQC Region 8  
Shawn Dolan, Resolution Consultants  
Bryan Beck, NAVFAC MIDLANT

Attachment to: Petrus to Drawdy Dated July 27, 2017

Draft Final Initial Groundwater Investigation Report for (52 addresses)

Permanent Well Installation recommendation (3 Addresses):

---

- 254 Beech Street (110 ug/L)
- 268 Beech Street (28 ug/L)
- 774 Althea Street (35 ug/L)

No Further Action recommendation (49 addresses):

- 113 Birch Drive
- 121 Banyan Drive
- 122 Banyan Drive
- 159 Cypress Street
- 221 Cypress Street
- 274 Birch Drive
- 279 Birch Drive
- 283 Birch Drive
- 328 Ash Street
- 346 Ash Street
- 359 Aspen Street
- 370 Aspen Street
- 377 Aspen Street
- 409 Elderberry Drive
- 465 Dogwood Drive
- 480 Laurel Bay Boulevard
- 486 Laurel Bay Boulevard
- 515 Laurel Bay Boulevard
- 542 Laurel Bay Boulevard
- 593 Aster Street
- 630 Dahlia Drive
- 641 Dahlia Drive
- 693 Camelia Drive
- 723 Bluebell Lane
- 860 Dolphin Street
- 873 Cobia Drive
- 883 Cobia Drive
- 905 Barracuda Drive
- 921 Barracuda Drive
- 935 Albacore Street
- 946 Albacore Street
- 1037 Iris Lane
- 1039 Iris Lane
- 1110 Iris Lane
- 1134 Iris Lane
- 1143 Iris Lane
- 1177 Bobwhite Drive
- 1202 Cardinal Lane
- 1212 Cardinal Lane
- 1222 Cardinal Lane
- 1224 Cardinal Lane
- 1226 Dove Lane
- 1236 Dove Lane
- 1245 Dove Lane
- 1247 Dove Lane
- 1274 Albatross Drive
- 1319 Albatross Drive
- 1337 Albatross Drive
- 1346 Cardinal Lane