SUMMARY REPORT 41 DAHLIA DRIVE (FORMERLY 552 DAHLIA DRIVE) LAUREL BAY MILITARY HOUSING AREA MARINE CORPS AIR STATION BEAUFORT BEAUFORT, SC

> Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid-Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT 41 DAHLIA DRIVE (FORMERLY 552 DAHLIA DRIVE) LAUREL BAY MILITARY HOUSING AREA MARINE CORPS AIR STATION BEAUFORT BEAUFORT, SC

> Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid- Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture 10560 Arrowhead Drive, Suite 500 Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016 CTO WE52 JUNE 2021



#### Table of Contents

1.0	INTRODUCTION	. 1
1.1 1.2	Background Information UST Removal and Assessment Process	
2.0	SAMPLING ACTIVITIES AND RESULTS	. 3
2.1 2.2	UST REMOVAL AND SOIL SAMPLING Soil Analytical Results	
3.0	PROPERTY STATUS	. 4
4.0	REFERENCES	. 4

#### Table

Table 1	Laboratory	Analytical	Results - Soil
	Laboratory	ranaryticar	Results Soll

#### Appendices

- Appendix A Multi-Media Selection Process for LBMH
- Appendix B UST Assesment Report
- Appendix C Regulatory Correspondence



#### List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
СТО	Contract Task Order
COPC	constituents of potential concern
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level



#### 1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 41 Dahlia Drive (Formerly 552 Dahlia Drive). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

#### 1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area



is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

#### 1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service,* (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management* 



*Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

#### 2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 41 Dahlia Drive (Formerly 552 Dahlia Drive). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 552 Dahlia Drive* (MCAS Beaufort, 2010). The UST Assessment Report is provided in Appendix B.

#### 2.1 UST Removal and Soil Sampling

On November 30, 2009, a single 280 gallon heating oil UST was removed from the back yard adjacent to the house at 41 Dahlia Drive (Formerly 552 Dahlia Drive). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of



the UST was 6'0" bgs and a single soil sample was collected from that depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

#### 2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 41 Dahlia Drive (Formerly 552 Dahlia Drive) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment.

#### 3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 41 Dahlia Drive (Formerly 552 Dahlia Drive). This NFA determination was obtained in a letter dated February 17, 2011. SCDHEC's NFA letter is provided in Appendix C.

#### 4.0 REFERENCES

- Marine Corps Air Station Beaufort, 2010. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report 552 Dahlia Drive, Laurel Bay Military Housing Area*, April 2010.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 2.0*, April 2013.



- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.0*, May 2015.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service, March 2018.

Table



# Table 1Laboratory Analytical Results - Soil41 Dahlia Drive (Formerly 552 Dahlia Drive)Laurel Bay Military Housing AreaMarine Corps Air Station BeaufortBeaufort, South Carolina

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Results Sample Collected 11/30/09				
Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)						
Benzene	0.003	ND				
Ethylbenzene	1.15	ND				
Naphthalene	0.036	ND				
Toluene	0.627	ND				
Xylenes, Total	13.01	ND				
Semivolatile Organic Compounds Anal	Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)					
Benzo(a)anthracene	0.66	ND				
Benzo(b)fluoranthene	0.66	ND				
Benzo(k)fluoranthene	0.66	ND				
Chrysene	0.66	ND				
Dibenz(a,h)anthracene	0.66	ND				

Notes:

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 and 1.1 (SCDHEC, May 2001 and SCDHEC, February 2011) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

Appendix A Multi-Media Selection Process for LBMH





**Appendix A - Multi-Media Selection Process for LBMH** 

Appendix B UST Assessment Report



Attachment 1

## South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank (UST) Assessment Report



Submit Completed Form To: UST Program SCDHEC 2600 Bull Street Columbia, South Carolina 29201 Telephone (803) 896-7957

#### I. OWNERSHIP OF UST (S)

	Commanding Officer Attn: NR	EAO (Craig Ehde)					
Owner Name (Corporation, Individual, Public Agency, Other)							
P.O. Box 55001	P.O. Box 55001						
Mailing Address							
Beaufort,	South Carolina	29904-5001					
City	State	Zip Code					
843 228-7317 Craig Ehde							
Area CodeTelephone NumberContact Person							

#### II. SITE IDENTIFICATION AND LOCATION

	·	
Permit I.D. #		
	Military Housing Area, Marine Corps Air Station, Beaufort, SC	_
Facility Name or	Company Site Identifier	_
	Drive, Laurel Bay Military Housing Area	_
Beaufort,	Beaufort	
City	County	-
-		

Attachment 2

#### **Insurance Statement**

The petroleum release reported to DHEC on \_\_\_\_\_\_ at Permit ID Number \_\_\_\_\_ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. This section must be completed.

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES\_\_\_\_ NO\_\_\_\_ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: \_\_\_\_\_\_ The policy deductible is: \_\_\_\_\_\_ The policy limit is: \_\_\_\_\_\_

If you have this type of insurance, please include a copy of the policy with this report.

## IV. REQUEST FOR SUPERB FUNDING

I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)

#### V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

To be completed by Notary Public:

Sworn before me this \_\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_

(Name)

Notary Public for the state of \_\_\_\_\_\_. Please affix State seal if you are commissioned outside South Carolina

#### VI. UST INFORMATION

		552Dahlia
A.	Product(ex. Gas, Kerosene)	Heating oil
B.	Capacity(ex. 1k, 2k)	280 gal
C.	Age	Late 1950s
D.	Construction Material(ex. Steel, FRP)	Steel
E·	Month/Year of Last Use	Mid 1980s
F.	Depth (ft.) To Base of Tank	6'
G.	Spill Prevention Equipment Y/N	No
H·	Overfill Prevention Equipment Y/N	No
I.	Method of Closure Removed/Filled	Removed
J <sub>.</sub>	Date Tanks Removed/Filled	11/30/09
K.	Visible Corrosion or Pitting Y/N	Yes
L.	Visible Holes Y/N	Yes

M. Method of disposal for any USTs removed from the ground (attach disposal manifests) <u>UST 552Dahlia was removed from the ground and disposed of at a</u> Subtitle "D" landfill. See Attachment "A".

N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)
 UST 552Dahlia had been previously filled with sand by others.

O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST Corrosion and pitting were found throughout the tank.

## VII. PIPING INFORMATION

		552Dahlia
		Steel
A.	Construction Material(ex. Steel, FRP)	& Copper
B.	Distance from UST to Dispenser	N/A
C.	Number of Dispensers	N/A
D.	Type of System Pressure or Suction	Suction
E.	Was Piping Removed from the Ground? Y/N	Yes
F.	Visible Corrosion or Pitting Y/N	Yes
G.	Visible Holes Y/N	No
H.	Age	Late 1950s
T.	If any corrosion pitting or holes were observed	

I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

<u>Corrosion and pitting were found on the surface of the steel vent</u> pipe. Copper supply and return lines were sound.

## **VIII. BRIEF SITE DESCRIPTION AND HISTORY**

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

## IX. SITE CONDITIONS

	Yes	No	Unk
<ul> <li>A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?</li> <li>If yes, indicate depth and location on the site map.</li> </ul>		Х	
If yes, indicate depth and ideation on the site map.			
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?		х	
If yes, indicate location on site map and describe the odor (strong, mild, etc.)			
C. Was water present in the UST excavation, soil borings, or trenches?		х	
If yes, how far below land surface (indicate location and depth)?			
D. Did contaminated soils remain stockpiled on site after closure?		х	
If yes, indicate the stockpile location on the site map.			
Name of DHEC representative authorizing soil removal:			
E. Was a petroleum sheen or free product detected on any excavation or boring waters?		х	
If yes, indicate location and thickness.			

## X. SAMPLE INFORMATION

## A. SCDHEC Lab Certification Number 84009001

В.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
552 Dahlia	Excav at fill end	Soil	Sandy	6'	11/30/09 1545 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

\* = Depth Below the Surrounding Land Surface

#### XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect <u>and</u> store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.


## **XII. RECEPTORS**


		Yes	No
Α.	Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?	*X	
	*Stormwater drainage canal ~	370'	
э.	If yes, indicate type of receptor, distance, and direction on site map.		
B.	Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?		Х
	If yes, indicate type of well, distance, and direction on site map.		
C.	Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?		х
	If yes, indicate type of structure, distance, and direction on site map.		
D.	Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? *Sewer, water & geothern	*X nal	
	If yes, indicate the type of utility, distance, and direction on the site map.		
E.	Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?		х
	If yes, indicate the area of contaminated soil on the site map.		


## XIII. SITE MAP

You must supply a <u>scaled</u> site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)









Picture 1: Location of UST 552Dahlia.



Picture 2: UST 552Dahlia.

#### XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

ſ	·····		г	1
CoC UST	552Dahlia			 
Benzene	ND			 
Toluene	ND			
Ethylbenzene	ND			
Xylenes	ND			
Naphthalene	ND			
Benzo (a) anthracene	ND			
Benzo (b) fluoranthene	ND			
Benzo (k) fluoranthene	ND			
Chrysene	ND			
Dibenz (a, h) anthracene	ND			
TPH (EPA 3550)	TPH (EPA 3550)			
CoC				
Benzene				
Toluene				
Ethylbenzene				
Xylenes				
Naphthalene				
Benzo (a) anthracene				
Benzo (b) fluoranthene				
Benzo (k) fluoranthene				
Chrysene				
Dibenz (a, h) anthracene				
ТРН (ЕРА 3550)				

**SUMMARY OF ANALYSIS RESULTS (cont'd)** Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None	2			
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
МТВЕ	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				:
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

## XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here) (Please see Form #4) <u>TestAmerica</u>

THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 \* 800-765-0980 \* Fax 615-726-3404

12/03/09 09:45

December 21, 2009 5:02:24PM

564 Dahlia

Client: Attn:	EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456 Tom McElwee	Work Order: Project Name: Project Nbr: P/O Nbr: Date Received:	NSL0727 Laurel Bay Housing Project [none] 0829 12/05/09		
	SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME		
544	Laurel Bay Blvd	NSL0727-01	11/30/09 09:45		
550	Dahlia	NSL0727-02	11/30/09 12:05		
552	Dahlia	NSL0727-03	11/30/09 15:45		
554	Dahlia	NSL0727-04	12/01/09 09:45		
349	Ash-2	NSL0727-05	12/01/09 15:30		

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

NSL0727-06

South Carolina Certification Number: 84009001

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated. Estimated uncertainty is available upon request. This report has been electronically signed. Report Approved By:

Em & Hay

Ken A. Hayes Senior Project Manager

#### THE LEADER IN ENVIRONMENTAL TESTING

#### 2960 Foster Creighton Road Nashville, TN 37204 \* 800-765-0980 \* Fax 615-726-3404

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-01 (544 Lau	rel Bay Blvd - S	Soil) Samp	led: 11/30/09	09:45					
General Chemistry Parameters									
% Dry Solids	88.4		%	0.500	1	12/17/09 07:22	SW-846	HLB	9122861
Selected Volatile Organic Compounds	by EPA Method	8260B							
Benzene	ND		mg/kg dry	0.00237	1	12/14/09 20:07	SW846 8260B	KxC	9121162
Ethylbenzene	ND		mg/kg dry	0.00237	1	12/14/09 20:07	SW846 8260B	KxC	9121162
Naphthalene	ND		mg/kg dry	0.00593	1	12/14/09 20:07	SW846 8260B	KxC	9121162
Toluene	ND		mg/kg dry	0.00237	1	12/14/09 20:07	SW846 8260B	KxC	9121162
Xylenes, total	ND		mg/kg dry	0.00593	1	12/14/09 20:07	SW846 8260B	KxC	9121162
Surr: 1,2-Dichloroethane-d4 (67-138%)	93 %					12/14/09 20:07	SW846 8260B	KxC	912116
Surr: Dibromofluoromethane (75-125%)	96 %					12/14/09 20:07	SW846 8260B	KxC	912116
Surr: Toluene-d8 (76-129%)	104 %					12/14/09 20:07	SW846 8260B	KxC	912116
Surr: 4-Bromofluorobenzene (67-147%)	97 %					12/14/09 20:07	SW846 8260B	KxC	912116

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-01 (544 L	aurel Bay Blvd	- Soil) -	cont. Samp	oled: 11/30/	09 09:45					
Polyaromatic Hydrocarbons by EP.	A 8270D									
Acenaphthene	ND		mg/kg dry	0.0249	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Acenaphthylene	ND		mg/kg dry	0.0249	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Anthracene	ND		mg/kg dry	0.0170	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Benzo (a) anthracene	ND		mg/kg dry	0.0147	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Benzo (a) pyrene	ND		mg/kg dry	0.0170	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Benzo (b) fluoranthene	ND		mg/kg dry	0.0192	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0158	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Benzo (k) fluoranthene	ND		mg/kg dry	0.0215	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Chrysene	ND		mg/kg dry	0.0170	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0158	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Fluoranthene	ND		mg/kg dry	0.0158	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Fluorene	ND		mg/kg dry	0.0147	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0136	0.0758	I	12/15/09 03:06	SW846 8270D	RMC	9122120
Naphthalene	ND		mg/kg dry	0.0226	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Phenanthrene	ND		mg/kg dry	0.0147	0.0758	I	12/15/09 03:06	SW846 8270D	RMC	9122120
Pyrene	ND		mg/kg dry	0.0136	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
1-Methylnaphthalene	ND		mg/kg dry	0.0192	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
2-Methylnaphthalene	ND		mg/kg dry	0.0204	0.0758	1	12/15/09 03:06	SW846 8270D	RMC	9122120
Surr: Terphenyl-d14 (18-120%)	54 %					1	12/15/09 03:06	SW846 8270D	RMC	912212
Surr: 2-Fluorobiphenyl (14-120%)	42 %					1	12/15/09 03:06	SW846 8270D	RMC	912212
Surr: Nitrobenzene-d5 (17-120%)	42 %					1	12/15/09 03:06	SW846 8270D	RMC	912212

.

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-02 (550 Dah	ılia - Soil) Samı	oled: 11/30	/09 12:05						
General Chemistry Parameters									
% Dry Solids	91.3		%	0.500	1	12/17/09 07:22	SW-846	HLB	9122861
Selected Volatile Organic Compounds	s by EPA Method	8260B							
Benzene	ND		mg/kg dry	0.00226	1	12/14/09 20:38	SW846 8260B	KxC	9121162
Ethylbenzene	ND		mg/kg dry	0.00226	1	12/14/09 20:38	SW846 8260B	KxC	9121162
Naphthalene	ND		mg/kg dry	0.00565	1	12/14/09 20:38	SW846 8260B	KxC	9121162
Toluene	ND		mg/kg dry	0.00226	1	12/14/09 20:38	SW846 8260B	KxC	9121162
Xylenes, total	ND		mg/kg dry	0.00565	1	12/14/09 20:38	SW846 8260B	KxC	9121162
Surr: 1,2-Dichloroethane-d4 (67-138%)	93 %					12/14/09 20:38	SW846 8260B	KxC	912116
Surr: Dibromofluoromethane (75-125%)	99 %					12/14/09 20:38	SW846 8260B	KxC	912116
Surr: Toluene-d8 (76-129%)	106 %					12/14/09 20:38	SW846 8260B	KxC	912116
Surr: 4-Bromofluorobenzene (67-147%)	95 %					12/14/09 20:38	SW846 8260B	KxC	912116

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-02 (550 )	Dahlia - Soil) - co	ont. Sam	pled: 11/3	0/09 12:05						
Polyaromatic Hydrocarbons by EF	PA 8270D									
Acenaphthene	ND		mg/kg dry	0.0236	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Acenaphthylene	ND		mg/kg dry	0.0236	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Anthracene	ND		mg/kg dry	0.0161	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Benzo (a) anthracene	ND		mg/kg dry	0.0139	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Benzo (a) pyrene	ND		mg/kg dry	0.0161	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Benzo (b) fluoranthene	ND		mg/kg dry	0.0182	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Benzo (g,h,i) perylene	0.0371	J	mg/kg dry	0.0150	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Benzo (k) fluoranthene	ND		mg/kg dry	0.0204	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Chrysene	ND		mg/kg dry	0.0161	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0150	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Fluoranthene	ND		mg/kg dry	0.0150	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Fluorene	ND		mg/kg dry	0.0139	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0129	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Naphthalene	ND		mg/kg dry	0.0214	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Phenanthrene	ND		mg/kg dry	0.0139	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Pyrene	ND		mg/kg dry	0.0129	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
1-Methylnaphthalene	ND		mg/kg dry	0.0182	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
2-Methylnaphthalene	ND		mg/kg dry	0.0193	0.0718	1	12/15/09 03:28	SW846 8270D	RMC	9122120
Surr: Terphenyl-d14 (18-120%)	46 %					1	12/15/09 03:28	SW846 8270D	RMC	9122120
Surr: 2-Fluorobiphenyl (14-120%)	39 %					1	12/15/09 03:28	SW846 8270D	RMC	9122120
Surr: Nitrobenzene-d5 (17-120%)	38 %					1	12/15/09 03:28	SW846 8270D	RMC	9122120

THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 \* 800-765-0980 \* Fax 615-726-3404

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-03 (552 Dah	llia - Soil) Samj	oled: 11/3	)/09 15:45						
General Chemistry Parameters									
% Dry Solids	96.0		%	0.500	I	12/17/09 07:22	SW-846	HLB	9122861
Selected Volatile Organic Compounds	by EPA Method	8260B							
Benzene	ND		mg/kg dry	0.00236	1	12/14/09 19:48	SW846 8260B	SMS	9121095
Ethylbenzene	ND		mg/kg dry	0.00236	1	12/14/09 19:48	SW846 8260B	SMS	9121095
Naphthalene	ND		mg/kg dry	0.00589	1	12/14/09 19:48	SW846 8260B	SMS	9121095
Toluene	ND		mg/kg dry	0.00236	1	12/14/09 19:48	SW846 8260B	SMS	9121095
Xylenes, total	ND		mg/kg dry	0.00589	1	12/14/09 19:48	SW846 8260B	SMS	9121095
Surr: 1,2-Dichloroethane-d4 (67-138%)	113 %					12/14/09 19:48	SW846 8260B	SMS	912109
Surr: Dibromofluoromethane (75-125%)	114 %					12/14/09 19:48	SW846 8260B	SMS	912109
Surr: Toluene-d8 (76-129%)	98 %					12/14/09 19:48	SW846 8260B	SMS	912109
Surr: 4-Bromofluorobenzene (67-147%)	96 %					12/14/09 19:48	SW846 8260B	SMS	912109

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-03 (552 D	)ahlia - Soil) - co	ont. Sam	pled: 11/3	0/09 15:45						
Polyaromatic Hydrocarbons by EP.	A 8270D									
Acenaphthene	ND		mg/kg dry	0.0227	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Acenaphthylene	ND		mg/kg dry	0.0227	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Anthracene	ND		mg/kg dry	0.0155	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Benzo (a) anthracene	ND		mg/kg dry	0.0134	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Benzo (a) pyrene	ND		mg/kg dry	0.0155	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Benzo (b) fluoranthene	ND		mg/kg dry	0.0175	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0144	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Benzo (k) fluoranthene	ND		mg/kg dry	0.0196	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Chrysene	ND		mg/kg dry	0.0155	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0144	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Fluoranthene	ND		mg/kg dry	0.0144	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Fluorene	ND		mg/kg dry	0.0134	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0124	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Naphthalene	ND		mg/kg dry	0.0206	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Phenanthrene	ND		mg/kg dry	0.0134	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Pyrene	ND		mg/kg dry	0.0124	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
1-Methylnaphthalene	ND		mg/kg dry	0.0175	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
2-Methylnaphthalene	ND		mg/kg dry	0.0186	0.0691	1	12/15/09 03:51	SW846 8270D	RMC	9122120
Surr: Terphenyl-d14 (18-120%)	57 %					1	12/15/09 03:51	SW846 8270D	RMC	9122120
Surr: 2-Fluorobiphenyl (14-120%)	44 %					1	12/15/09 03:51	SW846 8270D	RMC	912212(
Surr: Nitrobenzene-d5 (17-120%)	43 %					1	12/15/09 03:51	SW846 8270D	RMC	912212(

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-04 (554 Dah	ilia - Soil) Samı	oled: 12/01	/09 09:45						
General Chemistry Parameters									
% Dry Solids	94.8		%	0.500	I	12/17/09 07:22	SW-846	HLB	912286
Selected Volatile Organic Compounds	s by EPA Method	8260B							
Benzene	ND		mg/kg dry	0.00179	1	12/14/09 20:19	SW846 8260B	SMS	912109:
Ethylbenzene	ND		mg/kg dry	0.00179	1	12/14/09 20:19	SW846 8260B	SMS	912109:
Naphthalene	ND		mg/kg dry	0.00447	1	12/14/09 20:19	SW846 8260B	SMS	912109:
Toluene	ND		mg/kg dry	0.00179	1	12/14/09 20:19	SW846 8260B	SMS	912109:
Xylenes, total	ND		mg/kg dry	0.00447	1	12/14/09 20:19	SW846 8260B	SMS	912109:
Surr: 1,2-Dichloroethane-d4 (67-138%)	119 %					12/14/09 20:19	SW846 8260B	SMS	912109
Surr: Dibromofluoromethane (75-125%)	115 %					12/14/09 20:19	SW846 8260B	SMS	912109
Surr: Toluene-d8 (76-129%)	97 %					12/14/09 20:19	SW846 8260B	SMS	912109
Surr: 4-Bromofluorobenzene (67-147%)	95 %					12/14/09 20:19	SW846 8260B	SMS	912109

THE LEADER IN ENVIRONMENTAL TESTING

#### 2960 Foster Creighton Road Nashville, TN 37204 \* 800-765-0980 \* Fax 615-726-3404

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-04 (554 I	Dahlia - Soil) - co	ont. Sam	pled: 12/0	1/09 09:45						
Polyaromatic Hydrocarbons by EP.	A 8270D									
Acenaphthene	ND		mg/kg dry	0.0228	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Acenaphthylene	ND		mg/kg dry	0.0228	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Anthracene	ND		mg/kg dry	0.0156	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Benzo (a) anthracene	ND		mg/kg dry	0.0135	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Benzo (a) pyrene	ND		mg/kg dry	0.0156	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Benzo (b) fluoranthene	ND		mg/kg dry	0.0177	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0145	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Benzo (k) fluoranthene	ND		mg/kg dry	0.0197	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Chrysene	ND		mg/kg dry	0.0156	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0145	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Fluoranthene	ND		mg/kg dry	0.0145	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Fluorene	ND		mg/kg dry	0.0135	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0125	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Naphthalene	ND		mg/kg dry	0.0208	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Phenanthrene	ND		mg/kg dry	0.0135	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Pyrene	ND		mg/kg dry	0.0125	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
1-Methylnaphthalene	ND		mg/kg dry	0.0177	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
2-Methylnaphthalene	ND		mg/kg dry	0.0187	0.0696	1	12/15/09 04:14	SW846 8270D	RMC	9122120
Surr: Terphenyl-d14 (18-120%)	52 %					1	12/15/09 04:14	SW846 8270D	RMC	912212
Surr: 2-Fluorobiphenyl (14-120%)	39 %					1	12/15/09 04:14	SW846 8270D	RMC	912212
Surr: Nitrobenzene-d5 (17-120%)	38 %					1	12/15/09 04:14	SW846 8270D	RMC	912212



#### THE LEADER IN ENVIRONMENTAL TESTING

#### 2960 Foster Creighton Road Nashville, TN 37204 \* 800-765-0980 \* Fax 615-726-3404

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-05 (349 Ash	-2 - Soil) Samp	0	/09 15:30						
General Chemistry Parameters									
% Dry Solids	82.7		%	0.500	1	12/17/09 07:22	SW-846	HLB	9122861
Selected Volatile Organic Compounds	by EPA Method	8260B							
Benzene	ND		mg/kg dry	0.00269	1	12/14/09 20:49	SW846 8260B	SMS	9121095
Ethylbenzene	ND		mg/kg dry	0.00269	1	12/14/09 20:49	SW846 8260B	SMS	9121095
Naphthalene	ND		mg/kg dry	0.00672	1	12/14/09 20:49	SW846 8260B	SMS	9121095
Toluene	ND		mg/kg dry	0.00269	1	12/14/09 20:49	SW846 8260B	SMS	9121095
Xylenes, total	ND		mg/kg dry	0.00672	1	12/14/09 20:49	SW846 8260B	SMS	9121095
Surr: 1,2-Dichloroethane-d4 (67-138%)	108 %					12/14/09 20:49	SW846 8260B	SMS	912109
Surr: Dibromofluoromethane (75-125%)	110 %					12/14/09 20:49	SW846 8260B	SMS	912109
Surr: Toluene-d8 (76-129%)	102 %					12/14/09 20:49	SW846 8260B	SMS	912109
Surr: 4-Bromofluorobenzene (67-147%)	100 %					12/14/09 20:49	SW846 8260B	SMS	912109

#### THE LEADER IN ENVIRONMENTAL TESTING

#### 2960 Foster Creighton Road Nashville, TN 37204 \* 800-765-0980 \* Fax 615-726-3404

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batcl
Sample ID: NSL0727-05 (349 /	Ash-2 - Soil) - co	nt. Samı	oled: 12/01	/09 15:30						
Polyaromatic Hydrocarbons by EF	A 8270D									
Acenaphthene	ND		mg/kg dry	0.0259	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	912212
Acenaphthylene	ND		mg/kg dry	0.0259	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	912212
Anthracene	0.0561	J	mg/kg dry	0.0177	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	912212
Benzo (a) anthracene	ND		mg/kg dry	0.0153	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	912212
Benzo (a) pyrene	ND		mg/kg dry	0.0177	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	912212
Benzo (b) fluoranthene	ND		mg/kg dry	0.0200	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	912212
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0165	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	912212
Benzo (k) fluoranthene	ND		mg/kg dry	0.0224	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	912212
Chrysene	ND		mg/kg dry	0.0177	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	912212
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0165	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	912212
Fluoranthene	0.566		mg/kg dry	0.0165	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	912212
Fluorene	ND		mg/kg dry	0.0153	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	912212
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0141	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	912212
Naphthalene	ND		mg/kg dry	0.0235	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	912212
Phenanthrene	ND		mg/kg dry	0.0153	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	912212
Pyrene	0.515		mg/kg dry	0.0141	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	912212
1-Methylnaphthalene	ND		mg/kg dry	0.0200	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	912212
2-Methylnaphthalene	ND		mg/kg dry	0.0212	0.0789	1	12/15/09 04:36	SW846 8270D	RMC	912212
Surr: Terphenyl-d14 (18-120%)	63 %					1	12/15/09 04:36	SW846 8270D	RMC	912212
Surr: 2-Fluorobiphenyl (14-120%)	43 %					1	12/15/09 04:36	SW846 8270D	RMC	912212
Surr: Nitrobenzene-d5 (17-120%)	43 %					1	12/15/09 04:36	SW846 8270D	RMC	912212

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

Analyte	Result	Flag	Units	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-06 (564 Dah			3/09 09:45						
General Chemistry Parameters									
% Dry Solids	94.6		%	0.500	1	12/17/09 07:22	SW-846	HLB	9122861
Selected Volatile Organic Compounds	s by EPA Method	8260B							
Benzene	ND		mg/kg dry	0.00235	1	12/14/09 21:08	SW846 8260B	KxC	9121162
Ethylbenzene	ND		mg/kg dry	0.00235	1	12/14/09 21:08	SW846 8260B	KxC	9121162
Naphthalene	ND		mg/kg dry	0.00587	1	12/14/09 21:08	SW846 8260B	KxC	9121162
Toluene	ND		mg/kg dry	0.00235	1	12/14/09 21:08	SW846 8260B	KxC	9121162
Xylenes, total	ND		mg/kg dry	0.00587	1	12/14/09 21:08	SW846 8260B	KxC	9121162
Surr: 1,2-Dichloroethane-d4 (67-138%)	93 %					12/14/09 21:08	SW846 8260B	KxC	912116
Surr: Dibromofluoromethane (75-125%)	96 %					12/14/09 21:08	SW846 8260B	KxC	912116
Surr: Toluene-d8 (76-129%)	106 %					12/14/09 21:08	SW846 8260B	KxC	912116
Surr: 4-Bromofluorobenzene (67-147%)	<b>9</b> 5 %					12/14/09 21:08	SW846 8260B	KxC	912116

THE LEADER IN ENVIRONMENTAL TESTING

#### 2960 Foster Creighton Road Nashville, TN 37204 \* 800-765-0980 \* Fax 615-726-3404

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

Analyte	Result	Flag Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NSL0727-06 (564 D	)ahlia - Soil) - co	ont. Sampled: 12/	03/09 09:45						
Polyaromatic Hydrocarbons by EP.	A 8270D								
Acenaphthene	ND	mg/kg dry	0.0231	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Acenaphthylene	ND	mg/kg dry	0.0231	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Anthracene	ND	mg/kg dry	0.0158	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Benzo (a) anthracene	ND	mg/kg dry	0.0137	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Benzo (a) pyrene	ND	mg/kg dry	0.0158	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Benzo (b) fluoranthene	ND	mg/kg dry	0.0179	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Benzo (g,h,i) perylene	ND	mg/kg dry	0.0147	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Benzo (k) fluoranthene	ND	mg/kg dry	0.0200	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Chrysene	ND	mg/kg dry	0.0158	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Dibenz (a,h) anthracene	ND	mg/kg dry	0.0147	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Fluoranthene	ND	mg/kg dry	0.0147	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Fluorene	ND	mg/kg dry	0.0137	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Indeno (1,2,3-cd) pyrene	ND	mg/kg dry	0.0126	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Naphthalene	ND	mg/kg dry	0.0210	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Phenanthrene	ND	mg/kg dry	0.0137	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Pyrene	ND	mg/kg dry	0.0126	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
1-Methylnaphthalene	ND	mg/kg dry	0.0179	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
2-Methylnaphthalene	ND	mg/kg dry	0.0189	0.0704	1	12/15/09 04:59	SW846 8270D	RMC	9122120
Surr: Terphenyl-d14 (18-120%)	58 %				1	12/15/09 04:59	SW846 8270D	RMC	9122120
Surr: 2-Fluorobiphenyl (14-120%)	40 %				1	12/15/09 04:59	SW846 8270D	RMC	9122120
Surr: Nitrobenzene-d5 (17-120%)	39 %				1	12/15/09 04:59	SW846 8270D	RMC	9122120

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

#### SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
Polyaromatic Hydrocarbons by EP	A 8270D						
SW846 8270D	9122120	NSL0727-01	30.01	1.00	12/14/09 11:20	TEM	EPA 3550C
SW846 8270D	9122120	NSL0727-02	30.67	1.00	12/14/09 11:20	TEM	EPA 3550C
SW846 8270D	9122120	NSL0727-03	30.30	1.00	12/14/09 11:20	TEM	EPA 3550C
SW846 8270D	9122120	NSL0727-04	30.48	1.00	12/14/09 11:20	TEM	EPA 3550C
SW846 8270D	9122120	NSL0727-05	30.81	1.00	12/14/09 11:20	TEM	EPA 3550C
SW846 8270D	9122120	NSL0727-06	30.16	1.00	12/14/09 11:20	TEM	EPA 3550C
Selected Volatile Organic Compou	nds by EPA Method	8260B					
SW846 8260B	9121162	NSL0727-01	4.77	5.00	11/30/09 09:45	СНН	EPA 5035
SW846 8260B	9121162	NSL0727-02	4.85	5.00	11/30/09 12:05	СНН	EPA 5035
SW846 8260B	9121095	NSL0727-03	4.42	5.00	11/30/09 15:45	СНН	EPA 5035
SW846 8260B	9121095	NSL0727-04	5.90	5.00	12/01/09 09:45	СНН	EPA 5035
SW846 8260B	9121095	NSL0727-05	4.50	5.00	12/01/09 15:30	СНН	EPA 5035
SW846 8260B	9121162	NSL0727-06	4.50	5.00	12/03/09 09:45	СНН	EPA 5035

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

#### PROJECT QUALITY CONTROL DATA Blank

Analyte	Blank Value Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time	
Selected Volatile Organic Compo	ounds by EPA Method 8260B					
9121095-BLK1						
Benzene	<0.000670	mg/kg wet	9121095	9121095-BLK1	12/14/09 18:47	
Ethylbenzene	<0.000670	mg/kg wet	9121095	9121095-BLK1	12/14/09 18:47	
Naphthalene	<0.00170	mg/kg wet	9121095	9121095-BLK1	12/14/09 18:47	
Toluenc	<0.000400	mg/kg wet	9121095	9121095-BLK1	12/14/09 18:47	
Xylenes, total	<0.00130	mg/kg wet	9121095	9121095-BLK1	12/14/09 18:47	
Surrogate: 1,2-Dichloroethane-d4	114%		9121095	9121095-BLK1	12/14/09 18:47	
Surrogate: Dibromofluoromethane	111%		9121095	9121095-BLK1	12/14/09 18:47	
Surrogate: Toluene-d8	97%		9121095	9121095-BLK1	12/14/09 18:47	
Surrogate: 4-Bromofluorobenzene	96%		9121095	9121095-BLK1	12/14/09 18:47	
9121162-BLK1						
Benzene	<0.000670	mg/kg wet	9121162	9121162-BLK1	12/14/09 13:29	
Ethylbenzene	<0.000670	mg/kg wet	9121162	9121162-BLK1	12/14/09 13:29	
Naphthalene	<0.00170	mg/kg wet	9121162	9121162-BLK1	12/14/09 13:29	
Toluene	<0.000400	mg/kg wet	9121162	9121162-BLK1	12/14/09 13:29	
Xylenes, total	<0.00130	mg/kg wet	9121162	9121162-BLK1	12/14/09 13:29	
Surrogate: 1,2-Dichloroethane-d4	92%		9121162	9121162-BLK1	12/14/09 13:29	
Surrogate: Dibromofluoromethane	96%		9121162	9121162-BLK1	12/14/09 13:29	
Surrogate: Toluene-d8	104%		9121162	9121162-BLK1	12/14/09 13:29	
Surrogate: 4-Bromofluorobenzene	94%		9121162	9121162-BLK1	12/14/09 13:29	
Polyaromatic Hydrocarbons by I	EPA 8270D					
9122120-BLK1						
Acenaphthene	<0.0220	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Acenaphthylene	<0.0220	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Anthracene	<0.0150	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Benzo (a) anthracene	<0.0130	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Benzo (a) pyrene	<0.0150	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Benzo (b) fluoranthene	<0.0170	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Benzo (g,h,i) perylene	<0.0140	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Benzo (k) fluoranthene	<0.0190	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Chrysene	<0.0150	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Dibenz (a,h) anthracene	<0.0140	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Fluoranthene	<0.0140	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Fluorona	<0.0130	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Fluorene		mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Indeno (1,2,3-cd) pyrene	<0.0120					
	<0.0120 <0.0200	mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	
Indeno (1,2,3-cd) pyrene			9122120 9122120	9122120-BLK1 9122120-BLK1	12/15/09 01:58 12/15/09 01:58	
lndeno (1,2,3-cd) pyrene Naphthalene	<0.0200	mg/kg wet				
Indeno (1,2,3-cd) pyrene Naphthalene Phenanthrene	<0.0200 <0.0130	mg/kg wet mg/kg wet	9122120	9122120-BLK1	12/15/09 01:58	



#### THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

#### PROJECT QUALITY CONTROL DATA Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
Polyaromatic Hydrocarbons by	EPA 8270D					
9122120-BLK1						
Surrogate: Terphenyl-d14	78%			9122120	9122120-BLK1	12/15/09 01:58
Surrogate: 2-Fluorobiphenyl	62%			9122120	9122120-BLK1	12/15/09 01:58
Surrogate: Nitrobenzene-d5	61%			9122120	9122120-BLK1	12/15/09 01:58



#### THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

# PROJECT QUALITY CONTROL DATA

Duplicate

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated % Rec.	Analyzed Date/Time
General Chemistry Parameters 9122861-DUP1 % Dry Solids	96.4	95.6		%	0.8	20	9122861	NSL0706-16	12/17/09 07:22

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

## PROJECT QUALITY CONTROL DATA

LCS

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Selected Volatile Organic Compou	nds by EPA Method 82	60B						
9121095-BS1								
Benzene	50.0	48.5		ug/kg	97%	78 - 126	9121095	12/14/09 16:31
Ethylbenzene	50.0	48.1		ug/kg	96%	79 - 130	9121095	12/14/09 16:31
Naphthalene	50.0	41.8		ug/kg	84%	72 - 150	9121095	12/14/09 16:31
Toluene	50.0	47.2		ug/kg	94%	76 - 126	9121095	12/14/09 16:31
Xylencs, total	150	145		ug/kg	96%	80 - 130	9121095	12/14/09 16:31
Surrogate: 1,2-Dichloroethane-d4	50.0	51.7			103%	67 - 138	9121095	12/14/09 16:31
Surrogate: Dibromofluoromethane	50.0	55.2			110%	75 - 125	9121095	12/14/09 16:31
Surrogate: Toluene-d8	50.0	50.0			100%	76 - 129	9121095	12/14/09 16:31
Surrogate: 4-Bromofluorobenzene	50.0	48.2			96%	67 - 147	9121095	12/14/09 16:31
9121162-BS1								
Benzene	50.0	52.6		ug/kg	105%	78 - 126	9121162	12/14/09 11:57
Ethylbenzene	50.0	53.2		ug/kg	106%	79 - 130	9121162	12/14/09 11:57
Naphthalene	50.0	58.9		ug/kg	118%	72 - 150	9121162	12/14/09 11:57
Toluene	50.0	54.8		ug/kg	110%	76 - 126	9121162	12/14/09 11:57
Xylenes, total	150	151		ug/kg	101%	80 - 130	9121162	12/14/09 11:57
Surrogate: 1,2-Dichloroethane-d4	50.0	46.2			92%	67 - 138	9121162	12/14/09 11:57
Surrogate: Dibromofluoromethane	50.0	47.5			95%	75 - 125	9121162	12/14/09 11:57
Surrogate: Toluene-d8	50.0	50.8			102%	76 - 129	9121162	12/14/09 11:57
Surrogate: 4-Bromofluorobenzene	50.0	48.2			96%	67 - 147	9121162	12/14/09 11:57
Polyaromatic Hydrocarbons by EP	PA 8270D							
9122120-BS1								
Acenaphthene	1.67	1.15		mg/kg wet	69%	49 - 120	9122120	12/14/09 18:26
Acenaphthylene	1.67	1.13		mg/kg wet	68%	52 - 120	9122120	12/14/09 18:26
Anthracene	1.67	1.37		mg/kg wet	82%	58 - 120	9122120	12/14/09 18:26
Benzo (a) anthracene	1.67	1.26		mg/kg wet	75%	57 - 120	9122120	12/14/09 18:26
Benzo (a) pyrene	1.67	1.32		mg/kg wet	79%	55 - 120	9122120	12/14/09 18:26
Benzo (b) fluoranthene	1.67	1.15		mg/kg wet	69%	51 - 123	9122120	12/14/09 18:26
Benzo (g,h,i) perylene	1.67	1.24		mg/kg wet	75%	49 - 121	9122120	12/14/09 18:26
Benzo (k) fluoranthene	1.67	1.41		mg/kg wet	84%	42 - 129	9122120	12/14/09 18:26
Chrysene	1.67	1.16		mg/kg wet	69%	55 - 120	9122120	12/14/09 18:26
Dibenz (a,h) anthracene	1.67	1.28		mg/kg wet	77%	50 - 123	9122120	12/14/09 18:26
Fluoranthene	1.67	1.29		mg/kg wet	78%	58 - 120	9122120	12/14/09 18:26
Fluorene	1.67	1.23		mg/kg wet	74%	54 - 120	9122120	12/14/09 18:26
Indeno (1,2,3-cd) pyrene	1.67	1.31		mg/kg wet	79%	50 - 122	9122120	12/14/09 18:26
Naphthalene	1.67	1.06		mg/kg wet	64%	28 - 120	9122120	12/14/09 18:26
Phenanthrene	1.67	1.24		mg/kg wet	74%	56 - 120	9122120	12/14/09 18:20
Pyrene	1.67	1.25		mg/kg wet	75%	56 - 120	9122120	12/14/09 18:26
1-Mcthylnaphthalene	1.67	1.07		mg/kg wet	64%	36 - 120	9122120	12/14/09 18:20
2-Methylnaphthalene	1.67	1.16		mg/kg wet	70%	36 - 120	9122120	12/14/09 18:20

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

#### PROJECT QUALITY CONTROL DATA LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Polyaromatic Hydrocarbons by E	PA 8270D							
9122120-BS1								
Surrogate: Terphenyl-d14	1.67	1.08			65%	18 - 120	9122120	12/14/09 18:26
Surrogate: 2-Fluorobiphenyl	1.67	0.885			53%	14 - 120	9122120	12/14/09 18:26
Surrogate: Nitrobenzene-d5	1.67	0.946			57%	17 - 120	9122120	12/14/09 18:26

#### THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

# PROJECT QUALITY CONTROL DATA

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Selected Volatile Organic Comp	ounds by EPA	Method 820	50B									
9121095-BSD1												
Benzene		47.6		ug/kg	50.0	95%	78 - 126	2	50	9121095		12/14/09 17:01
Ethylbenzene		48.9		ug/kg	50.0	98%	79 - 130	2	50	9121095		12/14/09 17:01
Naphthalene		44.2		ug/kg	50.0	88%	72 - 150	6	50	9121095		12/14/09 17:01
Toluene		48.5		ug/kg	50.0	97%	76 - 126	3	50	9121095		12/14/09 17:01
Xylenes, total		148		ug/kg	150	98%	80 - 130	2	50	9121095		12/14/09 17:01
Surrogate: 1,2-Dichloroethane-d4		51.3		ug/kg	50.0	103%	67 - 138			9121095		12/14/09 17:01
Surrogate: Dibromofluoromethane		55.2		ug/kg	50.0	110%	75 - 125			9121095		12/14/09 17:01
Surrogate: Toluene-d8		50.3		ug/kg	50.0	101%	76 - 129			9121095		12/14/09 17:01
Surrogate: 4-Bromofluorobenzene		47.9		ug/kg	50.0	96%	67 - 147			9121095		12/14/09 17:01
9121162-BSD1												
Benzene		52.4		ug/kg	50.0	105%	78 - 126	0.5	50	9121162		12/14/09 12:28
Ethylbenzene		52.1		ug/kg	50.0	104%	79 - 130	2	50	9121162		12/14/09 12:28
Naphthalene		58.7		ug/kg	50.0	117%	72 - 150	0.4	50	9121162		12/14/09 12:28
Toluene		54.0		ug/kg	50.0	108%	76 - 126	1	50	9121162		12/14/09 12:28
Xylenes, total		149		ug/kg	150	99%	80 - 130	1	50	9121162		12/14/09 12:28
Surrogate: 1,2-Dichloroethane-d4		46.7		ug/kg	50.0	93%	67 - 138			9121162		12/14/09 12:28
Surrogate: Dibromofluoromethane		47.8		ug/kg	50.0	96%	75 - 125			9121162		12/14/09 12:28
Surrogate: Toluene-d8		50.5		ug/kg	50.0	101%	76 - 129			9121162		12/14/09 12:28
Surrogate: 4-Bromofluorobenzene		48.0		ug/kg	50.0	96%	67 - 147			9121162		12/14/09 12:28

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

#### PROJECT QUALITY CONTROL DATA Matrix Spike

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rcc.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Selected Volatile Organic Compour	nds by EPA Me	thod 8260B								
9121162-MS1										
Benzene	ND	42.5		ug/kg	50.0	85%	42 - 141	9121162	NSL1304-04	12/14/09 22:09
Ethylbenzene	ND	43.6		ug/kg	50.0	87%	21 - 165	9121162	NSL1304-04	12/14/09 22:09
Naphthalene	ND	46.7		ug/kg	50.0	93%	10 - 160	9121162	NSL1304-04	12/14/09 22:09
Toluene	ND	46.5		ug/kg	50.0	93%	45 - 145	9121162	NSL1304-04	12/14/09 22:09
Xylenes, total	ND	128		ug/kg	150	85%	31 - 159	9121162	NSL1304-04	12/14/09 22:09
Surrogate: 1,2-Dichloroethane-d4		49.4		ug/kg	50.0	99%	67 - 138	9121162	NSL1304-04	12/14/09 22:09
Surrogate: Dibromofluoromethane		49.6		ug/kg	50.0	99%	75 - 125	9121162	NSL1304-04	12/14/09 22:09
Surrogate: Toluene-d8		56.3		ug/kg	50.0	113%	76 - 129	9121162	NSL1304-04	12/14/09 22:09
Surrogate: 4-Bromofluorobenzene		46.3		ug/kg	50.0	93%	67 - 147	9121162	NSL1304-04	12/14/09 22:09
Polyaromatic Hydrocarbons by EP	A 8270D									
9122120-MS1										
Acenaphthene	ND	1.04		mg/kg dry	1.76	59%	42 - 120	9122120	NSL0727-06	12/15/09 02:21
Acenaphthylcnc	ND	1.01		mg/kg dry	1.76	58%	32 - 120	9122120	NSL0727-06	12/15/09 02:21
Anthracene	ND	1.25		mg/kg dry	1.76	71%	10 - 200	9122120	NSL0727-06	12/15/09 02:21
Benzo (a) anthracene	ND	1.19		mg/kg dry	1.76	68%	41 - 120	9122120	NSL0727-06	12/15/09 02:21
Benzo (a) pyrene	ND	1.17		mg/kg dry	1.76	66%	33 - 121	9122120	NSL0727-06	12/15/09 02:21
Benzo (b) fluoranthene	ND	1.09		mg/kg dry	1.76	62%	26 - 137	9122120	NSL0727-06	12/15/09 02:21
Benzo (g,h,i) perylene	ND	0.967		mg/kg dry	1.76	55%	21 - 124	9122120	NSL0727-06	12/15/09 02:21
Benzo (k) fluoranthene	ND	1.25		mg/kg dry	1.76	71%	14 - 140	9122120	NSL0727-06	12/15/09 02:21
Chrysene	ND	1.07		mg/kg dry	1.76	61%	28 - 123	9122120	NSL0727-06	12/15/09 02:21
Dibenz (a,h) anthracene	ND	1.10		mg/kg dry	1.76	63%	25 - 127	9122120	NSL0727-06	12/15/09 02:21
Fluoranthene	ND	1.09		mg/kg dry	1.76	62%	38 - 120	9122120	NSL0727-06	12/15/09 02:21
Fluorene	ND	1.07		mg/kg dry	1.76	61%	41 - 120	9122120	NSL0727-06	12/15/09 02:21
Indeno (1,2,3-cd) pyrenc	ND	1.13		mg/kg dry	1.76	64%	25 - 123	9122120	NSL0727-06	12/15/09 02:21
Naphthalene	ND	1.02		mg/kg dry	1.76	58%	25 - 120	9122120	NSL0727-06	12/15/09 02:21
Phenanthrene	ND	1.13		mg/kg dry	1.76	64%	37 - 120	9122120	NSL0727-06	12/15/09 02:21
Pyrene	ND	1.21		mg/kg dry	1.76	69%	29 - 125	9122120	NSL0727-06	12/15/09 02:21
I-Methylnaphthalene	ND	1.01		mg/kg dry	1.76	58%	19 - 120	9122120	NSL0727-06	12/15/09 02:21
2-Methylnaphthalene	ND	1.11		mg/kg dry	1.76	63%	11 - 120	9122120	NSL0727-06	12/15/09 02:21
Surrogate: Terphenyl-d14		1.02		mg/kg dry	1.76	58%	18 - 120	9122120	NSL0727-06	12/15/09 02:21
Surrogate: 2-Fluorobiphenyl		0.749		mg/kg dry	1.76	43%	14 - 120	9122120	NSL0727-06	12/15/09 02:21
Surrogate: Nitrobenzene-d5		0.809			1.76	46%	17 - 120	9122120	NSL0727-06	12/15/09 02:21

THE LEADER IN ENVIRONMENTAL TESTING

,

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

## PROJECT QUALITY CONTROL DATA Matrix Spike Dup

Analyte	Orig. Val.	Duplicate Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Selected Volatile Organic Comp	ounds by EPA	Method 8260B									
9121162-MSD1											
Benzene	ND	50.8	ug/kg	50.0	102%	42 - 141	18	50	9121162	NSL1304-04	12/14/09 22:40
Ethylbenzene	ND	52.6	ug/kg	50.0	105%	21 - 165	19	50	9121162	NSL1304-04	12/14/09 22:40
Naphthalene	ND	51.0	ug/kg	50.0	102%	10 - 160	9	50	9121162	NSL1304-04	12/14/09 22:40
Toluene	ND	55.6	ug/kg	50.0	111%	45 - 145	18	50	9121162	NSL1304-04	12/14/09 22:40
Xylenes, total	ND	154	ug/kg	150	103%	31 - 159	19	50	9121162	NSL1304-04	12/14/09 22:40
Surrogate: 1,2-Dichloroethane-d4		45.6	ug/kg	50.0	91%	67 - 138			9121162	NSL1304-04	12/14/09 22:40
Surrogate: Dibromofluoromethane		47.5	ug/kg	50.0	95%	75 - 125			9121162	NSL1304-04	12/14/09 22:40
Surrogate: Toluene-d8		56.3	ug/kg	50.0	113%	76 - 129			9121162	NSL1304-04	12/14/09 22:40
Surrogate: 4-Bromofluorobenzene		45.8	ug/kg	50.0	92%	67 - 147			9121162	NSL1304-04	12/14/09 22:40
Polyaromatic Hydrocarbons by	EPA 8270Đ										
9122120-MSD1											
Acenaphthene	ND	0.963	mg/kg dry	1.74	55%	42 - 120	8	40	9122120	NSL0727-06	12/15/09 02:43
Acenaphthylene	ND	0.957	mg/kg dry	1.74	55%	32 - 120	6	30	9122120	NSL0727-06	12/15/09 02:43
Anthracene	ND	1.17	mg/kg dry	1.74	68%	10 - 200	6	50	9122120	NSL0727-06	12/15/09 02:43
Benzo (a) anthracene	ND	1.11	mg/kg dry	1.74	64%	41 - 120	7	30	9122120	NSL0727-06	12/15/09 02:43
Benzo (a) pyrene	ND	1.11	mg/kg dry	1.74	64%	33 - 121	5	33	9122120	NSL0727-06	12/15/09 02:43
Benzo (b) fluoranthene	ND	0.978	mg/kg dry	1.74	56%	26 - 137	11	42	9122120	NSL0727-06	12/15/09 02:43
Benzo (g,h,i) perylene	ND	0.939	mg/kg dry	1.74	54%	21 - 124	3	32	9122120	NSL0727-06	12/15/09 02:43
Benzo (k) fluoranthene	ND	1.17	mg/kg dry	1.74	67%	14 - 140	6	39	9122120	NSL0727-06	12/15/09 02:43
Chrysene	ND	0.995	mg/kg dry	1.74	57%	28 - 123	8	34	9122120	NSL0727-06	12/15/09 02:43
Dibenz (a,h) anthracene	ND	1.06	mg/kg dry	1.74	61%	25 - 127	4	31	9122120	NSL0727-06	12/15/09 02:43
Fluoranthene	ND	1.03	mg/kg dry	1.74	59%	38 - 120	6	35	9122120	NSL0727-06	12/15/09 02:43
Fluorene	ND	1.02	mg/kg dry	1.74	59%	41 - 120	4	37	9122120	NSL0727-06	12/15/09 02:43
Indeno (1,2,3-cd) pyrene	ND	1.06	mg/kg dry	1.74	61%	25 - 123	6	32	9122120	NSL0727-06	12/15/09 02:43
Naphthalene	ND	0.892	mg/kg dry	1.74	51%	25 - 120	13	42	9122120	NSL0727-06	12/15/09 02:43
Phenanthrene	ND	1.06	mg/kg dry	1.74	61%	37 - 120	6	32	9122120	NSL0727-06	12/15/09 02:43
Pyrene	ND	1.12	mg/kg dry	1.74	64%	29 - 125	8	40	9122120	NSL0727-06	12/15/09 02:43
1-Methylnaphthalene	ND	0.921	mg/kg dry	1.74	53%	19 - 120	9	45	9122120	NSL0727-06	12/15/09 02:43
2-Methylnaphthalene	ND	1.00	mg/kg dry	1.74	58%	11 - 120	10	50	9122120	NSL0727-06	12/15/09 02:43
Surrogate: Terphenyl-d14		0.970	mg/kg dry	1.74	56%	18 - 120			9122120	NSL0727-06	12/15/09 02:43
Surrogate: 2-Fluorobiphenyl		0.836	mg/kg dry	1.74	48%	14 - 120			9122120	NSL0727-06	12/15/09 02:43
Surrogate: Nitrobenzene-d5		0.838	mg/kg dry	1.74	48%	17 - 120			9122120	NSL0727-06	12/15/09 02:43



THE LEADER IN ENVIRONMENTAL TESTING

**TestAmerica** Nashville

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

#### **CERTIFICATION SUMMARY**

Method	Matrix	AIHA	Nelac	South Carolina
SW846 8260B	Soil	N/A	Х	X
SW846 8270D	Soil		х	х
SW-846	Soil			

<u>TestAmerica</u>

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NSL0727
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	12/05/09 08:30

### DATA QUALIFIERS AND DEFINITIONS

- J Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.
- ND Not detected at the reporting limit (or method detection limit if shown)

#### METHOD MODIFICATION NOTES

# NSL0727

## 12/21/09 23:59

		LTESUNG	Nashville 2960 Fost Nashville,	er Creig	hton	ı				li Free	: 80	5-726- 0-765- 5-726-	0980	)						meth		this wo urpose	ork beir s?	proper ang cond	ucted f	or			
	•	10179 Highway	78		·											-											Yes		_ No
																			•	~~			Entor	rcemen	t Action	n	Yes	'	No
	• •	Ladson, SC 294																546	State:	-	<b>ट</b> 78	170	5						<b></b> .
	Project Manager:		mail: mcelw	ee@eeg	nc.n	et			10	24.7	1	0	20		-11	7,			PO#:		0,0	<u>~</u>	1						
	Telephone Number:						Fa	ax N	o.: <u>( 3</u>	73	≁	2	[]	<u> </u>	74	4			iote #:										<u></u>
	Sampler Name: (Print)	PR	tt	sp.	9 4	2-												Proj	ect iD:	Laur	el Bay i	lousing	g Proje	ct					
	Sampler Signature:		LL,	4												-		Pro	ject #:										
ſ				·		r				eserva	tive		Į	TF	Matri	ix	-					A	nalyze	For:					1
5 C 3 C 3 C 3 C 3 C 3 C 3 C 3 C 3 C 3 C	Sample 10 / Description 5-44 LA 4Rel BA y Bd.d. 550 DA h 1:A 552 DA h 1:A 554 DA h 1:A 349 ASh -2 564 DA h 1:A	11/30/09 11/30/09 11/30/09 11/30/09 11/30/09 12/1/09 12/1/09	( paddues ambie 1205 1205 1545 0745 0745	555	XXXCab	Composite	Field Fittered			NaOH ( Orange Label) H.SO. Plastic (Yellow Lab	H-SO4 Glass(Yellow Label)	Nore (Black Laber) Clina ( Scoreth M eU. )		Wastewater	Druking Water	X X X Sol	4	(4 WW W W W BTEX + Napth - 82608	WWW W PAH - 8270D										RUSH TAT (Pre-Schedule)
			<u> </u>	┟──┤				$\vdash$		┝╌┠╸	+	╆╌╂╌	╉─	┼╌┼	+									+	<b>†</b>	┝───	<b>├</b> ──		┝┥
	Special Instructions: Relinquished by Relinquished by	12/4	Method of Shipment:     FED       Qate     Time     Received by:     Date       12/4/09     0830     Filler     Date       Date     Time     Received by TestAmerica:     Date       Under     Time     Received by TestAmerica:     Date												Time Time		Labo		erature	e Upon	Receip dspace		ł	L		, Y			

# ATTACHMENT A



# **NON-HAZARDOUS MANIFEST**

NON-HAZARDOUS MANIFEST			10.10	1 4 3	2		lanifes ument		2. Pag	e 1				
									of	1	1000	1		
3. Generator's Name and Mailing Address									A. Mani			108	3854	157
Laurel Bay Housing									-	M		also be be	100-	101
Beaufort SC 29904						633			B. State	Gener	ator's ID			
. Generator's Phone 843 228-6460						21-6						and the	Sec. 1	2
. Transporter 1 Company Name		6,		US EPA	ID Num	ner			12-01-12-6422	CO. N. CANALLAN	porter's ID	1. C. C.		
EEG, Inc.			10			_		-			s Phone	13 879	-0411	
7. Transporter 2 Company Name		8.		US EPA	ID Numi	er	e0 14	20	- AAAAAAA	1101	porter's ID	1	1.1	
										-	s Phone			
. Designated Facility Name and Site Address		10.		US EPA	ID Numl	er			G. State	Facilit	y's ID			
HICKORY HILL LANDFILL											S 4 0 2	122		100
ROUTE 1, BOX 121		1.1	1.1	7.7.7	1.1	1.5	2.2	1.1	H. Fadil	ity's Ph		-		
RIDGELAND SC 20098     1. Description of Waste Materials						_			-	-		13 967		
1. Description of waste materials						1		2. Cont Io.	SPACES !!		13. Total Quantity	14, Unit W1./Vol.	Misc. (	l. Comme
Heating Oil Tank filled with Sand	-			-	-			10.	Туре		Juantity	WIJVOI	11130. 0	Jonnine
interesting our rante taken train outres						2			1		15-1	1	100	
WM Profile	#	1026	35580	>			0 0	11		1	191816	100		
	-				-		1	1		-	100	1. 110-		
												1000	1.00	
WM Profile	#						1	1	11	- F	i i i	1 18		
							-	1	-	1	111	1		8
												- K		
WM Profile	#					2.1	1	13	1	Sa.	1 1 1	din in	1.0	
	1970 - 1970 -	-	100	-		-	-	-				-		0 10
						100						1		
						100					1.1.1	120	1	
Additional Descriptions for Materials Listed Above									76.3					
Landfill Solidification		-	i.						Cell			Lev	el	
Landfill Solidification								The second	Grid	1.2			1	3
Landfill Solidification	rmation		- ,	3	52	DA	41;	n	Grid	5	64 D.		1	
Landfill Solidification	rmation 45 85	*· Ray	RIN	A A	52	DA	41: h1:	1	Grid	5	64 D.		1	
Landfill Solidification Bio Remediation 5. Special Handling Instructions and Additional Infor Get A USTIS Provide House State State S							hli	11	Grid	5	64 D. 60 D		1	
Landfill Solidification Blo Remediation 5. Special Handling Instructions and Additional Infor Gea Purchase Order # 5.50 D				BGENC'			h1; h1;	11	Grid	5	64 D. 60 D		1	
Landfill       Solidification         Blo Remediation							61; h1;	1	Grid	5	64 D. 60 D		1	
Landfill       Solidification         Blo Remediation	ah/i.	AL	EME	RGENC	CONT	ACT:			Grid		-	nht.	14	or any
Landfill       Solidification         Bio Remediation	cribed r	materia accurat	EME Is are tely de	not ha	zard	ACT:	vast	es a	Grid 5 5 5 5	ned	by 40 Cl	nh1	14 14	
Landfill Solidification Bio Remediation 5. Special Handling Instructions and Additional Infor Get A USTIS Acom house Purchase Order # 550 D 6. GENERATOR'S CERTIFICATION: I hereby certify that the above-desc	cribed r	materia accurat	EME Is are tely de	not ha	zard	ACT:	vast	es a	Grid 5 5 5 5	ned	by 40 Cl	nh1	14 14	
Landfill       Solidification         Bio Remediation	cribed r	materia accurat	EME Is are tely de ions.	not ha	zard	DUS W	vast	es a	Grid 5 5 5 5	ned	by 40 Cl	nh1	14 14	dition
Landfill       Solidification         Bio Remediation       Solidification         5. Special Handling Instructions and Additional Infor         Get A       Solidification         Purchase Order #       Solidification         6. GENERATOR'S CERTIFICATION:         I hereby certify that the above-desc applicable state law, have been full for transportation according to applicable	cribed r	materia accurat	EME Is are tely de ions.	not ha	zard	DUS W	vast	es a	Grid 5 5 5 5	ned	by 40 Cl	nh1	rt 261 co	Day
Landfill       Solidification         Bio Remediation	cribed r lly and a licable	materia accurat	EME Is are tely de ions.	not ha	zard	DUS W	vast	es a	Grid 5 5 5 5	ned	by 40 Cl	nh1	t 261 coper con	Day
Landfill       Solidification         Bio Remediation	cribed r lly and a licable	materia accurat	EME Ils are tely de ions.	not ha	zard	DUS W	vast	es a	Grid 5 5 5 5	ned	by 40 Cl	nh1	t 261 coper con	Day
Landfill       Solidification         Blo Remediation       Solidification         5. Special Handling Instructions and Additional Infor         Purchase Order #         6. GENERATOR'S CERTIFICATION:         I hereby certify that the above-desc applicable state law, have been full for transportation according to appl         Printed/Typed Name         7. Transporter 1 Acknowledgement of Receipt of Mare	cribed r lly and a licable	materia accurat	EME Ils are tely de ions.	not ha	zard	DUS W	vast	es a	Grid 5 5 5 5	ned	by 40 Cl	nh1	tt 261 co per cor Month	Day
Landfill       Solidification         Blo Remediation       Solidification         5. Special Handling Instructions and Additional Infor <i>Purchase Order #</i> 6. GENERATOR'S CERTIFICATION:         I hereby certify that the above-desc applicable state law, have been full for transportation according to appl <i>Printed/Typed Name</i> 7. Transporter 1 Acknowledgement of Receipt of Mar <i>Printed/Typed Name James</i>	cribed r lly and a licable	materia accurat	EME Ils are tely de ions.	not ha	zard	DUS W	vast	es a	Grid 5 5 5 5	ned	by 40 Cl	nh1	tt 261 co per cor Month	Day
Landfill       Solidification         Bio Remediation	cribed r lly and a licable	materia accurat	EME Ils are tely de ions.	not ha	zard	DUS W	vast	es a	Grid 5 5 5 5	ned	by 40 Cl	nh1	tt 261 co per cor Month	Day Day
Landfill       Solidification         Bio Remediation	cribed r lly and a licable	materia accurat	EME Ils are tely de ions.	not ha escribe	zard	DUS W	vast	es a	Grid 5 5 5 5	ned	by 40 Cl	nh1	Month	Day Day
Landfill       Solidification         Bio Remediation       Solidification         5. Special Handling Instructions and Additional Infor         Purchase Order #         9.6. GENERATOR'S CERTIFICATION:         I hereby certify that the above-desc applicable state law, have been full for transportation according to appl         Printed/Typed Name         7. Transporter 1 Acknowledgement of Receipt of Mar         Printed/Typed Name         Solidification         8. Transporter 2 Acknowledgement of Receipt of Mar	cribed r lly and a licable	materia accurat	EME Ils are tely de ions.	not ha escribe	zard	DUS W	vast	es a	Grid 5 5 5 5	ned	by 40 Cl	nh1	Month	Day Day Day
Landfill       Solidification         Bio Remediation	cribed r lly and a licable terials	materia accurat regulat	EME Ils are tely de ions.	not ha escribe	izardi d, cla	DUS W	vasti ed a	es a nd p	Grid S S defi ackag	ned l ged,	by 40 Cl and are	FR Pa in pro	Month	Day Day Day Day Day
Landfill       Solidification         Bio Remediation       Solidification         5. Special Handling Instructions and Additional Infor         Purchase Order #         6. GENERATOR'S CERTIFICATION:         I hereby certify that the above-desc         applicable state law, have been full         for transportation according to appl         Printed/Typed Name         7. Transporter 1 Acknowledgement of Receipt of Mar         Printed/Typed Name         8. Transporter 2 Acknowledgement of Receipt of Mar         Printed/Typed Name	cribed r lly and a licable tterials ed treat	materia accurat regulat	EME Ils are tely de ions.	not ha escribe gnature gnature gnature	o the	best	vasti ed a	es a nd p	Grid S defi ackag	ned l ged,	by 40 Cl and are	PR Pa in pro	Month	Day Day Day Day Day
Landfill       Solidification         Bio Remediation       Special Handling Instructions and Additional Infor         5. Special Handling Instructions and Additional Infor         Purchase Order #         6. GENERATOR'S CERTIFICATION:         I hereby certify that the above-desc         applicable state law, have been full         for transportation according to applied/Typed Name         7. Transporter 1 Acknowledgement of Receipt of Mar         Printed/Typed Name         8. Transporter 2 Acknowledgement of Receipt of Mar         Printed/Typed Name         9. Certificate of Final Treatment/Disposal         I certify, on behalf of the above lister         was managed in compliance with a	cribed r lly and a licable tterials ed treat	materia accurat regulat tment fa	EME Ils are tely de ions. Sig Sig acility, aws, r	not ha escribe gnature gnature gnature that to egulati	o the ons,	best	vaste ed a Bo of m its a	es a nd p	Grid S defi ackag	ned l ged,	by 40 Cl and are	PR Pa in pro	Month	Day Day Day Day Day
Landfill       Solidification         Bio Remediation	cribed r lly and a licable tterials ed treat	materia accurat regulat tment fa	EME Is are tely de ions. Sig Sig acility aws, r	not ha escribe gnature gnature gnature that to egulati	o the ons,	best	vaste ed a Bo of m its a	es a nd p	Grid S defi ackag	ned l ged,	by 40 Cl and are	PR Pa in pro	Month Month Month Month Month	Day Day Day Day Day

Appendix C Regulatory Correspondence



BOARD: Paul C. Aughtry, III Chairman

Edwin H. Cooper, III Vice Chairman

Steven G. Kisner Secretary



BOARD: Henry C. Scott

M. David Mitchell, MD

Glenn A. McCall

Coleman F. Buckhouse, MD

C. Earl Hunter, Commissioner Promoting and protecting the health of the public and the environment

Bureau of Land and Waste Management Division of Waste Management

February 17, 2011

Commanding Officer Attention: NREAO Mr. William A. Drawdy United States Marine Corp Air Station Post Office Box 55001 Beaufort, SC 29904-5001

RE: No Further Action Laurel Bay Underground Storage Tank Assessment Report for:

- 550 Dahlia
- 552 Dahlia
- 564 Dahlia 544 Laurel

554 Dahlia

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tanks (USTs) Assessment Report on April 22, 2010 for the addresses listed above.

The Department has reviewed the referenced assessment report along with the additional information submitted and agrees there is no indication of soil or groundwater contamination on this property, and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corp Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary. If you have any questions, please contact me at <u>picketcn@dhec.sc.gov</u> or 803-896-4131.

Sincerely,

Clinst Richt

Christi Pickett Corrective Action Engineering Section Bureau of Land and Waste Management South Carolina Department of Health and Environmental Control

cc: Laurel Rhoten (via email) Craig Ehde (via email)