

SUMMARY REPORT
132 DAHLIA DRIVE (FORMERLY 563 DAHLIA DRIVE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid-Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT
132 DAHLIA DRIVE (FORMERLY 563 DAHLIA DRIVE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid- Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue
Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture
10560 Arrowhead Drive, Suite 500
Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016
CTO WE52
JUNE 2021

Table of Contents

1.0	INTRODUCTION.....	1
1.1	BACKGROUND INFORMATION.....	1
1.2	UST REMOVAL AND ASSESSMENT PROCESS.....	2
2.0	SAMPLING ACTIVITIES AND RESULTS.....	3
2.1	UST REMOVAL AND SOIL SAMPLING	3
2.2	SOIL ANALYTICAL RESULTS.....	4
3.0	PROPERTY STATUS	4
4.0	REFERENCES.....	4

Table

Table 1	Laboratory Analytical Results - Soil
---------	--------------------------------------

Appendices

Appendix A	Multi-Media Selection Process for LBMH
Appendix B	UST Assessment Report
Appendix C	Regulatory Correspondence

List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level

1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 132 Dahlia Drive (Formerly 563 Dahlia Drive). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*

Division (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 132 Dahlia Drive (Formerly 563 Dahlia Drive). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 563 Dahlia Drive* (MCAS Beaufort, 2015). The UST Assessment Report is provided in Appendix B.

2.1 UST Removal and Soil Sampling

On February 10, 2015, a single 280 gallon heating oil UST was removed from the landscaped area adjacent to the driveway at 132 Dahlia Drive (Formerly 563 Dahlia Drive). The former UST location is indicated on Figures 1 and 2 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 6'0" bgs and a single soil sample was collected from that depth. The

sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 132 Dahlia Drive (Formerly 563 Dahlia Drive) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment.

3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 132 Dahlia Drive (Formerly 563 Dahlia Drive). This NFA determination was obtained in a letter dated August 3, 2016. SCDHEC's NFA letter is provided in Appendix C.

4.0 REFERENCES

Marine Corps Air Station Beaufort, 2015. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 563 Dahlia Drive, Laurel Bay Military Housing Area*, July 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

Table

Table 1
Laboratory Analytical Results - Soil
132 Dahlia Drive (Formerly 563 Dahlia Drive)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾	Results Sample Collected 02/10/15
Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)		
Benzene	0.003	ND
Ethylbenzene	1.15	ND
Naphthalene	0.036	0.00313
Toluene	0.627	0.000926
Xylenes, Total	13.01	0.000765
Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)		
Benzo(a)anthracene	0.66	ND
Benzo(b)fluoranthene	0.66	ND
Benzo(k)fluoranthene	0.66	ND
Chrysene	0.66	ND
Dibenz(a,h)anthracene	0.66	ND

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0 and 3.1 (SCDHEC, May 2015 and SCDHEC, February 2016) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

Appendix A
Multi-Media Selection Process for LBMH



Appendix A - Multi-Media Selection Process for LBMH

Appendix B
UST Assessment Report

South Carolina Department of Health and Environmental Control (SCDHEC)
Underground Storage Tank (UST) Assessment Report

Date Received

State Use Only

Submit Completed Form To:
 UST Program
 SCDHEC
 2600 Bull Street
 Columbia, South Carolina 29201
 Telephone (803) 896-7957

I. OWNERSHIP OF UST (S)

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)

Owner Name (Corporation, Individual, Public Agency, Other)

P.O. Box 55001

Mailing Address

Beaufort, South Carolina 29904-5001
 City State Zip Code

843 228-7317 Craig Ehde
 Area Code Telephone Number Contact Person

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #

Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC
 Facility Name or Company Site Identifier

563 Dahlia Drive, Laurel Bay Military Housing Area
 Street Address or State Road (as applicable)

Beaufort, Beaufort
 City County

III. INSURANCE INFORMATION

Insurance Statement

The petroleum release reported to DHEC on _____ at Permit ID Number _____ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? **YES** ____ **NO** ____ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: _____
The policy deductible is: _____
The policy limit is: _____

If you have this type of insurance, please include a copy of the policy with this report.

IV. REQUEST FOR SUPERB FUNDING

I **DO** / **DO NOT** wish to participate in the SUPERB Program. (Circle one.)

V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

To be completed by Notary Public:

Sworn before me this _____ day of _____, 20____

(Name)

Notary Public for the state of _____
Please affix State seal if you are commissioned outside South Carolina

VI. UST INFORMATION

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity..(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material..(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....

563Dahlia				
Heating oil				
280 gal				
Late 1950s				
Steel				
Mid 1980s				
6'				
No				
No				
Removed				
2/10/2015				
Yes				
Yes				

- M. Method of disposal for any USTs removed from the ground (attach disposal manifests)
UST 563Dahlia was removed from the ground and disposed at a
Subtitle "D" landfill. See Attachment "A".
- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)
UST 563Dahlia had been previously filled with sand by others.
- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST
Corrosion, pitting and holes were found throughout the tank.

VII. PIPING INFORMATION

A. Construction Material..(ex. Steel, FRP).....

B. Distance from UST to Dispenser.....

C. Number of Dispensers.....

D. Type of System Pressure or Suction.....

E. Was Piping Removed from the Ground? Y/N

F. Visible Corrosion or Pitting Y/N.....

G. Visible Holes Y/N.....

H. Age.....

I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

563Dahlia				
Steel & Copper				
N/A				
N/A				
Suction				
No				
Yes				
No				
Late 1950s				

Corrosion and pitting were found on the surface of the steel vent pipe. Copper supply and return lines were sound.

VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

IX. SITE CONDITIONS

	Yes	No	Unk
<p>A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate depth and location on the site map.</p>		X	
<p>B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate location on site map and describe the odor (strong, mild, etc.)</p>		X	
<p>C. Was water present in the UST excavation, soil borings, or trenches?</p> <p>If yes, how far below land surface (indicate location and depth)?</p>		X	
<p>D. Did contaminated soils remain stockpiled on site after closure?</p> <p>If yes, indicate the stockpile location on the site map.</p> <p>Name of DHEC representative authorizing soil removal:</p>		X	
<p>E. Was a petroleum sheen or free product detected on any excavation or boring waters?</p> <p>If yes, indicate location and thickness.</p>		X	

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
563 Dahlia	Excav at fill end	Soil	Sandy	6'	2/10/15 1215 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

* = Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY



Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.

XII. RECEPTORS

		Yes	No
A.	Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system? If yes, indicate type of receptor, distance, and direction on site map.	*X	
		*Stormwater drainage canal	
B.	Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system? If yes, indicate type of well, distance, and direction on site map.		X
C.	Are there any underground structures (e.g., basements) Located within 100 feet of the UST system? If yes, indicate type of structure, distance, and direction on site map.		X
D.	Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? If yes, indicate the type of utility, distance, and direction on the site map.	*X	
		*Sewer, water, electricity, cable & fiber optic	
E.	Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete? If yes, indicate the area of contaminated soil on the site map.		X

STORMWATER DRAINAGE
CANAL \approx 600'



UST 563DAHLIA WAS
36" BELOW GRADE.


SBG-EEG

7301 RIVERS AVE., SUITE 245
N. CHARLESTON SC 29406
(843) 573-7140

FIGURE 1 SITE MAP
563 DAHLIA DR., LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE MAR 2015





Picture 1: Location of UST 563 Dahlia.



Picture 2: Tank excavation.



Picture 3: UST 563Dahlia being wrapped for transport.



Picture 4: Site after tank removal is completed.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	UST	563Dahlia						
Benzene		ND						
Toluene		0.000926 mg/kg						
Ethylbenzene		ND						
Xylenes		0.000765 mg/kg						
Naphthalene		0.00313 mg/kg						
Benzo (a) anthracene		ND						
Benzo (b) fluoranthene		ND						
Benzo (k) fluoranthene		ND						
Chrysene		ND						
Dibenz (a, h) anthracene		ND						
TPH (EPA 3550)								

CoC								
Benzene								
Toluene								
Ethylbenzene								
Xylenes								
Naphthalene								
Benzo (a) anthracene								
Benzo (b) fluoranthene								
Benzo (k) fluoranthene								
Chrysene								
Dibenz (a, h) anthracene								
TPH (EPA 3550)								

SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here)
(Please see Form #4)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Nashville
2960 Foster Creighton Drive
Nashville, TN 37204
Tel: (615)726-0177

TestAmerica Job ID: 490-72561-1

Client Project/Site: Laurel Bay Housing Project

For:

Small Business Group Inc.
10179 Highway 78
Ladson, South Carolina 29456

Attn: Tom McElwee



Authorized for release by:
2/27/2015 11:41:53 AM

Ken Hayes, Project Manager II
(615)301-5035
ken.hayes@testamericainc.com

LINKS

Review your project
results through
Total Access

Have a Question?



Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Definitions	5
Client Sample Results	6
QC Sample Results	8
QC Association	14
Chronicle	16
Method Summary	17
Certification Summary	18
Chain of Custody	19
Receipt Checklists	21

Sample Summary

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-72561-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
490-72561-1	563 Dahlia	Soil	02/10/15 14:15	02/14/15 08:30
490-72561-2	659 Camellia	Soil	02/11/15 12:15	02/14/15 08:30

3

5

Case Narrative

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-72561-1

Job ID: 490-72561-1

Laboratory: TestAmerica Nashville

Narrative

Job Narrative 490-72561-1

Comments

No additional comments.

Receipt

The samples were received on 2/14/2015 8:30 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.5° C.

GC/MS VOA

Method(s) 8260B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for batch 228630 were outside control limits. Poor purge is suspected because the associated laboratory control sample (LCS) and matrix spike (MS) recovery was within acceptance limits. See lcs/lcsd for batch precision.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC/MS Semi VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Definitions/Glossary

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-72561-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▣	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client Sample Results

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-72561-1

Client Sample ID: 563 Dahlia

Date Collected: 02/10/15 14:15

Date Received: 02/14/15 08:30

Lab Sample ID: 490-72561-1

Matrix: Soil

Percent Solids: 92.8

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00217	0.000729	mg/Kg	11	02/10/15 14:15	02/20/15 17:10	1
Ethylbenzene	ND		0.00217	0.000729	mg/Kg	11	02/10/15 14:15	02/20/15 17:10	1
Naphthalene	0.00313	J	0.00544	0.00185	mg/Kg	11	02/10/15 14:15	02/20/15 17:10	1
Toluene	0.000926	J	0.00217	0.000805	mg/Kg	11	02/10/15 14:15	02/20/15 17:10	1
Xylenes, Total	0.000765	J	0.00326	0.000729	mg/Kg	11	02/10/15 14:15	02/20/15 17:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		70 - 130	02/10/15 14:15	02/20/15 17:10	1
4-Bromofluorobenzene (Surr)	101		70 - 130	02/10/15 14:15	02/20/15 17:10	1
Dibromofluoromethane (Surr)	103		70 - 130	02/10/15 14:15	02/20/15 17:10	1
Toluene-d8 (Surr)	91		70 - 130	02/10/15 14:15	02/20/15 17:10	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0702	0.0105	mg/Kg	11	02/19/15 09:50	02/20/15 21:44	1
Acenaphthylene	ND		0.0702	0.00943	mg/Kg	11	02/19/15 09:50	02/20/15 21:44	1
Anthracene	ND		0.0702	0.00943	mg/Kg	11	02/19/15 09:50	02/20/15 21:44	1
Benzo[a]anthracene	ND		0.0702	0.0157	mg/Kg	11	02/19/15 09:50	02/20/15 21:44	1
Benzo[a]pyrene	ND		0.0702	0.0126	mg/Kg	11	02/19/15 09:50	02/20/15 21:44	1
Benzo[b]fluoranthene	ND		0.0702	0.0126	mg/Kg	11	02/19/15 09:50	02/20/15 21:44	1
Benzo[g,h,i]perylene	ND		0.0702	0.00943	mg/Kg	11	02/19/15 09:50	02/20/15 21:44	1
Benzo[k]fluoranthene	ND		0.0702	0.0147	mg/Kg	11	02/19/15 09:50	02/20/15 21:44	1
1-Methylnaphthalene	ND		0.0702	0.0147	mg/Kg	11	02/19/15 09:50	02/20/15 21:44	1
Pyrene	ND		0.0702	0.0126	mg/Kg	11	02/19/15 09:50	02/20/15 21:44	1
Phenanthrene	ND		0.0702	0.00943	mg/Kg	11	02/19/15 09:50	02/20/15 21:44	1
Chrysene	ND		0.0702	0.00943	mg/Kg	11	02/19/15 09:50	02/20/15 21:44	1
Dibenz(a,h)anthracene	ND		0.0702	0.00733	mg/Kg	11	02/19/15 09:50	02/20/15 21:44	1
Fluoranthene	ND		0.0702	0.00943	mg/Kg	11	02/19/15 09:50	02/20/15 21:44	1
Fluorene	ND		0.0702	0.0126	mg/Kg	11	02/19/15 09:50	02/20/15 21:44	1
Indeno[1,2,3-cd]pyrene	ND		0.0702	0.0105	mg/Kg	11	02/19/15 09:50	02/20/15 21:44	1
Naphthalene	ND		0.0702	0.00943	mg/Kg	11	02/19/15 09:50	02/20/15 21:44	1
2-Methylnaphthalene	ND		0.0702	0.0168	mg/Kg	11	02/19/15 09:50	02/20/15 21:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	66		29 - 120	02/19/15 09:50	02/20/15 21:44	1
Terphenyl-d14 (Surr)	69		13 - 120	02/19/15 09:50	02/20/15 21:44	1
Nitrobenzene-d5 (Surr)	55		27 - 120	02/19/15 09:50	02/20/15 21:44	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	93		0.10	0.10	%			02/19/15 13:03	1

TestAmerica Nashville

Client Sample Results

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-72561-1

Client Sample ID: 659 Camellia

Date Collected: 02/11/15 12:15

Date Received: 02/14/15 08:30

Lab Sample ID: 490-72561-2

Matrix: Soil

Percent Solids: 73.2

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00284	0.000952	mg/Kg	☒	02/11/15 12:15	02/23/15 14:23	1
Ethylbenzene	ND		0.00284	0.000952	mg/Kg	☒	02/11/15 12:15	02/23/15 14:23	1
Naphthalene	ND		0.00710	0.00242	mg/Kg	☒	02/11/15 12:15	02/23/15 14:23	1
Toluene	ND		0.00284	0.00105	mg/Kg	☒	02/11/15 12:15	02/23/15 14:23	1
Xylenes, Total	ND		0.00426	0.000952	mg/Kg	☒	02/11/15 12:15	02/23/15 14:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	94		70 - 130	02/11/15 12:15	02/23/15 14:23	1
4-Bromofluorobenzene (Surr)	96		70 - 130	02/11/15 12:15	02/23/15 14:23	1
Dibromofluoromethane (Surr)	106		70 - 130	02/11/15 12:15	02/23/15 14:23	1
Toluene-d8 (Surr)	84		70 - 130	02/11/15 12:15	02/23/15 14:23	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0902	0.0135	mg/Kg	☒	02/19/15 09:50	02/20/15 22:06	1
Acenaphthylene	ND		0.0902	0.0121	mg/Kg	☒	02/19/15 09:50	02/20/15 22:06	1
Anthracene	ND		0.0902	0.0121	mg/Kg	☒	02/19/15 09:50	02/20/15 22:06	1
Benzo[a]anthracene	ND		0.0902	0.0202	mg/Kg	☒	02/19/15 09:50	02/20/15 22:06	1
Benzo[a]pyrene	ND		0.0902	0.0162	mg/Kg	☒	02/19/15 09:50	02/20/15 22:06	1
Benzo[b]fluoranthene	ND		0.0902	0.0162	mg/Kg	☒	02/19/15 09:50	02/20/15 22:06	1
Benzo[g,h,i]perylene	ND		0.0902	0.0121	mg/Kg	☒	02/19/15 09:50	02/20/15 22:06	1
Benzo[k]fluoranthene	ND		0.0902	0.0188	mg/Kg	☒	02/19/15 09:50	02/20/15 22:06	1
1-Methylnaphthalene	ND		0.0902	0.0188	mg/Kg	☒	02/19/15 09:50	02/20/15 22:06	1
Pyrene	ND		0.0902	0.0162	mg/Kg	☒	02/19/15 09:50	02/20/15 22:06	1
Phenanthrene	ND		0.0902	0.0121	mg/Kg	☒	02/19/15 09:50	02/20/15 22:06	1
Chrysene	ND		0.0902	0.0121	mg/Kg	☒	02/19/15 09:50	02/20/15 22:06	1
Dibenz(a,h)anthracene	ND		0.0902	0.00942	mg/Kg	☒	02/19/15 09:50	02/20/15 22:06	1
Fluoranthene	ND		0.0902	0.0121	mg/Kg	☒	02/19/15 09:50	02/20/15 22:06	1
Fluorene	ND		0.0902	0.0162	mg/Kg	☒	02/19/15 09:50	02/20/15 22:06	1
Indeno[1,2,3-cd]pyrene	ND		0.0902	0.0135	mg/Kg	☒	02/19/15 09:50	02/20/15 22:06	1
Naphthalene	ND		0.0902	0.0121	mg/Kg	☒	02/19/15 09:50	02/20/15 22:06	1
2-Methylnaphthalene	ND		0.0902	0.0215	mg/Kg	☒	02/19/15 09:50	02/20/15 22:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	58		29 - 120	02/19/15 09:50	02/20/15 22:06	1
Terphenyl-d14 (Surr)	62		13 - 120	02/19/15 09:50	02/20/15 22:06	1
Nitrobenzene-d5 (Surr)	50		27 - 120	02/19/15 09:50	02/20/15 22:06	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	73		0.10	0.10	%			02/17/15 14:55	1

TestAmerica Nashville

QC Sample Results

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-72561-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 490-228630/9

Matrix: Solid

Analysis Batch: 228630

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.000670	mg/Kg			02/20/15 13:49	1
Ethylbenzene	ND		0.00200	0.000670	mg/Kg			02/20/15 13:49	1
Naphthalene	ND		0.00500	0.00170	mg/Kg			02/20/15 13:49	1
Toluene	ND		0.00200	0.000740	mg/Kg			02/20/15 13:49	1
Xylenes, Total	ND		0.00300	0.000670	mg/Kg			02/20/15 13:49	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		70 - 130		02/20/15 13:49	1
4-Bromofluorobenzene (Surr)	101		70 - 130		02/20/15 13:49	1
Dibromofluoromethane (Surr)	107		70 - 130		02/20/15 13:49	1
Toluene-d8 (Surr)	91		70 - 130		02/20/15 13:49	1

Lab Sample ID: LCS 490-228630/4

Matrix: Solid

Analysis Batch: 228630

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.0500	0.05033		mg/Kg		101	75 - 127
Ethylbenzene	0.0500	0.04877		mg/Kg		98	80 - 134
Naphthalene	0.0500	0.05704		mg/Kg		114	69 - 150
Toluene	0.0500	0.04666		mg/Kg		93	80 - 132
Xylenes, Total	0.100	0.1009		mg/Kg		101	80 - 137

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	85		70 - 130
4-Bromofluorobenzene (Surr)	102		70 - 130
Dibromofluoromethane (Surr)	101		70 - 130
Toluene-d8 (Surr)	90		70 - 130

Lab Sample ID: LCSD 490-228630/10

Matrix: Solid

Analysis Batch: 228630

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.0500	0.04498		mg/Kg		90	75 - 127	11	50
Ethylbenzene	0.0500	0.04561		mg/Kg		91	80 - 134	7	50
Naphthalene	0.0500	0.05482		mg/Kg		110	69 - 150	4	50
Toluene	0.0500	0.04272		mg/Kg		85	80 - 132	9	50
Xylenes, Total	0.100	0.09800		mg/Kg		98	80 - 137	3	50

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	95		70 - 130
4-Bromofluorobenzene (Surr)	96		70 - 130
Dibromofluoromethane (Surr)	105		70 - 130
Toluene-d8 (Surr)	91		70 - 130

TestAmerica Nashville

QC Sample Results

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-72561-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 490-72829-A-4-E MS
Matrix: Solid
Analysis Batch: 229147

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 228919

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	ND		0.0586	0.04526		mg/Kg	☒	77	31 - 143
Ethylbenzene	ND		0.0586	0.04241		mg/Kg	☒	72	23 - 161
Naphthalene	ND		0.0586	0.01573		mg/Kg	☒	27	10 - 176
Toluene	ND		0.0586	0.03621		mg/Kg	☒	62	30 - 155
Xylenes, Total	ND		0.117	0.07842		mg/Kg	☒	67	25 - 162

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	89		70 - 130
4-Bromofluorobenzene (Surr)	106		70 - 130
Dibromofluoromethane (Surr)	89		70 - 130
Toluene-d8 (Surr)	86		70 - 130

Lab Sample ID: 490-72829-A-4-F MSD
Matrix: Solid
Analysis Batch: 229147

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 228919

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	ND		0.0597	0.06299		mg/Kg	☒	106	31 - 143	33	50
Ethylbenzene	ND		0.0597	0.06171		mg/Kg	☒	103	23 - 161	37	50
Naphthalene	ND		0.0597	0.02004		mg/Kg	☒	34	10 - 176	24	50
Toluene	ND		0.0597	0.05348		mg/Kg	☒	90	30 - 155	39	50
Xylenes, Total	ND		0.119	0.1177		mg/Kg	☒	99	25 - 162	40	50

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	82		70 - 130
4-Bromofluorobenzene (Surr)	110		70 - 130
Dibromofluoromethane (Surr)	94		70 - 130
Toluene-d8 (Surr)	89		70 - 130

Lab Sample ID: MB 490-229147/9
Matrix: Solid
Analysis Batch: 229147

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.000670	mg/Kg			02/23/15 13:24	1
Ethylbenzene	ND		0.00200	0.000670	mg/Kg			02/23/15 13:24	1
Naphthalene	ND		0.00500	0.00170	mg/Kg			02/23/15 13:24	1
Toluene	ND		0.00200	0.000740	mg/Kg			02/23/15 13:24	1
Xylenes, Total	ND		0.00300	0.000670	mg/Kg			02/23/15 13:24	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	96		70 - 130		02/23/15 13:24	1
4-Bromofluorobenzene (Surr)	98		70 - 130		02/23/15 13:24	1
Dibromofluoromethane (Surr)	106		70 - 130		02/23/15 13:24	1
Toluene-d8 (Surr)	85		70 - 130		02/23/15 13:24	1

TestAmerica Nashville

QC Sample Results

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-72561-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-229147/3

Matrix: Solid

Analysis Batch: 229147

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.0500	0.05242		mg/Kg		105	75 - 127
Ethylbenzene	0.0500	0.05423		mg/Kg		108	80 - 134
Naphthalene	0.0500	0.05292		mg/Kg		106	69 - 150
Toluene	0.0500	0.04554		mg/Kg		91	80 - 132
Xylenes, Total	0.100	0.1081		mg/Kg		108	80 - 137

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	87		70 - 130
4-Bromofluorobenzene (Surr)	97		70 - 130
Dibromofluoromethane (Surr)	100		70 - 130
Toluene-d8 (Surr)	86		70 - 130

Lab Sample ID: LCS 490-229147/6

Matrix: Solid

Analysis Batch: 229147

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	2.50	2.803		mg/Kg		112	75 - 127
Ethylbenzene	2.50	2.777		mg/Kg		111	80 - 134
Naphthalene	2.50	2.708		mg/Kg		108	69 - 150
Toluene	2.50	2.279		mg/Kg		91	80 - 132
Xylenes, Total	5.00	5.579		mg/Kg		112	80 - 137

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	90		70 - 130
4-Bromofluorobenzene (Surr)	97		70 - 130
Dibromofluoromethane (Surr)	101		70 - 130
Toluene-d8 (Surr)	85		70 - 130

Lab Sample ID: LCSD 490-229147/4

Matrix: Solid

Analysis Batch: 229147

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.0500	0.05473		mg/Kg		109	75 - 127	4	50
Ethylbenzene	0.0500	0.05396		mg/Kg		108	80 - 134	0	50
Naphthalene	0.0500	0.05309		mg/Kg		106	69 - 150	0	50
Toluene	0.0500	0.04407		mg/Kg		88	80 - 132	3	50
Xylenes, Total	0.100	0.1054		mg/Kg		105	80 - 137	3	50

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	87		70 - 130
4-Bromofluorobenzene (Surr)	98		70 - 130
Dibromofluoromethane (Surr)	100		70 - 130
Toluene-d8 (Surr)	85		70 - 130

TestAmerica Nashville

QC Sample Results

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-72561-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 490-228293/1-A

Matrix: Solid

Analysis Batch: 228595

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 228293

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0670	0.0100	mg/Kg		02/19/15 09:50	02/20/15 13:46	1
Acenaphthylene	ND		0.0670	0.00900	mg/Kg		02/19/15 09:50	02/20/15 13:46	1
Anthracene	ND		0.0670	0.00900	mg/Kg		02/19/15 09:50	02/20/15 13:46	1
Benzo[a]anthracene	ND		0.0670	0.0150	mg/Kg		02/19/15 09:50	02/20/15 13:46	1
Benzo[a]pyrene	ND		0.0670	0.0120	mg/Kg		02/19/15 09:50	02/20/15 13:46	1
Benzo[b]fluoranthene	ND		0.0670	0.0120	mg/Kg		02/19/15 09:50	02/20/15 13:46	1
Benzo[g,h,i]perylene	ND		0.0670	0.00900	mg/Kg		02/19/15 09:50	02/20/15 13:46	1
Benzo[k]fluoranthene	ND		0.0670	0.0140	mg/Kg		02/19/15 09:50	02/20/15 13:46	1
1-Methylnaphthalene	ND		0.0670	0.0140	mg/Kg		02/19/15 09:50	02/20/15 13:46	1
Pyrene	ND		0.0670	0.0120	mg/Kg		02/19/15 09:50	02/20/15 13:46	1
Phenanthrene	ND		0.0670	0.00900	mg/Kg		02/19/15 09:50	02/20/15 13:46	1
Chrysene	ND		0.0670	0.00900	mg/Kg		02/19/15 09:50	02/20/15 13:46	1
Dibenz(a,h)anthracene	ND		0.0670	0.00700	mg/Kg		02/19/15 09:50	02/20/15 13:46	1
Fluoranthene	ND		0.0670	0.00900	mg/Kg		02/19/15 09:50	02/20/15 13:46	1
Fluorene	ND		0.0670	0.0120	mg/Kg		02/19/15 09:50	02/20/15 13:46	1
Indeno[1,2,3-cd]pyrene	ND		0.0670	0.0100	mg/Kg		02/19/15 09:50	02/20/15 13:46	1
Naphthalene	ND		0.0670	0.00900	mg/Kg		02/19/15 09:50	02/20/15 13:46	1
2-Methylnaphthalene	ND		0.0670	0.0160	mg/Kg		02/19/15 09:50	02/20/15 13:46	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	74		29 - 120	02/19/15 09:50	02/20/15 13:46	1
Terphenyl-d14 (Surr)	73		13 - 120	02/19/15 09:50	02/20/15 13:46	1
Nitrobenzene-d5 (Surr)	75		27 - 120	02/19/15 09:50	02/20/15 13:46	1

Lab Sample ID: LCS 490-228293/2-A

Matrix: Solid

Analysis Batch: 228595

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 228293

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acenaphthylene	1.67	1.289		mg/Kg		77	38 - 120
Anthracene	1.67	1.277		mg/Kg		77	46 - 124
Benzo[a]anthracene	1.67	1.338		mg/Kg		80	45 - 120
Benzo[a]pyrene	1.67	1.285		mg/Kg		77	45 - 120
Benzo[b]fluoranthene	1.67	1.289		mg/Kg		77	42 - 120
Benzo[g,h,i]perylene	1.67	1.516		mg/Kg		91	38 - 120
Benzo[k]fluoranthene	1.67	1.264		mg/Kg		76	42 - 120
1-Methylnaphthalene	1.67	1.227		mg/Kg		74	32 - 120
Pyrene	1.67	1.252		mg/Kg		75	43 - 120
Phenanthrene	1.67	1.269		mg/Kg		76	45 - 120
Chrysene	1.67	1.320		mg/Kg		79	43 - 120
Dibenz(a,h)anthracene	1.67	1.495		mg/Kg		90	32 - 128
Fluoranthene	1.67	1.177		mg/Kg		71	46 - 120
Fluorene	1.67	1.320		mg/Kg		79	42 - 120
Indeno[1,2,3-cd]pyrene	1.67	1.453		mg/Kg		87	41 - 121
Naphthalene	1.67	1.239		mg/Kg		74	32 - 120
2-Methylnaphthalene	1.67	1.167		mg/Kg		70	28 - 120

TestAmerica Nashville

QC Sample Results

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-72561-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-228293/2-A
Matrix: Solid
Analysis Batch: 228595

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 228293

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
2-Fluorobiphenyl (Surr)	76		29 - 120
Terphenyl-d14 (Surr)	79		13 - 120
Nitrobenzene-d5 (Surr)	73		27 - 120

Lab Sample ID: 490-72554-A-3-B MS
Matrix: Solid
Analysis Batch: 228595

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 228293

Analyte	Sample Sample		Spike	MS MS		Unit	D	%Rec	%Rec.	
	Result	Qualifier	Added	Result	Qualifier				Limits	
Acenaphthylene	ND		1.98	1.250		mg/Kg	☒	63	25 - 120	
Anthracene	ND		1.98	1.249		mg/Kg	☒	63	28 - 125	
Benzo[a]anthracene	ND		1.98	1.310		mg/Kg	☒	66	23 - 120	
Benzo[a]pyrene	ND		1.98	1.202		mg/Kg	☒	61	15 - 128	
Benzo[b]fluoranthene	ND		1.98	1.280		mg/Kg	☒	65	12 - 133	
Benzo[g,h,i]perylene	ND		1.98	1.355		mg/Kg	☒	68	22 - 120	
Benzo[k]fluoranthene	ND		1.98	1.227		mg/Kg	☒	62	28 - 120	
1-Methylnaphthalene	ND		1.98	1.226		mg/Kg	☒	62	10 - 120	
Pyrene	ND		1.98	1.257		mg/Kg	☒	63	20 - 123	
Phenanthrene	ND		1.98	1.270		mg/Kg	☒	64	21 - 122	
Chrysene	ND		1.98	1.287		mg/Kg	☒	65	20 - 120	
Dibenz(a,h)anthracene	ND		1.98	1.327		mg/Kg	☒	67	12 - 128	
Fluoranthene	ND		1.98	1.262		mg/Kg	☒	64	10 - 143	
Fluorene	ND		1.98	1.252		mg/Kg	☒	63	20 - 120	
Indeno[1,2,3-cd]pyrene	ND		1.98	1.306		mg/Kg	☒	66	22 - 121	
Naphthalene	ND		1.98	1.252		mg/Kg	☒	63	10 - 120	
2-Methylnaphthalene	ND		1.98	1.219		mg/Kg	☒	61	13 - 120	

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
2-Fluorobiphenyl (Surr)	57		29 - 120
Terphenyl-d14 (Surr)	60		13 - 120
Nitrobenzene-d5 (Surr)	62		27 - 120

Lab Sample ID: 490-72554-A-3-C MSD
Matrix: Solid
Analysis Batch: 228595

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 228293

Analyte	Sample Sample		Spike	MSD MSD		Unit	D	%Rec	%Rec.		RPD	
	Result	Qualifier	Added	Result	Qualifier				Limits		RPD	Limit
Acenaphthylene	ND		1.97	1.053		mg/Kg	☒	53	25 - 120		17	50
Anthracene	ND		1.97	1.014		mg/Kg	☒	51	28 - 125		21	49
Benzo[a]anthracene	ND		1.97	1.108		mg/Kg	☒	56	23 - 120		17	50
Benzo[a]pyrene	ND		1.97	1.091		mg/Kg	☒	55	15 - 128		10	50
Benzo[b]fluoranthene	ND		1.97	1.102		mg/Kg	☒	56	12 - 133		15	50
Benzo[g,h,i]perylene	ND		1.97	1.197		mg/Kg	☒	61	22 - 120		12	50
Benzo[k]fluoranthene	ND		1.97	1.020		mg/Kg	☒	52	28 - 120		18	45
1-Methylnaphthalene	ND		1.97	1.030		mg/Kg	☒	52	10 - 120		17	50
Pyrene	ND		1.97	1.059		mg/Kg	☒	54	20 - 123		17	50
Phenanthrene	ND		1.97	1.030		mg/Kg	☒	52	21 - 122		21	50
Chrysene	ND		1.97	1.085		mg/Kg	☒	55	20 - 120		17	49

TestAmerica Nashville

QC Sample Results

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-72561-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 490-72554-A-3-C MSD

Matrix: Solid

Analysis Batch: 228595

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 228293

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Dibenz(a,h)anthracene	ND		1.97	1.192		mg/Kg	☒	60	12 - 128	11	50
Fluoranthene	ND		1.97	1.055		mg/Kg	☒	54	10 - 143	18	50
Fluorene	ND		1.97	0.9818		mg/Kg	☒	50	20 - 120	24	50
Indeno[1,2,3-cd]pyrene	ND		1.97	1.199		mg/Kg	☒	61	22 - 121	8	50
Naphthalene	ND		1.97	1.033		mg/Kg	☒	52	10 - 120	19	50
2-Methylnaphthalene	ND		1.97	1.013		mg/Kg	☒	51	13 - 120	18	50

Surrogate	MSD %Recovery	MSD Qualifier	Limits
2-Fluorobiphenyl (Surr)	47		29 - 120
Terphenyl-d14 (Surr)	48		13 - 120
Nitrobenzene-d5 (Surr)	52		27 - 120

Method: Moisture - Percent Moisture

Lab Sample ID: 490-72524-B-1 DU

Matrix: Solid

Analysis Batch: 228012

Client Sample ID: Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Percent Solids	79		82		%		4	20

Lab Sample ID: 490-72561-1 DU

Matrix: Soil

Analysis Batch: 228349

Client Sample ID: 563 Dahlia

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Percent Solids	93		93		%		0.2	20

TestAmerica Nashville

QC Association Summary

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-72561-1

GC/MS VOA

Prep Batch: 227860

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-72561-1	563 Dahlia	Total/NA	Soil	5035	227860
490-72561-2	659 Camellia	Total/NA	Soil	5035	

Analysis Batch: 228630

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-72561-1	563 Dahlia	Total/NA	Soil	8260B	227860
LCS 490-228630/4	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 490-228630/10	Lab Control Sample Dup	Total/NA	Solid	8260B	
MB 490-228630/9	Method Blank	Total/NA	Solid	8260B	

Prep Batch: 228919

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-72829-A-4-E MS	Matrix Spike	Total/NA	Solid	5030B	228919
490-72829-A-4-F MSD	Matrix Spike Duplicate	Total/NA	Solid	5030B	

Analysis Batch: 229147

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-72561-2	659 Camellia	Total/NA	Soil	8260B	227860
490-72829-A-4-E MS	Matrix Spike	Total/NA	Solid	8260B	
490-72829-A-4-F MSD	Matrix Spike Duplicate	Total/NA	Solid	8260B	228919
LCS 490-229147/3	Lab Control Sample	Total/NA	Solid	8260B	
LCS 490-229147/6	Lab Control Sample	Total/NA	Solid	8260B	228919
LCSD 490-229147/4	Lab Control Sample Dup	Total/NA	Solid	8260B	
MB 490-229147/9	Method Blank	Total/NA	Solid	8260B	

GC/MS Semi VOA

Prep Batch: 228293

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-72554-A-3-B MS	Matrix Spike	Total/NA	Solid	3550C	228293
490-72554-A-3-C MSD	Matrix Spike Duplicate	Total/NA	Solid	3550C	
490-72561-1	563 Dahlia	Total/NA	Soil	3550C	228293
490-72561-2	659 Camellia	Total/NA	Soil	3550C	
LCS 490-228293/2-A	Lab Control Sample	Total/NA	Solid	3550C	228293
MB 490-228293/1-A	Method Blank	Total/NA	Solid	3550C	

Analysis Batch: 228592

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-72561-1	563 Dahlia	Total/NA	Soil	8270D	228293
490-72561-2	659 Camellia	Total/NA	Soil	8270D	

Analysis Batch: 228595

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-72554-A-3-B MS	Matrix Spike	Total/NA	Solid	8270D	228293
490-72554-A-3-C MSD	Matrix Spike Duplicate	Total/NA	Solid	8270D	
LCS 490-228293/2-A	Lab Control Sample	Total/NA	Solid	8270D	228293
MB 490-228293/1-A	Method Blank	Total/NA	Solid	8270D	

TestAmerica Nashville

QC Association Summary

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-72561-1

General Chemistry

Analysis Batch: 228012

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-72524-B-1 DU	Duplicate	Total/NA	Solid	Moisture	
490-72526-A-1 MS	Matrix Spike	Total/NA	Solid	Moisture	
490-72526-A-1 MSD	Matrix Spike Duplicate	Total/NA	Solid	Moisture	
490-72561-2	659 Camellia	Total/NA	Soil	Moisture	

Analysis Batch: 228349

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-72561-1	563 Dahlia	Total/NA	Soil	Moisture	
490-72561-1 DU	563 Dahlia	Total/NA	Soil	Moisture	

Lab Chronicle

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-72561-1

Client Sample ID: 563 Dahlia

Date Collected: 02/10/15 14:15

Date Received: 02/14/15 08:30

Lab Sample ID: 490-72561-1

Matrix: Soil

Percent Solids: 92.8

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.954 g	5.0 mL	227860	02/10/15 14:15	JLP	TAL NSH
Total/NA	Analysis	8260B		1	4.954 g	5.0 mL	228630	02/20/15 17:10	NC	TAL NSH
Total/NA	Prep	3550C			30.86 g	1.00 mL	228293	02/19/15 09:50	LDC	TAL NSH
Total/NA	Analysis	8270D		1	30.86 g	1.00 mL	228592	02/20/15 21:44	KKH	TAL NSH
Total/NA	Analysis	Moisture		1			228349	02/19/15 13:03	AJK	TAL NSH

Client Sample ID: 659 Camellia

Date Collected: 02/11/15 12:15

Date Received: 02/14/15 08:30

Lab Sample ID: 490-72561-2

Matrix: Soil

Percent Solids: 73.2

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.805 g	5.0 mL	227860	02/11/15 12:15	JLP	TAL NSH
Total/NA	Analysis	8260B		1	4.805 g	5.0 mL	229147	02/23/15 14:23	KKK	TAL NSH
Total/NA	Prep	3550C			30.43 g	1.00 mL	228293	02/19/15 09:50	LDC	TAL NSH
Total/NA	Analysis	8270D		1	30.43 g	1.00 mL	228592	02/20/15 22:06	KKH	TAL NSH
Total/NA	Analysis	Moisture		1			228012	02/17/15 14:55	BGD	TAL NSH

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Method Summary

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-72561-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL NSH
8270D	Semivolatile Organic Compounds (GC/MS)	SW846	TAL NSH
Moisture	Percent Moisture	EPA	TAL NSH

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Certification Summary

Client: Small Business Group Inc.
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-72561-1

Laboratory: TestAmerica Nashville

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program	EPA Region	Certification ID	Expiration Date
South Carolina	State Program	4	84009 (001)	02-28-15 *

The following analytes are included in this report, but certification is not offered by the governing authority:

Analysis Method	Prep Method	Matrix	Analyte
8270D	3550C	Soil	1-Methylnaphthalene
Moisture		Soil	Percent Solids

* Certification renewal pending - certification considered valid.

TestAmerica Nashville

COOLER RECEIPT FORM



490-72561 Chain of Custody

Cooler Received/Opened On 2/14/2015 @ 0830

1. Tracking # 0006 (last 4 digits, FedEx)

Courier: Fed-ex IR Gun ID 97310166

2. Temperature of rep. sample or temp blank when opened: 3.5 Degrees Celsius

3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank frozen? YES NO NA

4. Were custody seals on outside of cooler?

YES...NO...NA

If yes, how many and where:

1 Front / 1 Back

5. Were the seals intact, signed, and dated correctly?

YES...NO...NA

6. Were custody papers inside cooler?

YES...NO...NA

I certify that I opened the cooler and answered questions 1-6 (initial)

7. Were custody seals on containers:

YES NO and Intact

YES...NO...NA

Were these signed and dated correctly?

YES...NO...NA

8. Packing mat'l used? Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert Paper Other None

9. Cooling process: Ice Ice-pack Ice (direct contact) Dry ice Other None

10. Did all containers arrive in good condition (unbroken)?

YES...NO...NA

11. Were all container labels complete (#, date, signed, pres., etc)?

YES...NO...NA

12. Did all container labels and tags agree with custody papers?

YES...NO...NA

13a. Were VOA vials received?

YES...NO...NA

b. Was there any observable headspace present in any VOA vial?

YES...NO...NA

14. Was there a Trip Blank in this cooler? YES...NO...NA If multiple coolers, sequence #

I certify that I unloaded the cooler and answered questions 7-14 (initial)

15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? YES...NO...NA

b. Did the bottle labels indicate that the correct preservatives were used

YES...NO...NA

16. Was residual chlorine present?

YES...NO...NA

I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (initial)

17. Were custody papers properly filled out (ink, signed, etc)?

YES...NO...NA

18. Did you sign the custody papers in the appropriate place?

YES...NO...NA

19. Were correct containers used for the analysis requested?

YES...NO...NA

20. Was sufficient amount of sample sent in each container?

YES...NO...NA

I certify that I entered this project into LIMS and answered questions 17-20 (initial)

I certify that I attached a label with the unique LIMS number to each container (initial)

21. Were there Non-Conformance issues at login? YES...NO Was a NCM generated? YES...NO...#

TestAmerica

Nashville Division
2960 Foster Creighton
Nashville, TN 37204

Phone: 615-726-0177
Toll Free: 800-765-0980
Fax: 615-726-3404

Client Name/Account #: SBG - EEG # 2449

Address: 10179 Highway 78

City/State/Zip: Ladson, SC 29456

Project Manager: Tom McElwee email: mcelwee@eeginc.net

Telephone Number: 843.412.2097

Sampler Name: (Print)

Sampler Signature:

Fax No: (843) 879-0401

Site State: SC

PO#:

TA Quote #:

Project ID: Laurel Bay Housing Project

Project #:

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?

Compliance Monitoring?
Enforcement Action?

Yes ___ No ___
Yes ___ No ___

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Ice	HNO ₃ (Red Label)	HCl (Blue Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (Specify)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	BTEX + Napth - 8260	PAH - 8270D	Analyze For:	Loc: 490	72561	RUSH TAT (Pre-Schedule)	Standard TAT	Fax Results	Send QC with report
563 Dahlia	2/10/15	1415	5	X																									
659 Camellia	2/11/15	1215	5	X																									

Special Instructions:

Method of Shipment:

Laboratory Comments:

Temperature Upon Receipt:
VOCs Free of Headspace?

3.5

Y N

Relinquished by:

2/13/15

Time

Received by: *Fudek*

3.5

Date

Time

0830

Login Sample Receipt Checklist

Client: Small Business Group Inc.

Job Number: 490-72561-1

Login Number: 72561

List Source: TestAmerica Nashville

List Number: 1

Creator: Gambill, Shane

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	3.5
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ ($1/4"$).	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ATTACHMENT A



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.		Manifest Doc No.		2. Page 1 of 1			
3. Generator's Mailing Address: MCAS BEAUFORT LAUREL BAY HOUSING BEAUFORT, SC 29904 4. Generator's Phone 843-879-0411				Generator's Site Address (If different than mailing):		A. Manifest Number WMNA 01519131 B. State Generator's ID			
5. Transporter 1 Company Name Dorland Container				6. US EPA ID Number		C. State Transporter's ID			
7. Transporter 2 Company Name				8. US EPA ID Number		D. Transporter's Phone			
9. Designated Facility Name and Site Address HICKORY HILL LANDFILL 2621 LOW COUNTRY DRIVE RIDGELAND, SC 29936				10. US EPA ID Number		E. State Transporter's ID			
						F. Transporter's Phone			
						G. State Facility ID			
						H. State Facility Phone 843-987-4643			
GENERATOR	11. Description of Waste Materials			12. Containers		13. Total Quantity	14. Unit Wt./Vol.	I. Misc. Comments	
	a. HEATING OIL TANK FILLED WITH SAND WM Profile # 102655SC			No.	Type				
	b. WM Profile #								
	c. WM Profile #								
TRANSPORTER	d. WM Profile #								
	J. Additional Descriptions for Materials Listed Above			K. Disposal Location					
				Cell		Level			
				Grid					
FACILITY	15. Special Handling Instructions and Additional Information UST's from: 1) 1213 CARDINAL 2) 563 DAHLIA 3) 659 CAMELLIA								
	Purchase Order #				EMERGENCY CONTACT / PHONE NO.:				
	16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by 40 CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.								
	Printed Name			Signature "On behalf of"			Month	Day	Year
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials								
	Printed Name PRATH SHAW			Signature			Month	Day	Year
FACILITY	18. Transporter 2 Acknowledgement of Receipt of Materials								
	Printed Name			Signature			Month	Day	Year
FACILITY	19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.								
	20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.								
Printed Name JOHN COLE			Signature			Month	Day	Year	
						3	10	10	

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY

Appendix C

Regulatory Correspondence



August 3, 2016

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: No Further Action
Laurel Bay Underground Storage Tank Assessment Reports
Dated July 2015, November 2015

Dear Mr. Drawdy:

The South Carolina Department of Health and Environmental Control (the Department) received the Underground Storage Tanks (USTs) Assessment Reports for the addresses listed in the attachment. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

The Department has reviewed the referenced assessment reports and agrees there is no indication of soil or groundwater contamination on these properties and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at petruslb@dhec.sc.gov or 803-898-0294.

Sincerely,

Laurel Petrus, Environmental Engineer Associate
Bureau of Land and Waste Management

Cc: Russell Berry, EQC Region 8 (via email)
Bryan Beck, NAVFAC MIDATLANTIC (via email)
Craig Ehde (via email)

Attachment to: Petrus to Drawdy
Subject: No Further Action
Dated August 3, 2016

Laurel Bay Underground Assessment Reports for (28 addresses/29 tanks)

No Further Action recommendation:	
309 Ash	1001 Bobwhite
477 Dogwood Tank 2	1020 Foxglove
563 Dahlia	1063 Gardenia
659 Camellia	1065 Gardenia Tank 2
1213 Cardinal	1100 Iris Tank 3*
114 Banyan	1139 Iris
158 Cypress	1141 Iris Tank 2
459 Elderberry	1174 Bobwhite
611 Dahlia	1184 Bobwhite Tank 1
656 Camellia	1184 Bobwhite Tank 2
671 Camellia	1220 Cardinal
678 Camellia	1253 Dove
724 Bluebell	1332 Albatross
732 Bluebell	1387 Dove
934 Albacore	
*1100 Iris Tank 1-NFA 12/19/2008, Tank 2-NFA 7/1/15; Paperwork for Tank 3 is labeled Tank 2	