

SUMMARY REPORT  
459 DAHLIA DRIVE (FORMERLY 626 DAHLIA DRIVE)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC

Revision: 0  
Prepared for:

Department of the Navy  
Naval Facilities Engineering Command, Mid-Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT  
459 DAHLIA DRIVE (FORMERLY 626 DAHLIA DRIVE)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC

Revision: 0  
Prepared for:

Department of the Navy  
Naval Facilities Engineering Command, Mid- Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture  
10560 Arrowhead Drive, Suite 500  
Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016  
CTO WE52  
JUNE 2021

---

## Table of Contents

1.0	INTRODUCTION.....	1
1.1	BACKGROUND INFORMATION.....	1
1.2	UST REMOVAL AND ASSESSMENT PROCESS.....	2
2.0	SAMPLING ACTIVITIES AND RESULTS.....	3
2.1	UST REMOVAL AND SOIL SAMPLING.....	3
2.2	SOIL ANALYTICAL RESULTS.....	4
3.0	PROPERTY STATUS .....	4
4.0	REFERENCES.....	4

## Table

Table 1              Laboratory Analytical Results - Soil

## Appendices

- |            |  |
|------------|--|
| Appendix A | Multi-Media Selection Process for LBMH |
| Appendix B | UST Assesment Report                   |
| Appendix C | Regulatory Correspondence              |

---

### List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level

---

## 1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 459 Dahlia Drive (Formerly 626 Dahlia Drive). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

### 1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

---

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

## 1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*

---

*Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

## 2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 459 Dahlia Drive (Formerly 626 Dahlia Drive). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 626 Dahlia Drive* (MCAS Beaufort, 2010). The UST Assessment Report is provided in Appendix B.

### 2.1 UST Removal and Soil Sampling

On June 30, 2010, a single 280 gallon heating oil UST was removed from the landscaped area adjacent to the concrete porch at 459 Dahlia Drive (Formerly 626 Dahlia Drive). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 6'3" bgs and a single soil sample was collected from that depth. The

---

sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

## 2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 459 Dahlia Drive (Formerly 626 Dahlia Drive) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment.

## 3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 459 Dahlia Drive (Formerly 626 Dahlia Drive). This NFA determination was obtained in a letter dated May 23, 2011. SCDHEC's NFA letter is provided in Appendix C.

## 4.0 REFERENCES

Marine Corps Air Station Beaufort, 2010. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 626 Dahlia Drive, Laurel Bay Military Housing Area*, December 2010.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.

---

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

## **Table**

**Table 1**  
**Laboratory Analytical Results - Soil**  
**459 Dahlia Drive (Formerly 626 Dahlia Drive)**  
**Laurel Bay Military Housing Area**  
**Marine Corps Air Station Beaufort**  
**Beaufort, South Carolina**

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Results Sample Collected 06/30/10
<b>Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)</b>		
Benzene	0.003	ND
Ethylbenzene	1.15	ND
Naphthalene	0.036	ND
Toluene	0.627	ND
Xylenes, Total	13.01	ND
<b>Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)</b>		
Benzo(a)anthracene	0.66	ND
Benzo(b)fluoranthene	0.66	ND
Benzo(k)fluoranthene	0.66	ND
Chrysene	0.66	ND
Dibenz(a,h)anthracene	0.66	ND

**Notes:**

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 and 1.1 (SCDHEC, May 2001 and SCDHEC, February 2011) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

**Appendix A**  
**Multi-Media Selection Process for LBMH**



## Appendix A - Multi-Media Selection Process for LBMH

**Appendix B**  
**UST Assessment Report**

South Carolina Department of Health and Environmental Control (SCDHEC)  
**Underground Storage Tank (UST) Assessment Report**



Submit Completed Form To:  
UST Program  
SCDHEC  
2600 Bull Street  
Columbia, South Carolina 29201  
Telephone (803) 896-7957

**I. OWNERSHIP OF UST (S)**

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)  
Owner Name (Corporation, Individual, Public Agency, Other)

P.O. Box 55001  
Mailing Address

Beaufort,	South Carolina	29904-5001
City	State	Zip Code
843	228-7317	Craig Ehde
Area Code	Telephone Number	Contact Person

**II. SITE IDENTIFICATION AND LOCATION**

Permit I.D. #

Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC  
Facility Name or Company Site Identifier

626 Dahlia Drive, Laurel Bay Military Housing Area  
Street Address or State Road (as applicable)

Beaufort,  
City                          Beaufort  
                                County

### III. INSURANCE INFORMATION

#### Insurance Statement

The petroleum release reported to DHEC on \_\_\_\_\_ at Permit ID Number \_\_\_\_\_ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES \_\_\_\_ NO \_\_\_\_ (check one)

If you answered YES to the above question, please complete the following information:

My policy provider is: \_\_\_\_\_  
The policy deductible is: \_\_\_\_\_  
The policy limit is: \_\_\_\_\_

If you have this type of insurance, please include a copy of the policy with this report.

### IV. REQUEST FOR SUPERB FUNDING

I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)

### V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.) \_\_\_\_\_

Signature \_\_\_\_\_

#### To be completed by Notary Public:

Sworn before me this \_\_\_\_\_ day of \_\_\_\_\_, 20 \_\_\_\_\_

\_\_\_\_\_  
(Name)

Notary Public for the state of \_\_\_\_\_.  
*Please affix State seal if you are commissioned outside South Carolina*

## VI. UST INFORMATION

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity..(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material..(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....
- M. Method of disposal for any USTs removed from the ground (attach disposal manifests)  
UST 626Dahlia was removed from the ground and disposed of at a  
Subtitle "D" landfill. See Attachment "A".
- 

626Dahlia				
Heating oil				
280 gal				
Late 1950s				
Steel				
Mid 1980s				
6' 3"				
No				
No				
Removed				
6/30/10				
Yes				
No				

- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)  
UST 626Dahlia had been previously filled with sand by others.
- 
- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST  
Corrosion and pitting were found throughout the tank.
-

## VII. PIPING INFORMATION

- A. Construction Material..(ex. Steel, FRP).....
- B. Distance from UST to Dispenser.....
- C. Number of Dispensers.....
- D. Type of System Pressure or Suction.....
- E. Was Piping Removed from the Ground? Y/N
- F. Visible Corrosion or Pitting Y/N.....
- G. Visible Holes Y/N.....
- H. Age.....
- I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

626Dahlia				
Steel & Copper				
N/A				
N/A				
Suction				
Yes				
Yes				
No				
Late 1950s				

Corrosion and pitting were found on the surface of the steel vent pipe. Copper supply and return lines were sound.

---

---

## VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

---

---

---

## IX. SITE CONDITIONS

	Yes	No	Unk
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?  If yes, indicate depth and location on the site map.	<input type="checkbox"/>	<input checked="" type="checkbox"/> X	<input type="checkbox"/>
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?  If yes, indicate location on site map and describe the odor (strong, mild, etc.)	<input type="checkbox"/>	<input checked="" type="checkbox"/> X	<input type="checkbox"/>
C. Was water present in the UST excavation, soil borings, or trenches?  If yes, how far below land surface (indicate location and depth)?	<input type="checkbox"/>	<input checked="" type="checkbox"/> X	<input type="checkbox"/>
D. Did contaminated soils remain stockpiled on site after closure?  If yes, indicate the stockpile location on the site map.  Name of DHEC representative authorizing soil removal:	<input type="checkbox"/>	<input checked="" type="checkbox"/> X	<input type="checkbox"/>
E. Was a petroleum sheen or free product detected on any excavation or boring waters?  If yes, indicate location and thickness.	<input type="checkbox"/>	<input checked="" type="checkbox"/> X	<input type="checkbox"/>

## X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009001

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
626 Dahlia	Excav at fill end	Soil	Sandy	6' 3"	6/30/10 1345 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

\* = Depth Below the Surrounding Land Surface

## XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.

---

---

---

---

---

---

---

---

---

## XII. RECEPTORS

	Yes	No
A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?  If yes, indicate type of receptor, distance, and direction on site map.		X
B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?  If yes, indicate type of well, distance, and direction on site map.		X
C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?  If yes, indicate type of structure, distance, and direction on site map.		X
D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination?  *Sewer and water If yes, indicate the type of utility, distance, and direction on the site map.	*X	
E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?  If yes, indicate the area of contaminated soil on the site map.	X	

### **XIII. SITE MAP**

**You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.**

(Attach Site Map Here)



**626 DAHLIA DRIVE**

0 105210 420 630 840 1,050  
 Feet

**SBG-EEG, Inc.**


398 E. 5th North Street, Suite C  
 Summerville SC 29483-6954

Ph. (843) 875-1930

Drawn By: L. DiAsia

Dwg Date: AUG 2010

**FIGURE 1: LOCATION MAP  
 626 DAHLIA DRIVE, LAUREL BAY  
 MCAS BEAUFORT SC**



626 DAHLIA DRIVE  
LAUREL BAY MILITARY HOUSING  
MCAS BEAUFORT, SC


SEWER

WATER

CONCRETE  
PORCH

ASPHALT  
DRIVEWAY

UST 626DAHLIA



OAK TREE

GRAPHIC SCALE

0      5'      10'      20'

**SBG-EEG**



398 E. 5 NORTH ST., SUITE C  
SUMMERTOWN, SC  
29483-6954

**FIGURE 2 SITE MAP**  
**626 DAHLIA DR., LAUREL BAY**  
**MCAS BEAUFORT SC**

SCALE: GRAPHIC

DWG DATE AUG 2010

# 626 DAHLIA DRIVE



GRAPHIC SCALE  
0 5'

UST 626DAHLIA WAS  
39" BELOW GRADE.


**SBG-EEG**

398 E. 5 NORTH ST., SUITE C  
SUMMERTOWN, SC  
29483-6954

**FIGURE 3 UST SAMPLE LOCATIONS**  
**626 DAHLIA DR., LAUREL BAY**  
**MCAS BEAUFORT SC**

SCALE: GRAPHIC

DWG DATE AUG 2010





Picture 1: Location of UST 626Dahlia.



Picture 2: UST 626Dahlia.

#### XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	UST	626Dahlia						
Benzene		ND						
Toluene		ND						
Ethylbenzene		ND						
Xylenes		ND						
Naphthalene		ND						
Benzo (a) anthracene		ND						
Benzo (b) fluoranthene		ND						
Benzo (k) fluoranthene		ND						
Chrysene		ND						
Dibenz (a, h) anthracene		ND						
TPH (EPA 3550)								

CoC								
Benzene								
Toluene								
Ethylbenzene								
Xylenes								
Naphthalene								
Benzo (a) anthracene								
Benzo (b) fluoranthene								
Benzo (k) fluoranthene								
Chrysene								
Dibenz (a, h) anthracene								
TPH (EPA 3550)								

### SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL ( $\mu\text{g/l}$ )	W-1	W-2	W -3	W -4
<b>Free Product Thickness</b>	<b>None</b>				
<b>Benzene</b>	<b>5</b>				
<b>Toluene</b>	<b>1,000</b>				
<b>Ethylbenzene</b>	<b>700</b>				
<b>Xylenes</b>	<b>10,000</b>				
<b>Total BTEX</b>	<b>N/A</b>				
<b>MTBE</b>	<b>40</b>				
<b>Naphthalene</b>	<b>25</b>				
<b>Benzo (a) anthracene</b>	<b>10</b>				
<b>Benzo (b) flouranthene</b>	<b>10</b>				
<b>Benzo (k) flouranthene</b>	<b>10</b>				
<b>Chrysene</b>	<b>10</b>				
<b>Dibenz (a, h) anthracene</b>	<b>10</b>				
<b>EDB</b>	<b>.05</b>				
<b>1,2-DCA</b>	<b>5</b>				
<b>Lead</b>	<b>Site specific</b>				

## **XV. ANALYTICAL RESULTS**

**You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.**

(Attach Certified Analytical Results and Chain-of-Custody Here)  
(Please see Form #4)

July 20, 2010                    3:10:41PM

Client: EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn: Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Nbr: [none]  
P/O Nbr: 0829  
Date Received: 07/03/10

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
648 Dahlia-1	NTG0352-01	06/30/10 07:50
648 Dahlia-2	NTG0352-02	06/30/10 08:10
644 Dahlia-1	NTG0352-03	06/30/10 08:30
644 Dahlia-2	NTG0352-04	06/30/10 08:50
640 Dahlia-1	NTG0352-05	06/30/10 09:30
640 Dahlia-2	NTG0352-06	06/30/10 09:45
626 Dahlia	NTG0352-07	06/30/10 13:45

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

South Carolina Certification Number: 84009001

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.

This report has been electronically signed.

Report Approved By:



Ken A. Hayes

Senior Project Manager

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Date/Time	Method	Analyst	Batch
<b>Sample ID: NTG0352-01 (648 Dahlia-1 - Soil) Sampled: 06/30/10 07:50</b>										
General Chemistry Parameters										
% Dry Solids	75.1		%	0.500	0.500	1	07/07/10 08:26	SW-846	HLB	10G0823
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00116	0.00211	1	07/13/10 19:22	SW846 8260B	MJH/H	10G1916
Ethylbenzene	ND		mg/kg dry	0.00103	0.00211	1	07/13/10 19:22	SW846 8260B	MJH/H	10G1916
Naphthalene	<b>0.0168</b>		mg/kg dry	0.00179	0.00527	1	07/13/10 19:22	SW846 8260B	MJH/H	10G1916
Toluene	ND		mg/kg dry	0.000938	0.00211	1	07/13/10 19:22	SW846 8260B	MJH/H	10G1916
Xylenes, total	ND		mg/kg dry	0.00200	0.00527	1	07/13/10 19:22	SW846 8260B	MJH/H	10G1916
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	105 %					1	07/13/10 19:22	SW846 8260B	MJH/H	10G1916
<i>Surr: Dibromoformmethane (75-125%)</i>	105 %					1	07/13/10 19:22	SW846 8260B	MJH/H	10G1916
<i>Surr: Toluene-d8 (76-129%)</i>	105 %					1	07/13/10 19:22	SW846 8260B	MJH/H	10G1916
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	104 %					1	07/13/10 19:22	SW846 8260B	MJH/H	10G1916
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0186	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Acenaphthylene	ND		mg/kg dry	0.0266	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Anthracene	ND		mg/kg dry	0.0120	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Benzo (a) anthracene	<b>0.0869</b>	J	mg/kg dry	0.0146	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Benzo (a) pyrene	<b>0.0762</b>	J	mg/kg dry	0.0106	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Benzo (b) fluoranthene	<b>0.0758</b>	J	mg/kg dry	0.0505	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0120	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Benzo (k) fluoranthene	ND		mg/kg dry	0.0492	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Chrysene	<b>0.0709</b>	J	mg/kg dry	0.0412	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0199	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Fluoranthene	<b>0.285</b>		mg/kg dry	0.0146	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Fluorene	ND		mg/kg dry	0.0266	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0412	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Naphthalene	ND		mg/kg dry	0.0186	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Phenanthrene	<b>0.181</b>		mg/kg dry	0.0133	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Pyrene	<b>0.278</b>		mg/kg dry	0.0306	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
1-Methylnaphthalene	ND		mg/kg dry	0.0160	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
2-Methylnaphthalene	ND		mg/kg dry	0.0279	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
<i>Surr: Terphenyl-d14 (18-120%)</i>	61 %					1	07/11/10 03:00	SW846 8270D	RMC	10G0743
<i>Surr: 2-Fluorobiphenyl (14-120%)</i>	45 %					1	07/11/10 03:00	SW846 8270D	RMC	10G0743
<i>Surr: Nitrobenzene-d5 (17-120%)</i>	45 %					1	07/11/10 03:00	SW846 8270D	RMC	10G0743

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTG0352-02 (648 Dahlia-2 - Soil) Sampled: 06/30/10 08:10</b>										
General Chemistry Parameters										
% Dry Solids	85.3		%	0.500	0.500	1	07/07/10 08:26	SW-846	HLB	10G0823
Volatile Organic Compounds by EPA Method 8260B										
Benzene	0.197		mg/kg dry	0.0525	0.0955	50	07/14/10 18:51	SW846 8260B	MJH/H	10G1052
Ethylbenzene	3.39		mg/kg dry	0.0468	0.0955	50	07/14/10 18:51	SW846 8260B	MJH/H	10G1052
Naphthalene	14.9		mg/kg dry	1.62	4.77	1000	07/14/10 19:22	SW846 8260B	MJH/H	10G1052
Toluene	0.0300		mg/kg dry	0.000952	0.00214	1	07/13/10 19:53	SW846 8260B	MJH/H	10G1916
Xylenes, total	6.16		mg/kg dry	0.0907	0.239	50	07/14/10 18:51	SW846 8260B	MJH/H	10G1052
Surr: 1,2-Dichloroethane-d4 (67-138%)	110 %					1	07/13/10 19:53	SW846 8260B	MJH/H	10G1916
Surr: 1,2-Dichloroethane-d4 (67-138%)	107 %					50	07/14/10 18:51	SW846 8260B	MJH/H	10G1052
Surr: 1,2-Dichloroethane-d4 (67-138%)	100 %					1000	07/14/10 19:22	SW846 8260B	MJH/H	10G1052
Surr: Dibromofluoromethane (75-125%)	112 %					1	07/13/10 19:53	SW846 8260B	MJH/H	10G1916
Surr: Dibromofluoromethane (75-125%)	93 %					50	07/14/10 18:51	SW846 8260B	MJH/H	10G1052
Surr: Dibromofluoromethane (75-125%)	91 %					1000	07/14/10 19:22	SW846 8260B	MJH/H	10G1052
Surr: Toluene-d8 (76-129%)	438 %	ZX				1	07/13/10 19:53	SW846 8260B	MJH/H	10G1916
Surr: Toluene-d8 (76-129%)	113 %					50	07/14/10 18:51	SW846 8260B	MJH/H	10G1052
Surr: Toluene-d8 (76-129%)	104 %					1000	07/14/10 19:22	SW846 8260B	MJH/H	10G1052
Surr: 4-Bromofluorobenzene (67-147%)	3190 %	ZX				1	07/13/10 19:53	SW846 8260B	MJH/H	10G1916
Surr: 4-Bromofluorobenzene (67-147%)	106 %					50	07/14/10 18:51	SW846 8260B	MJH/H	10G1052
Surr: 4-Bromofluorobenzene (67-147%)	102 %					1000	07/14/10 19:22	SW846 8260B	MJH/H	10G1052
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	0.977		mg/kg dry	0.0162	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Acenaphthylene	0.464		mg/kg dry	0.0231	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Anthracene	0.477		mg/kg dry	0.0104	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Benzo (a) anthracene	ND		mg/kg dry	0.0127	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Benzo (a) pyrene	0.0408	J	mg/kg dry	0.00923	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Benzo (b) fluoranthene	ND		mg/kg dry	0.0438	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0104	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Benzo (k) fluoranthene	ND		mg/kg dry	0.0427	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Chrysene	ND		mg/kg dry	0.0358	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0173	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Fluoranthene	0.0423	J	mg/kg dry	0.0127	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Fluorene	2.71		mg/kg dry	0.0231	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0358	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Naphthalene	5.58		mg/kg dry	0.162	0.773	10	07/11/10 22:51	SW846 8270D	RMC	10G0743
Phenanthrene	6.18		mg/kg dry	0.115	0.773	10	07/11/10 22:51	SW846 8270D	RMC	10G0743
Pyrene	0.114		mg/kg dry	0.0265	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
1-Methylnaphthalene	14.7		mg/kg dry	0.138	0.773	10	07/11/10 22:51	SW846 8270D	RMC	10G0743
2-Methylnaphthalene	23.6		mg/kg dry	0.242	0.773	10	07/11/10 22:51	SW846 8270D	RMC	10G0743
Surr: Terphenyl-d14 (18-120%)	87 %					1	07/11/10 03:22	SW846 8270D	RMC	10G0743

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwec

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTG0352-02 (648 Dahlia-2 - Soil) - cont. Sampled: 06/30/10 08:10</b>										
Polyaromatic Hydrocarbons by EPA 8270D - cont.										
Surr: 2-Fluorobiphenyl (14-120%)	46 %					1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Surr: Nitrobenzene-d5 (17-120%)	60 %					1	07/11/10 03:22	SW846 8270D	RMC	10G0743
<b>Sample ID: NTG0352-03 (644 Dahlia-1 - Soil) Sampled: 06/30/10 08:30</b>										
General Chemistry Parameters										
% Dry Solids	73.5		%	0.500	0.500	1	07/07/10 08:26	SW-846	HLB	10G0823
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00134	0.00243	1	07/13/10 20:24	SW846 8260B	MJH/H	10G1916
Ethylbenzene	ND		mg/kg dry	0.00119	0.00243	1	07/13/10 20:24	SW846 8260B	MJH/H	10G1916
Naphthalene	0.0635		mg/kg dry	0.00207	0.00608	1	07/13/10 20:24	SW846 8260B	MJH/H	10G1916
Toluene	ND		mg/kg dry	0.00108	0.00243	1	07/13/10 20:24	SW846 8260B	MJH/H	10G1916
Xylenes, total	0.00258	J	mg/kg dry	0.00231	0.00608	1	07/13/10 20:24	SW846 8260B	MJH/H	10G1916
Surr: 1,2-Dichloroethane-d4 (67-138%)	104 %					1	07/13/10 20:24	SW846 8260B	MJH/H	10G1916
Surr: Dibromoformmethane (75-125%)	97 %					1	07/13/10 20:24	SW846 8260B	MJH/H	10G1916
Surr: Toluene-d8 (76-129%)	103 %					1	07/13/10 20:24	SW846 8260B	MJH/H	10G1916
Surr: 4-Bromofluorobenzene (67-147%)	100 %					1	07/13/10 20:24	SW846 8260B	MJH/H	10G1916
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0186	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Acenaphthylene	ND		mg/kg dry	0.0266	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Anthracene	ND		mg/kg dry	0.0120	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Benzo (a) anthracene	ND		mg/kg dry	0.0146	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Benzo (a) pyrene	ND		mg/kg dry	0.0106	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Benzo (b) fluoranthene	ND		mg/kg dry	0.0505	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0120	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Benzo (k) fluoranthene	ND		mg/kg dry	0.0491	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Chrysene	ND		mg/kg dry	0.0412	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0199	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Fluoranthene	ND		mg/kg dry	0.0146	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Fluorene	ND		mg/kg dry	0.0266	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0412	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Naphthalene	ND		mg/kg dry	0.0186	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Phenanthrene	ND		mg/kg dry	0.0133	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Pyrene	ND		mg/kg dry	0.0305	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
1-Methylnaphthalene	ND		mg/kg dry	0.0159	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
2-Methylnaphthalene	ND		mg/kg dry	0.0279	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Surr: Terphenyl-d14 (18-120%)	71 %					1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Surr: 2-Fluorobiphenyl (14-120%)	58 %					1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Surr: Nitrobenzene-d5 (17-120%)	53 %					1	07/11/10 03:44	SW846 8270D	RMC	10G0743

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTG0352
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	07/03/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTG0352-04 (644 Dahlia-2 - Soil) Sampled: 06/30/10 08:50</b>										
General Chemistry Parameters										
% Dry Solids	78.0		%	0.500	0.500	1	07/07/10 08:26	SW-846	HLB	10G0823
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00116	0.00211	1	07/13/10 20:55	SW846 8260B	MJH/H	10G1916
Ethylbenzene	0.00466		mg/kg dry	0.00103	0.00211	1	07/13/10 20:55	SW846 8260B	MJH/H	10G1916
Naphthalene	0.153		mg/kg dry	0.00180	0.00528	1	07/13/10 20:55	SW846 8260B	MJH/H	10G1916
Toluene	ND		mg/kg dry	0.000940	0.00211	1	07/13/10 20:55	SW846 8260B	MJH/H	10G1916
Xylenes, total	0.00849		mg/kg dry	0.00201	0.00528	1	07/13/10 20:55	SW846 8260B	MJH/H	10G1916
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	102 %					1	07/13/10 20:55	SW846 8260B	MJH/H	10G1916
<i>Surr: Dibromoformmethane (75-125%)</i>	94 %					1	07/13/10 20:55	SW846 8260B	MJH/H	10G1916
<i>Surr: Toluene-d8 (76-129%)</i>	110 %					1	07/13/10 20:55	SW846 8260B	MJH/H	10G1916
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	118 %					1	07/13/10 20:55	SW846 8260B	MJH/H	10G1916
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0178	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Acenaphthylene	ND		mg/kg dry	0.0254	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Anthracene	ND		mg/kg dry	0.0114	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Benzo (a) anthracene	ND		mg/kg dry	0.0139	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Benzo (a) pyrene	ND		mg/kg dry	0.0101	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Benzo (b) fluoranthene	ND		mg/kg dry	0.0482	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0114	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Benzo (k) fluoranthene	ND		mg/kg dry	0.0469	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Chrysene	ND		mg/kg dry	0.0393	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0190	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Fluoranthene	ND		mg/kg dry	0.0139	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Fluorene	0.0550	J	mg/kg dry	0.0254	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0393	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Naphthalene	ND		mg/kg dry	0.0178	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Phenanthrene	0.0757	J	mg/kg dry	0.0127	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Pyrene	ND		mg/kg dry	0.0292	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
1-Methylnaphthalene	0.0795	J	mg/kg dry	0.0152	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
2-Methylnaphthalene	0.101		mg/kg dry	0.0266	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
<i>Surr: Terphenyl-d14 (18-120%)</i>	77 %					1	07/11/10 04:07	SW846 8270D	RMC	10G0743
<i>Surr: 2-Fluorobiphenyl (14-120%)</i>	66 %					1	07/11/10 04:07	SW846 8270D	RMC	10G0743
<i>Surr: Nitrobenzene-d5 (17-120%)</i>	63 %					1	07/11/10 04:07	SW846 8270D	RMC	10G0743

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTG0352-05 (640 Dahlia-1 - Soil) Sampled: 06/30/10 09:30</b>										
General Chemistry Parameters										
% Dry Solids	80.4		%	0.500	0.500	1	07/07/10 08:26	SW-846	HLB	10G0823
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00116	0.00210	1	07/14/10 01:05	SW846 8260B	MJH/H	10G0580
Ethylbenzene	0.00765		mg/kg dry	0.00103	0.00210	1	07/14/10 01:05	SW846 8260B	MJH/H	10G0580
Naphthalene	0.100		mg/kg dry	0.00179	0.00525	1	07/14/10 01:05	SW846 8260B	MJH/H	10G0580
Toluene	ND		mg/kg dry	0.000935	0.00210	1	07/14/10 01:05	SW846 8260B	MJH/H	10G0580
Xylenes, total	0.0401		mg/kg dry	0.00200	0.00525	1	07/14/10 01:05	SW846 8260B	MJH/H	10G0580
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	105 %					1	07/14/10 01:05	SW846 8260B	MJH/H	10G0580
<i>Surr: Dibromoformmethane (75-125%)</i>	103 %					1	07/14/10 01:05	SW846 8260B	MJH/H	10G0580
<i>Surr: Toluene-d8 (76-129%)</i>	114 %					1	07/14/10 01:05	SW846 8260B	MJH/H	10G0580
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	109 %					1	07/14/10 01:05	SW846 8260B	MJH/H	10G0580
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	0.116		mg/kg dry	0.0171	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Acenaphthylene	ND		mg/kg dry	0.0244	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Anthracene	0.137		mg/kg dry	0.0110	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Benzo (a) anthracene	0.105		mg/kg dry	0.0134	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Benzo (a) pyrene	0.0777	J	mg/kg dry	0.00976	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Benzo (b) fluoranthene	0.0802	J	mg/kg dry	0.0464	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0110	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Benzo (k) fluoranthene	ND		mg/kg dry	0.0452	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Chrysene	0.0989		mg/kg dry	0.0378	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0183	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Fluoranthene	0.288		mg/kg dry	0.0134	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Fluorene	0.360		mg/kg dry	0.0244	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0378	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Naphthalene	0.348		mg/kg dry	0.0171	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Phenanthrene	0.857		mg/kg dry	0.0122	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Pyrrene	0.284		mg/kg dry	0.0281	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
1-Methylnaphthalene	1.18		mg/kg dry	0.0146	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
2-Methylnaphthalene	1.81		mg/kg dry	0.0256	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
<i>Surr: Terphenyl-d14 (18-120%)</i>	86 %					1	07/11/10 04:29	SW846 8270D	RMC	10G0743
<i>Surr: 2-Fluorobiphenyl (14-120%)</i>	71 %					1	07/11/10 04:29	SW846 8270D	RMC	10G0743
<i>Surr: Nitrobenzene-d5 (17-120%)</i>	73 %					1	07/11/10 04:29	SW846 8270D	RMC	10G0743

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456

Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurcl Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Date/Time	Method	Analyst	Batch
<b>Sample ID: NTG0352-06 (640 Dahlia-2 - Soil) Sampled: 06/30/10 09:45</b>										
General Chemistry Parameters										
% Dry Solids	76.5		%	0.500	0.500	1	07/07/10 08:26	SW-846	HLB	10G0823
Volatile Organic Compounds by EPA Method 8260B										
Benzene	0.00233		mg/kg dry	0.00125	0.00227	1	07/14/10 01:36	SW846 8260B	MJH/H	10G0580
Ethylbenzene	0.111		mg/kg dry	0.00111	0.00227	1	07/14/10 01:36	SW846 8260B	MJH/H	10G0580
Naphthalene	1.55		mg/kg dry	0.0908	0.267	50	07/14/10 18:19	SW846 8260B	MJH/H	10G1052
Toluene	0.00155	J	mg/kg dry	0.00101	0.00227	1	07/14/10 01:36	SW846 8260B	MJH/H	10G0580
Xylenes, total	0.0605		mg/kg dry	0.00215	0.00566	1	07/14/10 01:36	SW846 8260B	MJH/H	10G0580
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	100 %					1	07/14/10 01:36	SW846 8260B	MJH/H	10G0580
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	104 %					50	07/14/10 18:19	SW846 8260B	MJH/H	10G1052
<i>Surr: Dibromoformmethane (75-125%)</i>	96 %					1	07/14/10 01:36	SW846 8260B	MJH/H	10G0580
<i>Surr: Dibromoformmethane (75-125%)</i>	85 %					50	07/14/10 18:19	SW846 8260B	MJH/H	10G1052
<i>Surr: Toluene-d8 (76-129%)</i>	207 %	ZX				1	07/14/10 01:36	SW846 8260B	MJH/H	10G0580
<i>Surr: Toluene-d8 (76-129%)</i>	110 %					50	07/14/10 18:19	SW846 8260B	MJH/H	10G1052
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	229 %	ZX				1	07/14/10 01:36	SW846 8260B	MJH/H	10G0580
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	98 %					50	07/14/10 18:19	SW846 8260B	MJH/H	10G1052
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	0.0815	J	mg/kg dry	0.0178	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Acenaphthylene	ND		mg/kg dry	0.0255	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Anthracene	ND		mg/kg dry	0.0115	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Benzo (a) anthracene	ND		mg/kg dry	0.0140	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Benzo (a) pyrene	ND		mg/kg dry	0.0102	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Benzo (b) fluoranthene	ND		mg/kg dry	0.0484	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0115	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Benzo (k) fluoranthene	ND		mg/kg dry	0.0471	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Chrysene	ND		mg/kg dry	0.0395	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0191	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Fluoranthene	ND		mg/kg dry	0.0140	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Fluorene	0.211		mg/kg dry	0.0255	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0395	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Naphthalene	0.265		mg/kg dry	0.0178	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Phenanthrene	0.358		mg/kg dry	0.0127	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Pyrene	ND		mg/kg dry	0.0293	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
1-Methylnaphthalene	0.977		mg/kg dry	0.0153	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
2-Methylnaphthalene	1.31		mg/kg dry	0.0267	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
<i>Surr: Terphenyl-d14 (18-120%)</i>	62 %					1	07/11/10 04:51	SW846 8270D	RMC	10G0743
<i>Surr: 2-Fluorobiphenyl (14-120%)</i>	54 %					1	07/11/10 04:51	SW846 8270D	RMC	10G0743
<i>Surr: Nitrobenzene-d5 (17-120%)</i>	59 %					1	07/11/10 04:51	SW846 8270D	RMC	10G0743

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Date/Time	Method	Analyst	Batch
<b>Sample ID: NTG0352-07 (626 Dahlia - Soil) Sampled: 06/30/10 13:45</b>										
General Chemistry Parameters										
% Dry Solids	96.2		%	0.500	0.500	1	07/07/10 08:26	SW-846	HLB	10G0823
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00135	0.00246	1	07/14/10 17:48	SW846 8260B	MJH/H	10G1052
Ethylbenzene	ND		mg/kg dry	0.00120	0.00246	1	07/14/10 17:48	SW846 8260B	MJH/H	10G1052
Naphthalene	ND		mg/kg dry	0.00209	0.00614	1	07/14/10 17:48	SW846 8260B	MJH/H	10G1052
Toluene	ND		mg/kg dry	0.00109	0.00246	1	07/14/10 17:48	SW846 8260B	MJH/H	10G1052
Xylenes, total	ND		mg/kg dry	0.00233	0.00614	1	07/14/10 17:48	SW846 8260B	MJH/H	10G1052
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	108 %					1	07/14/10 17:48	SW846 8260B	MJH/H	10G1052
<i>Surr: Dibromoformmethane (75-125%)</i>	100 %					1	07/14/10 17:48	SW846 8260B	MJH/H	10G1052
<i>Surr: Toluene-d8 (76-129%)</i>	107 %					1	07/14/10 17:48	SW846 8260B	MJH/H	10G1052
<i>Surr: 4-Bromofluorobenzene (67-147%)</i>	97 %					1	07/14/10 17:48	SW846 8260B	MJH/H	10G1052
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0141	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Acenaphthylene	ND		mg/kg dry	0.0202	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Anthracene	ND		mg/kg dry	0.00907	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Benzo (a) anthracene	ND		mg/kg dry	0.0111	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Benzo (a) pyrene	ND		mg/kg dry	0.00806	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Benzo (b) fluoranthene	ND		mg/kg dry	0.0383	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00907	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Benzo (k) fluoranthene	ND		mg/kg dry	0.0373	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Chrysene	ND		mg/kg dry	0.0312	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0151	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Fluoranthene	ND		mg/kg dry	0.0111	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Fluorene	ND		mg/kg dry	0.0202	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0312	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Naphthalene	ND		mg/kg dry	0.0141	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Phenanthrene	ND		mg/kg dry	0.0101	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Pyrene	ND		mg/kg dry	0.0232	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
1-Methylnaphthalene	ND		mg/kg dry	0.0121	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
2-Methylnaphthalene	ND		mg/kg dry	0.0212	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
<i>Surr: Terphenyl-d14 (18-120%)</i>	81 %					1	07/11/10 05:13	SW846 8270D	RMC	10G0743
<i>Surr: 2-Fluorobiphenyl (14-120%)</i>	63 %					1	07/11/10 05:13	SW846 8270D	RMC	10G0743
<i>Surr: Nitrobenzene-d5 (17-120%)</i>	59 %					1	07/11/10 05:13	SW846 8270D	RMC	10G0743

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwée

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>							
SW846 8270D	10G0743	NTG0352-01	30.05	1.00	07/08/10 10:30	CAG	EPA 3550C
SW846 8270D	10G0743	NTG0352-02	30.48	1.00	07/08/10 10:30	CAG	EPA 3550C
SW846 8270D	10G0743	NTG0352-02RE1	30.48	1.00	07/08/10 10:30	CAG	EPA 3550C
SW846 8270D	10G0743	NTG0352-03	30.73	1.00	07/08/10 10:30	CAG	EPA 3550C
SW846 8270D	10G0743	NTG0352-04	30.33	1.00	07/08/10 10:30	CAG	EPA 3550C
SW846 8270D	10G0743	NTG0352-05	30.57	1.00	07/08/10 10:30	CAG	EPA 3550C
SW846 8270D	10G0743	NTG0352-06	30.80	1.00	07/08/10 10:30	CAG	EPA 3550C
SW846 8270D	10G0743	NTG0352-07	30.94	1.00	07/08/10 10:30	CAG	EPA 3550C
<b>Volatile Organic Compounds by EPA Method 8260B</b>							
SW846 8260B	10G1916	NTG0352-01	6.32	5.00	06/30/10 07:50	CHH	EPA 5035
SW846 8260B	10G1916	NTG0352-02	5.48	5.00	06/30/10 08:10	CHH	EPA 5035
SW846 8260B	10G1052	NTG0352-02RE1	6.14	5.00	06/30/10 08:10	CHH	EPA 5035
SW846 8260B	10G1052	NTG0352-02RE2	6.14	5.00	06/30/10 08:10	CHH	EPA 5035
SW846 8260B	10G1916	NTG0352-03	5.59	5.00	06/30/10 08:30	CHH	EPA 5035
SW846 8260B	10G1916	NTG0352-04	6.07	5.00	06/30/10 08:50	CHH	EPA 5035
SW846 8260B	10G0580	NTG0352-05	5.92	5.00	06/30/10 09:30	CHH	EPA 5035
SW846 8260B	10G0580	NTG0352-06	5.77	5.00	06/30/10 09:45	CHH	EPA 5035
SW846 8260B	10G1052	NTG0352-06RE1	6.12	5.00	06/30/10 09:45	CHH	EPA 5035
SW846 8260B	10G0580	NTG0352-07	4.34	5.00	06/30/10 13:45	CHH	EPA 5035
SW846 8260B	10G1052	NTG0352-07RE1	4.23	5.00	06/30/10 13:45	CHH	EPA 5035

Client EEG - Small Business Group, Inc. (2449)  
 10179 Highway 78  
 Ladson, SC 29456  
 Attn Tom McElwee

Work Order: NTG0352  
 Project Name: Laurel Bay Housing Project  
 Project Number: [none]  
 Received: 07/03/10 08:30

**PROJECT QUALITY CONTROL DATA**  
**Blank**

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>						
<b>10G0580-BLK1</b>						
Benzene	<0.00110		mg/kg wet	10G0580	10G0580-BLK1	07/14/10 00:34
Ethylbenzene	<0.000980		mg/kg wet	10G0580	10G0580-BLK1	07/14/10 00:34
Naphthalene	<0.00170		mg/kg wet	10G0580	10G0580-BLK1	07/14/10 00:34
Toluene	<0.000890		mg/kg wet	10G0580	10G0580-BLK1	07/14/10 00:34
Xylenes, total	<0.00190		mg/kg wet	10G0580	10G0580-BLK1	07/14/10 00:34
<i>Surrogate: 1,2-Dichloroethane-d4</i>	108%			10G0580	10G0580-BLK1	07/14/10 00:34
<i>Surrogate: Dibromoformmethane</i>	106%			10G0580	10G0580-BLK1	07/14/10 00:34
<i>Surrogate: Toluene-d8</i>	106%			10G0580	10G0580-BLK1	07/14/10 00:34
<i>Surrogate: 4-Bromoformbenzene</i>	97%			10G0580	10G0580-BLK1	07/14/10 00:34
<b>10G1052-BLK1</b>						
Benzene	<0.00110		mg/kg wet	10G1052	10G1052-BLK1	07/14/10 12:33
Ethylbenzene	<0.000980		mg/kg wet	10G1052	10G1052-BLK1	07/14/10 12:33
Naphthalene	<0.00170		mg/kg wet	10G1052	10G1052-BLK1	07/14/10 12:33
Toluene	<0.000890		mg/kg wet	10G1052	10G1052-BLK1	07/14/10 12:33
Xylenes, total	<0.00190		mg/kg wet	10G1052	10G1052-BLK1	07/14/10 12:33
<i>Surrogate: 1,2-Dichloroethane-d4</i>	107%			10G1052	10G1052-BLK1	07/14/10 12:33
<i>Surrogate: Dibromoformmethane</i>	105%			10G1052	10G1052-BLK1	07/14/10 12:33
<i>Surrogate: Toluene-d8</i>	107%			10G1052	10G1052-BLK1	07/14/10 12:33
<i>Surrogate: 4-Bromoformbenzene</i>	96%			10G1052	10G1052-BLK1	07/14/10 12:33
<b>10G1052-BLK2</b>						
Benzene	<0.0550		mg/kg wet	10G1052	10G1052-BLK2	07/14/10 17:17
Ethylbenzene	<0.0490		mg/kg wet	10G1052	10G1052-BLK2	07/14/10 17:17
Naphthalene	<0.0850		mg/kg wet	10G1052	10G1052-BLK2	07/14/10 17:17
Toluene	<0.0445		mg/kg wet	10G1052	10G1052-BLK2	07/14/10 17:17
Xylenes, total	<0.0950		mg/kg wet	10G1052	10G1052-BLK2	07/14/10 17:17
<i>Surrogate: 1,2-Dichloroethane-d4</i>	101%			10G1052	10G1052-BLK2	07/14/10 17:17
<i>Surrogate: Dibromoformmethane</i>	91%			10G1052	10G1052-BLK2	07/14/10 17:17
<i>Surrogate: Toluene-d8</i>	108%			10G1052	10G1052-BLK2	07/14/10 17:17
<i>Surrogate: 4-Bromoformbenzene</i>	98%			10G1052	10G1052-BLK2	07/14/10 17:17
<b>10G1916-BLK1</b>						
Benzene	<0.00110		mg/kg wet	10G1916	10G1916-BLK1	07/13/10 12:05
Ethylbenzene	<0.000980		mg/kg wet	10G1916	10G1916-BLK1	07/13/10 12:05
Naphthalene	<0.00170		mg/kg wet	10G1916	10G1916-BLK1	07/13/10 12:05
Toluene	<0.000890		mg/kg wet	10G1916	10G1916-BLK1	07/13/10 12:05
Xylenes, total	<0.00190		mg/kg wet	10G1916	10G1916-BLK1	07/13/10 12:05
<i>Surrogate: 1,2-Dichloroethane-d4</i>	106%			10G1916	10G1916-BLK1	07/13/10 12:05
<i>Surrogate: Dibromoformmethane</i>	105%			10G1916	10G1916-BLK1	07/13/10 12:05
<i>Surrogate: Toluene-d8</i>	106%			10G1916	10G1916-BLK1	07/13/10 12:05
<i>Surrogate: 4-Bromoformbenzene</i>	96%			10G1916	10G1916-BLK1	07/13/10 12:05

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## PROJECT QUALITY CONTROL DATA Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

### Volatile Organic Compounds by EPA Method 8260B

#### 10G1916-BLK2

Benzene	<0.0550		mg/kg wet	10G1916	10G1916-BLK2	07/13/10 12:36
Ethylbenzene	<0.0490		mg/kg wet	10G1916	10G1916-BLK2	07/13/10 12:36
Naphthalene	<0.0850		mg/kg wet	10G1916	10G1916-BLK2	07/13/10 12:36
Toluene	<0.0445		mg/kg wet	10G1916	10G1916-BLK2	07/13/10 12:36
Xylenes, total	<0.0950		mg/kg wet	10G1916	10G1916-BLK2	07/13/10 12:36
Surrogate: 1,2-Dichloroethane-d4	101%			10G1916	10G1916-BLK2	07/13/10 12:36
Surrogate: Dibromoformmethane	89%			10G1916	10G1916-BLK2	07/13/10 12:36
Surrogate: Toluene-d8	107%			10G1916	10G1916-BLK2	07/13/10 12:36
Surrogate: 4-Bromoformbenzene	98%			10G1916	10G1916-BLK2	07/13/10 12:36

### Polyaromatic Hydrocarbons by EPA 8270D

#### 10G0743-BLK1

Acenaphthene	<0.0140		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Acenaphthylene	<0.0200		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Anthracene	<0.00900		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Benzo (a) anthracene	<0.0110		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Benzo (a) pyrene	<0.00800		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Benzo (b) fluoranthene	<0.0380		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Benzo (g,h,i) perylene	<0.00900		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Benzo (k) fluoranthene	<0.0370		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Chrysene	<0.0310		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Dibenz (a,h) anthracene	<0.0150		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Fluoranthene	<0.0110		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Fluorene	<0.0200		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Indeno (1,2,3-cd) pyrene	<0.0310		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Naphthalene	<0.0140		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Phenanthrene	<0.0100		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Pyrene	<0.0230		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
1-Methylnaphthalene	<0.0120		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
2-Methylnaphthalene	<0.0210		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Surrogate: Terphenyl-d14	82%			10G0743	10G0743-BLK1	07/10/10 20:38
Surrogate: 2-Fluorobiphenyl	59%			10G0743	10G0743-BLK1	07/10/10 20:38
Surrogate: Nitrobenzene-d5	54%			10G0743	10G0743-BLK1	07/10/10 20:38

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

**PROJECT QUALITY CONTROL DATA**  
**Duplicate**

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	% Rec.	Analyzed Date/Time
<b>General Chemistry Parameters</b>										
<b>10G0823-DUP1</b>										
% Dry Solids	81.1	80.1		%	1	20	10G0823	NTG0250-01		07/07/10 08:26

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

**PROJECT QUALITY CONTROL DATA**  
**LCS**

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>								
<b>10G0580-BS1</b>								
Benzene	50.0	45.5		ug/kg	91%	78 - 126	10G0580	07/13/10 23:31
Ethylbenzene	50.0	51.8		ug/kg	104%	79 - 130	10G0580	07/13/10 23:31
Naphthalene	50.0	57.9		ug/kg	116%	72 - 150	10G0580	07/13/10 23:31
Toluene	50.0	50.5		ug/kg	101%	76 - 126	10G0580	07/13/10 23:31
Xylenes, total	150	153		ug/kg	102%	80 - 130	10G0580	07/13/10 23:31
<i>Surrogate: 1,2-Dichloroethane-d4</i>	50.0	52.9			106%	67 - 138	10G0580	07/13/10 23:31
<i>Surrogate: Dibromoformmethane</i>	50.0	52.0			104%	75 - 125	10G0580	07/13/10 23:31
<i>Surrogate: Toluene-d8</i>	50.0	52.0			104%	76 - 129	10G0580	07/13/10 23:31
<i>Surrogate: 4-Bromofluorobenzene</i>	50.0	49.8			100%	67 - 147	10G0580	07/13/10 23:31
<b>10G1052-BS1</b>								
Benzene	50.0	47.6		ug/kg	95%	78 - 126	10G1052	07/14/10 11:29
Ethylbenzene	50.0	55.7		ug/kg	111%	79 - 130	10G1052	07/14/10 11:29
Naphthalene	50.0	64.0		ug/kg	128%	72 - 150	10G1052	07/14/10 11:29
Toluene	50.0	55.5		ug/kg	111%	76 - 126	10G1052	07/14/10 11:29
Xylenes, total	150	168		ug/kg	112%	80 - 130	10G1052	07/14/10 11:29
<i>Surrogate: 1,2-Dichloroethane-d4</i>	50.0	54.7			109%	67 - 138	10G1052	07/14/10 11:29
<i>Surrogate: Dibromoformmethane</i>	50.0	54.8			110%	75 - 125	10G1052	07/14/10 11:29
<i>Surrogate: Toluene-d8</i>	50.0	53.4			107%	76 - 129	10G1052	07/14/10 11:29
<i>Surrogate: 4-Bromofluorobenzene</i>	50.0	47.4			95%	67 - 147	10G1052	07/14/10 11:29
<b>10G1916-BS1</b>								
Benzene	50.0	45.7		ug/kg	91%	78 - 126	10G1916	07/13/10 11:02
Ethylbenzene	50.0	54.3		ug/kg	109%	79 - 130	10G1916	07/13/10 11:02
Naphthalene	50.0	65.7		ug/kg	131%	72 - 150	10G1916	07/13/10 11:02
Toluene	50.0	52.3		ug/kg	105%	76 - 126	10G1916	07/13/10 11:02
Xylenes, total	150	165		ug/kg	110%	80 - 130	10G1916	07/13/10 11:02
<i>Surrogate: 1,2-Dichloroethane-d4</i>	50.0	54.8			110%	67 - 138	10G1916	07/13/10 11:02
<i>Surrogate: Dibromoformmethane</i>	50.0	53.9			108%	75 - 125	10G1916	07/13/10 11:02
<i>Surrogate: Toluene-d8</i>	50.0	52.6			105%	76 - 129	10G1916	07/13/10 11:02
<i>Surrogate: 4-Bromofluorobenzene</i>	50.0	49.0			98%	67 - 147	10G1916	07/13/10 11:02
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>								
<b>10G0743-BS1</b>								
Acenaphthene	1.67	1.43		mg/kg wet	86%	49 - 120	10G0743	07/10/10 21:01
Acenaphthylene	1.67	1.43		mg/kg wet	86%	52 - 120	10G0743	07/10/10 21:01
Anthracene	1.67	1.62		mg/kg wet	97%	58 - 120	10G0743	07/10/10 21:01
Benzo (a) anthracene	1.67	1.70		mg/kg wet	102%	57 - 120	10G0743	07/10/10 21:01
Benzo (a) pyrene	1.67	1.57		mg/kg wet	94%	55 - 120	10G0743	07/10/10 21:01
Benzo (b) fluoranthene	1.67	1.48		mg/kg wet	89%	51 - 123	10G0743	07/10/10 21:01
Benzo (g,h,i) perylene	1.67	1.67		mg/kg wet	100%	49 - 121	10G0743	07/10/10 21:01
Benzo (k) fluoranthene	1.67	1.64		mg/kg wet	98%	42 - 129	10G0743	07/10/10 21:01

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

**PROJECT QUALITY CONTROL DATA**  
**LCS - Cont.**

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>								
<b>10G0743-BS1</b>								
Chrysene	1.67	1.51		mg/kg wet	90%	55 - 120	10G0743	07/10/10 21:01
Dibenz (a,h) anthracene	1.67	1.61		mg/kg wet	97%	50 - 123	10G0743	07/10/10 21:01
Fluoranthene	1.67	1.66		mg/kg wet	99%	58 - 120	10G0743	07/10/10 21:01
Fluorene	1.67	1.52		mg/kg wet	91%	54 - 120	10G0743	07/10/10 21:01
Indeno (1,2,3-cd) pyrene	1.67	1.75		mg/kg wet	105%	50 - 122	10G0743	07/10/10 21:01
Naphthalene	1.67	1.08		mg/kg wet	65%	28 - 120	10G0743	07/10/10 21:01
Phenanthrene	1.67	1.68		mg/kg wet	101%	56 - 120	10G0743	07/10/10 21:01
Pyrene	1.67	1.69		mg/kg wet	102%	56 - 120	10G0743	07/10/10 21:01
1-Methylnaphthalene	1.67	1.07		mg/kg wet	64%	36 - 120	10G0743	07/10/10 21:01
2-Methylnaphthalene	1.67	1.11		mg/kg wet	67%	36 - 120	10G0743	07/10/10 21:01
<i>Surrogate: Terphenyl-d14</i>	1.67	1.50			90%	18 - 120	10G0743	07/10/10 21:01
<i>Surrogate: 2-Fluorobiphenyl</i>	1.67	0.996			60%	14 - 120	10G0743	07/10/10 21:01
<i>Surrogate: Nitrobenzene-d5</i>	1.67	0.835			50%	17 - 120	10G0743	07/10/10 21:01

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwec

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

**PROJECT QUALITY CONTROL DATA**  
**Matrix Spike**

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>										
<b>10G0580-MS1</b>										
Benzene	ND	0.0411		mg/kg dry	0.0524	78%	42 - 141	10G0580	NTG0363-02	07/14/10 07:19
Ethylbenzene	ND	0.0450		mg/kg dry	0.0524	86%	21 - 165	10G0580	NTG0363-02	07/14/10 07:19
Naphthalene	ND	0.0214		mg/kg dry	0.0524	41%	10 - 160	10G0580	NTG0363-02	07/14/10 07:19
Toluene	ND	0.0444		mg/kg dry	0.0524	85%	45 - 145	10G0580	NTG0363-02	07/14/10 07:19
Xylenes, total	ND	0.134		mg/kg dry	0.157	85%	31 - 159	10G0580	NTG0363-02	07/14/10 07:19
<i>Surrogate: 1,2-Dichloroethane-d4</i>		57.6		ug/kg	50.0	115%	67 - 138	10G0580	NTG0363-02	07/14/10 07:19
<i>Surrogate: Dibromoformmethane</i>		58.8		ug/kg	50.0	118%	75 - 125	10G0580	NTG0363-02	07/14/10 07:19
<i>Surrogate: Toluene-d8</i>		53.0		ug/kg	50.0	106%	76 - 129	10G0580	NTG0363-02	07/14/10 07:19
<i>Surrogate: 4-Bromofluorobenzene</i>		49.6		ug/kg	50.0	99%	67 - 147	10G0580	NTG0363-02	07/14/10 07:19
<b>10G1052-MS1</b>										
Benzene	0.140	2.62		mg/kg dry	2.67	93%	42 - 141	10G1052	NTG0352-06RE	07/15/10 22:15
Ethylbenzene	0.154	2.71		mg/kg dry	2.67	96%	21 - 165	10G1052	NTG0352-06RE	07/15/10 22:15
Naphthalene	1.55	3.51		mg/kg dry	2.67	73%	10 - 160	10G1052	NTG0352-06RE	07/15/10 22:15
Toluene	0.0651	2.52		mg/kg dry	2.67	92%	45 - 145	10G1052	NTG0352-06RE	07/15/10 22:15
Xylenes, total	0.151	7.87		mg/kg dry	8.01	96%	31 - 159	10G1052	NTG0352-06RE	07/15/10 22:15
<i>Surrogate: 1,2-Dichloroethane-d4</i>		47.9		ug/kg	50.0	96%	67 - 138	10G1052	NTG0352-06RE	07/15/10 22:15
<i>Surrogate: Dibromoformmethane</i>		46.8		ug/kg	50.0	94%	75 - 125	10G1052	NTG0352-06RE	07/15/10 22:15
<i>Surrogate: Toluene-d8</i>		51.0		ug/kg	50.0	102%	76 - 129	10G1052	NTG0352-06RE	07/15/10 22:15
<i>Surrogate: 4-Bromofluorobenzene</i>		50.9		ug/kg	50.0	102%	67 - 147	10G1052	NTG0352-06RE	07/15/10 22:15
<b>10G1916-MS1</b>										
Benzene	ND	1.57		mg/kg wet	2.19	72%	42 - 141	10G1916	NTG0113-01RE	07/13/10 21:26
Ethylbenzene	ND	1.92		mg/kg wet	2.19	88%	21 - 165	10G1916	NTG0113-01RE	07/13/10 21:26
Naphthalene	0.154	2.11		mg/kg wet	2.19	89%	10 - 160	10G1916	NTG0113-01RE	07/13/10 21:26
Toluene	ND	1.80		mg/kg wet	2.19	82%	45 - 145	10G1916	NTG0113-01RE	07/13/10 21:26
Xylenes, total	ND	5.75		mg/kg wet	6.58	87%	31 - 159	10G1916	NTG0113-01RE	07/13/10 21:26
<i>Surrogate: 1,2-Dichloroethane-d4</i>		51.1		ug/kg	50.0	102%	67 - 138	10G1916	NTG0113-01RE	07/13/10 21:26
<i>Surrogate: Dibromoformmethane</i>		48.3		ug/kg	50.0	97%	75 - 125	10G1916	NTG0113-01RE	07/13/10 21:26

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwec

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

**PROJECT QUALITY CONTROL DATA**  
**Matrix Spike - Cont.**

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>										
<b>10G1916-MS1</b>										
Surrogate: Toluene-d8		52.2		ug/kg	50.0	104%	76 - 129	10G1916	NTG0113-01RE 1	07/13/10 21:26
Surrogate: 4-Bromo fluoro benzene		51.3		ug/kg	50.0	103%	67 - 147	10G1916	NTG0113-01RE 1	07/13/10 21:26

**Polyaromatic Hydrocarbons by EPA 8270D**

<b>10G0743-MS1</b>										
Acenaphthene	ND	1.35		mg/kg dry	1.82	74%	42 - 120	10G0743	NTG0348-01	07/10/10 21:23
Acenaphthylene	ND	1.32		mg/kg dry	1.82	72%	32 - 120	10G0743	NTG0348-01	07/10/10 21:23
Anthracene	ND	1.50		mg/kg dry	1.82	82%	10 - 200	10G0743	NTG0348-01	07/10/10 21:23
Benzo (a) anthracene	ND	1.54		mg/kg dry	1.82	85%	41 - 120	10G0743	NTG0348-01	07/10/10 21:23
Benzo (a) pyrene	ND	1.41		mg/kg dry	1.82	78%	33 - 121	10G0743	NTG0348-01	07/10/10 21:23
Benzo (b) fluoranthene	ND	1.41		mg/kg dry	1.82	78%	26 - 137	10G0743	NTG0348-01	07/10/10 21:23
Benzo (g,h,i) perylene	ND	1.53		mg/kg dry	1.82	84%	21 - 124	10G0743	NTG0348-01	07/10/10 21:23
Benzo (k) fluoranthene	ND	1.38		mg/kg dry	1.82	76%	14 - 140	10G0743	NTG0348-01	07/10/10 21:23
Chrysene	ND	1.40		mg/kg dry	1.82	77%	28 - 123	10G0743	NTG0348-01	07/10/10 21:23
Dibenz (a,h) anthracene	ND	1.48		mg/kg dry	1.82	82%	25 - 127	10G0743	NTG0348-01	07/10/10 21:23
Fluoranthene	ND	1.46		mg/kg dry	1.82	80%	38 - 120	10G0743	NTG0348-01	07/10/10 21:23
Fluorene	ND	1.41		mg/kg dry	1.82	78%	41 - 120	10G0743	NTG0348-01	07/10/10 21:23
Indeno (1,2,3-cd) pyrene	ND	1.60		mg/kg dry	1.82	88%	25 - 123	10G0743	NTG0348-01	07/10/10 21:23
Naphthalene	ND	1.02		mg/kg dry	1.82	56%	25 - 120	10G0743	NTG0348-01	07/10/10 21:23
Phenanthrene	ND	1.50		mg/kg dry	1.82	83%	37 - 120	10G0743	NTG0348-01	07/10/10 21:23
Pyrene	ND	1.56		mg/kg dry	1.82	86%	29 - 125	10G0743	NTG0348-01	07/10/10 21:23
1-Methylnaphthalene	ND	0.996		mg/kg dry	1.82	55%	19 - 120	10G0743	NTG0348-01	07/10/10 21:23
2-Methylnaphthalene	ND	1.09		mg/kg dry	1.82	60%	11 - 120	10G0743	NTG0348-01	07/10/10 21:23
Surrogate: Terphenyl-d14		1.36		mg/kg dry	1.82	75%	18 - 120	10G0743	NTG0348-01	07/10/10 21:23
Surrogate: 2-Fluorobiphenyl		1.12		mg/kg dry	1.82	62%	14 - 120	10G0743	NTG0348-01	07/10/10 21:23
Surrogate: Nitrobenzene-d5		0.935		mg/kg dry	1.82	51%	17 - 120	10G0743	NTG0348-01	07/10/10 21:23

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwec

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

**PROJECT QUALITY CONTROL DATA**  
**Matrix Spike Dup**

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>												
<b>10G0580-MSD1</b>												
Benzene	ND	0.0287		mg/kg dry	0.0522	55%	42 - 141	36	50	10G0580	NTG0363-02	07/14/10 07:49
Ethylbenzene	ND	0.0276		mg/kg dry	0.0522	53%	21 - 165	48	50	10G0580	NTG0363-02	07/14/10 07:49
Naphthalene	ND	0.0118	R2	mg/kg dry	0.0522	23%	10 - 160	58	50	10G0580	NTG0363-02	07/14/10 07:49
Toluene	ND	0.0309		mg/kg dry	0.0522	59%	45 - 145	36	50	10G0580	NTG0363-02	07/14/10 07:49
Xylenes, total	ND	0.0793	R2	mg/kg dry	0.157	51%	31 - 159	51	50	10G0580	NTG0363-02	07/14/10 07:49
<i>Surrogate: 1,2-Dichloroethane-d4</i>		52.5		ug/kg	50.0	105%	67 - 138			10G0580	NTG0363-02	07/14/10 07:49
<i>Surrogate: Dibromoformmethane</i>		52.1		ug/kg	50.0	104%	75 - 125			10G0580	NTG0363-02	07/14/10 07:49
<i>Surrogate: Toluene-d8</i>		54.0		ug/kg	50.0	108%	76 - 129			10G0580	NTG0363-02	07/14/10 07:49
<i>Surrogate: 4-Bromofluorobenzene</i>		47.7		ug/kg	50.0	95%	67 - 147			10G0580	NTG0363-02	07/14/10 07:49
<b>10G1052-MSD1</b>												
Benzene	0.140	2.85		mg/kg dry	2.67	101%	42 - 141	8	50	10G1052	NTG0352-06R	07/15/10 22:46
Ethylbenzene	0.154	3.02		mg/kg dry	2.67	107%	21 - 165	11	50	10G1052	NTG0352-06R	07/15/10 22:46
Naphthalene	1.55	3.96		mg/kg dry	2.67	90%	10 - 160	12	50	10G1052	NTG0352-06R	07/15/10 22:46
Toluene	0.0651	2.74		mg/kg dry	2.67	100%	45 - 145	9	50	10G1052	NTG0352-06R	07/15/10 22:46
Xylenes, total	0.151	8.84		mg/kg dry	8.01	108%	31 - 159	12	50	10G1052	NTG0352-06R	07/15/10 22:46
<i>Surrogate: 1,2-Dichloroethane-d4</i>		47.5		ug/kg	50.0	95%	67 - 138			10G1052	NTG0352-06R	07/15/10 22:46
<i>Surrogate: Dibromoformmethane</i>		47.7		ug/kg	50.0	95%	75 - 125			10G1052	NTG0352-06R	07/15/10 22:46
<i>Surrogate: Toluene-d8</i>		49.6		ug/kg	50.0	99%	76 - 129			10G1052	NTG0352-06R	07/15/10 22:46
<i>Surrogate: 4-Bromofluorobenzene</i>		51.2		ug/kg	50.0	102%	67 - 147			10G1052	NTG0352-06R	07/15/10 22:46
<b>10G1916-MSD1</b>												
Benzene	ND	1.89		mg/kg wet	2.19	86%	42 - 141	18	50	10G1916	NTG0113-01R	07/13/10 21:58
Ethylbenzene	ND	2.37		mg/kg wet	2.19	108%	21 - 165	21	50	10G1916	NTG0113-01R	07/13/10 21:58
Naphthalene	0.154	2.53		mg/kg wet	2.19	108%	10 - 160	18	50	10G1916	NTG0113-01R	07/13/10 21:58
Toluene	ND	2.28		mg/kg wet	2.19	104%	45 - 145	24	50	10G1916	NTG0113-01R	07/13/10 21:58
Xylenes, total	ND	7.08		mg/kg wet	6.58	108%	31 - 159	21	50	10G1916	NTG0113-01R	07/13/10 21:58
<i>Surrogate: 1,2-Dichloroethane-d4</i>		48.8		ug/kg	50.0	98%	67 - 138			10G1916	NTG0113-01R	07/13/10 21:58
<i>Surrogate: Dibromoformmethane</i>		47.5		ug/kg	50.0	95%	75 - 125			10G1916	NTG0113-01R	07/13/10 21:58
<i>Surrogate: Toluene-d8</i>		53.9		ug/kg	50.0	108%	76 - 129			10G1916	NTG0113-01R	07/13/10 21:58
<i>Surrogate: 4-Bromofluorobenzene</i>		50.8		ug/kg	50.0	102%	67 - 147			10G1916	NTG0113-01R	07/13/10 21:58

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwec

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

### PROJECT QUALITY CONTROL DATA

#### Matrix Spike Dup - Cont.

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>												
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>												
<b>10G0743-MSD1</b>												
Acenaphthene	ND	1.29		mg/kg dry	1.82	71%	42 - 120	5	40	10G0743	NTG0348-01	07/10/10 21:46
Acenaphthylene	ND	1.31		mg/kg dry	1.82	72%	32 - 120	0.5	30	10G0743	NTG0348-01	07/10/10 21:46
Anthracene	ND	1.42		mg/kg dry	1.82	78%	10 - 200	5	50	10G0743	NTG0348-01	07/10/10 21:46
Benzo (a) anthracene	ND	1.49		mg/kg dry	1.82	82%	41 - 120	3	30	10G0743	NTG0348-01	07/10/10 21:46
Benzo (a) pyrene	ND	1.34		mg/kg dry	1.82	74%	33 - 121	6	33	10G0743	NTG0348-01	07/10/10 21:46
Benzo (b) fluoranthene	ND	1.23		mg/kg dry	1.82	68%	26 - 137	14	42	10G0743	NTG0348-01	07/10/10 21:46
Benzo (g,h,i) perylene	ND	1.45		mg/kg dry	1.82	80%	21 - 124	5	32	10G0743	NTG0348-01	07/10/10 21:46
Benzo (k) fluoranthene	ND	1.40		mg/kg dry	1.82	77%	14 - 140	2	39	10G0743	NTG0348-01	07/10/10 21:46
Chrysene	ND	1.30		mg/kg dry	1.82	72%	28 - 123	7	34	10G0743	NTG0348-01	07/10/10 21:46
Dibenz (a,h) anthracene	ND	1.40		mg/kg dry	1.82	77%	25 - 127	6	31	10G0743	NTG0348-01	07/10/10 21:46
Fluoranthene	ND	1.40		mg/kg dry	1.82	77%	38 - 120	4	35	10G0743	NTG0348-01	07/10/10 21:46
Fluorene	ND	1.36		mg/kg dry	1.82	75%	41 - 120	4	37	10G0743	NTG0348-01	07/10/10 21:46
Indeno (1,2,3-cd) pyrene	ND	1.48		mg/kg dry	1.82	81%	25 - 123	8	32	10G0743	NTG0348-01	07/10/10 21:46
Naphthalene	ND	0.933		mg/kg dry	1.82	51%	25 - 120	8	42	10G0743	NTG0348-01	07/10/10 21:46
Phenanthrene	ND	1.45		mg/kg dry	1.82	80%	37 - 120	4	32	10G0743	NTG0348-01	07/10/10 21:46
Pyrene	ND	1.48		mg/kg dry	1.82	82%	29 - 125	5	40	10G0743	NTG0348-01	07/10/10 21:46
1-Methylnaphthalene	ND	0.968		mg/kg dry	1.82	53%	19 - 120	3	45	10G0743	NTG0348-01	07/10/10 21:46
2-Methylnaphthalene	ND	1.04		mg/kg dry	1.82	57%	11 - 120	5	50	10G0743	NTG0348-01	07/10/10 21:46
Surrogate: Terphenyl-D14		1.32		mg/kg dry	1.82	73%	18 - 120			10G0743	NTG0348-01	07/10/10 21:46
Surrogate: 2-Fluorobiphenyl		1.06		mg/kg dry	1.82	58%	14 - 120			10G0743	NTG0348-01	07/10/10 21:46
Surrogate: Nitrobenzene-d5		0.893		mg/kg dry	1.82	49%	17 - 120			10G0743	NTG0348-01	07/10/10 21:46

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## CERTIFICATION SUMMARY

### TestAmerica Nashville

Method	Matrix	AIHA	Nelac	South Carolina
SW846 8260B	Soil	N/A	X	X
SW846 8270D	Soil		X	X
SW-846	Soil			

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwec

Work Order: NTG0352  
Project Name: Laurcl Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

#### DATA QUALIFIERS AND DEFINITIONS

- J** Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.
- R2** The RPD exceeded the acceptance limit.
- ZX** Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.
- ND** Not detected at the reporting limit (or method detection limit if shown)

#### METHOD MODIFICATION NOTES



ATTACHMENT A



# NON-HAZARDOUS MANIFEST


CNMI

Please print or type (Form designed for use on elite (12 pitch) typewriter.)

<b>NON-HAZARDOUS MANIFEST</b>		1. Generator's US EPA ID No.	Manifest Document No.	2. Page of		
3. Generator's Name and Mailing Address <b>MCAS Beaufort Loring Bay Housing Beaufort SC 29902</b>				A. Manifest Number <b>WMNA</b>	<b>10885423</b>	
4. Generator's Phone <b>843 228-0400</b>				B. State Generator's ID		
5. Transporter 1 Company Name <b>EEG, Inc.</b>		6. US EPA ID Number		C. State Transporter's ID		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone <b>843 878-0411</b>	E. State Transporter's ID	
9. Designated Facility Name and Site Address <b>HICKORY HILL LANDFILL ROUTE 1, BOX 121 BIDGEFIELD, SC 29908</b>		10. US EPA ID Number		F. Transporter's Phone	G. State Facility's ID	
11. Description of Waste Materials <b>a Heating Oil Tank filled with Sand</b>		12. Containers No.	Type	13. Total Quant. V	14. Unit w/v	I. Misc. Comments
GENERATOR	WM Profile# <b>1020058C</b>	<b>0 0 1</b>		<b>9316 Ton</b>		
b.	WM Profile#					
c.	WM Profile #					
d.	WM Profile #					
J. Additional Descriptions for Materials Listed Above Landfill _____ Solidification _____ Bio Remediation _____		K. Disposal Location Cell _____ Level _____ Grid _____				
15. Special Handling Instructions and Additional Information <b>U3715 from houses; 3) 632 Dahlia / DC40 Dahlia - 2) 626 Dahlia - Purchase Order # 2) 638 Dahlia /</b>		EMERGENCY CONTACT:				
16. GENERATOR'S CERTIFICATION: I hereby certify that the above-described materials are not hazardous wastes as defined by 40 CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged, and are in proper condition for transportation according to applicable regulations.						
Printed/Typed Name <b>W.E. Balduz, Jr.</b>		Signature "On behalf of" <b>[Signature]</b> Month Day Year <b>10/10/10</b>				
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name <b>James Baldwin</b> Signature <b>James Baldwin</b> Month Day Year <b>10/10/10</b>						
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name _____ Signature _____ Month Day Year _____						
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.						
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest. Printed/Typed Name <b>Toni Cofield</b> Signature <b>Toni Cofield</b> Month Day Year <b>10/10/10</b>						

**Appendix C**  
**Regulatory Correspondence**

BOARD:  
Paul C. Aught v. III  
Chairman  
Edwin H. Cooper, III  
Vice Chairman  
Steven G. Kisner  
Secretary



C. Earl Hunter, Commissioner  
*Promoting and protecting the health of the public and the environment*

BOARD:  
Henry C. Scott  
M. David Mitchell, MD  
Glenn A. McCall  
Coleman F. Buckhouse, MD

Bureau of Land and Waste Management  
Division of Waste Management

May 23, 2011

Commanding Officer  
Attention: NREAO Mr. William A. Drawdy  
United States Marine Corp Air Station  
Post Office Box 55001  
Beaufort, SC 29904-5001

RE: **No Further Action**  
Laurel Bay Underground Storage Tank Assessment Report for:

- 623 Dahlia
- 627 Dahlia
- 670 Camellia
- 673 Camellia
- 682 Camellia
- 626 Dahlia

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tanks (USTs) Assessment Report on December 16, 2010 for the addresses listed above.

The Department has reviewed the referenced assessment report and agrees there is no indication of soil or groundwater contamination on this property, and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corp Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary. If you have any questions, please contact me at [picketcn@dhec.sc.gov](mailto:picketcn@dhec.sc.gov) or 803-896-4131.

Sincerely,

Christi Pickett  
Corrective Action Engineering Section  
Bureau of Land and Waste Management  
South Carolina Department of Health and Environmental Control

cc: Laurel Rhoten (via email)  
Craig Ehde (via email)