

SUMMARY REPORT
585 DAHLIA DRIVE (FORMERLY 642 DAHLIA DRIVE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid-Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT
585 DAHLIA DRIVE (FORMERLY 642 DAHLIA DRIVE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid- Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue
Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture
10560 Arrowhead Drive, Suite 500
Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016
CTO WE52
JUNE 2021

Table of Contents

1.0	INTRODUCTION.....	1
1.1	BACKGROUND INFORMATION.....	1
1.2	UST REMOVAL AND ASSESSMENT PROCESS.....	2
2.0	SAMPLING ACTIVITIES AND RESULTS.....	3
2.1	UST REMOVAL AND SOIL SAMPLING	3
2.2	SOIL ANALYTICAL RESULTS.....	4
3.0	PROPERTY STATUS	4
4.0	REFERENCES.....	4

Table

Table 1	Laboratory Analytical Results - Soil
---------	--------------------------------------

Appendices

Appendix A	Multi-Media Selection Process for LBMH
Appendix B	UST Assessment Reports
Appendix C	Regulatory Correspondence

List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level

1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 585 Dahlia Drive (Formerly 642 Dahlia Drive). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*

Division (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 585 Dahlia Drive (Formerly 642 Dahlia Drive). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 642 Dahlia Drive* (MCAS Beaufort, 2011) and *SCDHEC UST Assessment Report – 642 Dahlia Drive* (MCAS Beaufort, 2013). The UST Assessment Reports are provided in Appendix B.

2.1 UST Removal and Soil Sampling

Two 280 gallon heating oil USTs were removed at 585 Dahlia Drive (Formerly 642 Dahlia Drive). Tank 1 was removed on July 25, 2011, from the front yard adjacent to the concrete porch. Tank 2 was removed on April 11, 2013, from the front concrete porch area. The former UST locations are indicated on Figures 2 and 3 of the UST Assessment Reports (Appendix B). The USTs were removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the

time of the UST removals. According to the UST Assessment Reports (Appendix B), the depth to the bases of the USTs were 4'8" bgs (Tank 1) and 5'5" bgs (Tank 2) and a single soil sample was collected for each from those depths. The samples were collected from the fill port side of the former USTs to represent a worst case scenario.

Following UST removals, a soil sample was collected from the base of each excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data reports are included in the UST Assessment Reports presented in Appendix B. The laboratory analytical data reports include the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST locations (Tanks 1 and 2) were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from the former UST locations (Tanks 1 and 2) at 585 Dahlia Drive (Formerly 642 Dahlia Drive) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment.

3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 585 Dahlia Drive (Formerly 642 Dahlia Drive). This NFA determination was obtained in a letter dated July 1, 2015. SCDHEC's NFA letter is provided in Appendix C.

4.0 REFERENCES

Marine Corps Air Station Beaufort, 2011. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 642 Dahlia Drive, Laurel Bay Military Housing Area*, December 2011.

Marine Corps Air Station Beaufort, 2013. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 642 Dahlia Drive, Laurel Bay Military Housing Area*, October 2013.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

Table

Table 1
Laboratory Analytical Results - Soil
585 Dahlia Drive (Formerly 642 Dahlia Drive)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾	Results Samples Collected 07/25/11 and 04/11/13	
		642 Dahlia -1 07/25/11	642 Dahlia -2 04/11/13
Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)			
Benzene	0.003	ND	ND
Ethylbenzene	1.15	ND	ND
Naphthalene	0.036	ND	ND
Toluene	0.627	ND	ND
Xylenes, Total	13.01	ND	ND
Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)			
Benzo(a)anthracene	0.66	ND	ND
Benzo(b)fluoranthene	0.66	ND	ND
Benzo(k)fluoranthene	0.66	ND	ND
Chrysene	0.66	ND	ND
Dibenz(a,h)anthracene	0.66	ND	ND

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0 and 3.1 (SCDHEC, May 2015 and SCDHEC, February 2016) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency


mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

Appendix A
Multi-Media Selection Process for LBMH



Appendix A - Multi-Media Selection Process for LBMH

Appendix B
UST Assessment Reports

South Carolina Department of Health and Environmental Control (SCDHEC)
Underground Storage Tank (UST) Assessment Report

Date Received

State Use Only

RECEIVED

DEC 08 2011

SC DHEC - Bureau of
Land & Waste Management

Submit Completed Form To:

UST Program

SCDHEC

2600 Bull Street

Columbia, South Carolina 29201

Telephone (803) 896-7957

I. OWNERSHIP OF UST (S)

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)

Owner Name (Corporation, Individual, Public Agency, Other)

P.O. Box 55001

Mailing Address

Beaufort,	South Carolina	29904-5001
City	State	Zip Code

843	228-7317	Craig Ehde
Area Code	Telephone Number	Contact Person

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #

Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC

Facility Name or Company Site Identifier

642 Dahlia Drive, Laurel Bay Military Housing Area

Street Address or State Road (as applicable)

Beaufort,	Beaufort
City	County

III. INSURANCE INFORMATION

Insurance Statement

The petroleum release reported to DHEC on _____ at Permit ID Number _____ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? **YES** ____ **NO** ____ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: _____

The policy deductible is: _____

The policy limit is: _____

If you have this type of insurance, please include a copy of the policy with this report.

IV. REQUEST FOR SUPERB FUNDING

I **DO** / **DO NOT** wish to participate in the SUPERB Program. (Circle one.)

V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

To be completed by Notary Public:

Sworn before me this _____ day of _____, 20____

(Name)

Notary Public for the state of _____.
Please affix State seal if you are commissioned outside South Carolina

VI. UST INFORMATION

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity..(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material..(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....

642Dahlia				
Heating oil				
280 gal				
Late 1950s				
Steel				
Mid 1980s				
4 ' 8"				
No				
No				
Removed				
7/25/11				
Yes				
Yes				

- M. Method of disposal for any USTs removed from the ground (attach disposal manifests)
UST 642Dahlia was removed from the ground and disposed at a
Subtitle "D" landfill. See Attachment "A".
- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)
UST 642Dahlia had been previously filled with sand by others.
- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST
Corrosion and pitting were found throughout the tank.

VII. PIPING INFORMATION

A.	Construction Material..(ex. Steel, FRP).....	642Dahlia				
B.	Distance from UST to Dispenser.....	Steel & Copper				
C.	Number of Dispensers.....	N/A				
D.	Type of System Pressure or Suction.....	N/A				
E.	Was Piping Removed from the Ground? Y/N	Suction				
F.	Visible Corrosion or Pitting Y/N.....	No				
G.	Visible Holes Y/N.....	Yes				
H.	Age.....	No				
I.	If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.	Late 1950s				

Corrosion and pitting were found on the surface of the steel vent pipe. Copper supply and return lines were sound.

VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

IX. SITE CONDITIONS

	Yes	No	Unk
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells? If yes, indicate depth and location on the site map.		X	
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells? If yes, indicate location on site map and describe the odor (strong, mild, etc.)		X	
C. Was water present in the UST excavation, soil borings, or trenches? If yes, how far below land surface (indicate location and depth)?		X	
D. Did contaminated soils remain stockpiled on site after closure? If yes, indicate the stockpile location on the site map. Name of DHEC representative authorizing soil removal:		X	
E. Was a petroleum sheen or free product detected on any excavation or boring waters? If yes, indicate location and thickness.		X	

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
642 Dahlia	Excav at fill end	Soil	Sandy	4'8"	7/25/11 1115 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

* = Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.


XII. RECEPTORS

	Yes	No
A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system? *~990' stormwater canal If yes, indicate type of receptor, distance, and direction on site map.	*X	
B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system? If yes, indicate type of well, distance, and direction on site map.		X
C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system? If yes, indicate type of structure, distance, and direction on site map.		X
D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? *Sewer, water, electricity, cable & fiber optic If yes, indicate the type of utility, distance, and direction on the site map.	*X	
E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete? If yes, indicate the area of contaminated soil on the site map.		X

XIII. SITE MAP

You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)





STORMWATER CANAL 990'



642 DAHLIA DRIVE
LAUREL BAY MILITARY HOUSING
MCAS BEAUFORT, SC

CONCRETE PORCH & WALK

ASPHALT
DRIVEWAY



UST 642DAHLIA

GRAPHIC SCALE

0 5' 10' 20'

SBG-EEG

10179 HWY 78
LADSON, SC 29456

ph. (843) 879-0400

FIGURE 2 SITE MAP
642 DAHLIA DRIVE, LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE AUG 2011

642 DAHLIA DRIVE



PORCH

GRASS


ASPHALT DRIVEWAY

EXCAVATION

FILL END

UST 642DAHLIA,
280 GAL.

SOIL SAMPLE
642 DAHLIA



STORMWATER CANAL 990'



UST 642DAHLIA WAS
20" BELOW GRADE.

SBG-EEG

10179 HWY 78
LADSON, SC 29456

ph. (843) 879-0400

FIGURE 3 UST SAMPLE LOCATIONS
642 DAHLIA DRIVE, LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE AUG 2011



Picture 1: Location of UST 642Dahlia.



Picture 2: UST 642Dahlia.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	UST	642Dahlia						
Benzene		ND						
Toluene		ND						
Ethylbenzene		ND						
Xylenes		ND						
Naphthalene		ND						
Benzo (a) anthracene		ND						
Benzo (b) fluoranthene		ND						
Benzo (k) fluoranthene		ND						
Chrysene		ND						
Dibenz (a, h) anthracene		ND						
TPH (EPA 3550)								

CoC								
Benzene								
Toluene								
Ethylbenzene								
Xylenes								
Naphthalene								
Benzo (a) anthracene								
Benzo (b) fluoranthene								
Benzo (k) fluoranthene								
Chrysene								
Dibenz (a, h) anthracene								
TPH (EPA 3550)								

SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here)
(Please see Form #4)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Nashville

2960 Foster Creighton Road

Nashville, TN 37204

Tel: 800-765-0980

TestAmerica Job ID: NUG4357

Client Project/Site: [none]

Client Project Description: Laurel Bay Housing Project

For:

EEG - Small Business Group, Inc. (2449)

10179 Highway 78

Ladson, SC 29456

Attn: Tom McElwee



Authorized for release by:

08/11/2011 12:34:34 PM

Ken A. Hayes

Senior Project Manager

ken.hayes@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?



**Ask
The
Expert**

Visit us at:

www.testamericainc.com

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Definitions	4
Client Sample Results	5
QC Sample Results	12
QC Association	18
Chronicle	21
Method Summary	23
Certification Summary	24
Chain of Custody	25

Sample Summary

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG4357

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
NUG4357-01	642 Dahlia	Soil	07/25/11 11:15	07/30/11 08:35
NUG4357-02	641 Dahlia	Soil	07/25/11 15:30	07/30/11 08:35
NUG4357-03	643 Dahlia	Soil	07/26/11 11:00	07/30/11 08:35
NUG4357-04	646 Dahlia	Soil	07/27/11 10:45	07/30/11 08:35
NUG4357-05	765 Althea	Soil	07/27/11 15:15	07/30/11 08:35
NUG4357-06	695 Abelia	Soil	07/28/11 12:30	07/30/11 08:35

Definitions/Glossary

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG4357

Qualifiers

GCMS Volatiles

Qualifier	Qualifier Description
A-01	MSD VIAL BROKE IN THE SOIL CHAMBER. NO DATA
E	Concentration exceeds the calibration range and therefore result is semiquantitative.
J	Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.
ZX	Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.

GCMS Semivolatiles

Qualifier	Qualifier Description
J	Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.
M1	The MS and/or MSD were above the acceptance limits due to sample matrix interference. See Blank Spike (LCS).
R2	The RPD exceeded the acceptance limit.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
D	Listed under the "D" column to designate that the result is reported on a dry weight basis.
EPA	United States Environmental Protection Agency
ND	Not Detected above the reporting level.
MDL	Method Detection Limit
RL	Reporting Limit
RE, RE1 (etc.)	Indicates a Re-extraction or Reanalysis of the sample.
%R	Percent Recovery
RPD	Relative Percent Difference, a measure of the relative difference between two points.

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG4357

Client Sample ID: 642 Dahlia

Lab Sample ID: NUG4357-01

Date Collected: 07/25/11 11:15

Matrix: Soil

Date Received: 07/30/11 08:35

Percent Solids: 80.1

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00207	0.00114	mg/kg dry	☼	07/25/11 11:15	08/05/11 21:10	1.00
Ethylbenzene	ND		0.00207	0.00101	mg/kg dry	☼	07/25/11 11:15	08/05/11 21:10	1.00
Naphthalene	ND		0.00517	0.00178	mg/kg dry	☼	07/25/11 11:15	08/05/11 21:10	1.00
Toluene	ND		0.00207	0.000921	mg/kg dry	☼	07/25/11 11:15	08/05/11 21:10	1.00
Xylenes, total	ND		0.00517	0.00197	mg/kg dry	☼	07/25/11 11:15	08/05/11 21:10	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	102		67 - 138	07/25/11 11:15	08/05/11 21:10	1.00
Dibromofluoromethane	95		75 - 125	07/25/11 11:15	08/05/11 21:10	1.00
Toluene-d8	99		76 - 129	07/25/11 11:15	08/05/11 21:10	1.00
4-Bromofluorobenzene	100		67 - 147	07/25/11 11:15	08/05/11 21:10	1.00

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0830	0.0173	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:12	1.00
Acenaphthylene	ND		0.0830	0.0248	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:12	1.00
Anthracene	ND		0.0830	0.0111	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:12	1.00
Benzo (a) anthracene	ND		0.0830	0.0136	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:12	1.00
Benzo (a) pyrene	ND		0.0830	0.00991	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:12	1.00
Benzo (b) fluoranthene	ND		0.0830	0.0471	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:12	1.00
Benzo (g,h,i) perylene	ND		0.0830	0.0111	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:12	1.00
Benzo (k) fluoranthene	ND		0.0830	0.0458	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:12	1.00
Chrysene	ND		0.0830	0.0384	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:12	1.00
Dibenz (a,h) anthracene	ND		0.0830	0.0188	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:12	1.00
Fluoranthene	ND		0.0830	0.0136	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:12	1.00
Fluorene	ND		0.0830	0.0248	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:12	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0830	0.0384	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:12	1.00
Naphthalene	ND		0.0830	0.0173	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:12	1.00
Phenanthrene	ND		0.0830	0.0124	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:12	1.00
Pyrene	ND		0.0830	0.0285	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:12	1.00
1-Methylnaphthalene	ND		0.0830	0.0149	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:12	1.00
2-Methylnaphthalene	ND		0.0830	0.0260	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:12	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Triphenyl-d14	89		18 - 120	08/05/11 08:20	08/05/11 15:12	1.00
2-Fluorobiphenyl	59		14 - 120	08/05/11 08:20	08/05/11 15:12	1.00
Nitrobenzene-d5	58		17 - 120	08/05/11 08:20	08/05/11 15:12	1.00

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	80.1		0.500	0.500	%		08/09/11 11:43	08/10/11 10:59	1.00

TestAmerica Nashville

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)

TestAmerica Job ID: NUG4357

Project/Site: [none]

Client Sample ID: 641 Dahlia

Lab Sample ID: NUG4357-02

Date Collected: 07/25/11 15:30

Matrix: Soil

Date Received: 07/30/11 08:35

Percent Solids: 84.2

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00170	0.000933	mg/kg dry	☼	07/25/11 15:30	08/05/11 21:41	1.00
Ethylbenzene	ND		0.00170	0.000831	mg/kg dry	☼	07/25/11 15:30	08/05/11 21:41	1.00
Naphthalene	0.0140		0.00424	0.00144	mg/kg dry	☼	07/25/11 15:30	08/05/11 21:41	1.00
Toluene	ND		0.00170	0.000755	mg/kg dry	☼	07/25/11 15:30	08/05/11 21:41	1.00
Xylenes, total	ND		0.00424	0.00161	mg/kg dry	☼	07/25/11 15:30	08/05/11 21:41	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	106		67 - 138	07/25/11 15:30	08/05/11 21:41	1.00
Dibromofluoromethane	96		75 - 125	07/25/11 15:30	08/05/11 21:41	1.00
Toluene-d8	99		76 - 129	07/25/11 15:30	08/05/11 21:41	1.00
4-Bromofluorobenzene	109		67 - 147	07/25/11 15:30	08/05/11 21:41	1.00

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0778	0.0163	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:31	1.00
Acenaphthylene	ND		0.0778	0.0232	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:31	1.00
Anthracene	ND		0.0778	0.0105	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:31	1.00
Benzo (a) anthracene	ND		0.0778	0.0128	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:31	1.00
Benzo (a) pyrene	ND		0.0778	0.00929	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:31	1.00
Benzo (b) fluoranthene	ND		0.0778	0.0441	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:31	1.00
Benzo (g,h,i) perylene	ND		0.0778	0.0105	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:31	1.00
Benzo (k) fluoranthene	ND		0.0778	0.0430	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:31	1.00
Chrysene	ND		0.0778	0.0360	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:31	1.00
Dibenz (a,h) anthracene	ND		0.0778	0.0174	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:31	1.00
Fluoranthene	ND		0.0778	0.0128	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:31	1.00
Fluorene	ND		0.0778	0.0232	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:31	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0778	0.0360	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:31	1.00
Naphthalene	ND		0.0778	0.0163	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:31	1.00
Phenanthrene	ND		0.0778	0.0116	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:31	1.00
Pyrene	ND		0.0778	0.0267	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:31	1.00
1-Methylnaphthalene	ND		0.0778	0.0139	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:31	1.00
2-Methylnaphthalene	ND		0.0778	0.0244	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:31	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Terphenyl-d14	108		18 - 120	08/05/11 08:20	08/05/11 15:31	1.00
2-Fluorobiphenyl	72		14 - 120	08/05/11 08:20	08/05/11 15:31	1.00
Nitrobenzene-d5	71		17 - 120	08/05/11 08:20	08/05/11 15:31	1.00

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	84.2		0.500	0.500	%		08/08/11 14:36	08/09/11 08:12	1.00

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG4357

Client Sample ID: 643 Dahlia

Lab Sample ID: NUG4357-03

Date Collected: 07/26/11 11:00

Matrix: Soil

Date Received: 07/30/11 08:35

Percent Solids: 83.1

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.00119	J	0.00166	0.000913	mg/kg dry	☼	07/26/11 11:00	08/04/11 19:00	1.00
Toluene	0.00883		0.00166	0.000739	mg/kg dry	☼	07/26/11 11:00	08/04/11 19:00	1.00
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	72		67 - 138				07/26/11 11:00	08/04/11 19:00	1.00
Dibromofluoromethane	85		75 - 125				07/26/11 11:00	08/04/11 19:00	1.00
Toluene-d8	124		76 - 129				07/26/11 11:00	08/04/11 19:00	1.00
4-Bromofluorobenzene	134		67 - 147				07/26/11 11:00	08/04/11 19:00	1.00

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	0.399		0.0824	0.0404	mg/kg dry	☼	07/26/11 11:00	08/05/11 23:16	50.0
Naphthalene	5.21		0.206	0.0700	mg/kg dry	☼	07/26/11 11:00	08/05/11 23:16	50.0
Xylenes, total	1.49		0.206	0.0783	mg/kg dry	☼	07/26/11 11:00	08/05/11 23:16	50.0
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	98		67 - 138				07/26/11 11:00	08/05/11 23:16	50.0
Dibromofluoromethane	88		75 - 125				07/26/11 11:00	08/05/11 23:16	50.0
Toluene-d8	101		76 - 129				07/26/11 11:00	08/05/11 23:16	50.0
4-Bromofluorobenzene	112		67 - 147				07/26/11 11:00	08/05/11 23:16	50.0

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.277		0.0794	0.0166	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:50	1.00
Acenaphthylene	0.181		0.0794	0.0237	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:50	1.00
Anthracene	0.0995		0.0794	0.0107	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:50	1.00
Benzo (a) anthracene	ND		0.0794	0.0130	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:50	1.00
Benzo (a) pyrene	ND		0.0794	0.00948	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:50	1.00
Benzo (b) fluoranthene	ND		0.0794	0.0450	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:50	1.00
Benzo (g,h,i) perylene	ND		0.0794	0.0107	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:50	1.00
Benzo (k) fluoranthene	ND		0.0794	0.0438	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:50	1.00
Chrysene	ND		0.0794	0.0367	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:50	1.00
Dibenz (a,h) anthracene	ND		0.0794	0.0178	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:50	1.00
Fluoranthene	ND		0.0794	0.0130	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:50	1.00
Fluorene	0.847		0.0794	0.0237	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:50	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0794	0.0367	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:50	1.00
Naphthalene	1.76		0.0794	0.0166	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:50	1.00
Phenanthrene	1.51		0.0794	0.0118	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:50	1.00
Pyrene	0.126		0.0794	0.0272	mg/kg dry	☼	08/05/11 08:20	08/05/11 15:50	1.00
Surrogate	% Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Terphenyl-d14	110		18 - 120				08/05/11 08:20	08/05/11 15:50	1.00
2-Fluorobiphenyl	67		14 - 120				08/05/11 08:20	08/05/11 15:50	1.00
Nitrobenzene-d5	74		17 - 120				08/05/11 08:20	08/05/11 15:50	1.00

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	4.03		0.397	0.0711	mg/kg dry	☼	08/05/11 08:20	08/06/11 18:24	5.00
2-Methylnaphthalene	7.48		0.397	0.124	mg/kg dry	☼	08/05/11 08:20	08/06/11 18:24	5.00

TestAmerica Nashville

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG4357

Client Sample ID: 643 Dahlia

Lab Sample ID: NUG4357-03

Date Collected: 07/26/11 11:00

Matrix: Soil

Date Received: 07/30/11 08:35

Percent Solids: 83.1

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	83.1		0.500	0.500	%		08/08/11 14:36	08/09/11 08:12	1.00

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)

TestAmerica Job ID: NUG4357

Project/Site: [none]

Client Sample ID: 646 Dahlia

Lab Sample ID: NUG4357-04

Date Collected: 07/27/11 10:45

Matrix: Soil

Date Received: 07/30/11 08:35

Percent Solids: 76.3

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.00412		0.00240	0.00132	mg/kg dry	☐	07/27/11 10:45	08/04/11 19:30	1.00
Ethylbenzene	1.44	E	0.00240	0.00118	mg/kg dry	☐	07/27/11 10:45	08/04/11 19:30	1.00
Toluene	0.0139		0.00240	0.00107	mg/kg dry	☐	07/27/11 10:45	08/04/11 19:30	1.00
Xylenes, total	1.60	E	0.00601	0.00228	mg/kg dry	☐	07/27/11 10:45	08/04/11 19:30	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	78		67 - 138	07/27/11 10:45	08/04/11 19:30	1.00
Dibromofluoromethane	90		75 - 125	07/27/11 10:45	08/04/11 19:30	1.00
Toluene-d8	983	ZX	76 - 129	07/27/11 10:45	08/04/11 19:30	1.00
4-Bromofluorobenzene	780	ZX	67 - 147	07/27/11 10:45	08/04/11 19:30	1.00

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	0.439		0.253	0.0860	mg/kg dry	☐	07/27/11 10:45	08/05/11 23:48	50.0

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	97		67 - 138	07/27/11 10:45	08/05/11 23:48	50.0
Dibromofluoromethane	86		75 - 125	07/27/11 10:45	08/05/11 23:48	50.0
Toluene-d8	100		76 - 129	07/27/11 10:45	08/05/11 23:48	50.0
4-Bromofluorobenzene	84		67 - 147	07/27/11 10:45	08/05/11 23:48	50.0

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.136		0.0870	0.0182	mg/kg dry	☐	08/05/11 08:20	08/05/11 16:10	1.00
Acenaphthylene	0.0688	J	0.0870	0.0260	mg/kg dry	☐	08/05/11 08:20	08/05/11 16:10	1.00
Anthracene	ND		0.0870	0.0117	mg/kg dry	☐	08/05/11 08:20	08/05/11 16:10	1.00
Benzo (a) anthracene	ND		0.0870	0.0143	mg/kg dry	☐	08/05/11 08:20	08/05/11 16:10	1.00
Benzo (a) pyrene	ND		0.0870	0.0104	mg/kg dry	☐	08/05/11 08:20	08/05/11 16:10	1.00
Benzo (b) fluoranthene	ND		0.0870	0.0493	mg/kg dry	☐	08/05/11 08:20	08/05/11 16:10	1.00
Benzo (g,h,i) perylene	ND		0.0870	0.0117	mg/kg dry	☐	08/05/11 08:20	08/05/11 16:10	1.00
Benzo (k) fluoranthene	ND		0.0870	0.0480	mg/kg dry	☐	08/05/11 08:20	08/05/11 16:10	1.00
Chrysene	ND		0.0870	0.0402	mg/kg dry	☐	08/05/11 08:20	08/05/11 16:10	1.00
Dibenz (a,h) anthracene	ND		0.0870	0.0195	mg/kg dry	☐	08/05/11 08:20	08/05/11 16:10	1.00
Fluoranthene	ND		0.0870	0.0143	mg/kg dry	☐	08/05/11 08:20	08/05/11 16:10	1.00
Fluorene	0.327		0.0870	0.0260	mg/kg dry	☐	08/05/11 08:20	08/05/11 16:10	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0870	0.0402	mg/kg dry	☐	08/05/11 08:20	08/05/11 16:10	1.00
Naphthalene	0.656		0.0870	0.0182	mg/kg dry	☐	08/05/11 08:20	08/05/11 16:10	1.00
Phenanthrene	0.485		0.0870	0.0130	mg/kg dry	☐	08/05/11 08:20	08/05/11 16:10	1.00
Pyrene	ND		0.0870	0.0299	mg/kg dry	☐	08/05/11 08:20	08/05/11 16:10	1.00
1-Methylnaphthalene	1.71		0.0870	0.0156	mg/kg dry	☐	08/05/11 08:20	08/05/11 16:10	1.00
2-Methylnaphthalene	2.94		0.0870	0.0273	mg/kg dry	☐	08/05/11 08:20	08/05/11 16:10	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Terphenyl-d14	109		18 - 120	08/05/11 08:20	08/05/11 16:10	1.00
2-Fluorobiphenyl	70		14 - 120	08/05/11 08:20	08/05/11 16:10	1.00
Nitrobenzene-d5	77		17 - 120	08/05/11 08:20	08/05/11 16:10	1.00

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	76.3		0.500	0.500	%		08/08/11 14:36	08/09/11 08:12	1.00

TestAmerica Nashville

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG4357

Client Sample ID: 765 Althea

Lab Sample ID: NUG4357-05

Date Collected: 07/27/11 15:15

Matrix: Soil

Date Received: 07/30/11 08:35

Percent Solids: 80.6

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00187	0.00103	mg/kg dry	☆	07/27/11 15:15	08/05/11 22:13	1.00
Ethylbenzene	ND		0.00187	0.000916	mg/kg dry	☆	07/27/11 15:15	08/05/11 22:13	1.00
Naphthalene	ND		0.00467	0.00159	mg/kg dry	☆	07/27/11 15:15	08/05/11 22:13	1.00
Toluene	ND		0.00187	0.000832	mg/kg dry	☆	07/27/11 15:15	08/05/11 22:13	1.00
Xylenes, total	ND		0.00467	0.00178	mg/kg dry	☆	07/27/11 15:15	08/05/11 22:13	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	105		67 - 138	07/27/11 15:15	08/05/11 22:13	1.00
Dibromofluoromethane	97		75 - 125	07/27/11 15:15	08/05/11 22:13	1.00
Toluene-d8	99		76 - 129	07/27/11 15:15	08/05/11 22:13	1.00
4-Bromofluorobenzene	109		67 - 147	07/27/11 15:15	08/05/11 22:13	1.00

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0806	0.0168	mg/kg dry	☆	08/05/11 08:20	08/05/11 16:29	1.00
Acenaphthylene	ND		0.0806	0.0241	mg/kg dry	☆	08/05/11 08:20	08/05/11 16:29	1.00
Anthracene	ND		0.0806	0.0108	mg/kg dry	☆	08/05/11 08:20	08/05/11 16:29	1.00
Benzo (a) anthracene	ND		0.0806	0.0132	mg/kg dry	☆	08/05/11 08:20	08/05/11 16:29	1.00
Benzo (a) pyrene	ND		0.0806	0.00962	mg/kg dry	☆	08/05/11 08:20	08/05/11 16:29	1.00
Benzo (b) fluoranthene	ND		0.0806	0.0457	mg/kg dry	☆	08/05/11 08:20	08/05/11 16:29	1.00
Benzo (g,h,i) perylene	ND		0.0806	0.0108	mg/kg dry	☆	08/05/11 08:20	08/05/11 16:29	1.00
Benzo (k) fluoranthene	ND		0.0806	0.0445	mg/kg dry	☆	08/05/11 08:20	08/05/11 16:29	1.00
Chrysene	ND		0.0806	0.0373	mg/kg dry	☆	08/05/11 08:20	08/05/11 16:29	1.00
Dibenz (a,h) anthracene	ND		0.0806	0.0180	mg/kg dry	☆	08/05/11 08:20	08/05/11 16:29	1.00
Fluoranthene	ND		0.0806	0.0132	mg/kg dry	☆	08/05/11 08:20	08/05/11 16:29	1.00
Fluorene	ND		0.0806	0.0241	mg/kg dry	☆	08/05/11 08:20	08/05/11 16:29	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0806	0.0373	mg/kg dry	☆	08/05/11 08:20	08/05/11 16:29	1.00
Naphthalene	ND		0.0806	0.0168	mg/kg dry	☆	08/05/11 08:20	08/05/11 16:29	1.00
Phenanthrene	ND		0.0806	0.0120	mg/kg dry	☆	08/05/11 08:20	08/05/11 16:29	1.00
Pyrene	ND		0.0806	0.0277	mg/kg dry	☆	08/05/11 08:20	08/05/11 16:29	1.00
1-Methylnaphthalene	ND		0.0806	0.0144	mg/kg dry	☆	08/05/11 08:20	08/05/11 16:29	1.00
2-Methylnaphthalene	ND		0.0806	0.0253	mg/kg dry	☆	08/05/11 08:20	08/05/11 16:29	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Triphenyl-d14	104		18 - 120	08/05/11 08:20	08/05/11 16:29	1.00
2-Fluorobiphenyl	71		14 - 120	08/05/11 08:20	08/05/11 16:29	1.00
Nitrobenzene-d5	70		17 - 120	08/05/11 08:20	08/05/11 16:29	1.00

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	80.6		0.500	0.500	%		08/08/11 14:36	08/09/11 08:12	1.00

Client Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG4357

Client Sample ID: 695 Abelia

Lab Sample ID: NUG4357-06

Date Collected: 07/28/11 12:30

Matrix: Soil

Date Received: 07/30/11 08:35

Percent Solids: 87.7

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B - RE1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	DilFac
Benzene	ND		0.00205	0.00113	mg/kg dry	*	07/28/11 12:30	08/05/11 22:45	1.00
Ethylbenzene	ND		0.00205	0.00100	mg/kg dry	*	07/28/11 12:30	08/05/11 22:45	1.00
Naphthalene	ND		0.00513	0.00174	mg/kg dry	*	07/28/11 12:30	08/05/11 22:45	1.00
Toluene	ND		0.00205	0.000912	mg/kg dry	*	07/28/11 12:30	08/05/11 22:45	1.00
Xylenes, total	ND		0.00513	0.00195	mg/kg dry	*	07/28/11 12:30	08/05/11 22:45	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	DilFac
1,2-Dichloroethane-d4	103		67 - 138	07/28/11 12:30	08/05/11 22:45	1.00
Dibromofluoromethane	97		75 - 125	07/28/11 12:30	08/05/11 22:45	1.00
Toluene-d8	99		76 - 129	07/28/11 12:30	08/05/11 22:45	1.00
4-Bromofluorobenzene	117		67 - 147	07/28/11 12:30	08/05/11 22:45	1.00

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0761	0.0159	mg/kg dry	*	08/05/11 08:20	08/05/11 16:48	1.00
Acenaphthylene	ND		0.0761	0.0227	mg/kg dry	*	08/05/11 08:20	08/05/11 16:48	1.00
Anthracene	ND		0.0761	0.0102	mg/kg dry	*	08/05/11 08:20	08/05/11 16:48	1.00
Benzo (a) anthracene	0.347		0.0761	0.0125	mg/kg dry	*	08/05/11 08:20	08/05/11 16:48	1.00
Benzo (a) pyrene	0.192		0.0761	0.00908	mg/kg dry	*	08/05/11 08:20	08/05/11 16:48	1.00
Benzo (b) fluoranthene	0.304		0.0761	0.0432	mg/kg dry	*	08/05/11 08:20	08/05/11 16:48	1.00
Benzo (g,h,i) perylene	0.0840		0.0761	0.0102	mg/kg dry	*	08/05/11 08:20	08/05/11 16:48	1.00
Benzo (k) fluoranthene	0.170		0.0761	0.0420	mg/kg dry	*	08/05/11 08:20	08/05/11 16:48	1.00
Chrysene	0.388		0.0761	0.0352	mg/kg dry	*	08/05/11 08:20	08/05/11 16:48	1.00
Dibenz (a,h) anthracene	ND		0.0761	0.0170	mg/kg dry	*	08/05/11 08:20	08/05/11 16:48	1.00
Fluoranthene	0.559		0.0761	0.0125	mg/kg dry	*	08/05/11 08:20	08/05/11 16:48	1.00
Fluorene	ND		0.0761	0.0227	mg/kg dry	*	08/05/11 08:20	08/05/11 16:48	1.00
Indeno (1,2,3-cd) pyrene	0.0825		0.0761	0.0352	mg/kg dry	*	08/05/11 08:20	08/05/11 16:48	1.00
Naphthalene	ND		0.0761	0.0159	mg/kg dry	*	08/05/11 08:20	08/05/11 16:48	1.00
Phenanthrene	0.126		0.0761	0.0114	mg/kg dry	*	08/05/11 08:20	08/05/11 16:48	1.00
Pyrene	0.533		0.0761	0.0261	mg/kg dry	*	08/05/11 08:20	08/05/11 16:48	1.00
1-Methylnaphthalene	ND		0.0761	0.0136	mg/kg dry	*	08/05/11 08:20	08/05/11 16:48	1.00
2-Methylnaphthalene	ND		0.0761	0.0238	mg/kg dry	*	08/05/11 08:20	08/05/11 16:48	1.00

Surrogate	% Recovery	Qualifier	Limits	Prepared	Analyzed	DilFac
Terphenyl-d14	102		18 - 120	08/05/11 08:20	08/05/11 16:48	1.00
2-Fluorobiphenyl	74		14 - 120	08/05/11 08:20	08/05/11 16:48	1.00
Nitrobenzene-d5	74		17 - 120	08/05/11 08:20	08/05/11 16:48	1.00

Method: SW-846 - General Chemistry Parameters

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
% Dry Solids	87.7		0.500	0.500	%		08/08/11 14:36	08/09/11 08:12	1.00

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG4357

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B

Lab Sample ID: 11G7174-BLK1

Matrix: Soil

Analysis Batch: U013970

Client Sample ID: Method Blank

Prep Type: Total

Prep Batch: 11G7174_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.00110	mg/kg wet		08/04/11 10:07	08/04/11 12:11	1.00
Ethylbenzene	ND		0.00200	0.000980	mg/kg wet		08/04/11 10:07	08/04/11 12:11	1.00
Naphthalene	ND		0.00500	0.00170	mg/kg wet		08/04/11 10:07	08/04/11 12:11	1.00
Toluene	ND		0.00200	0.000890	mg/kg wet		08/04/11 10:07	08/04/11 12:11	1.00
Xylenes, total	ND		0.00500	0.00190	mg/kg wet		08/04/11 10:07	08/04/11 12:11	1.00

Surrogate	Blank % Recovery	Blank Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	90		67 - 138	08/04/11 10:07	08/04/11 12:11	1.00
Dibromofluoromethane	95		75 - 125	08/04/11 10:07	08/04/11 12:11	1.00
Toluene-d8	102		76 - 129	08/04/11 10:07	08/04/11 12:11	1.00
4-Bromofluorobenzene	108		67 - 147	08/04/11 10:07	08/04/11 12:11	1.00

Lab Sample ID: 11G7174-BS1

Matrix: Soil

Analysis Batch: U013970

Client Sample ID: Lab Control Sample

Prep Type: Total

Prep Batch: 11G7174_P

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
Benzene	50.0	48.7		ug/kg		97	78 - 126
Ethylbenzene	50.0	57.9		ug/kg		116	79 - 130
Naphthalene	50.0	52.4		ug/kg		105	72 - 150
Toluene	50.0	56.0		ug/kg		112	76 - 126
Xylenes, total	150	173		ug/kg		115	80 - 130

Surrogate	LCS % Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4	89		67 - 138
Dibromofluoromethane	94		75 - 125
Toluene-d8	111		76 - 129
4-Bromofluorobenzene	102		67 - 147

Lab Sample ID: 11G7174-MS1

Matrix: Soil

Analysis Batch: U013970

Client Sample ID: 695 Abelia

Prep Type: Total

Prep Batch: 11G7174_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Result	Matrix Spike Qualifier	Unit	D	% Rec	% Rec. Limits
Benzene	ND		0.0507	0.0496	A-01	mg/kg dry	☼	98	42 - 141
Ethylbenzene	0.00237		0.0507	0.0570	A-01	mg/kg dry	☼	108	21 - 165
Naphthalene	0.0173		0.0507	0.0343	A-01	mg/kg dry	☼	34	10 - 160
Toluene	0.00494		0.0507	0.0534	A-01	mg/kg dry	☼	95	45 - 145
Xylenes, total	0.00957		0.152	0.167	A-01	mg/kg dry	☼	104	31 - 159

Surrogate	Matrix Spike % Recovery	Matrix Spike Qualifier	Limits
1,2-Dichloroethane-d4	74	A-01	67 - 138
Dibromofluoromethane	85	A-01	75 - 125
Toluene-d8	99	A-01	76 - 129
4-Bromofluorobenzene	118	A-01	67 - 147

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG4357

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B (Continued)

Lab Sample ID: 11H1688-BLK1

Matrix: Soil

Analysis Batch: U014010

Client Sample ID: Method Blank

Prep Type: Total

Prep Batch: 11H1688_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.00110	mg/kg wet		08/05/11 12:15	08/05/11 14:51	1.00
Ethylbenzene	ND		0.00200	0.000980	mg/kg wet		08/05/11 12:15	08/05/11 14:51	1.00
Naphthalene	ND		0.00500	0.00170	mg/kg wet		08/05/11 12:15	08/05/11 14:51	1.00
Toluene	ND		0.00200	0.000890	mg/kg wet		08/05/11 12:15	08/05/11 14:51	1.00
Xylenes, total	ND		0.00500	0.00190	mg/kg wet		08/05/11 12:15	08/05/11 14:51	1.00

Surrogate	Blank % Recovery	Blank Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	107		67 - 138	08/05/11 12:15	08/05/11 14:51	1.00
Dibromofluoromethane	102		75 - 125	08/05/11 12:15	08/05/11 14:51	1.00
Toluene-d8	97		76 - 129	08/05/11 12:15	08/05/11 14:51	1.00
4-Bromofluorobenzene	115		67 - 147	08/05/11 12:15	08/05/11 14:51	1.00

Lab Sample ID: 11H1688-BLK2

Matrix: Soil

Analysis Batch: U014010

Client Sample ID: Method Blank

Prep Type: Total

Prep Batch: 11H1688_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.100	0.0550	mg/kg wet		08/05/11 12:15	08/05/11 15:22	50.0
Ethylbenzene	ND		0.100	0.0490	mg/kg wet		08/05/11 12:15	08/05/11 15:22	50.0
Naphthalene	ND		0.250	0.0850	mg/kg wet		08/05/11 12:15	08/05/11 15:22	50.0
Toluene	ND		0.100	0.0445	mg/kg wet		08/05/11 12:15	08/05/11 15:22	50.0
Xylenes, total	ND		0.250	0.0950	mg/kg wet		08/05/11 12:15	08/05/11 15:22	50.0

Surrogate	Blank % Recovery	Blank Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4	107		67 - 138	08/05/11 12:15	08/05/11 15:22	50.0
Dibromofluoromethane	100		75 - 125	08/05/11 12:15	08/05/11 15:22	50.0
Toluene-d8	98		76 - 129	08/05/11 12:15	08/05/11 15:22	50.0
4-Bromofluorobenzene	116		67 - 147	08/05/11 12:15	08/05/11 15:22	50.0

Lab Sample ID: 11H1688-BS1

Matrix: Soil

Analysis Batch: U014010

Client Sample ID: Lab Control Sample

Prep Type: Total

Prep Batch: 11H1688_P

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	Limits
Benzene	50.0	56.3		ug/kg		113	78 - 126
Ethylbenzene	50.0	56.0		ug/kg		112	79 - 130
Naphthalene	50.0	66.3		ug/kg		133	72 - 150
Toluene	50.0	55.4		ug/kg		111	76 - 126
Xylenes, total	150	170		ug/kg		113	80 - 130

Surrogate	LCS % Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4	101		67 - 138
Dibromofluoromethane	104		75 - 125
Toluene-d8	101		76 - 129
4-Bromofluorobenzene	107		67 - 147

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG4357

Method: SW846 8260B - Volatile Organic Compounds by EPA Method 8260B (Continued)

Lab Sample ID: 11H1688-MS1

Matrix: Soil

Analysis Batch: U014010

Client Sample ID: 646 Dahlia

Prep Type: Total

Prep Batch: 11H1688_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Result	Matrix Spike Qualifier	Matrix Spike Unit	D	% Rec	% Rec. Limits
Benzene	ND		2.53	2.66		mg/kg dry	☼	105	42 - 141
Ethylbenzene	ND		2.53	2.74		mg/kg dry	☼	108	21 - 165
Naphthalene	0.439		2.53	3.49		mg/kg dry	☼	121	10 - 160
Toluene	ND		2.53	2.69		mg/kg dry	☼	106	45 - 145
Xylenes, total	ND		7.58	8.17		mg/kg dry	☼	108	31 - 159

Surrogate	Matrix Spike % Recovery	Matrix Spike Qualifier	Matrix Spike Limits
1,2-Dichloroethane-d4	88		67 - 138
Dibromofluoromethane	94		75 - 125
Toluene-d8	102		76 - 129
4-Bromofluorobenzene	116		67 - 147

Lab Sample ID: 11H1688-MSD1

Matrix: Soil

Analysis Batch: U014010

Client Sample ID: 646 Dahlia

Prep Type: Total

Prep Batch: 11H1688_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Dup Result	Matrix Spike Dup Qualifier	Matrix Spike Dup Unit	D	% Rec	% Rec. Limits	RPD	RPD Limit
Benzene	ND		2.53	2.71		mg/kg dry	☼	107	42 - 141	2	50
Ethylbenzene	ND		2.53	2.95		mg/kg dry	☼	116	21 - 165	7	50
Naphthalene	0.439		2.53	3.45		mg/kg dry	☼	119	10 - 160	1	50
Toluene	ND		2.53	2.79		mg/kg dry	☼	110	45 - 145	4	50
Xylenes, total	ND		7.58	8.82		mg/kg dry	☼	116	31 - 159	8	50

Surrogate	Matrix Spike Dup % Recovery	Matrix Spike Dup Qualifier	Matrix Spike Dup Limits
1,2-Dichloroethane-d4	90		67 - 138
Dibromofluoromethane	95		75 - 125
Toluene-d8	100		76 - 129
4-Bromofluorobenzene	93		67 - 147

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D

Lab Sample ID: 11H0116BLK1

Matrix: Soil

Analysis Batch: 11H0116

Client Sample ID: Method Blank

Prep Type: Total

Prep Batch: 11H0116_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0670	0.0140	mg/kg wet		08/05/11 08:20	08/05/11 13:16	1.00
Acenaphthylene	ND		0.0670	0.0200	mg/kg wet		08/05/11 08:20	08/05/11 13:16	1.00
Anthracene	ND		0.0670	0.00900	mg/kg wet		08/05/11 08:20	08/05/11 13:16	1.00
Benzo (a) anthracene	ND		0.0670	0.0110	mg/kg wet		08/05/11 08:20	08/05/11 13:16	1.00
Benzo (a) pyrene	ND		0.0670	0.00800	mg/kg wet		08/05/11 08:20	08/05/11 13:16	1.00
Benzo (b) fluoranthene	ND		0.0670	0.0380	mg/kg wet		08/05/11 08:20	08/05/11 13:16	1.00
Benzo (g,h,i) perylene	ND		0.0670	0.00900	mg/kg wet		08/05/11 08:20	08/05/11 13:16	1.00
Benzo (k) fluoranthene	ND		0.0670	0.0370	mg/kg wet		08/05/11 08:20	08/05/11 13:16	1.00
Chrysene	ND		0.0670	0.0310	mg/kg wet		08/05/11 08:20	08/05/11 13:16	1.00
Dibenz (a,h) anthracene	ND		0.0670	0.0150	mg/kg wet		08/05/11 08:20	08/05/11 13:16	1.00
Fluoranthene	ND		0.0670	0.0110	mg/kg wet		08/05/11 08:20	08/05/11 13:16	1.00
Fluorene	ND		0.0670	0.0200	mg/kg wet		08/05/11 08:20	08/05/11 13:16	1.00
Indeno (1,2,3-cd) pyrene	ND		0.0670	0.0310	mg/kg wet		08/05/11 08:20	08/05/11 13:16	1.00

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG4357

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D (Continued)

Lab Sample ID: 11H0116-BLK1

Matrix: Soil

Analysis Batch: 11H0116

Client Sample ID: Method Blank

Prep Type: Total

Prep Batch: 11H0116_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	DilFac
Naphthalene	ND		0.0670	0.0140	mg/kg wet		08/05/11 08:20	08/05/11 13:16	1.00
Phenanthrene	ND		0.0670	0.0100	mg/kg wet		08/05/11 08:20	08/05/11 13:16	1.00
Pyrene	ND		0.0670	0.0230	mg/kg wet		08/05/11 08:20	08/05/11 13:16	1.00
1-Methylnaphthalene	ND		0.0670	0.0120	mg/kg wet		08/05/11 08:20	08/05/11 13:16	1.00
2-Methylnaphthalene	ND		0.0670	0.0210	mg/kg wet		08/05/11 08:20	08/05/11 13:16	1.00

Surrogate	Blank % Recovery	Blank Qualifier	Limits	Prepared	Analyzed	DilFac
Terphenyl-d14	95		18 - 120	08/05/11 08:20	08/05/11 13:16	1.00
2-Fluorobiphenyl	72		14 - 120	08/05/11 08:20	08/05/11 13:16	1.00
Nitrobenzene-d5	71		17 - 120	08/05/11 08:20	08/05/11 13:16	1.00

Lab Sample ID: 11H0116-BS1

Matrix: Soil

Analysis Batch: 11H0116

Client Sample ID: Lab Control Sample

Prep Type: Total

Prep Batch: 11H0116_P

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	% Rec	% Rec. Limits
Acenaphthene	1.67	1.41		mg/kg wet		84	49 - 120
Acenaphthylene	1.67	1.49		mg/kg wet		90	52 - 120
Anthracene	1.67	1.56		mg/kg wet		93	58 - 120
Benzo (a) anthracene	1.67	1.47		mg/kg wet		88	57 - 120
Benzo (a) pyrene	1.67	1.69		mg/kg wet		102	55 - 120
Benzo (b) fluoranthene	1.67	1.57		mg/kg wet		94	51 - 123
Benzo (g,h,i) perylene	1.67	1.64		mg/kg wet		98	49 - 121
Benzo (k) fluoranthene	1.67	1.57		mg/kg wet		94	42 - 129
Chrysene	1.67	1.50		mg/kg wet		90	55 - 120
Dibenz (a,h) anthracene	1.67	1.63		mg/kg wet		98	50 - 123
Fluoranthene	1.67	1.56		mg/kg wet		94	58 - 120
Fluorene	1.67	1.59		mg/kg wet		96	54 - 120
Indeno (1,2,3-cd) pyrene	1.67	1.62		mg/kg wet		97	50 - 122
Naphthalene	1.67	1.57		mg/kg wet		94	28 - 120
Phenanthrene	1.67	1.55		mg/kg wet		93	56 - 120
Pyrene	1.67	1.46		mg/kg wet		88	56 - 120
1-Methylnaphthalene	1.67	1.20		mg/kg wet		72	36 - 120
2-Methylnaphthalene	1.67	1.45		mg/kg wet		87	36 - 120

Surrogate	LCS % Recovery	LCS Qualifier	Limits
Terphenyl-d14	94		18 - 120
2-Fluorobiphenyl	79		14 - 120
Nitrobenzene-d5	79		17 - 120

Lab Sample ID: 11H0116-MS1

Matrix: Soil

Analysis Batch: 11H0116

Client Sample ID: Matrix Spike

Prep Type: Total

Prep Batch: 11H0116_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Result	Matrix Spike Qualifier	Unit	D	% Rec	% Rec. Limits
Acenaphthene	ND		1.63	1.10		mg/kg wet		68	42 - 120
Acenaphthylene	ND		1.63	1.11		mg/kg wet		69	32 - 120
Anthracene	ND		1.63	1.17		mg/kg wet		72	10 - 200
Benzo (a) anthracene	ND		1.63	1.23		mg/kg wet		76	41 - 120

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG4357

Method: SW846 8270D - Polyaromatic Hydrocarbons by EPA 8270D (Continued)

Lab Sample ID: 11H0116-MS1

Matrix: Soil

Analysis Batch: 11H0116

Client Sample ID: Matrix Spike

Prep Type: Total

Prep Batch: 11H0116_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Result	Matrix Spike Qualifier	Unit	D	% Rec	Limits
Benzo (a) pyrene	0.0536		1.63	1.31		mg/kg wet		77	33 - 121
Benzo (b) fluoranthene	ND		1.63	1.46		mg/kg wet		90	26 - 137
Benzo (g,h,i) perylene	ND		1.63	1.02		mg/kg wet		63	21 - 124
Benzo (k) fluoranthene	ND		1.63	1.07		mg/kg wet		66	14 - 140
Chrysene	ND		1.63	1.17		mg/kg wet		72	28 - 123
Dibenz (a,h) anthracene	ND		1.63	1.02		mg/kg wet		63	25 - 127
Fluoranthene	ND		1.63	1.29		mg/kg wet		79	38 - 120
Fluorene	ND		1.63	1.20		mg/kg wet		74	41 - 120
Indeno (1,2,3-cd) pyrene	ND		1.63	1.03		mg/kg wet		63	25 - 123
Naphthalene	ND		1.63	1.26		mg/kg wet		78	25 - 120
Phenanthrene	ND		1.63	1.15		mg/kg wet		71	37 - 120
Pyrene	ND		1.63	0.987		mg/kg wet		61	29 - 125
1-Methylnaphthalene	ND		1.63	1.00		mg/kg wet		62	19 - 120
2-Methylnaphthalene	ND		1.63	1.21		mg/kg wet		74	11 - 120

Surrogate	Matrix Spike % Recovery	Matrix Spike Qualifier	Limits
Terphenyl d 14	63		18 - 120
2-Fluorobiphenyl	59		14 - 120
Nitrobenzene d5	57		17 - 120

Lab Sample ID: 11H0116-MSD1

Matrix: Soil

Analysis Batch: 11H0116

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total

Prep Batch: 11H0116_P

Analyte	Sample Result	Sample Qualifier	Spike Added	Matrix Spike Dup Result	Matrix Spike Dup Qualifier	Unit	D	% Rec	Limits	RPD	Limit
Acenaphthene	ND		1.66	1.20		mg/kg wet		73	42 - 120	9	40
Acenaphthylene	ND		1.66	1.19		mg/kg wet		72	32 - 120	7	30
Anthracene	ND		1.66	1.37		mg/kg wet		83	10 - 200	16	50
Benzo (a) anthracene	ND		1.66	1.66		mg/kg wet		100	41 - 120	30	30
Benzo (a) pyrene	0.0536		1.66	1.72		mg/kg wet		101	33 - 121	27	33
Benzo (b) fluoranthene	ND		1.66	1.84		mg/kg wet		111	26 - 137	23	42
Benzo (g,h,i) perylene	ND		1.66	1.29		mg/kg wet		78	21 - 124	23	32
Benzo (k) fluoranthene	ND		1.66	1.40		mg/kg wet		85	14 - 140	27	39
Chrysene	ND		1.66	1.58		mg/kg wet		95	28 - 123	30	34
Dibenz (a,h) anthracene	ND		1.66	1.19		mg/kg wet		72	25 - 127	16	31
Fluoranthene	ND		1.66	2.05	M1 R2	mg/kg wet		124	38 - 120	46	35
Fluorene	ND		1.66	1.26		mg/kg wet		76	41 - 120	5	37
Indeno (1,2,3-cd) pyrene	ND		1.66	1.28		mg/kg wet		77	25 - 123	22	32
Naphthalene	ND		1.66	1.30		mg/kg wet		78	25 - 120	3	42
Phenanthrene	ND		1.66	1.40		mg/kg wet		85	37 - 120	19	32
Pyrene	ND		1.66	1.49	R2	mg/kg wet		90	29 - 125	41	40
1-Methylnaphthalene	ND		1.66	1.02		mg/kg wet		62	19 - 120	2	45
2-Methylnaphthalene	ND		1.66	1.24		mg/kg wet		75	11 - 120	2	50

Surrogate	Matrix Spike Dup % Recovery	Matrix Spike Dup Qualifier	Limits
Terphenyl d 14	66		18 - 120
2-Fluorobiphenyl	59		14 - 120
Nitrobenzene d5	57		17 - 120

TestAmerica Nashville

QC Sample Results

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG4357

Method: SW-846 - General Chemistry Parameters

Lab Sample ID: 11H1723-DUP1

Matrix: Soil

Analysis Batch: 11H1723

Client Sample ID: Duplicate

Prep Type: Total

Prep Batch: 11H1723_P

Analyte	Sample Result	Sample Qualifier	Duplicate Result	Duplicate Qualifier	Unit	D	RPD	Limit
% Dry Solids	83.0		81.6		%		2	20

Lab Sample ID: 11H2019-DUP1

Matrix: Soil

Analysis Batch: 11H2019

Client Sample ID: Duplicate

Prep Type: Total

Prep Batch: 11H2019_P

Analyte	Sample Result	Sample Qualifier	Duplicate Result	Duplicate Qualifier	Unit	D	RPD	Limit
% Dry Solids	91.5		90.0		%		2	20

QC Association Summary

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG4357

GCMS Volatiles

Analysis Batch: U013970

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G7174-BS1	Lab Control Sample	Total	Soil	SW846 8260B	11G7174_P
11G7174-BLK1	Method Blank	Total	Soil	SW846 8260B	11G7174_P
NUG4357-03	643 Dahlia	Total	Soil	SW846 8260B	11G7174_P
NUG4357-04	646 Dahlia	Total	Soil	SW846 8260B	11G7174_P
11G7174-MS1	695 Abelia	Total	Soil	SW846 8260B	11G7174_P

Analysis Batch: U014010

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11H1688-BS1	Lab Control Sample	Total	Soil	SW846 8260B	11H1688_P
11H1688-BLK1	Method Blank	Total	Soil	SW846 8260B	11H1688_P
11H1688-BLK2	Method Blank	Total	Soil	SW846 8260B	11H1688_P
NUG4357-01 - RE1	642 Dahlia	Total	Soil	SW846 8260B	11H1688_P
NUG4357-02 - RE1	641 Dahlia	Total	Soil	SW846 8260B	11H1688_P
NUG4357-05 - RE1	765 Althea	Total	Soil	SW846 8260B	11H1688_P
NUG4357-06 - RE1	695 Abelia	Total	Soil	SW846 8260B	11H1688_P
NUG4357-03 - RE1	643 Dahlia	Total	Soil	SW846 8260B	11H1688_P
NUG4357-04 - RE1	646 Dahlia	Total	Soil	SW846 8260B	11H1688_P
11H1688-MS1	646 Dahlia	Total	Soil	SW846 8260B	11H1688_P
11H1688-MSD1	646 Dahlia	Total	Soil	SW846 8260B	11H1688_P

Prep Batch: 11G7174_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11G7174-BS1	Lab Control Sample	Total	Soil	EPA 5035	
11G7174-BLK1	Method Blank	Total	Soil	EPA 5035	
NUG4357-03	643 Dahlia	Total	Soil	EPA5035	
NUG4357-04	646 Dahlia	Total	Soil	EPA5035	
11G7174-MS1	695 Abelia	Total	Soil	EPA5035	

Prep Batch: 11H1688_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11H1688-BS1	Lab Control Sample	Total	Soil	EPA5035	
11H1688-BLK1	Method Blank	Total	Soil	EPA5035	
11H1688-BLK2	Method Blank	Total	Soil	EPA5035	
NUG4357-01 - RE1	642 Dahlia	Total	Soil	EPA 5035	
NUG4357-02 - RE1	641 Dahlia	Total	Soil	EPA 5035	
NUG4357-05 - RE1	765 Althea	Total	Soil	EPA 5035	
NUG4357-06 - RE1	695 Abelia	Total	Soil	EPA5035	
NUG4357-03 - RE1	643 Dahlia	Total	Soil	EPA5035	
NUG4357-04 - RE1	646 Dahlia	Total	Soil	EPA5035	
11H1688-MS1	646 Dahlia	Total	Soil	EPA5035	
11H1688-MSD1	646 Dahlia	Total	Soil	EPA5035	

GCMS Semivolatiles

Analysis Batch: 11H0116

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11H0116-BLK1	Method Blank	Total	Soil	SW846 8270D	11H0116_P
11H0116-BS1	Lab Control Sample	Total	Soil	SW846 8270D	11H0116_P
11H0116-MS1	Matrix Spike	Total	Soil	SW846 8270D	11H0116_P
11H0116-MSD1	Matrix Spike Duplicate	Total	Soil	SW846 8270D	11H0116_P
NUG4357-01	642 Dahlia	Total	Soil	SW846 8270D	11H0116_P
NUG4357-02	641 Dahlia	Total	Soil	SW846 8270D	11H0116_P

TestAmerica Nashville

QC Association Summary

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG4357

GCMS Semivolatiles (Continued)

Analysis Batch: 11H0116 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
NUG4357-03	643 Dahlia	Total	Soil	SW846 8270D	11H0116_P
NUG4357-04	646 Dahlia	Total	Soil	SW846 8270D	11H0116_P
NUG4357-05	765 Althea	Total	Soil	SW846 8270D	11H0116_P
NUG4357-06	695 Abelia	Total	Soil	SW846 8270D	11H0116_P
NUG4357-03 - RE1	643 Dahlia	Total	Soil	SW846 8270D	11H0116_P

Prep Batch: 11H0116_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11H0116-BLK1	Method Blank	Total	Soil	EPA3550C	
11H0116-BS1	Lab Control Sample	Total	Soil	EPA3550C	
11H0116-MS1	Matrix Spike	Total	Soil	EPA3550C	
11H0116-MSD1	Matrix Spike Duplicate	Total	Soil	EPA3550C	
NUG4357-01	642 Dahlia	Total	Soil	EPA 3550C	
NUG4357-02	641 Dahlia	Total	Soil	EPA 3550C	
NUG4357-03	643 Dahlia	Total	Soil	EPA 3550C	
NUG4357-04	646 Dahlia	Total	Soil	EPA 3550C	
NUG4357-05	765 Althea	Total	Soil	EPA3550C	
NUG4357-06	695 Abelia	Total	Soil	EPA 3550C	
NUG4357-03 - RE1	643 Dahlia	Total	Soil	EPA 3550C	

Extractions

Analysis Batch: 11H1723

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11H1723-DUP1	Duplicate	Total	Soil	SW846	11H1723_P
NUG4357-02	641 Dahlia	Total	Soil	SW-846	11H1723_P
NUG4357-03	643 Dahlia	Total	Soil	SW846	11H1723_P
NUG4357-04	646 Dahlia	Total	Soil	SW-846	11H1723_P
NUG4357-05	765 Althea	Total	Soil	SW846	11H1723_P
NUG4357-06	695 Abelia	Total	Soil	SW846	11H1723_P

Analysis Batch: 11H2019

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11H2019-DUP1	Duplicate	Total	Soil	SW846	11H2019_P
NUG4357-01	642 Dahlia	Total	Soil	SW-846	11H2019_P

Prep Batch: 11H1723_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11H1723-DUP1	Duplicate	Total	Soil	% Solids	
NUG4357-02	641 Dahlia	Total	Soil	% Solids	
NUG4357-03	643 Dahlia	Total	Soil	% Solids	
NUG4357-04	646 Dahlia	Total	Soil	% Solids	
NUG4357-05	765 Althea	Total	Soil	% Solids	
NUG4357-06	695 Abelia	Total	Soil	% Solids	

Prep Batch: 11H2019_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
11H2019-DUP1	Duplicate	Total	Soil	% Solids	
NUG4357-01	642 Dahlia	Total	Soil	% Solids	

QC Association Summary

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG4357

Analysis Batch: U013970

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
NUG4357-06	695Abelia	Total	Soil	SW846 8260B	

Lab Chronicle

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG4357

Client Sample ID: 642 Dahlia

Lab Sample ID: NUG4357-01

Date Collected: 07/25/11 11:15

Matrix: Soil

Date Received: 07/30/11 08:35

Percent Solids: 80.1

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035	RE1	0.829	11H1688_P	07/25/11 11:15	AAN	TAL NSH
Total	Analysis	SW846 8260B	RE1	1.00	U014010	08/05/11 21:10	KKK	TAL NSH
Total	Prep	EPA3550C		0.993	11H0116_P	08/05/11 08:20	JJR	TAL NSH
Total	Analysis	SW846 8270D		1.00	11H0116	08/05/11 15:12	BES	TAL NSH
Total	Prep	% Solids		1.00	11H2019_P	08/09/11 11:43	RRS	TALNSH
Total	Analysis	SW846		1.00	11H2019	08/10/11 10:59	RRS	TALNSH

Client Sample ID: 641 Dahlia

Lab Sample ID: NUG4357-02

Date Collected: 07/25/11 15:30

Matrix: Soil

Date Received: 07/30/11 08:35

Percent Solids: 84.2

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035	RE1	0.714	11H1688_P	07/25/11 15:30	AAN	TAL NSH
Total	Analysis	SW846 8260B	RE1	1.00	U014010	08/05/11 21:41	KKK	TALNSH
Total	Prep	EPA 3550C		0.978	11H0116_P	08/05/11 08:20	JJR	TALNSH
Total	Analysis	SW846 8270D		1.00	11H0116	08/05/11 15:31	BES	TAL NSH
Total	Prep	% Solids		1.00	11H1723_P	08/08/11 14:36	RRS	TAL NSH
Total	Analysis	SW846		1.00	11H1723	08/09/11 08:12	RRS	TAL NSH

Client Sample ID: 643 Dahlia

Lab Sample ID: NUG4357-03

Date Collected: 07/26/11 11:00

Matrix: Soil

Date Received: 07/30/11 08:35

Percent Solids: 83.1

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035		0.680	11G7174_P	07/26/11 11:00	AAN	TAL NSH
Total	Analysis	SW846 8260B		1.00	U013970	08/04/11 19:00	MJH	TAL NSH
Total	Prep	EPA 5035	RE1	0.685	11H1688_P	07/26/11 11:00	AAN	TALNSH
Total	Analysis	SW846 8260B	RE1	50.0	U014010	08/05/11 23:16	KKK	TALNSH
Total	Prep	EPA 3550C		0.985	11H0116_P	08/05/11 08:20	JJR	TAL NSH
Total	Analysis	SW846 8270D		1.00	11H0116	08/05/11 15:50	BES	TAL NSH
Total	Prep	EPA3550C	RE1	0.985	11H0116_P	08/05/11 08:20	JJR	TAL NSH
Total	Analysis	SW846 8270D	RE1	5.00	11H0116	08/06/11 18:24	BES	TALNSH
Total	Prep	% Solids		1.00	11H1723_P	08/08/11 14:36	RRS	TALNSH
Total	Analysis	SW846		1.00	11H1723	08/09/11 08:12	RRS	TALNSH

Client Sample ID: 646 Dahlia

Lab Sample ID: NUG4357-04

Date Collected: 07/27/11 10:45

Matrix: Soil

Date Received: 07/30/11 08:35

Percent Solids: 76.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035		0.917	11G7174_P	07/27/11 10:45	AAN	TAL NSH
Total	Analysis	SW846 8260B		1.00	U013970	08/04/11 19:30	MJH	TAL NSH
Total	Prep	EPA 5035	RE1	0.772	11H1688_P	07/27/11 10:45	AAN	TAL NSH
Total	Analysis	SW846 8260B	RE1	50.0	U014010	08/05/11 23:48	KKK	TAL NSH
Total	Prep	EPA 3550C		0.990	11H0116_P	08/05/11 08:20	JJR	TALNSH

TestAmerica Nashville

Lab Chronicle

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG4357

Client Sample ID: 646 Dahlia

Lab Sample ID: NUG4357-04

Date Collected: 07/27/11 10:45

Matrix: Soil

Date Received: 07/30/11 08:35

Percent Solids: 76.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total	Analysis	SW846 8270D		1.00	11H0116	08/05/11 16:10	BES	TAL NSH
Total	Prep	% Solids		1.00	11H1723_P	08/08/11 14:36	RRS	TALNSH
Total	Analysis	SW-846		1.00	11H1723	08/09/11 08:12	RRS	TALNSH

Client Sample ID: 765 Althea

Lab Sample ID: NUG4357-05

Date Collected: 07/27/11 15:15

Matrix: Soil

Date Received: 07/30/11 08:35

Percent Solids: 80.6

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total	Prep	EPA 5035	RE1	0.753	11H1688_P	07/27/11 15:15	AAN	TALNSH
Total	Analysis	SW846 8260B	RE1	1.00	U014010	08/05/11 22:13	KKK	TALNSH
Total	Prep	EPA 3550C		0.969	11H0116_P	08/05/11 08:20	JJR	TAL NSH
Total	Analysis	SW8468270D		1.00	11H0116	08/05/11 16:29	BES	TALNSH
Total	Prep	% Solids		1.00	11H1723_P	08/08/11 14:36	RRS	TAL NSH
Total	Analysis	SW-846		1.00	11H1723	08/09/11 08:12	RRS	TAL NSH

Client Sample ID: 695 Abelia

Lab Sample ID: NUG4357-06

Date Collected: 07/28/11 12:30

Matrix: Soil

Date Received: 07/30/11 08:35

Percent Solids: 87.7

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared Or Analyzed	Analyst	Lab
Total	Prep	EPA5035	RE1	0.899	11H1688_P	07/28/11 12:30	AAN	TAL NSH
Total	Analysis	SW846 8260B	RE1	1.00	U014010	08/05/11 22:45	KKK	TAL NSH
Total	Prep	EPA 3550C		0.996	11H0116_P	08/05/11 08:20	JJR	TAL NSH
Total	Analysis	SW846 8270D		1.00	11H0116	08/05/11 16:48	BES	TALNSH
Total	Prep	% Solids		1.00	11H1723_P	08/08/11 14:36	RRS	TALNSH
Total	Analysis	SW-846		1.00	11H1723	08/09/11 08:12	RRS	TAL NSH
Total	Analysis	SW846 8260B		1.00	U013970	08/04/11 21:03		TAL NSH

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Road, Nashville, TN 37204, TEL 800-765-0980

Method Summary

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG4357

Method	Method Description	Protocol	Laboratory
SW-846	General Chemistry Parameters		TALNSH
SW846 8260B	Volatile Organic Compounds by EPA Method 8260B		TALNSH
SW846 8270D	Polycyclic Aromatic Hydrocarbons by EPA 8270D		TALNSH

Protocol References:

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Road, Nashville, TN 37204, TEL 800-765-0980

Certification Summary

Client: EEG - Small Business Group, Inc. (2449)
Project/Site: [none]

TestAmerica Job ID: NUG4357

Laboratory	Authority	Program	EPA Region	Certification ID
TestAmerica Nashville	A2LA	ISO/IEC 17025		0453.07
TestAmerica Nashville	A2LA	WY UST		453.07
TestAmerica Nashville	AIHA	IHLAP		100790
TestAmerica Nashville	Alabama	State Program	4	41150
TestAmerica Nashville	Alaska	Alaska UST	10	UST-087
TestAmerica Nashville	Arizona	State Program	9	AZ0473
TestAmerica Nashville	Arkansas	State Program	6	88-0737
TestAmerica Nashville	CALA	CALA		3744
TestAmerica Nashville	California	NELAC	9	1168CA
TestAmerica Nashville	Colorado	State Program	8	N/A
TestAmerica Nashville	Connecticut	State Program	1	PH-0220
TestAmerica Nashville	Florida	NELAC	4	E87358
TestAmerica Nashville	Illinois	NELAC	5	200010
TestAmerica Nashville	Iowa	State Program	7	131
TestAmerica Nashville	Kansas	NELAC	7	E-10229
TestAmerica Nashville	Kentucky	Kentucky UST	4	19
TestAmerica Nashville	Kentucky	State Program	4	90038
TestAmerica Nashville	Louisiana	NELAC	6	LA100011
TestAmerica Nashville	Louisiana	NELAC	6	30613
TestAmerica Nashville	Maryland	State Program	3	316
TestAmerica Nashville	Massachusetts	State Program	1	M-TN032
TestAmerica Nashville	Minnesota	NELAC	5	047-999-345
TestAmerica Nashville	Mississippi	State Program	4	N/A
TestAmerica Nashville	Montana	MT DEQ UST	8	NA
TestAmerica Nashville	Nevada	State Program	9	TN00032
TestAmerica Nashville	New Hampshire	NELAC	1	2963
TestAmerica Nashville	New Jersey	NELAC	2	TN965
TestAmerica Nashville	New York	NELAC	2	11342
TestAmerica Nashville	North Carolina	North Carolina DENR	4	387
TestAmerica Nashville	North Dakota	State Program	8	R-146
TestAmerica Nashville	Ohio	OVAP	5	CL0033
TestAmerica Nashville	Oklahoma	State Program	6	9412
TestAmerica Nashville	Oregon	NELAC	10	TN200001
TestAmerica Nashville	Pennsylvania	NELAC	3	68-00585
TestAmerica Nashville	Rhode Island	State Program	1	LAO00268
TestAmerica Nashville	South Carolina	State Program	4	84009
TestAmerica Nashville	South Carolina	State Program	4	84009
TestAmerica Nashville	Tennessee	State Program	4	2008
TestAmerica Nashville	Texas	NELAC	6	T104704077-09-TX
TestAmerica Nashville	USDA	USDA		S-48469
TestAmerica Nashville	Utah	NELAC	8	TAN
TestAmerica Nashville	Virginia	NELAC Secondary AB	3	460152
TestAmerica Nashville	Virginia	State Program	3	00323
TestAmerica Nashville	Washington	State Program	10	C789
TestAmerica Nashville	West Virginia	West Virginia DEP	3	219
TestAmerica Nashville	Wisconsin	State Program	5	998020430

Accreditation may not be offered or required for all methods and analytes reported in this package. Please contact your project manager for the laboratory's current list of certified methods and analytes.

TE

NUG4357
08/15/11 2359Nashville Division
2960 Foster Creighton
Nashville, TN 37204Phone: 615-726-0177
Toll Free: 800-765-0980
Fax: 615-726-3404

Client Name/Account #: EEG - SBG # 2449

Address: 10179 Highway 78

City/State/Zip: Ladson, SC 29458

Project Manager: Tom McElwee email: mcmee@geoginc.net

Telephone Number: 843.412.2087

Sample Name: (Print)

Sampler Signature:

Fax No.: 643-871-0401

Site State: SC

POB:

1627

TA Quote #:

Project ID: Laurel Bay Housing Project

Project #:

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?

Compliance Monitoring?

Enforcement/Action?

Yes ☐ No ☐

Sample ID / Location	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Ice	HNO ₃ (Red Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (Specify)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (Specify)	Matrix	Analysis For:	
C-42 Dahlia	7/25/11	11:15	5	X																		
C-41 Dahlia	7/25/11	15:30	5	X																		
C-43 Dahlia	7/26/11	11:00	5	X																		
C-44 Dahlia	7/27/11	16:45	5	X																		
C-45 Althaea	7/27/11	15:15	5	X																		
C-45 Abutilon	7/28/11	12:30	5	X																		

Special Instructions:

Method of Shipment:

FEDEX

Laboratory Comments:

Temperature Upon Receipt:
VOCs Free of Headspace?

Y

Relinquished By:	Date	Time	Received By:	Date	Time
	7/26/11	10:00		7/26/11	3:35

ATTACHMENT A



NON-HAZARDOUS MANIFEST

NDN-HAZARDOUS MANIFEST		1. Generator's USEPA ID No.		Manifest Doc No.		2. Page 1 of 1			
3. Generator's Mailing Address: MCAS, BEAUFORT LAUREL BAY HOUSING BEAUFORT, SC 29907		4. Generator's Phone 843-228-6461		Generator's Site Address (if different than mailing):		A. Manifest Number WMNA 00316815			
5. Transporter 1 Company Name EEG, INC.		6. USEPA ID Number		C. State Transporter's ID		8. State Generator's ID			
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone 843-879-0411		E. State Transporter's ID			
9. Designated Facility Name and Site Address HICKORY HILL LANDFILL 2621 LOW COUNTRY ROAD RIDGELAND, SC 29936		10. US EPA ID Number		F. Transporter's Phone		G. State Facility ID			
				H. State Facility Phone 843-987-4643					
GENERATOR	11. Description of Waste Materials		12. Containers		13. Total Quantity	14. Unit Wt./Vol	I. Misc Comments		
	a. HEATING OIL TANKS FILLED WITH SAND		No.	Type					
	WM Profile # 102655SC				204	8.27			
	b.								
	WM Profile #								
TRANSPORTER	c.								
	WM Profile #								
	d.								
	WM Profile #								
J. Additional Descriptions for Materials Listed Above		K. Disposal Location							
		Cell		Level					
		Grid							
15. Special Handling Instructions and Additional Information UST's (non): 2) 373 ASPEN 4) 860 DOLPHIN 6) 641 DAKOTA 1) 366 ASPEN 3) 524 LAUREL BAY 5) 642 DAHLIA 7) 765 ALTHEA									
Purchase Order #		EMERGENCY CONTACT / PHONE NO.:							
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.									
Printed Name		Signature "On behalf of"				Month	Day	Year	
						08	21	11	
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials		Printed Name		Signature		Month	Day	Year
			James Baldwin		James Baldwin		8	2	11
TRANSPORTER	18. Transporter 2 Acknowledgement of Receipt of Materials		Printed Name		Signature		Month	Day	Year
FACILITY	19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.								
	20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.								
Printed Name		Signature				Month	Day	Year	
Tom Cotfield		Tom Cotfield				8	2	11	

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Pink- FACILITY USE ONLY

Blue- GENERATOR #2 COPY

Gold- TRANSPORTER #1 COPY

Yellow- GENERATOR #1 COPY

**South Carolina Department of Health and Environmental Control (SCDHEC)
Underground Storage Tank (UST) Assessment Report**

Date Received
State Use Only

Submit Completed Form To:
UST Program
SCDHEC
2600 Bull Street
Columbia, South Carolina 29201
Telephone (803) 896-7957

RECEIVED

OCT 23 2014

**SC DHEC - Bureau of
Land & Waste Management**

I. OWNERSHIP OF UST (S)

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)		
Owner Name (Corporation, Individual, Public Agency, Other)		
P.O. Box 55001		
Mailing Address		
Beaufort,	South Carolina	29904-5001
City	State	Zip Code
843	228-7317	Craig Ehde
Area Code	Telephone Number	Contact Person

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #	
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC	
Facility Name or Company Site Identifier	
642 Dahlia Drive, Laurel Bay Military Housing Area	
Street Address or State Road (as applicable)	
Beaufort,	Beaufort
City	County

III. INSURANCE INFORMATION

Insurance Statement

The petroleum release reported to DHEC on _____ at Permit ID Number _____ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? **YES** ____ **NO** ____ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: _____

The policy deductible is: _____

The policy limit is: _____

If you have this type of insurance, please include a copy of the policy with this report.

IV. REQUEST FOR SUPERB FUNDING

I **DO** / **DO NOT** wish to participate in the SUPERB Program. (Circle one.)

V. CERTIFICATION **(To be signed by the UST owner)**

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

To be completed by Notary Public:

Sworn before me this _____ day of _____, 20____

(Name)

Notary Public for the state of _____
Please affix State seal if you are commissioned outside South Carolina

VI. UST INFORMATION

642Dahlia-2				
Heating oil				
280 gal				
Late 1950s				
Steel				
Mid 1980s				
5'5"				
No				
No				
Removed				
4/11/2013				
Yes				
Yes				

A. Product...(ex. Gas, Kerosene).....

B. Capacity...(ex. 1k, 2k).....

C. Age.....

D. Construction Material...(ex. Steel, FRP).....

E. Month/Year of Last Use.....

F. Depth (ft.) To Base of Tank.....

G. Spill Prevention Equipment Y/N.....

H. Overfill Prevention Equipment Y/N.....

I. Method of Closure Removed/Filled.....

J. Date Tanks Removed/Filled.....

K. Visible Corrosion or Pitting Y/N.....

L. Visible Holes Y/N.....

M. Method of disposal for any USTs removed from the ground (attach disposal manifests)

UST 642Dahlia-2 was removed from the ground and disposed at a
Subtitle "D" landfill. See Attachment "A".

N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)

UST 642Dahlia-2 had been previously filled with sand by others.

O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST

Corrosion and pitting were found throughout the tank.

VII. PIPING INFORMATION

A. Construction Material..(ex. Steel, FRP).....

B. Distance from UST to Dispenser.....

C. Number of Dispensers.....

D. Type of System Pressure or Suction.....

E. Was Piping Removed from the Ground? Y/N

F. Visible Corrosion or Pitting Y/N.....

G. Visible Holes Y/N.....

H. Age.....

I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

642Dahlia-2				
Steel & Copper				
N/A				
N/A				
Suction				
No				
Yes				
No				
Late 1950s				

Corrosion and pitting were found on the surface of the steel vent pipe. Copper supply and return lines were sound.

VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

642Dahlia-2 is the second tank removed from this residence.

IX. SITE CONDITIONS

	Yes	No	Unk
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells? If yes, indicate depth and location on the site map.		X	
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells? If yes, indicate location on site map and describe the odor (strong, mild, etc.)		X	
C. Was water present in the UST excavation, soil borings, or trenches? If yes, how far below land surface (indicate location and depth)?		X	
D. Did contaminated soils remain stockpiled on site after closure? If yes, indicate the stockpile location on the site map. Name of DHEC representative authorizing soil removal:		X	
E. Was a petroleum sheen or free product detected on any excavation or boring waters? If yes, indicate location and thickness.		X	

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
642 Dahlia-2	Excav at fill end	Soil	Sand & clay	5'5"	4/11/13 1415 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

* = Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.


XII. RECEPTORS

	Yes	No
A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system? *Stormwater drainage canal If yes, indicate type of receptor, distance, and direction on site map.	*X	
B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system? If yes, indicate type of well, distance, and direction on site map.		X
C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system? If yes, indicate type of structure, distance, and direction on site map.		X
D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? *Sewer, water, electricity, cable, fiber optic & geothermal If yes, indicate the type of utility, distance, and direction on the site map.	*X	
E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete? If yes, indicate the area of contaminated soil on the site map.		X

XIII. SITE MAP

You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)



642 DAHLIA

0 100 200 400 600 800 1,000
 Feet

SBG-EEG, Inc.

7301 Rivers Ave., Suite 245
 N. Charleston SC 29406-9643

Ph. (843) 573-7140



Drawn By: L. DiAsio

Dwg Date: May 2013

FIGURE 1: LOCATION MAP
642 DAHLIA DRIVE
LAUREL BAY, BEAUFORT SC



STORMWATER CANAL 990'




ASPHALT
DRIVEWAY

CONCRETE PORCH



UST 642DAHLIA-2

GRAPHIC SCALE



DEPTH BELOW GRADE
642DAHLIA-2 = 29"


SBG-EEG

7301 RIVERS AVE., SUITE 245
N. CHARLESTON SC 29406
(843) 573-7140

FIGURE 2 SITE MAP
642 DAHLIA DRIVE, LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE MAY 2013





Picture 1: Location of UST 642Dahlia-2.



Picture 2: UST 642Dahlia-2.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	UST	642Dahlia-2						
Benzene		ND						
Toluene		ND						
Ethylbenzene		ND						
Xylenes		ND						
Naphthalene		ND						
Benzo (a) anthracene		ND						
Benzo (b) fluoranthene		ND						
Benzo (k) fluoranthene		ND						
Chrysene		ND						
Dibenz (a, h) anthracene		ND						
TPH (EPA 3550)								

CoC								
Benzene								
Toluene								
Ethylbenzene								
Xylenes								
Naphthalene								
Benzo (a) anthracene								
Benzo (b) fluoranthene								
Benzo (k) fluoranthene								
Chrysene								
Dibenz (a, h) anthracene								
TPH (EPA 3550)								

SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here)
(Please see Form #4)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Nashville
2960 Foster Creighton Drive
Nashville, TN 37204
Tel: (615)726-0177


TestAmerica Job ID: 490-24495-1

Client Project/Site: Laurel Bay Housing Project

For:

Environmental Enterprise Group
10179 Highway 78
Ladson, South Carolina 29456

Attn: Mr. Tom McElwee



Authorized for release by:
4/30/2013 11:49:21 AM

Ken Hayes
Project Manager I
ken.hayes@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

12

13

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Definitions	5
Client Sample Results	6
QC Sample Results	14
QC Association	20
Chronicle	22
Method Summary	25
Certification Summary	26
Chain of Custody	27
Receipt Checklists	30



Sample Summary

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
490-24495-1	1433 Dove	Solid	04/08/13 15:30	04/17/13 08:30
490-24495-2	1435-2 Dove	Solid	04/09/13 15:30	04/17/13 08:30
490-24495-3	590 Aster	Solid	04/10/13 14:15	04/17/13 08:30
490-24495-4	642 Dahlia-2	Solid	04/11/13 14:15	04/17/13 08:30
490-24495-5	1422 Albatross	Solid	04/08/13 13:45	04/17/13 08:30
490-24495-6	1418 Albatross	Solid	04/09/13 15:30	04/17/13 08:30
490-24495-7	591 Aster	Solid	04/10/13 14:45	04/17/13 08:30
490-24495-8	434 Elderberry	Solid	04/11/13 11:45	04/17/13 08:30

Case Narrative

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Job ID: 490-24495-1

Laboratory: TestAmerica Nashville

Narrative

Job Narrative 490-24495-1

Comments

No additional comments.

Receipt

The samples were received on 4/17/2013 8:30 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.2° C.

GC/MS VOA

Method(s) 8260B: Due to sample matrix effect on the internal standard (ISTD), a dilution was required for the following sample(s): 1418 Albatross (490-24495-6), 1433 Dove (490-24495-1), 1435-2 Dove (490-24495-2).

Method(s) 8260B: Surrogate recovery for the following sample(s) was outside control limits: 1433 Dove (490-24495-1), 1435-2 Dove (490-24495-2), 1418 Albatross (490-24495-6), SB-2-13 (0-2) (490-24512-6), SB-2-13 (0-2) (490-24512-6 MS), SB-2-13 (0-2) (490-24512-6 MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method(s) 8260B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with batch 74074.

No other analytical or quality issues were noted.

GC/MS Semi VOA

No analytical or quality issues were noted.

Organic Prep

No analytical or quality issues were noted.

VOA Prep

No analytical or quality issues were noted.

Definitions/Glossary

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
X	Surrogate is outside control limits

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Client Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 1433 Dove

Lab Sample ID: 490-24495-1

Date Collected: 04/08/13 15:30

Matrix: Solid

Date Received: 04/17/13 08:30

Percent Solids: 77.8

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00231	0.000775	mg/Kg	✖	04/17/13 20:15	04/19/13 16:28	1
Ethylbenzene	0.177		0.00231	0.000775	mg/Kg	✖	04/17/13 20:15	04/19/13 16:28	1
Naphthalene	16.8		0.760	0.259	mg/Kg	✖	04/17/13 20:10	04/22/13 23:44	2
Toluene	0.00358		0.00231	0.000856	mg/Kg	✖	04/17/13 20:15	04/19/13 16:28	1
Xylenes, Total	0.605		0.00578	0.000775	mg/Kg	✖	04/17/13 20:15	04/19/13 16:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		70 - 130	04/17/13 20:15	04/19/13 16:28	1
1,2-Dichloroethane-d4 (Surr)	94		70 - 130	04/17/13 20:10	04/22/13 23:44	2
4-Bromofluorobenzene (Surr)	956	X	70 - 130	04/17/13 20:15	04/19/13 16:28	1
4-Bromofluorobenzene (Surr)	114		70 - 130	04/17/13 20:10	04/22/13 23:44	2
Dibromofluoromethane (Surr)	94		70 - 130	04/17/13 20:15	04/19/13 16:28	1
Dibromofluoromethane (Surr)	92		70 - 130	04/17/13 20:10	04/22/13 23:44	2
Toluene-d8 (Surr)	112		70 - 130	04/17/13 20:15	04/19/13 16:28	1
Toluene-d8 (Surr)	105		70 - 130	04/17/13 20:10	04/22/13 23:44	2

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.182		0.0860	0.0128	mg/Kg	✖	04/18/13 12:55	04/18/13 20:17	1
Acenaphthylene	0.147		0.0860	0.0116	mg/Kg	✖	04/18/13 12:55	04/18/13 20:17	1
Anthracene	0.165		0.0860	0.0116	mg/Kg	✖	04/18/13 12:55	04/18/13 20:17	1
Benzo[a]anthracene	0.0808	J	0.0860	0.0193	mg/Kg	✖	04/18/13 12:55	04/18/13 20:17	1
Benzo[a]pyrene	ND		0.0860	0.0154	mg/Kg	✖	04/18/13 12:55	04/18/13 20:17	1
Benzo[b]fluoranthene	0.0521	J	0.0860	0.0154	mg/Kg	✖	04/18/13 12:55	04/18/13 20:17	1
Benzo[g,h,i]perylene	ND		0.0860	0.0116	mg/Kg	✖	04/18/13 12:55	04/18/13 20:17	1
Benzo[k]fluoranthene	ND		0.0860	0.0180	mg/Kg	✖	04/18/13 12:55	04/18/13 20:17	1
1-Methylnaphthalene	5.17		0.344	0.0719	mg/Kg	✖	04/18/13 12:55	04/19/13 18:06	4
Pyrene	0.280		0.0860	0.0154	mg/Kg	✖	04/18/13 12:55	04/18/13 20:17	1
Phenanthrene	1.41		0.0860	0.0116	mg/Kg	✖	04/18/13 12:55	04/18/13 20:17	1
Chrysene	0.0769	J	0.0860	0.0116	mg/Kg	✖	04/18/13 12:55	04/18/13 20:17	1
Dibenz[a,h]anthracene	ND		0.0860	0.00899	mg/Kg	✖	04/18/13 12:55	04/18/13 20:17	1
Fluoranthene	0.257		0.0860	0.0116	mg/Kg	✖	04/18/13 12:55	04/18/13 20:17	1
Fluorene	0.841		0.0860	0.0154	mg/Kg	✖	04/18/13 12:55	04/18/13 20:17	1
Indeno[1,2,3-cd]pyrene	ND		0.0860	0.0128	mg/Kg	✖	04/18/13 12:55	04/18/13 20:17	1
Naphthalene	1.47		0.0860	0.0116	mg/Kg	✖	04/18/13 12:55	04/18/13 20:17	1
2-Methylnaphthalene	7.93		0.344	0.0822	mg/Kg	✖	04/18/13 12:55	04/19/13 18:06	4

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	57		29 - 120	04/18/13 12:55	04/18/13 20:17	1
Terphenyl-d14 (Surr)	77		13 - 120	04/18/13 12:55	04/18/13 20:17	1
Nitrobenzene-d5 (Surr)	59		27 - 120	04/18/13 12:55	04/18/13 20:17	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	78		0.10	0.10	%			04/18/13 11:20	1

TestAmerica Nashville

Client Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 1435-2 Dove

Lab Sample ID: 490-24495-2

Date Collected: 04/09/13 15:30

Matrix: Solid

Date Received: 04/17/13 08:30

Percent Solids: 80.3

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.0222		0.00214	0.000717	mg/Kg	☒	04/17/13 20:15	04/19/13 16:55	1
Ethylbenzene	3.21		0.138	0.0470	mg/Kg	☒	04/17/13 20:10	04/22/13 17:25	1
Naphthalene	23.8		6.91	2.35	mg/Kg	☒	04/17/13 20:10	04/22/13 17:52	20
Toluene	0.0190		0.00214	0.000792	mg/Kg	☒	04/17/13 20:15	04/19/13 16:55	1
Xylenes, Total	8.51		0.346	0.0470	mg/Kg	☒	04/17/13 20:10	04/22/13 17:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		70 - 130	04/17/13 20:15	04/19/13 16:55	1
1,2-Dichloroethane-d4 (Surr)	96		70 - 130	04/17/13 20:10	04/22/13 17:25	1
1,2-Dichloroethane-d4 (Surr)	96		70 - 130	04/17/13 20:10	04/22/13 17:52	20
4-Bromofluorobenzene (Surr)	1302	X	70 - 130	04/17/13 20:15	04/19/13 16:55	1
4-Bromofluorobenzene (Surr)	122		70 - 130	04/17/13 20:10	04/22/13 17:25	1
4-Bromofluorobenzene (Surr)	107		70 - 130	04/17/13 20:10	04/22/13 17:52	20
Dibromofluoromethane (Surr)	93		70 - 130	04/17/13 20:15	04/19/13 16:55	1
Dibromofluoromethane (Surr)	95		70 - 130	04/17/13 20:10	04/22/13 17:25	1
Dibromofluoromethane (Surr)	96		70 - 130	04/17/13 20:10	04/22/13 17:52	20
Toluene-d8 (Surr)	118		70 - 130	04/17/13 20:15	04/19/13 16:55	1
Toluene-d8 (Surr)	108		70 - 130	04/17/13 20:10	04/22/13 17:25	1
Toluene-d8 (Surr)	110		70 - 130	04/17/13 20:10	04/22/13 17:52	20

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.221		0.0828	0.0124	mg/Kg	☒	04/18/13 12:55	04/18/13 20:39	1
Acenaphthylene	0.142		0.0828	0.0111	mg/Kg	☒	04/18/13 12:55	04/18/13 20:39	1
Anthracene	0.115		0.0828	0.0111	mg/Kg	☒	04/18/13 12:55	04/18/13 20:39	1
Benzo[a]anthracene	ND		0.0828	0.0185	mg/Kg	☒	04/18/13 12:55	04/18/13 20:39	1
Benzo[a]pyrene	ND		0.0828	0.0148	mg/Kg	☒	04/18/13 12:55	04/18/13 20:39	1
Benzo[b]fluoranthene	ND		0.0828	0.0148	mg/Kg	☒	04/18/13 12:55	04/18/13 20:39	1
Benzo[g,h,i]perylene	ND		0.0828	0.0111	mg/Kg	☒	04/18/13 12:55	04/18/13 20:39	1
Benzo[k]fluoranthene	ND		0.0828	0.0173	mg/Kg	☒	04/18/13 12:55	04/18/13 20:39	1
1-Methylnaphthalene	4.12		0.0828	0.0173	mg/Kg	☒	04/18/13 12:55	04/18/13 20:39	1
Pyrene	0.125		0.0828	0.0148	mg/Kg	☒	04/18/13 12:55	04/18/13 20:39	1
Phenanthrene	1.36		0.0828	0.0111	mg/Kg	☒	04/18/13 12:55	04/18/13 20:39	1
Chrysene	0.0586	J	0.0828	0.0111	mg/Kg	☒	04/18/13 12:55	04/18/13 20:39	1
Dibenz(a,h)anthracene	ND		0.0828	0.00865	mg/Kg	☒	04/18/13 12:55	04/18/13 20:39	1
Fluoranthene	0.0584	J	0.0828	0.0111	mg/Kg	☒	04/18/13 12:55	04/18/13 20:39	1
Fluorene	0.678		0.0828	0.0148	mg/Kg	☒	04/18/13 12:55	04/18/13 20:39	1
Indeno[1,2,3-cd]pyrene	ND		0.0828	0.0124	mg/Kg	☒	04/18/13 12:55	04/18/13 20:39	1
Naphthalene	1.03		0.0828	0.0111	mg/Kg	☒	04/18/13 12:55	04/18/13 20:39	1
2-Methylnaphthalene	5.56		0.166	0.0395	mg/Kg	☒	04/18/13 12:55	04/19/13 18:28	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	67		29 - 120	04/18/13 12:55	04/18/13 20:39	1
Terphenyl-d14 (Surr)	92		13 - 120	04/18/13 12:55	04/18/13 20:39	1
Nitrobenzene-d5 (Surr)	68		27 - 120	04/18/13 12:55	04/18/13 20:39	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	80		0.10	0.10	%			04/18/13 11:20	1

TestAmerica Nashville

Client Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 590 Aster

Lab Sample ID: 490-24495-3

Date Collected: 04/10/13 14:15

Matrix: Solid

Date Received: 04/17/13 08:30

Percent Solids: 95.9

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00236	0.000790	mg/Kg	✖	04/17/13 20:15	04/22/13 16:04	1
Ethylbenzene	ND		0.00236	0.000790	mg/Kg	✖	04/17/13 20:15	04/22/13 16:04	1
Naphthalene	ND		0.00589	0.00200	mg/Kg	✖	04/17/13 20:15	04/22/13 16:04	1
Toluene	ND		0.00236	0.000872	mg/Kg	✖	04/17/13 20:15	04/22/13 16:04	1
Xylenes, Total	ND		0.00589	0.000790	mg/Kg	✖	04/17/13 20:15	04/22/13 16:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		70 - 130	04/17/13 20:15	04/22/13 16:04	1
4-Bromofluorobenzene (Surr)	106		70 - 130	04/17/13 20:15	04/22/13 16:04	1
Dibromofluoromethane (Surr)	100		70 - 130	04/17/13 20:15	04/22/13 16:04	1
Toluene-d8 (Surr)	106		70 - 130	04/17/13 20:15	04/22/13 16:04	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0678	0.0101	mg/Kg	✖	04/18/13 12:55	04/18/13 21:02	1
Acenaphthylene	ND		0.0678	0.00911	mg/Kg	✖	04/18/13 12:55	04/18/13 21:02	1
Anthracene	ND		0.0678	0.00911	mg/Kg	✖	04/18/13 12:55	04/18/13 21:02	1
Benzo[a]anthracene	ND		0.0678	0.0152	mg/Kg	✖	04/18/13 12:55	04/18/13 21:02	1
Benzo[a]pyrene	ND		0.0678	0.0122	mg/Kg	✖	04/18/13 12:55	04/18/13 21:02	1
Benzo[b]fluoranthene	ND		0.0678	0.0122	mg/Kg	✖	04/18/13 12:55	04/18/13 21:02	1
Benzo[g,h,i]perylene	ND		0.0678	0.00911	mg/Kg	✖	04/18/13 12:55	04/18/13 21:02	1
Benzo[k]fluoranthene	ND		0.0678	0.0142	mg/Kg	✖	04/18/13 12:55	04/18/13 21:02	1
1-Methylnaphthalene	ND		0.0678	0.0142	mg/Kg	✖	04/18/13 12:55	04/18/13 21:02	1
Pyrene	ND		0.0678	0.0122	mg/Kg	✖	04/18/13 12:55	04/18/13 21:02	1
Phenanthrene	ND		0.0678	0.00911	mg/Kg	✖	04/18/13 12:55	04/18/13 21:02	1
Chrysene	ND		0.0678	0.00911	mg/Kg	✖	04/18/13 12:55	04/18/13 21:02	1
Dibenz(a,h)anthracene	ND		0.0678	0.00709	mg/Kg	✖	04/18/13 12:55	04/18/13 21:02	1
Fluoranthene	ND		0.0678	0.00911	mg/Kg	✖	04/18/13 12:55	04/18/13 21:02	1
Fluorene	ND		0.0678	0.0122	mg/Kg	✖	04/18/13 12:55	04/18/13 21:02	1
Indeno[1,2,3-cd]pyrene	ND		0.0678	0.0101	mg/Kg	✖	04/18/13 12:55	04/18/13 21:02	1
Naphthalene	ND		0.0678	0.00911	mg/Kg	✖	04/18/13 12:55	04/18/13 21:02	1
2-Methylnaphthalene	ND		0.0678	0.0162	mg/Kg	✖	04/18/13 12:55	04/18/13 21:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	52		29 - 120	04/18/13 12:55	04/18/13 21:02	1
Terphenyl-d14 (Surr)	73		13 - 120	04/18/13 12:55	04/18/13 21:02	1
Nitrobenzene-d5 (Surr)	48		27 - 120	04/18/13 12:55	04/18/13 21:02	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	96		0.10	0.10	%			04/18/13 11:20	1

TestAmerica Nashville

Client Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 642 Dahlia-2

Lab Sample ID: 490-24495-4

Date Collected: 04/11/13 14:15

Matrix: Solid

Date Received: 04/17/13 08:30

Percent Solids: 79.4

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00211	0.000707	mg/Kg	✖	04/17/13 20:15	04/19/13 17:49	1
Ethylbenzene	ND		0.00211	0.000707	mg/Kg	✖	04/17/13 20:15	04/19/13 17:49	1
Naphthalene	ND		0.00527	0.00179	mg/Kg	✖	04/17/13 20:15	04/19/13 17:49	1
Toluene	ND		0.00211	0.000780	mg/Kg	✖	04/17/13 20:15	04/19/13 17:49	1
Xylenes, Total	ND		0.00527	0.000707	mg/Kg	✖	04/17/13 20:15	04/19/13 17:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		70 - 130	04/17/13 20:15	04/19/13 17:49	1
4-Bromofluorobenzene (Surr)	113		70 - 130	04/17/13 20:15	04/19/13 17:49	1
Dibromofluoromethane (Surr)	94		70 - 130	04/17/13 20:15	04/19/13 17:49	1
Toluene-d8 (Surr)	108		70 - 130	04/17/13 20:15	04/19/13 17:49	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0833	0.0124	mg/Kg	✖	04/18/13 12:55	04/18/13 21:24	1
Acenaphthylene	ND		0.0833	0.0112	mg/Kg	✖	04/18/13 12:55	04/18/13 21:24	1
Anthracene	ND		0.0833	0.0112	mg/Kg	✖	04/18/13 12:55	04/18/13 21:24	1
Benzo[a]anthracene	ND		0.0833	0.0186	mg/Kg	✖	04/18/13 12:55	04/18/13 21:24	1
Benzo[a]pyrene	ND		0.0833	0.0149	mg/Kg	✖	04/18/13 12:55	04/18/13 21:24	1
Benzo[b]fluoranthene	ND		0.0833	0.0149	mg/Kg	✖	04/18/13 12:55	04/18/13 21:24	1
Benzo[g,h,i]perylene	ND		0.0833	0.0112	mg/Kg	✖	04/18/13 12:55	04/18/13 21:24	1
Benzo[k]fluoranthene	ND		0.0833	0.0174	mg/Kg	✖	04/18/13 12:55	04/18/13 21:24	1
1-Methylnaphthalene	ND		0.0833	0.0174	mg/Kg	✖	04/18/13 12:55	04/18/13 21:24	1
Pyrene	ND		0.0833	0.0149	mg/Kg	✖	04/18/13 12:55	04/18/13 21:24	1
Phenanthrene	ND		0.0833	0.0112	mg/Kg	✖	04/18/13 12:55	04/18/13 21:24	1
Chrysene	ND		0.0833	0.0112	mg/Kg	✖	04/18/13 12:55	04/18/13 21:24	1
Dibenz[a,h]anthracene	ND		0.0833	0.00870	mg/Kg	✖	04/18/13 12:55	04/18/13 21:24	1
Fluoranthene	ND		0.0833	0.0112	mg/Kg	✖	04/18/13 12:55	04/18/13 21:24	1
Fluorene	ND		0.0833	0.0149	mg/Kg	✖	04/18/13 12:55	04/18/13 21:24	1
Indeno[1,2,3-cd]pyrene	ND		0.0833	0.0124	mg/Kg	✖	04/18/13 12:55	04/18/13 21:24	1
Naphthalene	ND		0.0833	0.0112	mg/Kg	✖	04/18/13 12:55	04/18/13 21:24	1
2-Methylnaphthalene	ND		0.0833	0.0199	mg/Kg	✖	04/18/13 12:55	04/18/13 21:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	68		29 - 120	04/18/13 12:55	04/18/13 21:24	1
Terphenyl-d14 (Surr)	94		13 - 120	04/18/13 12:55	04/18/13 21:24	1
Nitrobenzene-d5 (Surr)	66		27 - 120	04/18/13 12:55	04/18/13 21:24	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	79		0.10	0.10	%			04/18/13 11:20	1

TestAmerica Nashville

Client Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 1422 Albatross

Lab Sample ID: 490-24495-5

Date Collected: 04/08/13 13:45

Matrix: Solid

Date Received: 04/17/13 08:30

Percent Solids: 76.3

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00213	0.000714	mg/Kg	☒	04/17/13 20:15	04/19/13 18:16	1
Ethylbenzene	ND		0.00213	0.000714	mg/Kg	☒	04/17/13 20:15	04/19/13 18:16	1
Naphthalene	ND		0.00533	0.00181	mg/Kg	☒	04/17/13 20:15	04/19/13 18:16	1
Toluene	ND		0.00213	0.000789	mg/Kg	☒	04/17/13 20:15	04/19/13 18:16	1
Xylenes, Total	ND		0.00533	0.000714	mg/Kg	☒	04/17/13 20:15	04/19/13 18:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		70 - 130	04/17/13 20:15	04/19/13 18:16	1
4-Bromofluorobenzene (Surr)	113		70 - 130	04/17/13 20:15	04/19/13 18:16	1
Dibromofluoromethane (Surr)	94		70 - 130	04/17/13 20:15	04/19/13 18:16	1
Toluene-d8 (Surr)	108		70 - 130	04/17/13 20:15	04/19/13 18:16	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0867	0.0129	mg/Kg	☒	04/18/13 12:55	04/18/13 21:46	1
Acenaphthylene	ND		0.0867	0.0116	mg/Kg	☒	04/18/13 12:55	04/18/13 21:46	1
Anthracene	ND		0.0867	0.0116	mg/Kg	☒	04/18/13 12:55	04/18/13 21:46	1
Benzo[a]anthracene	ND		0.0867	0.0194	mg/Kg	☒	04/18/13 12:55	04/18/13 21:46	1
Benzo[a]pyrene	ND		0.0867	0.0155	mg/Kg	☒	04/18/13 12:55	04/18/13 21:46	1
Benzo[b]fluoranthene	ND		0.0867	0.0155	mg/Kg	☒	04/18/13 12:55	04/18/13 21:46	1
Benzo[g,h,i]perylene	ND		0.0867	0.0116	mg/Kg	☒	04/18/13 12:55	04/18/13 21:46	1
Benzo[k]fluoranthene	ND		0.0867	0.0181	mg/Kg	☒	04/18/13 12:55	04/18/13 21:46	1
1-Methylnaphthalene	ND		0.0867	0.0181	mg/Kg	☒	04/18/13 12:55	04/18/13 21:46	1
Pyrene	ND		0.0867	0.0155	mg/Kg	☒	04/18/13 12:55	04/18/13 21:46	1
Phenanthrene	ND		0.0867	0.0116	mg/Kg	☒	04/18/13 12:55	04/18/13 21:46	1
Chrysene	ND		0.0867	0.0116	mg/Kg	☒	04/18/13 12:55	04/18/13 21:46	1
Dibenz(a,h)anthracene	ND		0.0867	0.00906	mg/Kg	☒	04/18/13 12:55	04/18/13 21:46	1
Fluoranthene	ND		0.0867	0.0116	mg/Kg	☒	04/18/13 12:55	04/18/13 21:46	1
Fluorene	ND		0.0867	0.0155	mg/Kg	☒	04/18/13 12:55	04/18/13 21:46	1
Indeno[1,2,3-cd]pyrene	ND		0.0867	0.0129	mg/Kg	☒	04/18/13 12:55	04/18/13 21:46	1
Naphthalene	ND		0.0867	0.0116	mg/Kg	☒	04/18/13 12:55	04/18/13 21:46	1
2-Methylnaphthalene	ND		0.0867	0.0207	mg/Kg	☒	04/18/13 12:55	04/18/13 21:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	58		29 - 120	04/18/13 12:55	04/18/13 21:46	1
Terphenyl-d14 (Surr)	77		13 - 120	04/18/13 12:55	04/18/13 21:46	1
Nitrobenzene-d5 (Surr)	57		27 - 120	04/18/13 12:55	04/18/13 21:46	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	76		0.10	0.10	%			04/18/13 11:20	1

TestAmerica Nashville

Client Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 1418 Albatross

Lab Sample ID: 490-24495-6

Date Collected: 04/09/13 15:30

Matrix: Solid

Date Received: 04/17/13 08:30

Percent Solids: 77.0

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.00293		0.00215	0.000720	mg/Kg	☒	04/17/13 20:15	04/19/13 18:43	1
Ethylbenzene	0.975		0.136	0.0462	mg/Kg	☒	04/17/13 20:10	04/22/13 18:19	1
Naphthalene	5.81		0.340	0.116	mg/Kg	☒	04/17/13 20:10	04/22/13 18:19	1
Toluene	0.00736		0.00215	0.000795	mg/Kg	☒	04/17/13 20:15	04/19/13 18:43	1
Xylenes, Total	4.14		0.340	0.0462	mg/Kg	☒	04/17/13 20:10	04/22/13 18:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		70 - 130	04/17/13 20:15	04/19/13 18:43	1
1,2-Dichloroethane-d4 (Surr)	93		70 - 130	04/17/13 20:10	04/22/13 18:19	1
4-Bromofluorobenzene (Surr)	804	X	70 - 130	04/17/13 20:15	04/19/13 18:43	1
4-Bromofluorobenzene (Surr)	113		70 - 130	04/17/13 20:10	04/22/13 18:19	1
Dibromofluoromethane (Surr)	94		70 - 130	04/17/13 20:15	04/19/13 18:43	1
Dibromofluoromethane (Surr)	93		70 - 130	04/17/13 20:10	04/22/13 18:19	1
Toluene-d8 (Surr)	111		70 - 130	04/17/13 20:15	04/19/13 18:43	1
Toluene-d8 (Surr)	104		70 - 130	04/17/13 20:10	04/22/13 18:19	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.225		0.0852	0.0127	mg/Kg	☒	04/18/13 12:55	04/18/13 22:08	1
Acenaphthylene	0.144		0.0852	0.0114	mg/Kg	☒	04/18/13 12:55	04/18/13 22:08	1
Anthracene	0.342		0.0852	0.0114	mg/Kg	☒	04/18/13 12:55	04/18/13 22:08	1
Benzo[a]anthracene	0.870		0.0852	0.0191	mg/Kg	☒	04/18/13 12:55	04/18/13 22:08	1
Benzo[a]pyrene	0.334		0.0852	0.0153	mg/Kg	☒	04/18/13 12:55	04/18/13 22:08	1
Benzo[b]fluoranthene	0.571		0.0852	0.0153	mg/Kg	☒	04/18/13 12:55	04/18/13 22:08	1
Benzo[g,h,i]perylene	0.103		0.0852	0.0114	mg/Kg	☒	04/18/13 12:55	04/18/13 22:08	1
Benzo[k]fluoranthene	0.230		0.0852	0.0178	mg/Kg	☒	04/18/13 12:55	04/18/13 22:08	1
1-Methylnaphthalene	3.88		0.0852	0.0178	mg/Kg	☒	04/18/13 12:55	04/18/13 22:08	1
Pyrene	2.07		0.0852	0.0153	mg/Kg	☒	04/18/13 12:55	04/18/13 22:08	1
Phenanthrene	2.73		0.0852	0.0114	mg/Kg	☒	04/18/13 12:55	04/18/13 22:08	1
Chrysene	0.745		0.0852	0.0114	mg/Kg	☒	04/18/13 12:55	04/18/13 22:08	1
Dibenz(a,h)anthracene	ND		0.0852	0.00890	mg/Kg	☒	04/18/13 12:55	04/18/13 22:08	1
Fluoranthene	2.19		0.0852	0.0114	mg/Kg	☒	04/18/13 12:55	04/18/13 22:08	1
Fluorene	0.735		0.0852	0.0153	mg/Kg	☒	04/18/13 12:55	04/18/13 22:08	1
Indeno[1,2,3-cd]pyrene	0.0905		0.0852	0.0127	mg/Kg	☒	04/18/13 12:55	04/18/13 22:08	1
Naphthalene	0.998		0.0852	0.0114	mg/Kg	☒	04/18/13 12:55	04/18/13 22:08	1
2-Methylnaphthalene	5.50		0.170	0.0407	mg/Kg	☒	04/18/13 12:55	04/19/13 18:50	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	63		29 - 120	04/18/13 12:55	04/18/13 22:08	1
Terphenyl-d14 (Surr)	93		13 - 120	04/18/13 12:55	04/18/13 22:08	1
Nitrobenzene-d5 (Surr)	62		27 - 120	04/18/13 12:55	04/18/13 22:08	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	77		0.10	0.10	%			04/18/13 11:20	1

TestAmerica Nashville

Client Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 591 Aster

Lab Sample ID: 490-24495-7

Date Collected: 04/10/13 14:45

Matrix: Solid

Date Received: 04/17/13 08:30

Percent Solids: 96.7

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00222	0.000745	mg/Kg	✖	04/17/13 20:15	04/22/13 16:31	↑
Ethylbenzene	ND		0.00222	0.000745	mg/Kg	✖	04/17/13 20:15	04/22/13 16:31	↑
Naphthalene	ND		0.00556	0.00189	mg/Kg	✖	04/17/13 20:15	04/22/13 16:31	↑
Toluene	ND		0.00222	0.000823	mg/Kg	✖	04/17/13 20:15	04/22/13 16:31	↑
Xylenes, Total	ND		0.00556	0.000745	mg/Kg	✖	04/17/13 20:15	04/22/13 16:31	↑

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		70 - 130	04/17/13 20:15	04/22/13 16:31	↑
4-Bromofluorobenzene (Surr)	105		70 - 130	04/17/13 20:15	04/22/13 16:31	↑
Dibromofluoromethane (Surr)	97		70 - 130	04/17/13 20:15	04/22/13 16:31	↑
Toluene-d8 (Surr)	106		70 - 130	04/17/13 20:15	04/22/13 16:31	↑

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0692	0.0103	mg/Kg	✖	04/18/13 12:55	04/18/13 22:30	↑
Acenaphthylene	ND		0.0692	0.00929	mg/Kg	✖	04/18/13 12:55	04/18/13 22:30	↑
Anthracene	ND		0.0692	0.00929	mg/Kg	✖	04/18/13 12:55	04/18/13 22:30	↑
Benzo[a]anthracene	ND		0.0692	0.0155	mg/Kg	✖	04/18/13 12:55	04/18/13 22:30	↑
Benzo[a]pyrene	ND		0.0692	0.0124	mg/Kg	✖	04/18/13 12:55	04/18/13 22:30	↑
Benzo[b]fluoranthene	ND		0.0692	0.0124	mg/Kg	✖	04/18/13 12:55	04/18/13 22:30	↑
Benzo[g,h,i]perylene	ND		0.0692	0.00929	mg/Kg	✖	04/18/13 12:55	04/18/13 22:30	↑
Benzo[k]fluoranthene	ND		0.0692	0.0145	mg/Kg	✖	04/18/13 12:55	04/18/13 22:30	↑
1-Methylnaphthalene	ND		0.0692	0.0145	mg/Kg	✖	04/18/13 12:55	04/18/13 22:30	↑
Pyrene	ND		0.0692	0.0124	mg/Kg	✖	04/18/13 12:55	04/18/13 22:30	↑
Phenanthrene	ND		0.0692	0.00929	mg/Kg	✖	04/18/13 12:55	04/18/13 22:30	↑
Chrysene	ND		0.0692	0.00929	mg/Kg	✖	04/18/13 12:55	04/18/13 22:30	↑
Dibenz(a,h)anthracene	ND		0.0692	0.00723	mg/Kg	✖	04/18/13 12:55	04/18/13 22:30	↑
Fluoranthene	ND		0.0692	0.00929	mg/Kg	✖	04/18/13 12:55	04/18/13 22:30	↑
Fluorene	ND		0.0692	0.0124	mg/Kg	✖	04/18/13 12:55	04/18/13 22:30	↑
Indeno[1,2,3-cd]pyrene	ND		0.0692	0.0103	mg/Kg	✖	04/18/13 12:55	04/18/13 22:30	↑
Naphthalene	ND		0.0692	0.00929	mg/Kg	✖	04/18/13 12:55	04/18/13 22:30	↑
2-Methylnaphthalene	ND		0.0692	0.0165	mg/Kg	✖	04/18/13 12:55	04/18/13 22:30	↑

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	66		29 - 120	04/18/13 12:55	04/18/13 22:30	↑
Terphenyl-d14 (Surr)	83		13 - 120	04/18/13 12:55	04/18/13 22:30	↑
Nitrobenzene-d5 (Surr)	65		27 - 120	04/18/13 12:55	04/18/13 22:30	↑

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	97		0.10	0.10	%			04/18/13 11:20	↑

TestAmerica Nashville

Client Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 434 Elderberry

Lab Sample ID: 490-24495-8

Date Collected: 04/11/13 11:45

Matrix: Solid

Date Received: 04/17/13 08:30

Percent Solids: 81.2

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00242	0.000811	mg/Kg	⚠	04/17/13 20:15	04/19/13 19:37	1
Ethylbenzene	ND		0.00242	0.000811	mg/Kg	⚠	04/17/13 20:15	04/19/13 19:37	1
Naphthalene	ND		0.00605	0.00206	mg/Kg	⚠	04/17/13 20:15	04/19/13 19:37	1
Toluene	ND		0.00242	0.000896	mg/Kg	⚠	04/17/13 20:15	04/19/13 19:37	1
Xylenes, Total	ND		0.00605	0.000811	mg/Kg	⚠	04/17/13 20:15	04/19/13 19:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		70 - 130	04/17/13 20:15	04/19/13 19:37	1
4-Bromofluorobenzene (Surr)	111		70 - 130	04/17/13 20:15	04/19/13 19:37	1
Dibromofluoromethane (Surr)	93		70 - 130	04/17/13 20:15	04/19/13 19:37	1
Toluene-d8 (Surr)	107		70 - 130	04/17/13 20:15	04/19/13 19:37	1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0824	0.0123	mg/Kg	⚠	04/18/13 12:55	04/18/13 22:52	1
Acenaphthylene	ND		0.0824	0.0111	mg/Kg	⚠	04/18/13 12:55	04/18/13 22:52	1
Anthracene	ND		0.0824	0.0111	mg/Kg	⚠	04/18/13 12:55	04/18/13 22:52	1
Benzo[a]anthracene	ND		0.0824	0.0185	mg/Kg	⚠	04/18/13 12:55	04/18/13 22:52	1
Benzo[a]pyrene	ND		0.0824	0.0148	mg/Kg	⚠	04/18/13 12:55	04/18/13 22:52	1
Benzo[b]fluoranthene	ND		0.0824	0.0148	mg/Kg	⚠	04/18/13 12:55	04/18/13 22:52	1
Benzo[g,h,i]perylene	ND		0.0824	0.0111	mg/Kg	⚠	04/18/13 12:55	04/18/13 22:52	1
Benzo[k]fluoranthene	ND		0.0824	0.0172	mg/Kg	⚠	04/18/13 12:55	04/18/13 22:52	1
1-Methylnaphthalene	ND		0.0824	0.0172	mg/Kg	⚠	04/18/13 12:55	04/18/13 22:52	1
Pyrene	ND		0.0824	0.0148	mg/Kg	⚠	04/18/13 12:55	04/18/13 22:52	1
Phenanthrene	ND		0.0824	0.0111	mg/Kg	⚠	04/18/13 12:55	04/18/13 22:52	1
Chrysene	ND		0.0824	0.0111	mg/Kg	⚠	04/18/13 12:55	04/18/13 22:52	1
Dibenz(a,h)anthracene	ND		0.0824	0.00861	mg/Kg	⚠	04/18/13 12:55	04/18/13 22:52	1
Fluoranthene	ND		0.0824	0.0111	mg/Kg	⚠	04/18/13 12:55	04/18/13 22:52	1
Fluorene	ND		0.0824	0.0148	mg/Kg	⚠	04/18/13 12:55	04/18/13 22:52	1
Indeno[1,2,3-cd]pyrene	ND		0.0824	0.0123	mg/Kg	⚠	04/18/13 12:55	04/18/13 22:52	1
Naphthalene	ND		0.0824	0.0111	mg/Kg	⚠	04/18/13 12:55	04/18/13 22:52	1
2-Methylnaphthalene	ND		0.0824	0.0197	mg/Kg	⚠	04/18/13 12:55	04/18/13 22:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	69		29 - 120	04/18/13 12:55	04/18/13 22:52	1
Terphenyl-d14 (Surr)	99		13 - 120	04/18/13 12:55	04/18/13 22:52	1
Nitrobenzene-d5 (Surr)	63		27 - 120	04/18/13 12:55	04/18/13 22:52	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	81		0.10	0.10	%			04/18/13 11:20	1

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: 490-24512-C-6-B MS

Matrix: Solid

Analysis Batch: 73618

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 73519

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.00110	J	0.0539	0.03448		mg/Kg	☼	62	31 - 143
Ethylbenzene	ND		0.0539	0.01888		mg/Kg	☼	35	23 - 161
Naphthalene	ND		0.0539	0.005860		mg/Kg	☼	11	10 - 176
Toluene	0.000864	J	0.0539	0.02707		mg/Kg	☼	49	30 - 155
Xylenes, Total	0.000843	J	0.162	0.05274		mg/Kg	☼	32	25 - 162

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	101		70 - 130
4-Bromofluorobenzene (Surr)	198	X	70 - 130
Dibromofluoromethane (Surr)	96		70 - 130
Toluene-d8 (Surr)	110		70 - 130

Lab Sample ID: 490-24512-C-6-C MSD

Matrix: Solid

Analysis Batch: 73618

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 73519

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	0.00110	J	0.0518	0.04027		mg/Kg	☼	76	31 - 143	15	50
Ethylbenzene	ND		0.0518	0.02704		mg/Kg	☼	52	23 - 161	36	50
Naphthalene	ND		0.0518	0.009543		mg/Kg	☼	18	10 - 176	48	50
Toluene	0.000864	J	0.0518	0.03447		mg/Kg	☼	65	30 - 155	24	50
Xylenes, Total	0.000843	J	0.155	0.07682		mg/Kg	☼	49	25 - 162	37	50

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	103		70 - 130
4-Bromofluorobenzene (Surr)	132	X	70 - 130
Dibromofluoromethane (Surr)	98		70 - 130
Toluene-d8 (Surr)	109		70 - 130

Lab Sample ID: MB 490-73618/7

Matrix: Solid

Analysis Batch: 73618

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.000670	mg/Kg			04/19/13 12:45	1
Ethylbenzene	ND		0.00200	0.000670	mg/Kg			04/19/13 12:45	1
Naphthalene	ND		0.00500	0.00170	mg/Kg			04/19/13 12:45	1
Toluene	ND		0.00200	0.000740	mg/Kg			04/19/13 12:45	1
Xylenes, Total	ND		0.00500	0.000670	mg/Kg			04/19/13 12:45	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		70 - 130		04/19/13 12:45	1
4-Bromofluorobenzene (Surr)	107		70 - 130		04/19/13 12:45	1
Dibromofluoromethane (Surr)	97		70 - 130		04/19/13 12:45	1
Toluene-d8 (Surr)	106		70 - 130		04/19/13 12:45	1

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-73618/3

Matrix: Solid

Analysis Batch: 73618

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.0500	0.05508		mg/Kg		110	75 - 127
Ethylbenzene	0.0500	0.05505		mg/Kg		110	80 - 134
Naphthalene	0.0500	0.06555		mg/Kg		131	69 - 150
Toluene	0.0500	0.05675		mg/Kg		113	80 - 132
Xylenes, Total	0.150	0.1661		mg/Kg		111	80 - 137

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		70 - 130
4-Bromofluorobenzene (Surr)	108		70 - 130
Dibromofluoromethane (Surr)	99		70 - 130
Toluene-d8 (Surr)	107		70 - 130

Lab Sample ID: LCSD 490-73618/4

Matrix: Solid

Analysis Batch: 73618

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	0.0500	0.05389		mg/Kg		108	75 - 127	2	50
Ethylbenzene	0.0500	0.05412		mg/Kg		108	80 - 134	2	50
Naphthalene	0.0500	0.06231		mg/Kg		125	69 - 150	5	50
Toluene	0.0500	0.05611		mg/Kg		112	80 - 132	1	50
Xylenes, Total	0.150	0.1635		mg/Kg		109	80 - 137	2	50

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	100		70 - 130
4-Bromofluorobenzene (Surr)	109		70 - 130
Dibromofluoromethane (Surr)	98		70 - 130
Toluene-d8 (Surr)	108		70 - 130

Lab Sample ID: MB 490-74074/6

Matrix: Solid

Analysis Batch: 74074

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.100	0.0335	mg/Kg			04/22/13 14:05	1
Ethylbenzene	ND		0.100	0.0335	mg/Kg			04/22/13 14:05	1
Naphthalene	ND		0.250	0.0850	mg/Kg			04/22/13 14:05	1
Toluene	ND		0.100	0.0370	mg/Kg			04/22/13 14:05	1
Xylenes, Total	ND		0.250	0.0335	mg/Kg			04/22/13 14:05	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		70 - 130		04/22/13 14:05	1
4-Bromofluorobenzene (Surr)	102		70 - 130		04/22/13 14:05	1
Dibromofluoromethane (Surr)	98		70 - 130		04/22/13 14:05	1
Toluene-d8 (Surr)	104		70 - 130		04/22/13 14:05	1

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-74074/7

Matrix: Solid

Analysis Batch: 74074

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	Result	MB MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.000670	mg/Kg			04/22/13 14:32	1
Ethylbenzene	ND		0.00200	0.000670	mg/Kg			04/22/13 14:32	1
Naphthalene	ND		0.00500	0.00170	mg/Kg			04/22/13 14:32	1
Toluene	ND		0.00200	0.000740	mg/Kg			04/22/13 14:32	1
Xylenes, Total	ND		0.00500	0.000670	mg/Kg			04/22/13 14:32	1

Surrogate	%Recovery	MB MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		70 - 130		04/22/13 14:32	1
4-Bromofluorobenzene (Surr)	104		70 - 130		04/22/13 14:32	1
Dibromofluoromethane (Surr)	100		70 - 130		04/22/13 14:32	1
Toluene-d8 (Surr)	106		70 - 130		04/22/13 14:32	1

Lab Sample ID: LCS 490-74074/3

Matrix: Solid

Analysis Batch: 74074

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.0500	0.05114		mg/Kg		102	75 - 127
Ethylbenzene	0.0500	0.05100		mg/Kg		102	80 - 134
Naphthalene	0.0500	0.05759		mg/Kg		115	69 - 150
Toluene	0.0500	0.05120		mg/Kg		102	80 - 132
Xylenes, Total	0.150	0.1566		mg/Kg		104	80 - 137

Surrogate	%Recovery	LCS LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	101		70 - 130
4-Bromofluorobenzene (Surr)	103		70 - 130
Dibromofluoromethane (Surr)	100		70 - 130
Toluene-d8 (Surr)	105		70 - 130

Lab Sample ID: LCSD 490-74074/4

Matrix: Solid

Analysis Batch: 74074

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	0.0500	0.05255		mg/Kg		105	75 - 127	3	50
Ethylbenzene	0.0500	0.05238		mg/Kg		105	80 - 134	3	50
Naphthalene	0.0500	0.05937		mg/Kg		119	69 - 150	3	50
Toluene	0.0500	0.05273		mg/Kg		105	80 - 132	3	50
Xylenes, Total	0.150	0.1601		mg/Kg		107	80 - 137	2	50

Surrogate	%Recovery	LCSD LCSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	102		70 - 130
4-Bromofluorobenzene (Surr)	103		70 - 130
Dibromofluoromethane (Surr)	102		70 - 130
Toluene-d8 (Surr)	105		70 - 130

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 490-73447/1-A

Matrix: Solid

Analysis Batch: 73484

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 73447

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0670	0.0100	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Acenaphthylene	ND		0.0670	0.00900	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Anthracene	ND		0.0670	0.00900	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Benzo[a]anthracene	ND		0.0670	0.0150	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Benzo[a]pyrene	ND		0.0670	0.0120	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Benzo[b]fluoranthene	ND		0.0670	0.0120	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Benzo[g,h,i]perylene	ND		0.0670	0.00900	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Benzo[k]fluoranthene	ND		0.0670	0.0140	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
1-Methylnaphthalene	ND		0.0670	0.0140	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Pyrene	ND		0.0670	0.0120	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Phenanthrene	ND		0.0670	0.00900	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Chrysene	ND		0.0670	0.00900	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Dibenz(a,h)anthracene	ND		0.0670	0.00700	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Fluoranthene	ND		0.0670	0.00900	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Fluorene	ND		0.0670	0.0120	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Indeno[1,2,3-cd]pyrene	ND		0.0670	0.0100	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
Naphthalene	ND		0.0670	0.00900	mg/Kg		04/18/13 12:55	04/18/13 16:35	1
2-Methylnaphthalene	ND		0.0670	0.0160	mg/Kg		04/18/13 12:55	04/18/13 16:35	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	64		29 - 120	04/18/13 12:55	04/18/13 16:35	1
Terphenyl-d14 (Surr)	87		13 - 120	04/18/13 12:55	04/18/13 16:35	1
Nitrobenzene-d5 (Surr)	66		27 - 120	04/18/13 12:55	04/18/13 16:35	1

Lab Sample ID: LCS 490-73447/2-A

Matrix: Solid

Analysis Batch: 73484

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 73447

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acenaphthylene	1.67	1.263		mg/Kg		76	38 - 120
Anthracene	1.67	1.377		mg/Kg		83	46 - 124
Benzo[a]anthracene	1.67	1.317		mg/Kg		79	45 - 120
Benzo[a]pyrene	1.67	1.318		mg/Kg		79	45 - 120
Benzo[b]fluoranthene	1.67	1.301		mg/Kg		78	42 - 120
Benzo[g,h,i]perylene	1.67	1.313		mg/Kg		79	38 - 120
Benzo[k]fluoranthene	1.67	1.372		mg/Kg		82	42 - 120
1-Methylnaphthalene	1.67	1.330		mg/Kg		80	32 - 120
Pyrene	1.67	1.361		mg/Kg		82	43 - 120
Phenanthrene	1.67	1.389		mg/Kg		83	45 - 120
Chrysene	1.67	1.374		mg/Kg		82	43 - 120
Dibenz(a,h)anthracene	1.67	1.222		mg/Kg		73	32 - 128
Fluoranthene	1.67	1.346		mg/Kg		81	46 - 120
Fluorene	1.67	1.267		mg/Kg		76	42 - 120
Indeno[1,2,3-cd]pyrene	1.67	1.281		mg/Kg		77	41 - 121
Naphthalene	1.67	1.218		mg/Kg		73	32 - 120
2-Methylnaphthalene	1.67	1.402		mg/Kg		84	28 - 120

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-73447/2-A

Matrix: Solid

Analysis Batch: 73484

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 73447

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Fluorobiphenyl (Surr)	66		29 - 120
Terphenyl-d14 (Surr)	84		13 - 120
Nitrobenzene-d5 (Surr)	67		27 - 120

Lab Sample ID: 490-24039-A-1-B MS

Matrix: Solid

Analysis Batch: 73484

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 73447

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Acenaphthylene	ND		1.85	1.302		mg/Kg	☒	70	25 - 120
Anthracene	0.0350	J	1.85	1.433		mg/Kg	☒	75	28 - 125
Benzo[a]anthracene	0.125		1.85	1.436		mg/Kg	☒	71	23 - 120
Benzo[a]pyrene	0.129		1.85	1.412		mg/Kg	☒	69	15 - 128
Benzo[b]fluoranthene	0.161		1.85	1.486		mg/Kg	☒	72	12 - 133
Benzo[g,h,i]perylene	0.0772		1.85	1.349		mg/Kg	☒	69	22 - 120
Benzo[k]fluoranthene	0.0753		1.85	1.454		mg/Kg	☒	74	28 - 120
1-Methylnaphthalene	ND		1.85	1.299		mg/Kg	☒	70	10 - 120
Pyrene	0.230		1.85	1.667		mg/Kg	☒	78	20 - 123
Phenanthrene	0.125		1.85	1.493		mg/Kg	☒	74	21 - 122
Chrysene	0.132		1.85	1.478		mg/Kg	☒	73	20 - 120
Dibenz(a,h)anthracene	ND		1.85	1.258		mg/Kg	☒	68	12 - 128
Fluoranthene	0.232		1.85	1.426		mg/Kg	☒	64	10 - 143
Fluorene	ND		1.85	1.321		mg/Kg	☒	71	20 - 120
Indeno[1,2,3-cd]pyrene	0.0666	J	1.85	1.285		mg/Kg	☒	66	22 - 121
Naphthalene	ND		1.85	1.116		mg/Kg	☒	60	10 - 120
2-Methylnaphthalene	ND		1.85	1.331		mg/Kg	☒	72	13 - 120

Surrogate	MS %Recovery	MS Qualifier	Limits
2-Fluorobiphenyl (Surr)	56		29 - 120
Terphenyl-d14 (Surr)	87		13 - 120
Nitrobenzene-d5 (Surr)	52		27 - 120

Lab Sample ID: 490-24039-A-1-C MSD

Matrix: Solid

Analysis Batch: 73484

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 73447

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Acenaphthylene	ND		1.83	1.384		mg/Kg	☒	76	25 - 120	6	50
Anthracene	0.0350	J	1.83	1.352		mg/Kg	☒	72	28 - 125	6	49
Benzo[a]anthracene	0.125		1.83	1.404		mg/Kg	☒	70	23 - 120	2	50
Benzo[a]pyrene	0.129		1.83	1.336		mg/Kg	☒	66	15 - 128	5	50
Benzo[b]fluoranthene	0.161		1.83	1.479		mg/Kg	☒	72	12 - 133	0	50
Benzo[g,h,i]perylene	0.0772		1.83	1.276		mg/Kg	☒	65	22 - 120	6	50
Benzo[k]fluoranthene	0.0753		1.83	1.363		mg/Kg	☒	70	28 - 120	6	45
1-Methylnaphthalene	ND		1.83	1.393		mg/Kg	☒	76	10 - 120	7	50
Pyrene	0.230		1.83	1.600		mg/Kg	☒	75	20 - 123	4	50
Phenanthrene	0.125		1.83	1.443		mg/Kg	☒	72	21 - 122	3	50
Chrysene	0.132		1.83	1.390		mg/Kg	☒	69	20 - 120	6	49

TestAmerica Nashville

QC Sample Results

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 490-24039-A-1-C MSD

Matrix: Solid

Analysis Batch: 73484

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 73447

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	
	Result	Qualifier	Added	Result	Qualifier				Limits	RPD	Limit
Dibenz(a,h)anthracene	ND		1.83	1.233		mg/Kg	☒	67	12 - 128	2	50
Fluoranthene	0.232		1.83	1.377		mg/Kg	☒	62	10 - 143	4	50
Fluorene	ND		1.83	1.315		mg/Kg	☒	72	20 - 120	0	50
Indeno[1,2,3-cd]pyrene	0.0666	J	1.83	1.218		mg/Kg	☒	63	22 - 121	5	50
Naphthalene	ND		1.83	1.253		mg/Kg	☒	68	10 - 120	12	50
2-Methylnaphthalene	ND		1.83	1.374		mg/Kg	☒	75	13 - 120	3	50
MSD MSD											
Surrogate	%Recovery	Qualifier	Limits								
2-Fluorobiphenyl (Surr)	57		29 - 120								
Terphenyl-d14 (Surr)	79		13 - 120								
Nitrobenzene-d5 (Surr)	62		27 - 120								

Method: Moisture - Percent Moisture

Lab Sample ID: 490-24492-A-21 DU

Matrix: Solid

Analysis Batch: 73396

Client Sample ID: Duplicate

Prep Type: Total/NA

Analyte	Sample	Sample	DU	DU	Unit	D	RPD	
	Result	Qualifier	Result	Qualifier			RPD	Limit
Percent Solids	89		89		%		0.06	20

TestAmerica Nashville

QC Association Summary

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

GC/MS VOA

Prep Batch: 73253

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-24495-1	1433 Dove	Total/NA	Solid	5035	
490-24495-2	1435-2 Dove	Total/NA	Solid	5035	
490-24495-6	1418 Albatross	Total/NA	Solid	5035	

Prep Batch: 73254

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-24495-1	1433 Dove	Total/NA	Solid	5035	
490-24495-2	1435-2 Dove	Total/NA	Solid	5035	
490-24495-3	590 Aster	Total/NA	Solid	5035	
490-24495-4	642 Dahlia-2	Total/NA	Solid	5035	
490-24495-5	1422 Albatross	Total/NA	Solid	5035	
490-24495-6	1418 Albatross	Total/NA	Solid	5035	
490-24495-7	591 Aster	Total/NA	Solid	5035	
490-24495-8	434 Elderberry	Total/NA	Solid	5035	

Prep Batch: 73519

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-24512-C-6-B MS	Matrix Spike	Total/NA	Solid	5035	
490-24512-C-6-C MSD	Matrix Spike Duplicate	Total/NA	Solid	5035	

Analysis Batch: 73618

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-24495-1	1433 Dove	Total/NA	Solid	8260B	73254
490-24495-2	1435-2 Dove	Total/NA	Solid	8260B	73254
490-24495-4	642 Dahlia-2	Total/NA	Solid	8260B	73254
490-24495-5	1422 Albatross	Total/NA	Solid	8260B	73254
490-24495-6	1418 Albatross	Total/NA	Solid	8260B	73254
490-24495-8	434 Elderberry	Total/NA	Solid	8260B	73254
490-24512-C-6-B MS	Matrix Spike	Total/NA	Solid	8260B	73519
490-24512-C-6-C MSD	Matrix Spike Duplicate	Total/NA	Solid	8260B	73519
LCS 490-73618/3	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 490-73618/4	Lab Control Sample Dup	Total/NA	Solid	8260B	
MB 490-73618/7	Method Blank	Total/NA	Solid	8260B	

Analysis Batch: 74074

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-24495-1	1433 Dove	Total/NA	Solid	8260B	73253
490-24495-2	1435-2 Dove	Total/NA	Solid	8260B	73253
490-24495-2	1435-2 Dove	Total/NA	Solid	8260B	73253
490-24495-3	590 Aster	Total/NA	Solid	8260B	73254
490-24495-6	1418 Albatross	Total/NA	Solid	8260B	73253
490-24495-7	591 Aster	Total/NA	Solid	8260B	73254
LCS 490-74074/3	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 490-74074/4	Lab Control Sample Dup	Total/NA	Solid	8260B	
MB 490-74074/6	Method Blank	Total/NA	Solid	8260B	
MB 490-74074/7	Method Blank	Total/NA	Solid	8260B	

TestAmerica Nashville

QC Association Summary

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

GC/MS Semi VOA

Prep Batch: 73447

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-24039-A-1-B MS	Matrix Spike	Total/NA	Solid	3550C	
490-24039-A-1-C MSD	Matrix Spike Duplicate	Total/NA	Solid	3550C	
490-24495-1	1433 Dove	Total/NA	Solid	3550C	
490-24495-2	1435-2 Dove	Total/NA	Solid	3550C	
490-24495-3	590 Aster	Total/NA	Solid	3550C	
490-24495-4	642 Dahlia-2	Total/NA	Solid	3550C	
490-24495-5	1422 Albatross	Total/NA	Solid	3550C	
490-24495-6	1418 Albatross	Total/NA	Solid	3550C	
490-24495-7	591 Aster	Total/NA	Solid	3550C	
490-24495-8	434 Elderberry	Total/NA	Solid	3550C	
LCS 490-73447/2-A	Lab Control Sample	Total/NA	Solid	3550C	
MB 490-73447/1-A	Method Blank	Total/NA	Solid	3550C	

Analysis Batch: 73484

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-24039-A-1-B MS	Matrix Spike	Total/NA	Solid	8270D	73447
490-24039-A-1-C MSD	Matrix Spike Duplicate	Total/NA	Solid	8270D	73447
490-24495-1	1433 Dove	Total/NA	Solid	8270D	73447
490-24495-2	1435-2 Dove	Total/NA	Solid	8270D	73447
490-24495-3	590 Aster	Total/NA	Solid	8270D	73447
490-24495-4	642 Dahlia-2	Total/NA	Solid	8270D	73447
490-24495-5	1422 Albatross	Total/NA	Solid	8270D	73447
490-24495-6	1418 Albatross	Total/NA	Solid	8270D	73447
490-24495-7	591 Aster	Total/NA	Solid	8270D	73447
490-24495-8	434 Elderberry	Total/NA	Solid	8270D	73447
LCS 490-73447/2-A	Lab Control Sample	Total/NA	Solid	8270D	73447
MB 490-73447/1-A	Method Blank	Total/NA	Solid	8270D	73447

Analysis Batch: 73722

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-24495-1	1433 Dove	Total/NA	Solid	8270D	73447
490-24495-2	1435-2 Dove	Total/NA	Solid	8270D	73447
490-24495-6	1418 Albatross	Total/NA	Solid	8270D	73447

General Chemistry

Analysis Batch: 73396

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-24492-A-21 DU	Duplicate	Total/NA	Solid	Moisture	
490-24495-1	1433 Dove	Total/NA	Solid	Moisture	
490-24495-2	1435-2 Dove	Total/NA	Solid	Moisture	
490-24495-3	590 Aster	Total/NA	Solid	Moisture	
490-24495-4	642 Dahlia-2	Total/NA	Solid	Moisture	
490-24495-5	1422 Albatross	Total/NA	Solid	Moisture	
490-24495-6	1418 Albatross	Total/NA	Solid	Moisture	
490-24495-7	591 Aster	Total/NA	Solid	Moisture	
490-24495-8	434 Elderberry	Total/NA	Solid	Moisture	

TestAmerica Nashville

Lab Chronicle

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 1433 Dove

Date Collected: 04/08/13 15:30

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-1

Matrix: Solid

Percent Solids: 77.8

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			73254	04/17/13 20:15	ML	TAL NSH
Total/NA	Analysis	8260B		1	73618	04/19/13 16:28	MH	TAL NSH
Total/NA	Prep	5035			73253	04/17/13 20:10	ML	TAL NSH
Total/NA	Analysis	8260B		2	74074	04/22/13 23:44	MH	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		1	73484	04/18/13 20:17	KP	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		4	73722	04/19/13 18:06	KP	TAL NSH
Total/NA	Analysis	Moisture		1	73396	04/18/13 11:20	RS	TAL NSH

Client Sample ID: 1435-2 Dove

Date Collected: 04/09/13 15:30

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-2

Matrix: Solid

Percent Solids: 80.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			73254	04/17/13 20:15	ML	TAL NSH
Total/NA	Analysis	8260B		1	73618	04/19/13 16:55	MH	TAL NSH
Total/NA	Prep	5035			73253	04/17/13 20:10	ML	TAL NSH
Total/NA	Analysis	8260B		1	74074	04/22/13 17:25	MH	TAL NSH
Total/NA	Prep	5035			73253	04/17/13 20:10	ML	TAL NSH
Total/NA	Analysis	8260B		20	74074	04/22/13 17:52	MH	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		1	73484	04/18/13 20:39	KP	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		2	73722	04/19/13 18:28	KP	TAL NSH
Total/NA	Analysis	Moisture		1	73396	04/18/13 11:20	RS	TAL NSH

Client Sample ID: 590 Aster

Date Collected: 04/10/13 14:15

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-3

Matrix: Solid

Percent Solids: 95.9

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			73254	04/17/13 20:15	ML	TAL NSH
Total/NA	Analysis	8260B		1	74074	04/22/13 16:04	MH	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		1	73484	04/18/13 21:02	KP	TAL NSH
Total/NA	Analysis	Moisture		1	73396	04/18/13 11:20	RS	TAL NSH

TestAmerica Nashville

Lab Chronicle

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 642 Dahlia-2

Date Collected: 04/11/13 14:15

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-4

Matrix: Solid

Percent Solids: 79.4

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			73254	04/17/13 20:15	ML	TAL NSH
Total/NA	Analysis	8260B		1	73618	04/19/13 17:49	MH	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		1	73484	04/18/13 21:24	KP	TAL NSH
Total/NA	Analysis	Moisture		1	73396	04/18/13 11:20	RS	TAL NSH

Client Sample ID: 1422 Albatross

Date Collected: 04/08/13 13:45

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-5

Matrix: Solid

Percent Solids: 76.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			73254	04/17/13 20:15	ML	TAL NSH
Total/NA	Analysis	8260B		1	73618	04/19/13 18:16	MH	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		1	73484	04/18/13 21:46	KP	TAL NSH
Total/NA	Analysis	Moisture		1	73396	04/18/13 11:20	RS	TAL NSH

Client Sample ID: 1418 Albatross

Date Collected: 04/09/13 15:30

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-6

Matrix: Solid

Percent Solids: 77.0

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			73254	04/17/13 20:15	ML	TAL NSH
Total/NA	Analysis	8260B		1	73618	04/19/13 18:43	MH	TAL NSH
Total/NA	Prep	5035			73253	04/17/13 20:10	ML	TAL NSH
Total/NA	Analysis	8260B		1	74074	04/22/13 18:19	MH	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		1	73484	04/18/13 22:08	KP	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		2	73722	04/19/13 18:50	KP	TAL NSH
Total/NA	Analysis	Moisture		1	73396	04/18/13 11:20	RS	TAL NSH

Client Sample ID: 591 Aster

Date Collected: 04/10/13 14:45

Date Received: 04/17/13 08:30

Lab Sample ID: 490-24495-7

Matrix: Solid

Percent Solids: 96.7

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			73254	04/17/13 20:15	ML	TAL NSH
Total/NA	Analysis	8260B		1	74074	04/22/13 16:31	MH	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		1	73484	04/18/13 22:30	KP	TAL NSH
Total/NA	Analysis	Moisture		1	73396	04/18/13 11:20	RS	TAL NSH

TestAmerica Nashville

Lab Chronicle

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Client Sample ID: 434 Elderberry

Lab Sample ID: 490-24495-8

Date Collected: 04/11/13 11:45

Matrix: Solid

Date Received: 04/17/13 08:30

Percent Solids: 81.2

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			73254	04/17/13 20:15	ML	TAL NSH
Total/NA	Analysis	8260B		1	73618	04/19/13 19:37	MH	TAL NSH
Total/NA	Prep	3550C			73447	04/18/13 12:55	JP	TAL NSH
Total/NA	Analysis	8270D		1	73484	04/18/13 22:52	KP	TAL NSH
Total/NA	Analysis	Moisture		1	73396	04/18/13 11:20	RS	TAL NSH

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Method Summary

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL NSH
8270D	Semivolatile Organic Compounds (GC/MS)	SW846	TAL NSH
Moisture	Percent Moisture	EPA	TAL NSH

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Certification Summary

Client: Environmental Enterprise Group
Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-24495-1

Laboratory: TestAmerica Nashville

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
	ACIL		393	10-30-13
A2LA	ISO/IEC 17025		0453.07	12-31-13
Alabama	State Program	4	41150	05-31-13
Alaska (UST)	State Program	10	UST-087	07-24-13
Arizona	State Program	9	AZ0473	05-05-13 *
Arkansas DEQ	State Program	6	88-0737	04-25-13 *
California	NELAP	9	1168CA	10-31-13
Connecticut	State Program	1	PH-0220	12-31-13
Florida	NELAP	4	E87358	06-30-13
Illinois	NELAP	5	200010	12-09-13
Iowa	State Program	7	131	05-01-14
Kansas	NELAP	7	E-10229	10-31-13
Kentucky (UST)	State Program	4	19	09-15-13
Louisiana	NELAP	6	30613	06-30-13
Maryland	State Program	3	316	03-31-14
Massachusetts	State Program	1	M-TN032	06-30-13
Minnesota	NELAP	5	047-999-345	12-31-13
Mississippi	State Program	4	N/A	06-30-13
Montana (UST)	State Program	8	NA	01-01-15
Nevada	State Program	9	TN00032	07-31-13
New Hampshire	NELAP	1	2963	10-10-13
New Jersey	NELAP	2	TN965	06-30-13
New York	NELAP	2	11342	04-01-14
North Carolina DENR	State Program	4	387	12-31-13
North Dakota	State Program	8	R-146	06-30-13
Ohio VAP	State Program	5	CL0033	01-19-14
Oregon	NELAP	10	TN200001	04-30-13 *
Pennsylvania	NELAP	3	68-00585	06-30-13
Rhode Island	State Program	1	LAO00268	12-30-13
South Carolina	State Program	4	84009 (001)	05-31-14 *
South Carolina	State Program	4	84009 (002)	02-23-14
Tennessee	State Program	4	2008	02-23-14
Texas	NELAP	6	T104704077-09-TX	08-31-13
USDA	Federal		S-48469	11-02-13
Utah	NELAP	8	TAN	06-30-13
Virginia	NELAP	3	460152	06-14-13
Washington	State Program	10	C789	07-19-13
West Virginia DEP	State Program	3	219	02-28-14
Wisconsin	State Program	5	998020430	08-31-13
Wyoming (UST)	A2LA	8	453.07	12-31-13

* Expired certification is currently pending renewal and is considered valid.

TestAmerica Nashville

COOLER RECEIPT FORM



490-24495 Chain of Custody

Cooler Received/Opened On 4/17/2013 @ 0830

1. Tracking # 9641 (last 4 digits, FedEx)

Courier: FedEx IR Gun ID 97310166

2. Temperature of rep. sample or temp blank when opened: 3.2 Degrees Celsius

3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank frozen? YES NO...NA

4. Were custody seals on outside of cooler? YES...NO...NA

If yes, how many and where: 1 Front + Back

5. Were the seals intact, signed, and dated correctly? YES...NO...NA

6. Were custody papers inside cooler? YES...NO...NA

I certify that I opened the cooler and answered questions 1-6 (initial) TH

7. Were custody seals on containers: YES NO and Intact YES...NO...NA

Were these signed and dated correctly? YES...NO...NA

8. Packing mat'l used? Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert Paper Other None

9. Cooling process: Ice Ice-pack Ice (direct contact) Dry ice Other None

10. Did all containers arrive in good condition (unbroken)? YES...NO...NA

11. Were all container labels complete (#, date, signed, pres., etc)? YES...NO...NA

12. Did all container labels and tags agree with custody papers? YES...NO...NA

13a. Were VOA vials received? YES...NO...NA

b. Was there any observable headspace present in any VOA vial? YES...NO...NA So: 1

14. Was there a Trip Blank in this cooler? YES NO...NA If multiple coolers, sequence # NA

I certify that I unloaded the cooler and answered questions 7-14 (initial) TH

15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? YES..NO..NA

b. Did the bottle labels indicate that the correct preservatives were used YES...NO...NA

16. Was residual chlorine present? YES...NO..NA

I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (initial) TH

17. Were custody papers properly filled out (ink, signed, etc)? YES...NO...NA

18. Did you sign the custody papers in the appropriate place? YES...NO...NA

19. Were correct containers used for the analysis requested? YES...NO...NA

20. Was sufficient amount of sample sent in each container? YES...NO...NA

I certify that I entered this project into LIMS and answered questions 17-20 (initial) TH

I certify that I attached a label with the unique LIMS number to each container (Initial) TH

21. Were there Non-Conformance issues at login? YES..NO Was a NCM generated? YES..NO..#

THE LEADER IN ENVIRONMENTAL TESTING

**Nashville Division
2960 Foster Creighton
Nashville, TN 37204**

Phone: 615-726-0177
Toll Free: 800-765-0980
Fax: 615-726-3404

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?

Client Name/Account #: EEG - SBG # 2449

Address: 10179 Highway 78

City/State/Zip: Ladson, SC 29456

Project Manager: Tom McElwee email: mcelwee@eeginc.net

Telephone Number: 843.412.2097

Fax No.: 843-879-0401

Sampler Name: (Print) Chris Timmattell

Sampler Signature:Site State: SC

PO#: 1033

TA Quote #:

Project ID: Laurel Bay Housing Project

Project #

Loc. 490

24495

Loc: 490		24495		Date Sampled		Time Sampled		No. of Containers Shipped		Grab		Composite		Field Filtered		Ice		Preservative		Matrix		Analyze For:		RUSH TAT (Pre-Schedule)		Standard TAT		Fax Results		Send QC with Report	
Sample ID / Description		Date Sampled		Time Sampled		No. of Containers Shipped		Grab		Composite		Field Filtered		Ice		Preservative		Matrix		Analyze For:		RUSH TAT (Pre-Schedule)		Standard TAT		Fax Results		Send QC with Report			
1433 DOVE		4/8/13		1530		5		X																							
14352 DOVE		4/9/13		1530		5		X																							
590 Hyster		4/10/13		1415		5		X																							
642 Dahlia - 2		4/11/13		1415		5		X																							

3-2

ps 2 of 3

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Nashville Division
2960 Foster Creighton
Nashville, TN 37204

Phone: 615-726-0177
Toll Free: 800-765-0980
Fax: 615-726-3404

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?

Client Name/Account#: EEG - SBG # 2449

Address: 10179 Highway 78

City/State/Zip: Ladson, SC 29456

Project Manager: Tom McElwee email: mcelwee@eeginc.net

Telephone Number: 843.412.2087

Fax No.: 843-879-0401

Sampler Name: (Print) *Pratt Shaw*

Loc: 490

Sampler Signature: *Pratt Shaw*

24495

Compliance Monitoring? Yes ☐ No ☐

Enforcement Action? Yes ☐ No ☐

Site State: SC

PO#: 1035

TA Quote #:

Project ID: Laurel Bay Housing Project

Project#:

LCC 450

24495

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Preservative							Matrix					Analyze For:										RUSH TAT (Pre-Schedule)	Standard TAT	Fax Results	Send GC with report																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
							Ice	HNO ₃ (Red Label)	NaOH (Orange Label)	H ₂ SO ₄ Plastic (Yellow Label)	H ₂ SO ₄ Glass (Yellow Label)	None (Black Label)	Other (Specify)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	BTEX + Napth - 8260	PAH - 8270D																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

Special Instructions:

Method of Shipment: FEDEX					
Relinquished by: <i>ATL</i>	Date: 4/16/13	Time: 0900	Received by: <i>Fedex</i>	Date: 4/17/13	Time: 0830
Relinquished by:	Date:	Time:	Received by TestAmerica:	Date:	Time:

Laboratory Comments:

Temperature Upon Receipt:
VOCs Free of Headspace?

Y N

Login Sample Receipt Checklist

Client: Environmental Enterprise Group

Job Number: 490-24495-1

Login Number: 24495

List Source: TestAmerica Nashville

List Number: 1

Creator: Buckingham, Paul

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

ATTACHMENT A



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.		Manifest Doc No.		2. Page 1 of 1	
3. Generator's Mailing Address: MCAS BEAUFORT LAUREL BAY HOUSING BEAUFORT, SC 29904		Generator's Site Address (if different than mailing):		A. Manifest Number WMNA 01519146		B. State Generator's ID	
4. Generator's Phone 843-879-0411		5. Transporter 1 Company Name Small Business Inc		6. US EPA ID Number		C. State Transporter's ID	
7. Transporter 2 Company Name		8. US EPA ID Number		E. State Transporter's ID		F. Transporter's Phone	
9. Designated Facility Name and Site Address HICKORY HILL LANDFILL 2621 LOW COUNTRY DRIVE RIDGELAND, SC 29936		10. US EPA ID Number		G. State Facility ID		H. State Facility Phone 843-987-4643	
11. Description of Waste Materials		12. Containers		13. Total Quantity	14. Unit Wt./Vol.	I. Misc. Comments	
		No.	Type				
		a. HEATING OIL TANK FILLED WITH SAND WM Profile # 102655SC					
		b. WM Profile #					
		c. WM Profile #					
d. WM Profile #		J. Additional Descriptions for Materials Listed Above		K. Disposal Location			
15. Special Handling Instructions and Additional Information UST's 1) 590 Aster 2) 590 Aster 3) 434 Elderberry 4) 642 Dakota 5) 1212 Cardinal		Purchase Order #		EMERGENCY CONTACT / PHONE NO.:			
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by 40 CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.							
Printed Name W.G. Dukes, Jr.		Signature "On behalf of"		Month 4		Day 12	
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed Name Pam H Shaw		Signature		Month 4	
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed Name James Baldwin		Signature		Month 4	
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.							
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.							
Printed Name Tom C. Field		Signature		Month 4		Day 18	

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY

Appendix C

Regulatory Correspondence



Catherine E. Heigel, Director

Promoting and protecting the health of the public and the environment

July 1, 2015

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: No Further Action
Laurel Bay Underground Storage Tank Assessment Reports for:
See attached sheet

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the referenced Underground Storage Tanks (USTs) Assessment Reports for the addresses listed above. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

The Department has reviewed the referenced assessment reports and agrees there is no indication of soil or groundwater contamination on these properties, and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at kriegkm@dhec.sc.gov or 803-898-0255.

Sincerely,

Kent Krieg
Department of Defense Corrective Action Section
Bureau of Land and Waste Management
South Carolina Department of Health and Environmental Control

Cc: Russell Berry (via email)
Craig Ehde (via email)
Bryan Beck (via email)



Catherine E. Heigel, Director

Promoting and protecting the health of the public and the environment

Attachment to: Krieg to Drawdy
Subject: NFA
Dated 7/1/2015

Laurel Bay Underground Storage Tank Assessment Reports for: (153 addresses/161 tanks)

111 Birch	363 Aspen
123 Banyan	364 Aspen
131 Banyan	366 Aspen
134 Banyan	369 Aspen
145 Laurel Bay	373 Aspen
150 Laurel Bay	381 Aspen
153 Laurel Bay	401 Elderberry
154 Laurel Bay	402 Elderberry
155 Laurel Bay	404 Elderberry
200 Balsam	410 Elderberry
202 Balsam	420 Elderberry
203 Balsam	424 Elderberry
208 Balsam	435 Elderberry Tank 3
210 Balsam	452 Elderberry
211 Balsam	460 Elderberry
220 Cypress	465 Dogwood
222 Cypress	477 Laurel Bay
223 Cypress	487 Laurel Bay
252 Beech Tank 2	513 Laurel Bay
271 Beech Tank 1	519 Laurel Bay
271 Beech Tank 2	524 Laurel Bay
284 Birch Tank 1	535 Laurel Bay
284 Birch Tank 2	553 Dahlia
308 Ash	590 Aster
311 Ash	591 Aster
312 Ash	610 Dahlia
317 Ash	612 Dahlia
318 Ash	628 Dahlia
337 Ash	636 Dahlia
351 Ash Tank 1	637 Dahlia Tank 1
351 Ash Tank 2	637 Dahlia Tank 2
355 Ash Tank 1	641 Dahlia
355 Ash Tank 2	642 Dahlia Tank 1
360 Aspen	642 Dahlia Tank 2

Laurel Bay Underground Storage Tank Assessment Reports for: (153 addresses/161 tanks) cont.

655 Camellia	920 Albacore
662 Camellia	922 Barracuda Tank 1
683 Camellia	922 Barracuda Tank 2
684 Camellia	924 Albacore
689 Abelia	925 Albacore
694 Abelia	926 Albacore
695 Abelia	930 Albacore
741 Blue Bell	931 Albacore
742 Blue Bell	933 Albacore
755 Althea	936 Albacore
757 Althea	938 Albacore
776 Laurel Bay	939 Albacore
777 Azalea	940 Albacore
779 Laurel Bay	1010 Foxglove
781 Laurel Bay	1066 Gardenia
802 Azalea	1068 Gardenia
816 Azalea	1071 Heather Tank 2
822 Azalea	1100 Iris Tank 2
823 Azalea	1128 Iris
825 Azalea	1178 Bobwhite
828 Azalea	1204 Cardinal
837 Azalea	1208 Cardinal
851 Dolphin	1209 Cardinal
856 Dolphin	1210 Cardinal
857 Dolphin	1215 Cardinal
861 Dolphin	1216 Cardinal
864 Dolphin	1217 Cardinal Tank 1
868 Dolphin	1217 Cardinal Tank 2
872 Dolphin	1233 Dove
879 Cobia	1244 Dove
886 Cobia	1250 Dove
888 Cobia	1252 Dove
889 Cobia	1254 Dove
901 Barracuda	1256 Dove
902 Barracuda	1258 Dove
903 Barracuda	1263 Dove
904 Barracuda	1269 Dove
909 Barracuda	1276 Dove
910 Barracuda	1283 Dove
914 Barracuda	1285 Dove
915 Barracuda	1288 Eagle

Laurel Bay Underground Storage Tank Assessment Reports for: (153 addresses/161 tanks) cont.

1296 Eagle	1330 Albatross
1307 Eagle	1331 Albatross
1321 Albatross	1333 Albatross
1322 Albatross	1334 Albatross
1327 Albatross	1335 Albatross
1328 Albatross	