

**SUMMARY REPORT  
603 DAHLIA DRIVE (FORMERLY 644 DAHLIA DRIVE)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC**

**Revision: 0  
Prepared for:**

**Department of the Navy  
Naval Facilities Engineering Command, Mid-Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095**

**and**



**Naval Facilities Engineering Command Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095**

**JUNE 2021**

**SUMMARY REPORT  
603 DAHLIA DRIVE (FORMERLY 644 DAHLIA DRIVE)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC**

**Revision: 0  
Prepared for:**

**Department of the Navy  
Naval Facilities Engineering Command, Mid- Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095**

**and**



**Naval Facilities Engineering Command Atlantic**

**9324 Virginia Avenue  
Norfolk, Virginia 23511-3095**

**Prepared by:**



**CDM - AECOM Multimedia Joint Venture  
10560 Arrowhead Drive, Suite 500  
Fairfax, Virginia 22030**

**Contract Number: N62470-14-D-9016  
CTO WE52  
JUNE 2021**

---

## Table of Contents

<b>1.0</b>	<b>INTRODUCTION .....</b>	<b>1</b>
1.1	BACKGROUND INFORMATION.....	1
1.2	UST REMOVAL AND ASSESSMENT PROCESS.....	2
<b>2.0</b>	<b>SAMPLING ACTIVITIES AND RESULTS .....</b>	<b>3</b>
2.1	UST REMOVAL AND SOIL SAMPLING .....	3
2.2	SOIL ANALYTICAL RESULTS.....	4
2.3	GROUNDWATER SAMPLING.....	4
2.4	GROUNDWATER ANALYTICAL RESULTS .....	5
<b>3.0</b>	<b>PROPERTY STATUS.....</b>	<b>5</b>
<b>4.0</b>	<b>REFERENCES .....</b>	<b>5</b>

## Tables

Table 1	Laboratory Analytical Results - Soil
Table 2	Laboratory Analytical Results - Groundwater

## Appendices

Appendix A	Multi-Media Selection Process for LBMH
Appendix B	UST Assessment Report
Appendix C	Laboratory Analytical Report - Groundwater
Appendix D	Regulatory Correspondence

---

### **List of Acronyms**

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
ft	feet
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level

## **1.0 INTRODUCTION**

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 603 Dahlia Drive (Formerly 644 Dahlia Drive). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

### **1.1 Background Information**

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

## **1.2 UST Removal and Assessment Process**

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*

*Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

## **2.0 SAMPLING ACTIVITIES AND RESULTS**

The following section presents the sampling activities and associated results for 603 Dahlia Drive (Formerly 644 Dahlia Drive). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 644 Dahlia Drive* (MCAS Beaufort, 2010). The UST Assessment Report is provided in Appendix B. Details regarding the IGWA sampling activities at this site are provided in the *Initial Groundwater Investigation Report – November and December 2015* (Resolution Consultants, 2016). The laboratory report that includes the pertinent IGWA analytical results for this site is presented in Appendix C.

### **2.1 UST Removal and Soil Sampling**

On June 23, 2010, two 280 gallon heating oil USTs were removed at 603 Dahlia Drive (Formerly 644 Dahlia Drive). Tank 1 was removed on from the side landscaped bed area adjacent to the northern side of the house. Tank 2 was removed from the front grassed area adjacent to Tank 1. The former UST locations are indicated in the Figures 2 and 3 of the UST Assessment Report

(Appendix B). The USTs were removed, cleaned, and shipped offsite for recycling. There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depths to the bases of the USTs were 6'0" (Tank 1) and 4'2" (Tank 2) bgs and a single soil sample was collected for each at that depth. The samples were collected from the fill port side of the former USTs to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of each excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

## **2.2 Soil Analytical Results**

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST locations (Tanks 1 and 2) were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from the former UST locations (Tanks 1 and 2) at 603 Dahlia Drive (Formerly 644 Dahlia Drive) were greater than the SCDHEC RBSLs, which indicated further investigation was required. In a letter dated July 1, 2015, SCDHEC requested IGWAs be conducted at the former UST locations (Tanks 1 and 2) at 603 Dahlia Drive (Formerly 644 Dahlia Drive) to determine if the groundwater was impacted by petroleum COPCs. SCDHEC's request letter is provided in Appendix D.

## **2.3 Groundwater Sampling**

On November 16, 2015, a temporary monitoring well was installed at 603 Dahlia Drive (Formerly 644 Dahlia Drive), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the monitoring well was placed in the same general location as the former heating oil UST (Tank 2). The former



UST locations (Tanks 1 and 2) are indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). Further details are provided in the *Initial Groundwater Investigation Report – November and December 2015* (Resolution Consultants, 2016).

The sampling strategy for this phase of the investigation required a one-time sampling event of the temporarily installed monitoring well. Following well installation and development, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of groundwater sampling, the temporary well was abandoned in accordance with the South Carolina Well Standards and Regulations R.61-71 (SCDHEC, 2016). Field forms are provided in the *Initial Groundwater Investigation Report – November and December 2015* (Resolution Consultants, 2016).

## **2.4 Groundwater Analytical Results**

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 2. A copy of the laboratory analytical data report is included in Appendix C.

The groundwater results collected from 603 Dahlia Drive (Formerly 644 Dahlia Drive) were less than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 2), which indicated that the groundwater was not impacted by COPCs associated with the former USTs at concentrations that present a potential risk to human health and the environment.

## **3.0 PROPERTY STATUS**

Based on the analytical results for groundwater, SCDHEC made the determination that NFA was required for 603 Dahlia Drive (Formerly 644 Dahlia Drive). This NFA determination was obtained in a letter dated June 8, 2016. SCDHEC's NFA letter is provided in Appendix D.

## **4.0 REFERENCES**

Marine Corps Air Station Beaufort, 2010. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 644 Dahlia Drive, Laurel Bay Military Housing Area*, December 2010.

Resolution Consultants, 2016. *Initial Groundwater Investigation Report – November and December 2015 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay*

*Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina, April 2016.*

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

South Carolina Department of Health and Environmental Control Bureau of Water, 2016. *R.61-71, Well Standards*, June 2016.

## Tables

**Table 1**  
**Laboratory Analytical Results - Soil**  
**603 Dahlia Drive (Formerly 644 Dahlia Drive)**  
**Laurel Bay Military Housing Area**  
**Marine Corps Air Station Beaufort**  
**Beaufort, South Carolina**

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Results Samples Collected 06/30/10	
		644 Dahlia - 1	644 Dahlia - 2
Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)			
Benzene	0.003	ND	ND
Ethylbenzene	1.15	ND	0.00466
Naphthalene	0.036	0.0635	0.153
Toluene	0.627	ND	ND
Xylenes, Total	13.01	0.00258	0.00849
Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)			
Benzo(a)anthracene	0.66	ND	ND
Benzo(b)fluoranthene	0.66	ND	ND
Benzo(k)fluoranthene	0.66	ND	ND
Chrysene	0.66	ND	ND
Dibenz(a,h)anthracene	0.66	ND	ND

**Notes:**

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0 and 3.1 (SCDHEC, May 2015 and SCDHEC, February 2016) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligrams per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The soil laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

**Table 2**  
**Laboratory Analytical Results - Groundwater**  
**603 Dahlia Drive (Formerly 644 Dahlia Drive)**  
**Laurel Bay Military Housing Area**  
**Marine Corps Air Station Beaufort**  
**Beaufort, South Carolina**

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Site-Specific Groundwater VISLs (µg/L) <sup>(2)</sup>	Results Sample Collected 11/16/15
<b>Volatile Organic Compounds Analyzed by EPA Method 8260B (µg/L)</b>			
Benzene	5	16.24	ND
Ethylbenzene	700	45.95	ND
Naphthalene	25	29.33	ND
Toluene	1000	105,445	<b>0.71</b>
Xylenes, Total	10,000	2,133	ND
<b>Semivolatile Organic Compounds Analyzed by EPA Method 8270D (µg/L)</b>			
Benzo(a)anthracene	10	NA	ND
Benzo(b)fluoranthene	10	NA	ND
Benzo(k)fluoranthene	10	NA	ND
Chrysene	10	NA	ND
Dibenz(a,h)anthracene	10	NA	ND

**Notes:**

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, February 2016).

<sup>(2)</sup> Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of  $1 \times 10^{-6}$ , a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - Not Applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix C.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

µg/L - micrograms per liter

VISL - Vapor Intrusion Screening Level

**Appendix A**  
**Multi-Media Selection Process for LBMH**



Appendix A - Multi-Media Selection Process for LBMH

**Appendix B**  
**UST Assessment Report**



South Carolina Department of Health and Environmental Control (SCDHEC)  
**Underground Storage Tank (UST) Assessment Report**

Date Received

State Use Only

Submit Completed Form To:  
 UST Program  
 SCDHEC  
 2600 Bull Street  
 Columbia, South Carolina 29201  
 Telephone (803) 896-7957

### I. OWNERSHIP OF UST (S)

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)

Owner Name (Corporation, Individual, Public Agency, Other)

P.O. Box 55001

Mailing Address

Beaufort,

South Carolina

29904-5001

City

State

Zip Code

843

228-7317

Craig Ehde

Area Code

Telephone Number

Contact Person

### II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #

Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC  
 Facility Name or Company Site Identifier

644 Dahlia Drive, Laurel Bay Military Housing Area  
 Street Address or State Road (as applicable)

Beaufort,

Beaufort

City

County

### III. INSURANCE INFORMATION

#### Insurance Statement

The petroleum release reported to DHEC on \_\_\_\_\_ at Permit ID Number \_\_\_\_\_ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? **YES**\_\_\_\_ **NO**\_\_\_\_ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: \_\_\_\_\_

The policy deductible is: \_\_\_\_\_

The policy limit is: \_\_\_\_\_

If you have this type of insurance, please include a copy of the policy with this report.

### IV. REQUEST FOR SUPERB FUNDING

I **DO** / **DO NOT** wish to participate in the SUPERB Program. (Circle one.)

### V. CERTIFICATION (To be signed by the UST owner)

**I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.**

\_\_\_\_\_  
Name (Type or print.)

\_\_\_\_\_  
Signature

#### **To be completed by Notary Public:**

Sworn before me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_

\_\_\_\_\_  
(Name)

Notary Public for the state of \_\_\_\_\_  
*Please affix State seal if you are commissioned outside South Carolina*

## VI. UST INFORMATION

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity...(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material...(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....

644Dahlia-1	644Dahlia-2	
Heating oil	Heating oil	
280 gal	280 gal	
Late 1950s	Late 1950s	
Steel	Steel	
Mid 80s	Mid 80s	
6'	4'2"	
No	No	
No	No	
Removed	Removed	
6/23/10	6/23/10	
Yes	Yes	
No	No	

- M. Method of disposal for any USTs removed from the ground (attach disposal manifests)  
UST 644Dahlia-1 was removed from the ground, cleaned and recycled.  
UST 644Dahlia-2 was removed from the ground and disposed of at a  
~~Subtitle "D" landfill. See Attachment "A".~~
- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)  
Contaminated water was pumped from UST 644Dahlia-1 and disposed  
of by MCAS.  
UST 644Dahlia-2 was previously filled with sand by others.
- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST  
Corrosion and pitting were found throughout the tanks.

## VII. PIPING INFORMATION

	644Dahlia-1	644Dahlia-2	
A. Construction Material..(ex. Steel, FRP).....	Steel & Copper	Steel & Copper	
B. Distance from UST to Dispenser.....	N/A	N/A	
C. Number of Dispensers.....	N/A	N/A	
D. Type of System Pressure or Suction.....	Suction	Suction	
E. Was Piping Removed from the Ground? Y/N	Yes	Yes	
F. Visible Corrosion or Pitting Y/N.....	Yes	Yes	
G. Visible Holes Y/N.....	No	No	
H. Age.....	Late 1950s	Late 1950s	
I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.			
<div style="border-bottom: 1px solid black; padding-bottom: 5px;">Steel vent piping for both tanks were corroded and pitted. All</div> <div style="border-bottom: 1px solid black; padding-bottom: 5px;">copper supply and return piping were sound.</div> <div style="border-bottom: 1px solid black; height: 15px; margin-top: 5px;"></div> <div style="border-bottom: 1px solid black; height: 15px; margin-top: 5px;"></div>			

## VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

## IX. SITE CONDITIONS

	Yes	No	Unk
<p>A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate depth and location on the site map.</p>		X	
<p>B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate location on site map and describe the odor (strong, mild, etc.)</p>		X	
<p>C. Was water present in the UST excavation, soil borings, or trenches?</p> <p>If yes, how far below land surface (indicate location and depth)?</p>		X	
<p>D. Did contaminated soils remain stockpiled on site after closure?</p> <p>If yes, indicate the stockpile location on the site map.</p> <p>Name of DHEC representative authorizing soil removal:</p>		X	
<p>E. Was a petroleum sheen or free product detected on any excavation or boring waters?</p> <p>If yes, indicate location and thickness.</p>		X	

## X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009001

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
644 Dahlia-1	Excav at fill end	Soil	Sandy	6'	* 6/30/10 0830 hrs	P. Shaw	
644 Dahlia-2	Excav at fill end	Soil	Sandy	4'2"	* 6/30/10 0850 hrs	P. Shaw	
*Difference between tanks' removal date and sample date is the result of resampling. Temperature of original samples were out of tolerance upon receipt at the lab, therefore resampling was necessary.							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

\* = Depth Below the Surrounding Land Surface

## **XI. SAMPLING METHODOLOGY**

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.

---

---

---

---

---

---

---

---

---

---

## XII. RECEPTORS


	Yes	No
<p>A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?  <span style="float: right;">*Stormwater drainage canal</span>            If yes, indicate type of receptor, distance, and direction on site map.</p>	<p>*X            ~ 988'</p>	
<p>B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?            If yes, indicate type of well, distance, and direction on site map.</p>		X
<p>C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?            If yes, indicate type of structure, distance, and direction on site map.</p>		X
<p>D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination?  <span style="float: right;">*Sewer and water</span>            If yes, indicate the type of utility, distance, and direction on the site map.</p>	*X	
<p>E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?            If yes, indicate the area of contaminated soil on the site map.</p>		X




### **XIII. SITE MAP**

**You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.**

(Attach Site Map Here)



## 644 DAHLIA DRIVE



### SBG-EEG, Inc.

398 E. 5th North Street, Suite C  
Summerville SC 29483-6954

Ph. (843) 875-1930

Drawn By: L. DiAsio

Dwg Date: AUG 2010

FIGURE 1: LOCATION MAP  
644 DAHLIA DRIVE, LAUREL BAY  
MCAS BEAUFORT SC

STORMWATER DRAINAGE  
CANAL  $\approx$  988'




644 DAHLIA DRIVE  
LAUREL BAY MILITARY HOUSING  
MCAS BEAUFORT, SC

UST 644DAHLIA-1

UST 644DAHLIA-2

GRAPHIC SCALE




**SBG-EEG**

398 E. 5 NORTH ST., SUITE C  
SUMMERVILLE, SC  
29483-6954

FIGURE 2 SITE MAP  
644 DAHLIA DRIVE, LAUREL BAY  
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE AUG 2010







Picture 1: Location of tanks 644Dahlia-1 and 644Dahlia-2.



Picture 2: UST 644Dahlia-1 being removed from the excavation.

#### XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	UST	644Dahlia-1		644Dahlia-2			
Benzene		ND		ND			
Toluene		ND		ND			
Ethylbenzene		ND		0.00466 mg/kg			
Xylenes		0.00258 mg/kg		0.00849 mg/kg			
Naphthalene		0.0635 mg/kg		0.153 mg/kg			
Benzo (a) anthracene		ND		ND			
Benzo (b) fluoranthene		ND		ND			
Benzo (k) fluoranthene		ND		ND			
Chrysene		ND		ND			
Dibenz (a, h) anthracene		ND		ND			
TPH (EPA 3550)							

CoC								
Benzene								
Toluene								
Ethylbenzene								
Xylenes								
Naphthalene								
Benzo (a) anthracene								
Benzo (b) fluoranthene								
Benzo (k) fluoranthene								
Chrysene								
Dibenz (a, h) anthracene								
TPH (EPA 3550)								

### SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

## **XV. ANALYTICAL RESULTS**

**You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.**

(Attach Certified Analytical Results and Chain-of-Custody Here)  
(Please see Form #4)



July 20, 2010

3:10:41PM

Client: EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn: Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Nbr: [none]  
P/O Nbr: 0829  
Date Received: 07/03/10

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
648 Dahlia-1	NTG0352-01	06/30/10 07:50
648 Dahlia-2	NTG0352-02	06/30/10 08:10
644 Dahlia-1	NTG0352-03	06/30/10 08:30
644 Dahlia-2	NTG0352-04	06/30/10 08:50
640 Dahlia-1	NTG0352-05	06/30/10 09:30
640 Dahlia-2	NTG0352-06	06/30/10 09:45
626 Dahlia	NTG0352-07	06/30/10 13:45

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

South Carolina Certification Number: 84009001

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.

This report has been electronically signed.

Report Approved By:



Ken A. Hayes

Senior Project Manager

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTG0352
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwce	Received:	07/03/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTG0352-01 (648 Dahlia-1 - Soil) Sampled: 06/30/10 07:50</b>										
General Chemistry Parameters										
% Dry Solids	75.1		%	0.500	0.500	1	07/07/10 08:26	SW-846	HLB	10G0823
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00116	0.00211	1	07/13/10 19:22	SW846 8260B	MJH/H	10G1916
Ethylbenzene	ND		mg/kg dry	0.00103	0.00211	1	07/13/10 19:22	SW846 8260B	MJH/H	10G1916
Naphthalene	0.0168		mg/kg dry	0.00179	0.00527	1	07/13/10 19:22	SW846 8260B	MJH/H	10G1916
Toluene	ND		mg/kg dry	0.000938	0.00211	1	07/13/10 19:22	SW846 8260B	MJH/H	10G1916
Xylenes, total	ND		mg/kg dry	0.00200	0.00527	1	07/13/10 19:22	SW846 8260B	MJH/H	10G1916
Surr: 1,2-Dichloroethane-d4 (67-138%)	105 %					1	07/13/10 19:22	SW846 8260B	MJH/H	10G1916
Surr: Dibromofluoromethane (75-125%)	105 %					1	07/13/10 19:22	SW846 8260B	MJH/H	10G1916
Surr: Toluene-d8 (76-129%)	105 %					1	07/13/10 19:22	SW846 8260B	MJH/H	10G1916
Surr: 4-Bromofluorobenzene (67-147%)	104 %					1	07/13/10 19:22	SW846 8260B	MJH/H	10G1916
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0186	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Accenaphthylene	ND		mg/kg dry	0.0266	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Anthracene	ND		mg/kg dry	0.0120	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Benzo (a) anthracene	0.0869	J	mg/kg dry	0.0146	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Benzo (a) pyrene	0.0762	J	mg/kg dry	0.0106	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Benzo (b) fluoranthene	0.0758	J	mg/kg dry	0.0505	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0120	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Benzo (k) fluoranthene	ND		mg/kg dry	0.0492	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Chrysene	0.0709	J	mg/kg dry	0.0412	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0199	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Fluoranthene	0.285		mg/kg dry	0.0146	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Fluorene	ND		mg/kg dry	0.0266	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0412	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Naphthalene	ND		mg/kg dry	0.0186	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Phenanthrene	0.181		mg/kg dry	0.0133	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Pyrene	0.278		mg/kg dry	0.0306	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
1-Methylnaphthalene	ND		mg/kg dry	0.0160	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
2-Methylnaphthalene	ND		mg/kg dry	0.0279	0.0891	1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Surr: Terphenyl-d14 (18-120%)	61 %					1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Surr: 2-Fluorobiphenyl (14-120%)	45 %					1	07/11/10 03:00	SW846 8270D	RMC	10G0743
Surr: Nitrobenzene-d5 (17-120%)	45 %					1	07/11/10 03:00	SW846 8270D	RMC	10G0743

Client	EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456	Work Order:	NTG0352
Attn	Tom McElwee	Project Name:	Laurel Bay Housing Project
		Project Number:	[none]
		Received:	07/03/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTG0352-02 (648 Dahlia-2 - Soil) Sampled: 06/30/10 08:10</b>										
General Chemistry Parameters										
% Dry Solids	85.3		%	0.500	0.500	1	07/07/10 08:26	SW-846	HLB	10G0823
Volatile Organic Compounds by EPA Method 8260B										
Benzene	0.197		mg/kg dry	0.0525	0.0955	50	07/14/10 18:51	SW846 8260B	MJH/H	10G1052
Ethylbenzene	3.39		mg/kg dry	0.0468	0.0955	50	07/14/10 18:51	SW846 8260B	MJH/H	10G1052
Naphthalene	14.9		mg/kg dry	1.62	4.77	1000	07/14/10 19:22	SW846 8260B	MJH/H	10G1052
Toluene	0.0300		mg/kg dry	0.000952	0.00214	1	07/13/10 19:53	SW846 8260B	MJH/H	10G1916
Xylenes, total	6.16		mg/kg dry	0.0907	0.239	50	07/14/10 18:51	SW846 8260B	MJH/H	10G1052
Surr: 1,2-Dichloroethane-d4 (67-138%)	110 %					1	07/13/10 19:53	SW846 8260B	MJH/H	10G1916
Surr: 1,2-Dichloroethane-d4 (67-138%)	107 %					50	07/14/10 18:51	SW846 8260B	MJH/H	10G1052
Surr: 1,2-Dichloroethane-d4 (67-138%)	100 %					1000	07/14/10 19:22	SW846 8260B	MJH/H	10G1052
Surr: Dibromofluoromethane (75-125%)	112 %					1	07/13/10 19:53	SW846 8260B	MJH/H	10G1916
Surr: Dibromofluoromethane (75-125%)	93 %					50	07/14/10 18:51	SW846 8260B	MJH/H	10G1052
Surr: Dibromofluoromethane (75-125%)	91 %					1000	07/14/10 19:22	SW846 8260B	MJH/H	10G1052
Surr: Toluene-d8 (76-129%)	438 %	ZX				1	07/13/10 19:53	SW846 8260B	MJH/H	10G1916
Surr: Toluene-d8 (76-129%)	113 %					50	07/14/10 18:51	SW846 8260B	MJH/H	10G1052
Surr: Toluene-d8 (76-129%)	104 %					1000	07/14/10 19:22	SW846 8260B	MJH/H	10G1052
Surr: 4-Bromofluorobenzene (67-147%)	3190 %	ZX				1	07/13/10 19:53	SW846 8260B	MJH/H	10G1916
Surr: 4-Bromofluorobenzene (67-147%)	106 %					50	07/14/10 18:51	SW846 8260B	MJH/H	10G1052
Surr: 4-Bromofluorobenzene (67-147%)	102 %					1000	07/14/10 19:22	SW846 8260B	MJH/H	10G1052
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	0.977		mg/kg dry	0.0162	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Acenaphthylene	0.464		mg/kg dry	0.0231	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Anthracene	0.477		mg/kg dry	0.0104	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Benzo (a) anthracene	ND		mg/kg dry	0.0127	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Benzo (a) pyrene	0.0408	J	mg/kg dry	0.00923	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Benzo (b) fluoranthene	ND		mg/kg dry	0.0438	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0104	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Benzo (k) fluoranthene	ND		mg/kg dry	0.0427	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Chrysene	ND		mg/kg dry	0.0358	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0173	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Fluoranthene	0.0423	J	mg/kg dry	0.0127	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Fluorene	2.71		mg/kg dry	0.0231	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0358	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Naphthalene	5.58		mg/kg dry	0.162	0.773	10	07/11/10 22:51	SW846 8270D	RMC	10G0743
Phenanthrene	6.18		mg/kg dry	0.115	0.773	10	07/11/10 22:51	SW846 8270D	RMC	10G0743
Pyrene	0.114		mg/kg dry	0.0265	0.0773	1	07/11/10 03:22	SW846 8270D	RMC	10G0743
1-Methylnaphthalene	14.7		mg/kg dry	0.138	0.773	10	07/11/10 22:51	SW846 8270D	RMC	10G0743
2-Methylnaphthalene	23.6		mg/kg dry	0.242	0.773	10	07/11/10 22:51	SW846 8270D	RMC	10G0743
Surr: Terphenyl-d14 (18-120%)	87 %					1	07/11/10 03.22	SW846 8270D	RMC	10G0743

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTG0352-02 (648 Dahlia-2 - Soil) - cont. Sampled: 06/30/10 08:10</b>										
Polyaromatic Hydrocarbons by EPA 8270D - cont.										
Surr: 2-Fluorobiphenyl (14-120%)	46 %					1	07/11/10 03:22	SW846 8270D	RMC	10G0743
Surr: Nitrobenzene-d5 (17-120%)	60 %					1	07/11/10 03:22	SW846 8270D	RMC	10G0743
<b>Sample ID: NTG0352-03 (644 Dahlia-1 - Soil) Sampled: 06/30/10 08:30</b>										
General Chemistry Parameters										
% Dry Solids	73.5		%	0.500	0.500	1	07/07/10 08:26	SW-846	HLB	10G0823
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00134	0.00243	1	07/13/10 20:24	SW846 8260B	MJH/H	10G1916
Ethylbenzene	ND		mg/kg dry	0.00119	0.00243	1	07/13/10 20:24	SW846 8260B	MJH/H	10G1916
Naphthalene	0.0635		mg/kg dry	0.00207	0.00608	1	07/13/10 20:24	SW846 8260B	MJH/H	10G1916
Toluene	ND		mg/kg dry	0.00108	0.00243	1	07/13/10 20:24	SW846 8260B	MJH/H	10G1916
Xylenes, total	0.00258	J	mg/kg dry	0.00231	0.00608	1	07/13/10 20:24	SW846 8260B	MJH/H	10G1916
Surr: 1,2-Dichloroethane-d4 (67-138%)	104 %					1	07/13/10 20:24	SW846 8260B	MJH/H	10G1916
Surr: Dibromofluoromethane (75-125%)	97 %					1	07/13/10 20:24	SW846 8260B	MJH/H	10G1916
Surr: Toluene-d8 (76-129%)	103 %					1	07/13/10 20:24	SW846 8260B	MJH/H	10G1916
Surr: 4-Bromofluorobenzene (67-147%)	100 %					1	07/13/10 20:24	SW846 8260B	MJH/H	10G1916
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0186	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Acenaphthylene	ND		mg/kg dry	0.0266	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Anthracene	ND		mg/kg dry	0.0120	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Benzo (a) anthracene	ND		mg/kg dry	0.0146	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Benzo (a) pyrene	ND		mg/kg dry	0.0106	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Benzo (b) fluoranthene	ND		mg/kg dry	0.0505	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0120	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Benzo (k) fluoranthene	ND		mg/kg dry	0.0491	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Chrysene	ND		mg/kg dry	0.0412	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0199	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Fluoranthene	ND		mg/kg dry	0.0146	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Fluorene	ND		mg/kg dry	0.0266	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0412	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Naphthalene	ND		mg/kg dry	0.0186	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Phenanthrene	ND		mg/kg dry	0.0133	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Pyrene	ND		mg/kg dry	0.0305	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
1-Methylnaphthalene	ND		mg/kg dry	0.0159	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
2-Methylnaphthalene	ND		mg/kg dry	0.0279	0.0890	1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Surr: Terphenyl-Ld14 (18-120%)	71 %					1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Surr: 2-Fluorobiphenyl (14-120%)	58 %					1	07/11/10 03:44	SW846 8270D	RMC	10G0743
Surr: Nitrobenzene-d5 (17-120%)	53 %					1	07/11/10 03:44	SW846 8270D	RMC	10G0743

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTG0352-04 (644 Dahlia-2 - Soil) Sampled: 06/30/10 08:50</b>										
General Chemistry Parameters										
% Dry Solids	78.0		%	0.500	0.500	1	07/07/10 08:26	SW-846	HLB	10G0823
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00116	0.00211	1	07/13/10 20:55	SW846 8260B	MJH/H	10G1916
Ethylbenzene	0.00466		mg/kg dry	0.00103	0.00211	1	07/13/10 20:55	SW846 8260B	MJH/H	10G1916
Naphthalene	0.153		mg/kg dry	0.00180	0.00528	1	07/13/10 20:55	SW846 8260B	MJH/H	10G1916
Toluene	ND		mg/kg dry	0.000940	0.00211	1	07/13/10 20:55	SW846 8260B	MJH/H	10G1916
Xylenes, total	0.00849		mg/kg dry	0.00201	0.00528	1	07/13/10 20:55	SW846 8260B	MJH/H	10G1916
Surr: 1,2-Dichloroethane-d4 (67-138%)	102 %					1	07/13/10 20:55	SW846 8260B	MJH/H	10G1916
Surr: Dibromofluoromethane (75-125%)	94 %					1	07/13/10 20:55	SW846 8260B	MJH/H	10G1916
Surr: Toluene-d8 (76-129%)	110 %					1	07/13/10 20:55	SW846 8260B	MJH/H	10G1916
Surr: 4-Bromofluorobenzene (67-147%)	118 %					1	07/13/10 20:55	SW846 8260B	MJH/H	10G1916
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0178	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Acenaphthylene	ND		mg/kg dry	0.0254	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Anthracene	ND		mg/kg dry	0.0114	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Benzo (a) anthracene	ND		mg/kg dry	0.0139	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Benzo (a) pyrene	ND		mg/kg dry	0.0101	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Benzo (b) fluoranthene	ND		mg/kg dry	0.0482	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0114	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Benzo (k) fluoranthene	ND		mg/kg dry	0.0469	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Chrysene	ND		mg/kg dry	0.0393	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0190	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Fluoranthene	ND		mg/kg dry	0.0139	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Fluorene	0.0550	J	mg/kg dry	0.0254	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0393	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Naphthalene	ND		mg/kg dry	0.0178	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Phenanthrene	0.0757	J	mg/kg dry	0.0127	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Pyrene	ND		mg/kg dry	0.0292	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
1-Methylnaphthalene	0.0795	J	mg/kg dry	0.0152	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
2-Methylnaphthalene	0.101		mg/kg dry	0.0266	0.0850	1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Surr: Terphenyl d14 (18-120%)	77 %					1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Surr: 2-Fluorobiphenyl (14-120%)	66 %					1	07/11/10 04:07	SW846 8270D	RMC	10G0743
Surr: Nitrobenzene-d5 (17-120%)	63 %					1	07/11/10 04:07	SW846 8270D	RMC	10G0743

Client	EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456	Work Order:	NTG0352
Attn	Tom McElwee	Project Name:	Laurel Bay Housing Project
		Project Number:	[none]
		Received:	07/03/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTG0352-05 (640 Dahlia-1 - Soil) Sampled: 06/30/10 09:30</b>										
General Chemistry Parameters										
% Dry Solids	80.4		%	0.500	0.500	1	07/07/10 08:26	SW-846	HLB	10G0823
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00116	0.00210	1	07/14/10 01:05	SW846 8260B	MJH/H	10G0580
Ethylbenzene	0.00765		mg/kg dry	0.00103	0.00210	1	07/14/10 01:05	SW846 8260B	MJH/H	10G0580
Naphthalene	0.100		mg/kg dry	0.00179	0.00525	1	07/14/10 01:05	SW846 8260B	MJH/H	10G0580
Toluene	ND		mg/kg dry	0.000935	0.00210	1	07/14/10 01:05	SW846 8260B	MJH/H	10G0580
Xylenes, total	0.0401		mg/kg dry	0.00200	0.00525	1	07/14/10 01:05	SW846 8260B	MJH/H	10G0580
Surr: 1,2-Dichloroethane-d4 (67-138%)	105 %					1	07/14/10 01:05	SW846 8260B	MJH/H	10G0580
Surr: Dibromofluoromethane (75-125%)	103 %					1	07/14/10 01:05	SW846 8260B	MJH/H	10G0580
Surr: Toluene-d8 (76-129%)	114 %					1	07/14/10 01:05	SW846 8260B	MJH/H	10G0580
Surr: 4-Bromofluorobenzene (67-147%)	109 %					1	07/14/10 01:05	SW846 8260B	MJH/H	10G0580
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	0.116		mg/kg dry	0.0171	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Acenaphthylene	ND		mg/kg dry	0.0244	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Anthracene	0.137		mg/kg dry	0.0110	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Benzo (a) anthracene	0.105		mg/kg dry	0.0134	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Benzo (a) pyrene	0.0777	J	mg/kg dry	0.00976	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Benzo (b) fluoranthene	0.0802	J	mg/kg dry	0.0464	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0110	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Benzo (k) fluoranthene	ND		mg/kg dry	0.0452	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Chrysene	0.0989		mg/kg dry	0.0378	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0183	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Fluoranthene	0.288		mg/kg dry	0.0134	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Fluorene	0.360		mg/kg dry	0.0244	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0378	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Naphthalene	0.348		mg/kg dry	0.0171	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Phenanthrene	0.857		mg/kg dry	0.0122	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Pyrene	0.284		mg/kg dry	0.0281	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
1-Methylnaphthalene	1.18		mg/kg dry	0.0146	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
2-Methylnaphthalene	1.81		mg/kg dry	0.0256	0.0818	1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Surr: Terphenyl-d14 (18-120%)	86 %					1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Surr: 2-Fluorobiphenyl (14-120%)	71 %					1	07/11/10 04:29	SW846 8270D	RMC	10G0743
Surr: Nitrobenzene-d5 (17-120%)	73 %					1	07/11/10 04:29	SW846 8270D	RMC	10G0743

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTG0352
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	07/03/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTG0352-06 (640 Dahlia-2 - Soil) Sampled: 06/30/10 09:45</b>										
General Chemistry Parameters										
% Dry Solids	76.5		%	0.500	0.500	1	07/07/10 08:26	SW-846	HLB	10G0823
Volatile Organic Compounds by EPA Method 8260B										
Benzene	0.00233		mg/kg dry	0.00125	0.00227	1	07/14/10 01:36	SW846 8260B	MJH/H	10G0580
Ethylbenzene	0.111		mg/kg dry	0.00111	0.00227	1	07/14/10 01:36	SW846 8260B	MJH/H	10G0580
Naphthalene	1.55		mg/kg dry	0.0908	0.267	50	07/14/10 18:19	SW846 8260B	MJH/H	10G1052
Toluene	0.00155	J	mg/kg dry	0.00101	0.00227	1	07/14/10 01:36	SW846 8260B	MJH/H	10G0580
Xylenes, total	0.0605		mg/kg dry	0.00215	0.00566	1	07/14/10 01:36	SW846 8260B	MJH/H	10G0580
Surr: 1,2-Dichloroethane-d4 (67-138%)	100 %					1	07/14/10 01:36	SW846 8260B	MJH/H	10G0580
Surr: 1,2-Dichloroethane-d4 (67-138%)	104 %					50	07/14/10 18:19	SW846 8260B	MJH/H	10G1052
Surr: Dibromofluoromethane (75-125%)	96 %					1	07/14/10 01:36	SW846 8260B	MJH/H	10G0580
Surr: Dibromofluoromethane (75-125%)	85 %					50	07/14/10 18:19	SW846 8260B	MJH/H	10G1052
Surr: Toluene-d8 (76-129%)	207 %	ZX				1	07/14/10 01:36	SW846 8260B	MJH/H	10G0580
Surr: Toluene-d8 (76-129%)	110 %					50	07/14/10 18:19	SW846 8260B	MJH/H	10G1052
Surr: 4-Bromofluorobenzene (67-147%)	229 %	ZX				1	07/14/10 01:36	SW846 8260B	MJH/H	10G0580
Surr: 4-Bromofluorobenzene (67-147%)	98 %					50	07/14/10 18:19	SW846 8260B	MJH/H	10G1052
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	0.0815	J	mg/kg dry	0.0178	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Acenaphthylene	ND		mg/kg dry	0.0255	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Anthracene	ND		mg/kg dry	0.0115	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Benzo (a) anthracene	ND		mg/kg dry	0.0140	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Benzo (a) pyrene	ND		mg/kg dry	0.0102	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Benzo (b) fluoranthene	ND		mg/kg dry	0.0484	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0115	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Benzo (k) fluoranthene	ND		mg/kg dry	0.0471	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Chrysene	ND		mg/kg dry	0.0395	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0191	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Fluoranthene	ND		mg/kg dry	0.0140	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Fluorene	0.211		mg/kg dry	0.0255	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0395	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Naphthalene	0.265		mg/kg dry	0.0178	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Phenanthrene	0.358		mg/kg dry	0.0127	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Pyrene	ND		mg/kg dry	0.0293	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
1-Methylnaphthalene	0.977		mg/kg dry	0.0153	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
2-Methylnaphthalene	1.31		mg/kg dry	0.0267	0.0853	1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Surr: Terphenyl (14-120%)	62 %					1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Surr: 2-Fluorobiphenyl (14-120%)	54 %					1	07/11/10 04:51	SW846 8270D	RMC	10G0743
Surr: Nitrobenzene-d5 (17-120%)	59 %					1	07/11/10 04:51	SW846 8270D	RMC	10G0743

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTG0352-07 (626 Dahlia - Soil) Sampled: 06/30/10 13:45</b>										
General Chemistry Parameters										
% Dry Solids	96.2		%	0.500	0.500	1	07/07/10 08:26	SW-846	HLB	10G0823
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00135	0.00246	1	07/14/10 17:48	SW846 8260B	MJH/H	10G1052
Ethylbenzene	ND		mg/kg dry	0.00120	0.00246	1	07/14/10 17:48	SW846 8260B	MJH/H	10G1052
Naphthalene	ND		mg/kg dry	0.00209	0.00614	1	07/14/10 17:48	SW846 8260B	MJH/H	10G1052
Toluene	ND		mg/kg dry	0.00109	0.00246	1	07/14/10 17:48	SW846 8260B	MJH/H	10G1052
Xylenes, total	ND		mg/kg dry	0.00233	0.00614	1	07/14/10 17:48	SW846 8260B	MJH/H	10G1052
Surr: 1,2-Dichloroethane-d4 (67-138%)	108 %					1	07/14/10 17:48	SW846 8260B	MJH/H	10G1052
Surr: Dibromofluoromethane (75-125%)	100 %					1	07/14/10 17:48	SW846 8260B	MJH/H	10G1052
Surr: Toluene-d8 (76-129%)	107 %					1	07/14/10 17:48	SW846 8260B	MJH/H	10G1052
Surr: 4-Bromofluorobenzene (67-147%)	97 %					1	07/14/10 17:48	SW846 8260B	MJH/H	10G1052
Polyaromatic Hydrocarbons by EPA 8270D										
Accnaphthene	ND		mg/kg dry	0.0141	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Acenaphthylene	ND		mg/kg dry	0.0202	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Anthracene	ND		mg/kg dry	0.00907	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Benzo (a) anthracene	ND		mg/kg dry	0.0111	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Benzo (a) pyrene	ND		mg/kg dry	0.00806	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Benzo (b) fluoranthene	ND		mg/kg dry	0.0383	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00907	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Benzo (k) fluoranthene	ND		mg/kg dry	0.0373	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Chrysene	ND		mg/kg dry	0.0312	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0151	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Fluoranthene	ND		mg/kg dry	0.0111	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Fluorene	ND		mg/kg dry	0.0202	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0312	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Naphthalene	ND		mg/kg dry	0.0141	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Phenanthrene	ND		mg/kg dry	0.0101	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Pyrene	ND		mg/kg dry	0.0232	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
1-Methylnaphthalene	ND		mg/kg dry	0.0121	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
2-Methylnaphthalene	ND		mg/kg dry	0.0212	0.0675	1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Surr: Terphenyl-d14 (18-120%)	81 %					1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Surr: 2-Fluorobiphenyl (14-120%)	63 %					1	07/11/10 05:13	SW846 8270D	RMC	10G0743
Surr: Nitrobenzene-d5 (17-120%)	59 %					1	07/11/10 05:13	SW846 8270D	RMC	10G0743



Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>							
SW846 8270D	10G0743	NTG0352-01	30.05	1.00	07/08/10 10:30	CAG	EPA 3550C
SW846 8270D	10G0743	NTG0352-02	30.48	1.00	07/08/10 10:30	CAG	EPA 3550C
SW846 8270D	10G0743	NTG0352-02RE1	30.48	1.00	07/08/10 10:30	CAG	EPA 3550C
SW846 8270D	10G0743	NTG0352-03	30.73	1.00	07/08/10 10:30	CAG	EPA 3550C
SW846 8270D	10G0743	NTG0352-04	30.33	1.00	07/08/10 10:30	CAG	EPA 3550C
SW846 8270D	10G0743	NTG0352-05	30.57	1.00	07/08/10 10:30	CAG	EPA 3550C
SW846 8270D	10G0743	NTG0352-06	30.80	1.00	07/08/10 10:30	CAG	EPA 3550C
SW846 8270D	10G0743	NTG0352-07	30.94	1.00	07/08/10 10:30	CAG	EPA 3550C
<b>Volatile Organic Compounds by EPA Method 8260B</b>							
SW846 8260B	10G1916	NTG0352-01	6.32	5.00	06/30/10 07:50	CHH	EPA 5035
SW846 8260B	10G1916	NTG0352-02	5.48	5.00	06/30/10 08:10	CHH	EPA 5035
SW846 8260B	10G1052	NTG0352-02RE1	6.14	5.00	06/30/10 08:10	CHH	EPA 5035
SW846 8260B	10G1052	NTG0352-02RE2	6.14	5.00	06/30/10 08:10	CHH	EPA 5035
SW846 8260B	10G1916	NTG0352-03	5.59	5.00	06/30/10 08:30	CHH	EPA 5035
SW846 8260B	10G1916	NTG0352-04	6.07	5.00	06/30/10 08:50	CHH	EPA 5035
SW846 8260B	10G0580	NTG0352-05	5.92	5.00	06/30/10 09:30	CHH	EPA 5035
SW846 8260B	10G0580	NTG0352-06	5.77	5.00	06/30/10 09:45	CHH	EPA 5035
SW846 8260B	10G1052	NTG0352-06RE1	6.12	5.00	06/30/10 09:45	CHH	EPA 5035
SW846 8260B	10G0580	NTG0352-07	4.34	5.00	06/30/10 13:45	CHH	EPA 5035
SW846 8260B	10G1052	NTG0352-07RE1	4.23	5.00	06/30/10 13:45	CHH	EPA 5035

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTG0352
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	07/03/10 08:30

## PROJECT QUALITY CONTROL DATA

### Blank

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>						
<b>10G0580-BLK1</b>						
Benzene	<0.00110		mg/kg wet	10G0580	10G0580-BLK1	07/14/10 00:34
Ethylbenzene	<0.000980		mg/kg wet	10G0580	10G0580-BLK1	07/14/10 00:34
Naphthalene	<0.00170		mg/kg wet	10G0580	10G0580-BLK1	07/14/10 00:34
Toluene	<0.000890		mg/kg wet	10G0580	10G0580-BLK1	07/14/10 00:34
Xylenes, total	<0.00190		mg/kg wet	10G0580	10G0580-BLK1	07/14/10 00:34
Surrogate: 1,2-Dichloroethane-d4	108%			10G0580	10G0580-BLK1	07/14/10 00:34
Surrogate: Dibromofluoromethane	106%			10G0580	10G0580-BLK1	07/14/10 00:34
Surrogate: Toluene-d8	106%			10G0580	10G0580-BLK1	07/14/10 00:34
Surrogate: 4-Bromofluorobenzene	97%			10G0580	10G0580-BLK1	07/14/10 00:34
<b>10G1052-BLK1</b>						
Benzene	<0.00110		mg/kg wet	10G1052	10G1052-BLK1	07/14/10 12:33
Ethylbenzene	<0.000980		mg/kg wet	10G1052	10G1052-BLK1	07/14/10 12:33
Naphthalene	<0.00170		mg/kg wet	10G1052	10G1052-BLK1	07/14/10 12:33
Toluene	<0.000890		mg/kg wet	10G1052	10G1052-BLK1	07/14/10 12:33
Xylenes, total	<0.00190		mg/kg wet	10G1052	10G1052-BLK1	07/14/10 12:33
Surrogate: 1,2-Dichloroethane-d4	107%			10G1052	10G1052-BLK1	07/14/10 12:33
Surrogate: Dibromofluoromethane	105%			10G1052	10G1052-BLK1	07/14/10 12:33
Surrogate: Toluene-d8	107%			10G1052	10G1052-BLK1	07/14/10 12:33
Surrogate: 4-Bromofluorobenzene	96%			10G1052	10G1052-BLK1	07/14/10 12:33
<b>10G1052-BLK2</b>						
Benzene	<0.0550		mg/kg wet	10G1052	10G1052-BLK2	07/14/10 17:17
Ethylbenzene	<0.0490		mg/kg wet	10G1052	10G1052-BLK2	07/14/10 17:17
Naphthalene	<0.0850		mg/kg wet	10G1052	10G1052-BLK2	07/14/10 17:17
Toluene	<0.0445		mg/kg wet	10G1052	10G1052-BLK2	07/14/10 17:17
Xylenes, total	<0.0950		mg/kg wet	10G1052	10G1052-BLK2	07/14/10 17:17
Surrogate: 1,2-Dichloroethane-d4	101%			10G1052	10G1052-BLK2	07/14/10 17:17
Surrogate: Dibromofluoromethane	91%			10G1052	10G1052-BLK2	07/14/10 17:17
Surrogate: Toluene-d8	108%			10G1052	10G1052-BLK2	07/14/10 17:17
Surrogate: 4-Bromofluorobenzene	98%			10G1052	10G1052-BLK2	07/14/10 17:17
<b>10G1916-BLK1</b>						
Benzene	<0.00110		mg/kg wet	10G1916	10G1916-BLK1	07/13/10 12:05
Ethylbenzene	<0.000980		mg/kg wet	10G1916	10G1916-BLK1	07/13/10 12:05
Naphthalene	<0.00170		mg/kg wet	10G1916	10G1916-BLK1	07/13/10 12:05
Toluene	<0.000890		mg/kg wet	10G1916	10G1916-BLK1	07/13/10 12:05
Xylenes, total	<0.00190		mg/kg wet	10G1916	10G1916-BLK1	07/13/10 12:05
Surrogate: 1,2-Dichloroethane-d4	106%			10G1916	10G1916-BLK1	07/13/10 12:05
Surrogate: Dibromofluoromethane	105%			10G1916	10G1916-BLK1	07/13/10 12:05
Surrogate: Toluene-d8	106%			10G1916	10G1916-BLK1	07/13/10 12:05
Surrogate: 4-Bromofluorobenzene	96%			10G1916	10G1916-BLK1	07/13/10 12:05

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## PROJECT QUALITY CONTROL DATA Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

### Volatile Organic Compounds by EPA Method 8260B

#### 10G1916-BLK2

Benzene	<0.0550		mg/kg wet	10G1916	10G1916-BLK2	07/13/10 12:36
Ethylbenzene	<0.0490		mg/kg wet	10G1916	10G1916-BLK2	07/13/10 12:36
Naphthalene	<0.0850		mg/kg wet	10G1916	10G1916-BLK2	07/13/10 12:36
Toluene	<0.0445		mg/kg wet	10G1916	10G1916-BLK2	07/13/10 12:36
Xylenes, total	<0.0950		mg/kg wet	10G1916	10G1916-BLK2	07/13/10 12:36
Surrogate: 1,2-Dichloroethane-d4	101%			10G1916	10G1916-BLK2	07/13/10 12:36
Surrogate: Dibromofluoromethane	89%			10G1916	10G1916-BLK2	07/13/10 12:36
Surrogate: Toluene-d8	107%			10G1916	10G1916-BLK2	07/13/10 12:36
Surrogate: 4-Bromofluorobenzene	98%			10G1916	10G1916-BLK2	07/13/10 12:36

### Polyaromatic Hydrocarbons by EPA 8270D

#### 10G0743-BLK1

Acenaphthene	<0.0140		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Acenaphthylene	<0.0200		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Anthracene	<0.00900		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Benzo (a) anthracene	<0.0110		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Benzo (a) pyrene	<0.00800		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Benzo (b) fluoranthene	<0.0380		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Benzo (g,h,i) perylene	<0.00900		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Benzo (k) fluoranthene	<0.0370		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Chrysene	<0.0310		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Dibenz (a,h) anthracene	<0.0150		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Fluoranthene	<0.0110		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Fluorene	<0.0200		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Indeno (1,2,3-cd) pyrene	<0.0310		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Naphthalene	<0.0140		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Phenanthrene	<0.0100		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Pyrene	<0.0230		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
1-Methylnaphthalene	<0.0120		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
2-Methylnaphthalene	<0.0210		mg/kg wet	10G0743	10G0743-BLK1	07/10/10 20:38
Surrogate: Terphenyl-d14	82%			10G0743	10G0743-BLK1	07/10/10 20:38
Surrogate: 2-Fluorobiphenyl	59%			10G0743	10G0743-BLK1	07/10/10 20:38
Surrogate: Nitrobenzene-d5	54%			10G0743	10G0743-BLK1	07/10/10 20:38



THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 \* 800-765-0980 \* Fax 615-726-3404

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTG0352
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	07/03/10 08:30

PROJECT QUALITY CONTROL DATA  
Duplicate

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	% Rec.	Analyzed Date/Time
General Chemistry Parameters										
10G0823-DUP1										
% Dry Solids	81.1	80.1		%	1	20	10G0823	NTG0250-01		07/07/10 08:26

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwec

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## PROJECT QUALITY CONTROL DATA LCS

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>								
<b>10G0580-BS1</b>								
Benzene	50.0	45.5		ug/kg	91%	78 - 126	10G0580	07/13/10 23:31
Ethylbenzene	50.0	51.8		ug/kg	104%	79 - 130	10G0580	07/13/10 23:31
Naphthalene	50.0	57.9		ug/kg	116%	72 - 150	10G0580	07/13/10 23:31
Toluene	50.0	50.5		ug/kg	101%	76 - 126	10G0580	07/13/10 23:31
Xylenes, total	150	153		ug/kg	102%	80 - 130	10G0580	07/13/10 23:31
Surrogate: 1,2-Dichloroethane-d4	50.0	52.9			106%	67 - 138	10G0580	07/13/10 23:31
Surrogate: Dibromofluoromethane	50.0	52.0			104%	75 - 125	10G0580	07/13/10 23:31
Surrogate: Toluene-d8	50.0	52.0			104%	76 - 129	10G0580	07/13/10 23:31
Surrogate: 4-Bromofluorobenzene	50.0	49.8			100%	67 - 147	10G0580	07/13/10 23:31
<b>10G1052-BS1</b>								
Benzene	50.0	47.6		ug/kg	95%	78 - 126	10G1052	07/14/10 11:29
Ethylbenzene	50.0	55.7		ug/kg	111%	79 - 130	10G1052	07/14/10 11:29
Naphthalene	50.0	64.0		ug/kg	128%	72 - 150	10G1052	07/14/10 11:29
Toluene	50.0	55.5		ug/kg	111%	76 - 126	10G1052	07/14/10 11:29
Xylenes, total	150	168		ug/kg	112%	80 - 130	10G1052	07/14/10 11:29
Surrogate: 1,2-Dichloroethane-d4	50.0	54.7			109%	67 - 138	10G1052	07/14/10 11:29
Surrogate: Dibromofluoromethane	50.0	54.8			110%	75 - 125	10G1052	07/14/10 11:29
Surrogate: Toluene-d8	50.0	53.4			107%	76 - 129	10G1052	07/14/10 11:29
Surrogate: 4-Bromofluorobenzene	50.0	47.4			95%	67 - 147	10G1052	07/14/10 11:29
<b>10G1916-BS1</b>								
Benzene	50.0	45.7		ug/kg	91%	78 - 126	10G1916	07/13/10 11:02
Ethylbenzene	50.0	54.3		ug/kg	109%	79 - 130	10G1916	07/13/10 11:02
Naphthalene	50.0	65.7		ug/kg	131%	72 - 150	10G1916	07/13/10 11:02
Toluene	50.0	52.3		ug/kg	105%	76 - 126	10G1916	07/13/10 11:02
Xylenes, total	150	165		ug/kg	110%	80 - 130	10G1916	07/13/10 11:02
Surrogate: 1,2-Dichloroethane-d4	50.0	54.8			110%	67 - 138	10G1916	07/13/10 11:02
Surrogate: Dibromofluoromethane	50.0	53.9			108%	75 - 125	10G1916	07/13/10 11:02
Surrogate: Toluene-d8	50.0	52.6			105%	76 - 129	10G1916	07/13/10 11:02
Surrogate: 4-Bromofluorobenzene	50.0	49.0			98%	67 - 147	10G1916	07/13/10 11:02
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>								
<b>10G0743-BS1</b>								
Acenaphthene	1.67	1.43		mg/kg wet	86%	49 - 120	10G0743	07/10/10 21:01
Acenaphthylene	1.67	1.43		mg/kg wet	86%	52 - 120	10G0743	07/10/10 21:01
Anthracene	1.67	1.62		mg/kg wet	97%	58 - 120	10G0743	07/10/10 21:01
Benzo (a) anthracene	1.67	1.70		mg/kg wet	102%	57 - 120	10G0743	07/10/10 21:01
Benzo (a) pyrene	1.67	1.57		mg/kg wet	94%	55 - 120	10G0743	07/10/10 21:01
Benzo (b) fluoranthene	1.67	1.48		mg/kg wet	89%	51 - 123	10G0743	07/10/10 21:01
Benzo (g,h,i) perylene	1.67	1.67		mg/kg wet	100%	49 - 121	10G0743	07/10/10 21:01
Benzo (k) fluoranthene	1.67	1.64		mg/kg wet	98%	42 - 129	10G0743	07/10/10 21:01

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

**PROJECT QUALITY CONTROL DATA**  
**LCS - Cont.**

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>								
<b>10G0743-BS1</b>								
Chrysene	1.67	1.51		mg/kg wet	90%	55 - 120	10G0743	07/10/10 21:01
Dibenz (a,h) anthracene	1.67	1.61		mg/kg wet	97%	50 - 123	10G0743	07/10/10 21:01
Fluoranthene	1.67	1.66		mg/kg wet	99%	58 - 120	10G0743	07/10/10 21:01
Fluorene	1.67	1.52		mg/kg wet	91%	54 - 120	10G0743	07/10/10 21:01
Indeno (1,2,3-cd) pyrene	1.67	1.75		mg/kg wet	105%	50 - 122	10G0743	07/10/10 21:01
Naphthalene	1.67	1.08		mg/kg wet	65%	28 - 120	10G0743	07/10/10 21:01
Phenanthrene	1.67	1.68		mg/kg wet	101%	56 - 120	10G0743	07/10/10 21:01
Pyrene	1.67	1.69		mg/kg wet	102%	56 - 120	10G0743	07/10/10 21:01
1-Methylnaphthalene	1.67	1.07		mg/kg wet	64%	36 - 120	10G0743	07/10/10 21:01
2-Methylnaphthalene	1.67	1.11		mg/kg wet	67%	36 - 120	10G0743	07/10/10 21:01
<i>Surrogate: Terphenyl-d14</i>	1.67	1.50			90%	18 - 120	10G0743	07/10/10 21:01
<i>Surrogate: 2-Fluorobiphenyl</i>	1.67	0.996			60%	14 - 120	10G0743	07/10/10 21:01
<i>Surrogate: Nitrobenzene-d5</i>	1.67	0.835			50%	17 - 120	10G0743	07/10/10 21:01

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## PROJECT QUALITY CONTROL DATA Matrix Spike

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>										
<b>10G0580-MS1</b>										
Benzene	ND	0.0411		mg/kg dry	0.0524	78%	42 - 141	10G0580	NTG0363-02	07/14/10 07:19
Ethylbenzene	ND	0.0450		mg/kg dry	0.0524	86%	21 - 165	10G0580	NTG0363-02	07/14/10 07:19
Naphthalene	ND	0.0214		mg/kg dry	0.0524	41%	10 - 160	10G0580	NTG0363-02	07/14/10 07:19
Toluene	ND	0.0444		mg/kg dry	0.0524	85%	45 - 145	10G0580	NTG0363-02	07/14/10 07:19
Xylenes, total	ND	0.134		mg/kg dry	0.157	85%	31 - 159	10G0580	NTG0363-02	07/14/10 07:19
Surrogate: 1,2-Dichloroethane-d4		57.6		ug/kg	50.0	115%	67 - 138	10G0580	NTG0363-02	07/14/10 07:19
Surrogate: Dibromofluoromethane		58.8		ug/kg	50.0	118%	75 - 125	10G0580	NTG0363-02	07/14/10 07:19
Surrogate: Toluene-d8		53.0		ug/kg	50.0	106%	76 - 129	10G0580	NTG0363-02	07/14/10 07:19
Surrogate: 4-Bromofluorobenzene		49.6		ug/kg	50.0	99%	67 - 147	10G0580	NTG0363-02	07/14/10 07:19
<b>10G1052-MS1</b>										
Benzene	0.140	2.62		mg/kg dry	2.67	93%	42 - 141	10G1052	NTG0352-06RE 1	07/15/10 22:15
Ethylbenzene	0.154	2.71		mg/kg dry	2.67	96%	21 - 165	10G1052	NTG0352-06RE 1	07/15/10 22:15
Naphthalene	1.55	3.51		mg/kg dry	2.67	73%	10 - 160	10G1052	NTG0352-06RE 1	07/15/10 22:15
Toluene	0.0651	2.52		mg/kg dry	2.67	92%	45 - 145	10G1052	NTG0352-06RE 1	07/15/10 22:15
Xylenes, total	0.151	7.87		mg/kg dry	8.01	96%	31 - 159	10G1052	NTG0352-06RE 1	07/15/10 22:15
Surrogate: 1,2-Dichloroethane-d4		47.9		ug/kg	50.0	96%	67 - 138	10G1052	NTG0352-06RE 1	07/15/10 22:15
Surrogate: Dibromofluoromethane		46.8		ug/kg	50.0	94%	75 - 125	10G1052	NTG0352-06RE 1	07/15/10 22:15
Surrogate: Toluene-d8		51.0		ug/kg	50.0	102%	76 - 129	10G1052	NTG0352-06RE 1	07/15/10 22:15
Surrogate: 4-Bromofluorobenzene		50.9		ug/kg	50.0	102%	67 - 147	10G1052	NTG0352-06RE 1	07/15/10 22:15
<b>10G1916-MS1</b>										
Benzene	ND	1.57		mg/kg wet	2.19	72%	42 - 141	10G1916	NTG0113-01RE 1	07/13/10 21:26
Ethylbenzene	ND	1.92		mg/kg wet	2.19	88%	21 - 165	10G1916	NTG0113-01RE 1	07/13/10 21:26
Naphthalene	0.154	2.11		mg/kg wet	2.19	89%	10 - 160	10G1916	NTG0113-01RE 1	07/13/10 21:26
Toluene	ND	1.80		mg/kg wet	2.19	82%	45 - 145	10G1916	NTG0113-01RE 1	07/13/10 21:26
Xylenes, total	ND	5.75		mg/kg wet	6.58	87%	31 - 159	10G1916	NTG0113-01RE 1	07/13/10 21:26
Surrogate: 1,2-Dichloroethane-d4		51.1		ug/kg	50.0	102%	67 - 138	10G1916	NTG0113-01RE 1	07/13/10 21:26
Surrogate: Dibromofluoromethane		48.3		ug/kg	50.0	97%	75 - 125	10G1916	NTG0113-01RE 1	07/13/10 21:26

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## PROJECT QUALITY CONTROL DATA Matrix Spike - Cont.

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>										
<b>10G1916-MS1</b>										
<i>Surrogate: Toluene-d8</i>		52.2		ug/kg	50.0	104%	76 - 129	10G1916	NTG0113-01RE 1	07/13/10 21:26
<i>Surrogate: 4-Bromofluorobenzene</i>		51.3		ug/kg	50.0	103%	67 - 147	10G1916	NTG0113-01RE 1	07/13/10 21:26
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>										
<b>10G0743-MS1</b>										
Acenaphthene	ND	1.35		mg/kg dry	1.82	74%	42 - 120	10G0743	NTG0348-01	07/10/10 21:23
Acenaphthylene	ND	1.32		mg/kg dry	1.82	72%	32 - 120	10G0743	NTG0348-01	07/10/10 21:23
Anthracene	ND	1.50		mg/kg dry	1.82	82%	10 - 200	10G0743	NTG0348-01	07/10/10 21:23
Benzo (a) anthracene	ND	1.54		mg/kg dry	1.82	85%	41 - 120	10G0743	NTG0348-01	07/10/10 21:23
Benzo (a) pyrene	ND	1.41		mg/kg dry	1.82	78%	33 - 121	10G0743	NTG0348-01	07/10/10 21:23
Benzo (b) fluoranthene	ND	1.41		mg/kg dry	1.82	78%	26 - 137	10G0743	NTG0348-01	07/10/10 21:23
Benzo (g,h,i) perylene	ND	1.53		mg/kg dry	1.82	84%	21 - 124	10G0743	NTG0348-01	07/10/10 21:23
Benzo (k) fluoranthene	ND	1.38		mg/kg dry	1.82	76%	14 - 140	10G0743	NTG0348-01	07/10/10 21:23
Chrysene	ND	1.40		mg/kg dry	1.82	77%	28 - 123	10G0743	NTG0348-01	07/10/10 21:23
Dibenz (a,h) anthracene	ND	1.48		mg/kg dry	1.82	82%	25 - 127	10G0743	NTG0348-01	07/10/10 21:23
Fluoranthene	ND	1.46		mg/kg dry	1.82	80%	38 - 120	10G0743	NTG0348-01	07/10/10 21:23
Fluorene	ND	1.41		mg/kg dry	1.82	78%	41 - 120	10G0743	NTG0348-01	07/10/10 21:23
Indeno (1,2,3-cd) pyrene	ND	1.60		mg/kg dry	1.82	88%	25 - 123	10G0743	NTG0348-01	07/10/10 21:23
Naphthalene	ND	1.02		mg/kg dry	1.82	56%	25 - 120	10G0743	NTG0348-01	07/10/10 21:23
Phenanthrene	ND	1.50		mg/kg dry	1.82	83%	37 - 120	10G0743	NTG0348-01	07/10/10 21:23
Pyrene	ND	1.56		mg/kg dry	1.82	86%	29 - 125	10G0743	NTG0348-01	07/10/10 21:23
1-Methylnaphthalene	ND	0.996		mg/kg dry	1.82	55%	19 - 120	10G0743	NTG0348-01	07/10/10 21:23
2-Methylnaphthalene	ND	1.09		mg/kg dry	1.82	60%	11 - 120	10G0743	NTG0348-01	07/10/10 21:23
<i>Surrogate: Terphenyl-d14</i>		1.36		mg/kg dry	1.82	75%	18 - 120	10G0743	NTG0348-01	07/10/10 21:23
<i>Surrogate: 2-Fluorobiphenyl</i>		1.12		mg/kg dry	1.82	62%	14 - 120	10G0743	NTG0348-01	07/10/10 21:23
<i>Surrogate: Nitrobenzene-d5</i>		0.935		mg/kg dry	1.82	51%	17 - 120	10G0743	NTG0348-01	07/10/10 21:23



Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwce

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## PROJECT QUALITY CONTROL DATA

### Matrix Spike Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
---------	------------	-----------	---	-------	------------	--------	--------------	-----	-------	-------	-------------------	--------------------

#### Volatile Organic Compounds by EPA Method 8260B

##### 10G0580-MSD1

Benzene	ND	0.0287		mg/kg dry	0.0522	55%	42 - 141	36	50	10G0580	NTG0363-02	07/14/10 07:49
Ethylbenzene	ND	0.0276		mg/kg dry	0.0522	53%	21 - 165	48	50	10G0580	NTG0363-02	07/14/10 07:49
Naphthalene	ND	0.0118	R2	mg/kg dry	0.0522	23%	10 - 160	58	50	10G0580	NTG0363-02	07/14/10 07:49
Toluene	ND	0.0309		mg/kg dry	0.0522	59%	45 - 145	36	50	10G0580	NTG0363-02	07/14/10 07:49
Xylenes, total	ND	0.0793	R2	mg/kg dry	0.157	51%	31 - 159	51	50	10G0580	NTG0363-02	07/14/10 07:49
Surrogate: 1,2-Dichloroethane-d4		52.5		ug/kg	50.0	105%	67 - 138			10G0580	NTG0363-02	07/14/10 07:49
Surrogate: Dibromofluoromethane		52.1		ug/kg	50.0	104%	75 - 125			10G0580	NTG0363-02	07/14/10 07:49
Surrogate: Toluene-d8		54.0		ug/kg	50.0	108%	76 - 129			10G0580	NTG0363-02	07/14/10 07:49
Surrogate: 4-Bromofluorobenzene		47.7		ug/kg	50.0	95%	67 - 147			10G0580	NTG0363-02	07/14/10 07:49

##### 10G1052-MSD1

Benzene	0.140	2.85		mg/kg dry	2.67	101%	42 - 141	8	50	10G1052	NTG0352-06R E1	07/15/10 22:46
Ethylbenzene	0.154	3.02		mg/kg dry	2.67	107%	21 - 165	11	50	10G1052	NTG0352-06R E1	07/15/10 22:46
Naphthalene	1.55	3.96		mg/kg dry	2.67	90%	10 - 160	12	50	10G1052	NTG0352-06R E1	07/15/10 22:46
Toluene	0.0651	2.74		mg/kg dry	2.67	100%	45 - 145	9	50	10G1052	NTG0352-06R E1	07/15/10 22:46
Xylenes, total	0.151	8.84		mg/kg dry	8.01	108%	31 - 159	12	50	10G1052	NTG0352-06R E1	07/15/10 22:46
Surrogate: 1,2-Dichloroethane-d4		47.5		ug/kg	50.0	95%	67 - 138			10G1052	NTG0352-06R E1	07/15/10 22:46
Surrogate: Dibromofluoromethane		47.7		ug/kg	50.0	95%	75 - 125			10G1052	NTG0352-06R E1	07/15/10 22:46
Surrogate: Toluene-d8		49.6		ug/kg	50.0	99%	76 - 129			10G1052	NTG0352-06R E1	07/15/10 22:46
Surrogate: 4-Bromofluorobenzene		51.2		ug/kg	50.0	102%	67 - 147			10G1052	NTG0352-06R E1	07/15/10 22:46

##### 10G1916-MSD1

Benzene	ND	1.89		mg/kg wet	2.19	86%	42 - 141	18	50	10G1916	NTG0113-01R E1	07/13/10 21:58
Ethylbenzene	ND	2.37		mg/kg wet	2.19	108%	21 - 165	21	50	10G1916	NTG0113-01R E1	07/13/10 21:58
Naphthalene	0.154	2.53		mg/kg wet	2.19	108%	10 - 160	18	50	10G1916	NTG0113-01R E1	07/13/10 21:58
Toluene	ND	2.28		mg/kg wet	2.19	104%	45 - 145	24	50	10G1916	NTG0113-01R E1	07/13/10 21:58
Xylenes, total	ND	7.08		mg/kg wet	6.58	108%	31 - 159	21	50	10G1916	NTG0113-01R E1	07/13/10 21:58
Surrogate: 1,2-Dichloroethane-d4		48.8		ug/kg	50.0	98%	67 - 138			10G1916	NTG0113-01R E1	07/13/10 21:58
Surrogate: Dibromofluoromethane		47.5		ug/kg	50.0	95%	75 - 125			10G1916	NTG0113-01R E1	07/13/10 21:58
Surrogate: Toluene-d8		53.9		ug/kg	50.0	108%	76 - 129			10G1916	NTG0113-01R E1	07/13/10 21:58
Surrogate: 4-Bromofluorobenzene		50.8		ug/kg	50.0	102%	67 - 147			10G1916	NTG0113-01R E1	07/13/10 21:58

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## PROJECT QUALITY CONTROL DATA

### Matrix Spike Dup - Cont.

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>												
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>												
<b>10G0743-MSD1</b>												
Acenaphthene	ND	1.29		mg/kg dry	1.82	71%	42 - 120	5	40	10G0743	NTG0348-01	07/10/10 21:46
Acenaphthylene	ND	1.31		mg/kg dry	1.82	72%	32 - 120	0.5	30	10G0743	NTG0348-01	07/10/10 21:46
Anthracene	ND	1.42		mg/kg dry	1.82	78%	10 - 200	5	50	10G0743	NTG0348-01	07/10/10 21:46
Benzo (a) anthracene	ND	1.49		mg/kg dry	1.82	82%	41 - 120	3	30	10G0743	NTG0348-01	07/10/10 21:46
Benzo (a) pyrene	ND	1.34		mg/kg dry	1.82	74%	33 - 121	6	33	10G0743	NTG0348-01	07/10/10 21:46
Benzo (b) fluoranthene	ND	1.23		mg/kg dry	1.82	68%	26 - 137	14	42	10G0743	NTG0348-01	07/10/10 21:46
Benzo (g,h,i) perylene	ND	1.45		mg/kg dry	1.82	80%	21 - 124	5	32	10G0743	NTG0348-01	07/10/10 21:46
Benzo (k) fluoranthene	ND	1.40		mg/kg dry	1.82	77%	14 - 140	2	39	10G0743	NTG0348-01	07/10/10 21:46
Chrysene	ND	1.30		mg/kg dry	1.82	72%	28 - 123	7	34	10G0743	NTG0348-01	07/10/10 21:46
Dibenz (a,h) anthracene	ND	1.40		mg/kg dry	1.82	77%	25 - 127	6	31	10G0743	NTG0348-01	07/10/10 21:46
Fluoranthene	ND	1.40		mg/kg dry	1.82	77%	38 - 120	4	35	10G0743	NTG0348-01	07/10/10 21:46
Fluorene	ND	1.36		mg/kg dry	1.82	75%	41 - 120	4	37	10G0743	NTG0348-01	07/10/10 21:46
Indeno (1,2,3-cd) pyrene	ND	1.48		mg/kg dry	1.82	81%	25 - 123	8	32	10G0743	NTG0348-01	07/10/10 21:46
Naphthalene	ND	0.933		mg/kg dry	1.82	51%	25 - 120	8	42	10G0743	NTG0348-01	07/10/10 21:46
Phenanthrene	ND	1.45		mg/kg dry	1.82	80%	37 - 120	4	32	10G0743	NTG0348-01	07/10/10 21:46
Pyrene	ND	1.48		mg/kg dry	1.82	82%	29 - 125	5	40	10G0743	NTG0348-01	07/10/10 21:46
1-Methylnaphthalene	ND	0.968		mg/kg dry	1.82	53%	19 - 120	3	45	10G0743	NTG0348-01	07/10/10 21:46
2-Methylnaphthalene	ND	1.04		mg/kg dry	1.82	57%	11 - 120	5	50	10G0743	NTG0348-01	07/10/10 21:46
Surrogate: Terphenyl-d14		1.32		mg/kg dry	1.82	73%	18 - 120			10G0743	NTG0348-01	07/10/10 21:46
Surrogate: 2-Fluorobiphenyl		1.06		mg/kg dry	1.82	58%	14 - 120			10G0743	NTG0348-01	07/10/10 21:46
Surrogate: Nitrobenzene-d5		0.893		mg/kg dry	1.82	49%	17 - 120			10G0743	NTG0348-01	07/10/10 21:46

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## CERTIFICATION SUMMARY

### TestAmerica Nashville

Method	Matrix	AIHA	Nelac	South Carolina
SW846 8260B	Soil	N/A	X	X
SW846 8270D	Soil		X	X
SW-846	Soil			

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0352  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/03/10 08:30

## DATA QUALIFIERS AND DEFINITIONS

**J** Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL).  
Concentrations within this range are estimated.  
**R2** The RPD exceeded the acceptance limit.  
**ZX** Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.  
**ND** Not detected at the reporting limit (or method detection limit if shown)

## METHOD MODIFICATION NOTES

07/20/10 23:59

THE LEADER IN ENVIRONMENTAL TESTING

**Nashville Division  
2960 Foster Creighton  
Nashville, TN 37204**

**Phone: 615-726-0177**  
**Toll Free: 800-765-0980**  
**Fax: 615-726-3404**

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?

### Compliance Monitoring?

Yes \_\_\_\_\_ No \_\_\_\_\_

**Enforcement Action?**

Yes \_\_\_\_\_ No \_\_\_\_\_

Client Name/Account #: EEG # 2449

Address: 10179 Highway 78

City/State/Zip: Ladson, SC 29456

City/State/Zip: Ladson, SC 29456  
Project Manager: Tom McElwee email: mcelwee@eeginc.net

Telephone Number: 843.412.2097

**Sampler Name: (Print)**

**Sampler Signature:**

Fax No.: 843-879-0401

Site State: SC

PO#:

TA Quote #:

Project ID: Laurel Bay Housing Project

**Project #:**

Analyze For:

Sample ID / Description		Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Ice	HNO <sub>3</sub> (Red Label)	Preservative	NaOH (Orange Label)	H <sub>2</sub> SO <sub>4</sub> Plastic (Yellow Label)	H <sub>2</sub> SO <sub>4</sub> Glass (Yellow Label)	None (Black Label)	Other (Specify)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (specify):	BTEX + Napth - 82608	PAH - 8270D	Analyze For:	RUSH TAT (Pre-Schedule)
648	Dahlia-1	6/30/10	0750	5	X														X			3	2		
648	Dahlia-2	6/30/10	0810	5	X														X			3	2		
644	Dahlia-1	6/30/10	0830	5	X														X			3	2		
644	Dahlia-2	6/30/10	0850	5	X														X			3	2		
640	Dahlia-1	6/30/10	0930	5	X														X			3	2		
640	Dahlia-2	6/30/10	0945	5	X														X			3	2		
626	Dahlia	6/30/10	1315	5	X																				

**Special Instructions:**

Relinquished by: *[Signature]* Date: 7/2/10 Time: 0830 Method of Shipment: FEDEX

Received by: *[Signature]* Date: 7/2/10 Time: 8:30

Relinquished by: *[Signature]* Date: 7/2/10 Time: 8:30

**Laboratory Comments:**

Temperature Upon Receipt: \_\_\_\_\_

VOCs Free of Headspace? \_\_\_\_\_

ATTACHMENT A



# NON-HAZARDOUS MANIFEST

CWM

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.		Manifest Document No.		2. Page 1 of 1					
3. Generator's Name and Mailing Address <b>MCAS, Beaufort Laurel Bay Housing Beaufort SC 29904</b>				A. Manifest Number <b>WMNA 10885435</b>							
4. Generator's Phone <b>843 228-6460</b>				B. State Generator's ID							
5. Transporter 1 Company Name <b>EEG, Inc.</b>		6. US EPA ID Number		C. State Transporter's ID		D. Transporter's Phone <b>843 879-0411</b>					
7. Transporter 2 Company Name		8. US EPA ID Number		E. State Transporter's ID		F. Transporter's Phone					
9. Designated Facility Name and Site Address <b>HICKORY HILL LANDFILL ROUTE 1, BOX 121 RIDGE LAND SC 29936</b>		10. US EPA ID Number		G. State Facility's ID		H. Facility's Phone <b>843 987-4643</b>					
11. Description of Waste Materials				12. Containers No. Type		13. Total Quantity		14. Unit Wt./Vol.		I. Misc. Comments	
a. Heating Oil Tank filled with Sand WM Profile # <b>102655SC</b>				0 0 1		426TN					
b. WM Profile #											
c. WM Profile #											
d. WM Profile #											
J. Additional Descriptions for Materials Listed Above Landfill _____ Solidification _____ Bio Remediation _____				K. Disposal Location Cell _____ Level _____ Grid _____							
15. Special Handling Instructions and Additional Information <b>4571's from houses: 3) 652 Dahlia-2 5) 698 Dahlia-2 1) 647 Dahlia 4) 650 Dahlia-2 6) 644 Dahlia-2</b> Purchase Order # <b>3652 Dahlia-1</b> EMERGENCY CONTACT:											
16. GENERATOR'S CERTIFICATION: I hereby certify that the above-described materials are not hazardous wastes as defined by 40 CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged, and are in proper condition for transportation according to applicable regulations.											
Printed/Typed Name <b>W.S. Doherty</b>				Signature "On Behalf of" <i>[Signature]</i>				Month Day Year <b>07/06/10</b>			
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name <b>James Baldwin</b>				Signature <i>[Signature]</i>				Month Day Year <b>10/7/08/10</b>			
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name				Signature				Month Day Year			
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.											
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest. Printed/Typed Name <b>Toni Cofield</b>				Signature <i>[Signature]</i>				Month Day Year <b>1/7/18/10</b>			

# UST Certificate of Disposal

## **CONTRACTOR**

Small Business Group, Inc.  
10179 Highway 78  
Ladson, SC 29456

TEL (843) 879-0403  
FAX (843) 879-0401

## **TANK ID & LOCATION**

UST 644Dahlia-1, 644 Dahlia Drive, Laurel Bay Housing Area, MCAS Beaufort, S.C.

---

## **DISPOSAL LOCATION**

Coastal Auto Salvage Co., Inc.  
130 Laurel Bay Road  
Beaufort, S.C. 29906

### **TYPE OF TANK**

### **SIZE (GAL)**

Steel

280

---

## **CLEANING/DISPOSAL METHOD**

The tank and piping were unearthed, cut open, cleaned with a pressure washer, cut into sections, and recycled.

## **DISPOSAL CERTIFICATION**

I certify that the above tank, piping and equipment has been properly cleaned and disposed of.

T. L. Lee / 8/10/10  
(Name) (Date)



**Appendix C**  
**Laboratory Analytical Report - Groundwater**

# Volatile Organic Compounds by GC/MS

Client: <b>AECOM - Resolution Consultants</b>	Laboratory ID: <b>QK18003-004</b>
Description: <b>BEALB644TW01WG20151116</b>	Matrix: <b>Aqueous</b>
Date Sampled: <b>11/16/2015 1620</b>	
Date Received: <b>11/18/2015</b>	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	11/23/2015 1356	JM1		90375

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzene	71-43-2	8260B	0.45	U	5.0	0.45	0.21	ug/L	1
Ethylbenzene	100-41-4	8260B	0.51	U	5.0	0.51	0.21	ug/L	1
Naphthalene	91-20-3	8260B	0.96	U	5.0	0.96	0.14	ug/L	1
<b>Toluene</b>	<b>108-88-3</b>	<b>8260B</b>	<b>0.71</b>	<b>J</b>	<b>5.0</b>	0.48	<b>0.24</b>	<b>ug/L</b>	<b>1</b>
Xylenes (total)	1330-20-7	8260B	0.57	U	5.0	0.57	0.32	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
Bromofluorobenzene		110	75-120
1,2-Dichloroethane-d4		104	70-120
Toluene-d8		103	85-120
Dibromofluoromethane		91	85-115

PQL = Practical quantitation limit      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      H = Out of holding time      Q = Surrogate failure  
 ND = Not detected at or above the MDL      J = Estimated result < PQL and ≥ MDL      P = The RPD between two GC columns exceeds 40%      N = Recovery is out of criteria      L = LCS/LCSD failure  
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"      S = MS/MSD failure

Shealy Environmental Services, Inc.  
 106 Vantage Point Drive   West Columbia, SC 29172   (803) 791-9700   Fax (803) 791-9111   www.shealylab.com

# Semivolatile Organic Compounds by GC/MS (SIM)

Client: <b>AECOM - Resolution Consultants</b>	Laboratory ID: <b>QK18003-004</b>
Description: <b>BEALB644TW01WG20151116</b>	Matrix: <b>Aqueous</b>
Date Sampled: <b>11/16/2015 1620</b>	
Date Received: <b>11/18/2015</b>	

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	3520C	8270D (SIM)	1	11/25/2015 1424	JCG	11/19/2015 1536	90053

Parameter	CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzo(a)anthracene	56-55-3	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(b)fluoranthene	205-99-2	8270D (SIM)	0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(k)fluoranthene	207-08-9	8270D (SIM)	0.040	U	0.20	0.040	0.024	ug/L	1
Chrysene	218-01-9	8270D (SIM)	0.040	U	0.20	0.040	0.021	ug/L	1
Dibenzo(a,h)anthracene	53-70-3	8270D (SIM)	0.080	U	0.20	0.080	0.040	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
2-Methylnaphthalene-d10		84	15-139
Fluoranthene-d10		55	23-154

PQL = Practical quantitation limit      B = Detected in the method blank      E = Quantitation of compound exceeded the calibration range      H = Out of holding time      Q = Surrogate failure  
 ND = Not detected at or above the MDL      J = Estimated result < PQL and ≥ MDL      P = The RPD between two GC columns exceeds 40%      N = Recovery is out of criteria      L = LCS/LCSD failure  
 Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"      S = MS/MSD failure

Shealy Environmental Services, Inc.  
 106 Vantage Point Drive   West Columbia, SC 29172   (803) 791-9700   Fax (803) 791-9111   www.shealylab.com

## **Appendix D**

### **Regulatory Correspondence**



Catherine E. Heigel, Director

*Promoting and protecting the health of the public and the environment*

July 1, 2015

Commanding Officer  
Attention: NREAO Mr. William A. Drawdy  
United State Marine Corps Air Station  
Post Office Box 55001  
Beaufort, SC 29904-5001

RE: IGWA  
Laurel Bay Underground Storage Tank Assessment Reports for:  
*See attached sheet*

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the referenced Underground Storage Tank Assessment Reports for the addresses listed above. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

The Department has reviewed the referenced assessment reports. The submitted analytical results indicate that petroleum constituents are above established Risk-Based Screening Levels and additional investigation is warranted. Specifically, the Department requests that a groundwater sampling proposal be generated to determine if there has been an impact to groundwater at this site.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at [kriegkm@dhec.sc.gov](mailto:kriegkm@dhec.sc.gov) or 803-898-0255.

Sincerely,

Kent Krieg  
Department of Defense Corrective Action Section  
Bureau of Land and Waste Management  
South Carolina Department of Health and Environmental Control

Cc: Russell Berry (via email)  
Craig Ehde (via email)  
Bryan Beck (via email)



Catherine E. Heigel, Director

*Promoting and protecting the health of the public and the environment*

**Attachment to:** Krieg to Drawdy  
Subject: IGWA  
Dated 7/1/2015

**Laurel Bay Underground Storage Tank Assessment Reports for: (97 addresses/110 tanks)**

118 Banyan	343 Ash Tank 2
126 Banyan	344 Ash Tank 2
127 Banyan	347 Ash Tank 2
130 Banyan Tank 1	378 Aspen Tank 2
141 Laurel Bay	379 Aspen
151 Laurel Bay	382 Aspen Tank 1
224 Cypress	382 Aspen Tank 2
227 Cypress	394 Acorn Tank 2
256 Beech Tank 2	400 Elderberry
257 Beech Tank 1	432 Elderberry
257 Beech Tank 2	436 Elderberry
264 Beech	473 Dogwood Tank 2
265 Beech Tank 2	482 Laurel Bay
265 Beech Tank 3	517 Laurel Bay
275 Birch	586 Aster
277 Birch Tank 1	632 Dahlia
285 Birch	639 Dahlia Tank 2
292 Birch Tank 3	643 Dahlia Tank 1
297 Birch	644 Dahlia Tank 1
301 Ash	644 Dahlia Tank 2
306 Ash	646 Dahlia Tank 1
310 Ash Tank 1	646 Dahlia Tank 2
313 Ash	665 Camellia
315 Ash Tank 2	699 Abelia
316 Ash	744 Blue Bell
319 Ash	745 Blue Bell Tank 1
320 Ash	747 Blue Bell Tank 1
321 Ash	747 Blue Bell Tank 2
329 Ash	747 Blue Bell Tank 3
330 Ash Tank 2	749 Blue Bell Tank 1
331 Ash	749 Blue Bell Tank 2
332 Ash	751 Blue Bell
333 Ash	762 Althea
335 Ash Tank 1	765 Althea Tank 2
335 Ash Tank 2	766 Althea Tank 4
341 Ash	767 Althea Tank 1
342 Ash Tank 1	768 Althea Tank 2
342 Ash Tank 2	768 Althea Tank 3

**Laurel Bay Underground Storage Tank Assessment Reports for: (98 addresses/110 tanks) cont.**

768 Althea Tank 4	1067 Gardenia
769 Althea Tank 1	1077 Heather
769 Althea Tank 2	1081 Heather
775 Althea	1101 Iris Tank 2
819 Azalea	1104 Iris
840 Azalea	1105 Iris Tank 2
878 Cobia	1124 Iris Tank 2
891 Cobia	1142 Iris Tank 2
913 Barracuda	1146 Iris Tank 2
916 Barracuda	1218 Cardinal
923 Albacore	1240 Dove
1004 Bobwhite	1266 Dove
1022 Foxglove	1292 Eagle
1031 Foxglove	1299 Eagle Tank 1
1034 Foxglove Tank 2	1302 Eagle
1061 Gardenia Tank 3	1336 Albatross
1064 Gardenia	1351 Cardinal



Catherine E. Heigel, Director

*Promoting and protecting the health of the public and the environment*

Division of Waste Management  
Bureau of Land and Waste Management

June 8, 2016

Commanding Officer  
Attention: NREAO Mr. William A. Drawdy  
United State Marine Corps Air Station  
Post Office Box 55001  
Beaufort, SC 29904-5001

RE: Approval and Concurrence with Draft Final Initial Groundwater Investigation Report-November and December 2015  
Laurel Bay Military Housing Area Multiple Properties  
Dated April 2015

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received groundwater data in the above referenced Groundwater Investigation Report for the attached addresses on May 2, 2016. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

Per the Department's request, groundwater samples were collected from the attached referenced addresses. The Department reviewed the groundwater data and previous investigations and it agrees with the conclusions and recommendations included in the document. To further assess the impact to groundwater, permanent wells should be installed at the 15 stated addresses. For the remaining 80 addresses, there is no indication of contamination on the property and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at [petruslb@dhec.sc.gov](mailto:petruslb@dhec.sc.gov) or 803-898-0294.

Sincerely,

Laurel Petrus  
RCRA Federal Facilities Section

*Attachment: Specific Property Recommendations*

Cc: Russell Berry, EQC Region 8 (via email)  
Shawn Dolan, Resolution Consultants (via email)  
Bryan Beck, NAVFAC MIDATLANTIC (via email)  
Craig Ehde (via email)



Attachment to: Petrus to Drawdy

**Subject: Draft Final Initial Groundwater Investigation Report-November and December 2015**

### Specific Property Recommendations

Dated June 8, 2016

## Draft Final Initial Groundwater Investigation Report for (95 addresses)

### Permanent Monitoring Well Investigation recommendation (15 addresses)

130 Banyan Drive	473 Dogwood Drive
256 Beech Street	747 Blue Bell Lane
285 Birch Drive	749 Blue Bell Lane
292 Birch Drive	775 Althea Street
330 Ash Street	1034 Foxglove Street
331 Ash Street	1104 Iris Lane
335 Ash Street	1124 Iris Lane
342 Ash Street	

**No Further Action recommendation (80 addresses)**

118 Banyan Drive	644 Dahlia Drive
126 Banyan Drive	646 Dahlia Drive
127 Banyan Drive	665 Camellia Drive
141 Laurel Bay Blvd	699 Abelia Street
151 Laurel Bay Blvd	744 Blue Bell Lane
224 Cypress Street	745 Blue Bell Lane
227 Cypress Street	751 Blue Bell Lane
257 Beech Street	762 Althea Street
264 Beech Street	765 Althea Street
265 Beech Street	766 Althea Street
275 Birch Drive	767 Althea Street
277 Birch Drive	768 Althea Street
297 Birch Drive	769 Althea Street
301 Ash Street	819 Azalea Drive
306 Ash Street	840 Azalea Drive
310 Ash Street	878 Cobia Drive
313 Ash Street	891 Cobia Drive
315 Ash Street	913 Barracuda Drive
316 Ash Street	916 Barracuda Drive
319 Ash Street	923 Wren Lane
320 Ash Street	1004 Bobwhite Drive
321 Ash Street	1022 Foxglove Street
329 Ash Street	1031 Foxglove Street
332 Ash Street	1061 Gardenia Drive
333 Ash Street	1064 Gardenia Drive
341 Ash Street	1067 Gardenia Drive
347 Ash Street	1077 Heather Street
378 Aspen Street	1081 Heather Street
379 Aspen Street	1101 Iris Lane
382 Aspen Street	1105 Iris Lane
394 Acorn Street	1142 Iris Lane
400 Elderberry Drive	1146 Iris Lane
432 Elderberry Drive	1218 Cardinal Lane
436 Elderberry Drive	1240 Dove Lane
482 Laurel Bay Blvd	1266 Dove Lane
517 Laurel Bay Blvd	1292 Eagle Lane
586 Aster Street	1299 Eagle Lane
632 Dahlia Drive	1302 Eagle Lane
639 Dahlia Drive	1336 Albatross Drive
643 Dahlia Drive	1351 Cardinal Lane