SUMMARY REPORT
73 CAMELLIA DRIVE (FORMERLY 660 CAMELLIA DRIVE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid-Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095 SUMMARY REPORT
73 CAMELLIA DRIVE (FORMERLY 660 CAMELLIA DRIVE)

LAUREL BAY MILITARY HOUSING AREA

MARINE CORPS AIR STATION BEAUFORT

BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid- Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture 10560 Arrowhead Drive, Suite 500 Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016

CTO WE52

JUNE 2021






Table of Contents

1.0	INTRODUC	TION1	l				
1.1 1.2		ND INFORMATION					
2.0	SAMPLING ACTIVITIES AND RESULTS						
2.1 2.2		VAL AND SOIL SAMPLING					
3.0	PROPERTY	STATUS	ļ				
4.0	REFERENC	ES	ļ				
Table	1	Table Laboratory Analytical Results - Soil					
		Appendices					
Appen Appen Appen	dix B	Multi-Media Selection Process for LBMH UST Assesment Report Regulatory Correspondence					



Summary Report 73 Camellia Drive (Formerly 660 Camellia Drive) Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort June 2021

List of Acronyms

bgs below ground surface

BTEX benzene, toluene, ethylbenzene, and xylenes

CTO Contract Task Order

COPC constituents of potential concern

IDIQ Indefinite Delivery, Indefinite Quantity

IGWA Initial Groundwater Assessment

JV Joint Venture

LBMH Laurel Bay Military Housing MCAS Marine Corps Air Station

NAVFAC Mid-Lant Naval Facilities Engineering Command Mid-Atlantic

NFA No Further Action

PAH polynuclear aromatic hydrocarbon

QAPP Quality Assurance Program Plan

RBSL risk-based screening level

SCDHEC South Carolina Department of Health and Environmental Control

Site LBMH area at MCAS Beaufort, South Carolina

UST underground storage tank

VISL vapor intrusion screening level



1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 73 Camellia Drive (Formerly 660 Camellia Drive). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.





Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service,* (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels





used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 73 Camellia Drive (Formerly 660 Camellia Drive). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 660 Camellia Drive* (MCAS Beaufort, 2013). The UST Assessment Report is provided in Appendix B.

2.1 UST Removal and Soil Sampling

On December 19, 2012, a single 280 gallon heating oil UST was removed from the concrete porch area at 73 Camellia Drive (Formerly 660 Camellia Drive). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 6'6" bgs and a single soil sample was collected from that depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in





accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment quidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 73 Camellia Drive (Formerly 660 Camellia Drive) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment.

3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 73 Camellia Drive (Formerly 660 Camellia Drive). This NFA determination was obtained in a letter dated May 15, 2014. SCDHEC's NFA letter is provided in Appendix C.

4.0 REFERENCES

- Marine Corps Air Station Beaufort, 2013. South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report 660 Camellia Drive, Laurel Bay Military Housing Area, June 2013.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 2.0*, April 2013.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.0*, May 2015.





- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

Table



Table 1

Laboratory Analytical Results - Soil 73 Camellia Drive (Formerly 660 Camellia Drive)

Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs (1)	Results Sample Collected 12/19/12		
Volatile Organic Compounds Analyzed	by EPA Method 8260B (mg/kg)			
Benzene	0.003	ND		
Ethylbenzene	1.15	ND		
Naphthalene	0.036	ND		
Toluene	0.627	ND		
Xylenes, Total	13.01	ND		
Semivolatile Organic Compounds Anal	yzed by EPA Method 8270D (mg/kg)			
Benzo(a)anthracene	0.66	ND		
Benzo(b)fluoranthene	0.66	ND		
Benzo(k)fluoranthene	0.66	ND		
Chrysene	0.66	ND		
Dibenz(a,h)anthracene	0.66	ND		

Notes:

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0 (SCDHEC, April 2013).

Appendix A Multi-Media Selection Process for LBMH





Appendix A - Multi-Media Selection Process for LBMH

Appendix B UST Assessment Report



South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank (UST) Assessment Report



Submit Completed Form To: UST Program SCDHEC 2600 Bull Street Columbia, South Carolina 29201 Telephone (803) 896-7957

I. OWNERSHIP OF UST (S)

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde) Owner Name (Corporation, Individual, Public Agency, Other)								
P.O. Box 55001 Mailing Address	P.O. Box 55001 Mailing Address							
_Beaufort,	South Carolina	29904-5001						
City	State	Zip Code						
843	228-73 <u>1</u> 7	_Craig Ehde						
Area Code	Telephone Number	Contact Person						

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. # Laurel Bay Military Hous Facility Name or Company Site Iden	sing Area, Marine Corps Air Station, Beaufort, SC
660 Camellia Drive, Lau Street Address or State Road (as appl	rel Bay Military Housing Area
Beaufort, City	Beaufort

Attachment 2

III. INSURANCE INFORMATION

Insurance Statement
The petroleum release reported to DHEC on at Permit ID Number may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. This section must be completed.
Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES NO (check one)
If you answered YES to the above question, please complete the following information:
My policy provider is: The policy deductible is: The policy limit is:
If you have this type of insurance, please include a copy of the policy with this report.
IV. REQUEST FOR SUPERB FUNDING
I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)
V. CERTIFICATION (To be signed by the UST owner)
I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.
Name (Type or print.)
Signature
To be completed by Notary Public:
Sworn before me this day of, 20
(Name)
Notary Public for the state of Please affix State seal if you are commissioned outside South Carolina

VI.	UST INFORMATION				1	·
V 1.	UST INFORMATION	660Camellia				
Produ	ct(ex. Gas, Kerosene)	Heating oil				
	city(ex. 1k, 2k)	280 gal				
Age		Late 1950s				
Consti	ruction Material(ex. Steel, FRP)	Steel				,
Month	n/Year of Last Use	Mid 1980s				
Depth	(ft.) To Base of Tank	6'6"				
Spill P	Prevention Equipment Y/N	No				
Overfi	Ill Prevention Equipment Y/N	No				
Metho	od of Closure Removed/Filled	Removed				
Date T	Tanks Removed/Filled	12/19/2012				
Visible	e Corrosion or Pitting Y/N	Yes				
Visible	e Holes Y/N	Yes				
	od of disposal for any USTs removed from the 660Camellia was removed from t	•	-	,		
	title "D" landfill. See Attachm					
Sub		ment "A".	removed	from the	e USTs (a	

VII. PIPING INFORMATION

		660Camellia				
		Steel				
٨	Construction Meterial (ov. Steel EDD)	& Copper				
A.	Construction Material(ex. Steel, FRP)					
B.	Distance from UST to Dispenser	N/A				
Б.	Distance from OST to Dispenser					
C.	Number of Dispensers	N/A				
	1					
D.	Type of System Pressure or Suction	Suction				
E.	Was Piping Removed from the Ground? Y/N	No				
F.	Visible Corrosion or Pitting Y/N	Yes				
G.	Visible Holes Y/N	No				
H.	Age	Late 1950s				
I.	If any corrosion, pitting, or holes were observed, de	scribe the location and extent for each nining run				
1.	if any corresion, plaing, or holes were coserved, de	serioe the recation and extent for each piping run.				
	Corrosion and pitting were found	on the surface of the steel vent				
	pipe. Copper supply and return li	nes were sound.				
	VIII. BRIEF SITE DESCRI					
	The USTs at the residences are con and formerly contained fuel oil for					
	installed in the late 1950s and la	3				
	Installed in the late 1930s and la	ist used in the mid 1980s.				

IX. SITE CONDITIONS

	Yes	No	Unk
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells? If yes, indicate depth and location on the site map.		Х	
			<u> </u>
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?		Х	
If yes, indicate location on site map and describe the odor (strong, mild, etc.)			
C. Was water present in the UST excavation, soil borings, or trenches?		Х	
If yes, how far below land surface (indicate location and depth)?			
D. Did contaminated soils remain stockpiled on site after closure?		Х	
If yes, indicate the stockpile location on the site map.			
Name of DHEC representative authorizing soil removal:			
E. Was a petroleum sheen or free product detected on any excavation or boring waters?		Х	
If yes, indicate location and thickness.			

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA#
660 Camellia	Excav at fill end	Soil	Sandy	6'6"	12/19/12 1315 hrs	P. Shaw	
							-
							_
8							·
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

^{* =} Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect <u>and</u> store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280
and SC DHEC Assessment Guidelines. Sample containers were prepared by the
testing laboratory. The grab method was utilized to fill the sample
containers leaving as little head space as possible and immediately
capped. Soil samples were extracted from area below tank. The
samples were marked, logged, and immediately placed in a sample cooler
packed with ice to maintain an approximate temperature of 4 degrees
Centigrade. Tools were thoroughly cleaned and decontaminated with
the seven step decon process after each use. The samples remained in
custody of SBG-EEG, Inc. until they were transferred to Test America
Incorporated for analysis as documented in the Chain of Custody Record.


XII. RECEPTORS


		Yes	No
A.	Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?		Х
	If yes, indicate type of receptor, distance, and direction on site map.		
B.	Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?		Х
	If yes, indicate type of well, distance, and direction on site map.		
C.	Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?		X
	If yes, indicate type of structure, distance, and direction on site map.		
D.	Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? *Sewer, water, electricically cable, fiber optic & geometric geometric and the contamination are cable, fiber optic & geometric and the contamination are cable, fiber optic & geometric and the contamination are cable, fiber optic & geometric and the contamination are cable, fiber optic & geometric and the contamination are cable, fiber optic & geometric and the contamination are cable, fiber optic & geometric and the contamination are cable, fiber optic & geometric and the contamination are cable, fiber optic & geometric and the contamination are cable, fiber optic & geometric and the contamination are cable, fiber optic & geometric and the contamination are cable, fiber optic & geometric and the contamination are cable, fiber optic & geometric and the contamination are cable, fiber optic & geometric and the contamination are cable, fiber optic & geometric and the contamination are cable, fiber optic & geometric and the contamination are cable, fiber optic & geometric and the contamination are cable, fiber optic & geometric and the cable, fiber optic and the cable and	•	al
	If yes, indicate the type of utility, distance, and direction on the site map.		
E.	Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?		Х
	If yes, indicate the area of contaminated soil on the site map.		


XIII. SITE MAP

You must supply a <u>scaled</u> site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)









Picture 1: Location of UST 660Camellia.



Picture 2: UST 660Camellia excavation.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

Effici die son analytical data	i for cach son oom	ig ioi aii	ic table b	ciow and	on the for	nowing page
CoC UST	660Camellia					
Benzene	ND					
Toluene	ND					
Ethylbenzene	ND					
Xylenes	ND				i	
Naphthalene	ND		_			
Benzo (a) anthracene	ND					
Benzo (b) fluoranthene	ND					
Benzo (k) fluoranthene	ND					
Chrysene	ND					
Dibenz (a, h) anthracene	ND					
TPH (EPA 3550)						
	-	-			•	
CoC						
Benzene						
Toluene						
Ethylbenzene						
Xylenes						
Naphthalene						
Benzo (a) anthracene						
Benzo (b) fluoranthene						
Benzo (k) fluoranthene						
Chrysene						
Dibenz (a, h) anthracene						
TPH (EPA 3550)						

SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0 01 feet.

CoC	RBSL		=	I	
	(µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None		_		
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here) (Please see Form #4)



Expert

Visit us at:

www.testamericainc.com

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories. Inc.

TestAmerica Nashville 2960 Foster Creighton Drive Nashville, TN 37204 Tel: (615)726-0177

TestAmerica Job ID: 490-15279-1

Client Project/Site: Laurel Bay Housing Project

Environmental Enterprise Group 10179 Highway 78 Ladson, South Carolina 29456

Attn: Mr. Tom McElwee

Kuth Hay

Authorized for release by: 12/28/2012 6:07:15 PM

Ken Haves Project Manager I

ken.hayes@testamericainc.com

parameters, exceptions are noted in this report. This report may not be reproduced except in full,

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project TestAmerica Job ID: 490-15279-1

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	
Definitions	5
Client Sample Results	
QC Sample Results	
QC Association	18
Chronicle	20
Method Summary	22
Certification Summary	
Chain of Custody	
Receipt Checklists	

Sample Summary

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project

Lab Sample ID

490-15279-1

Client Sample ID

661 Camellia

TestAmerica Job ID: 490-15279-1

Collected

12/17/12 14:00

	į	

ı	J						
ľ			_				

Received

12/20/12 08:30









2

13

Matrix

Solid

Case Narrative

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project TestAmerica Job ID: 490-15279-1

Job ID: 490-15279-1

Laboratory: TestAmerica Nashville

Narrative

Job Narrative 490-15279-1

Comments

No additional comments.

Receipt

The samples were received on 12/20/2012 8:30 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 0.9° C.

GC/MS VOA

Method(s) 8260B: The method blank for batch 46034 contained Naphthalene above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

Method(s) 8260B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for batch 46034 were outside control limits. The associated laboratory control sample (LCS) recovery met acceptance criteria.

Method(s) 8260B: Surrogate recovery for the following sample(s) was outside control limits: (490-15331-2 MS), (490-15331-2 MSD), Waste-1 (490-15331-2). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method(s) 8260B: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with batch 46534.

Method(s) 8260B: The method blank for batch 46534 contained Xylenes above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No other analytical or quality issues were noted.

GC/MS Semi VOA

No analytical or quality issues were noted.

Organic Prep

No analytical or quality issues were noted.

VOA Prep

No analytical or quality issues were noted.

TestAmerica Nashville 12/28/2012

Page 4 of 27

Definitions/Glossary

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-15279-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
В	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
E	Result exceeded calibration range.
X	Surrogate is outside control limits
F	MS or MSD exceeds the control limits
4	MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not
	applicable.

Glossary

TEQ

Toxicity Equivalent Quotient (Dioxin)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¢i .	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
DL, RA, RE, IN	Indicates a Dilution, Reanalysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
EDL	Estimated Detection Limit
EPA	United States Environmental Protection Agency
MDA	Minimum detectable activity
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)

12/28/2012

12

Client Sample Results

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project TestAmerica Job ID: 490-15279-1

Client Sample ID: 661 Camellia

Date Collected: 12/17/12 14:00 Date Received: 12/20/12 08:30

Xylenes, Total

Percent Solids

Lab Sample ID: 490-15279-1

12/23/12 00:33

12/21/12 08:22

Matrix: Solid Percent Solids: 97.0

Method: 8260B - Volatile Orga	anic Compounds (GC/MS)							
Analyte	Result Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND	0.00244	0.000819	mg/Kg	n	12/21/12 08:22	12/23/12 00:33	9
Ethylbenzene	ND	0.00244	0.000819	mg/Kg	¤	12/21/12 08:22	12/23/12 00:33	*
Naphthalene	ND	0.00611	0.00208	mg/Kg	Ħ	12/21/12 08:22	12/23/12 00:33	
Toluene	ND	0.00244	0.000904	mg/Kg	¤	12/21/12 08:22	12/23/12 00:33	

0.000819 mg/Kg

Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109	70 - 130	12/21/12 08:22	12/23/12 00:33	- +
4-Bromofluorobenzene (Surr)	104	70 - 130	12/21/12 08:22	12/23/12 00:33	+
Dibromofluoromethane (Surr)	98	70 - 130	12/21/12 08:22	12/23/12 00:33	(F)
Toluene-d8 (Surr)	112	70 - 130	12/21/12 08:22	12/23/12 00:33	1

0.00611

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0677	0.0101	mg/Kg	¤	12/26/12 13:37	12/26/12 17:16	
Acenaphthylene	ND		0.0677	0.00909	mg/Kg	¤	12/26/12 13:37	12/26/12 17:16	
Anthracene	ND		0.0677	0.00909	mg/Kg	¤	12/26/12 13:37	12/26/12 17:16	1
Benzo[a]anthracene	ND		0.0677	0.0152	mg/Kg	¤	12/26/12 13:37	12/26/12 17:16	
Benzo[a]pyrene	ND		0.0677	0.0121	mg/Kg	Ħ	12/26/12 13:37	12/26/12 17:16	+
Benzo[b]fluoranthene	ND		0.0677	0.0121	mg/Kg	¤	12/26/12 13:37	12/26/12 17:16	
Benzo[g,h,i]perylene	ND		0.0677	0.00909	mg/Kg	¤	12/26/12 13:37	12/26/12 17:16	+
Benzo[k]fluoranthene	ND		0.0677	0.0141	mg/Kg	¤	12/26/12 13:37	12/26/12 17:16	*
1-Methylnaphthalene	ND		0.0677	0.0141	mg/Kg	¤	12/26/12 13:37	12/26/12 17:16	
Pyrene	ND		0.0677	0.0121	mg/Kg	¤	12/26/12 13:37	12/26/12 17:16	1
Phenanthrene	ND		0.0677	0.00909	mg/Kg	Ħ	12/26/12 13:37	12/26/12 17:16	4
Chrysene	ND		0.0677	0.00909	mg/Kg	¤	12/26/12 13:37	12/26/12 17:16	1
Dibenz(a,h)anthracene	ND		0.0677	0.00707	mg/Kg	Ħ	12/26/12 13:37	12/26/12 17:16	1
Fluoranthene	ND		0.0677	0.00909	mg/Kg	¤	12/26/12 13:37	12/26/12 17:16	
Fluorene	ND		0.0677	0.0121	mg/Kg	Ħ	12/26/12 13:37	12/26/12 17:16	1
Indeno[1,2,3-cd]pyrene	ND		0.0677	0.0101	mg/Kg	¤	12/26/12 13:37	12/26/12 17:16	1
Naphthalene	ND		0.0677	0.00909	mg/Kg	¤	12/26/12 13:37	12/26/12 17:16	
2-Methylnaphthalene	ND		0.0677	0.0162	mg/Kg	¤	12/26/12 13:37	12/26/12 17:16	*
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	53		29 - 120				12/26/12 13:37	12/26/12 17:16	7
Terphenyl-d14 (Surr)	79		13 - 120				12/26/12 13:37	12/26/12 17:16	t
Nitrobenzene-d5 (Surr)	48		27 - 120				12/26/12 13:37	12/26/12 17:16	T
General Chemistry									
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac

0.10

0.10 %

12/21/12 08:38

97

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project TestAmerica Job ID: 490-15279-1

Matrix: Solid

Lab Sample ID: 490-15279-2

Percent Solids: 96.4

Client Sample ID: 700 Bluebell

Date Collected: 12/18/12 14:05 Date Received: 12/20/12 08:30

Analyte

Percent Solids

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00235	0.000788	mg/Kg	Ħ	12/21/12 08:22	12/23/12 01:03	-
Ethylbenzene	ND		0.00235	0.000788	mg/Kg	Ħ	12/21/12 08:22	12/23/12 01:03	
Naphthalene	ND		0.00588	0.00200	mg/Kg	Ħ	12/21/12 08:22	12/23/12 01:03	9
Toluene	ND		0.00235	0.000871	mg/Kg	Ħ	12/21/12 08:22	12/23/12 01:03	- 3
Xylenes, Total	ND		0.00588	0.000788	mg/Kg	¤	12/21/12 08:22	12/23/12 01:03	3
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		70 - 130				12/21/12 08:22	12/23/12 01:03	
4-Bromofluorobenzene (Surr)	103		70 - 130				12/21/12 08:22	12/23/12 01:03	1
Dibromofluoromethane (Surr)	97		70 - 130				12/21/12 08:22	12/23/12 01:03	9
Toluene-d8 (Surr)	105		70 - 130				12/21/12 08:22	12/23/12 01:03	1
Method: 8270D - Semivolatile	Organic Compou	nds (GC/M	S)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0676	0.0101	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:08	1
Acenaphthylene	ND		0.0676	0.00908	mg/Kg	¤	12/26/12 13:37	12/26/12 19:08	
Anthracene	ND		0.0676	0.00908	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:08	
Benzo[a]anthracene	ND		0.0676	0.0151	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:08	- 3
Benzo[a]pyrene	ND		0.0676	0.0121	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:08	
Benzo[b]fluoranthene	ND		0.0676	0.0121	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:08	
Benzo[g,h,i]perylene	ND		0.0676	0.00908	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:08	
Benzo[k]fluoranthene	ND		0.0676	0.0141	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:08	1
1-Methylnaphthalene	ND		0.0676	0.0141	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:08	
Pyrene	ND		0.0676	0.0121	mg/Kg	¤	12/26/12 13:37	12/26/12 19:08	9
Phenanthrene	ND		0.0676	0.00908	mg/Kg	¤	12/26/12 13:37	12/26/12 19:08)
Chrysene	ND		0.0676	0.00908	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:08	9
Dibenz(a,h)anthracene	ND		0.0676	0.00707	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:08	- 9
Fluoranthene	ND		0.0676	0.00908	mg/Kg	¤	12/26/12 13:37	12/26/12 19:08	
Fluorene	ND		0.0676	0.0121	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:08	- 9
Indeno[1,2,3-cd]pyrene	ND		0.0676	0.0101	mg/Kg	¤	12/26/12 13:37	12/26/12 19:08	1
Naphthalene	ND		0.0676	0.00908	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:08	3
2-Methylnaphthalene	ND		0.0676	0.0161	mg/Kg	¤	12/26/12 13:37	12/26/12 19:08	3
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	61		29 - 120				12/26/12 13:37	12/26/12 19:08	
Terphenyl-d14 (Surr)	82		13 _ 120				12/26/12 13:37	12/26/12 19:08	- 1
Nitrobenzene-d5 (Surr)	55		27 - 120				12/26/12 13:37	12/26/12 19:08	
General Chemistry									
		Ourseliff' -	DI.	D1	I Imia	n	Dranarad	Amaluzad	Dil Ea

Analyzed

12/21/12 08:38

Prepared

Dil Fac

RL

0.10

Result Qualifier

96

RL Unit

0.10 %

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project TestAmerica Job ID: 490-15279-1

Lab Sample ID: 490-15279-3

Matrix: Solid Percent Solids: 95.3

Client Sample	ID:	660	Came	llia
---------------	-----	-----	------	------

Date Collected: 12/19/12 13:15 Date Received: 12/20/12 08:30

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00263	0.000880	mg/Kg	n	12/21/12 08:22	12/23/12 01:34	,
Ethylbenzene	ND		0.00263	0.000880	mg/Kg	Ħ	12/21/12 08:22	12/23/12 01:34	1
Naphthalene	ND		0.00657	0.00223	mg/Kg	Ħ	12/21/12 08:22	12/23/12 01:34	1
Toluene	ND		0.00263	0.000972	mg/Kg	Ħ	12/21/12 08:22	12/23/12 01:34	1
Xylenes, Total	ND		0.00657	0.000880	mg/Kg	¤	12/21/12 08:22	12/23/12 01:34	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane d4 (Surr)	108		70 - 130				12/21/12 08:22	12/23/12 01:34	P
4-Bromofluorobenzene (Surr)	103		70 - 130				12/21/12 08:22	12/23/12 01:34	1
Dibromofluoromethane (Surr)	99		70 - 130				12/21/12 08:22	12/23/12 01:34	
Toluene-d8 (Surr)	105		70 - 130				12/21/12 08:22	12/23/12 01:34	1
Method: 8270D - Semivolatile		•	•						
Analyte		Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0698	0.0104	0 0	n	12/26/12 13:37	12/26/12 19:29	1
Acenaphthylene	ND		0.0698	0.00937	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:29	1
Anthracene	ND		0.0698	0.00937	mg/Kg	¤	12/26/12 13:37	12/26/12 19:29	1
Benzo[a]anthracene	ND		0.0698	0.0156	mg/Kg	¤	12/26/12 13:37	12/26/12 19:29	1
Benzo[a]pyrene	ND		0.0698	0.0125	mg/Kg	¤	12/26/12 13:37	12/26/12 19:29	
Benzo[b]fluoranthene	ND		0.0698	0.0125	mg/Kg	¤	12/26/12 13:37	12/26/12 19:29	,
Benzo[g,h,i]perylene	ND		0.0698	0.00937	mg/Kg	¤	12/26/12 13:37	12/26/12 19:29	1
Benzo[k]fluoranthene	ND		0.0698	0.0146	mg/Kg	n	12/26/12 13:37	12/26/12 19:29	
1-Methylnaphthalene	ND		0.0698	0.0146	mg/Kg	¤	12/26/12 13:37	12/26/12 19:29	
Pyrene	ND		0.0698	0.0125	mg/Kg	¤	12/26/12 13:37	12/26/12 19:29	
Phenanthrene	ND		0.0698	0.00937	mg/Kg	¤	12/26/12 13:37	12/26/12 19:29	-
Chrysene	ND		0.0698	0.00937	mg/Kg	¤	12/26/12 13:37	12/26/12 19:29	1
Dibenz(a,h)anthracene	ND		0.0698	0.00729	mg/Kg	¤	12/26/12 13:37	12/26/12 19:29	
Fluoranthene	ND		0.0698	0.00937	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:29	1
Fluorene	ND		0.0698	0.0125	mg/Kg	¤	12/26/12 13:37	12/26/12 19:29	
Indeno[1,2,3-cd]pyrene	ND		0.0698	0.0104	mg/Kg	¤	12/26/12 13:37	12/26/12 19:29	
Naphthalene	ND		0.0698	0.00937	mg/Kg	¤	12/26/12 13:37	12/26/12 19:29	-
2-Methylnaphthalene	ND		0.0698	0.0167	mg/Kg	¤	12/26/12 13:37	12/26/12 19:29	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
2-Fluorobiphenyl (Surr)	61		29 - 120				12/26/12 13:37	12/26/12 19:29	
Terphenyl-d14 (Surr)	83		13 _ 120				12/26/12 13:37	12/26/12 19:29	
Nitrobenzene-d5 (Surr)	54		27 - 120				12/26/12 13:37	12/26/12 19:29	
General Chemistry									
Analyte	Result	Qualifier	RL	RL		D	Prepared	Analyzed	Dil Fa
Percent Solids	95		0.10	0.10	%			12/21/12 08:38	

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project TestAmerica Job ID: 490-15279-1

Client Sample ID: 455 Elderberry

Date Collected: 12/17/12 15:15 Date Received: 12/20/12 08:30 Lab Sample ID: 490-15279-4

Matrix: Solid Percent Solids: 91.5

ate Received: 12/20/12 08:30								Percent Soli	
Method: 8260B - Volatile Orga Analyte		(GC/MS) Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00237	0.000795	mg/Kg	¤	12/21/12 08:22	12/23/12 02:04	1
Ethylbenzene	ND		0.00237	0.000795	mg/Kg	¤	12/21/12 08:22	12/23/12 02:04	
Naphthalene	ND		0.00593	0.00202	mg/Kg	¤	12/21/12 08:22	12/23/12 02:04	
Toluene	ND		0.00237	0.000878	mg/Kg	¤	12/21/12 08:22	12/23/12 02:04	- 1
Xylenes, Total	ND		0.00593	0.000795	mg/Kg	¤	12/21/12 08:22	12/23/12 02:04	,
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		70 - 130				12/21/12 08:22	12/23/12 02:04	
4-Bromofluorobenzene (Surr)	112		70 - 130				12/21/12 08:22	12/23/12 02:04	14
Dibromofluoromethane (Surr)	97		70 - 130				12/21/12 08:22	12/23/12 02:04	
Toluene-d8 (Surr)	109		70 - 130				12/21/12 08:22	12/23/12 02:04	1
Method: 8270D - Semivolatile		•	•						
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0715	0.0107	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:50	3
Acenaphthylene	ND		0.0715	0.00960	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:50	3
Anthracene	ND		0.0715	0.00960	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:50	
Benzo[a]anthracene	ND		0.0715	0.0160	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:50	
Benzo[a]pyrene	ND		0.0715	0.0128	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:50	1
Benzo[b]fluoranthene	ND		0.0715	0.0128	mg/Kg	¤	12/26/12 13:37	12/26/12 19:50	
Benzo[g,h,i]perylene	ND		0.0715	0.00960	mg/Kg	n	12/26/12 13:37	12/26/12 19:50	1
Benzo[k]fluoranthene	ND		0.0715	0.0149	mg/Kg	¤	12/26/12 13:37	12/26/12 19:50	7
1-Methylnaphthalene	ND		0.0715	0.0149	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:50	
Pyrene	ND		0.0715	0.0128	mg/Kg	Ħ	12/26/12 13:37	12/26/12 19:50	1
Phenanthrene	ND		0.0715	0.00960	mg/Kg	n	12/26/12 13:37	12/26/12 19:50	. 1
Chrysene	ND		0.0715	0.00960	mg/Kg	¤	12/26/12 13:37	12/26/12 19:50	
Dibenz(a,h)anthracene	ND		0.0715	0.00747	mg/Kg	¤	12/26/12 13:37	12/26/12 19:50	*
Fluoranthene	ND		0.0715	0.00960	mg/Kg	¤	12/26/12 13:37	12/26/12 19:50	
Fluorene	ND		0.0715	0.0128	mg/Kg	¤	12/26/12 13:37	12/26/12 19:50	1
Indeno[1,2,3-cd]pyrene	ND		0.0715	0.0107	mg/Kg	¤	12/26/12 13:37	12/26/12 19:50	7
Naphthalene	ND		0.0715	0.00960	mg/Kg	¤	12/26/12 13:37	12/26/12 19:50	1
2-Methylnaphthalene	ND		0.0715	0.0171	mg/Kg	¤	12/26/12 13:37	12/26/12 19:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	58		29 - 120				12/26/12 13:37	12/26/12 19:50	,
Terphenyld14 (Surr)	80		13 - 120				12/26/12 13:37	12/26/12 19:50	1
Nitrobenzene-d5 (Surr)	53		27 - 120				12/26/12 13:37	12/26/12 19:50	3
General Chemistry	_	0 110			112			A	5
Analyte		Qualifier	RL	RL		D	Prepared	Analyzed	Dil Fac
Percent Solids	92		0.10	0.10	%			12/21/12 08:38	1

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project TestAmerica Job ID: 490-15279-1

Client Sample ID: 586 Aster

Date Collected: 12/18/12 15:00 Date Received: 12/20/12 08:30

Lab Sample ID: 490-15279-5

Matrix: Solid

Percent Solids: 93.7

Method: 8260B - Volatile Orga Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00220	0.000738	mg/Kg	¤	12/21/12 08:22	12/23/12 02:34	9.1
Ethylbenzene	ND		0.00220	0.000738	mg/Kg	¤	12/21/12 08:22	12/23/12 02:34	1
Naphthalene	ND		0.00550	0.00187	mg/Kg	¤	12/21/12 08:22	12/23/12 02:34	+
Toluene	ND		0.00220	0.000815	mg/Kg	¤	12/21/12 08:22	12/23/12 02:34	1.
Xylenes, Total	ND		0.00550	0.000738	mg/Kg	¤	12/21/12 08:22	12/23/12 02:34	t
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		70 - 130				12/21/12 08:22	12/23/12 02:34	f :
4-Bromofluorobenzene (Surr)	106		70 - 130				12/21/12 08:22	12/23/12 02:34	7
Dibromofluoromethane (Surr)	97		70 - 130				12/21/12 08:22	12/23/12 02:34	1
Toluene-d8 (Surr)	117		70 - 130				12/21/12 08:22	12/23/12 02:34	5
Method: 8270D - Semivolatile		•	,						
Analyte		Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		0.0711	0.0106	mg/Kg	¤	12/26/12 13:37	12/26/12 20:11	1
Acenaphthylene	ND		0.0711	0.00955	mg/Kg	¤	12/26/12 13:37	12/26/12 20:11	100
Anthracene	0.248		0.0711	0.00955	mg/Kg	¤	12/26/12 13:37	12/26/12 20:11	1
Benzo[a]anthracene	1.88		0.0711	0.0159	mg/Kg	¤	12/26/12 13:37	12/26/12 20:11	10
Benzo[a]pyrene	0.777		0.0711	0.0127	mg/Kg	¤	12/26/12 13:37	12/26/12 20:11	1
Benzo[b]fluoranthene	1.32		0.0711	0.0127	mg/Kg	¤	12/26/12 13:37	12/26/12 20:11	1
Benzo[g,h,i]perylene	0.277		0.0711	0.00955	mg/Kg	¤	12/26/12 13:37	12/26/12 20:11	1
Benzo[k]fluoranthene	0.715		0.0711	0.0149	mg/Kg	¤	12/26/12 13:37	12/26/12 20:11	1
1-Methylnaphthalene	ND		0.0711	0.0149	mg/Kg	¤	12/26/12 13:37	12/26/12 20:11	10
Pyrene	2.80		0.0711	0.0127	mg/Kg	¤	12/26/12 13:37	12/26/12 20:11	*
Phenanthrene	1.03		0.0711	0.00955	mg/Kg	¤	12/26/12 13:37	12/26/12 20:11	10
Chrysene	1.83		0.0711	0.00955	mg/Kg	¤	12/26/12 13:37	12/26/12 20:11	9
Dibenz(a,h)anthracene	0.102		0.0711	0.00743	mg/Kg	¤	12/26/12 13:37	12/26/12 20:11	1
Fluoranthene	3.33		0.0711	0.00955	mg/Kg	¤	12/26/12 13:37	12/26/12 20:11	t
Fluorene	ND		0.0711	0.0127	mg/Kg	¤	12/26/12 13:37	12/26/12 20:11	1
Indeno[1,2,3-cd]pyrene	0.280		0.0711	0.0106	mg/Kg	¤	12/26/12 13:37	12/26/12 20:11	1
Naphthalene	ND		0.0711	0.00955	mg/Kg	¤	12/26/12 13:37	12/26/12 20:11	1
2-Methylnaphthalene	ND		0.0711	0.0170	mg/Kg	¤	12/26/12 13:37	12/26/12 20:11	T_{ij}
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	61		29 - 120				12/26/12 13:37	12/26/12 20:11	
Terphenyl-d14 (Surr)	85		13 - 120				12/26/12 13:37	12/26/12 20:11	7
Nitrobenzene-d5 (Surr)	56		27 - 120				12/26/12 13:37	12/26/12 20:11	7
General Chemistry						_			D'1 =
Analyte	Result	Qualifier	RL	RL		D	Prepared	Analyzed	Dil Fac
Percent Solids	94		0.10	0.10	%			12/21/12 08:38	1

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project TestAmerica Job ID: 490-15279-1

Lab Sample ID: 490-15279-6

Matrix: Solid Percent Solids: 96.8

Client Sample ID: 666 Camellia

Date Collected: 12/19/12 14:15 Date Received: 12/20/12 08:30

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00216	0.000724	mg/Kg	¤	12/21/12 08:22	12/26/12 15:51	
Ethylbenzene	ND		0.00216	0.000724	mg/Kg	¤	12/21/12 08:22	12/26/12 15:51	1
Naphthalene	ND		0.00541	0.00184	mg/Kg	¤	12/21/12 08:22	12/26/12 15:51	
Toluene	ND		0.00216	0.000800	mg/Kg	Ø	12/21/12 08:22	12/26/12 15:51	
Xylenes, Total	0.00157	J B	0.00541	0.000724	mg/Kg	¤	12/21/12 08:22	12/26/12 15:51	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
1, 2-Dichloroethane-d4 (Surr)	93		70 - 130				12/21/12 08:22	12/26/12 15:51	
4-Bromofluorobenzene (Surr)	102		70 - 130				12/21/12 08:22	12/26/12 15:51	
Dibromofluoromethane (Surr)	98		70 - 130				12/21/12 08:22	12/26/12 15:51	
Toluene-d8 (Sun')	96		70 - 130				12/21/12 08:22	12/26/12 15:51	
Method: 8270D - Semivolatile	Organic Compou	nds (GC/MS	S)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Acenaphthene	ND		0.0675	0.0101	mg/Kg	¤	12/26/12 13:37	12/26/12 20:32	
Acenaphthylene	ND		0.0675	0.00906	mg/Kg	n	12/26/12 13:37	12/26/12 20:32	
Anthracene	ND		0.0675	0.00906	mg/Kg	Ħ	12/26/12 13:37	12/26/12 20:32	
Benzo[a]anthracene	ND		0.0675	0.0151	mg/Kg	Ħ	12/26/12 13:37	12/26/12 20:32	
Benzo[a]pyrene	ND		0.0675	0.0121	mg/Kg	Ä	12/26/12 13:37	12/26/12 20:32	
Benzo[b]fluoranthene	ND		0.0675	0.0121	mg/Kg	¤	12/26/12 13:37	12/26/12 20:32	
Benzo[g,h,i]perylene	ND		0.0675	0.00906	mg/Kg	¤	12/26/12 13:37	12/26/12 20:32	
Benzo[k]fluoranthene	ND		0.0675	0.0141	mg/Kg	¤	12/26/12 13:37	12/26/12 20:32	
1-Methylnaphthalene	ND		0.0675	0.0141	malka	Ħ	12/26/12 13:37	12/26/12 20:32	

					3 3				
Pyrene	ND		0.0675	0.0121	mg/Kg	¤	12/26/12 13:37	12/26/12 20:32	
Phenanthrene	ND		0.0675	0.00906	mg/Kg	Ħ	12/26/12 13:37	12/26/12 20:32	1
Chrysene	ND		0.0675	0.00906	mg/Kg	¤	12/26/12 13:37	12/26/12 20:32	1
Dibenz(a,h)anthracene	ND		0.0675	0.00705	mg/Kg	章	12/26/12 13:37	12/26/12 20:32	- 3
Fluoranthene	ND		0.0675	0.00906	mg/Kg	¤	12/26/12 13:37	12/26/12 20:32	1
Fluorene	ND		0.0675	0.0121	mg/Kg	Ħ	12/26/12 13:37	12/26/12 20:32	1
Indeno[1,2,3-cd]pyrene	ND		0.0675	0.0101	mg/Kg	Ħ	12/26/12 13:37	12/26/12 20:32	1
Naphthalene	ND		0.0675	0.00906	mg/Kg	¤	12/26/12 13:37	12/26/12 20:32	1
2-Methylnaphthalene	ND		0.0675	0.0161	mg/Kg	¤	12/26/12 13:37	12/26/12 20:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Sun')	59		29 - 120				12/26/12 13:37	12/26/12 20:32	1
Terphenyl-d14 (Surr)	84		13 - 120				12/26/12 13:37	12/26/12 20:32	T
Nitrobenzene-d5 (Surr)	51		27 - 120				12/26/12 13:37	12/26/12 20:32	1
General Chemistry									
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	97		0.10	0.10	%			12/21/12 08:38	1

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-15279-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: 490-15331-A-2-D MS

Matrix: Solid

Analysis Batch: 46034

Client Sample ID: Matrix Spike Prep Type: Total/NA

Prep Batch: 45768

	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	ND		0.0494	0.02739		mg/Kg	¤	55	31 - 143	
Ethylbenzene	0.0121		0.0494	0.02303	F	mg/Kg	¤	22	23 - 161	
Naphthalene	0.214	ΕB	0.0494	0.2093	E 4	mg/Kg	¤	-10	10 - 176	
Toluene	ND		0.0494	0.02214		mg/Kg	¤	45	30 _ 155	
Xylenes, Total	0.0269		0.148	0.06805		mg/Kg	Ħ	28	25 - 162	

MS MS

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	103		70 - 130
4-Bromofluorobenzene (Surr)	80		70 - 130
Dibromofluoromethane (Surr)	102		70 - 130
Toluene-d8 (Surr)	219	X	70 - 130

Lab Sample ID: 490-15331-A-2-E MSD

Matrix: Solid

Analysis Batch: 46034

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 45768

	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	ND		0.0453	0.02559		mg/Kg	Ħ	56	31 - 143	7	50
Ethylbenzene	0.0121		0.0453	0.02378		mg/Kg	¤	26	23 - 161	3	50
Naphthalene	0.214	ΕB	0.0453	0.2292	E 4	mg/Kg	¤	33	10 - 176	9	50
Toluene	ND		0.0453	0.02243		mg/Kg	¤	49	30 - 155	1	50
Xylenes, Total	0.0269		0.136	0.06830		mg/Kg	Ħ	30	25 - 162	0	50

MSD MSD

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	93		70 - 130
4-Bromofluorobenzene (Surr)	106		70 - 130
Dibromofluoromethane (Surr)	102		70 _ 130
Toluene-d8 (Surr)	205	X	70 - 130

Lab Sample ID: MB 490-46034/6

Matrix: Solid

Analysis Batch: 46034

Client Sample ID: Method Blank

Prep Type: Total/NA

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.000670	mg/Kg			12/22/12 20:02	3
Ethylbenzene	ND		0.00200	0.000670	mg/Kg			12/22/12 20:02	.71
Naphthalene	0.001713	J	0.00500	0.00170	mg/Kg			12/22/12 20:02	
Toluene	ND		0.00200	0.000740	mg/Kg			12/22/12 20:02	
Xylenes, Total	ND		0.00500	0.000670	mg/Kg			12/22/12 20:02	*

	MB MB				
Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	81	70 - 130		12/22/12 20:02	
4-Bromofluorobenzene (Surr)	106	70 - 130		12/22/12 20:02	
Dibromofluoromethane (Surr)	91	70 - 130		12/22/12 20:02	P
Toluene-d8 (Surr)	107	70-130		12/22/12 20:02	1

TestAmerica Nashville

12/28/2012

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-46034/3

Matrix: Solid

Analysis Batch: 46034

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

	Spike	LCS	LUS			%Rec.	
Analyte	Added	Result	Qualifier Unit	D	%Rec	Limits	
Benzene	0.0500	0.05170	mg/Kg		103	75 - 127	
Ethylbenzene	0.0500	0.05580	mg/Kg		112	80 - 134	
Naphthalene	0.0500	0.06079	mg/Kg		122	69 - 150	
Toluene	0.0500	0.05442	mg/Kg		109	80 - 132	
Xylenes, Total	0.150	0.1697	mg/Kg		113	80 - 137	

Limits

70 _ 130

70 - 130

70 - 130

70 - 130

Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA

Lab Sample ID: LCSD 490-46034/4

Matrix: Solid

Toluene-d8 (Surr)

Surrogate

Analysis Batch: 46034

1,2-Dichloroethane-d4 (Surr)

4-Bromofluorobenzene (Surr) Dibromofluoromethane (Surr)

,	Spike	LCSD LC	SD		%Rec.		RPD
Analyte	Added	Result Qu	alifier Unit	D %Rec	Limits	RPD	Limit
Benzene	0.0500	0.05204	mg/Kg	104	75 - 127	1	50
Ethylbenzene	0.0500	0.05541	mg/Kg	111	80 - 134	1	50
Naphthalene	0.0500	0.06091	mg/Kg	122	69 - 150	0	50
Toluene	0.0500	0.05387	mg/Kg	108	80 - 132	1	50
Xylenes, Total	0.150	0.1669	mg/Kg	111	80 - 137	2	50

LCSD LCSD

LCS LCS %Recovery Qualifier

104

100

102

107

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		70 - 130
4-Bromofluorobenzene (Sum)	103		70 _ 130
Dibromofluoromethane (Surr)	105		70 - 130
Toluene-d8 (Surr)	105		70 - 130

Client Sample ID: Method Blank

Prep Type: Total/NA

Matrix: Solid

Analysis Batch: 46534

Lab Sample ID: MB 490-46534/7

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.00200	0.000670	mg/Kg			12/26/12 13:26	1
Ethylbenzene	ND		0.00200	0.000670	mg/Kg			12/26/12 13:26	
Naphthalene	ND		0.00500	0.00170	mg/Kg			12/26/12 13:26	
Toluene	ND		0.00200	0.000740	mg/Kg			12/26/12 13:26	1
Xylenes, Total	0.0007691	J	0.00500	0.000670	mg/Kg			12/26/12 13:26	3

	MB MB					
Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac	
1, 2-Dichloroethane-d4 (Surr)	92	70 - 130		12/26/12 13:26	1.	
4-Bromofluorobenzene (Surr)	99	70 - 130		12/26/12 13:26	:19	
Dibromofluoromethane (Surr)	95	70 - 130		12/26/12 13:26	1	
Toluene-d8 (Surr)	94	70 - 130		12/26/12 13:26	III	

TestAmerica Nashville

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project TestAmerica Job ID: 490-15279-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-46534/3

Matrix: Solid

Analysis Batch: 46534

Client	Sample	ID:	Lab Control Sample
			Prep Type: Total/NA

	Spike	LCS	LCS				%Rec.
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits
Benzene	0.0500	0.04657		mg/Kg		93	75 - 127
Ethylbenzene	0.0500	0.04879		mg/Kg		98	80 - 134
Naphthalene	0.0500	0.05377		mg/Kg		108	69 - 150
Toluene	0.0500	0.04802		mg/Kg		96	80 - 132
Xylenes, Total	0.150	0.1413		mg/Kg		94	80 - 137

LCS LCS %Recovery Qualifier Limits Surrogate 70 . 130 1,2-Dichloroethane-d4 (Surr) 93 70 - 130 102 4-Bromofluorobenzene (Surr) Dibromofluoromethane (Surr) 98 70 - 130 Toluene-d8 (Surr) 97 70 - 130

Lab Sample ID: LCSD 490-46534/4

Matrix: Solid

Analysis Batch: 46534

Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA

, . ,	Spike	LCSD LCSD			%Rec.		RPD
Analyte	Added	Result Qualifier	Unit	D %Rec	Limits	RPD	Limit
Benzene	0.0500	0.05006	mg/Kg	100	75 _ 127	7	50
Ethylbenzene	0.0500	0.05208	mg/Kg	104	80 - 134	7	50
Naphthalene	0.0500	0.05768	mg/Kg	115	69-150	7	50
Toluene	0.0500	0.05183	mg/Kg	104	80 - 132	8	50
Xylenes, Total	0.150	0.1520	mg/Kg	101	80 - 137	7	50

LCSD LCSD %Recovery Qualifier Limits Surrogate 94 70 - 130 1,2-Dichloroethane-d4 (Surr) 70 _ 130 4-Bromofluorobenzene (Surr) 103 Dibromofluoromethane (Surr) 98 70 - 130 97 70 - 130 Toluene-d8 (Surr)

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid

Analysis Batch: 46542

Lab Sample ID: MB 490-46650/1-A

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 46650

MB MB							
Result Quali	ifier RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
ND	0.0670	0.0100	mg/Kg		12/26/12 13:37	12/26/12 16:34	*
ND	0.0670	0.00900	mg/Kg		12/26/12 13:37	12/26/12 16:34	*
ND	0.0670	0.00900	mg/Kg		12/26/12 13:37	12/26/12 16:34	9
ND	0.0670	0.0150	mg/Kg		12/26/12 13:37	12/26/12 16:34	
ND	0.0670	0.0120	mg/Kg		12/26/12 13:37	12/26/12 16:34	1
ND	0.0670	0.0120	mg/Kg		12/26/12 13:37	12/26/12 16:34	4
ND	0.0670	0.00900	mg/Kg		12/26/12 13:37	12/26/12 16:34	+
ND	0.0670	0.0140	mg/Kg		12/26/12 13:37	12/26/12 16:34	
ND	0.0670	0.0140	mg/Kg		12/26/12 13:37	12/26/12 16:34	1.
ND	0.0670	0.0120	mg/Kg		12/26/12 13:37	12/26/12 16:34	1
ND	0.0670	0.00900	mg/Kg		12/26/12 13:37	12/26/12 16:34	1
	Result Qual ND ND ND ND ND ND ND ND ND N	Result Qualifier RL ND 0.0670 ND 0.0670	Result Qualifier RL MDL ND 0.0670 0.0100 ND 0.0670 0.00900 ND 0.0670 0.0150 ND 0.0670 0.0120 ND 0.0670 0.0120 ND 0.0670 0.00900 ND 0.0670 0.0140 ND 0.0670 0.0140 ND 0.0670 0.0140 ND 0.0670 0.0120	Result Qualifier RL MDL Unit ND 0.0670 0.0100 mg/Kg ND 0.0670 0.00900 mg/Kg ND 0.0670 0.00900 mg/Kg ND 0.0670 0.0120 mg/Kg ND 0.0670 0.0120 mg/Kg ND 0.0670 0.00900 mg/Kg ND 0.0670 0.0140 mg/Kg ND 0.0670 0.0140 mg/Kg ND 0.0670 0.0140 mg/Kg ND 0.0670 0.0140 mg/Kg ND 0.0670 0.0120 mg/Kg	Result Qualifier RL MDL Unit D ND 0.0670 0.0100 mg/Kg mg/Kg ND 0.0670 0.00900 mg/Kg ND 0.0670 0.0150 mg/Kg ND 0.0670 0.0120 mg/Kg ND 0.0670 0.0120 mg/Kg ND 0.0670 0.00900 mg/Kg ND 0.0670 0.0140 mg/Kg ND 0.0670 0.0140 mg/Kg ND 0.0670 0.0140 mg/Kg ND 0.0670 0.0120 mg/Kg	Result Qualifier RL MDL Unit D Prepared ND 0.0670 0.0100 mg/Kg 12/26/12 13:37 ND 0.0670 0.00900 mg/Kg 12/26/12 13:37 ND 0.0670 0.00900 mg/Kg 12/26/12 13:37 ND 0.0670 0.0150 mg/Kg 12/26/12 13:37 ND 0.0670 0.0120 mg/Kg 12/26/12 13:37 ND 0.0670 0.0120 mg/Kg 12/26/12 13:37 ND 0.0670 0.00900 mg/Kg 12/26/12 13:37 ND 0.0670 0.0140 mg/Kg 12/26/12 13:37	Result ND Qualifier RL MDL Unit D Prepared Prepared Analyzed ND 0.0670 0.0100 mg/Kg 12/26/12 13:37 12/26/12 16:34 ND 0.0670 0.00900 mg/Kg 12/26/12 13:37 12/26/12 16:34 ND 0.0670 0.00900 mg/Kg 12/26/12 13:37 12/26/12 16:34 ND 0.0670 0.0150 mg/Kg 12/26/12 13:37 12/26/12 16:34 ND 0.0670 0.0120 mg/Kg 12/26/12 13:37 12/26/12 16:34 ND 0.0670 0.0120 mg/Kg 12/26/12 13:37 12/26/12 16:34 ND 0.0670 0.00900 mg/Kg 12/26/12 13:37 12/26/12 16:34 ND 0.0670 0.0140 mg/Kg

TestAmerica Nashville

12/28/2012

Page 14 of 27

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

ND

MB MB

TestAmerica Job ID: 490-15279-1

Lab Sample ID: MB 490-46650/1-A **Matrix: Solid**

2-Methylnaphthalene

Analysis Batch: 46542

Client Sample ID: Method Blank Prep Type: Total/NA

12/26/12 16:34

12/26/12 13:37

Prep Batch: 46650

	Analyzed	Dil Fac	1574
7	12/26/12 16:34	1	
37	12/26/12 16:34	1	
37	12/26/12 16:34	1	7
7	12/26/12 16:34	4	

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chrysene	ND		0.0670	0.00900	mg/Kg		12/26/12 13:37	12/26/12 16:34	- 3
Dibenz(a,h)anthracene	ND		0.0670	0.00700	mg/Kg		12/26/12 13:37	12/26/12 16:34	
Fluoranthene	ND		0.0670	0.00900	mg/Kg		12/26/12 13:37	12/26/12 16:34	
Fluorene	ND		0.0670	0.0120	mg/Kg		12/26/12 13:37	12/26/12 16:34	- 1
Indeno[1,2,3-cd]pyrene	ND		0.0670	0.0100	mg/Kg		12/26/12 13:37	12/26/12 16:34	
Naphthalene	ND		0.0670	0.00900	mg/Kg		12/26/12 13:37	12/26/12 16:34	- 3

Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl (Surr)	70	29 - 120	12/26/12 13:37	12/26/12 16:34	*
Terphenyl-d14 (Surr)	87	13 _ 120	12/26/12 13:37	12/26/12 16:34	*
Nitrobenzene-d5 (Surr)	60	27 - 120	12/26/12 13.37	12/26/12 16:34	7

0.0670

0.0160 mg/Kg

Lab Sample ID: LCS 490-46650/2-A

Matrix: Solid

Analysis Batch: 46542

Client Sample ID: Lab Control Sample Prep Type: Total/NA

Prep Batch: 46650

,	Spike	LCS	LCS				%Rec.
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits
Acenaphthylene	1.67	1.379		mg/Kg		83	38 - 120
Anthracene	1.67	1.357		mg/Kg		81	46 - 124
Benzo[a]anthracene	1.67	1.374		mg/Kg		82	45 - 120
Benzo[a]pyrene	1.67	1.355		mg/Kg		81	45 - 120
Benzo[b]fluoranthene	1.67	1.351		mg/Kg		81	42 - 120
Benzo[g,h,i]perylene	1.67	1.308		mg/Kg		78	38 - 120
Benzo[k]fluoranthene	1.67	1.304		mg/Kg		78	42 - 120
1-Methylnaphthalene	1.67	1.370		mg/Kg		82	32 - 120
Pyrene	1.67	1.371		mg/Kg		82	43 - 120
Phenanthrene	1.67	1.408		mg/Kg		84	45 _ 120
Chrysene	1.67	1.309		mg/Kg		79	43 - 120
Dibenz(a,h)anthracene	1.67	1.354		mg/Kg		81	32 - 128
Fluoranthene	1.67	1.282		mg/Kg		77	46 - 120
Fluorene	1.67	1.336		mg/Kg		80	42 - 120
Indeno[1,2,3-cd]pyrene	1.67	1.349		mg/Kg		81	41 - 121
Naphthalene	1.67	1.408		mg/Kg		84	32 - 120
2-Methylnaphthalene	1.67	1.380		mg/Kg		83	28 - 120

LCS LCS

Surrogate	%Recovery 0	Qualifier	Limits
2-Fluorobiphenyl (Surr)	68		29 - 120
Terphenyl-d14 (Surr)	88		13 - 120
Nitrobenzene-d5 (Surr)	65		27 _ 120

Lab Sample ID: 490-15279-1 MS

Matrix: Solid

Analysis Batch: 46542

Client Sample ID: 661 Camelli	a
Prep Type: Total/N	A

Prep Batch: 46650

	Sample Sample	Spike	MS	MS				%Rec.	
Analyte	Result Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Acenaphthylene	ND	1.70	1.465		mg/Kg	Ħ	86	25 - 120	
Anthracene	ND	1.70	1.415		mg/Kg	章	83	28 - 125	

TestAmerica Nashville

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project TestAmerica Job ID: 490-15279-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Sample Sample

Lab Sample ID: 490-15279-1 MS

Matrix: Solid

Analysis Batch: 46542

Client Sample ID: 661 Camellia Prep Type: Total/NA

Prep Batch: 46650 %Rec.

Analyte	Result Q	ualifier Added	Result	Qualifier Unit	D	%Rec	Limits	
Benzo[a]anthracene	ND	1.70	1.412	mg/Kg	¤	83	23 - 120	
Benzo[a]pyrene	ND	1.70	1.398	mg/Kg	¤	82	15 - 128	
Benzo[b]fluoranthene	ND	1.70	1.365	mg/Kg	¤	80	12 - 133	
Benzo[g,h,i]perylene	ND	1.70	1.381	mg/Kg	n	81	22 - 120	
Benzo[k]fluoranthene	ND	1.70	1.421	mg/Kg	¤	83	28 - 120	
1-Methylnaphthalene	ND	1.70	1.356	mg/Kg	¤	80	10 _ 120	
Pyrene	ND	1.70	1.368	mg/Kg	¤	80	20 - 123	
Phenanthrene	ND	1.70	1.473	mg/Kg	¤	86	21 - 122	
Chrysene	ND	1.70	1.359	mg/Kg	¤	80	20 - 120	
Dibenz(a,h)anthracene	ND	1.70	1.400	mg/Kg	¤	82	12 - 128	
Fluoranthene	ND	1.70	1.439	mg/Kg	¤	84	10 - 143	
Fluorene	ND	1.70	1.466	mg/Kg	¤	86	20 - 120	
Indeno[1,2,3-cd]pyrene	ND	1.70	1.404	mg/Kg	¤	82	22 - 121	
Naphthalene	ND	1.70	1.349	mg/Kg	¤	79	10 - 120	

1.70

Spike

MS MS

1.376

MSD MSD

mg/Kg

mg/Kg

mg/Kg

81

80

80

10 _ 120

13 - 120

13 - 120

MS MS

ND

Surrogate	%Recovery Qualifier	Limits
2-Fluorobiphenyl (Surr)	68	29 - 120
Terphenyl-d14 (Surr)	85	13 - 120
Nitrobenzene-d5 (Surr)	60	27 - 120

Lab Sample ID: 490-15279-1 MSD

Matrix: Solid

Naphthalene

2-Methylnaphthalene

Naphthalene 2-Methylnaphthalene

Analysis Batch: 46542

Client Sample ID: 661 Camellia Prep Type: Total/NA

Prep Batch: 46650

RPD

Sample Sample Spike Result Qualifier Result Qualifier Unit ח %Rec Limits RPD Limit Analyte Added n 82 5 50 Acenaphthylene ND 1.71 1.395 mg/Kg 25 120 Anthracene ND 1.71 1.377 mg/Kg 81 28 - 125 3 49 82 23 - 120 50 ND 1.71 1.400 mg/Kg Benzo[a]anthracene 80 15 - 128 2 50 ND 1.71 1.371 mg/Kg Benzo[a]pyrene ¤ 50 Benzo[b]fluoranthene ND 1.71 1.414 mg/Kg 83 12 _ 133 4 n ND 1.71 1.331 mg/Kg 78 22 - 120 4 50 Benzo[g,h,i]perylene Ø 45 mg/Kg 81 28 - 120 3 ND 1.71 1.377 Benzo[k]fluoranthene n 80 10-120 50 1-Methylnaphthalene ND 1.71 1.369 mg/Kg 1.71 1.376 mg/Kg 81 20 - 123 50 Pyrene ND mg/Kg 83 21 - 122 3 50 1.71 1.424 ND Phenanthrene ¤ 49 81 20 - 120 2 1.71 1.385 mg/Kg Chrysene ND ¤ 2 50 80 12 - 128 Dibenz(a,h)anthracene ND 1.71 1.367 mg/Kg 1.380 Ħ 81 10 - 143 4 50 Fluoranthene ND 1.71 mg/Kg 1.347 Ø 79 20 - 120 8 50 mg/Kg Fluorene ND 1.71 78 22 - 121 5 50 1.339 Indeno[1,2,3-cd]pyrene ND 1.71 mg/Kg 50 Ħ

1.372

1.373

1.71

1.71

Page 16 of 27

MSD MSD

ND

ND

Surrogate	%Recovery Qu	alifier Limits
2-Fluorobiphenyl (Surr)	66	29 - 120
Terphenyl-d14 (Surr)	83	13 - 120

TestAmerica Nashville

12/28/2012

2

0

50

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project TestAmerica Job ID: 490-15279-1

Lab Sample ID: 490-15279-1 MSD

Matrix: Solid

Surrogate

Analysis Batch: 46542

Nitrobenzene-d5 (Surr)

MSD MSD

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Limits %Recovery Qualifier 60 27 - 120 Client Sample ID: 661 Camellia Prep Type: Total/NA

Prep Batch: 46650

Method: Moisture - Percent Moisture

Lab Sample ID: 450-8381-A-1 DU

Matrix: Solid

Analysis Batch: 45690

DU DU Sample Sample Result Qualifier RPD Result Qualifier Limit Analyte Unit Percent Solids 94 0.5 20 93

Client Sample ID: Duplicate Prep Type: Total/NA

RPD

QC Association Summary

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-15279-1

ā

GC/MS VOA

Prep Batch: 45675

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-15279-1	661 Camellia	Total/NA	Solid	5035	
490-15279-2	700 Bluebell	Total/NA	Solid	5035	
490-15279-3	660 Camellia	Total/NA	Solid	5035	
490-15279-4	455 Elderberry	Total/NA	Solid	5035	
490-15279-5	586 Aster	Total/NA	Solid	5035	
490-15279-6	666 Camellia	Total/NA	Solid	5035	

Prep Batch: 45768

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-15331-A-2-D MS	Matrix Spike	Total/NA	Solid	5035	
490-15331-A-2-E MSD	Matrix Spike Duplicate	Total/NA	Solid	5035	

Analysis Batch: 46034

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-15279-1	661 Camellia	Total/NA	Solid	8260B	45675
490-15279-2	700 Bluebell	Total/NA	Solid	8260B	45675
490-15279-3	660 Camellia	Total/NA	Solid	8260B	45675
490-15279-4	455 Elderberry	Total/NA	Solid	8260B	45675
490-15279-5	586 Aster	Total/NA	Solid	8260B	45675
490-15331-A-2-D MS	Matrix Spike	Total/NA	Solid	8260B	45768
490-15331-A-2-E MSD	Matrix Spike Duplicate	Total/NA	Solid	8260B	45768
LCS 490-46034/3	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 490-46034/4	Lab Control Sample Dup	Total/NA	Solid	8260B	
MB 490-46034/6	Method Blank	Total/NA	Solid	8260B	

Analysis Batch: 46534

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-15279-6	666 Camellia	Total/NA	Solid	8260B	45675
LCS 490-46534/3	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 490-46534/4	Lab Control Sample Dup	Total/NA	Solid	8260B	
MB 490-46534/7	Method Blank	Total/NA	Solid	8260B	

GC/MS Semi VOA

Analysis Batch: 46542

490-15279-1

661 Camellia

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
rep Batch: 46650					
MB 490-46650/1-A	Method Blank	Totai/NA	Solid	8270D	46650
LCS 490-46650/2-A	Lab Control Sample	Total/NA	Solid	8270D	46650
490-15279-6	666 Camellia	Total/NA	Solid	8270D	46650
490-15279-5	586 Aster	Total/NA	Solid	8270D	46650
490-15279-4	455 Elderberry	Total/NA	Solid	8270D	46650
490-15279-3	660 Camellia	Total/NA	Solid	8270D	46650
490-15279-2	700 Bluebell	Total/NA	Solid	8270D	46650
490-15279-1 MSD	661 Camellia	Total/NA	Solid	8270D	46650
490-15279-1 MS	661 Camellia	Total/NA	Solid	8270D	46650
490-15279-1	661 Camellia	Total/NA	Solid	8270D	46650
Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch

TestAmerica Nashville

3550C

Total/NA

Solid

QC Association Summary

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project TestAmerica Job ID: 490-15279-1

GC/MS Semi VOA (Continued)

Prep Batch: 46650 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
490-15279-1 MS	661 Camellia	Total/NA	Solid	3550C	
490-15279-1 MSD	661 Camellia	Total/NA	Solid	3550C	
490-15279-2	700 Bluebell	Total/NA	Solid	3550C	
490-15279-3	660 Camellia	Total/NA	Solid	3550C	
490-15279-4	455 Elderberry	Total/NA	Solid	3550C	
490-15279-5	586 Aster	Total/NA	Solid	3550C	
490-15279-6	666 Camellia	Total/NA	Solid	3550C	
LCS 490-46650/2-A	Lab Control Sample	Total/NA	Solid	3550C	
MB 490-46650/1-A	Method Blank	Total/NA	Solid	3550C	

General Chemistry

Analysis Batch: 45690

Lab Sample ID	Client Sample ID	Ргер Туре	Matrix	Method	Prep Batch
450-8381-A-1 DU	Duplicate	Total/NA	Solid	Moisture	
490-15279-1	661 Camellia	Total/NA	Solid	Moisture	
490-15279-2	700 Bluebell	Total/NA	Solid	Moisture	
490-15279-3	660 Camellia	Total/NA	Solid	Moisture	
490-15279-4	455 Elderberry	Total/NA	Solid	Moisture	
490-15279-5	586 Aster	Total/NA	Solid	Moisture	
490-15279-6	666 Camellia	Total/NA	Solid	Moisture	

TestAmerica Nashville

Lab Chronicle

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-15279-1

79-1

Client Sample ID: 661 Camellia

Client Sample ID: 700 Bluebell
Date Collected: 12/18/12 14:05

Date Received: 12/20/12 08:30

Date Collected: 12/17/12 14:00 Date Received: 12/20/12 08:30 Lab Sample ID: 490-15279-1

Matrix: Solid

Percent Solids: 97.0

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			45675	12/21/12 08:22	ML	TAL NSH
Total/NA	Analysis	8260B		3	46034	12/23/12 00:33	AF	TAL NSH
Total/NA	Prep	3550C			46650	12/26/12 13:37	PA	TAL NSH
Total/NA	Analysis	8270D		*	46542	12/26/12 17:16	WS	TAL NSH
Total/NA	Analysis	Moisture		4	45690	12/21/12 08:38	RS	TAL NSH

Lab Sample ID: 490-15279-2

Matrix: Solid

Percent Solids: 96.4

Batch Ratch Dilution Batch Prepared Method Run Factor Number or Analyzed Analyst Lab Prep Type Type Total/NA Prep 5035 45675 12/21/12 08:22 ML TAL NSH Total/NA Analysis 8260B 46034 12/23/12 01:03 AF TAL NSH TAL NSH Prep 3550C 46650 12/26/12 13:37 PA Total/NA 12/26/12 19:08 TAL NSH Total/NA Analysis 8270D 46542 WS TAL NSH 45690 12/21/12 08:38 RS Total/NA Analysis Moisture

Client Sample ID: 660 Camellia

Date Collected: 12/19/12 13:15

Date Received: 12/20/12 08:30

Lab Sample	ID: 490-15279-3
------------	-----------------

Matrix: Solid Percent Solids: 95.3

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			45675	12/21/12 08:22	ML	TAL NSH
Total/NA	Analysis	8260B		4	46034	12/23/12 01:34	AF	TAL NSH
Total/NA	Prep	3550C			46650	12/26/12 13:37	PA	TAL NSH
Total/NA	Analysis	8270D		1	46542	12/26/12 19:29	WS	TAL NSH
Total/NA	Analysis	Moisture		4	45690	12/21/12 08:38	RS	TAL NSH

Client Sample ID: 455 Elderberry

Date Collected: 12/17/12 15:15 Date Received: 12/20/12 08:30 Lab Sample ID: 490-15279-4

Matrix: Solid

Percent Solids: 91.5

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			45675	12/21/12 08:22	ML	TAL NSH
Total/NA	Analysis	8260B		9	46034	12/23/12 02:04	AF	TAL NSH
Total/NA	Prep	3550C			46650	12/26/12 13:37	PA	TAL NSH
Total/NA	Analysis	8270D		75	46542	12/26/12 19:50	WS	TAL NSH
Total/NA	Analysis	Moisture		1	45690	12/21/12 08:38	RS	TAL NSH

TestAmerica Nashville

Lab Chronicle

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project TestAmerica Job ID: 490-15279-1

Client Sample ID: 586 Aster

Client Sample ID: 666 Camellia

Analysis

Analysis

8270D

Moisture

Date Collected: 12/19/12 14:15

Lab Sample ID: 490-15279-5

46542

45690

12/26/12 20:32

12/21/12 08:38

WS

RS

Matrix: Solid

Percent Solids: 93.7

Date Collected: 12/18/12 15:00 Date Received: 12/20/12 08:30

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5035			45675	12/21/12 08:22	ML	TAL NSH
Total/NA	Analysis	8260B		7	46034	12/23/12 02:34	AF	TAL NSH
Total/NA	Prep	3550C			46650	12/26/12 13:37	PA	TAL NSH
Total/NA	Analysis	8270D		1	46542	12/26/12 20:11	WS	TAL NSH
Total/NA	Analysis	Moisture		+	45690	12/21/12 08:38	RS	TAL NSH

Lab Sample ID: 490-15279-6

Matrix: Solid

Percent Solids: 96.8

Lab

TAL NSH

TAL NSH

TAL NSH

TAL NSH

TAL NSH

Date Received: 12/20/12 08:30 Dilution Batch Prepared Batch Batch or Analyzed Method Run Factor Number Analyst Prep Type Type 45675 12/21/12 08:22 ML Total/NA Prep 5035 Total/NA 46534 12/26/12 15:51 МН 8260B Analysis 12/26/12 13:37 PA Total/NA Prep 3550C 46650

Laboratory References:

Total/NA

Total/NA

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Method Summary

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project TestAmerica Job ID: 490-15279-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL NSH
8270D	Semivolatile Organic Compounds (GC/MS)	SW846	TAL NSH
Moisture	Percent Moisture	EPA	TAL NSH

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

TestAmerica Nashville

Certification Summary

Client: Environmental Enterprise Group Project/Site: Laurel Bay Housing Project

TestAmerica Job ID: 490-15279-1

Laboratory: TestAmerica Nashville

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Dat
	ACIL		393	10-30-13
A2LA	ISO/IEC 17025		0453.07	12-31-13
Alabama	State Program	4	41150	05-31-13
Alaska (UST)	State Program	10	UST-087	07-24-13
Arizona	State Program	9	AZ0473	05-05-13
Arkansas DEQ	State Program	6	88-0737	04-25-13
California	NELAP	9	1168CA	10-31-13
Canadian Assoc Lab Accred (CALA)	Canada		3744	03-08-14
Colorado	State Program	8	N/A	02-28-13
Connecticut	State Program	7.6	PH-0220	12-31-13
Florida	NELAP	4	E87358	06-30-13
Ilinois	NELAP	5	200010	12-09-13
owa	State Program	7	131	05-01-14
Kansas	NELAP	7	E-10229	10-31-13
Kentucky	State Program	4	90038	12-31-12
Kentucky (UST)	State Program	4	19	09-15-13
Louisiana	NELAP	6	LA120025	12-31-12
Louisiana	NELAP	6	30613	06-30-13
Maryland	State Program	3	316	03-31-13
Massachusetts	State Program	1	M-TN032	06-30-13
Minnesota	NELAP	5	047-999-345	12-31-12
Mississippi	State Program	4	N/A	06-30-13
Montana (UST)	State Program	8	NA	01-01-15
Nevada	State Program	9	TN00032	07-31-13
New Hampshire	NELAP	40	2963	10-09-13
New Jersey	NELAP	2	TN965	06-30-13
New York	NELAP	2	11342	04-01-13
North Carolina DENR	State Program	4	387	12-31-12
North Dakota	State Program	8	R-146	06-30-13
Ohio VAP	State Program	5	CL0033	01-19-14
Oklahoma	State Program	6	9412	08-31-13
Oregon	NELAP	10	TN200001	04-30-13
Pennsylvania	NELAP	3	68-00585	06-30-13
Rhode Island	State Program	36	LAO00268	12-30-12
South Carolina	State Program	4	84009 (001)	02-28-13
South Carolina	State Program	4	84009 (002)	02-23-14
Tennessee	State Program	4	2008	02-23-14
Texas	NELAP	6	T104704077-09-TX	08-31-13
JSDA	Federal		S-48469	11-02-13
Jtah	NELAP	8	TAN	06-30-13
√irginia	NELAP	3	460152	06-14-13
Vashington	State Program	10	C789	07-19-13
Vest Virginia DEP	State Program	3	219	02-28-13
Visconsin	State Program	5	998020430	08-31-13
Wyoming (UST)	A2LA	8	453.07	12-31-13



THE LEADER IN ENVIRONMENTAL TESTING Nashville, TN

COOLER RECEIPT FO



Cooler Received/Opened On			<u>12/20/2012 @ 0830</u>			
1.	Tracking #_	5750	(last 4 digits, FedEx)			

Courier: Fedex IR Gun ID 94660220

2. Temperature of rep. sample or temp blank when opened: ρ^{Q} Degrees Celsius

3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank frozen? YES NO. (NA)

4. Were custody seals on outside of cooler? If yes, how many and where: (2) mont/Buck

5. Were the seals intact, signed, and dated correctly?

I certify that I opened the cooler and answered guestions 1-6 (intial)

(NO) YES

7. Were custody seals on containers:

6. Were custody papers inside cooler?

and Intact

YES...NO..SNA YES...NO..NA

(ES)..NO...NA

(YES)..NO...NA

€3)..NO...NA

Were these signed and dated correctly?

9. Cooling process:

13a. Were VOA vials received?

14. Was there a Trip Blank in this cooler?

8. Packing mat'l used Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert Paper Other None

10. Did all containers arrive in good condition (unbroken)?

(Ice) Ice-pack Ice (direct contact) Dry ice Other None YES ... NO...NA

YES...NO. NA If multiple coolers, sequence # 1

11. Were all container labels complete (#, date, signed, pres., etc)?

2.NO...NA

12. Did all container labels and tags agree with custody papers?

ES NO...NA

b. Was there any observable headspace present in any VOA vial?

YES. NO..NA

I certify that I unloaded the cooler and answered questions 7-14 (intial)

15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? YES..NO..NA

b. Did the bottle labels indicate that the correct preservatives were used

(YES).NO...NA

16. Was residual chlorine present?

YES...NO..NA

I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (intial)

YES NO...NA

17. Were custody papers properly filled out (Ink, signed, etc)?

ES NO...NA

18. Did you sign the custody papers in the appropriate place? 19. Were correct containers used for the analysis requested?

ES .. NO...NA


20. Was sufficient amount of sample sent in each container?

ES...NO...NA


I certify that I entered this project into LIMS and answered questions 17-20 initial

I certify that I attached a label with the unique LIMS number to each container intial

21. Were there Non-Conformance Issues at login? YES...NO Was a NCM generated? YES...WO..#



1 2 2012



Login Sample Receipt Checklist

Client: Environmental Enterprise Group

Job Number: 490-15279-1

SDG Number:

List Source: TestAmerica Nashville

Login Number: 15279 List Number: 1

Creator: Ford. Easton

Creator: Ford, Easton		
Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>True</td> <td></td>	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	

Samples do not require splitting or compositing.

Residual Chlorine Checked.

True N/A

ATTACHMENT A



NON-HAZARDOUS MANIFEST

	1. Generator's US	S EPA ID No.	Ma	nifest Doc N	No.	2. Page 1	of				
NON-HAZARDOUS MANIFEST	Tar d			15,8		1					
3. Generator's Mailing Address:	Generator's Site Addres			ferentthan ma	ailing):	A. Manife	st Number	1			
MCAS BEAUFORT			•		•	l w	MNA	01519106			
LAUREL BAY HOUSING								Generator's			
BEAUFORT, SC 29904							G. State (Jenerator 3	10		
4. Generator's Phone 843-83	79-0411					1					
5. Transporter 1 Company Name		6.	US EPA ID	Number							
						C. State T	ransporter's l	D			
							D. Transporter's Phone				
7. Transporter 2 Company Name		8.	8. US EPA ID Number								
			1 1 all trouses			E. State Transporter's ID					
•				US EPA ID Number			F. Transporter's Phone				
_ ·	9. Designated Facility Name and Site Address 10.										
HICKORY HILL LANDFILL						G. State Facility ID					
2621 LOW COUNTRY DRIVE						H. State Facility Phone 843			3-987-4643		
RIDGELAND, SC 29936											
	***************************************			1							
G 11. Description of Waste Materials				No.	Type	13. Total Quantity	14. Unit Wt./Vol.	L N	lisc. Comme	nts	
E a. HEATING OIL TANK FILLED V	WITH SAND			1	1			1			
N				,				1			
E WM Prof	ile# 102655SC	•						1			
A b.											
T							100				
o				<u></u>	<u> </u>						
R WM Profile #		<u> </u>						<u> </u>	<u> </u>		
C.	c. • • • • •						1 .				
								.			
	WM Profile #			<u> </u>				 	<u></u>		
d.	d.			40.							
				, , ,							
WM Profile #					Heir Gira						
	J. Additional Descriptions for Materials Listed Above			K. Disposal Location							
The state of the s											
			Cell					Level	Level		
15. Special Handling Instructions and Additional Information					4)	559	DALlin	4 6	C 5 3	DALI	
UST'S FROM: 2) 660 CAME//IAV											
15. Special Handling Instructions and Additional Information UST'S FROM; 2) 660 CAME//in 4) 559 DALIA 6) 553,) 666 CAME/IIA/3) 807 AZALEAY 5) 556 DALIA 4											
Purchase Order #	(111747 -	<i></i>									
	16. GENERATOR'S CERTIFICATE:										
	hereby certify that the above-described materials are not hazardous wastes as defined by 40 CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.										
Printed Name	f of"	\	oncobic rego		Month	Day	Year				
1.00	Cisals		,		27.			2	\(\frac{1}{2}\)	1/2	
1 17. Transporter 1 Acknowledgement	of Receipt of Mate	rials		······································	16.1	/ Zm - 2 - 1 - 2				٠	
Printed Name								Month	Day	Year	
RATI	- PRATT Shaw								4	13	
18. Transporter 2 Acknowledgement	18. Transporter 2 Acknowledgement of Receipt of Materials										
Printed Name	Month Day			Year							
TAMES RAI	nul		th.	\mathcal{Q}_{α}	AA —			3	5	<i>i</i> ⊋	
JAMES DITE	-vwiN		virna	1 XX	Wil La	-					
19. Certificate of Final Treatment/Dis	•							••		. !	
A I certify, on behalf of the above listed				dge, the ab	ove-describ	ed waste w	as managed i	n compliand	e with all	I	
applicable laws, regulations, permits					::£- ·						
20. Facility Owner or Operator: Certi	rication of receipt of			vered by th	is manifest	<u> </u>					
Y Printed Warne	101	Sig	natue		Cal	$i = a \sqrt{a}$		Month	Day	Year	
White- TREATMENT, STORAGE, DISPO	10		e- GENERATOR	5nc		Jul U	llow- GENERA	1 9		13	

Pink- FACILITY USE ONLY

Gold-TRANSPORTER#1 COPY

Appendix C Regulatory Correspondence





Catherine B. Templeton, Director

May 15, 2014

Commanding Officer Attention: NREAO Mr. William A. Drawdy United State Marine Corps Air Station Post Office Box 55001 Beaufort, SC 29904-5001

RE: No Further Action

Laurel Bay Underground Storage Tank Assessment Reports for:

See attached sheet

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tanks (USTs) Assessment Reports for the addresses listed above. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

The Department has reviewed the referenced assessment reports and agrees there is no indication of soil or groundwater contamination on these properties, and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at kriegkm@dhec.sc.gov or 803-898-0255.

Sincerely,

Kent Krieg

Department of Defense Corrective Action Section

Bureau of Land and Waste Management

South Carolina Department of Health and Environmental Control

Cc: Russell Berry (via email)

Craig Ehde (via email)



Catherine B. Templeton, Director

Attachment to: Krieg to Drawdy

Subject: NFA Dated 5/15/2014

Laurel Bay Underground Storage Tank Assessment Reports for: (143 addresses/146 tanks)

212 Balsam	503 Laurel Bay
219 Balsam	508 Laurel Bay
260 Beech Tank 1	510 Laurel Bay
260 Beech Tank 2	523 Laurel Bay
267 Birch	525 Laurel Bay
287 Birch	529 Laurel Bay
302 Ash	533 Laurel Bay
305 Ash	537 Laurel Bay
334 Ash	556 Dahlia
338 Ash Tank 1	557 Dahlia
338 Ash Tank 2	559 Dahlia
361 Aspen	562 Dahlia
371 Aspen	568 Dahlia
372 Aspen Tank 1	581 Aster
372 Aspen Tank 2	582 Aster
375 Aspen	584 Aster
385 Aspen	602 Dahlia
403 Elderberry	607 Dahlia
407 Elderberry	614 Dahlia
411 Elderberry	616 Dahlia
414 Elderberry	619 Dahlia
415 Elderberry	625 Dahlia
421 Elderberry	629 Dahlia
427 Elderberry	631 Dahlia
428 Elderberry	634 Dahlia
431 Elderberry	660 Camellia
455 Elderberry	661 Camellia
484 Laurel Bay	666 Camellia
490 Laurel Bay	669 Camellia
502 Laurel Bay	672 Camellia

Laurel Bay Underground Storage Tank Assessment Reports for: (143 addresses/146 tanks) cont.

674 Camellia	880 Cobia
677 Camellia	890 Cobia
679 Camellia	892 Cobia
686 Camellia	900 Barracuda
690 Camellia	906 Barracuda
698 Abelia	911 Barracuda
700 Bluebell	912 Barracuda
704 Bluebell	917 Barracuda
705 Bluebell	919 Barracuda
708 Bluebell	928 Albacore
710 Bluebell	1024 Foxglove
711 Bluebell	1028 Foxglove
714 Bluebell	1029 Foxglove
715 Bluebell	1038 Iris
726 Bluebell	1049 Gardenia
728 Bluebell	1079 Heather
731 Bluebell	1103 Iris
734 Bluebell	1122 Iris
759 Althea	1136 Iris
761 Althea	1173 Bobwhite
773 Althea	1200 Cardinal
778 Laurel Bay	1221 Cardinal
807 Azalea	1238 Dove
814 Azalea	1241 Dove
815 Azalea	1242 Dove
818 Azalea	1248 Dove
820 Azalea	1262 Dove
821 Azalea	1265 Dove
831 Azalea	1267 Dove
832 Azalea	1289 Eagle
834 Azalea	1298 Eagle
835 Azalea	1300 Eagle
841 Azalea	1303 Eagle
853 Dolphin	1304 Eagle
858 Dolphin	1315 Albatross
869 Cobia	1316 Albatross
874 Cobia	1320 Albatross
875 Cobia	1338 Albatross

Laurel Bay Underground Storage Tank Assessment Reports for: (143 addresses/146 tanks) cont.

1340 Albatross	
1342 Albatross	
1344 Cardinal	
1345 Cardinal	
1349 Cardinal	
1355 Cardinal	
1366 Cardinal	
1374 Dove	
1375 Dove	
1415 Albatross	