

SUMMARY REPORT  
182 CAMELLIA DRIVE (FORMERLY 669 CAMELLIA DRIVE)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC

Revision: 0  
Prepared for:

Department of the Navy  
Naval Facilities Engineering Command, Mid-Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT  
182 CAMELLIA DRIVE (FORMERLY 669 CAMELLIA DRIVE)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC

Revision: 0  
Prepared for:

Department of the Navy  
Naval Facilities Engineering Command, Mid- Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture  
10560 Arrowhead Drive, Suite 500  
Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016  
CTO WE52  
JUNE 2021

---

## Table of Contents

1.0	INTRODUCTION.....	1
1.1	BACKGROUND INFORMATION.....	1
1.2	UST REMOVAL AND ASSESSMENT PROCESS.....	2
2.0	SAMPLING ACTIVITIES AND RESULTS.....	3
2.1	UST REMOVAL AND SOIL SAMPLING .....	3
2.2	SOIL ANALYTICAL RESULTS.....	4
3.0	PROPERTY STATUS .....	4
4.0	REFERENCES.....	4

## Table

Table 1	Laboratory Analytical Results - Soil
---------	--------------------------------------

## Appendices

Appendix A	Multi-Media Selection Process for LBMH
Appendix B	UST Assessment Report
Appendix C	Regulatory Correspondence

## List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level

## 1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 182 Camellia Drive (Formerly 669 Camellia Drive). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

### 1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

## 1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*

*Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

## 2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 182 Camellia Drive (Formerly 669 Camellia Drive). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 669 Camellia Drive* (MCAS Beaufort, 2010). The UST Assessment Report is provided in Appendix B.

### 2.1 UST Removal and Soil Sampling

On July 6, 2010, a single 280 gallon heating oil UST was removed from the landscaped area adjacent to the concrete porch at 182 Camellia Drive (Formerly 669 Camellia Drive). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 6'1" bgs and a single soil sample was collected from that

depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

## 2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 182 Camellia Drive (Formerly 669 Camellia Drive) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment.

## 3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 182 Camellia Drive (Formerly 669 Camellia Drive). This NFA determination was obtained in a letter dated May 15, 2014. SCDHEC's NFA letter is provided in Appendix C.

## 4.0 REFERENCES

Marine Corps Air Station Beaufort, 2010. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 669 Camellia Drive, Laurel Bay Military Housing Area*, December 2010.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.



South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

## Table

**Table 1**  
**Laboratory Analytical Results - Soil**  
**182 Camellia Drive (Formerly 669 Camellia Drive)**  
**Laurel Bay Military Housing Area**  
**Marine Corps Air Station Beaufort**  
**Beaufort, South Carolina**

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Results Sample Collected 07/06/10
<b>Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)</b>		
Benzene	0.003	ND
Ethylbenzene	1.15	ND
Naphthalene	0.036	ND
Toluene	0.627	ND
Xylenes, Total	13.01	ND
<b>Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)</b>		
Benzo(a)anthracene	0.66	<b>0.352</b>
Benzo(b)fluoranthene	0.66	<b>0.294</b>
Benzo(k)fluoranthene	0.66	<b>0.157</b>
Chrysene	0.66	<b>0.388</b>
Dibenz(a,h)anthracene	0.66	ND

**Notes:**

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0 (SCDHEC, April 2013).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

**Appendix A**  
**Multi-Media Selection Process for LBMH**



Appendix A - Multi-Media Selection Process for LBMH

**Appendix B**  
**UST Assessment Report**

South Carolina Department of Health and Environmental Control (SCDHEC)  
**Underground Storage Tank (UST) Assessment Report**

<b>Date Received</b>   <div style="text-align: center; padding-top: 20px;">State Use Only</div>
--

**Submit Completed Form To:**  
**UST Program**  
**SCDHEC**  
**2600 Bull Street**  
**Columbia, South Carolina 29201**  
**Telephone (803) 896-7957**

**I. OWNERSHIP OF UST (S)**

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde) Owner Name (Corporation, Individual, Public Agency, Other)		
P.O. Box 55001 Mailing Address		
Beaufort,	South Carolina	29904-5001
City	State	Zip Code
843	228-7317	Craig Ehde
Area Code	Telephone Number	Contact Person

**II. SITE IDENTIFICATION AND LOCATION**

Permit I.D. # _____	
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC Facility Name or Company Site Identifier	
669 Camellia Drive, Laurel Bay Military Housing Area Street Address or State Road (as applicable)	
Beaufort,	Beaufort
City	County

### III. INSURANCE INFORMATION

#### Insurance Statement

The petroleum release reported to DHEC on \_\_\_\_\_ at Permit ID Number \_\_\_\_\_ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? **YES**\_\_\_\_ **NO**\_\_\_\_ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: \_\_\_\_\_

The policy deductible is: \_\_\_\_\_

The policy limit is: \_\_\_\_\_

If you have this type of insurance, please include a copy of the policy with this report.

### IV. REQUEST FOR SUPERB FUNDING

I **DO** / **DO NOT** wish to participate in the SUPERB Program. (Circle one.)

### V. CERTIFICATION (To be signed by the UST owner)

**I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.**

\_\_\_\_\_  
Name (Type or print.)

\_\_\_\_\_  
Signature

#### To be completed by Notary Public:

Sworn before me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_

\_\_\_\_\_  
(Name)

Notary Public for the state of \_\_\_\_\_  
*Please affix State seal if you are commissioned outside South Carolina*



## VI. UST INFORMATION

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity..(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material..(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....

669Camellia				
Heating oil				
280 gal				
Late 1950s				
Steel				
Mid 1980s				
6'1"				
No				
No				
Removed				
7/6/10				
Yes				
No				

- M. Method of disposal for any USTs removed from the ground (attach disposal manifests)  
UST 669Camellia was removed from the ground and disposed of at a  
Subtitle "D" landfill. See Attachment "A".
- 
- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)  
UST 669Camellia had been previously filled with sand by others.
- 
- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST  
Corrosion and pitting were found throughout the tank.
-

## VII. PIPING INFORMATION

A. Construction Material..(ex. Steel, FRP).....	669Camellia				
B. Distance from UST to Dispenser.....	Steel & Copper				
C. Number of Dispensers.....	N/A				
D. Type of System Pressure or Suction.....	N/A				
E. Was Piping Removed from the Ground? Y/N	Suction				
F. Visible Corrosion or Pitting Y/N.....	Yes				
G. Visible Holes Y/N.....	Yes				
H. Age.....	No				
I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.	Late 1950s				

Corrosion and pitting were found on the surface of the steel vent pipe. Copper supply and return lines were sound.

## VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

## IX. SITE CONDITIONS

	Yes	No	Unk
<p>A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate depth and location on the site map.</p>		X	
<p>B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate location on site map and describe the odor (strong, mild, etc.)</p>		X	
<p>C. Was water present in the UST excavation, soil borings, or trenches?</p> <p>If yes, how far below land surface (indicate location and depth)?</p>		X	
<p>D. Did contaminated soils remain stockpiled on site after closure?</p> <p>If yes, indicate the stockpile location on the site map.</p> <p>Name of DHEC representative authorizing soil removal:</p>		X	
<p>E. Was a petroleum sheen or free product detected on any excavation or boring waters?</p> <p>If yes, indicate location and thickness.</p>		X	

## X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009001

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
669 Camellia	Excav at fill end	Soil	Sandy	6'1"	7/6/10 1500 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

\* = Depth Below the Surrounding Land Surface

## XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.

## XII. RECEPTORS

	Yes	No
<p>A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?</p> <p>If yes, indicate type of receptor, distance, and direction on site map.</p>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p>B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?</p> <p>If yes, indicate type of well, distance, and direction on site map.</p>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p>C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?</p> <p>If yes, indicate type of structure, distance, and direction on site map.</p>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<p>D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination?</p> <p style="text-align: right;">*Sewer and water</p> <p>If yes, indicate the type of utility, distance, and direction on the site map.</p>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<p>E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?</p> <p>If yes, indicate the area of contaminated soil on the site map.</p>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

### **XIII. SITE MAP**


**You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.**

(Attach Site Map Here)





## 669 CAMELLIA DRIVE



### SBG-EEG, Inc.

398 E. 5th North Street, Suite C  
Summerville SC 29483-6954



Ph. (843) 875-1930

Drawn By: L. DiAsio

Dwg Date: AUG 2010

FIGURE 1: LOCATION MAP  
669 CAMELLIA DRIVE, LAUREL BAY  
MCAS BEAUFORT SC






***SBG-EEG***

398 E. 5 NORTH ST., SUITE C  
SUMMERVILLE, SC  
29483-6954

FIGURE 2 SITE MAP  
669 CAMELLIA DR., LAUREL BAY  
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE AUG 2010





Picture 1: Location of UST 669Camellia.



Picture 2: UST 669Camellia site after removal.

#### XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

<b>CoC</b>	<b>UST</b>	<b>669Camellia</b>						
<b>Benzene</b>		ND						
<b>Toluene</b>		ND						
<b>Ethylbenzene</b>		ND						
<b>Xylenes</b>		ND						
<b>Naphthalene</b>		ND						
<b>Benzo (a) anthracene</b>		0.352 mg/kg						
<b>Benzo (b) fluoranthene</b>		0.294 mg/kg						
<b>Benzo (k) fluoranthene</b>		0.157 mg/kg						
<b>Chrysene</b>		0.388 mg/kg						
<b>Dibenz (a, h) anthracene</b>		ND						
<b>TPH (EPA 3550)</b>								

<b>CoC</b>								
<b>Benzene</b>								
<b>Toluene</b>								
<b>Ethylbenzene</b>								
<b>Xylenes</b>								
<b>Naphthalene</b>								
<b>Benzo (a) anthracene</b>								
<b>Benzo (b) fluoranthene</b>								
<b>Benzo (k) fluoranthene</b>								
<b>Chrysene</b>								
<b>Dibenz (a, h) anthracene</b>								
<b>TPH (EPA 3550)</b>								

### SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

## **XV. ANALYTICAL RESULTS**

**You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.**

(Attach Certified Analytical Results and Chain-of-Custody Here)  
(Please see Form #4)



July 26, 2010

2:40:37PM

Client: EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn: Tom McElwee

Work Order: NTG0900  
Project Name: Laurel Bay Housing Project  
Project Nbr: [none]  
P/O Nbr: 0965  
Date Received: 07/10/10

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
669 CAMELLIA	NTG0900-01	07/06/10 15:00
670 CAMELLIA	NTG0900-02	07/07/10 09:45
673 CAMELLIA	NTG0900-03	07/07/10 14:00
682 CAMELLIA	NTG0900-04	07/07/10 16:15

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

South Carolina Certification Number: 84009001

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.

This report has been electronically signed.

Report Approved By:



Ken A. Hayes

Senior Project Manager

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0900  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/10/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTG0900-01 (669 CAMELLIA - Soil) Sampled: 07/06/10 15:00</b>										
General Chemistry Parameters										
% Dry Solids	92.9		%	0.500	0.500	1	07/15/10 09:20	SW-846	DMG	10G2044
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00122	0.00222	1	07/16/10 17:11	SW846 8260B	MJH/H	10G1475
Ethylbenzene	ND		mg/kg dry	0.00109	0.00222	1	07/16/10 17:11	SW846 8260B	MJH/H	10G1475
Naphthalene	ND		mg/kg dry	0.00189	0.00555	1	07/16/10 17:11	SW846 8260B	MJH/H	10G1475
Toluene	ND		mg/kg dry	0.000988	0.00222	1	07/16/10 17:11	SW846 8260B	MJH/H	10G1475
Xylenes, total	ND		mg/kg dry	0.00211	0.00555	1	07/16/10 17:11	SW846 8260B	MJH/H	10G1475
Surr: 1,2-Dichloroethane-d4 (67-138%)	96 %					1	07/16/10 17:11	SW846 8260B	MJH/H	10G1475
Surr: Dibromofluoromethane (75-125%)	93 %					1	07/16/10 17:11	SW846 8260B	MJH/H	10G1475
Surr: Toluene-d8 (76-129%)	102 %					1	07/16/10 17:11	SW846 8260B	MJH/H	10G1475
Surr: 4-Bromofluorobenzene (67-147%)	113 %					1	07/16/10 17:11	SW846 8260B	MJH/H	10G1475
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0147	0.0704	1	07/13/10 20:29	SW846 8270D	KJP	10G1737
Acenaphthylene	ND		mg/kg dry	0.0210	0.0704	1	07/13/10 20:29	SW846 8270D	KJP	10G1737
Anthracene	ND		mg/kg dry	0.00946	0.0704	1	07/13/10 20:29	SW846 8270D	KJP	10G1737
Benzo (a) anthracene	0.352		mg/kg dry	0.0116	0.0704	1	07/13/10 20:29	SW846 8270D	KJP	10G1737
Benzo (a) pyrene	0.191		mg/kg dry	0.00841	0.0704	1	07/13/10 20:29	SW846 8270D	KJP	10G1737
Benzo (b) fluoranthene	0.294		mg/kg dry	0.0399	0.0704	1	07/13/10 20:29	SW846 8270D	KJP	10G1737
Benzo (g,h,i) perylene	0.106		mg/kg dry	0.00946	0.0704	1	07/13/10 20:29	SW846 8270D	KJP	10G1737
Benzo (k) fluoranthene	0.157		mg/kg dry	0.0389	0.0704	1	07/13/10 20:29	SW846 8270D	KJP	10G1737
Chrysene	0.388		mg/kg dry	0.0326	0.0704	1	07/13/10 20:29	SW846 8270D	KJP	10G1737
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0158	0.0704	1	07/13/10 20:29	SW846 8270D	KJP	10G1737
Fluoranthene	0.534		mg/kg dry	0.0116	0.0704	1	07/13/10 20:29	SW846 8270D	KJP	10G1737
Fluorene	ND		mg/kg dry	0.0210	0.0704	1	07/13/10 20:29	SW846 8270D	KJP	10G1737
Indeno (1,2,3-cd) pyrene	0.108		mg/kg dry	0.0326	0.0704	1	07/13/10 20:29	SW846 8270D	KJP	10G1737
Naphthalene	ND		mg/kg dry	0.0147	0.0704	1	07/13/10 20:29	SW846 8270D	KJP	10G1737
Phenanthrene	0.0578	J	mg/kg dry	0.0105	0.0704	1	07/13/10 20:29	SW846 8270D	KJP	10G1737
Pyrene	0.480		mg/kg dry	0.0242	0.0704	1	07/13/10 20:29	SW846 8270D	KJP	10G1737
1-Methylnaphthalene	ND		mg/kg dry	0.0126	0.0704	1	07/13/10 20:29	SW846 8270D	KJP	10G1737
2-Methylnaphthalene	ND		mg/kg dry	0.0221	0.0704	1	07/13/10 20:29	SW846 8270D	KJP	10G1737
Surr: Terphenyl-d14 (18-120%)	62 %					1	07/13/10 20:29	SW846 8270D	KJP	10G1737
Surr: 2-Fluorobiphenyl (14-120%)	45 %					1	07/13/10 20:29	SW846 8270D	KJP	10G1737
Surr: Nitrobenzene-d5 (17-120%)	44 %					1	07/13/10 20:29	SW846 8270D	KJP	10G1737



Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0900  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/10/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTG0900-02 (670 CAMELLIA - Soil) Sampled: 07/07/10 09:45</b>										
General Chemistry Parameters										
% Dry Solids	96.2		%	0.500	0.500	1	07/15/10 09:20	SW846	DMG	10G2044
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00129	0.00235	1	07/16/10 17:42	SW846 8260B	MJH/H	10G1475
Ethylbenzene	ND		mg/kg dry	0.00115	0.00235	1	07/16/10 17:42	SW846 8260B	MJH/H	10G1475
Naphthalene	ND		mg/kg dry	0.00200	0.00588	1	07/16/10 17:42	SW846 8260B	MJH/H	10G1475
Toluene	ND		mg/kg dry	0.00105	0.00235	1	07/16/10 17:42	SW846 8260B	MJH/H	10G1475
Xylenes, total	ND		mg/kg dry	0.00224	0.00588	1	07/16/10 17:42	SW846 8260B	MJH/H	10G1475
Surr: 1,2-Dichloroethane-d4 (67-138%)	96 %					1	07/16/10 17:42	SW846 8260B	MJH/H	10G1475
Surr: Dibromofluoromethane (75-125%)	91 %					1	07/16/10 17:42	SW846 8260B	MJH/H	10G1475
Surr: Toluene-d8 (76-129%)	97 %					1	07/16/10 17:42	SW846 8260B	MJH/H	10G1475
Surr: 4-Bromofluorobenzene (67-147%)	102 %					1	07/16/10 17:42	SW846 8260B	MJH/H	10G1475
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0146	0.0696	1	07/13/10 20:54	SW846 8270D	KJP	10G1737
Acenaphthylene	ND		mg/kg dry	0.0208	0.0696	1	07/13/10 20:54	SW846 8270D	KJP	10G1737
Anthracene	ND		mg/kg dry	0.00936	0.0696	1	07/13/10 20:54	SW846 8270D	KJP	10G1737
Benzo (a) anthracene	ND		mg/kg dry	0.0114	0.0696	1	07/13/10 20:54	SW846 8270D	KJP	10G1737
Benzo (a) pyrene	ND		mg/kg dry	0.00832	0.0696	1	07/13/10 20:54	SW846 8270D	KJP	10G1737
Benzo (b) fluoranthene	ND		mg/kg dry	0.0395	0.0696	1	07/13/10 20:54	SW846 8270D	KJP	10G1737
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00936	0.0696	1	07/13/10 20:54	SW846 8270D	KJP	10G1737
Benzo (k) fluoranthene	ND		mg/kg dry	0.0385	0.0696	1	07/13/10 20:54	SW846 8270D	KJP	10G1737
Chrysene	ND		mg/kg dry	0.0322	0.0696	1	07/13/10 20:54	SW846 8270D	KJP	10G1737
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0156	0.0696	1	07/13/10 20:54	SW846 8270D	KJP	10G1737
Fluoranthene	ND		mg/kg dry	0.0114	0.0696	1	07/13/10 20:54	SW846 8270D	KJP	10G1737
Fluorene	ND		mg/kg dry	0.0208	0.0696	1	07/13/10 20:54	SW846 8270D	KJP	10G1737
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0322	0.0696	1	07/13/10 20:54	SW846 8270D	KJP	10G1737
Naphthalene	ND		mg/kg dry	0.0146	0.0696	1	07/13/10 20:54	SW846 8270D	KJP	10G1737
Phenanthrene	ND		mg/kg dry	0.0104	0.0696	1	07/13/10 20:54	SW846 8270D	KJP	10G1737
Pyrene	ND		mg/kg dry	0.0239	0.0696	1	07/13/10 20:54	SW846 8270D	KJP	10G1737
1-Methylnaphthalene	ND		mg/kg dry	0.0125	0.0696	1	07/13/10 20:54	SW846 8270D	KJP	10G1737
2-Methylnaphthalene	ND		mg/kg dry	0.0218	0.0696	1	07/13/10 20:54	SW846 8270D	KJP	10G1737
Surr: Terphenyl-d14 (18-120%)	62 %					1	07/13/10 20:54	SW846 8270D	KJP	10G1737
Surr: 2-Fluorobiphenyl (14-120%)	46 %					1	07/13/10 20:54	SW846 8270D	KJP	10G1737
Surr: Nitrobenzene-d5 (17-120%)	46 %					1	07/13/10 20:54	SW846 8270D	KJP	10G1737

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0900  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/10/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTG0900-03 (673 CAMELLIA - Soil) Sampled: 07/07/10 14:00</b>										
General Chemistry Parameters										
% Dry Solids	96.6		%	0.500	0.500	1	07/15/10 09:20	SW-846	DMG	10G2044
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00132	0.00239	1	07/16/10 18:13	SW846 8260B	MJH/H	10G1475
Ethylbenzene	ND		mg/kg dry	0.00117	0.00239	1	07/16/10 18:13	SW846 8260B	MJH/H	10G1475
Naphthalene	ND		mg/kg dry	0.00203	0.00598	1	07/16/10 18:13	SW846 8260B	MJH/H	10G1475
Toluene	ND		mg/kg dry	0.00106	0.00239	1	07/16/10 18:13	SW846 8260B	MJH/H	10G1475
Xylenes, total	ND		mg/kg dry	0.00227	0.00598	1	07/16/10 18:13	SW846 8260B	MJH/H	10G1475
Surr: 1,2-Dichloroethane-d4 (67-138%)	95 %					1	07/16/10 18:13	SW846 8260B	MJH/H	10G1475
Surr: Dibromofluoromethane (75-125%)	93 %					1	07/16/10 18:13	SW846 8260B	MJH/H	10G1475
Surr: Toluene-d8 (76-129%)	98 %					1	07/16/10 18:13	SW846 8260B	MJH/H	10G1475
Surr: 4-Bromofluorobenzene (67-147%)	103 %					1	07/16/10 18:13	SW846 8260B	MJH/H	10G1475
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0141	0.0677	1	07/13/10 21:19	SW846 8270D	KJP	10G1737
Acenaphthylene	ND		mg/kg dry	0.0202	0.0677	1	07/13/10 21:19	SW846 8270D	KJP	10G1737
Anthracene	ND		mg/kg dry	0.00909	0.0677	1	07/13/10 21:19	SW846 8270D	KJP	10G1737
Benzo (a) anthracene	ND		mg/kg dry	0.0111	0.0677	1	07/13/10 21:19	SW846 8270D	KJP	10G1737
Benzo (a) pyrene	ND		mg/kg dry	0.00808	0.0677	1	07/13/10 21:19	SW846 8270D	KJP	10G1737
Benzo (b) fluoranthene	ND		mg/kg dry	0.0384	0.0677	1	07/13/10 21:19	SW846 8270D	KJP	10G1737
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00909	0.0677	1	07/13/10 21:19	SW846 8270D	KJP	10G1737
Benzo (k) fluoranthene	ND		mg/kg dry	0.0374	0.0677	1	07/13/10 21:19	SW846 8270D	KJP	10G1737
Chrysene	ND		mg/kg dry	0.0313	0.0677	1	07/13/10 21:19	SW846 8270D	KJP	10G1737
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0152	0.0677	1	07/13/10 21:19	SW846 8270D	KJP	10G1737
Fluoranthene	ND		mg/kg dry	0.0111	0.0677	1	07/13/10 21:19	SW846 8270D	KJP	10G1737
Fluorene	ND		mg/kg dry	0.0202	0.0677	1	07/13/10 21:19	SW846 8270D	KJP	10G1737
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0313	0.0677	1	07/13/10 21:19	SW846 8270D	KJP	10G1737
Naphthalene	ND		mg/kg dry	0.0141	0.0677	1	07/13/10 21:19	SW846 8270D	KJP	10G1737
Phenanthrene	ND		mg/kg dry	0.0101	0.0677	1	07/13/10 21:19	SW846 8270D	KJP	10G1737
Pyrene	ND		mg/kg dry	0.0232	0.0677	1	07/13/10 21:19	SW846 8270D	KJP	10G1737
1-Methylnaphthalene	ND		mg/kg dry	0.0121	0.0677	1	07/13/10 21:19	SW846 8270D	KJP	10G1737
2-Methylnaphthalene	ND		mg/kg dry	0.0212	0.0677	1	07/13/10 21:19	SW846 8270D	KJP	10G1737
Surr: Terphenyl-d14 (18-120%)	58 %					1	07/13/10 21:19	SW846 8270D	KJP	10G1737
Surr: 2-Fluorobiphenyl (14-120%)	44 %					1	07/13/10 21:19	SW846 8270D	KJP	10G1737
Surr: Nitrobenzene-d5 (17-120%)	44 %					1	07/13/10 21:19	SW846 8270D	KJP	10G1737

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0900  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/10/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTG0900-04 (682 CAMELLIA - Soil) Sampled: 07/07/10 16:15</b>										
General Chemistry Parameters										
% Dry Solids	92.8		%	0.500	0.500	1	07/15/10 09:20	SW-846	DMG	10G2044
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00122	0.00222	1	07/16/10 18:44	SW846 8260B	MJH/H	10G1475
Ethylbenzene	ND		mg/kg dry	0.00109	0.00222	1	07/16/10 18:44	SW846 8260B	MJH/H	10G1475
Naphthalene	ND		mg/kg dry	0.00189	0.00554	1	07/16/10 18:44	SW846 8260B	MJH/H	10G1475
Toluene	ND		mg/kg dry	0.000987	0.00222	1	07/16/10 18:44	SW846 8260B	MJH/H	10G1475
Xylenes, total	ND		mg/kg dry	0.00211	0.00554	1	07/16/10 18:44	SW846 8260B	MJH/H	10G1475
Surr: 1,2-Dichloroethane-d4 (67-138%)	94 %					1	07/16/10 18:44	SW846 8260B	MJH/H	10G1475
Surr: Dibromofluoromethane (75-125%)	90 %					1	07/16/10 18:44	SW846 8260B	MJH/H	10G1475
Surr: Toluene-d8 (76-129%)	99 %					1	07/16/10 18:44	SW846 8260B	MJH/H	10G1475
Surr: 4-Bromofluorobenzene (67-147%)	104 %					1	07/16/10 18:44	SW846 8260B	MJH/H	10G1475
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0150	0.0719	1	07/13/10 21:44	SW846 8270D	KJP	10G1737
Acenaphthylene	ND		mg/kg dry	0.0215	0.0719	1	07/13/10 21:44	SW846 8270D	KJP	10G1737
Anthracene	ND		mg/kg dry	0.00966	0.0719	1	07/13/10 21:44	SW846 8270D	KJP	10G1737
Benzo (a) anthracene	ND		mg/kg dry	0.0118	0.0719	1	07/13/10 21:44	SW846 8270D	KJP	10G1737
Benzo (a) pyrene	ND		mg/kg dry	0.00859	0.0719	1	07/13/10 21:44	SW846 8270D	KJP	10G1737
Benzo (b) fluoranthene	ND		mg/kg dry	0.0408	0.0719	1	07/13/10 21:44	SW846 8270D	KJP	10G1737
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00966	0.0719	1	07/13/10 21:44	SW846 8270D	KJP	10G1737
Benzo (k) fluoranthene	ND		mg/kg dry	0.0397	0.0719	1	07/13/10 21:44	SW846 8270D	KJP	10G1737
Chrysene	ND		mg/kg dry	0.0333	0.0719	1	07/13/10 21:44	SW846 8270D	KJP	10G1737
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0161	0.0719	1	07/13/10 21:44	SW846 8270D	KJP	10G1737
Fluoranthene	ND		mg/kg dry	0.0118	0.0719	1	07/13/10 21:44	SW846 8270D	KJP	10G1737
Fluorene	ND		mg/kg dry	0.0215	0.0719	1	07/13/10 21:44	SW846 8270D	KJP	10G1737
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0333	0.0719	1	07/13/10 21:44	SW846 8270D	KJP	10G1737
Naphthalene	ND		mg/kg dry	0.0150	0.0719	1	07/13/10 21:44	SW846 8270D	KJP	10G1737
Phenanthrene	ND		mg/kg dry	0.0107	0.0719	1	07/13/10 21:44	SW846 8270D	KJP	10G1737
Pyrene	ND		mg/kg dry	0.0247	0.0719	1	07/13/10 21:44	SW846 8270D	KJP	10G1737
1-Methylnaphthalene	ND		mg/kg dry	0.0129	0.0719	1	07/13/10 21:44	SW846 8270D	KJP	10G1737
2-Methylnaphthalene	ND		mg/kg dry	0.0226	0.0719	1	07/13/10 21:44	SW846 8270D	KJP	10G1737
Surr: Terphenyl-d14 (18-120%)	66 %					1	07/13/10 21:44	SW846 8270D	KJP	10G1737
Surr: 2-Fluorobiphenyl (14-120%)	53 %					1	07/13/10 21:44	SW846 8270D	KJP	10G1737
Surr: Nitrobenzene-d5 (17-120%)	57 %					1	07/13/10 21:44	SW846 8270D	KJP	10G1737

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0900  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/10/10 08:30

## SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
Polyaromatic Hydrocarbons by EPA 8270D							
SW846 8270D	10G1737	NTG0900-01	30.73	1.00	07/13/10 08:40	SAS	EPA 3550B
SW846 8270D	10G1737	NTG0900-02	30.01	1.00	07/13/10 08:40	SAS	EPA 3550B
SW846 8270D	10G1737	NTG0900-03	30.75	1.00	07/13/10 08:40	SAS	EPA 3550B
SW846 8270D	10G1737	NTG0900-04	30.11	1.00	07/13/10 08:40	SAS	EPA 3550B
Volatile Organic Compounds by EPA Method 8260B							
SW846 8260B	10G1475	NTG0900-01	4.85	5.00	07/06/10 15:00	CHH	EPA 5035
SW846 8260B	10G1475	NTG0900-02	4.42	5.00	07/07/10 09:45	CHH	EPA 5035
SW846 8260B	10G1475	NTG0900-03	4.33	5.00	07/07/10 14:00	CHH	EPA 5035
SW846 8260B	10G1475	NTG0900-04	4.86	5.00	07/07/10 16:15	CHH	EPA 5035

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0900  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/10/10 08:30

## PROJECT QUALITY CONTROL DATA

### Blank

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

#### Volatile Organic Compounds by EPA Method 8260B

##### 10G1475-BLK1

Benzene	<0.00110		mg/kg wet	10G1475	10G1475-BLK1	07/16/10 12:00
Ethylbenzene	<0.000980		mg/kg wet	10G1475	10G1475-BLK1	07/16/10 12:00
Naphthalene	<0.00170		mg/kg wet	10G1475	10G1475-BLK1	07/16/10 12:00
Toluene	<0.000890		mg/kg wet	10G1475	10G1475-BLK1	07/16/10 12:00
Xylenes, total	<0.00190		mg/kg wet	10G1475	10G1475-BLK1	07/16/10 12:00
Surrogate: 1,2-Dichloroethane-d4	99%			10G1475	10G1475-BLK1	07/16/10 12:00
Surrogate: Dibromofluoromethane	94%			10G1475	10G1475-BLK1	07/16/10 12:00
Surrogate: Toluene-d8	99%			10G1475	10G1475-BLK1	07/16/10 12:00
Surrogate: 4-Bromofluorobenzene	107%			10G1475	10G1475-BLK1	07/16/10 12:00

##### 10G1475-BLK2

Benzene	<0.0550		mg/kg wet	10G1475	10G1475-BLK2	07/16/10 12:31
Ethylbenzene	<0.0490		mg/kg wet	10G1475	10G1475-BLK2	07/16/10 12:31
Naphthalene	<0.0850		mg/kg wet	10G1475	10G1475-BLK2	07/16/10 12:31
Toluene	<0.0445		mg/kg wet	10G1475	10G1475-BLK2	07/16/10 12:31
Xylenes, total	<0.0950		mg/kg wet	10G1475	10G1475-BLK2	07/16/10 12:31
Surrogate: 1,2-Dichloroethane-d4	94%			10G1475	10G1475-BLK2	07/16/10 12:31
Surrogate: Dibromofluoromethane	88%			10G1475	10G1475-BLK2	07/16/10 12:31
Surrogate: Toluene-d8	98%			10G1475	10G1475-BLK2	07/16/10 12:31
Surrogate: 4-Bromofluorobenzene	106%			10G1475	10G1475-BLK2	07/16/10 12:31

#### Polyaromatic Hydrocarbons by EPA 8270D

##### 10G1737-BLK1

Acenaphthene	<0.0140		mg/kg wet	10G1737	10G1737-BLK1	07/13/10 18:50
Acenaphthylene	<0.0200		mg/kg wet	10G1737	10G1737-BLK1	07/13/10 18:50
Anthracene	<0.00900		mg/kg wet	10G1737	10G1737-BLK1	07/13/10 18:50
Benzo (a) anthracene	<0.0110		mg/kg wet	10G1737	10G1737-BLK1	07/13/10 18:50
Benzo (a) pyrene	<0.00800		mg/kg wet	10G1737	10G1737-BLK1	07/13/10 18:50
Benzo (b) fluoranthene	<0.0380		mg/kg wet	10G1737	10G1737-BLK1	07/13/10 18:50
Benzo (g,h,i) perylene	<0.00900		mg/kg wet	10G1737	10G1737-BLK1	07/13/10 18:50
Benzo (k) fluoranthene	<0.0370		mg/kg wet	10G1737	10G1737-BLK1	07/13/10 18:50
Chrysene	<0.0310		mg/kg wet	10G1737	10G1737-BLK1	07/13/10 18:50
Dibenz (a,h) anthracene	<0.0150		mg/kg wet	10G1737	10G1737-BLK1	07/13/10 18:50
Fluoranthene	<0.0110		mg/kg wet	10G1737	10G1737-BLK1	07/13/10 18:50
Fluorene	<0.0200		mg/kg wet	10G1737	10G1737-BLK1	07/13/10 18:50
Indeno (1,2,3-cd) pyrene	<0.0310		mg/kg wet	10G1737	10G1737-BLK1	07/13/10 18:50
Naphthalene	<0.0140		mg/kg wet	10G1737	10G1737-BLK1	07/13/10 18:50
Phenanthrene	<0.0100		mg/kg wet	10G1737	10G1737-BLK1	07/13/10 18:50
Pyrene	<0.0230		mg/kg wet	10G1737	10G1737-BLK1	07/13/10 18:50
1-Methylnaphthalene	<0.0120		mg/kg wet	10G1737	10G1737-BLK1	07/13/10 18:50
2-Methylnaphthalene	<0.0210		mg/kg wet	10G1737	10G1737-BLK1	07/13/10 18:50

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwce

Work Order: NTG0900  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/10/10 08:30

## PROJECT QUALITY CONTROL DATA

Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>						
<b>10G1737-BLK1</b>						
Surrogate: Terphenyl-d14	79%			10G1737	10G1737-BLK1	07/13/10 18:50
Surrogate: 2-Fluorobiphenyl	56%			10G1737	10G1737-BLK1	07/13/10 18:50
Surrogate: Nitrobenzene-d5	50%			10G1737	10G1737-BLK1	07/13/10 18:50

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0900  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/10/10 08:30

## PROJECT QUALITY CONTROL DATA

### Duplicate

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	% Rec.	Analyzed Date/Time
<b>General Chemistry Parameters</b>										
<b>10G2044-DUP1</b>										
% Dry Solids	92.9	93.1		%	0.2	20	10G2044	NTG0900-01		07/15/10 09:20



Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0900  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/10/10 08:30

## PROJECT QUALITY CONTROL DATA

### LCS

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>								
<b>10G1475-BS1</b>								
Benzene	50.0	44.4		ug/kg	89%	78 - 126	10G1475	07/16/10 10:54
Ethylbenzene	50.0	47.3		ug/kg	95%	79 - 130	10G1475	07/16/10 10:54
Naphthalene	50.0	48.9		ug/kg	98%	72 - 150	10G1475	07/16/10 10:54
Toluene	50.0	46.7		ug/kg	93%	76 - 126	10G1475	07/16/10 10:54
Xylenes, total	150	144		ug/kg	96%	80 - 130	10G1475	07/16/10 10:54
Surrogate: 1,2-Dichloroethane-d4	50.0	50.5			101%	67 - 138	10G1475	07/16/10 10:54
Surrogate: Dibromofluoromethane	50.0	50.8			102%	75 - 125	10G1475	07/16/10 10:54
Surrogate: Toluene-d8	50.0	51.3			103%	76 - 129	10G1475	07/16/10 10:54
Surrogate: 4-Bromofluorobenzene	50.0	51.9			104%	67 - 147	10G1475	07/16/10 10:54

## Polyaromatic Hydrocarbons by EPA 8270D

### 10G1737-BS1

Acenaphthene	1.67	1.18		mg/kg wet	71%	49 - 120	10G1737	07/13/10 19:15
Acenaphthylene	1.67	1.18		mg/kg wet	71%	52 - 120	10G1737	07/13/10 19:15
Anthracene	1.67	1.33		mg/kg wet	80%	58 - 120	10G1737	07/13/10 19:15
Benzo (a) anthracene	1.67	1.34		mg/kg wet	80%	57 - 120	10G1737	07/13/10 19:15
Benzo (a) pyrene	1.67	1.24		mg/kg wet	74%	55 - 120	10G1737	07/13/10 19:15
Benzo (b) fluoranthene	1.67	1.36		mg/kg wet	82%	51 - 123	10G1737	07/13/10 19:15
Benzo (g,h,i) perylene	1.67	1.35		mg/kg wet	81%	49 - 121	10G1737	07/13/10 19:15
Benzo (k) fluoranthene	1.67	1.17		mg/kg wet	70%	42 - 129	10G1737	07/13/10 19:15
Chrysene	1.67	1.28		mg/kg wet	77%	55 - 120	10G1737	07/13/10 19:15
Dibenz (a,h) anthracene	1.67	1.20		mg/kg wet	72%	50 - 123	10G1737	07/13/10 19:15
Fluoranthene	1.67	1.37		mg/kg wet	82%	58 - 120	10G1737	07/13/10 19:15
Fluorene	1.67	1.26		mg/kg wet	76%	54 - 120	10G1737	07/13/10 19:15
Indeno (1,2,3-cd) pyrene	1.67	1.31		mg/kg wet	78%	50 - 122	10G1737	07/13/10 19:15
Naphthalene	1.67	0.979		mg/kg wet	59%	28 - 120	10G1737	07/13/10 19:15
Phenanthrene	1.67	1.34		mg/kg wet	80%	56 - 120	10G1737	07/13/10 19:15
Pyrene	1.67	1.34		mg/kg wet	81%	56 - 120	10G1737	07/13/10 19:15
1-Methylnaphthalene	1.67	1.06		mg/kg wet	64%	36 - 120	10G1737	07/13/10 19:15
2-Methylnaphthalene	1.67	1.15		mg/kg wet	69%	36 - 120	10G1737	07/13/10 19:15
Surrogate: Terphenyl-d14	1.67	1.28			76%	18 - 120	10G1737	07/13/10 19:15
Surrogate: 2-Fluorobiphenyl	1.67	1.21			73%	14 - 120	10G1737	07/13/10 19:15
Surrogate: Nitrobenzene-d5	1.67	0.873			52%	17 - 120	10G1737	07/13/10 19:15



Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0900  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/10/10 08:30

## PROJECT QUALITY CONTROL DATA Matrix Spike

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>										
<b>10G1475-MS1</b>										
Benzene	0.0174	0.108	M7	mg/kg wet	0.0451	200%	42 - 141	10G1475	NTG0899-04	07/16/10 21:51
Ethylbenzene	0.0401	0.136	M7	mg/kg wet	0.0451	213%	21 - 165	10G1475	NTG0899-04	07/16/10 21:51
Naphthalene	0.0142	0.0459		mg/kg wet	0.0451	70%	10 - 160	10G1475	NTG0899-04	07/16/10 21:51
Toluene	0.00668	0.0458		mg/kg wet	0.0451	87%	45 - 145	10G1475	NTG0899-04	07/16/10 21:51
Xylenes, total	0.114	0.420	M7	mg/kg wet	0.135	226%	31 - 159	10G1475	NTG0899-04	07/16/10 21:51
Surrogate: 1,2-Dichloroethane-d4		47.8		ug/kg	50.0	96%	67 - 138	10G1475	NTG0899-04	07/16/10 21:51
Surrogate: Dibromofluoromethane		47.4		ug/kg	50.0	95%	75 - 125	10G1475	NTG0899-04	07/16/10 21:51
Surrogate: Toluene-d8		56.8		ug/kg	50.0	114%	76 - 129	10G1475	NTG0899-04	07/16/10 21:51
Surrogate: 4-Bromofluorobenzene		64.0		ug/kg	50.0	128%	67 - 147	10G1475	NTG0899-04	07/16/10 21:51
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>										
<b>10G1737-MS1</b>										
Acenaphthene	ND	0.913		mg/kg dry	1.79	51%	42 - 120	10G1737	NTG0900-01	07/13/10 19:40
Acenaphthylene	ND	0.895		mg/kg dry	1.79	50%	32 - 120	10G1737	NTG0900-01	07/13/10 19:40
Anthracene	ND	1.17		mg/kg dry	1.79	65%	10 - 200	10G1737	NTG0900-01	07/13/10 19:40
Benzo (a) anthracene	0.352	1.60		mg/kg dry	1.79	70%	41 - 120	10G1737	NTG0900-01	07/13/10 19:40
Benzo (a) pyrene	0.191	1.31		mg/kg dry	1.79	62%	33 - 121	10G1737	NTG0900-01	07/13/10 19:40
Benzo (b) fluoranthene	0.294	1.45		mg/kg dry	1.79	64%	26 - 137	10G1737	NTG0900-01	07/13/10 19:40
Benzo (g,h,i) perylene	0.106	1.28		mg/kg dry	1.79	65%	21 - 124	10G1737	NTG0900-01	07/13/10 19:40
Benzo (k) fluoranthene	0.157	1.36		mg/kg dry	1.79	67%	14 - 140	10G1737	NTG0900-01	07/13/10 19:40
Chrysene	0.388	1.69		mg/kg dry	1.79	73%	28 - 123	10G1737	NTG0900-01	07/13/10 19:40
Dibenz (a,h) anthracene	ND	1.09		mg/kg dry	1.79	61%	25 - 127	10G1737	NTG0900-01	07/13/10 19:40
Fluoranthene	0.534	1.71		mg/kg dry	1.79	66%	38 - 120	10G1737	NTG0900-01	07/13/10 19:40
Fluorene	ND	0.964		mg/kg dry	1.79	54%	41 - 120	10G1737	NTG0900-01	07/13/10 19:40
Indeno (1,2,3-cd) pyrene	0.108	1.26		mg/kg dry	1.79	64%	25 - 123	10G1737	NTG0900-01	07/13/10 19:40
Naphthalene	ND	0.698		mg/kg dry	1.79	39%	25 - 120	10G1737	NTG0900-01	07/13/10 19:40
Phenanthrene	0.0578	1.21		mg/kg dry	1.79	64%	37 - 120	10G1737	NTG0900-01	07/13/10 19:40
Pyrene	0.480	1.63		mg/kg dry	1.79	64%	29 - 125	10G1737	NTG0900-01	07/13/10 19:40
1-Methylnaphthalene	ND	0.705		mg/kg dry	1.79	39%	19 - 120	10G1737	NTG0900-01	07/13/10 19:40
2-Methylnaphthalene	ND	0.701		mg/kg dry	1.79	39%	11 - 120	10G1737	NTG0900-01	07/13/10 19:40
Surrogate: Terphenyl-d14		1.08		mg/kg dry	1.79	60%	18 - 120	10G1737	NTG0900-01	07/13/10 19:40
Surrogate: 2-Fluorobiphenyl		0.759		mg/kg dry	1.79	42%	14 - 120	10G1737	NTG0900-01	07/13/10 19:40
Surrogate: Nitrobenzene-d5		0.623		mg/kg dry	1.79	35%	17 - 120	10G1737	NTG0900-01	07/13/10 19:40

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwec

Work Order: NTG0900  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/10/10 08:30

## PROJECT QUALITY CONTROL DATA

### Matrix Spike Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>												
<b>10G1475-MSD1</b>												
Benzene	0.0174	0.0868	M7	mg/kg wet	0.0428	162%	42 - 141	22	50	10G1475	NTG0899-04	07/16/10 22:22
Ethylbenzene	0.0401	0.110		mg/kg wet	0.0428	164%	21 - 165	21	50	10G1475	NTG0899-04	07/16/10 22:22
Naphthalene	0.0142	0.0344		mg/kg wet	0.0428	47%	10 - 160	29	50	10G1475	NTG0899-04	07/16/10 22:22
Toluene	0.00668	0.0344		mg/kg wet	0.0428	65%	45 - 145	29	50	10G1475	NTG0899-04	07/16/10 22:22
Xylenes, total	0.114	0.354	M7	mg/kg wet	0.128	186%	31 - 159	17	50	10G1475	NTG0899-04	07/16/10 22:22
Surrogate: 1,2-Dichloroethane-d4		46.4		ug/kg	50.0	93%	67 - 138			10G1475	NTG0899-04	07/16/10 22:22
Surrogate: Dibromofluoromethane		48.7		ug/kg	50.0	97%	75 - 125			10G1475	NTG0899-04	07/16/10 22:22
Surrogate: Toluene-d8		55.6		ug/kg	50.0	111%	76 - 129			10G1475	NTG0899-04	07/16/10 22:22
Surrogate: 4-Bromofluorobenzene		61.1		ug/kg	50.0	122%	67 - 147			10G1475	NTG0899-04	07/16/10 22:22

## Polyaromatic Hydrocarbons by EPA 8270D

### 10G1737-MSD1

Acenaphthene	ND	1.22		mg/kg dry	1.76	69%	42 - 120	29	40	10G1737	NTG0900-01	07/13/10 20:05
Acenaphthylene	ND	1.20		mg/kg dry	1.76	69%	32 - 120	29	30	10G1737	NTG0900-01	07/13/10 20:05
Anthracene	ND	1.29		mg/kg dry	1.76	73%	10 - 200	10	50	10G1737	NTG0900-01	07/13/10 20:05
Benzo (a) anthracene	0.352	1.33		mg/kg dry	1.76	56%	41 - 120	18	30	10G1737	NTG0900-01	07/13/10 20:05
Benzo (a) pyrene	0.191	1.22		mg/kg dry	1.76	59%	33 - 121	7	33	10G1737	NTG0900-01	07/13/10 20:05
Benzo (b) fluoranthene	0.294	1.21		mg/kg dry	1.76	52%	26 - 137	18	42	10G1737	NTG0900-01	07/13/10 20:05
Benzo (g,h,i) perylene	0.106	1.31		mg/kg dry	1.76	69%	21 - 124	3	32	10G1737	NTG0900-01	07/13/10 20:05
Benzo (k) fluoranthene	0.157	1.34		mg/kg dry	1.76	68%	14 - 140	1	39	10G1737	NTG0900-01	07/13/10 20:05
Chrysene	0.388	1.30		mg/kg dry	1.76	52%	28 - 123	26	34	10G1737	NTG0900-01	07/13/10 20:05
Dibenz (a,h) anthracene	ND	1.15		mg/kg dry	1.76	65%	25 - 127	5	31	10G1737	NTG0900-01	07/13/10 20:05
Fluoranthene	0.534	1.38		mg/kg dry	1.76	48%	38 - 120	22	35	10G1737	NTG0900-01	07/13/10 20:05
Fluorene	ND	1.23		mg/kg dry	1.76	70%	41 - 120	25	37	10G1737	NTG0900-01	07/13/10 20:05
Indeno (1,2,3-cd) pyrene	0.108	1.26		mg/kg dry	1.76	66%	25 - 123	0.7	32	10G1737	NTG0900-01	07/13/10 20:05
Naphthalene	ND	1.01		mg/kg dry	1.76	58%	25 - 120	37	42	10G1737	NTG0900-01	07/13/10 20:05
Phenanthrene	0.0578	1.31		mg/kg dry	1.76	71%	37 - 120	7	32	10G1737	NTG0900-01	07/13/10 20:05
Pyrene	0.480	1.31		mg/kg dry	1.76	47%	29 - 125	22	40	10G1737	NTG0900-01	07/13/10 20:05
1-Methylnaphthalene	ND	0.896		mg/kg dry	1.76	51%	19 - 120	24	45	10G1737	NTG0900-01	07/13/10 20:05
2-Methylnaphthalene	ND	0.966		mg/kg dry	1.76	55%	11 - 120	32	50	10G1737	NTG0900-01	07/13/10 20:05
Surrogate: Terphenyl-d14		1.14		mg/kg dry	1.76	65%	18 - 120			10G1737	NTG0900-01	07/13/10 20:05
Surrogate: 2-Fluorobiphenyl		1.06		mg/kg dry	1.76	61%	14 - 120			10G1737	NTG0900-01	07/13/10 20:05
Surrogate: Nitrobenzene-d5		1.10		mg/kg dry	1.76	62%	17 - 120			10G1737	NTG0900-01	07/13/10 20:05

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0900  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/10/10 08:30

## CERTIFICATION SUMMARY

### TestAmerica Nashville

Method	Matrix	AIHA	Nelac	South Carolina
SW846 8260B	Soil	N/A	X	X
SW846 8270D	Soil		X	X
SW-846	Soil			

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTG0900  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 07/10/10 08:30

## DATA QUALIFIERS AND DEFINITIONS

**J** Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL).  
Concentrations within this range are estimated.  
**M7** The MS and/or MSD were above the acceptance limits. See Blank Spike (LCS).  
**ND** Not detected at the reporting limit (or method detection limit if shown)

## METHOD MODIFICATION NOTES



NTG0900

Cooler Received/Opened On 07/10/10 @ 08:30

1. Tracking # 7685 (last 4 digits, F

Courier: FED-EX IR Gun ID 97310166

2. Temperature of rep. sample or temp blank when opened 0.8 Degrees Celsius

3. If Item #2 temperature is 0°C or less, was the representative sample or temp blank frozen? YES NO NA

4. Were custody seals on outside of cooler?

YES...NO...NA

If yes, how many and where: 1-Front

5. Were the seals intact, signed, and dated correctly?

YES...NO...NA

6. Were custody papers inside cooler?

YES...NO...NA

I certify that I opened the cooler and answered questions 1-6 (initial) [Signature]

7. Were custody seals on containers:

YES NO

and intact

YES...NO...NA

Were these signed and dated correctly?

YES...NO...NA

8. Packing mat'l used? Bubblewrap Plastic bag Peanuts Vermiculite Foam Insert Paper Other None

9. Cooling process:

Ice

Ice-pack

Ice (direct contact)

Dry ice

Other

None

10. Did all containers arrive in good condition (unbroken)?

YES...NO...NA

11. Were all container labels complete (#, date, signed, pres., etc)?

YES...NO...NA

12. Did all container labels and tags agree with custody papers?

YES...NO...NA

13a. Were VOA vials received?

YES...NO...NA

b. Was there any observable headspace present in any VOA vial?

YES NO...NA

14. Was there a Trip Blank in this cooler?

YES NO...NA

If multiple coolers, sequence #

I certify that I unloaded the cooler and answered questions 7-14 (initial) [Signature]

15a. On pres'd bottles, did pH test strips suggest preservation reached the correct pH level? YES NO NA

b. Did the bottle labels indicate that the correct preservatives were used

YES...NO...NA

16. Was residual chlorine present?

YES...NO...NA

I certify that I checked for chlorine and pH as per SOP and answered questions 15-16 (initial) [Signature]

17. Were custody papers properly filled out (ink, signed, etc)?

YES...NO...NA

18. Did you sign the custody papers in the appropriate place?

YES...NO...NA

19. Were correct containers used for the analysis requested?

YES...NO...NA

20. Was sufficient amount of sample sent in each container?

YES...NO...NA

I certify that I entered this project into LIMS and answered questions 17-20 (initial) [Signature]

I certify that I attached a label with the unique LIMS number to each container (initial) [Signature]

21. Were there Non-Conformance issues at login? YES NO Was a PIPE generated? YES NO...#

NTG0900  
07/26/10 23:59

# TestAmerica

THE LEAD IN ENVIRONMENTAL CHEMISTRY

Nashville Division  
2960 Foster Creighton  
Nashville, TN 37204

Phone: 615-726-0177  
Toll Free: 800-765-0980  
Fax: 615-726-3404

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?

Compliance Monitoring? Yes ☐ No ☐  
Enforcement Action? Yes ☐ No ☐

Client Name/Account #: EEG # 2449

Address: 10179 Highway 78

City/State/Zip: Ladson, SC 29456

Project Manager: Tom McElwee email: mcelwee@eeginc.net

Telephone Number: 843.412.2097

Fax No:

Sampler Name: (Print)

Sampler Signature:

Site State: SC

PO#:

TA Quote #:

Project ID: Laurel Bay Housing Project

Project #:

Sample ID / Description		Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	Preservative								Matrix					Analyze For										RUSH TAT (Pre-Schedule)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
								Ice	HNO <sub>3</sub> (Red Label)	H <sub>2</sub> SO <sub>4</sub> Plastic (Yellow Label)	H <sub>2</sub> SO <sub>4</sub> Glass (Yellow Label)	None (Black Label)	Other (Specify)	Groundwater	Wastewater	Drinking Water	Sludge	Soil	Other (Specify)	BTEX + Napth - 82608	PAH - 82700																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
<del>638 Dahlia</del>				5	X														X		W	W																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
669 Camellia		7/6/10	1500	5	X														X		W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W	W

Special Instructions:

Method of Shipment:

FEDEX

Relinquished by:

Date

Time

Received by:

Date

Time

Relinquished by:

Date

Time

Received by TestAmerica:

Date

Time

Laboratory Comments:

Temperature Upon Receipt:  
VOCs Free of Headspace?

Y

ATTACHMENT A





# NON-HAZARDOUS MANIFEST

CWM


Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

<b>NON-HAZARDOUS MANIFEST</b>		1. Generator's US EPA ID No.		Manifest Document No.		2. Page 1 of 1					
3. Generator's Name and Mailing Address <b>MCAS, Beaufort Laurel Bay Housing Beaufort SC 29904</b>						A. Manifest Number <b>WMNA 10885424</b>					
4. Generator's Phone <b>843 228-8460</b>						B. State Generator's ID					
5. Transporter 1 Company Name <b>EEG, Inc.</b>				6. US EPA ID Number		C. State Transporter's ID					
7. Transporter 2 Company Name				8. US EPA ID Number		D. Transporter's Phone <b>843 879-0411</b>					
9. Designated Facility Name and Site Address <b>HICKORY HILL LANDFILL ROUTE 1, BOX 121 RIDGELAND SC 29936</b>				10. US EPA ID Number		E. State Transporter's ID					
						F. Transporter's Phone					
						G. State Facility's ID					
						H. Facility's Phone <b>843 987-4643</b>					
11. Description of Waste Materials				12. Containers No. Type		13. Total Quantity		14. Unit Wt./Vol.		I. Misc. Comments	
a. Heating Oil Tank filled with Sand				WM Profile # <b>102655SC</b>		<b>0 0 1</b>		<b>19318 Ton</b>			
b.				WM Profile #							
c.				WM Profile #							
				WM Profile #							
J. Additional Descriptions for Materials Listed Above						K. Disposal Location					
Landfill _____ Solidification _____						Cell _____ Level _____					
Bio Remediation _____						Grid _____					
15. Special Handling Instructions and Additional Information <b>1) 669 Camellia - 2) 670 Camellia - 3) 673 Camellia - 4) 682 Camellia - 5) 675 Camellia - 6) 681 Camellia -</b> <b>LIST'S FROM HOUSES</b> Purchase Order # _____ EMERGENCY CONTACT: _____											
16. GENERATOR'S CERTIFICATION: I hereby certify that the above-described materials are not hazardous wastes as defined by 40 CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged, and are in proper condition for transportation according to applicable regulations.											
Printed/Typed Name <b>W.G. Duke Jr.</b>				Signature "On behalf of" <i>[Signature]</i>				Month Day Year <b>09/08/10</b>			
17. Transporter 1 Acknowledgement of Receipt of Materials											
Printed/Typed Name <b>James Baldwin</b>				Signature <i>[Signature]</i>				Month Day Year <b>09/08/10</b>			
18. Transporter 2 Acknowledgement of Receipt of Materials											
Printed/Typed Name				Signature				Month Day Year			
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.											
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.											
Printed/Typed Name <b>Toni Cofield</b>				Signature <i>[Signature]</i>				Month Day Year <b>09/18/10</b>			



## **Appendix C**

### **Regulatory Correspondence**



Catherine B. Templeton, Director

*Promoting and protecting the health of the public and the environment*

May 15, 2014

Commanding Officer  
Attention: NREAO Mr. William A. Drawdy  
United State Marine Corps Air Station  
Post Office Box 55001  
Beaufort, SC 29904-5001

RE: No Further Action  
Laurel Bay Underground Storage Tank Assessment Reports for:  
*See attached sheet*

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tanks (USTs) Assessment Reports for the addresses listed above. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

The Department has reviewed the referenced assessment reports and agrees there is no indication of soil or groundwater contamination on these properties, and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at [kriegkm@dhec.sc.gov](mailto:kriegkm@dhec.sc.gov) or 803-898-0255.

Sincerely,

Kent Krieg  
Department of Defense Corrective Action Section  
Bureau of Land and Waste Management  
South Carolina Department of Health and Environmental Control

Cc: Russell Berry (via email)  
Craig Ehde (via email)



Catherine B. Templeton, Director

*Promoting and protecting the health of the public and the environment*

**Attachment to:** Krieg to Drawdy  
**Subject:** NFA  
**Dated** 5/15/2014

**Laurel Bay Underground Storage Tank Assessment Reports for: (143 addresses/146 tanks)**

212 Balsam	503 Laurel Bay
219 Balsam	508 Laurel Bay
260 Beech Tank 1	510 Laurel Bay
260 Beech Tank 2	523 Laurel Bay
267 Birch	525 Laurel Bay
287 Birch	529 Laurel Bay
302 Ash	533 Laurel Bay
305 Ash	537 Laurel Bay
334 Ash	556 Dahlia
338 Ash Tank 1	557 Dahlia
338 Ash Tank 2	559 Dahlia
361 Aspen	562 Dahlia
371 Aspen	568 Dahlia
372 Aspen Tank 1	581 Aster
372 Aspen Tank 2	582 Aster
375 Aspen	584 Aster
385 Aspen	602 Dahlia
403 Elderberry	607 Dahlia
407 Elderberry	614 Dahlia
411 Elderberry	616 Dahlia
414 Elderberry	619 Dahlia
415 Elderberry	625 Dahlia
421 Elderberry	629 Dahlia
427 Elderberry	631 Dahlia
428 Elderberry	634 Dahlia
431 Elderberry	660 Camellia
455 Elderberry	661 Camellia
484 Laurel Bay	666 Camellia
490 Laurel Bay	669 Camellia
502 Laurel Bay	672 Camellia

Laurel Bay Underground Storage Tank Assessment Reports for: (143 addresses/146 tanks) cont.

674 Camellia	880 Cobia
677 Camellia	890 Cobia
679 Camellia	892 Cobia
686 Camellia	900 Barracuda
690 Camellia	906 Barracuda
698 Abelia	911 Barracuda
700 Bluebell	912 Barracuda
704 Bluebell	917 Barracuda
705 Bluebell	919 Barracuda
708 Bluebell	928 Albacore
710 Bluebell	1024 Foxglove
711 Bluebell	1028 Foxglove
714 Bluebell	1029 Foxglove
715 Bluebell	1038 Iris
726 Bluebell	1049 Gardenia
728 Bluebell	1079 Heather
731 Bluebell	1103 Iris
734 Bluebell	1122 Iris
759 Althea	1136 Iris
761 Althea	1173 Bobwhite
773 Althea	1200 Cardinal
778 Laurel Bay	1221 Cardinal
807 Azalea	1238 Dove
814 Azalea	1241 Dove
815 Azalea	1242 Dove
818 Azalea	1248 Dove
820 Azalea	1262 Dove
821 Azalea	1265 Dove
831 Azalea	1267 Dove
832 Azalea	1289 Eagle
834 Azalea	1298 Eagle
835 Azalea	1300 Eagle
841 Azalea	1303 Eagle
853 Dolphin	1304 Eagle
858 Dolphin	1315 Albatross
869 Cobia	1316 Albatross
874 Cobia	1320 Albatross
875 Cobia	1338 Albatross

Laurel Bay Underground Storage Tank Assessment Reports for: (143 addresses/146 tanks) cont.

1340 Albatross	
1342 Albatross	
1344 Cardinal	
1345 Cardinal	
1349 Cardinal	
1355 Cardinal	
1366 Cardinal	
1374 Dove	
1375 Dove	
1415 Albatross	