SUMMARY REPORT 189 BLUEBELL LANE (FORMERLY 720 BLUEBELL LANE) LAUREL BAY MILITARY HOUSING AREA MARINE CORPS AIR STATION BEAUFORT BEAUFORT, SC

> Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid-Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT 189 BLUEBELL LANE (FORMERLY 720 BLUEBELL LANE) LAUREL BAY MILITARY HOUSING AREA MARINE CORPS AIR STATION BEAUFORT BEAUFORT, SC

> Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid- Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue Norfolk, Virginia 23511-3095 Prepared by:



CDM - AECOM Multimedia Joint Venture 10560 Arrowhead Drive, Suite 500 Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016 CTO WE52 JUNE 2021



# Table of Contents

1.0	INTRODUCTION	. 1
1.1 1.2	Background Information UST Removal and Assessment Process	
2.0	SAMPLING ACTIVITIES AND RESULTS	. 3
2.1 2.2	UST REMOVAL AND SOIL SAMPLING Soil Analytical Results	
3.0	PROPERTY STATUS	. 4
4.0	REFERENCES	. 4

## Table

Table 1	Laboratory	Analytical	Results - Soil
	Laboratory	ranaryticar	Results Soll

# Appendices

- Appendix A Multi-Media Selection Process for LBMH
- Appendix B UST Assesment Report
- Appendix C Regulatory Correspondence



# List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
СТО	Contract Task Order
COPC	constituents of potential concern
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level



## 1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 189 Bluebell Lane (Formerly 720 Bluebell Lane). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

# 1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area



is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

# 1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service,* (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management* 



*Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

# 2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 189 Bluebell Lane (Formerly 720 Bluebell Lane). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 720 Bluebell Lane* (MCAS Beaufort, 2010). The UST Assessment Report is provided in Appendix B.

# 2.1 UST Removal and Soil Sampling

On August 24, 2010, a single 280 gallon heating oil UST was removed from the back yard adjacent to the house at 189 Bluebell Lane (Formerly 720 Bluebell Lane). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 6'3" bgs and a single soil sample was collected from that depth. The



sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

# 2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 189 Bluebell Lane (Formerly 720 Bluebell Lane) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment.

# 3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 189 Bluebell Lane (Formerly 720 Bluebell Lane). This NFA determination was obtained in a letter dated June 13, 2011. SCDHEC's NFA letter is provided in Appendix C.

# 4.0 REFERENCES

- Marine Corps Air Station Beaufort, 2010. South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 720 Bluebell Lane, Laurel Bay Military Housing Area, December 2010.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 2.0*, April 2013.



- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.0*, May 2015.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service, March 2018.

Table



### Table 1 Laboratory Analytical Results - Soil 189 Bluebell Lane (Formerly 720 Bluebell Lane) Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Results Sample Collected 08/24/10				
Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)						
Benzene	0.003	ND				
Ethylbenzene	1.15	ND				
Naphthalene	0.036	ND				
Toluene	0.627	ND				
Xylenes, Total	13.01	ND				
Semivolatile Organic Compounds Anal	Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)					
Benzo(a)anthracene	0.66	ND				
Benzo(b)fluoranthene	0.66	ND				
Benzo(k)fluoranthene	0.66	ND				
Chrysene	0.66	ND				
Dibenz(a,h)anthracene	0.66	ND				

Notes:

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 and 1.1 (SCDHEC, May 2001 and SCDHEC, February 2011) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligram per kilogram


ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

Appendix A Multi-Media Selection Process for LBMH






**Appendix A - Multi-Media Selection Process for LBMH** 

Appendix B UST Assessment Report



Attachment 1

# South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank (UST) Assessment Report



ſ

Submit Completed Form To: UST Program SCDHEC 2600 Bull Street Columbia, South Carolina 29201 Telephone (803) 896-7957

٦

1

# I. OWNERSHIP OF UST (S)

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde) Owner Name (Corporation, Individual, Public Agency, Other)						
P.O. Box 55001 Mailing Address						
Beaufort,	South Carolina	29904-5001				
City	State	Zip Code				
843	228-7317	Craig Ehde				
Area Code	Telephone Number	Contact Person				

# II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #		Booufort CC
Facility Name or Compan	ary Housing Area, Marine Corps Air Station, y Site Identifier	Beauloit, SC
720 Bluebell Lar Street Address or State Ro	e, Laurel Bay Military Housing Area ad (as applicable)	
Beaufort,	Beaufort	
City	County	

Attachment 2

# **III. INSURANCE INFORMATION**

# **Insurance Statement**

The petroleum release reported to DHEC on \_\_\_\_\_\_ at Permit ID Number \_\_\_\_\_ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. This section must be completed.

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES\_\_\_\_ NO\_\_\_\_ (check one)

If you answered **YES** to the above question, please complete the following information:

My policy provider is: \_\_\_\_\_\_ The policy deductible is: \_\_\_\_\_\_ The policy limit is: \_\_\_\_\_\_

If you have this type of insurance, please include a copy of the policy with this report.

# **IV. REQUEST FOR SUPERB FUNDING**

I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)

# V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.)

Signature

To be completed by Notary Public:

Sworn before me this \_\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_

(Name)

Notary Public for the state of \_\_\_\_\_\_. Please affix State seal if you are commissioned outside South Carolina

# VI. UST INFORMATION

		720Bluebell
A.	Product(ex. Gas, Kerosene)	Heating oil
B.	Capacity(ex. 1k, 2k)	280 gal
C.	Age	Late 1950s
D.	Construction Material(ex. Steel, FRP)	Steel
Е·	Month/Year of Last Use	Mid 1980s
F.	Depth (ft.) To Base of Tank	6'3"
G.	Spill Prevention Equipment Y/N	No
H·	Overfill Prevention Equipment Y/N	No
I.	Method of Closure Removed/Filled	Removed
J <sub>.</sub>	Date Tanks Removed/Filled	8/24/10
K.	Visible Corrosion or Pitting Y/N	Yes
L.	Visible Holes Y/N	No

M. Method of disposal for any USTs removed from the ground (attach disposal manifests) <u>UST 720Bluebell was removed from the ground and disposed of at a</u> Subtitle "D" landfill. See Attachment "A".

N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)
 <u>UST 720Bluebell had been previously filled with sand by others.</u>

O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST <u>Corrosion and pitting were found throughout the tank.</u>

# **VII. PIPING INFORMATION**

		720Bluebell
		Steel
A.	Construction Material(ex. Steel, FRP)	& Copper
B.	Distance from UST to Dispenser	N/A
C.	Number of Dispensers	N/A
D.	Type of System Pressure or Suction	Suction
E.	Was Piping Removed from the Ground? Y/N	Yes
F.	Visible Corrosion or Pitting Y/N	Yes
G.	Visible Holes Y/N	No
H.	Age	Late 1950s
I.	If any corrosion, pitting, or holes were observed, dea	scribe the location and extent for each piping run.

If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

Corrosion and pitting were found on the surface of the steel vent pipe. Copper supply and return lines were sound.

# **VIII. BRIEF SITE DESCRIPTION AND HISTORY**

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

# IX. SITE CONDITIONS

	Yes	No	Unk
<ul> <li>A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?</li> <li>If yes, indicate donth and location on the site man</li> </ul>		х	
If yes, indicate depth and location on the site map.			
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?		х	
If yes, indicate location on site map and describe the odor (strong, mild, etc.)			
C. Was water present in the UST excavation, soil borings, or trenches?		х	
If yes, how far below land surface (indicate location and depth)?			
D. Did contaminated soils remain stockpiled on site after closure?		х	
If yes, indicate the stockpile location on the site map.			
Name of DHEC representative authorizing soil removal:			
E. Was a petroleum sheen or free product detected on any excavation or boring waters?		x	
If yes, indicate location and thickness.			

# X. SAMPLE INFORMATION

# A. SCDHEC Lab Certification Number 84009001

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
720 Bluebell	Excav at fill end	Soil	Sandy	6'3"	8/24/10 1045 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14		-			2 2 2		
15							
16							
17							
18							
19							
20							

\* = Depth Below the Surrounding Land Surface

# XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect <u>and</u> store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.


# **XII. RECEPTORS**


		Yes	No
A.	Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?		Х
	If yes, indicate type of receptor, distance, and direction on site map.		
В.	Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?		Х
	If yes, indicate type of well, distance, and direction on site map.		
C.	Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?		х
	If yes, indicate type of structure, distance, and direction on site map.		
D.	Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? *Sewer, water & geotherm	*X nal	
	If yes, indicate the type of utility, distance, and direction on the site map.		
E.	Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?		Х
	If yes, indicate the area of contaminated soil on the site map.		


# XIII. SITE MAP

You must supply a <u>scaled</u> site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)









Picture 1: Location of UST 720Bluebell.



Picture 2: UST 720Bluebell excavation in progress.

# XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

.

720Bluebell			
ND			
	ND ND ND ND ND ND ND ND	ND	NDImage: state of the state of t

SUMMARY OF ANALYSIS RESULTS (cont'd) Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL	W-1	W-2	W -3	W -4
	(µg/l)	VV- I	VV-2	<b>VV</b> - 3	VV -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
МТВЕ	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

# XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here) (Please see Form #4)



THE LEADER IN ENVIRONMENTAL TESTING

September 08, 2010 4:47:42PM

Client:	EEG - Small Business Group, Inc. (2449)
	10179 Highway 78
	Ladson, SC 29456
Attn:	Tom McElwee

SAMPLE IDENTIFICATION

Work Order:NTH2725Project Name:Laurel Bay Housing ProjectProject Nbr:1005P/O Nbr:See COCDate Received:08/28/10LAB NUMBERCOLLECTION DATE AND TIMENTH2725-0108/23/10 11:00

699 Abelia	NTH2725-01	08/23/10 11:00
720 Bluebell	NTH2725-02	08/24/10 10:45
722 Bluebell	NTH2725-03	08/25/10 10:00
717 Bluebell	NTH2725-04	08/25/10 12:15
719 Bluebell	NTH2725-05	08/25/10 15:00
718 Bluebell	NTH2725-06	08/26/10 11:30
721 Bluebell	NTH2725-07	08/26/10 15:45

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

South Carolina Certification Number: 84009001

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated. Estimated uncertainty is available upon request. This report has been electronically signed. Report Approved By:

Kim fa Hage

Ken A. Hayes Senior Project Manager

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTH2725
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	1005
Attn	Tom McElwee	Received:	08/28/10 08:30

### ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NTH2725-01 (699 A	belia - Soil) Sa	mnled:	08/23/10 1	1:00						
General Chemistry Parameters										
% Dry Solids	90.9		%	0.500	0.500	1	09/01/10 09:07	SW-846	HLB	10H5483
Volatile Organic Compounds by EP.	A Method 8260F	1								
Benzene	ND		mg/kg dry	0.00122	0.00223	1	09/03/10 13:10	SW846 8260B	MJH/H	10H5112
Ethylbenzene	ND		mg/kg dry	0.00122	0.00223	1	09/03/10 13:10	SW846 8260B	MJH/H	10H5112
Naphthalene	ND		mg/kg dry	0.00189	0.00557	1	09/03/10 13:10	SW846 8260B	MJH/H	10H5112
Toluene	ND		mg/kg dry	0.000991	0.00223	1	09/03/10 13:10	SW846 8260B	MJH/H	10H5112
Xylenes, total	ND		mg/kg dry	0.00212	0.00557	1	09/03/10 13:10	SW846 8260B	MJH/H	10H5112
Surr: 1,2-Dichloroethane-d4 (67-138%)	96 %			0.00212	0.000007		09/03/10 13:10	SW846 8260B	MJH/H	10H511
Surr: Dibromofluoromethane (75-125%)	94 %					1	09/03/10 13:10	SW846 8260B	MJH/H	10H511
Surr: Toluene-d8 (76-129%)	103 %					1	09/03/10 13:10	SW846 8260B	MJH/H	10H511
Surr: 4-Bromofluorobenzene (67-147%)	124 %					1	09/03/10 13:10	SW846 8260B	MJH/H	10H511
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	ND		mg/kg dry	0.0154	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Acenaphthylene	ND		mg/kg dry	0.0220	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Anthracene	0.0400	J	mg/kg dry	0.00990	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Benzo (a) anthracene	1.01		mg/kg dry	0.0121	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Benzo (a) pyrene	0.782		mg/kg dry	0.00880	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Benzo (b) fluoranthene	1.85		mg/kg dry	0.0418	0.0737	I	09/03/10 19:22	SW846 8270D	RMC	1010170
Benzo (g,h,i) perylene	0.414		mg/kg dry	0.00990	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Benzo (k) fluoranthene	ND		mg/kg dry	0.0407	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Chrysene	1.55		mg/kg dry	0.0341	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Dibenz (a,h) anthracene	0.228		mg/kg dry	0.0165	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Fluoranthene	1.30		mg/kg dry	0.0121	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Fluorene	ND		mg/kg dry	0.0220	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Indeno (1,2,3-cd) pyrene	0.378		mg/kg dry	0.0341	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Naphthalene	ND		mg/kg dry	0.0154	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Phenanthrene	0.0836		mg/kg dry	0.0110	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Pyrene	2.03		mg/kg dry	0.0253	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
1-Methylnaphthalene	ND		mg/kg dry	0.0132	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
2-Methylnaphthalene	ND		mg/kg dry	0.0231	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Surr: Terphenyl-d14 (18-120%)	59 %					1	09/03/10 19:22	SW846 8270D	RMC	101017
Surr: 2-Fluorobiphenyl (14-120%)	57 %					1	09/03/10 19:22	SW846 8270D	RMC	101017
Surr: Nitrobenzene-d5 (17-120%)	50 %					1	09/03/10 19:22	SW846 8270D	RMC	1010170

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTH2725
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	1005
Attn	Tom McElwee	Received:	08/28/10 08:30

### ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
· · · · · · · · · · · · · · · · · · ·										
Sample ID: NTH2725-02 (720 B) General Chemistry Parameters	luebell - Soil) S	Sampled	: 08/24/10	10:45						
% Dry Solids	89.9		%	0.500	0.500	1	09/01/10 09:07	SW-846	HLB	10H548
Volatile Organic Compounds by EPA	A Method 8260B	1								
Benzene	ND		mg/kg dry	0.00137	0.00249	1	09/03/10 13:39	SW846 8260B	МЈН/Н	10H5112
Ethylbenzene	ND		mg/kg dry	0.00122	0.00249	1	09/03/10 13:39	SW846 8260B	MJH/H	10H5112
Naphthalene	ND		mg/kg dry	0.00212	0.00622	1	09/03/10 13:39	SW846 8260B	MJH/H	10H5112
Foluene	ND		mg/kg dry	0.00111	0.00249	1	09/03/10 13:39	SW846 8260B	MJH/H	10H5112
Xylenes, total	ND		mg/kg dry	0.00236	0.00622	1	09/03/10 13:39	SW846 8260B	МЈН/Н	10H5112
Surr: 1,2-Dichloroethane-d4 (67-138%)	102 %					1	09/03/10 13:39	SW846 8260B	MJH/H	10H51.
Surr: Dibromofluoromethane (75-125%)	98 %					1	09/03/10 13:39	SW846 8260B	MJH/H	10H51
Surr: Toluene-d8 (76-129%)	105 %					1	09/03/10 13:39	SW846 8260B	MJH/H	10H51
Surr: 4-Bromofluorobenzene (67-147%)	132 %					1	09/03/10 13:39	SW846 8260B	MJH/H	10H51.
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	ND		mg/kg dry	0.0156	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Acenaphthylene	ND		mg/kg dry	0.0222	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Anthracene	ND		mg/kg dry	0.0100	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Benzo (a) anthracene	ND		mg/kg dry	0.0122	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Benzo (a) pyrene	ND		mg/kg dry	0.00890	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Benzo (b) fluoranthene	ND		mg/kg dry	0.0423	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0100	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Benzo (k) fluoranthene	ND		mg/kg dry	0.0412	0.0745	I	09/03/10 19:44	SW846 8270D	RMC	1010170
Chrysene	ND		mg/kg dry	0.0345	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0167	0.0745	I	09/03/10 19:44	SW846 8270D	RMC	1010170
Fluoranthene	ND		mg/kg dry	0.0122	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Fluorene	ND		mg/kg dry	0.0222	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
ndeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0345	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Naphthalene	ND		mg/kg dry	0.0156	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
henanthrene	ND		mg/kg dry	0.0111	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
yrene	ND		mg/kg dry	0.0256	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	101017
-Methylnaphthalene	ND		mg/kg dry	0.0133	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
2-Methylnaphthalene	ND		mg/kg dry	0.0234	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Surr: Terphenyl-d14 (18-120%)	57 %					1	09/03/10 19:44	SW846 8270D	RMC	101017
Surr: 2-Fluorobiphenyl (14-120%)	54 %					1	09/03/10 19:44	SW846 8270D	RMC	101017
Surr: Nitrobenzene-d5 (17-120%)	48 %					1	09/03/10 19:44	SW846 8270D	RMC	101017

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTH2725
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	1005
Attn	Tom McElwee	Received:	08/28/10 08:30

#### ANALYTICAL REPORT Dilution Analysis Units MDL MRL Date/Time Factor Method Analyst Batch Analyte Result Flag Sample ID: NTH2725-03 (722 Bluebell - Soil) Sampled: 08/25/10 10:00 General Chemistry Parameters 95.1 10H5483 % HLB % Dry Solids 0.500 0.500 09/01/10 09:07 SW-846 1 Volatile Organic Compounds by EPA Method 8260B ND MJH/H 10H5112 mg/kg dry 0.00132 0.00240 1 09/03/10 14:09 SW846 8260B Benzene ND mg/kg dry MJH/H 10H5112 0.00118 SW846 8760B Ethylbenzene 0.00240 1 09/03/10 14:09 ND 10H5112 mg/kg dry MJH/H SW846 8260B 0.00204 0.00600 09/03/10 14:09 Naphthalene 1 ND МЈН/Н 10H5112 mg/kg dry Toluene 0.00107 0.00240 1 09/03/10 14:09 SW846 8260B ND MJH/H 10H5112 mg/kg dry 0.00228 SW846 8260B Xylenes, total 0.00600 1 09/03/10 14:09 Surr: 1,2-Dichloroethane-d4 (67-138%) 101 % 09/03/10 14:09 SW846 8260B 10H5112 MIH/H 1 Surr: Dibromofluoromethane (75-125%) 97% 09/03/10 14:09 SW846 8260B MJH/H 10H5112 1 Surr: Toluene-d8 (76-129%) 102 % 09/03/10 14:09 SW846 8260B MJH/H 10H5112 1 Surr: 4-Bromofluorobenzene (67-147%) 123 % 09/03/10 14:09 SW846 8260B MJH/H 10H5112 I Polyaromatic Hydrocarbons by EPA 8270D ND RMC 1010170 mg/kg dry SW846 8270D Acenaphthene 0.0147 0.0705 1 09/03/10 20:07 ND 1010170 mg/kg dry RMC 0.0210 0.0705 SW846 8270D 1 09/03/10 20:07 Acenaphthylene ND RMC 1010170 mg/kg dry 0.00947 0.0705 SW846 8270D Anthracene 1 09/03/10 20:07 ND mg/kg dry RMC 1010170 SW846 8270D Benzo (a) anthracene 0.0116 0.0705 1 09/03/10 20:07 1010170 ND mg/kg dry 0.00841 09/03/10 20:07 SW846 8270D RMC 0.0705 1 Benzo (a) pyrene ND mg/kg dry RMC 1010170 Benzo (b) fluoranthene 0.0400 0.0705 1 09/03/10 20:07 SW846 8270D ND RMC 1010170 mg/kg dry SW846 8270D 0.00947 0.0705 09/03/10 20:07 Benzo (g,h,i) perylene 1 ND RMC 1010170 mg/kg dry 0.0389 0.0705 09/03/10 20:07 SW846 8270D Benzo (k) fluoranthene 1 1010170 ND mg/kg dry RMC SW846 8270D 0.0326 0.0705 09/03/10 20:07 Chrysene 1 ND mg/kg dry RMC 1010170 0.0158 0.0705 09/03/10 20:07 SW846 8270D Dibenz (a,h) anthracene 1 1010170 ND RMC mg/kg dry Fluoranthene 0.0116 0.0705 09/03/10 20:07 SW846 8270D 1 ND mg/kg dry RMC 1010170 SW846 8270D 0.0210 0.0705 09/03/10 20:07 Fluorene 1 ND mg/kg dry RMC 1010170 0.0326 0.0705 SW846 8270D Indeno (1,2,3-cd) pyrene 1 09/03/10 20:07 1010170 ND mg/kg dry RMC 0.0147 0.0705 09/03/10 20:07 SW846 8270D Naphthalene 1 1010170 ND mg/kg dry RMC SW846 8270D 0.0105 0.0705 09/03/10 20:07 Phenanthrene 1 ND RMC 1010170 mg/kg dry 0.0242 0.0705 SW846 8270D 09/03/10 20:07 Pyrene 1 ND RMC 1010170 mg/kg dry 0.0705 1-Methylnaphthalene 0.0126 1 09/03/10 20:07 SW846 8270D ND mg/kg dry RMC 1010170 0.0221 0.0705 SW846 8270D 2-Methylnaphthalene 1 09/03/10 20:07 Surr: Terphenyl-d14 (18-120%) 60 % 09/03/10 20:07 SW846 8270D 1010170 RMC 1 Surr: 2-Fluorobiphenyl (14-120%) 58% 09/03/10 20:07 SW846 8270D RMC 1010170 1 Surr: Nitrobenzene-d5 (17-120%) 53% 09/03/10 20:07 SW846 8270D RMC 1010170 1

THE LEADER IN ENVIRONMENTAL TESTING

Client EEG - Small Business Group, Inc. (2449) Work Order: NTH2725	
10179 Highway 78 Project Name: Laurel Bay He	ousing Project
Ladson, SC 29456 Project Number: 1005	
Attn Tom McElwee Received: 08/28/10 08:3	0

	ANALYTICAL REPORT										
Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch	
Sample ID: NTH2725-04 (717 Bl	luebell - Soil) S	Sampled	: 08/25/10	12:15							
General Chemistry Parameters											
% Dry Solids	89.8		%	0.500	0.500	1	09/01/10 09:07	SW-846	HLB	10H5483	
Volatile Organic Compounds by EPA	A Method 8260E	3									
Benzene	ND		mg/kg dry	0.00122	0.00222	1	09/03/10 16:35	SW846 8260B	MJH/H	10H5112	
Ethylbenzene	ND		mg/kg dry	0.00109	0.00222	I	09/03/10 16:35	SW846 8260B	MJH/H	10H5112	
Naphthalene	ND		mg/kg dry	0.00188	0.00554	I	09/03/10 16:35	SW846 8260B	MJH/H	10H5112	
Toluene	ND		mg/kg dry	0.000986	0.00222	1	09/03/10 16:35	SW846 8260B	MJH/H	10H5112	
Xylenes, total	ND		mg/kg dry	0.00210	0.00554	1	09/03/10 16:35	SW846 8260B	MJH/H	10H5112	
Surr: 1,2-Dichloroethane-d4 (67-138%)	95 %					1	09/03/10 16:35	SW846 8260B	MJH/H	10H5112	
Surr: Dibromofluoromethane (75-125%)	91 %					1	09/03/10 16:35	SW846 8260B	MJH/H	10H5112	
Surr: Toluene-d8 (76-129%)	106 %					1	09/03/10 16:35	SW846 8260B	MJH/H	10H5112	
Surr: 4-Bromofluorobenzene (67-147%)	128 %					1	09/03/10 16:35	SW846 8260B	MJH/H	10H5112	
Polyaromatic Hydrocarbons by EPA	8270D										
Acenaphthene	ND		mg/kg dry	0.0156	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170	
Acenaphthylene	ND		mg/kg dry	0.0223	0.0746	I	09/03/10 20:29	SW846 8270D	RMC	1010170	
Anthracene	ND		mg/kg dry	0.0100	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170	
Benzo (a) anthracene	0.0412	J	mg/kg dry	0.0123	0.0746	l	09/03/10 20:29	SW846 8270D	RMC	1010170	
Benzo (a) pyrene	ND		mg/kg dry	0.00891	0.0746	I	09/03/10 20:29	SW846 8270D	RMC	1010170	
Benzo (b) fluoranthene	0.0676	J	mg/kg dry	0.0423	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170	
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0100	0.0746	I	09/03/10 20:29	SW846 8270D	RMC	1010170	
Benzo (k) fluoranthene	ND		mg/kg dry	0.0412	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170	
Chrysene	ND		mg/kg dry	0.0345	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170	
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0167	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170	
Fluoranthene	ND		mg/kg dry	0.0123	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170	
Fluorene	ND		mg/kg dry	0.0223	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170	
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0345	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170	
Naphthalene	ND		mg/kg dry	0.0156	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170	
Phenanthrene	ND		mg/kg dry	0.0111	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170	
Pyrene	ND		mg/kg dry	0.0256	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170	
1-Methylnaphthalene	ND		mg/kg dry	0.0134	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170	
2-Methylnaphthalene	ND		mg/kg dry	0.0234	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170	
Surr: Terphenyl-d14 (18-120%)	51%					1	09/03/10 20:29	SW846 8270D	RMC	1010170	
Surr: 2-Fluorobiphenyl (14-120%)	55 %					I	09/03/10 20:29	SW846 8270D	RMC	1010170	
Surr: Nitrobenzene-d5 (17-120%)	48 %					1	09/03/10 20:29	SW846 8270D	RMC	1010170	

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTH2725
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	1005
Attn	Tom McElwee	Received:	08/28/10 08:30

#### ANALYTICAL REPORT

						Dilution	Analysis			
Analyte	Result	Flag	Units	MDL	MRL	Factor	Date/Time	Method	Analyst	Batcl
Sample ID: NTH2725-05 (719 Bl	luebell - Soil) S	Sampled	08/25/10	15:00						
General Chemistry Parameters										
% Dry Solids	92.4		%	0.500	0.500	1	09/01/10 09:07	SW-846	HLB	10H5483
Volatile Organic Compounds by EPA	A Method 8260B	6								
Benzene	ND		mg/kg dry	0.00124	0.00225	1	09/03/10 15:07	SW846 8260B	MJH/H	10H5112
Ethylbenzene	ND		mg/kg dry	0.00110	0.00225	l	09/03/10 15:07	SW846 8260B	MJH/H	10H5112
Naphthalene	ND		mg/kg dry	0.00191	0.00562	1	09/03/10 15:07	SW846 8260B	MJH/H	10H5112
Toluene	ND		mg/kg dry	0.00100	0.00225	1	09/03/10 15:07	SW846 8260B	MJH/H	10H5112
Xylenes, total	ND		mg/kg dry	0.00214	0.00562	1	09/03/10 15:07	SW846 8260B	MJH/H	10H5112
Surr: 1,2-Dichloroethane-d4 (67-138%)	101 %					1	09/03/10 15:07	SW846 8260B	MJH/H	10H511
Surr: Dibromofluoromethane (75-125%)	96 %					1	09/03/10 15:07	SW846 8260B	MJH/H	10H511
Surr: Toluene-d8 (76-129%)	101 %					1	09/03/10 15:07	SW846 8260B	MJH/H	10H511
Surr: 4-Bromofluorobenzene (67-147%)	115 %					1	09/03/10 15:07	SW846 8260B	MJH/H	10H511
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	ND		mg/kg dry	0.0151	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Acenaphthylene	ND		mg/kg dry	0.0216	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Anthracene	ND		mg/kg dry	0.00974	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Benzo (a) anthracene	ND		mg/kg dry	0.0119	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Benzo (a) pyrene	ND		mg/kg dry	0.00866	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Benzo (b) fluoranthene	ND		mg/kg dry	0.0411	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00974	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Benzo (k) fluoranthene	ND		mg/kg dry	0.0400	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Chrysene	ND		mg/kg dry	0.0335	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0162	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Fluoranthene	ND		mg/kg dry	0.0119	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Fluorene	ND		mg/kg dry	0.0216	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0335	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Naphthalene	ND		mg/kg dry	0.0151	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Phenanthrene	ND		mg/kg dry	0.0108	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Pyrene	ND		mg/kg dry	0.0249	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
1-Methylnaphthalene	ND		mg/kg dry	0.0130	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
2-Methylnaphthalene	ND		mg/kg dry	0.0227	0.0725	I	09/03/10 20:52	SW846 8270D	RMC	1010170
Surr: Terphenyl-d14 (18-120%)	58 %					1	09/03/10 20:52	SW846 8270D	RMC	101017
Surr: 2-Fluorobiphenyl (14-120%)	50 %					1	09/03/10 20:52	SW846 8270D	RMC	101017
Surr: Nitrobenzene-d5 (17-120%)	45 %					1	09/03/10 20:52	SW846 8270D	RMC	101017

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTH2725
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	1005
Attn	Tom McElwee	Received:	08/28/10 08:30

#### ANALYTICAL REPORT

			ANALY	TICAL REP	UKI	<b>D</b> 11 <i>et</i>				
Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NTH2725-06 (718 Bl	luebell - Soil) S	ampled	: 08/26/10	11:30						
General Chemistry Parameters										
% Dry Solids	94.8		%	0.500	0.500	1	09/01/10 09:07	SW-846	HLB	10H5483
Volatile Organic Compounds by EPA	A Method 8260B									
Benzene	ND		mg/kg dry	0.00128	0.00233	1	09/03/10 15:36	SW846 8260B	МЈН/Н	10H5112
Ethylbenzene	ND		mg/kg dry	0.00114	0.00233	1	09/03/10 15:36	SW846 8260B	MJH/H	10H5112
Naphthalene	ND		mg/kg dry	0.00198	0.00582	1	09/03/10 15:36	SW846 8260B	MJH/H	10H5112
Toluene	ND		mg/kg dry	0.00104	0.00233	1	09/03/10 15:36	SW846 8260B	MJH/H	10H5112
Xylenes, total	ND		mg/kg dry	0.00221	0.00582	1	09/03/10 15:36	SW846 8260B	MJH/H	10H5112
Surr: 1,2-Dichloroethane-d4 (67-138%)	100 %					1	09/03/10 15:36	SW846 8260B	MJH/H	10H5112
Surr: Dibromofluoromethane (75-125%)	<b>9</b> 7 %					1	09/03/10 15:36	SW846 8260B	MJH/H	10H5112
Surr: Toluene-d8 (76-129%)	102 %					1	09/03/10 15:36	SW846 8260B	MJH/H	10H5112
Surr: 4-Bromofluorobenzene (67-147%)	106 %					1	09/03/10 15:36	SW846 8260B	MJH/H	10H511.
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	ND		mg/kg dry	0.0148	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Acenaphthylene	ND		mg/kg dry	0.0211	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Anthracene	ND		mg/kg dry	0.00949	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Benzo (a) anthracene	ND		mg/kg dry	0.0116	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Benzo (a) pyrene	ND		mg/kg dry	0.00844	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Benzo (b) fluoranthene	ND		mg/kg dry	0.0401	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00949	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Benzo (k) fluoranthene	ND		mg/kg dry	0.0390	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Chrysene	ND		mg/kg dry	0.0327	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0158	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Fluoranthene	ND		mg/kg dry	0.0116	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Fluorene	ND		mg/kg dry	0.0211	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0327	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Naphthalene	ND		mg/kg dry	0.0148	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Phenanthrene	ND		mg/kg dry	0.0105	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Pyrene	ND		mg/kg dry	0.0243	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
l-Methylnaphthalene	ND		mg/kg dry	0.0127	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
2-Methylnaphthalene	ND		mg/kg dry	0.0221	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Surr: Terphenyl-d14 (18-120%)	55 %					1	09/03/10 21:15	SW846 8270D	RMC	1010170
Surr: 2-Fluorobiphenyl (14-120%)	46 %					1	09/03/10 21:15	SW846 8270D	RMC	1010170
Surr: Nitrobenzene-d5 (17-120%)	42 %					1	09/03/10 21:15	SW846 8270D	RMC	1010170

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTH2725
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	1005
Attn	Tom McElwee	Received:	08/28/10 08:30

#### ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NTH2725-07 (721 Bl	uebell - Soil) S	ampled:	08/26/10	15:45						
General Chemistry Parameters										
% Dry Solids	85.3		%	0.500	0.500	1	09/01/10 09:07	SW-846	HLB	10H5483
Volatile Organic Compounds by EPA	A Method 8260B	l.								
Benzene	ND		mg/kg dry	0.00113	0.00206	I	09/03/10 16:05	SW846 8260B	MJH/H	10H5112
Ethylbenzene	ND		mg/kg dry	0.00101	0.00206	1	09/03/10 16:05	SW846 8260B	MJH/H	10H5112
Naphthalene	ND		mg/kg dry	0.00175	0.00515	1	09/03/10 16:05	SW846 8260B	MJH/H	10H5112
Toluene	ND		mg/kg dry	0.000917	0.00206	1	09/03/10 16:05	SW846 8260B	MJH/H	10H5112
Xylenes, total	ND		mg/kg dry	0.00196	0.00515	1	09/03/10 16:05	SW846 8260B	MJH/H	10H5112
Surr: 1,2-Dichloroethane-d4 (67-138%)	100 %					1	09/03/10 16:05	SW846 8260B	MJH/H	10H511
Surr: Dibromofluoromethane (75-125%)	96 %					1	09/03/10 16:05	SW846 8260B	MJH/H	10H511
Surr: Toluene-d8 (76-129%)	104 %					1	09/03/10 16:05	SW846 8260B	MJH/H	10H511
Surr: 4-Bromofluorobenzene (67-147%)	100 %					1	09/03/10 16:05	SW846 8260B	MJH/H	10H511
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	ND		mg/kg dry	0.0164	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Acenaphthylene	ND		mg/kg dry	0.0235	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Anthracene	ND		mg/kg dry	0.0106	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Benzo (a) anthracene	ND		mg/kg dry	0.0129	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Benzo (a) pyrene	ND		mg/kg dry	0.00938	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Benzo (b) fluoranthene	ND		mg/kg dry	0.0446	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0106	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Benzo (k) fluoranthene	ND		mg/kg dry	0.0434	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Chrysene	ND		mg/kg dry	0.0364	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0176	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Fluoranthene	ND		mg/kg dry	0.0129	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Fluorene	ND		mg/kg dry	0.0235	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0364	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Naphthalene	ND		mg/kg dry	0.0164	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Phenanthrene	ND		mg/kg dry	0.0117	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Pyrene	ND		mg/kg dry	0.0270	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
1-Methylnaphthalene	ND		mg/kg dry	0.0141	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
2-Methylnaphthalene	ND		mg/kg dry	0.0246	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Surr: Terphenyl-d14 (18-120%)	58 %					1	09/03/10 21:37	SW846 8270D	RMC	1010170
Surr: 2-Fluorobiphenyl (14-120%)	57 %					1	09/03/10 21:37	SW846 8270D	RMC	101017
Surr: Nitrobenzene-d5 (17-120%)	51%					1	09/03/10 21:37	SW846 8270D	RMC	1010170

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTH2725
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	1005
Attn	Tom McElwee	Received:	08/28/10 08:30

#### SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
Polyaromatic Hydrocarbons by	EPA 8270D						
SW846 8270D	10H5175	NTH2725-01	30.51	1.00	08/31/10 07:50	SAS	EPA 3550B
SW846 8270D	1010170	NTH2725-01RE1	30.00	1.00	09/03/10 08:50	CAG	EPA 3550C
SW846 8270D	10H5175	NTH2725-02	30.39	1.00	08/31/10 07:50	SAS	EPA 3550B
SW846 8270D	1010170	NTH2725-02RE1	30.00	1.00	09/03/10 08:50	CAG	EPA 3550C
SW846 8270D	10H5175	NTH2725-03	30.40	1.00	08/31/10 07:50	SAS	EPA 3550B
SW846 8270D	1010170	NTH2725-03RE1	30.00	1.00	09/03/10 08:50	CAG	EPA 3550C
SW846 8270D	10H5175	NTH2725-04	30.43	1.00	08/31/10 07:50	SAS	EPA 3550B
SW846 8270D	1010170	NTH2725-04RE1	30.00	1.00	09/03/10 08:50	CAG	EPA 3550C
SW846 8270D	10H5175	NTH2725-05	30.44	1.00	08/31/10 07:50	SAS	EPA 3550B
SW846 8270D	1010170	NTH2725-05RE1	30.00	1.00	09/03/10 08:50	CAG	EPA 3550C
SW846 8270D	10H5175	NTH2725-06	30.56	1.00	08/31/10 07:50	SAS	EPA 3550B
SW846 8270D	1010170	NTH2725-06RE1	30.00	1.00	09/03/10 08:50	CAG	EPA 3550C
SW846 8270D	10H5175	NTH2725-07	30.39	1.00	08/31/10 07:50	SAS	EPA 3550B
SW846 8270D	1010170	NTH2725-07RE1	30.00	1.00	09/03/10 08:50	CAG	EPA 3550C
Volatile Organic Compounds by	y EPA Method 8260B						
SW846 8260B	10H5112	NTH2725-01	4.94	5.00	08/23/10 11:00	СНН	EPA 5035
SW846 8260B	10H5112	NTH2725-02	4.47	5.00	08/24/10 10:45	СНН	EPA 5035
SW846 8260B	10H5112	NTH2725-03	4.38	5.00	08/25/10 10:00	СНН	EPA 5035
SW846 8260B	10H5112	NTH2725-04	4.90	5.00	08/25/10 12:15	СНН	EPA 5035
SW846 8260B	10H5112	NTH2725-04RE1	5.03	5.00	08/25/10 12:15	СНН	EPA 5035
SW846 8260B	10H5112	NTH2725-05	4.81	5.00	08/25/10 15:00	СНН	EPA 5035
SW846 8260B	10H5112	NTH2725-06	4.53	5.00	08/26/10 11:30	СНН	EPA 5035
SW846 8260B	10H5112	NTH2725-07	5.69	5.00	08/26/10 15:45	CHH	EPA 5035

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTH2725
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	1005
Attn	Tom McElwee	Received:	08/28/10 08:30

#### PROJECT QUALITY CONTROL DATA Blank

Analyte	Blank Value	Q Units	Q.C. Batch	Lab Number	Analyzed Date/Time	
Volatile Organic Compounds by	EPA Method 8260B					
10H5112-BLK1						
Benzene	<0.00110	mg/kg wet	10H5112	10H5112-BLK1	09/03/10 12:33	
Ethylbenzene	<0.000980	mg/kg wet	10H5112	10H5112-BLK1	09/03/10 12:33	
Naphthalene	< 0.00170	mg/kg wet	10H5112	10H5112-BLK1	09/03/10 12:33	
Toluene	<0.000890	mg/kg wet	10H5112	10H5112-BLK1	09/03/10 12:33	
Xylenes, total	< 0.00190	mg/kg wet	10H5112	10H5112-BLK1	09/03/10 12:33	
Surrogate: 1,2-Dichloroethane-d4	97%		10H5112	10H5112-BLK1	09/03/10 12:33	
Surrogate: Dibromofluoromethane	93%		10H5112	10H5112-BLK1	09/03/10 12:33	
Surrogate: Toluene-d8	102%		10H5112	10H5112-BLK1	09/03/10 12:33	
Surrogate: 4-Bromofluorobenzene	115%		10H5112	10H5112-BLK1	09/03/10 12:33	
10H5112-BLK2						
Benzene	<0.0550	mg/kg wet	10H5112	10H5112-BLK2	09/03/10 17:04	
Ethylbenzene	<0.0490	mg/kg wet	10H5112	10H5112-BLK2	09/03/10 17:04	
Naphthalene	<0.0850	mg/kg wet	10H5112	10H5112-BLK2	09/03/10 17:04	
Toluene	<0.0445	mg/kg wet	10H5112	10H5112-BLK2	09/03/10 17:04	
Xylenes, total	<0.0950	mg/kg wet	10H5112	10H5112-BLK2	09/03/10 17:04	
Surrogate: 1,2-Dichloroethane-d4	95%		10H5112	10H5112-BLK2	09/03/10 17:04	
Surrogate: Dibromofluoromethane	82%		10H5112	10H5112-BLK2	09/03/10 17:04	
Surrogate: Toluene-d8	102%		10H5112	10H5112-BLK2	09/03/10 17:04	
Surrogate: 4-Bromofluorobenzene	97%		10H5112	10H5112-BLK2	09/03/10 17:04	
Polyaromatic Hydrocarbons by I	EPA 8270D					
1010170-BLK1						
Acenaphthene	<0.0140	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Acenaphthylene	<0.0200	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Anthracene	<0.00900	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Benzo (a) anthracene	<0.0110	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Benzo (a) pyrene	< 0.00800	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Benzo (b) fluoranthene	<0.0380	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Benzo (g,h,i) perylene	<0.00900	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Benzo (k) fluoranthene	<0.0370	mg/kg wet	1010170	10I0170-BLK1	09/03/10 17:51	
Chrysene	<0.0310	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Dibenz (a,h) anthracene	<0.0150	mg/kg wet	1010170	10I0170-BLK1	09/03/10 17:51	
Fluoranthene	<0.0110	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Fluorene	<0.0200	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Indeno (1,2,3-cd) pyrene	<0.0310	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Naphthalene	<0.0140	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Phenanthrene	< 0.0100	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Pyrene	<0.0230	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
I-Methylnaphthalene	<0.0120	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
2-Methylnaphthalene	<0.0210	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	

### THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTH2725
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	1005
Attn	Tom McElwee	Received:	08/28/10 08:30

#### PROJECT QUALITY CONTROL DATA Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
Polyaromatic Hydrocarbon	is by EPA 8270D					
1010170-BLK1						
Surrogate: Terphenyl-d14	70%			1010170	1010170-BLK1	09/03/10 17:51
Surrogate: 2-Fluorobiphenyl	62%			1010170	1010170-BLK1	09/03/10 17:51
Surrogate: Nitrobenzene-d5	56%			1010170	1010170-BLK1	09/03/10 17:51



Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTH2725
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	1005
Attn	Tom McElwee	Received:	08/28/10 08:30

# PROJECT QUALITY CONTROL DATA

Duplicate

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	% Rec.	Analyzed Date/Time
General Chemistry Parameters										
<b>10H5483-DUP1</b> % Dry Solids	70.6	69.3		%	2	20	10H5483	NTH0566-14		09/01/10 09:07

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTH2725
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	1005
Attn	Tom McElwee	Received:	08/28/10 08:30

## PROJECT QUALITY CONTROL DATA

LCS

Analyte	Known Val.	Analyzed Val Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Volatile Organic Compounds by E	PA Method 8260B						
10H5112-BS1							
Benzene	50.0	49.1	ug/kg	98%	78 - 126	10H5112	09/03/10 11:35
Ethylbenzene	50.0	51.3	ug/kg	103%	79 - 130	10H5112	09/03/10 11:35
Naphthalene	50.0	60.5	ug/kg	121%	72 - 150	10H5112	09/03/10 11:35
Toluene	50.0	53.2	ug/kg	106%	76 - 126	10H5112	09/03/10 11:35
Xylenes, total	150	165	ug/kg	110%	80 - 130	10H5112	09/03/10 11:35
Surrogate: 1,2-Dichloroethane-d4	50.0	48.8		98%	67 - 138	10H5112	09/03/10 11:35
Surrogate: Dibromofluoromethane	50.0	50.0		100%	75 - 125	10H5112	09/03/10 11:35
Surrogate: Toluene-d8	50.0	52.0		104%	76 - 129	10H5112	09/03/10 11:35
Surrogate: 4-Bromofluorobenzene	50.0	50.0		100%	67 - 147	10H5112	09/03/10 11:35
Polyaromatic Hydrocarbons by EP	A 8270D						
10I0170-BS1							
Acenaphthene	1.67	1.30	mg/kg wet	78%	49 - 120	1010170	09/03/10 18:13
Acenaphthylene	1.67	1.35	mg/kg wet	81%	52 - 120	1010170	09/03/10 18:13
Anthracene	1.67	1.56	mg/kg wct	94%	58 - 120	1010170	09/03/10 18:13
Benzo (a) anthracene	1.67	1.41	mg/kg wet	85%	57 - 120	1010170	09/03/10 18:13
Benzo (a) pyrene	1.67	1.49	mg/kg wet	89%	55 - 120	1010170	09/03/10 18:13
Benzo (b) fluoranthene	1.67	1.33	mg/kg wet	80%	51 - 123	1010170	09/03/10 18:13
Benzo (g,h,i) perylene	1.67	1.44	mg/kg wet	87%	49 - 121	1010170	09/03/10 18:13
Benzo (k) fluoranthene	1.67	1.34	mg/kg wet	81%	42 - 129	1010170	09/03/10 18:13
Chrysene	1.67	1.32	mg/kg wet	79%	55 - 120	1010170	09/03/10 18:13
Dibenz (a,h) anthracene	1.67	1.46	mg/kg wet	87%	50 - 123	1010170	09/03/10 18:13
Fluoranthene	1.67	1.48	mg/kg wet	89%	58 - 120	1010170	09/03/10 18:13
Fluorene	1.67	1.36	mg/kg wet	82%	54 - 120	1010170	09/03/10 18:13
Indeno (1,2,3-cd) pyrene	1.67	1.44	mg/kg wet	87%	50 - 122	1010170	09/03/10 18:13
Naphthalene	1.67	1.26	mg/kg wet	76%	28 - 120	1010170	09/03/10 18:13
Phenanthrene	1.67	1.52	mg/kg wet	91%	56 - 120	1010170	09/03/10 18:13
Pyrene	1.67	1.39	mg/kg wet	83%	56 - 120	1010170	09/03/10 18:13
I-Methylnaphthalene	1.67	1.16	mg/kg wet	70%	36 - 120	1010170	09/03/10 18:13
2-Methylnaphthalene	1.67	1.26	mg/kg wet	76%	36 - 120	1010170	09/03/10 18:13
Surrogate: Terphenyl-d14	1.67	1.27		76%	18 - 120	1010170	09/03/10 18:13
Surrogate: 2-Fluorobiphenyl	1.67	1.20		72%	14 - 120	1010170	09/03/10 18:13
Surrogate: Nitrobenzene-d5	1.67	1.05		63%	17 - 120	1010170	09/03/10 18:13

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTH2725
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	1005
Attn	Tom McElwee	Received:	08/28/10 08:30

#### PROJECT QUALITY CONTROL DATA Matrix Spike

				Matrix Spir	ii ii					
Analytc	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Volatile Organic Compounds by	EPA Method 8260	B								
10H5112-MS1										
Benzene	ND	0.0591		mg/kg dry	0.0479	123%	42 - 141	10H5112	NTH2725-01	09/03/10 20:57
Ethylbenzene	ND	0.0594		mg/kg dry	0.0479	124%	21 - 165	10H5112	NTH2725-01	09/03/10 20:57
Naphthalene	ND	0.0418		mg/kg dry	0.0479	87%	10 - 160	10H5112	NTH2725-01	09/03/10 20:57
Toluene	ND	0.0641		mg/kg dry	0.0479	134%	45 - 145	10H5112	NTH2725-01	09/03/10 20:57
Xylenes, total	ND	0.188		mg/kg dry	0.144	131%	31 - 159	10H5112	NTH2725-01	09/03/10 20:57
Surrogate: 1,2-Dichloroethane-d4		46.7		ug/kg	50.0	93%	67 - 138	10H5112	NTH2725-01	09/03/10 20:57
Surrogate: Dibromofluoromethane		45.6		ug/kg	50.0	91%	75 - 125	10H5112	NTH2725-01	09/03/10 20:57
Surrogate: Toluene-d8		52.4		ug/kg	50.0	105%	76 - 129	10H5112	NTH2725-01	09/03/10 20:57
Surrogate: 4-Bromofluorobenzene		52.0		ug/kg	50.0	104%	67 - 147	10H5112	NTH2725-01	09/03/10 20:57
Polyaromatic Hydrocarbons by E	CPA 8270D									
10I0170-MS1										
Acenaphthene	ND	1.10		mg/kg dry	1.82	60%	42 - 120	1010170	NTH2725-02RE	09/03/10 18:36
Acenaphthylene	ND	1.16		mg/kg dry	1.82	63%	32 - 120	1010170	NTH2725-02RE	09/03/10 18:36
Anthracene	ND	1.32		mg/kg dry	1.82	73%	10 - 200	1010170	NTH2725-02RE	09/03/10 18:36
Benzo (a) anthracene	ND	1.21		mg/kg dry	1.82	66%	41 - 120	1010170	NTH2725-02RE	09/03/10 18:36
Benzo (a) pyrene	ND	1.28		mg/kg dry	1.82	70%	33 - 121	1010170	NTH2725-02RE	09/03/10 18:36
Benzo (b) fluoranthene	ND	1.32		mg/kg dry	1.82	72%	26 - 137	1010170	NTH2725-02RE 1	09/03/10 18:36
Benzo (g,h,i) perylene	ND	1.25		mg/kg dry	1.82	69%	21 - 124	1010170	NTH2725-02RE 1	09/03/10 18:36
Benzo (k) fluoranthene	ND	1.31		mg/kg dry	1.82	72%	14 - 140	1010170	NTH2725-02RE 1	09/03/10 18:36
Chrysene	ND	1.17		mg/kg dry	1.82	64%	28 - 123	1010170	NTH2725-02RE 1	09/03/10 18:36
Dibenz (a,h) anthracene	ND	1.25		mg/kg dry	1.82	69%	25 - 127	1010170	NTH2725-02RE 1	09/03/10 18:36
Fluoranthene	ND	1.27		mg/kg dry	1.82	70%	38 - 120	1010170	NTH2725-02RE 1	09/03/10 18:36
Fluorenc	ND	1.14		mg/kg dry	1.82	63%	41 - 120	1010170	NTH2725-02RE 1	09/03/10 18:36
Indeno (1,2,3-cd) pyrene	ND	1.24		mg/kg dry	1.82	68%	25 - 123	1010170	NTH2725-02RE 1	09/03/10 18:36
Naphthalenc	ND	1.18		mg/kg dry	1.82	65%	25 - 120	1010170	NTH2725-02RE 1	09/03/10 18:36
Phenanthrenc	ND	1.31		mg/kg dry	1.82	72%	37 - 120	1010170	NTH2725-02RE 1	09/03/10 18:36
Pyrene	ND	1.19		mg/kg dry	1.82	65%	29 - 125	1010170	NTH2725-02RE 1	09/03/10 18:36
I-Mcthylnaphthalene	ND	1.06		mg/kg dry	1.82	58%	19 - 120	1010170	NTH2725-02RE 1	09/03/10 18:36

THE LEADER IN ENVIRONMENTAL TESTING

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTH2725
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	1005
Attn	Tom McElwee	Received:	08/28/10 08:30

#### PROJECT QUALITY CONTROL DATA Matrix Spike - Cont.

Analyte	Orig. Val.	MS Val	Q Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Polyaromatic Hydrocarbons by E	CPA 8270D								
1010170-MS1 2-Methylnaphthalene	ND	1.15	mg/kg dry	1.82	63%	11 - 120	1010170	NTH2725-02RE 1	09/03/10 18:36
Surrogate: Terphenyl-d14		1.06	mg/kg dry	1.82	58%	18 - 120	1010170	NTH2725-02RE	09/03/10 18:36
Surrogate: 2-Fluorobiphenyl		1.00	mg/kg dry	1.82	55%	14 - 120	1010170	1 NTH2725-02RE 1	09/03/10 18:36
Surrogate: Nitrobenzene-d5		0.950	mg/kg dry	1.82	52%	17 - 120	1010170	NTH2725-02RE 1	09/03/10 18:36

**TestAmerica** 

 Client
 EEG - Small Business Group, Inc. (2449)
 Work Order:
 NTH2725

 10179 Highway 78
 Project Name:
 Laurel Bay Housing Project

 Ladson, SC 29456
 Project Number:
 1005

 Attm
 Tom McElwee
 Received:
 08/28/10 08:30

#### PROJECT QUALITY CONTROL DATA Matrix Spike Dup

				Matrix Sp	ike Du	h						
Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Volatile Organic Compounds by	EPA Method 8	8260B										
10H5112-MSD1												
Benzene	ND	0.0551		mg/kg dry	0.0515	107%	42 - 141	7	50	10H5112	NTH2725-01	09/03/10 21:26
Ethylbenzene	ND	0.0560		mg/kg dry	0.0515	109%	21 - 165	6	50	10H5112	NTH2725-01	09/03/10 21:26
Naphthalene	ND	0.0387		mg/kg dry	0.0515	75%	10 - 160	8	50	10H5112	NTH2725-01	09/03/10 21:26
Toluene	ND	0.0608		mg/kg dry	0.0515	118%	45 - 145	5	50	10H5112	NTH2725-01	09/03/10 21:26
Xylenes, total	ND	0.174		mg/kg dry	0.154	113%	31 - 159	8	50	10H5112	NTH2725-01	09/03/10 21:26
Surrogate: 1,2-Dichloroethane-d4		45.8		ug/kg	50.0	92%	67 - 138			10H5112	NTH2725-01	09/03/10 21:26
Surrogate: Dibromofluoromethane		45.4		ug/kg	50.0	91%	75 - 125			10H5112	NTH2725-01	09/03/10 21:26
Surrogate: Toluene-d8		52.5		ug/kg	50.0	105%	76 - 129			10H5112	NTH2725-01	09/03/10 21:26
Surrogate: 4-Bromofluorobenzene		52.6		ug/kg	50.0	105%	67 - 147			10H5112	NTH2725-01	09/03/10 21:26
Polyaromatic Hydrocarbons by	EPA 8270D											
1010170-MSD1												
Acenaphthene	ND	1.04		mg/kg dry	1.83	57%	42 - 120	5	40	1010170	NTH2725-02R E1	09/03/10 18:59
Acenaphthylene	ND	1.11		mg/kg dry	1.83	61%	32 - 120	4	30	1010170	NTH2725-02R E1	09/03/10 18:59
Anthracene	ND	1.25		mg/kg dry	1.83	68%	10 - 200	6	50	1010170	NTH2725-02R	09/03/10 18:59
Benzo (a) anthracene	ND	1.15		mg/kg dry	1.83	63%	41 - 120	5	30	1010170	E1 NTH2725-02R	09/03/10 18:59
Benzo (a) pyrene	ND	1.21		mg/kg dry	1.83	66%	33 - 121	5	33	1010170	E1 NTH2725-02R	09/03/10 18:59
Benzo (b) fluoranthene	ND	1.00		mg/kg dry	1.83	55%	26 - 137	27	42	1010170	E1 NTH2725-02R	09/03/10 18:59
Benzo (g,h,i) perylene	ND	1.16		mg/kg dry	1.83	64%	21 - 124	7	32	1010170	E1 NTH2725-02R	09/03/10 18:59
Benzo (k) fluoranthene	ND	1.22		mg/kg dry	1.83	67%	14 - 140	7	39	1010170	E1 NTH2725-02R	09/03/10 18:59
Chrysene	ND	1.12		mg/kg dry	1.83	61%	28 - 123	5	34	1010170	E1 NTH2725-02R	09/03/10 18:59
Dibenz (a,h) anthracene	ND	1.18		mg/kg dry	1.83	65%	25 - 127	6	31	1010170	E1 NTH2725-02R	09/03/10 18:59
Fluoranthene	ND	1.20		mg/kg dry	1.83	66%	38 - 120	5	35	1010170	E1 NTH2725-02R	09/03/10 18:59
Fluorene	ND	1.11		mg/kg dry	1.83	60%	41 - 120	4	37	1010170	E1 NTH2725-02R	09/03/10 18:59
Indeno (1,2,3-cd) pyrene	ND	1.15		mg/kg dry	1.83	63%	25 - 123	7	32	1010170	E1 NTH2725-02R	09/03/10 18:59
Naphthalene	ND	1.03		mg/kg dry	1.83	56%	25 - 120	14	42	1010170	EI NTH2725-02R	09/03/10 18:59
Phenanthrene	ND	1.21		mg/kg dry	1.83	66%	37 - 120	8	32	1010170	EI NTH2725-02R	09/03/10 18:59
Pyrene	ND	1.14		mg/kg dry	1.83	62%	29 - 125	4	40	1010170	E1 NTH2725-02R	09/03/10 18:59
1-Methylnaphthalene	ND	0.961		mg/kg dry	1.83	53%	19 - 120	10	45	1010170	El NTH2725-02R E1	09/03/10 18:59
2-Methylnaphthalene	ND	1.03		mg/kg dry	1.83	56%	11 - 120	11	50	1010170	E1 NTH2725-02R	09/03/10 18:59
											El	



Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTH2725
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	1005
Attn	Tom McElwee	Received:	08/28/10 08:30

# PROJECT QUALITY CONTROL DATA

Matrix Spike Dup - Cont.

Analyte	Orig. Val.			Spike Conc % Rec.		Target Range	RPD Limit	Batch	Sample Duplicated	Analyzed Date/Time	
Polyaromatic Hydrocarbons b	y EPA 8270D										
1010170-MSD1											
Surrogate: Terphenyl-d14		0.985		mg/kg dry	1.83	54%	18 - 120		1010170	NTH2725-02R	09/03/10 18:59
										El	
Surrogate: 2-Fluorobiphenyl		0.907		mg/kg dry	1.83	50%	14 - 120		1010170	NTH2725-02R	09/03/10 18:59
										E1	
Surrogate: Nitrobenzene-d5		0.813		mg/kg dry	1.83	44%	17 - 120		1010170	NTH2725-02R	09/03/10 18:59
										El	



**TestAmerica** Nashville

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTH2725
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	1005
Attn	Tom McElwee	Received:	08/28/10 08:30

#### **CERTIFICATION SUMMARY**

#### Method AIHA Nelac South Carolina Matrix SW846 8260B Soil N/A х Х х SW846 8270D Soil Х SW-846 Soil



Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTH2725
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	1005
Attn	Tom McElwee	Received:	08/28/10 08:30

#### DATA QUALIFIERS AND DEFINITIONS

J Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.

ND Not detected at the reporting limit (or method detection limit if shown)

#### **METHOD MODIFICATION NOTES**

																								NTI	H27	/2
	NORMONAL CONTRACT	Nashville ( 2960 Foste Nashville,	er Creigi					Free:	800-	-726-0° -765-09 -726-34	980						meth		his wo	rk being	roper ar g condu	nal: Icted for	(	09/14	4/10	23
Client Name/Account #:	EEG # 2449											_							c	Complia	ance Mr	onitoring?	,	Yes		No
Address:	10179 Highway 7	8			_				_											Enford	cement	Action?		Yes		No
City/State/Zip:	Ladson, SC 2945	6													Si	te State	: SC									
Project Manager:	Tom McElwee en	ail: mcetwe	e@eegir	nc.net				- j					_			PO#	:	1	00	:5						
Telephone Number:	843.412.2097	(			F	ax No	82	131	8	701	-0	54	01		TA	Quote #	:									
Sampler Name: (Print)	PRA	+ H	Sha	20	-		-								Pr	oject iD	: Laure	l Bay H	lousing	Projec	rt.					
Sampler Signature:	CHI	M)	are "	_											P	roject #	k									_
	- 1 01	1					Pine	servati	ve	à		Ma	atrix		T				A	nalyze l	For:		_			
Sample 1D / Description (-99 A) be 1: A 720 Bluebe 11 722 Bluebe 11 717 Bluebe 11 719 Bluebe 11 718 Bluebe 11 721 Bluebe 11 721 Bluebe 11	Date Sampled	11:00 10	5	Composite	Field Filtered	Ice Ice HNO <sub>3</sub> (Red Label)	NWNN U & W MARSHAR	NaCH (Crange Label) HJSO, Plastic (Yellow Label)		NNNN NN ON CHACK (Black Label)	Groundwater	Wastewater Drinking Water		XXX X X Sel	- Kupa	X X X X	1									RUSH TAT (Pre-Schedule
Maaraa				+	+	┠╌┼╌	$\dagger$	┨┦	F	-	$\uparrow$	•		• •	╋			+		+	<u> </u>				-	
Special Instructions:	2 Date 8/ <del>26/</del>	/	Time OHE	0		- A	ξX	-	nt:				ate	FED	T	ime	Labo		erature	e Upon	Receipt Ispace?					Y
Relinquished by	Date		Time			oy test/	interica					81	ate 28	, (	7:3	ime U	]									

# ATTACHMENT A



# **NON-HAZARDOUS MANIFEST**

04.64.65

NON-HAZARDOUS MANIFEST	1. Generator's	LIS EPA ID	No		-	Manifest	T	1			
				т'n		ocument No.	2. Pag of	e 1			
Generator's Name and Mailing Address     MCAS, Beautiont     Launet Bay Housing     Beautiont SC 29904     Generator's Phone     843 228-6460							W	Generator	A	108	85426
7. Transporter 1 Company Name 6. US EPA ID Number						11-21-51-510	C. State Transporter's ID				
EEG, Inc.						D. Transporter's Phone 843 879-0411					
7. Transporter 2 Company Name		8.	U U	IS EPA ID N	umber	1.1.1		Transport			and the second second
9. Designated Facility Name and Site Address		10.		IS EPA ID N	umbor		-	sporter's Pr e Facility's I		2	
HICKORY HILL LANDFILL ROUTE 1, BOX 121 RIDGELAND SC 29836			1.15			111		ity's Phone	-	3 967-	4643
11. Description of Waste Materials				4-1-1-1	- Charles for	12. Co	ntainers	13 To	3. tal	14, Unit	, l.
Heating Oil Tank filled with Sand					1	No.	Type	Qua	ntity	Wt/Vol.	Misc. Comment
WM Prof	ile #	10265	558C			0 0 1		17.19	1817	Ton	
b. WM Prof	file #									1	
						+	+	<u></u>	1 L		
c. WM Prot	ile #					-1.1		e poli	ri.		
										7.5	
What Prof	ile #										
WM Profile #				1.45-14	K Di	sposal Loo	ation	1	1. <u>3. 1. 5. 6. 1</u>		
J. Additional Descriptions for Materials Listed Above           Landfill         Solidification           Bio Remediation         Solidification					Cell Level						
15. Special Handling Instructions and Additional In		i).	717		Eb.	2/1-	5)	719 18 B	Blue	eba bal	11-
Dlag phalip.	191211				NIAGI	•					
Purchase Order # 2)720 B/U2 16. GENERATOR'S CERTIFICATION: I hereby certify that the above-de	scribed m	naterials			rdous	wastes					
Purchase Order # 2) 720 B/uz 16. GENERATOR'S CERTIFICATION:	scribed mully and a	naterials	ly des		rdous	wastes					
Purchase Order # 2) 720 B/ue 16. GENERATOR'S CERTIFICATION: I hereby certify that the above-de applicable state law, have been for for transportation according to ap Printed/Typed Name	escribed m ully and a oplicable m	naterials	ly des ons.		rdous classi	wastes fied and					per condition
<ul> <li>V G99 Abalia</li> <li>Purchase Order # 2) 720 B/ue</li> <li>16. GENERATOR'S CERTIFICATION:</li> <li>I hereby certify that the above-de applicable state law, have been for transportation according to ap</li> <li>Printed/Typed Name</li> <li>17. Transporter 1 Acknowledgement of Receipt of M</li> </ul>	escribed m ully and a oplicable m	naterials	ely desions.	cribed, ature "On I	rdous classi	wastes fied and					Month Day Ye
<ul> <li>V G99 Abalia</li> <li>Purchase Order # 2) 720 B/ue</li> <li>16. GENERATOR'S CERTIFICATION:</li> <li>I hereby certify that the above-de applicable state law, have been for transportation according to ap</li> <li>Printed/Typed Name</li> <li>17. Transporter 1 Acknowledgement of Receipt of M</li> <li>Printed/Typed Name</li> </ul>	escribed m ully and a oplicable m	naterials	ly des ons.	cribed, ature "On I	rdous classi	wastes fied and					Month Day Ye
<ul> <li>V G99 Abalia</li> <li>Purchase Order # 2) 720 Blue</li> <li>16. GENERATOR'S CERTIFICATION:</li> <li>I hereby certify that the above-de applicable state law, have been fi for transportation according to ap</li> <li>Printed/Typed Name</li> <li>Transporter 1 Acknowledgement of Receipt of M</li> <li>Printed/Typed Name</li> <li>James Baldadin</li> </ul>	escribed m fully and a oplicable m Materials	naterials	ely desions.	cribed, ature "On I	rdous classi	wastes fied and					Month Day Ye
Purchase Order # 2) 720 B/ue Purchase Order # 2) 720 B/ue 16. GENERATOR'S CERTIFICATION: I hereby certify that the above-de applicable state law, have been fr for transportation according to ap Printed/Typed Name Transporter 1 Acknowledgement of Receipt of M Printed/Typed Name Tomes Baldadin	escribed m fully and a oplicable m Materials	naterials	ely desions.		rdous classi	wastes fied and					Month Day Yo Month Day Yo Month Day Yo
Purchase Order # 2) 720 Blue Purchase Order # 2) 720 Blue 16. GENERATOR'S CERTIFICATION: I hereby certify that the above-de applicable state law, have been fi for transportation according to ap Printed/Typed Name Transporter 1 Acknowledgement of Receipt of M Printed/Typed Name Transporter 2 Acknowledgement of Receipt of M Printed/Typed Name	escribed m fully and a oplicable m Materials	naterials	Signa		rdous classi	wastes fied and					Month Day Y Month Day Y Month Day Y
<ul> <li>16. GENERATOR'S CERTIFICATION:         <ul> <li>I hereby certify that the above-de applicable state law, have been fi for transportation according to ap</li> <li>Printed/Typed Name</li> </ul> </li> <li>17. Transporter 1 Acknowledgement of Receipt of M Printed/Typed Name</li> <li>18. Transporter 2 Acknowledgement of Receipt of M Printed/Typed Name</li> </ul>	escribed m ully and a oplicable m Materials Materials	materials accurate egulatic	Signa Signa Signa Signa	ature "On t ature ature ature hat to t	rdous classi mehalf of	wastes fied and Bal		ged, ar	nd are	in prop	Month Day Yo Month Day Yo Month Day Yo Month Day Yo Month Day Yo Cribed waste
<ul> <li>999 Abalia</li> <li>Purchase Order # 2) 720 B/ug</li> <li>GENERATOR'S CERTIFICATION:         <ul> <li>I hereby certify that the above-de applicable state law, have been for transportation according to ap</li> <li>Printed/Typed Name</li> </ul> </li> <li>Transporter 1 Acknowledgement of Receipt of M</li> <li>Printed/Typed Name</li> <li>Transporter 2 Acknowledgement of Receipt of M</li> <li>Printed/Typed Name</li> <li>19. Certificate of Final Treatment/Disposal</li> <li>I certify, on behalf of the above lis was managed in compliance with</li> </ul>	escribed m ully and a oplicable m Materials Materials	ment factor	Signa Signa Signa Signa Signa cility, t ws, reg	ature "On I ature ature hat to ti gulation	rdous classi wehalf of 240 ne bes s, per	wastes fied and Bal		ged, ar	nd are	in prop	Month Day Ye Month Day Ye Month Day Ye Month Day Ye Month Day Ye Cribed waste
<ul> <li>16. GENERATOR'S CERTIFICATION:</li> <li>I hereby certify that the above-de applicable state law, have been fr for transportation according to ap</li> <li>Printed/Typed Name</li> <li>17. Transporter 1 Acknowledgement of Receipt of M</li> <li>Printed/Typed Name</li> <li>18. Transporter 2 Acknowledgement of Receipt of M</li> <li>Printed/Typed Name</li> <li>19. Certificate of Final Treatment/Disposal</li> <li>I certify, on behalf of the above list</li> </ul>	escribed m ully and a oplicable m Materials Materials	ment factor	Signa Signa Signa Signa Signa cility, t ws, reg	ature "On ta ature "On ta ature hat to ta gulation overed by	rdous classi wehalf of 240 ne bes s, per	wastes fied and Bal		ged, ar	nd are	in prop	Month Day Ye Month Day Ye Month Day Ye Month Day Ye Month Day Ye

#2 - GENERATOR #1 COPY

Appendix C Regulatory Correspondence



BOARD: Paul C. Aughtry, III Chairman

Edwin H. Cooper, III Vice Chairman

Steven G. Kisner Secretary



BOARD: Henry C. Scott

M. David Mitchell, MD

Glenn A. McCall

Coleman F. Buckhouse, MD

C. Earl Hunter, Commissioner Promoting and protecting the health of the public and the environment

> Bureau of Land and Waste Management Division of Waste Management

June 13, 2011

Commanding Officer Attention: NREAO Mr. William A. Drawdy United States Marine Corp Air Station Post Office Box 55001 Beaufort, SC 29904-5001

RE: No Further Action Laurel Bay Underground Storage Tank Assessment Report for:

- 457 Elderberry
- 633 Dahlia
- 717 Bluebell
- 725 Bluebell
- 733 Bluebell
- 727 Bluebell

719 Bluebell

- 736 Bluebell
- 720 Bluebell
- 718 Bluebell
- 729 Bluebell
- 740 Bluebell
- 722 Bluebell
- 721 Bluebell
- 730 Bluebell
- 1206 Cardinal

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tanks (USTs) Assessment Report on December 16, 2010 for the addresses listed above.

The Department has reviewed the referenced assessment report and agrees there is no indication of soil or groundwater contamination on this property, and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corp Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary. If you have any questions, please contact me at <u>picketcn@dhec.sc.gov</u> or 803-896-4131.

Sincerely,

it Pickes

Christi Pickett Corrective Action Engineering Section Bureau of Land and Waste Management South Carolina Department of Health and Environmental Control

cc: Laurel Rhoten (via email) Craig Ehde (via email)