SUMMARY REPORT
201 BLUEBELL LANE (FORMERLY 722 BLUEBELL LANE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid-Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095 SUMMARY REPORT
201 BLUEBELL LANE (FORMERLY 722 BLUEBELL LANE)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid- Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue Norfolk, Virginia 23511-3095 Prepared by:




CDM - AECOM Multimedia Joint Venture 10560 Arrowhead Drive, Suite 500 Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016

CTO WE52


**JUNE 2021** 





# **Table of Contents**

1.0 1.1 1.2	Backgroui	ND INFORMATION
2.0		ACTIVITIES AND RESULTS
2.1 2.2		VAL AND SOIL SAMPLING
3.0	PROPERTY	STATUS4
4.0	REFERENC	ES4
Table	1	Table  Laboratory Analytical Results - Soil  Appendices
Appen Appen Appen	idix B	Multi-Media Selection Process for LBMH UST Assesment Report Regulatory Correspondence





## List of Acronyms

bgs below ground surface

BTEX benzene, toluene, ethylbenzene, and xylenes

CTO Contract Task Order

COPC constituents of potential concern

IDIQ Indefinite Delivery, Indefinite Quantity

IGWA Initial Groundwater Assessment

JV Joint Venture

LBMH Laurel Bay Military Housing MCAS Marine Corps Air Station

NAVFAC Mid-Lant Naval Facilities Engineering Command Mid-Atlantic

NFA No Further Action

PAH polynuclear aromatic hydrocarbon

QAPP Quality Assurance Program Plan

RBSL risk-based screening level

SCDHEC South Carolina Department of Health and Environmental Control

Site LBMH area at MCAS Beaufort, South Carolina

UST underground storage tank

VISL vapor intrusion screening level



#### 1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).


As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 201 Bluebell Lane (Formerly 722 Bluebell Lane). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

#### 1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area





is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).


In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

### 1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service,* (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management* 





*Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.


The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

#### 2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 201 Bluebell Lane (Formerly 722 Bluebell Lane). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 722 Bluebell Lane* (MCAS Beaufort, 2010). The UST Assessment Report is provided in Appendix B.

## 2.1 UST Removal and Soil Sampling

On August 25, 2010, a single 280 gallon heating oil UST was removed from the landscaped area adjacent to the driveway area at 201 Bluebell Lane (Formerly 722 Bluebell Lane). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 6'5" bgs and a single soil sample was collected from that depth. The





sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

# 2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 201 Bluebell Lane (Formerly 722 Bluebell Lane) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment.


#### 3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 201 Bluebell Lane (Formerly 722 Bluebell Lane). This NFA determination was obtained in a letter dated June 13, 2011. SCDHEC's NFA letter is provided in Appendix C.

#### 4.0 REFERENCES

Marine Corps Air Station Beaufort, 2010. South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 722 Bluebell Lane, Laurel Bay Military Housing Area, December 2010.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 2.0*, April 2013.





- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.0*, May 2015.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

# **Table**



# Table 1 Laboratory Analytical Results - Soil 201 Bluebell Lane (Formerly 722 Bluebell Lane) Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs (1)	Results Sample Collected 08/25/10						
Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)								
Benzene	0.003	ND						
Ethylbenzene	1.15	ND						
Naphthalene	0.036	ND						
Toluene	0.627	ND						
Xylenes, Total	13.01	ND						
Semivolatile Organic Compounds Anal	yzed by EPA Method 8270D (mg/kg)							
Benzo(a)anthracene	0.66	ND						
Benzo(b)fluoranthene	0.66	ND						
Benzo(k)fluoranthene	0.66	ND						
Chrysene	0.66	ND						
Dibenz(a,h)anthracene	0.66	ND						

#### Notes:

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.


RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

<sup>&</sup>lt;sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 and 1.1 (SCDHEC, May 2001 and SCDHEC, February 2011) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

# Appendix A Multi-Media Selection Process for LBMH





**Appendix A - Multi-Media Selection Process for LBMH** 

# Appendix B UST Assessment Report



# South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank (UST) Assessment Report



Submit Completed Form To: UST Program SCDHEC 2600 Bull Street Columbia, South Carolina 29201 Telephone (803) 896-7957

I. OWNERSHIP OF UST (S)

MCAS Beaufort. Co	mmanding Officer Attn: NF	REAO (Craig Ehde)					
Owner Name (Corporation, Individual, Public Agency, Other)							
P.O. Box 55001 Mailing Address							
Beaufort,	South Carolina	29904-5001					
City	State	Zip Code					
843	228-7317	Craig Ehde					
Area Code	Telephone Number	Contact Person					

# II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC
Facility Name or Company Site Identifier
722 Bluebell Lane, Laurel Bay Military Housing Area
Street Address or State Road (as applicable)
Beaufort, Beaufort
City County

Attachment 2

# III. INSURANCE INFORMATION

Insurance Statement						
The petroleum release reported to DHEC on at Permit ID Number may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. This section must be completed.						
Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES NO (check one)						
If you answered YES to the above question, please complete the following information:						
My policy provider is: The policy deductible is: The policy limit is:						
If you have this type of insurance, please include a copy of the policy with this report.						
IV. REQUEST FOR SUPERB FUNDING						
I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)						
V. CERTIFICATION (To be signed by the UST owner)						
I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.						
Name (Type or print.)						
Signature						
To be completed by Notary Public:						
Sworn before me this day of, 20						
day or, zo						
(Name)						

VI. UST INFORMATION	
	722Bluebell
Product(ex. Gas, Kerosene)	Heating oil
Capacity(ex. 1k, 2k)	280 gal
Age	Late 1950s
Construction Material(ex. Steel, FRP)	Steel
Month/Year of Last Use	Mid 1980s
Depth (ft.) To Base of Tank	6'5"
Spill Prevention Equipment Y/N	No
Overfill Prevention Equipment Y/N	No
Method of Closure Removed/Filled	Removed
Date Tanks Removed/Filled	8/25/10
Visible Corrosion or Pitting Y/N	Yes
Visible Holes Y/N	No
	m the ground and disposed of at a
Subtitle "D" landfill. See Attac	chment "A". 
Method of disposal for any liquid petroleum, sluddisposal manifests)  UST 722Bluebell had been previous	dges, or wastewaters removed from the USTs (a

# VII. PIPING INFORMATION

	722Bluebell	
	Steel	
Construction Material(ex. Steel, FRP)	& Copper	_
Distance from UST to Dispenser	N/A	
Number of Dispensers	N/A	
Type of System Pressure or Suction	Suction	
Was Piping Removed from the Ground? Y/N	Yes	
Visible Corrosion or Pitting Y/N	Yes	
Visible Holes Y/N	No	
Age	Late 1950s	
If any corrosion, pitting, or holes were observed,	rescribe the location and extent for each piping	5 I U
Corrosion and pitting were found		ent
Corrosion and pitting were found pipe. Copper supply and return I		ent
_ ~		ent
pipe. Copper supply and return I	ines were sound.  IPTION AND HISTORY	ent
viii. BRIEF SITE DESCR	IPTION AND HISTORY onstructed of single wall steel	<u>ent</u>
VIII. BRIEF SITE DESCR The USTs at the residences are countered and formerly contained fuel oil	IPTION AND HISTORY Onstructed of single wall steel For heating. These USTs were	ent
viii. BRIEF SITE DESCR	IPTION AND HISTORY Onstructed of single wall steel For heating. These USTs were	en1
VIII. BRIEF SITE DESCR The USTs at the residences are countered and formerly contained fuel oil	IPTION AND HISTORY Onstructed of single wall steel For heating. These USTs were	en!
VIII. BRIEF SITE DESCR The USTs at the residences are countered and formerly contained fuel oil	IPTION AND HISTORY Onstructed of single wall steel For heating. These USTs were	ent
VIII. BRIEF SITE DESCR The USTs at the residences are countered and formerly contained fuel oil	IPTION AND HISTORY Onstructed of single wall steel For heating. These USTs were	ent

# IX. SITE CONDITIONS

	Yes	No	Unk
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?  If yes, indicate depth and location on the site map.		Х	
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?  If yes, indicate location on site map and describe the odor (strong, mild, etc.)		х	
C. Was water present in the UST excavation, soil borings, or trenches?  If yes, how far below land surface (indicate location and depth)?		Х	
D. Did contaminated soils remain stockpiled on site after closure?  If yes, indicate the stockpile location on the site map.  Name of DHEC representative authorizing soil removal:		Х	
E. Was a petroleum sheen or free product detected on any excavation or boring waters?  If yes, indicate location and thickness.		Х	

# X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009001

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA#
722 Bluebell	Excav at fill end	Soil	Sandy	6'5"	8/25/10 1000 hrs	P. Shaw	
8							
9							
10							
11							
12					:		
13							
14							
15							
16							
17							
18							
19							
20							

<sup>\* =</sup> Depth Below the Surrounding Land Surface

# XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect <u>and</u> store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280
and SC DHEC Assessment Guidelines. Sample containers were prepared by the
testing laboratory. The grab method was utilized to fill the sample
containers leaving as little head space as possible and immediately
capped. Soil samples were extracted from area below tank. The
samples were marked, logged, and immediately placed in a sample cooler
packed with ice to maintain an approximate temperature of 4 degrees
Centigrade. Tools were thoroughly cleaned and decontaminated with
the seven step decon process after each use. The samples remained in
custody of SBG-EEG, Inc. until they were transferred to Test America
Incorporated for analysis as documented in the Chain of Custody Record.
,
testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample coole packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America


# XII. RECEPTORS


		Yes	No
A.	Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?		Х
	If yes, indicate type of receptor, distance, and direction on site map.		
В.	Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?		Х
	If yes, indicate type of well, distance, and direction on site map.		
C.	Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?		Х
	If yes, indicate type of structure, distance, and direction on site map.		
D.	Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination?  *Sewer and water	*X	
	If yes, indicate the type of utility, distance, and direction on the site map.		
E.	Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?		х
	If yes, indicate the area of contaminated soil on the site map.		


# XIII. SITE MAP

You must supply a <u>scaled</u> site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)









Picture 1: Location of UST 722Bluebell.



Picture 2: UST 722Bluebell excavation in progress.

# XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC UST	722Bluebell	<u>.</u>		 	
			_		
Benzene	ND			<u> </u>	<u> </u>
Toluene	ND	 			
Ethylbenzene	ND		·		
Xylenes	ND				
Naphthalene	ND				
Benzo (a) anthracene	ND				
Benzo (b) fluoranthene	ND				
Benzo (k) fluoranthene	ND				
Chrysene	ND				
Dibenz (a, h) anthracene	ND				
TPH (EPA 3550)					
СоС					
Benzene					<del></del> ,
Toluene					
Ethylbenzene					
Xylenes					
Naphthalene					
Benzo (a) anthracene					
Benzo (b) fluoranthene					
Benzo (k) fluoranthene					
Chrysene					
Dibenz (a, h) anthracene					
TPH (EPA 3550)					

SUMMARY OF ANALYSIS RESULTS (cont'd)
Enter the ground water analytical data for each sample for all CoC in the table below. If free product


is	present, indica	ate the measure	d thickness to the	nearest 0.01 feet.

СоС	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000		,		
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

## XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here) (Please see Form #4)





September 08, 2010

4:47:42PM

Client:

EEG - Small Business Group, Inc. (2449)

10179 Highway 78

Ladson, SC 29456

Attn:

Tom McElwee

Work Order:

NTH2725

Project Name:

Laurel Bay Housing Project

Project Nbr:

1005

P/O Nbr: Date Received: See COC 08/28/10

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
699 Abelia	NTH2725-01	08/23/10 11:00
720 Bluebell	NTH2725-02	08/24/10 10:45
722 Bluebell	NTH2725-03	08/25/10 10:00
717 Bluebell	NTH2725-04	08/25/10 12:15
719 Bluebell	NTH2725-05	08/25/10 15:00
718 Bluebell	NTH2725-06	08/26/10 11:30
721 Bluebell	NTH2725-07	08/26/10 15:45

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

South Carolina Certification Number: 84009001

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.


This report has been electronically signed.

Kem & Hage

Report Approved By:

Ken A. Hayes

Senior Project Manager





> 10179 Highway 78 Ladson, SC 29456

Attn

Tom McElwee

Work Order:


NTH2725

Laurel Bay Housing Project Project Name: 1005

Project Number: Received:

08/28/10 08:30

						Dilution	Analysis			
Analyte	Result	Flag	Units	MDL	MRL	Factor	Date/Time	Method	Analyst	Batch
Sample ID: NTH2725-01 (699 A	belia - Soil) Sa	mpled:	08/23/10 1	1:00						
General Chemistry Parameters	00.0		0/						ш. Б	10115403
% Dry Solids	90.9		%	0.500	0.500	1	09/01/10 09:07	SW-846	HLB	10H5483
Volatile Organic Compounds by EP	A Method 8260E	3								
Benzene	ND		mg/kg dry	0.00122	0.00223	1	09/03/10 13:10	SW846 8260B	MJH/H	10H5112
Ethylbenzene	ND		mg/kg dry	0.00109	0.00223	1	09/03/10 13:10	SW846 8260B	MJH/H	10H5112
Naphthalene	ND		mg/kg dry	0.00189	0.00557	1	09/03/10 13:10	SW846 8260B	MJH/H	10H5112
Toluene	ND		mg/kg dry	0.000991	0.00223	l	09/03/10 13:10	SW846 8260B	MJH/H	10H5112
Xylenes, total	ND		mg/kg dry	0.00212	0.00557	1	09/03/10 13:10	SW846 8260B	MJH/H	10H5112
Surr: 1,2-Dichloroethane-d4 (67-138%)	96 %					1	09/03/10 13:10	SW846 8260B	MJH/H	10H5112
Surr: Dibromofluoromethane (75-125%)	94 %					1	09/03/10 13:10	SW846 8260B	MJH/H	10H5112
Surr: Toluene-d8 (76-129%)	103 %					1	09/03/10 13:10	SW846 8260B	MJH/H	10H5112
Surr: 4-Bromofluorobenzene (67-147%)	124 %					1	09/03/10 13:10	SW846 8260B	MJH/H	10H5112
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	ND		mg/kg dry	0.0154	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Acenaphthylene	ND		mg/kg dry	0.0220	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Anthracene	0.0400	J	mg/kg dry	0.00990	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Benzo (a) anthracene	1.01		mg/kg dry	0.0121	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Benzo (a) pyrene	0.782		mg/kg dry	0.00880	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Benzo (b) fluoranthene	1.85		mg/kg dry	0.0418	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Benzo (g,h,i) perylene	0.414		mg/kg dry	0.00990	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Benzo (k) fluoranthene	ND		mg/kg dry	0.0407	0.0737	l	09/03/10 19:22	SW846 8270D	RMC	1010170
Chrysene	1.55		mg/kg dry	0.0341	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Dibenz (a,h) anthracene	0.228		mg/kg dry	0.0165	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Fluoranthene	1.30		mg/kg dry	0.0121	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Fluorene	ND		mg/kg dry	0.0220	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Indeno (1,2,3-cd) pyrene	0.378		mg/kg dry	0.0341	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Naphthalene	ND		mg/kg dry	0.0154	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Phenanthrene	0.0836		mg/kg dry	0.0110	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Pyrene	2.03		mg/kg dry	0.0253	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
1-Methylnaphthalene	ND		mg/kg dry	0.0132	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
2-Methylnaphthalene	ND		mg/kg dry	0.0231	0.0737	1	09/03/10 19:22	SW846 8270D	RMC	1010170
Surr: Terphenyl-d14 (18-120%)	59 %					1	09/03/10 19:22	SW846 8270D	RMC	1010170
Surr: 2-Fluorobiphenyl (14-120%)	57 %					1	09/03/10 19:22	SW846 8270D	RMC	1010170
Surr: Nitrobenzene-d5 (17-120%)	50 %					I	09/03/10 19:22	SW846 8270D	RMC	1010170





10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn


Work Order: NTH2725

Project Name: Laurel Bay Housing Project

Project Number: 1005

Received: 08/28/10 08:30

						Dilution	Analysis			
Analyte	Result	Flag	Units	MDL	MRL	Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NTH2725-02 (720 Bl	uebell - Soil) S	ampled	: 08/24/10	10:45						
General Chemistry Parameters										
% Dry Solids	89.9		%	0.500	0.500	1	09/01/10 09:07	SW-846	HLB	10H5483
Volatile Organic Compounds by EPA	Method 8260B	}								
Benzene	ND		mg/kg dry	0.00137	0.00249	1	09/03/10 13:39	SW846 8260B	МЈН/Н	10H5112
Ethylbenzene	ND		mg/kg dry	0.00122	0.00249	1	09/03/10 13:39	SW846 8260B	МЈН/Н	10H5112
Naphthalene	ND		mg/kg dry	0.00212	0.00622	1	09/03/10 13:39	SW846 8260B	МЈН/Н	10H5112
Toluene	ND		mg/kg dry	0.00111	0.00249	1	09/03/10 13:39	SW846 8260B	MJH/H	10H5112
Xylenes, total	ND		mg/kg dry	0.00236	0.00622	1	09/03/10 13:39	SW846 8260B	MJH/H	10H5112
Surr: 1,2-Dichloroethane-d4 (67-138%)	102 %					1	09/03/10 13:39	SW846 8260B	MJH/H	10H5112
Surr: Dibromofluoromethane (75-125%)	98 %					1	09/03/10 13:39	SW846 8260B	MJH/H	10H5112
Surr: Toluene-d8 (76-129%)	105 %					1	09/03/10 13:39	SW846 8260B	MJH/H	10H5112
Surr: 4-Bromofluorobenzene (67-147%)	132 %					1	09/03/10 13:39	SW846 8260B	MJH/H	10H5112
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	ND		mg/kg dry	0.0156	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Acenaphthylene	ND		mg/kg dry	0.0222	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Anthracene	ND		mg/kg dry	0.0100	0.0745	ì	09/03/10 19:44	SW846 8270D	RMC	1010170
Benzo (a) anthracene	ND		mg/kg dry	0.0122	0.0745	ì	09/03/10 19:44	SW846 8270D	RMC	1010170
Benzo (a) pyrene	ND		mg/kg dry	0.00890	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Benzo (b) fluoranthene	ND		mg/kg dry	0.0423	0.0745	i	09/03/10 19:44	SW846 8270D	RMC	1010170
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0100	0.0745	i	09/03/10 19:44	SW846 8270D	RMC	1010170
Benzo (k) fluoranthene	ND		mg/kg dry	0.0412	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Chrysene	ND		mg/kg dry	0.0345	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0167	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Fluoranthene	ND		mg/kg dry	0.0122	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Fluorene	ND		mg/kg dry	0.0222	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0345	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Naphthalene	ND		mg/kg dry	0.0156	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Phenanthrene	ND		mg/kg dry	0.0111	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Pyrene	ND		mg/kg dry	0.0256	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
1-Methylnaphthalene	ND		mg/kg dry	0.0133	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
2-Methylnaphthalene	ND		mg/kg dry	0.0234	0.0745	1	09/03/10 19:44	SW846 8270D	RMC	1010170
Surr: Terphenyl-d14 (18-120%)	57 %					1	09/03/10 19:44	SW846 8270D	RMC	1010170
Surr: 2-Fluorobiphenyl (14-120%)	54 %					1	09/03/10 19:44	SW846 8270D	RMC	1010170
Surr: Nitrobenzene-d5 (17-120%)	48 %					1	09/03/10 19:44	SW846 8270D	RMC	1010170





10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NTH2725

Project Name:


Laurel Bay Housing Project

Project Number: 1005

Received:

08/28/10 08:30

			ANALI	TICAL KEP						
Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NTH2725-03 (722 Blo	uebell - Soil) S	Sampled	: 08/25/10	10:00						
General Chemistry Parameters										
% Dry Solids	95.1		%	0.500	0.500	1	09/01/10 09:07	SW-846	HLB	10H5483
Volatile Organic Compounds by EPA	Method 8260E	3								
Benzene	ND		mg/kg dry	0.00132	0.00240	1	09/03/10 14:09	SW846 8260B	МЈН/Н	10H5112
Ethylbenzene	ND		mg/kg dry	0.00118	0.00240	1	09/03/10 14:09	SW846 8260B	MJH/H	10H5112
Naphthalene	ND		mg/kg dry	0.00204	0.00600	1	09/03/10 14:09	SW846 8260B	МЈН/Н	10H5112
Toluene	ND		mg/kg dry	0.00107	0.00240	1	09/03/10 14:09	SW846 8260B	MJH/H	10H5112
Xylenes, total	ND		mg/kg dry	0.00228	0.00600	1	09/03/10 14:09	SW846 8260B	MJH/H	10H5112
Surr: 1,2-Dichloroethane-d4 (67-138%)	101 %					1	09/03/10 14:09	SW846 8260B	MJH/H	10H5112
Surr: Dibromofluoromethane (75-125%)	97 %					1	09/03/10 14:09	SW846 8260B	MJH/H	10H5112
Surr: Toluene-d8 (76-129%)	102 %					1	09/03/10 14:09	SW846 8260B	MJH/H	10H5112
Surr: 4-Bromofluorobenzene (67-147%)	123 %					1	09/03/10 14:09	SW846 8260B	MJH/H	10H5112
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	ND		mg/kg dry	0.0147	0.0705	1	09/03/10 20:07	SW846 8270D	RMC	1010170
Acenaphthylene	ND		mg/kg dry	0.0210	0.0705	1	09/03/10 20:07	SW846 8270D	RMC	1010170
Anthracene	ND		mg/kg dry	0.00947	0.0705	1	09/03/10 20:07	SW846 8270D	RMC	1010170
Benzo (a) anthracene	ND		mg/kg dry	0.0116	0.0705	1	09/03/10 20:07	SW846 8270D	RMC	1010170
Benzo (a) pyrene	ND		mg/kg dry	0.00841	0.0705	1	09/03/10 20:07	SW846 8270D	RMC	1010170
Benzo (b) fluoranthene	ND		mg/kg dry	0.0400	0.0705	1	09/03/10 20:07	SW846 8270D	RMC	1010170
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00947	0.0705	1	09/03/10 20:07	SW846 8270D	RMC	1010170
Benzo (k) fluoranthene	ND		mg/kg dry	0.0389	0.0705	1	09/03/10 20:07	SW846 8270D	RMC	1010170
Chrysene	ND		mg/kg dry	0.0326	0.0705	1	09/03/10 20:07	SW846 8270D	RMC	1010170
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0158	0.0705	l	09/03/10 20:07	SW846 8270D	RMC	1010170
Fluoranthene	ND		mg/kg dry	0.0116	0.0705	1	09/03/10 20:07	SW846 8270D	RMC	1010170
Fluorene	ND		mg/kg dry	0.0210	0.0705	1	09/03/10 20:07	SW846 8270D	RMC	1010170
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0326	0.0705	1	09/03/10 20:07	SW846 8270D	RMC	1010170
Naphthalene	ND		mg/kg dry	0.0147	0.0705	1	09/03/10 20:07	SW846 8270D	RMC	1010170
Phenanthrene	ND		mg/kg dry	0.0105	0.0705	1	09/03/10 20:07	SW846 8270D	RMC	1010170
Pyrene	ND		mg/kg dry	0.0242	0.0705	1	09/03/10 20:07	SW846 8270D	RMC	1010170
1-Methylnaphthalene	ND		mg/kg dry	0.0126	0.0705	1	09/03/10 20:07	SW846 8270D	RMC	1010170
2-Methylnaphthalene	ND		mg/kg dry	0.0221	0.0705	1	09/03/10 20:07	SW846 8270D	RMC	1010170
Surr: Terphenyl-d14 (18-120%)	60 %					1	09/03/10 20:07	SW846 8270D	RMC	1010170
Surr: 2-Fluorobiphenyl (14-120%)	58 %					1	09/03/10 20:07	SW846 8270D	RMC	1010170
Surr: Nitrobenzene-d5 (17-120%)	53 %					1	09/03/10 20:07	SW846 8270D	RMC	1010170





10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NTH2725

Project Name:


Laurel Bay Housing Project

Project Number: 1005

Received:

08/28/10 08:30

			ANADI	ANALI HEAL KEI OKI			-		-	
	<b>.</b>	***	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	A malwat	Batch
Analyte	Result	Flag	Units	NIDL	WIKE .	ractor	Date/Time	Method	Analyst	Daten
Sample ID: NTH2725-04 (717 Bl	luebell - Soil) S	Sampled	: 08/25/10	12:15						
General Chemistry Parameters										
% Dry Solids	89.8		%	0.500	0.500	1	09/01/10 09:07	SW-846	HLB	10H5483
Volatile Organic Compounds by EPA	A Method 8260E	3								
Benzene	ND		mg/kg dry	0.00122	0.00222	1	09/03/10 16:35	SW846 8260B	MJH/H	10H5112
Ethylbenzene	ND		mg/kg dry	0.00109	0.00222	1	09/03/10 16:35	SW846 8260B	MJH/H	10H5112
Naphthalene	ND		mg/kg dry	0.00188	0.00554	1	09/03/10 16:35	SW846 8260B	MJH/H	10H5112
Toluene	ND		mg/kg dry	0.000986	0.00222	1	09/03/10 16:35	SW846 8260B	MJH/H	10H5112
Xylenes, total	ND		mg/kg dry	0.00210	0.00554	1	09/03/10 16:35	SW846 8260B	МЈН/Н	10H5112
Surr: 1,2-Dichloroethane-d4 (67-138%)	95 %					1	09/03/10 16:35	SW846 8260B	MJH/H	10H5112
Surr: Dibromofluoromethane (75-125%)	91 %					1	09/03/10 16:35	SW846 8260B	MJH/H	10H5112
Surr: Toluene-d8 (76-129%)	106 %					1	09/03/10 16:35	SW846 8260B	MJH/H	10H5112
Surr: 4-Bromofluorobenzene (67-147%)	128 %					1	09/03/10 16:35	SW846 8260B	MJH/H	10H5112
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	ND		mg/kg dry	0.0156	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170
Acenaphthylene	ND		mg/kg dry	0.0223	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170
Anthracene	ND		mg/kg dry	0.0100	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170
Benzo (a) anthracene	0.0412	J	mg/kg dry	0.0123	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170
Benzo (a) pyrene	ND		mg/kg dry	0.00891	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170
Benzo (b) fluoranthene	0.0676	J	mg/kg dry	0.0423	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0100	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170
Benzo (k) fluoranthene	ND		mg/kg dry	0.0412	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170
Chrysene	ND		mg/kg dry	0.0345	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0167	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170
Fluoranthene	ND		mg/kg dry	0.0123	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170
Fluorene	ND		mg/kg dry	0.0223	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0345	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170
Naphthalene	ND		mg/kg dry	0.0156	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170
Phenanthrene	ND		mg/kg dry	0.0111	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170
Pyrene	ND		mg/kg dry	0.0256	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170
l-Methylnaphthalene	ND		mg/kg dry	0.0134	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170
2-Methylnaphthalene	ND		mg/kg dry	0.0234	0.0746	1	09/03/10 20:29	SW846 8270D	RMC	1010170
Surr: Terphenyl-d14 (18-120%)	51 %					1	09/03/10 20:29	SW846 8270D	RMC	1010170
Surr: 2-Fluorobiphenyl (14-120%)	55 %					1	09/03/10 20:29	SW846 8270D	RMC	1010170
Surr: Nitrobenzene-d5 (17-120%)	48 %					1	09/03/10 20:29	SW846 8270D	RMC	1010170





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NTH2725

Project Name:


Laurel Bay Housing Project

Project Number: 1005

Received:

08/28/10 08:30

			ANALY	TICAL REP	URI					
Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NTH2725-05 (719 Blue	uebell - Soil) S	Sampled	: 08/25/10	15:00						
General Chemistry Parameters										
% Dry Solids	92.4		%	0.500	0.500	1	09/01/10 09:07	SW-846	HLB	10H5483
Volatile Organic Compounds by EPA	Method 8260E	<b>;</b>								
Benzene	ND		mg/kg dry	0.00124	0.00225	1	09/03/10 15:07	SW846 8260B	МЈН/Н	10H5112
Ethylbenzene	ND		mg/kg dry	0.00110	0.00225	1	09/03/10 15:07	SW846 8260B	MJH/H	10H5112
Naphthalene	ND		mg/kg dry	0.00191	0.00562	1	09/03/10 15:07	SW846 8260B	MJH/H	10H5112
Toluene	ND		mg/kg dry	0.00100	0.00225	1	09/03/10 15:07	SW846 8260B	MJH/H	10H5112
Xylenes, total	ND		mg/kg dry	0.00214	0.00562	1	09/03/10 15:07	SW846 8260B	МЈН/Н	10H5112
Surr: 1,2-Dichloroethane-d4 (67-138%)	101 %					I	09/03/10 15:07	SW846 8260B	MJH/H	10H5112
Surr: Dibromofluoromethane (75-125%)	96 %					I	09/03/10 15:07	SW846 8260B	MJH/H	10H5112
Surr: Toluene-d8 (76-129%)	101 %					1	09/03/10 15:07	SW846 8260B	MJH/H	10H5112
Surr: 4-Bromofluorobenzene (67-147%)	115 %					1	09/03/10 15:07	SW846 8260B	MJH/H	10H5112
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	ND		mg/kg dry	0.0151	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Acenaphthylene	ND		mg/kg dry	0.0216	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Anthracene	ND		mg/kg dry	0.00974	0.0725	I	09/03/10 20:52	SW846 8270D	RMC	1010170
Benzo (a) anthracene	ND		mg/kg dry	0.0119	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Benzo (a) pyrene	ND		mg/kg dry	0.00866	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Benzo (b) fluoranthene	ND		mg/kg dry	0.0411	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00974	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Benzo (k) fluoranthene	ND		mg/kg dry	0.0400	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Chrysene	ND		mg/kg dry	0.0335	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0162	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Fluoranthene	ND		mg/kg dry	0.0119	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Fluorene	ND		mg/kg dry	0.0216	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0335	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Naphthalene	ND		mg/kg dry	0.0151	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Phenanthrene	ND		mg/kg dry	0.0108	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Pyrene	ND		mg/kg dry	0.0249	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
1-Methylnaphthalene	ND		mg/kg dry	0.0130	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
2-Methylnaphthalene	ND		mg/kg dry	0.0227	0.0725	1	09/03/10 20:52	SW846 8270D	RMC	1010170
Surr: Terphenyl-d14 (18-120%)	58 %					1	09/03/10 20:52	SW846 8270D	RMC	1010170
Surr: 2-Fluorobiphenyl (14-120%)	50 %					1	09/03/10 20:52	SW846 8270D	RMC	1010170
Surr: Nitrobenzene-d5 (17-120%)	45 %					1	09/03/10 20:52	SW846 8270D	RMC	1010170





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NTH2725

Project Name:

Project Number: 1005


Received:

08/28/10 08:30

Laurel Bay Housing Project

#### ANALYTICAL REPORT

				·····		Dilution	Analysis			
Analyte	Result	Flag	Units	MDL	MRL	Factor	Date/Time	Method	Analyst	Batch
Sample ID: NTH2725-06 (718 Bl	uebell - Soil) S	Sampled	: 08/26/10	11:30						
General Chemistry Parameters										
% Dry Solids	94.8		%	0.500	0.500	1	09/01/10 09:07	SW-846	HLB	10H5483
Volatile Organic Compounds by EPA	A Method 8260E	3								
Benzene	ND		mg/kg dry	0.00128	0.00233	1	09/03/10 15:36	SW846 8260B	MJH/H	10H5112
Ethylbenzene	ND		mg/kg dry	0.00114	0.00233	1	09/03/10 15:36	SW846 8260B	MJH/H	10H5112
Naphthalene	ND		mg/kg dry	0.00198	0.00582	1	09/03/10 15:36	SW846 8260B	MJH/H	10H5112
Toluene	ND		mg/kg dry	0.00104	0.00233	1	09/03/10 15:36	SW846 8260B	MJH/H	10H5112
Xylenes, total	ND		mg/kg dry	0.00221	0.00582	1	09/03/10 15:36	SW846 8260B	MJH/H	10H5112
Surr: 1,2-Dichloroethane-d4 (67-138%)	100 %					1	09/03/10 15:36	SW846 8260B	MJH/H	10H5112
Surr: Dibromofluoromethane (75-125%)	97 %					1	09/03/10 15:36	SW846 8260B	MJH/H	10H5112
Surr: Toluene-d8 (76-129%)	102 %					1	09/03/10 15:36	SW846 8260B	MJH/H	10H5112
Surr: 4-Bromofluorobenzene (67-147%)	106 %					I	09/03/10 15:36	SW846 8260B	MJH/H	10H5112
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	ND		mg/kg dry	0.0148	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Acenaphthylene	ND		mg/kg dry	0.0211	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Anthracene	ND		mg/kg dry	0.00949	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Benzo (a) anthracene	ND		mg/kg dry	0.0116	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Benzo (a) pyrene	ND		mg/kg dry	0.00844	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Benzo (b) fluoranthene	ND		mg/kg dry	0.0401	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00949	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Benzo (k) fluoranthene	ND		mg/kg dry	0.0390	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Chrysene	ND		mg/kg dry	0.0327	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0158	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Fluoranthene	ND		mg/kg dry	0.0116	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Fluorene	ND		mg/kg dry	0.0211	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0327	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Naphthalene	ND		mg/kg dry	0.0148	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Phenanthrene	ND		mg/kg dry	0.0105	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Pyrene	ND		mg/kg dry	0.0243	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
1-Methylnaphthalene	ND		mg/kg dry	0.0127	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
2-Methylnaphthalene	ND		mg/kg dry	0.0221	0.0707	1	09/03/10 21:15	SW846 8270D	RMC	1010170
Surr: Terphenyl-d14 (18-120%)	55 %					1	09/03/10 21:15	SW846 8270D	RMC	1010170
Surr: 2-Fluorobiphenyl (14-120%)	46 %					1	09/03/10 21:15	SW846 8270D	RMC	1010170
Surr: Nitrobenzene-d5 (17-120%)	42 %					1	09/03/10 21:15	SW846 8270D	RMC	1010170





10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NTH2725

Project Name:

Laurel Bay Housing Project


Project Number: 1005

Received:

08/28/10 08:30

#### ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NTH2725-07 (721 Bl	uebell - Soil) S	Sampled	: 08/26/10	15:45						
General Chemistry Parameters										
% Dry Solids	85.3		%	0.500	0.500	1	09/01/10 09:07	SW-846	HLB	10H5483
Volatile Organic Compounds by EPA	A Method 8260E	3								
Benzene	ND		mg/kg dry	0.00113	0.00206	1	09/03/10 16:05	SW846 8260B	MJH/H	10H5112
Ethylbenzene	ND		mg/kg dry	0.00101	0.00206	1	09/03/10 16:05	SW846 8260B	MJH/H	10H5112
Naphthalene	ND		mg/kg dry	0.00175	0.00515	1	09/03/10 16:05	SW846 8260B	MJH/H	10H5112
Toluene	ND		mg/kg dry	0.000917	0.00206	1	09/03/10 16:05	SW846 8260B	MJH/H	10H5112
Xylenes, total	ND		mg/kg dry	0.00196	0.00515	1	09/03/10 16:05	SW846 8260B	MJH/H	10H5112
Surr: 1,2-Dichloroethane-d4 (67-138%)	100 %					1	09/03/10 16:05	SW846 8260B	MJH/H	10H5112
Surr: Dibromofluoromethane (75-125%)	96 %					1	09/03/10 16:05	SW846 8260B	MJH/H	10H5112
Surr: Toluene-d8 (76-129%)	104 %					1	09/03/10 16:05	SW846 8260B	MJH/H	10H5112
Surr: 4-Bromofluorobenzene (67-147%)	100 %					1	09/03/10 16:05	SW846 8260B	MJH/H	10H5112
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	ND		mg/kg dry	0.0164	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Acenaphthylene	ND		mg/kg dry	0.0235	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Anthracene	ND		mg/kg dry	0.0106	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Benzo (a) anthracene	ND		mg/kg dry	0.0129	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Benzo (a) pyrene	ND		mg/kg dry	0.00938	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Benzo (b) fluoranthene	ND		mg/kg dry	0.0446	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0106	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Benzo (k) fluoranthene	ND		mg/kg dry	0.0434	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Chrysene	ND		mg/kg dry	0.0364	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0176	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Fluoranthene	ND		mg/kg dry	0.0129	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Fluorene	ND		mg/kg dry	0.0235	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0364	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Naphthalene	ND		mg/kg dry	0.0164	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Phenanthrene	ND		mg/kg dry	0.0117	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Pyrene	ND		mg/kg dry	0.0270	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
1-Methylnaphthalene	ND		mg/kg dry	0.0141	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
2-Methylnaphthalene	ND		mg/kg dry	0.0246	0.0786	1	09/03/10 21:37	SW846 8270D	RMC	1010170
Surr: Terphenyl-d14 (18-120%)	58 %					I	09/03/10 21:37	SW846 8270D	RMC	1010170
Surr: 2-Fluorobiphenyl (14-120%)	57 %					1	09/03/10 21:37	SW846 8270D	RMC	1010170
Surr: Nitrobenzene-d5 (17-120%)	51 %					1	09/03/10 21:37	SW846 8270D	RMC	1010170





10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order: NTH2725


Project Name: Laurel Bay Housing Project

Project Number: 1005

Received: 08/28/10 08:30

#### SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
		Lao Nullioei				Allalyst	
Polyaromatic Hydrocarbons by I							
SW846 8270D	10H5175	NTH2725-01	30.51	1.00	08/31/10 07:50	SAS	EPA 3550B
SW846 8270D	1010170	NTH2725-01RE1	30.00	1.00	09/03/10 08:50	CAG	EPA 3550C
SW846 8270D	10H5175	NTH2725-02	30.39	1.00	08/31/10 07:50	SAS	EPA 3550B
SW846 8270D	1010170	NTH2725-02RE1	30.00	1.00	09/03/10 08:50	CAG	EPA 3550C
SW846 8270D	10H5175	NTH2725-03	30.40	1.00	08/31/10 07:50	SAS	EPA 3550B
SW846 8270D	1010170	NTH2725-03RE1	30.00	1.00	09/03/10 08:50	CAG	EPA 3550C
SW846 8270D	10H5175	NTH2725-04	30.43	1.00	08/31/10 07:50	SAS	EPA 3550B
SW846 8270D	1010170	NTH2725-04RE1	30.00	1.00	09/03/10 08:50	CAG	EPA 3550C
SW846 8270D	10H5175	NTH2725-05	30.44	1.00	08/31/10 07:50	SAS	EPA 3550B
SW846 8270D	1010170	NTH2725-05RE1	30.00	1.00	09/03/10 08:50	CAG	EPA 3550C
SW846 8270D	10H5175	NTH2725-06	30.56	1.00	08/31/10 07:50	SAS	EPA 3550B
SW846 8270D	1010170	NTH2725-06RE1	30.00	1.00	09/03/10 08:50	CAG	EPA 3550C
SW846 8270D	10H5175	NTH2725-07	30.39	1.00	08/31/10 07:50	SAS	EPA 3550B
SW846 8270D	1010170	NTH2725-07RE1	30.00	1.00	09/03/10 08:50	CAG	EPA 3550C
Volatile Organic Compounds by	EPA Method 8260B						
SW846 8260B	10H5112	NTH2725-01	4.94	5.00	08/23/10 11:00	СНН	EPA 5035
SW846 8260B	10H5112	NTH2725-02	4.47	5.00	08/24/10 10:45	СНН	EPA 5035
SW846 8260B	10H5112	NTH2725-03	4.38	5.00	08/25/10 10:00	СНН	EPA 5035
SW846 8260B	10H5112	NTH2725-04	4.90	5.00	08/25/10 12:15	CHH	EPA 5035
SW846 8260B	10H5112	NTH2725-04RE1	5.03	5.00	08/25/10 12:15	СНН	EPA 5035
SW846 8260B	10H5112	NTH2725-05	4.81	5.00	08/25/10 15:00	СНН	EPA 5035
SW846 8260B	10H5112	NTH2725-06	4.53	5.00	08/26/10 11:30	СНН	EPA 5035
SW846 8260B	10H5112	NTH2725-07	5.69	5.00	08/26/10 15:45	СНН	EPA 5035





10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order: NTH2725

Project Name:

Laurel Bay Housing Project

Project Number: 1005

Received:

08/28/10 08:30

### PROJECT QUALITY CONTROL DATA Blank

Analyte	Blank Value	Q Units	Q.C. Batch	Lab Number	Analyzed Date/Time	
Volatile Organic Compounds by l	EPA Method 8260B					
10H5112-BLK1						
Benzene	< 0.00110	mg/kg wet	10H5112	10H5112-BLK1	09/03/10 12:33	
Ethylbenzene	< 0.000980	mg/kg wet	10H5112	10H5112-BLK1	09/03/10 12:33	
Naphthalene	< 0.00170	mg/kg wet	10H5112	10H5112-BLK1	09/03/10 12:33	
Toluenc	< 0.000890	mg/kg wet	10H5112	10H5112-BLK1	09/03/10 12:33	
Xylenes, total	< 0.00190	mg/kg wet	10H5112	10H5112-BLK1	09/03/10 12:33	
Surrogate: 1,2-Dichloroethane-d4	97%		10H5112	10H5112-BLK1	09/03/10 12:33	
Surrogate: Dibromofluoromethane	93%		10H5112	10H5112-BLK1	09/03/10 12:33	
Surrogate: Toluene-d8	102%		10H5112	10H5112-BLK1	09/03/10 12:33	
Surrogate: 4-Bromofluorobenzene	115%		10H5112	10H5112-BLK1	09/03/10 12:33	
10H5112-BLK2						
Benzene	< 0.0550	mg/kg wet	10H5112	10H5112-BLK2	09/03/10 17:04	
Ethylbenzene	< 0.0490	mg/kg wet	10H5112	10H5112-BLK2	09/03/10 17:04	
Naphthalene	<0.0850	mg/kg wet	10H5112	10H5112-BLK2	09/03/10 17:04	
Toluene	< 0.0445	mg/kg wet	10H5112	10H5112-BLK2	09/03/10 17:04	
Xylenes, total	< 0.0950	mg/kg wet	10H5112	10H5112-BLK2	09/03/10 17:04	
Surrogate: 1,2-Dichloroethane-d4	95%		10H5112	10H5112-BLK2	09/03/10 17:04	
Surrogate: Dibromofluoromethane	82%		10H5112	10H5112-BLK2	09/03/10 17:04	
Surrogate: Toluene-d8	102%		10H5112	10H5112-BLK2	09/03/10 17:04	
Surrogate: 4-Bromofluorobenzene	97%		10H5112	10H5112-BLK2	09/03/10 17:04	
Polyaromatic Hydrocarbons by E	EPA 8270D					
10I0170-BLK1						
Acenaphthene	< 0.0140	mg/kg wet	1010170	10I0170-BLK1	09/03/10 17:51	
Acenaphthylene	< 0.0200	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Anthracene	<0.00900	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Benzo (a) anthracene	< 0.0110	mg/kg wet	1010170	10I0170-BLK1	09/03/10 17:51	
Benzo (a) pyrene	< 0.00800	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Benzo (b) fluoranthene	<0.0380	mg/kg wet	1010170	10I0170-BLK1	09/03/10 17:51	
Benzo (g,h,i) perylene	<0.00900	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Benzo (k) fluoranthene	< 0.0370	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Chrysene	< 0.0310	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Dibenz (a,h) anthracene	< 0.0150	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Fluoranthene	< 0.0110	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Fluorene	<0.0200	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Indeno (1,2,3-cd) pyrene	< 0.0310	mg/kg wet	1010170	10I0170-BLK1	09/03/10 17:51	
Naphthalene	<0.0140	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Phenanthrene	< 0.0100	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
Pyrene	<0.0230	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
1-Methylnaphthalene	<0.0120	mg/kg wet	1010170	1010170-BLK1	09/03/10 17:51	
· ·						



EEG - Small Business Group, Inc. (2449) Client

> 10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Project Name:

Work Order:

NTH2725

Laurel Bay Housing Project

1005 Project Number:

Received:

08/28/10 08:30

#### PROJECT QUALITY CONTROL DATA Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
Polyaromatic Hydrocarbons by EPA	3270D					
1010170-BLK1						
Surrogate: Terphenyl-d14	70%			1010170	1010170-BLK1	09/03/10 17:51
Surrogate: 2-Fluorobiphenyl	62%			1010170	1010170-BLK1	09/03/10 17:51
Surrogate: Nitrobenzene-d5	56%			1010170	1010170-BLK1	09/03/10 17:51



Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NTH2725

Project Name:

Laurel Bay Housing Project

Project Number:

: 1005


Received:

08/28/10 08:30

### PROJECT QUALITY CONTROL DATA

#### Duplicate

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	% Rec.	Analyzed Date/Time
General Chemistry Parameters										
10H5483-DUP1										
% Dry Solids	70.6	69.3		%	2	20	10H5483	NTH0566-14		09/01/10 09:07





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NTH2725

Project Name:


Laurel Bay Housing Project

Project Number: 1005

Received: 08/28/10 08:30

### PROJECT QUALITY CONTROL DATA LCS

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Volatile Organic Compounds by E	PA Method 8260B							
10H5112-BS1								
Benzene	50.0	49.1		ug/kg	98%	78 - 126	10H5112	09/03/10 11:35
Ethylbenzene	50.0	51.3		ug/kg	103%	79 - 130	10H5112	09/03/10 11:35
Naphthalene	50.0	60.5		ug/kg	121%	72 - 150	10H5112	09/03/10 11:35
Toluene	50.0	53.2		ug/kg	106%	76 - 126	10H5112	09/03/10 11:35
Xylenes, total	150	165		ug/kg	110%	80 - 130	10H5112	09/03/10 11:35
Surrogate: 1,2-Dichloroethane-d4	50.0	48.8			98%	67 - 138	10H5112	09/03/10 11:35
Surrogate: Dibromofluoromethane	50.0	50.0			100%	75 - 125	10H5112	09/03/10 11:35
Surrogate: Toluene-d8	50.0	52.0			104%	76 - 129	10H5112	09/03/10 11:35
Surrogate: 4-Bromofluorobenzene	50.0	50.0			100%	67 - 147	10H5112	09/03/10 11:35
Polyaromatic Hydrocarbons by EP	A 8270D							
1010170-BS1								
Acenaphthene	1.67	1.30		mg/kg wet	78%	49 - 120	1010170	09/03/10 18:13
Acenaphthylene	1.67	1.35		mg/kg wet	81%	52 - 120	1010170	09/03/10 18:13
Anthracene	1.67	1.56		mg/kg wet	94%	58 - 120	1010170	09/03/10 18:13
Benzo (a) anthracene	1.67	1.41		mg/kg wet	85%	57 - 120	1010170	09/03/10 18:13
Benzo (a) pyrene	1.67	1.49		mg/kg wet	89%	55 - 120	1010170	09/03/10 18:13
Benzo (b) fluoranthene	1.67	1.33		mg/kg wet	80%	51 - 123	1010170	09/03/10 18:13
Benzo (g,h,i) perylene	1.67	1.44		mg/kg wet	87%	49 - 121	1010170	09/03/10 18:13
Benzo (k) fluoranthene	1.67	1.34		mg/kg wet	81%	42 - 129	1010170	09/03/10 18:13
Chrysene	1.67	1.32		mg/kg wet	79%	55 - 120	1010170	09/03/10 18:13
Dibenz (a,h) anthracene	1.67	1.46		mg/kg wet	87%	50 - 123	1010170	09/03/10 18:13
Fluoranthene	1.67	1.48		mg/kg wet	89%	58 - 120	1010170	09/03/10 18:13
Fluorene	1.67	1.36		mg/kg wet	82%	54 - 120	1010170	09/03/10 18:13
Indeno (1,2,3-cd) pyrene	1.67	1.44		mg/kg wet	87%	50 - 122	1010170	09/03/10 18:13
Naphthalene	1.67	1.26		mg/kg wet	76%	28 - 120	1010170	09/03/10 18:13
Phenanthrene	1.67	1.52		mg/kg wet	91%	56 - 120	1010170	09/03/10 18:13
Pyrene	1.67	1.39		mg/kg wet	83%	56 - 120	1010170	09/03/10 18:13
1-Methylnaphthalene	1.67	1.16		mg/kg wet	70%	36 - 120	1010170	09/03/10 18:13
2-Methylnaphthalene	1.67	1.26		mg/kg wet	76%	36 - 120	1010170	09/03/10 18:13
Surrogate: Terphenyl-d14	1.67	1.27			76%	18 - 120	1010170	09/03/10 18:13
Surrogate: 2-Fluorobiphenyl	1.67	1.20			72%	14 - 120	1010170	09/03/10 18:13
Surrogate: Nitrobenzene-d5	1.67	1.05			63%	17 - 120	1010170	09/03/10 18:1:





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order: NTH2725

Project Name: Laurel Bay Housing Project

Project Number: 1005

Received: 08/28/10 08:30

### PROJECT QUALITY CONTROL DATA Matrix Spike

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Volatile Organic Compounds by I	EPA Method 8260	)B								
10H5112-MS1										
Benzene	ND	0.0591		mg/kg dry	0.0479	123%	42 - 141	10H5112	NTH2725-01	09/03/10 20:57
Ethylbenzene	ND	0.0594		mg/kg dry	0.0479	124%	21 - 165	10H5112	NTH2725-01	09/03/10 20:57
Naphthalene	ND	0.0418		mg/kg dry	0.0479	87%	10 - 160	10H5112	NTH2725-01	09/03/10 20:57
Toluene	ND	0.0641		mg/kg dry	0.0479	134%	45 - 145	10H5112	NTH2725-01	09/03/10 20:57
Xylenes, total	ND	0.188		mg/kg dry	0.144	131%	31 - 159	10H5112	NTH2725-01	09/03/10 20:57
Surrogate: 1,2-Dichloroethane-d4		46.7		ug/kg	50.0	93%	67 - 138	10H5112	NTH2725-01	09/03/10 20:57
Surrogate: Dibromofluoromethane		45.6		ug/kg	50.0	91%	75 - 125	10H5112	NTH2725-01	09/03/10 20:57
Surrogate: Toluene-d8		52.4		ug/kg	50.0	105%	76 - 129	10H5112	NTH2725-01	09/03/10 20:57
Surrogate: 4-Bromofluorobenzene		52.0		ug/kg	50.0	104%	67 - 147	10H5112	NTH2725-01	09/03/10 20:57
Polyaromatic Hydrocarbons by E	CPA 8270D									
1010170-MS1										
Acenaphthene	ND	1.10		mg/kg dry	1.82	60%	42 - 120	1010170	NTH2725-02RE	09/03/10 18:36
Acenaphthylene	ND	1.16		mg/kg dry	1.82	63%	32 - 120	1010170	NTH2725-02RE	09/03/10 18:36
Anthracene	ND	1.32		mg/kg dry	1.82	73%	10 - 200	1010170	NTH2725-02RE	09/03/10 18:36
Benzo (a) anthracene	ND	1.21		mg/kg dry	1.82	66%	41 - 120	1010170	NTH2725-02RE	09/03/10 18:36
Benzo (a) pyrene	ND	1.28		mg/kg dry	1.82	70%	33 - 121	1010170	NTH2725-02RE	09/03/10 18:36
Benzo (b) fluoranthene	ND	1.32		mg/kg dry	1.82	72%	26 - 137	1010170	NTH2725-02RE	09/03/10 18:36
Benzo (g,h,i) perylene	ND	1.25		mg/kg dry	1.82	69%	21 - 124	1010170	NTH2725-02RE	09/03/10 18:36
Benzo (k) fluoranthene	ND	1.31		mg/kg dry	1.82	72%	14 - 140	1010170	NTH2725-02RE	09/03/10 18:36
Chrysene	ND	1.17		mg/kg dry	1.82	64%	28 - 123	1010170	NTH2725-02RE	09/03/10 18:36
Dibenz (a,h) anthracene	ND	1.25		mg/kg dry	1.82	69%	25 - 127	1010170	NTH2725-02RE	09/03/10 18:36
Fluoranthene	ND	1.27		mg/kg dry	1.82	70%	38 - 120	1010170	NTH2725-02RE 1	09/03/10 18:36
Fluorene	ND	1.14		mg/kg dry	1.82	63%	41 - 120	1010170	NTH2725-02RE 1	09/03/10 18:36
Indeno (1,2,3-cd) pyrene	ND	1.24		mg/kg dry	1.82	68%	25 - 123	1010170	NTH2725-02RE 1	09/03/10 18:36
Naphthalene	ND	1.18		mg/kg dry	1.82	65%	25 - 120	1010170	NTH2725-02RE	09/03/10 18:36
Phenanthrene	ND	1.31		mg/kg dry	1.82	72%	37 - 120	1010170	NTH2725-02RE	09/03/10 18:36
Pyrene	ND	1.19		mg/kg dry	1.82	65%	29 - 125	1010170	NTH2725-02RE	09/03/10 18:36
1-Methylnaphthalene	ND	1.06		mg/kg dry	1.82	58%	19 - 120	1010170	NTH2725-02RE	09/03/10 18:36



Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order: N

NTH2725

Project Name:

Project Number: 1005


Received:

08/28/10 08:30

Laurel Bay Housing Project

### PROJECT QUALITY CONTROL DATA Matrix Spike - Cont.

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Polyaromatic Hydrocarbons by E	EPA 8270D									
1010170-MS1 2-Methylnaphthalene	ND	1.15		mg/kg dry	1.82	63%	11 - 120	1010170	NTH2725-02RE 1	09/03/10 18:36
Surrogate: Terphenyl-d14		1.06		mg/kg dry	1.82	58%	18 - 120	1010170	NTH2725-02RE	09/03/10 18:36
Surrogate: 2-Fluorobiphenyl		1.00		mg/kg dry	1.82	55%	14 - 120	1010170	1 NTH2725-02RE 1	09/03/10 18:36
Surrogate: Nitrobenzene-d5		0.950		mg/kg dry	1.82	52%	17 - 120	1010170	NTH2725-02RE	09/03/10 18:36





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NTH2725

Project Name:

Laurel Bay Housing Project

Project Number:

1005

Received: 08/28/10 08:30

## PROJECT QUALITY CONTROL DATA Matrix Spike Dup

Analyte	Orig. Val.	Duplicate Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Volatile Organic Compounds by I	EPA Method 8	3260B									
10H5112-MSD1											
Benzene	ND	0.0551	mg/kg dry	0.0515	107%	42 - 141	7	50	10H5112	NTH2725-01	09/03/10 21:26
Ethylbenzene	ND	0.0560	mg/kg dry	0.0515	109%	21 - 165	6	50	10H5112	NTH2725-01	09/03/10 21:26
Naphthalene	ND	0.0387	mg/kg dry	0.0515	75%	10 - 160	8	50	10H5112	NTH2725-01	09/03/10 21:26
Toluene	ND	0.0608	mg/kg dry	0.0515	118%	45 - 145	5	50	10H5112	NTH2725-01	09/03/10 21:26
Xylenes, total	ND	0.174 45.8	mg/kg dry	0.154 50.0	113% 92%	31 - 159 67 - 138	8	50	10H5112 10H5112	NTH2725-01 NTH2725-01	09/03/10 21:26 09/03/10 21:26
Surrogate: 1,2-Dichloroethane-d4 Surrogate: Dibromofluoromethane		45.4	ug/kg ug/kg	50.0	91%	75 - 125			10H5112	NTH2725-01 NTH2725-01	09/03/10 21:26
Surrogate: Toluene-d8		52.5	ug/kg	50.0	105%	76 - 129			10H5112	NTH2725-01	09/03/10 21:26
Surrogate: 4-Bromofluorobenzene		52.6	ug/kg	50.0	105%	67 - 147			10H5112	NTH2725-01	09/03/10 21:26
Polyaromatic Hydrocarbons by E	PA 8270D										
1010170-MSD1											
Acenaphthene	ND	1.04	mg/kg dry	1.83	57%	42 - 120	5	40	1010170	NTH2725-02R E1	09/03/10 18:59
Acenaphthylene	ND	1.11	mg/kg dry	1.83	61%	32 - 120	4	30	1010170	NTH2725-02R E1	09/03/10 18:59
Anthracene	ND	1.25	mg/kg dry	1.83	68%	10 - 200	6	50	1010170	NTH2725-02R E1	09/03/10 18:59
Benzo (a) anthracene	ND	1.15	mg/kg dry	1.83	63%	41 - 120	5	30	1010170	NTH2725-02R E1	09/03/10 18:59
Benzo (a) pyrene	ND	1.21	mg/kg dry	1.83	66%	33 - 121	5	33	1010170	NTH2725-02R E1	09/03/10 18:59
Benzo (b) fluoranthene	ND	1.00	mg/kg dry	1.83	55%	26 - 137	27	42	1010170	NTH2725-02R E1	09/03/10 18:59
Benzo (g,h,i) perylene	ND	1.16	mg/kg dry	1.83	64%	21 - 124	7	32	1010170	NTH2725-02R E1	09/03/10 18:59
Benzo (k) fluoranthene	ND	1.22	mg/kg dry	1.83	67%	14 - 140	7	39	1010170	NTH2725-02R E1	09/03/10 18:59
Chrysene	ND	1.12	mg/kg dry	1.83	61%	28 - 123	5	34	1010170	NTH2725-02R E1	09/03/10 18:59
Dibenz (a,h) anthracenc	ND	1.18	mg/kg dry	1.83	65%	25 - 127	6	31	1010170	NTH2725-02R E1	09/03/10 18:59
Fluoranthene	ND	1.20	mg/kg dry	1.83	66%	38 - 120	5	35	1010170	NTH2725-02R E1	09/03/10 18:59
Fluorene	ND	1.11	mg/kg dry	1.83	60%	41 - 120	4	37	1010170	NTH2725-02R E1	09/03/10 18:59
Indeno (1,2,3-cd) pyrene	ND	1.15	mg/kg dry	1.83	63%	25 - 123	7	32	1010170	NTH2725-02R E1	09/03/10 18:59
Naphthalene	ND	1.03	mg/kg dry	1.83	56%	25 - 120	14	42	1010170	NTH2725-02R E1	09/03/10 18:59
Phenanthrene	ND	1.21	mg/kg dry	1.83	66%	37 - 120	8	32	1010170	NTH2725-02R E1	09/03/10 18:59
Pyrene	ND	1.14	mg/kg dry	1.83	62%	29 - 125	4	40	1010170	NTH2725-02R E1	09/03/10 18:59
1-Methylnaphthalene	ND	0.961	mg/kg dry	1.83	53%	19 - 120	10	45	1010170	NTH2725-02R E1	09/03/10 18:59
2-Methylnaphthalene	ND	1.03	mg/kg dry	1.83	56%	11 - 120	11	50	1010170	NTH2725-02R E1	09/03/10 18:59



EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NTH2725

Laurel Bay Housing Project

Project Name:

1005 Project Number:

Received:

08/28/10 08:30

### PROJECT QUALITY CONTROL DATA Matrix Spike Dup - Cont.

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD Limit	Batch	Sample Duplicated	Analyzed Date/Time
Polyaromatic Hydrocarbons by EPA 1010170-MSD1	8270D										
Surrogate: Terphenyl-d14		0.985		mg/kg dry	1.83	54%	18 - 120		1010170	NTH2725-02R E1	09/03/10 18:59
Surrogate: 2-Fluorobiphenyl		0.907		mg/kg dry	1.83	50%	14 - 120		1010170	NTH2725-02R E1	09/03/10 18:59
Surrogate: Nitrobenzene-d5		0.813		mg/kg dry	1.83	44%	17 - 120		1010170	NTH2725-02R E1	09/03/10 18:59



THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 \* 800-765-0980 \* Fax 615-726-3404

Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78

Ladson, SC 29456 Tom McElwee Work Order:

NTH2725

Project Name:

Laurel Bay Housing Project

Project Number: 1005

Received:

08/28/10 08:30

#### **CERTIFICATION SUMMARY**

#### TestAmerica Nashville

Attn

Method	Matrix	AIHA	Nelac	South Carolina	
SW846 8260B	Soil	N/A	X	X	
SW846 8270D	Soil		X	X	
SW-846	Soil				



Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

J

Work Order: Project Name: NTH2725 Laurel Bay Housing Project

Project Number: 1

1005 08/28/10 08:30

DATA QUALIFIERS AND DEFINITIONS

Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL).

Received:

Concentrations within this range are estimated.

ND Not detected at the reporting limit (or method detection limit if shown)

METHOD MODIFICATION NOTES

### NTH2725

09/14/10 23:59

<b>TestAm</b>	erica
THE RESERVE THE PERSON NAMED IN	THE REST OF THE PERSON NAMED IN THE PERSON NAMED IN

3 3

Nashville Division 2960 Foster Creighton

Phone: 615-726-0177 Toll Free: 800-765-0980 To assist us in using the proper analy methods, is this work being conducted for

	FOR FACILIANTAVIECEMENT, A	5. (54.7)843	Nashville,	TN 372	04					Fax:	615	-726-	3404							regula	atory p	urpose	s?	•					
	Client Name/Account #:	EEG # 2449																					Compli	ance M	onitoring	g?	Yes_	N	ю_
	Address:	10179 Highway	78													_							Enfor	cement	Action?	,	Yes _	N	0_
	Clty/State/Zip:	Ladson, SC 294	56												_			Site	State:	sc									_
	Project Manager:	Tom McElwee e	mail: mcelw	ee@eeg	inc.ne	et			(	`	1								PO#:			CC	5						_
	Telephone Number: 843.412.2097					Fax No.: 845 879 - 6:401							Ī	TA Quote #:											_				
	Sampler Name: (Print)	PR	4H.	Sh,	ALC	,												Proje	ect iD:	Laure	l Bay i	lousing	Projec	ct c					_
	Sampler Signature:	Chi	011	er.														Pro	ect #:										_
			1						Pne	serva	tive		N.		Matri	x	$\Box$ T						nalyze	For:				$\neg \overline{}$	_
	Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Grab	Composite	Field Filtered	ice HNO, (Red Label)	MCT (Broat Caber) 5 6 1 4	NaOH ( Orange Label) H <sub>2</sub> SO <sub>4</sub> Plastic (Yellow Label)	H <sub>2</sub> SO <sub>4</sub> Glass(Yellow Label)	None (Black Label)	Groundwater	Wastewater	Drinking Water	Soil	Other (specify).	BTEX + Napth - 82606	PAH - 8270D		1000							RUSH TAT (Pre-Schedule)	
cl	699 AbeliA	8/23/10	1186	5	X		ヿ	T	a		П	य।				X		X										7	†
: 7	720 BluebEll	8/24/16	1645	5	X				2			2	,	П		χ		X	X										†
3 3	722 Bluebell	\$/25/1E	1660	5	X				15			2		П		X		Х	X										†
1 ں	717 Blueball	8/25/10	1215	5	X		T		12	T	П	2	ī	$\prod$		X	П	X	X										†
67	719 Bluebell	8/25/10	1500	5-	X		┪		13			2	1	П		X		λ	X										†
06	7/8 Blueball	8/26/10	1130	5	x			T	হ			য়				X		X	X									$\neg$	Ť
07	721 Bluzball	8/26/10	1545	5	X			T	12			2	(	$\Box$		X		λ	X									$\top$	†
			· OPERATE STREET		-0	T		T	T			П	T																Ť
						Ī			1~ }	-																			Ť
									$\coprod$				Т			`	$\Box$												Ť
	Special Instructions:																			Labo		Comm							_
	Method of Shipment:						FE	DEX			Temperature Upon Receipt: VOCs Free of Headspace?					Y													
	Relinquished by	8/26/	110	Tim		Receive		" /	, Z X						Date	•		Time	•									•	
	Relinquished by	Date	•	Tim	e I	Receive	ed by	test	Arterica	8:				8	Date / 2	8	8	Time	•										

### ATTACHMENT A



# **NON-HAZARDOUS MANIFEST**

CVARAN

Plag	se print or type. (Form designed for use on elite (12-pitch) t	THE RESERVE OF THE PERSON NAMED IN	(washing and		-				Capital					
	NON-HAZARDOUS MANIFEST	Generator's US EPA	ID No.	Docu	fanifest ument No.	2. Page	9 1							
	3. Generator's Name and Mailing Address  CAS Beaution Laurel Early Hottained Beaution SC 2890  4. Generator's Phone 843 228-6460		A. Manifest Number WNNA 10885426  B. State Generator's ID											
	5. Transporter 1 Company Name	Transporter 1 Company Name 6. US EPA ID Number												
	EEG, Inc.		D. Transporter's Phone 843 878-0411											
	7. Transporter 2 Company Name		1000000	Transporter's ID										
		10.		F. Transporter's Phone US EPA ID Number G. State Facility's ID										
	Designated Facility Name and Site Address		G. State Facility's ID											
	HICKORY HILL LANDFILL ROUTE 1, BOX 121 RIDGELAND SC 29836		H. Facility's Phone <b>843 987-4643</b>											
1	11. Description of Waste Materials				12. Conta	SHEET TO SHEET	13. Total Quantity	14 Unit	l,					
	Heating Oil Tank filled with Sand			-	No.	Type	Quantity	Wt./Vol.	Misc. Comments					
	WM Profi	le# 102	655SC		0,0,1		1/101815	7)						
EN	19000000	1101	300000000000000000000000000000000000000			$\vdash$	1.10.61	Ton						
GENERAT	b.	A.												
A	WM Profi	le#			1-1		1.1.1.1		-					
OR	C.								. 49					
					E I									
	WM Profi	e#		- 1	- Letter		FILL	1						
	1			- 2	<.									
4	<i>y</i>			100		0								
	WM Profi	e#												
	J. Additional Descriptions for Materials Listed Above	Additional Descriptions for Materials Listed Above						K. Disposal Location						
	Landfill Solidification						Cell Level							
١							Grid							
	15. Special Handling Instructions and Additional Information  UST'S FROM HOUSE'S  Purchase Order # 2)720 Blueball' H) 717 Blueball' 6)718 Blueball-  EMERGENCY CONTACT:  16. GENERATOR'S CERTIFICATION:  I hereby certify that the above-described materials are not hazardous wastes as defined by 40 CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged, and are in proper condition													
for transportation according to applicable regulations.														
	Printed/Typed Name	John J.	Signature "On b	ehalf of"	B	1	1	10	Month Day Year					
TR	17. Transporter 1 Acknowledgement of Receipt of N	aterials	1.0	-1	3.3	LAN								
AN	Printed/Typed Name	li .	Signature	1	0-1	Λ			Month Day Year					
P	18. Transporter 2 Acknowledgement of Receipt of N	nau	will	-		01910181110								
Ř	<ol> <li>Transporter 2 Acknowledgement of Receipt of N Printed/Typed Name</li> </ol>	ateriais	Signature	2.00			-	-	Month Day Year					
TRANSPORTER	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		o.g.i.d.o.o					ok a						
_	19. Certificate of Final Treatment/Disposal						* 1							
ACI	I certify, on behalf of the above lis was managed in compliance with													
1	20. Facitity Owner or Operator: Certification of rece	pt of non-hazardous		his manife	est.		2 - 1							
Ý	Printed/Typed Name		Signature	76	1	1		You F	Month Day Year					
1	Tomi Cotiecd		Von	1	Mul	d		W.	1 8 10					

### Appendix C Regulatory Correspondence



BOARD: Paul C. Aughtry, III Chairman Edwin H. Cooper, III Vice Chairman Steven G. Kisner

Secretary



BOARD: Henry C. Scott

M. David Mitchell, MD

Glenn A. McCall

Coleman F. Buckhouse, MD

### C. Earl Hunter, Commissioner Promoting and protecting the health of the public and the environment

### Bureau of Land and Waste Management Division of Waste Management

June 13, 2011

Commanding Officer Attention: NREAO Mr. William A. Drawdy United States Marine Corp Air Station Post Office Box 55001 Beaufort, SC 29904-5001

RE:

No Further Action

Laurel Bay Underground Storage Tank Assessment Report for:

<ul> <li>457 Elderberry</li> </ul>	• 633 Dahlia	• 720 Bluebell	<ul> <li>722 Bluebell</li> </ul>
• 717 Bluebell	<ul> <li>719 Bluebell</li> </ul>	• 718 Bluebell	• 721 Bluebell
• 725 Bluebell	<ul> <li>727 Bluebell</li> </ul>	<ul> <li>729 Bluebell</li> </ul>	• 730 Bluebell
<ul> <li>733 Bluebell</li> </ul>	<ul> <li>736 Bluebell</li> </ul>	• 740 Bluebell	<ul> <li>1206 Cardinal</li> </ul>

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tanks (USTs) Assessment Report on December 16, 2010 for the addresses listed above.

The Department has reviewed the referenced assessment report and agrees there is no indication of soil or groundwater contamination on this property, and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corp Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary. If you have any questions, please contact me at <a href="mailto:picketcn@dhec.sc.gov">picketcn@dhec.sc.gov</a> or 803-896-4131.

Christ Pictus

Christi Pickett

Corrective Action Engineering Section Bureau of Land and Waste Management

South Carolina Department of Health and Environmental Control

cc: Laurel Rhoten (via email)

Craig Ehde (via email)