

SUMMARY REPORT
163 WEST ALTHEA STREET (FORMERLY 768 WEST ALTHEA STREET)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid-Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT
163 WEST ALTHEA STREET (FORMERLY 768 WEST ALTHEA STREET)
LAUREL BAY MILITARY HOUSING AREA
MARINE CORPS AIR STATION BEAUFORT
BEAUFORT, SC

Revision: 0
Prepared for:

Department of the Navy
Naval Facilities Engineering Command, Mid- Atlantic
9324 Virginia Avenue
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue
Norfolk, Virginia 23511-3095

Prepared by:

CDM - AECOM
Multimedia Joint Venture

CDM - AECOM Multimedia Joint Venture
10560 Arrowhead Drive, Suite 500
Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016
CTO WE52
JUNE 2021

Table of Contents

1.0 INTRODUCTION	1
1.1 BACKGROUND INFORMATION.....	1
1.2 UST REMOVAL AND ASSESSMENT PROCESS.....	2
2.0 SAMPLING ACTIVITIES AND RESULTS	3
2.1 UST REMOVAL AND SOIL SAMPLING	3
2.2 SOIL ANALYTICAL RESULTS.....	4
2.3 GROUNDWATER SAMPLING.....	5
2.4 GROUNDWATER ANALYTICAL RESULTS	5
3.0 PROPERTY STATUS.....	5
4.0 REFERENCES	6

Tables

- | | |
|---------|---|
| Table 1 | Laboratory Analytical Results - Soil |
| Table 2 | Laboratory Analytical Results - Groundwater |

Appendices

- | | |
|------------|--|
| Appendix A | Multi-Media Selection Process for LBMH |
| Appendix B | UST Assessment Reports |
| Appendix C | Laboratory Analytical Report - Groundwater |
| Appendix D | Regulatory Correspondence |

List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
ft	feet
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level

1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 163 West Althea Street (Formerly 768 West Althea Street). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*

Division (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 163 West Althea Street (Formerly 768 West Althea Street). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 768 West Althea Street* (MCAS Beaufort, 1999) and *SCDHEC UST Assessment Report – 768 West Althea Street* (MCAS Beaufort, 2011). The UST Assessment Reports are provided in Appendix B. Details regarding the IGWA sampling activities at this site are provided in the *Initial Groundwater Investigation Report – November and December 2015* (Resolution Consultants, 2016). The laboratory report that includes the pertinent IGWA analytical results for this site is presented in Appendix C.

2.1 UST Removal and Soil Sampling

Four 280 gallon heating oil USTs were removed at 163 West Althea Street (Formerly 768 West Althea Street). Tank 1 was removed on September 9, 1999 from the landscaped area in front of the house. Tank 2 was removed on October 19, 2010 from the rear grassed area adjacent to

the rear of the house. Tank 3 was removed on October 19, 2010 from the rear grassed area adjacent to Tank 1. Tank 4 was removed on October 19, 2010 from the rear grassed area adjacent to Tank 2. The former UST locations are indicated in the figures of the UST Assessment Reports (Appendix B). The USTs were removed, cleaned, and shipped offsite for recycling. There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depths to the bases of the three USTs removed in 2010 were 4'2" (Tank 2), 6'0" (Tank 3) and 4'9" (Tank 4) bgs and a single soil sample was collected for each at that depth. The samples were collected from the fill port side of the former USTs to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of each excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs are presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Reports presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST locations (Tanks 1, 2, 3, and 4) were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 163 West Althea Street (Formerly 768 West Althea Street) during the removal of Tank 1 were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment. The soil results collected from 163 West Althea Street (Formerly 768 West Althea Street) during the removal of USTs 2, 3, and 4 were greater than the SCDHEC RBSLs, which indicated further investigation was required. In a letter dated July 1, 2015, SCDHEC requested IGWAs be conducted at the former UST locations (Tanks 2, 3, and 4) at 163 West Althea Street (Formerly 768 West Althea Street) to determine if the groundwater was impacted by petroleum COPCs. SCDHEC's request letter is provided in Appendix D.

2.3 Groundwater Sampling

On November 18, 2015, two temporary monitoring wells were installed at 163 West Althea Street (Formerly 768 West Althea Street), in accordance with the South Carolina Well Standards and Regulations (R.61-71.H-I, updated June 24, 2016). In order to provide data that can be used to determine whether COPCs are migrating to underlying groundwater, the monitoring wells were placed in the same general location as the former heating oil USTs (in between Tanks 2, 3, and 4). The former UST locations are indicated in the figures of the UST Assessment Reports (Appendix B). Further details are provided in the *Initial Groundwater Investigation Report – November and December 2015* (Resolution Consultants, 2016).

The sampling strategy for this phase of the investigation required a one-time sampling event of the temporarily installed monitoring wells. Following well installation and development, groundwater samples were collected using low-flow methods and shipped to an offsite laboratory for analysis of the petroleum COPCs. Upon completion of groundwater sampling, the temporary wells were abandoned in accordance with the South Carolina Well Standards and Regulations R.61-71 (SCDHEC, 2016). Field forms are provided in the *Initial Groundwater Investigation Report – November and December 2015* (Resolution Consultants, 2016).

2.4 Groundwater Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 2. A copy of the laboratory analytical data report is included in Appendix C.

The groundwater results collected from 163 West Althea Street (Formerly 768 West Althea Street) were less than the SCDHEC RBSLs and the site specific groundwater VISLs (Table 2), which indicated that the groundwater was not impacted by COPCs associated with the former USTs at concentrations that present a potential risk to human health and the environment.

3.0 PROPERTY STATUS

Based on the analytical results for groundwater, SCDHEC made the determination that NFA was required for 163 West Althea Street (Formerly 768 West Althea Street). This NFA determination was obtained in a letter dated June 8, 2016. SCDHEC's NFA letter is provided in Appendix D.

4.0 REFERENCES

- Marine Corps Air Station Beaufort, April 1999. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 768 West Althea Street, Laurel Bay Military Housing Area*, September 1999.
- Marine Corps Air Station Beaufort, 2011. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 768 West Althea Street, Laurel Bay Military Housing Area*, September 2011.
- Resolution Consultants, 2016. *Initial Groundwater Investigation Report – November and December 2015 for Laurel Bay Military Housing Area, Multiple Properties, Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort, Beaufort, South Carolina*, April 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.
- South Carolina Department of Health and Environmental Control Bureau of Water, 2016. *R.61-71, Well Standards*, June 2016.

Tables

Table 1
Laboratory Analytical Results - Soil
163 West Althea Street (Formerly 768 West Althea Street)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾	Results			
		Samples Collected 09/09/99 and 10/19/10			
		768 UST1 09/09/99	768 Althea - 1 10/19/10	768 Althea - 2 10/19/10	768 Althea - 3 10/19/10
Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)					
Benzene	0.003	ND	ND	ND	0.00194
Ethylbenzene	1.15	ND	0.0128	0.947	0.421
Naphthalene	0.036	ND	0.0783	4.47	2.59
Toluene	0.627	ND	0.000993	0.00136	0.00176
Xylenes, Total	13.01	ND	0.0460	0.385	0.647
Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)					
Benzo(a)anthracene	0.66	ND	ND	1.26	0.449
Benzo(b)fluoranthene	0.66	ND	ND	0.903	0.256
Benzo(k)fluoranthene	0.66	ND	ND	0.272	0.110
Chrysene	0.66	ND	ND	1.12	0.408
Dibenz(a,h)anthracene	0.66	ND	ND	ND	ND

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0 and 3.1 (SCDHEC, May 2015 and SCDHEC, February 2016) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligrams per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The soil laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

Table 2
Laboratory Analytical Results - Groundwater
163 West Althea Street (Formerly 768 West Althea Street)
Laurel Bay Military Housing Area
Marine Corps Air Station Beaufort
Beaufort, South Carolina

Constituent	SCDHEC RBSLs ⁽¹⁾	Site-Specific Groundwater VISLs ($\mu\text{g/L}$) ⁽²⁾	Results Sample Collected 11/18/15
Volatile Organic Compounds Analyzed by EPA Method 8260B ($\mu\text{g/L}$)			
Benzene	5	16.24	ND
Ethylbenzene	700	45.95	ND
Naphthalene	25	29.33	0.66
Toluene	1000	105,445	ND
Xylenes, Total	10,000	2,133	ND
Semivolatile Organic Compounds Analyzed by EPA Method 8270D ($\mu\text{g/L}$)			
Benzo(a)anthracene	10	NA	ND
Benzo(b)fluoranthene	10	NA	ND
Benzo(k)fluoranthene	10	NA	ND
Chrysene	10	NA	ND
Dibenz(a,h)anthracene	10	NA	ND

Notes:

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1 (SCDHEC, February 2016).

⁽²⁾ Site-specific groundwater VISLs were calculated using the EPA JE Model Spreadsheets (Version 3.1, February 2004) and conservative modeling inputs representative of a small single-story house with an 8 foot ceiling. Site-specific groundwater VISLs were developed based on a target risk level of 1×10^{-6} , a target hazard quotient of 1 (per target organ), and a default residential exposure scenario, assuming exposure for 24 hours/day, 350 days/year, for 26 years. Modeling was performed for a range of depths to groundwater for application as appropriate in different areas of the Laurel Bay Military Housing Area. The most conservative levels are presented for comparison. Refer to Appendix H of the Uniform Federal Policy Sampling Analysis and Sampling Plan for Vapor Media, Revision 4 (Resolution Consultants, April 2017) for additional information.

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL and/or the Site-Specific Groundwater VISL.

EPA - United States Environmental Protection Agency

JE - Johnson & Ettinger

NA - Not Applicable

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The groundwater laboratory report is provided in Appendix C.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

$\mu\text{g/L}$ - micrograms per liter

VISL - Vapor Intrusion Screening Level

Appendix A
Multi-Media Selection Process for LBMH



Appendix A - Multi-Media Selection Process for LBMH

Appendix B
UST Assessment Reports

M60169.AR.001349
MCAS BEAUFORT
5090.3a

HEATING OIL UNDERGROUND STORAGE TANK REMOVAL LABORATORY DATA FOR 768
ALTHEA STREET MILITARY HOUSING AREA WITH TRANSMITTAL MCAS BEAUFORT SC
4/20/2009
U S MARINE CORPS



UNITED STATES MARINE CORPS

MARINE CORPS AIR STATION
BEAUFORT, SOUTH CAROLINA 29904-5001

IN REPLY REFER TO
5900
NREAO/057
April 20, 2009

SCDHEC-BLWM

Attn: Ms. Jan T. Cooke
2600 Bull Street
Columbia, South Carolina 29201

Dear Ms. Cooke:

Subject: Heating Oil UST Removal Laboratory Data for Laurel Bay
Military Housing, Marine Corps Air Station (MCAS)
Beaufort, South Carolina


Enclosed are laboratory results for heating oil UST removals at 6 homes located in Laurel Bay Military Housing, MCAS Beaufort. The addresses for the homes included in this package are: 345 Ash, 378 Aspen, 603 Dahlia, 768 Althea, 110 Althea, and 772 Althea. Limited information is available for these tank removals as they occurred in 1999. The only information available is laboratory data and general locations of the tanks removed. One discrepancy is the report for 770 Althea. A fax that lists these tank removals indicates that 2 tanks were removed at 764 Althea and hand writing on the fax suggests that the actual address may be 766 Althea. We believe the actual house the fax and laboratory reports are referring to is 770 Althea. Three tanks were removed at 766 Althea in 1999 that required a period of ground water monitoring (SCDHEC ID# 01439). A no further action decision was rendered for the site by SCDHEC in a letter dated October 10, 2003. In addition, in the 2006 tank removal event, no tank was discovered at 770 Althea; however a tank was found and removed at 764 Althea (SCDHEC ID# 03748). Again, based on this information, we believe that the actual house the enclosed fax and laboratory report is referring to is 770 Althea.

One soil sample was submitted from each tank pulled and analyzed for volatile organic compounds (VOCs) by method 8260 and for semi-volatile organic compounds by method 8270. No petroleum compounds were detected in any of the soil samples. Methylene chloride was detected in all of the samples at nearly identical levels. Given the similar levels detected and the

common occurrence of methylene chloride as a laboratory contaminant, we believe the methylene chloride detected in the soil samples is the result of laboratory contamination

If you have any questions regarding this information please contact Craig Ehde at 843-228-7317 or craig.ehde@usmc.mil.

Sincerely,



William A Drawdy
Natural Resources and
Environmental Affairs Officer
By Direction of the
Commanding Officer

Enclosure: Assessment Reports for the following residences: 345 Ash, 378 Aspen, 603 Dahlia, 768 Althea, 110 Althea, and 772 Althea.

Cc: Mr. Russell Berry, EQC Low Country District (w/o enclosures)

• RAY JAMES
Police INSPECTOR

R & G CONSTRUCTION CO.

MCAS Field Office
584 Kimes Avenue
P.O. Box 9191
Beaufort, SC 29904-9191

(843) 521-9773 Phone (843) 521-9115 Fax

Bill DENNIS

facsimile transmittal

To: Jim Reeves Fax: 522-7032

From: Beth Date: Tuesday June 22, 1999

Re: Locations of tanks Pages: 1 including cover

REF:

Urgent For Review Please Comment Please Reply For Your Info

COMMENTS:

Following are locations where tanks have been removed:

603 Dahlia

378 Aspen

345 Ash

768 Althea

772 Althca



* 764 Althea (2 tanks removed)

* 766 Althea Full below

* For May Ellen Smith -
she has lost many to
at some houses possibly up
to 11 feet


MCAS Beaufort
Laurel Bay Housing Area

UST 764



EG&G Idaho, Inc.

Site sketches are schematic representations indicating approximate locations and orientations.



SPECIALIZED ASSAYS, IN

2960 Foster Creighton Dr.
P.O. Box 40566
Nashville, TN 37204-0566
Phone 1-615-726-0177

ANALYTICAL REPORT

768 ALTHSA@LIBAY

USACE-SAVANNAH DISTRICT 8995
MARK HARVISON
100 WEST OGLETHORPE AVE
SAVANNAH, GA 31402

Project: DD208
Project Name: LAUREL BAY UST
Sampler: J. SMITH

Lab Number: 99-A138223

Sample ID: 768 UST1

Sample Type: Soil

Site ID:

Date Collected: 9/ 9/99

Time Collected: 10:35

Date Received: 9/10/99

Time Received: 8:30

Analyte	Result	Units	Report Limit	Quan Limit	Dil Factor	Date	Time	Analyst	Method	Batch
EXTRACTABLE ORGANICS										
Acenaphthene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Acenaphthylene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Anthracene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Benz(a)anthracene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Benz(a)pyrene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Benz(b)fluoranthene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Benz(g,h,i)perylene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Benz(k)fluoranthene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
4-Bromophenylphenoxyether	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Butylbenzylphthalate	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Carbazole	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
4-Chloro-3-Methylphenol	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
4-Chloroaniline	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
bis(2-Chloroethoxy)methane	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
bis(2-Chloroethyl)ether	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
bis(2-Chloroisopropyl)ether	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
2-Chloronaphthalene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
2-Chlorophenol	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
4-Chlorophenylphenoxyether	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Chrysene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Dibenzofuran	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Dibenz(a,h)anthracene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
1,2-Dichlorobenzene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
1,3-Dichlorobenzene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
1,4-Dichlorobenzene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
3,3'-Dichlorobenzidine	ND	ng/kg	0.835	0.660	1	9/17/99	10:59	M. Goodrich	8270C	4973
2,4-Dichlorophenol	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Diethylphthalate	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
2,4-Dimethylphenol	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Dimethylphthalate	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Di-n-butylphthalate	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
4,6-Dinitro-2-Methylphenol	ND	ng/kg	1.04	0.825	1	9/17/99	10:59	M. Goodrich	8270C	4973
2,4-Dinitrophenol	ND	ng/kg	1.04	0.825	1	9/17/99	10:59	M. Goodrich	8270C	4973
2,4-Dinitrotoluene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
2,6-Dinitrotoluene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973



SPECIALIZED ASSAYS, INC.


2960 Foster Creighton Dr.
P.O. Box 40566
Nashville, TN 37204-0566
Phone 1-615-726-0177

ANALYTICAL REPORT

Laboratory Number: 99-A138223
Sample ID: 768 UST1

Page 2

Analyte	Result	Units	Report Limit	Ran Limit	Dil Factor	Date	Time	Analyst	Method	Batch
Di-n-octylphthalate	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Fluoranthene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Fluorene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Hexachlorobenzene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Hexachlorobutadiene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Hexachlorocyclopentadiene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Hexachloroethane	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Indeno[1,2,3-cd]pyrene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Isophorone	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
2-Methylnaphthalene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
2-Methylphenol	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
α , β -Methylphenol	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Naphthalene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
2-Nitroaniline	ND	ng/kg	1.04	0.825	1	9/17/99	10:59	M. Goodrich	8270C	4973
3-Nitroaniline	ND	ng/kg	1.04	0.825	1	9/17/99	10:59	M. Goodrich	8270C	4973
4-Nitroaniline	ND	ng/kg	1.04	0.825	1	9/17/99	10:59	M. Goodrich	8270C	4973
Nitrobenzene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
2-Nitrophenol	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
4-Nitrophenol	ND	ng/kg	1.04	0.825	1	9/17/99	10:59	M. Goodrich	8270C	4973
α -nitrosodi- α -propylamine	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
α -nitrosodiphenylamine	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Pentachlorophenol	ND	ng/kg	1.04	0.825	1	9/17/99	10:59	M. Goodrich	8270C	4973
Phenanthrene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Phenol	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Pyrene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
Bis(2-ethylhexyl)phthalate	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
1,2,4-Trichlorobenzene	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
2,4,5-Trichlorophenol	ND	ng/kg	1.04	0.825	1	9/17/99	10:59	M. Goodrich	8270C	4973
2,4,6-Trichlorophenol	ND	ng/kg	0.418	0.330	1	9/17/99	10:59	M. Goodrich	8270C	4973
VOLATILE ORGANICS										
Acetone	ND	ng/kg	0.0117	0.0093	1	9/11/99	22:50	M. Cathey	8260B	5553
Acrolein	ND	ng/kg	0.0117	0.0093	1	9/11/99	22:50	M. Cathey	8260B	5553
Acrylonitrile	ND	ng/kg	0.0117	0.0093	1	9/11/99	22:50	M. Cathey	8260A	5553
Benzene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
Bromobenzene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
Kromochloromethane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
Kromoform	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
Kromohethane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
2-Butanone	ND	ng/kg	0.0117	0.0093	1	9/11/99	22:50	M. Cathey	8260B	5553
n-Butylbenzene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
sec-Butylbenzene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
t-Butylbenzene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
Carbon disulfide	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553

**SPECIALIZED
ASSAYS, INC.**


2960 Foster Creighton Dr.
P.O. Box 40566
Nashville, TN 37204-0566
Phone 1-615-726-0177

ANALYTICAL REPORT

Laboratory Number: 99-A138223
Sample ID: 768 UST1

Page 3

Analyte	Result	Units	Report Limit	Ruan Limit	DIL Factor	Date	Time	Analyst	Method	Batch
Carbon tetrachloride	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
Chlorobenzene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
Chloroethane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
2-Chloroethylvinylether	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
Chloroform	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
Chloromethane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
1-Chlorotoluene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
4-Chlorotoluene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
1,2-Dibromo-3-chloropropane	ND	ng/kg	0.0117	0.0093	1	9/11/99	22:50	M. Cathey	8260B	5553
Dibromochloromethane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
1,2-Dibromoethane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
Dibromomethane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
1,4-Dichloro-2-butene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
1,2-Dichlorobenzene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
1,3-Dichlorobenzene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
1,4-Dichlorobenzene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
Dichlorodifluoromethane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
1,1-Dichloroethane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
1,2-Dichloroethane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
1,1-Dichloroethene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
cis-1,2-Dichloroethene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
trans-1,2-Dichloroethene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
1,2-Dichloropropane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
1,3-Dichloropropane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
2,2-Dichloropropane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
1,1-Dichloropropene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
cis-1,3-Dichloropropene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
trans-1,3-Dichloropropene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
Ethylbenzene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
Hexachlorobutadiene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
2-Hexanone	ND	ng/kg	0.0117	0.0093	1	9/11/99	22:50	M. Cathey	8260B	5553
Iodomethane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
Isopropylbenzene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
4-Isopropyltoluene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
Methyl Methacrylate	ND	ng/kg	0.0118	0.0093	1	9/11/99	22:50	M. Cathey	8260B	5553
4-Methyl-2-pentanone	ND	ng/kg	0.0117	0.0093	1	9/11/99	22:50	M. Cathey	8260B	5553
Methylene chloride	0.0181	ng/kg	0.0117	0.0093	1	9/11/99	22:50	M. Cathey	8260B	5553
Naphthalene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
n-Propylbenzene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
Styrene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
1,1,1,2-Tetrachloroethane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
1,1,2,2-Tetrachloroethane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
Tetrachloroethene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553
Toluene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M. Cathey	8260B	5553



**SPECIALIZED
ASSAYS, INC.**

2960 Foster Creighton Dr.
P.O. Box 40566
Nashville, TN 37204-0566
Phone 1-615-726-0177

ANALYTICAL REPORT

Laboratory Number: 99-A138223
Sample ID: 768 USTI

Page 4

Analyte	Result	Units	Report Limit	Quan Limit	Dil Factor	Date	Time	Analyst	Method	Batch
1,2,3-Trichlorobenzene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M.Cathey	82608	5553
1,2,4-Trichlorobenzene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M.Cathey	82608	5553
1,1,1-Trichloroethane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M.Cathey	82608	5553
1,1,2-Trichloroethane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M.Cathey	82608	5553
Trichloroethene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M.Cathey	82608	5553
1,2,3-Trichloropropane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M.Cathey	82608	5553
1,2,4-Trimethylbenzene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M.Cathey	82608	5553
1,3,5-Trimethylbenzene	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M.Cathey	82608	5553
Vinyl acetate	ND	ng/kg	0.0117	0.0093	1	9/11/99	22:50	M.Cathey	82608	5553
Vinyl chloride	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M.Cathey	82608	5553
Xylenes	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M.Cathey	82608	5553
Bromodichloromethane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M.Cathey	82608	5553
Trichlorofluoromethane	ND	ng/kg	0.0023	0.0019	1	9/11/99	22:50	M.Cathey	82608	5553
Methyl-t-butyl ether	ND	ng/kg	0.0117	0.0093	1	9/11/99	22:50	M.Cathey	82608	5553

GENERAL CHEMISTRY PARAMETERS

% Dry Weight	79.	%		1	9/16/99	11:00	A.Dufalino	CLP	1508
--------------	-----	---	--	---	---------	-------	------------	-----	------

ND = Not detected at the report limit.

Sample Extraction Data

Parameter	Extracted	Wt/Vol	Extract Vol	Date	Analyst	Method
DNA's	29.9 gm	1.0 ml		9/15/99	M.Cauthen	3550
Volatile Organics	5.4 g	5.0 ml		9/10/99	M.Himelick	5035

Surrogate	% Recovery	Target Range
surr-1,2-Dichloroethane, d4	106.	48. - 160.
surr-Toluene d3	106.	79. - 119.
surr-4-Nitrofluorobenzene	86.	69. - 135.
surr-DibromoFluoromethane	122.	63. - 135.
surr-Nitrobenzene-d5	48.	20. - 110.
surr-2-Fluorobiphenyl	53.	18. - 110.
surr-Terphenyl d14	77.	27. - 128.
surr-Phenol d5	65.	10. - 111.
surr-2-Fluorophenol	56.	10. - 107.
surr-2,4,6-Tribromophenol	71.	14. - 110.

Attachment 1

South Carolina Department of Health and Environmental Control (SCDHEC)
Underground Storage Tank (UST) Assessment Report

Date Received

State Use Only

Submit Completed Form To:
UST Program
SCDHEC
2600 Bull Street
Columbia, South Carolina 29201
Telephone (803) 896-7957

I. OWNERSHIP OF UST (S)

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)
Owner Name (Corporation, Individual, Public Agency, Other)

P.O. Box 55001

Mailing Address

Beaufort,	South Carolina	29904-5001
City	State	Zip Code
843	228-7317	Craig Ehde
Area Code	Telephone Number	Contact Person

II. SITE IDENTIFICATION AND LOCATION

Permit I.D. #

Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC
Facility Name or Company Site Identifier

768 Althea Street, Laurel Bay Military Housing Area
Street Address or State Road (as applicable)

Beaufort,	Beaufort
City	County

Attachment 2

III. INSURANCE INFORMATION

Insurance Statement

The petroleum release reported to DHEC on _____ at Permit ID Number _____ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES NO (check one)

If you answered YES to the above question, please complete the following information:

My policy provider is: _____

The policy deductible is: _____

The policy limit is: _____

If you have this type of insurance, please include a copy of the policy with this report.

IV. REQUEST FOR SUPERB FUNDING

I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)

V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Name (Type or print.) _____

Signature _____

To be completed by Notary Public:

Sworn before me this _____ day of _____, 20 _____

(Name) _____

Notary Public for the state of _____
Please affix State seal if you are commissioned outside South Carolina

VI. UST INFORMATION

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity..(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material..(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....
- M. Method of disposal for any USTs removed from the ground (attach disposal manifests)
USTs 768Althea-1 and 768Althea-2 were removed from the ground, cleaned and recycled. UST 768Althea-3 was removed from the ground and disposed of at a Subtitle "D" landfill. See Attachment "A".
- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)
Contaminated water was pumped from 768Althea-1 and 768Althea-2 and disposed of by MCAS.
UST 768Althea-3 was previously filled with sand by others.
- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST
Corrosion, pitting and holes were found in all three tanks.

768 Althea-1	768 Althea-2	768 Althea-3
Heating oil	Heating oil	Heating oil
280 gal	280 gal	280 gal
Late 1950s	Late 1950s	Late 1950s
Steel	Steel	Steel
Mid 80s	Mid 80s	Mid 80s
4' 2"	6'	4' 9"
No	No	No
No	No	No
Removed	Removed	Removed
10/19/10	10/19/10	10/19/10
Yes	Yes	Yes
Yes	Yes	Yes

VII. PIPING INFORMATION

- A. Construction Material.(ex. Steel, FRP).....
- B. Distance from UST to Dispenser.....
- C. Number of Dispensers.....
- D. Type of System Pressure or Suction.....
- E. Was Piping Removed from the Ground? Y/N
- F. Visible Corrosion or Pitting Y/N.....
- G. Visible Holes Y/N.....
- H. Age.....
- I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

768Althea-1	768Althea-2	768Althea-3
Steel & Copper	Steel & Copper	Steel & Copper
N/A	N/A	N/A
N/A	N/A	N/A
Suction	Suction	Suction
Yes	Yes	Yes
Yes	Yes	Yes
No	No	No
Late 1950s	Late 1950s	Late 1950s

Steel vent piping for all tanks were corroded and pitted. All copper supply and return piping were sound.

VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

IX. SITE CONDITIONS

	Yes	No	Unk
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?		X	
If yes, indicate depth and location on the site map.			
B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?		X	
If yes, indicate location on site map and describe the odor (strong, mild, etc.)			
C. Was water present in the UST excavation, soil borings, or trenches?		X	
If yes, how far below land surface (indicate location and depth)?			
D. Did contaminated soils remain stockpiled on site after closure?		X	
If yes, indicate the stockpile location on the site map.			
Name of DHEC representative authorizing soil removal:			
E. Was a petroleum sheen or free product detected on any excavation or boring waters?		X	
If yes, indicate location and thickness.			

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009001

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
768 Althea-1	Excav at fill end	Soil	Sandy	4' 2"	10/19/10 1030 hrs	P. Shaw	
768 Althea-2	Excav at fill end	Soil	Sandy-clay	6'	10/19/10 1345 hrs	P. Shaw	
768 Althea-3	Excav at fill end	Soil	Sandy	4' 9"	10/19/10 1600 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

* = Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280
and SC DHEC Assessment Guidelines. Sample containers were prepared by the
testing laboratory. The grab method was utilized to fill the sample
containers leaving as little head space as possible and immediately
capped. Soil samples were extracted from area below tank. The
samples were marked, logged, and immediately placed in a sample cooler
packed with ice to maintain an approximate temperature of 4 degrees
Centigrade. Tools were thoroughly cleaned and decontaminated with
the seven step decon process after each use. The samples remained in
custody of SBG-EEG, Inc. until they were transferred to Test America
Incorporated for analysis as documented in the Chain of Custody Record.

XII. RECEPTORS

	Yes	No
A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system? If yes, indicate type of receptor, distance, and direction on site map.		X
B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system? If yes, indicate type of well, distance, and direction on site map.		X
C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system? If yes, indicate type of structure, distance, and direction on site map.		X
D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? *Sewer, water and geothermal If yes, indicate the type of utility, distance, and direction on the site map.	*X	
E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete? If yes, indicate the area of contaminated soil on the site map.		X

XIII. SITE MAP

You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)



768 ALTHEA STREET

0 105210 420 630 840 1,050
Feet

SBG-EEG, Inc.


398 E. 5th North Street, Suite C
Summerville SC 29483-6954

Ph. (843) 875-1930

Drawn By: L. DiAsia

Dwg Date: NOV 2010

**FIGURE 1: LOCATION MAP
768 ALTHEA STREET
LAUREL BAY, BEAUFORT SC**



GRAPHIC SCALE

0	5'	10'	20'
---	----	-----	-----



SBG-EEG

398 E. 5 NORTH ST., SUITE C
SUMMERTIME, SC
29483-6954


FIGURE 2 SITE MAP
768 ALTHEA ST., LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE NOV 2010



REAR OF
768 ALTHEA STREET



GRAPHIC SCALE
0 5'

SBG-EEG

398 E. 5 NORTH ST., SUITE C
SUMMERTVILLE, SC
29483-6954

FIGURE 3 SITE MAP
768 ALTHEA ST., LAUREL BAY
MCAS BEAUFORT SC

SCALE: GRAPHIC


DWG. DATE NOV 2010



Picture 1: Location of tanks at 768 Althea Street.



Picture 2: UST 768Althea-1.



Picture 3: Excavation for UST 768Althea-2.



Picture 4: UST 768Althea-3.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	UST	768Althea-1		768Althea-2		768Althea-3
Benzene		ND		ND		0.00194 mg/kg
Toluene		0.000993 mg/kg		0.00136 mg/kg		0.00176 mg/kg
Ethylbenzene		0.0128 mg/kg		0.947 mg/kg		0.421 mg/kg
Xylenes		0.0460 mg/kg		0.385 mg/kg		0.647 mg/kg
Naphthalene		0.0783 mg/kg		4.47 mg/kg		2.59 mg/kg
Benzo (a) anthracene		ND		1.26 mg/kg		0.449 mg/kg
Benzo (b) fluoranthene		ND		0.903 mg/kg		0.256 mg/kg
Benzo (k) fluoranthene		ND		0.272 mg/kg		0.110 mg/kg
Chrysene		ND		1.12 mg/kg		0.408 mg/kg
Dibenz (a, h) anthracene		ND		ND		ND
TPH (EPA 3550)						

CoC							
Benzene							
Toluene							
Ethylbenzene							
Xylenes							
Naphthalene							
Benzo (a) anthracene							
Benzo (b) fluoranthene							
Benzo (k) fluoranthene							
Chrysene							
Dibenz (a, h) anthracene							
TPH (EPA 3550)							

SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL ($\mu\text{g/l}$)	W-1	W-2	W-3	W-4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here)
(Please see Form #4)

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 • 800-765-0980 • Fax 615-726-3404

November 09, 2010 12:58:56PM

Client: EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn: Tom McElwee

Work Order: NTJ2921
Project Name: Laurel Bay Housing Project
Project Nbr: [none]
P/O Nbr: 1005
Date Received: 10/22/10

SAMPLE IDENTIFICATION

767 Althea-1
767 Althea-2
768 Althea-1
768 Althea-2
768 Althea-3
772 Althea
775 Althea
776 Laurel Bay Blvd.
774 Althea

LAB NUMBER

NTJ2921-01	10/18/10 11:30
NTJ2921-02	10/18/10 15:00
NTJ2921-03	10/19/10 10:30
NTJ2921-04	10/19/10 13:45
NTJ2921-05	10/19/10 16:00
NTJ2921-06	10/20/10 11:45
NTJ2921-07	10/20/10 15:45
NTJ2921-08	10/21/10 11:15
NTJ2921-09	10/21/10 16:45

COLLECTION DATE AND TIME

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

South Carolina Certification Number: 84009

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.


These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.

This report has been electronically signed.

Report Approved By:



Ken A. Hayes

Senior Project Manager

Client	EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456	Work Order: Project Name: Project Number: Received:	NTJ2921 Laurel Bay Housing Project [none] 10/22/10 08:10
Attn	Tom McElwee		

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NTJ2921-01 (767 Althea-1 - Soil) Sampled: 10/18/10 11:30										
General Chemistry Parameters										
% Dry Solids										
	83.7		%	0.500	0.500	1	10/29/10 09:22	SW-846	HLB	10J5505
Volatile Organic Compounds by EPA Method 8260B										
Benzene	0.154		mg/kg dry	0.00118	0.00214	1	10/28/10 07:16	SW846 8260B	MJH/H	10J4214
Ethylbenzene	6.28		mg/kg dry	0.0525	0.107	50	10/28/10 19:55	SW846 8260B	MJH/H	10J5890
Naphthalene	88.0		mg/kg dry	1.82	5.36	1000	10/28/10 20:24	SW846 8260B	MJH/H	10J5890
Toluene	ND		mg/kg dry	0.000954	0.00214	1	10/28/10 07:16	SW846 8260B	MJH/H	10J4214
Xylenes, total	0.376		mg/kg dry	0.00204	0.00536	1	10/28/10 07:16	SW846 8260B	MJH/H	10J4214
Surr: 1,2-Dichloroethane-d4 (67-138%)	100 %					1	10/28/10 07:16	SW846 8260B	MJH/H	10J4214
Surr: 1,2-Dichloroethane-d4 (67-138%)	95 %					50	10/28/10 19:55	SW846 8260B	MJH/H	10J5890
Surr: 1,2-Dichloroethane-d4 (67-138%)	95 %					1000	10/28/10 20:24	SW846 8260B	MJH/H	10J5890
Surr: Dibromoformmethane (75-125%)	105 %					1	10/28/10 07:16	SW846 8260B	MJH/H	10J4214
Surr: Dibromoformmethane (75-125%)	93 %					50	10/28/10 19:55	SW846 8260B	MJH/H	10J5890
Surr: Dibromoformmethane (75-125%)	94 %					1000	10/28/10 20:24	SW846 8260B	MJH/H	10J5890
Surr: Toluene-d8 (76-129%)	1260 %	ZX				1	10/28/10 07:16	SW846 8260B	MJH/H	10J4214
Surr: Toluene-d8 (76-129%)	121 %					50	10/28/10 19:55	SW846 8260B	MJH/H	10J5890
Surr: Toluene-d8 (76-129%)	103 %					1000	10/28/10 20:24	SW846 8260B	MJH/H	10J5890
Surr: 4-Bromoformbenzene (67-147%)	1780 %	ZX				1	10/28/10 07:16	SW846 8260B	MJH/H	10J4214
Surr: 4-Bromoformbenzene (67-147%)	136 %					50	10/28/10 19:55	SW846 8260B	MJH/H	10J5890
Surr: 4-Bromoformbenzene (67-147%)	110 %					1000	10/28/10 20:24	SW846 8260B	MJH/H	10J5890
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	5.36		mg/kg dry	0.162	0.776	10	10/29/10 14:00	SW846 8270D	BES	10J4632
Acenaphthylene	2.66		mg/kg dry	0.232	0.776	10	10/29/10 14:00	SW846 8270D	BES	10J4632
Anthracene	0.741	J	mg/kg dry	0.104	0.776	10	10/29/10 14:00	SW846 8270D	BES	10J4632
Benzo (a) anthracene	1.22		mg/kg dry	0.127	0.776	10	10/29/10 14:00	SW846 8270D	BES	10J4632
Benzo (a) pyrene	0.428	J	mg/kg dry	0.0926	0.776	10	10/29/10 14:00	SW846 8270D	BES	10J4632
Benzo (b) fluoranthene	0.718	J	mg/kg dry	0.440	0.776	10	10/29/10 14:00	SW846 8270D	BES	10J4632
Benzo (g,h,i) perylene	ND		mg/kg dry	0.104	0.776	10	10/29/10 14:00	SW846 8270D	BES	10J4632
Benzo (k) fluoranthene	ND		mg/kg dry	0.428	0.776	10	10/29/10 14:00	SW846 8270D	BES	10J4632
Chrysene	1.11		mg/kg dry	0.359	0.776	10	10/29/10 14:00	SW846 8270D	BES	10J4632
Dibenz (a,h) anthracene	ND		mg/kg dry	0.174	0.776	10	10/29/10 14:00	SW846 8270D	BES	10J4632
Fluoranthene	3.05		mg/kg dry	0.127	0.776	10	10/29/10 14:00	SW846 8270D	BES	10J4632
Fluorene	8.29		mg/kg dry	0.232	0.776	10	10/29/10 14:00	SW846 8270D	BES	10J4632
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.359	0.776	10	10/29/10 14:00	SW846 8270D	BES	10J4632
Naphthalene	28.1		mg/kg dry	0.162	0.776	10	10/29/10 14:00	SW846 8270D	BES	10J4632
Phenanthrene	17.9		mg/kg dry	0.116	0.776	10	10/29/10 14:00	SW846 8270D	BES	10J4632
Pyrene	2.92		mg/kg dry	0.266	0.776	10	10/29/10 14:00	SW846 8270D	BES	10J4632
1-Methylnaphthalene	108		mg/kg dry	1.39	7.76	100	10/30/10 21:11	SW846 8270D	BES	10J4632
2-Methylnaphthalene	178		mg/kg dry	2.43	7.76	100	10/30/10 21:11	SW846 8270D	BES	10J4632
Surr: Terphenyl-d14 (18-120%)	42 %					10	10/29/10 14:00	SW846 8270D	BES	10J4632

Client EEG - Small Business Group, Inc. (2449)
 10179 Highway 78
 Ladson, SC 29456

Work Order: NTJ2921
 Project Name: Laurel Bay Housing Project
 Project Number: [none]
 Received: 10/22/10 08:10

Attn Tom McElwee

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Date/Time	Method	Analyst	Batch
Sample ID: NTJ2921-01 (767 Althea-1 - Soil) - cont. Sampled: 10/18/10 11:30										
Polyaromatic Hydrocarbons by EPA 8270D - cont.										
Surr: 2-Fluorobiphenyl (14-120%)	68 %					10	10/29/10 14:00	SW846 8270D	BES	10J4632
Surr: Nitrobenzene-d5 (17-120%)	155 %		23			10	10/29/10 14:00	SW846 8270D	BES	10J4632
Sample ID: NTJ2921-02 (767 Althea-2 - Soil) Sampled: 10/18/10 15:00										
General Chemistry Parameters										
% Dry Solids	80.1		%	0.500	0.500	1	10/29/10 09:22	SW-846	HLB	10J5505
Volatile Organic Compounds by EPA Method 8260B										
Benzene	0.00111	J	mg/kg dry	0.00106	0.00193	1	10/29/10 20:46	SW846 8260B	MJH/H	10J3703
Ethylbenzene	0.00601		mg/kg dry	0.000947	0.00193	1	10/29/10 20:46	SW846 8260B	MJH/H	10J3703
Naphthalene	0.0347		mg/kg dry	0.00164	0.00483	1	10/29/10 20:46	SW846 8260B	MJH/H	10J3703
Toluene	0.00111	J	mg/kg dry	0.000860	0.00193	1	10/29/10 20:46	SW846 8260B	MJH/H	10J3703
Xylenes, total	ND		mg/kg dry	0.00184	0.00483	1	10/29/10 20:46	SW846 8260B	MJH/H	10J3703
Surr: 1,2-Dichloroethane-d4 (67-138%)	96 %					1	10/29/10 20:46	SW846 8260B	MJH/H	10J3703
Surr: Dibromofluoromethane (75-125%)	106 %					1	10/29/10 20:46	SW846 8260B	MJH/H	10J3703
Surr: Toluene-d8 (76-129%)	102 %					1	10/29/10 20:46	SW846 8260B	MJH/H	10J3703
Surr: 4-Bromofluorobenzene (67-147%)	107 %					1	10/29/10 20:46	SW846 8260B	MJH/H	10J3703
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0173	0.0827	1	10/28/10 19:27	SW846 8270D	BES	10J4632
Acenaphthylene	ND		mg/kg dry	0.0247	0.0827	1	10/28/10 19:27	SW846 8270D	BES	10J4632
Anthracene	ND		mg/kg dry	0.0111	0.0827	1	10/28/10 19:27	SW846 8270D	BES	10J4632
Benzo (a) anthracene	ND		mg/kg dry	0.0136	0.0827	1	10/28/10 19:27	SW846 8270D	BES	10J4632
Benzo (a) pyrene	ND		mg/kg dry	0.00987	0.0827	1	10/28/10 19:27	SW846 8270D	BES	10J4632
Benzo (b) fluoranthene	ND		mg/kg dry	0.0469	0.0827	1	10/28/10 19:27	SW846 8270D	BES	10J4632
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0111	0.0827	1	10/28/10 19:27	SW846 8270D	BES	10J4632
Benzo (k) fluoranthene	ND		mg/kg dry	0.0457	0.0827	1	10/28/10 19:27	SW846 8270D	BES	10J4632
Chrysene	ND		mg/kg dry	0.0383	0.0827	1	10/28/10 19:27	SW846 8270D	BES	10J4632
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0185	0.0827	1	10/28/10 19:27	SW846 8270D	BES	10J4632
Fluoranthene	0.0765	J	mg/kg dry	0.0136	0.0827	1	10/28/10 19:27	SW846 8270D	BES	10J4632
Fluorene	0.175		mg/kg dry	0.0247	0.0827	1	10/28/10 19:27	SW846 8270D	BES	10J4632
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0383	0.0827	1	10/28/10 19:27	SW846 8270D	BES	10J4632
Naphthalene	0.0621	J	mg/kg dry	0.0173	0.0827	1	10/28/10 19:27	SW846 8270D	BES	10J4632
Phenanthrene	0.480		mg/kg dry	0.0123	0.0827	1	10/28/10 19:27	SW846 8270D	BES	10J4632
Pyrene	0.0872		mg/kg dry	0.0284	0.0827	1	10/28/10 19:27	SW846 8270D	BES	10J4632
1-Methylnaphthalene	0.432		mg/kg dry	0.0148	0.0827	1	10/28/10 19:27	SW846 8270D	BES	10J4632
2-Methylnaphthalene	0.593		mg/kg dry	0.0259	0.0827	1	10/28/10 19:27	SW846 8270D	BES	10J4632
Surr: Terphenyl-d14 (18-120%)	67 %					1	10/28/10 19:27	SW846 8270D	BES	10J4632
Surr: 2-Fluorobiphenyl (14-120%)	56 %					1	10/28/10 19:27	SW846 8270D	BES	10J4632
Surr: Nitrobenzene-d5 (17-120%)	51 %					1	10/28/10 19:27	SW846 8270D	BES	10J4632

Client	EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456	Work Order:	NTJ2921
Attn	Tom McElwee	Project Name:	Laurel Bay Housing Project
		Project Number:	[none]
		Received:	10/22/10 08:10

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NTJ2921-03 (768 Althea-1 - Soil) Sampled: 10/19/10 10:30										
General Chemistry Parameters										
% Dry Solids	84.9		%	0.500	0.500	1	10/29/10 09:22	SW-846	HLB	10J5505
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.000942	0.00171	1	10/29/10 21:15	SW846 8260B	MJH/H	10J3703
Ethylbenzene	0.0128		mg/kg dry	0.000839	0.00171	1	10/29/10 21:15	SW846 8260B	MJH/H	10J3703
Naphthalene	0.0783		mg/kg dry	0.00146	0.00428	1	10/29/10 21:15	SW846 8260B	MJH/H	10J3703
Toluene	0.000993	J	mg/kg dry	0.000762	0.00171	1	10/29/10 21:15	SW846 8260B	MJH/H	10J3703
Xylenes, total	0.0460		mg/kg dry	0.00163	0.00428	1	10/29/10 21:15	SW846 8260B	MJH/H	10J3703
Surr: 1,2-Dichloroethane-d4 (67-138%)	100 %					1	10/29/10 21:15	SW846 8260B	MJH/H	10J3703
Surr: Dibromoformmethane (75-125%)	104 %					1	10/29/10 21:15	SW846 8260B	MJH/H	10J3703
Surr: Toluene-d8 (76-129%)	105 %					1	10/29/10 21:15	SW846 8260B	MJH/H	10J3703
Surr: 4-Bromofluorobenzene (67-147%)	104 %					1	10/29/10 21:15	SW846 8260B	MJH/H	10J3703
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0163	0.0780	1	10/28/10 19:48	SW846 8270D	BES	10J4632
Acenaphthylene	ND		mg/kg dry	0.0233	0.0780	1	10/28/10 19:48	SW846 8270D	BES	10J4632
Anthracene	ND		mg/kg dry	0.0105	0.0780	1	10/28/10 19:48	SW846 8270D	BES	10J4632
Benzo (a) anthracene	ND		mg/kg dry	0.0128	0.0780	1	10/28/10 19:48	SW846 8270D	BES	10J4632
Benzo (a) pyrene	ND		mg/kg dry	0.00931	0.0780	1	10/28/10 19:48	SW846 8270D	BES	10J4632
Benzo (b) fluoranthene	ND		mg/kg dry	0.0442	0.0780	1	10/28/10 19:48	SW846 8270D	BES	10J4632
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0105	0.0780	1	10/28/10 19:48	SW846 8270D	BES	10J4632
Benzo (k) fluoranthene	ND		mg/kg dry	0.0431	0.0780	1	10/28/10 19:48	SW846 8270D	BES	10J4632
Chrysene	ND		mg/kg dry	0.0361	0.0780	1	10/28/10 19:48	SW846 8270D	BES	10J4632
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0175	0.0780	1	10/28/10 19:48	SW846 8270D	BES	10J4632
Fluoranthene	ND		mg/kg dry	0.0128	0.0780	1	10/28/10 19:48	SW846 8270D	BES	10J4632
Fluorene	ND		mg/kg dry	0.0233	0.0780	1	10/28/10 19:48	SW846 8270D	BES	10J4632
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0361	0.0780	1	10/28/10 19:48	SW846 8270D	BES	10J4632
Naphthalene	ND		mg/kg dry	0.0163	0.0780	1	10/28/10 19:48	SW846 8270D	BES	10J4632
Phenanthrene	ND		mg/kg dry	0.0116	0.0780	1	10/28/10 19:48	SW846 8270D	BES	10J4632
Pyrene	ND		mg/kg dry	0.0268	0.0780	1	10/28/10 19:48	SW846 8270D	BES	10J4632
1-Methylnaphthalene	0.0450	J	mg/kg dry	0.0140	0.0780	1	10/28/10 19:48	SW846 8270D	BES	10J4632
2-Methylnaphthalene	0.0702	J	mg/kg dry	0.0244	0.0780	1	10/28/10 19:48	SW846 8270D	BES	10J4632
Surr: Terphenyl-d14 (18-120%)	59 %					1	10/28/10 19:48	SW846 8270D	BES	10J4632
Surr: 2-Fluorobiphenyl (14-120%)	46 %					1	10/28/10 19:48	SW846 8270D	BES	10J4632
Surr: Nitrobenzene-d5 (17-120%)	40 %					1	10/28/10 19:48	SW846 8270D	BES	10J4632

Client EEG - Small Business Group, Inc. (2449)
 10179 Highway 78
 Ladson, SC 29456
 Attn Tom McElwee

Work Order: NTJ2921
 Project Name: Laurel Bay Housing Project
 Project Number: [none]
 Received: 10/22/10 08:10

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NTJ2921-04 (768 Althea-2 - Soil) Sampled: 10/19/10 13:45										
General Chemistry Parameters										
% Dry Solids	81.8		%	0.500	0.500	1	10/29/10 09:22	SW-846	HLB	10J5505
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00124	0.00226	1	10/28/10 08:44	SW846 8260B	MJH/H	10J4214
Ethylbenzene	0.947		mg/kg dry	0.0554	0.113	50	10/28/10 19:25	SW846 8260B	MJH/H	10J5890
Naphthalene	4.47		mg/kg dry	0.0960	0.282	50	10/28/10 19:25	SW846 8260B	MJH/H	10J5890
Toluene	0.00136	J	mg/kg dry	0.00101	0.00226	1	10/28/10 08:44	SW846 8260B	MJH/H	10J4214
Xylenes, total	0.385		mg/kg dry	0.00215	0.00565	1	10/28/10 08:44	SW846 8260B	MJH/H	10J4214
Surr: 1,2-Dichloroethane-d4 (67-138%)	94 %					1	10/28/10 08:44	SW846 8260B	MJH/H	10J4214
Surr: 1,2-Dichloroethane-d4 (67-138%)	91 %					50	10/28/10 19:25	SW846 8260B	MJH/H	10J5890
Surr: Dibromoformmethane (75-125%)	92 %					1	10/28/10 08:44	SW846 8260B	MJH/H	10J4214
Surr: Dibromoformmethane (75-125%)	90 %					50	10/28/10 19:25	SW846 8260B	MJH/H	10J5890
Surr: Toluene-d8 (76-129%)	138 %	ZX				1	10/28/10 08:44	SW846 8260B	MJH/H	10J4214
Surr: Toluene-d8 (76-129%)	106 %					50	10/28/10 19:25	SW846 8260B	MJH/H	10J5890
Surr: 4-Bromofluorobenzene (67-147%)	291 %	ZX				1	10/28/10 08:44	SW846 8260B	MJH/H	10J4214
Surr: 4-Bromofluorobenzene (67-147%)	103 %					50	10/28/10 19:25	SW846 8260B	MJH/H	10J5890
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	0.632		mg/kg dry	0.0169	0.0810	1	10/28/10 20:11	SW846 8270D	BES	10J4632
Acenaphthylene	ND		mg/kg dry	0.0242	0.0810	1	10/28/10 20:11	SW846 8270D	BES	10J4632
Anthracene	0.453		mg/kg dry	0.0109	0.0810	1	10/28/10 20:11	SW846 8270D	BES	10J4632
Benzo (a) anthracene	1.26		mg/kg dry	0.0133	0.0810	1	10/28/10 20:11	SW846 8270D	BES	10J4632
Benzo (a) pyrene	0.539		mg/kg dry	0.00967	0.0810	1	10/28/10 20:11	SW846 8270D	BES	10J4632
Benzo (b) fluoranthene	0.903		mg/kg dry	0.0459	0.0810	1	10/28/10 20:11	SW846 8270D	BES	10J4632
Benzo (g,h,i) perylene	0.139		mg/kg dry	0.0109	0.0810	1	10/28/10 20:11	SW846 8270D	BES	10J4632
Benzo (k) fluoranthene	0.272		mg/kg dry	0.0447	0.0810	1	10/28/10 20:11	SW846 8270D	BES	10J4632
Chrysene	1.12		mg/kg dry	0.0375	0.0810	1	10/28/10 20:11	SW846 8270D	BES	10J4632
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0181	0.0810	1	10/28/10 20:11	SW846 8270D	BES	10J4632
Fluoranthene	2.88		mg/kg dry	0.0133	0.0810	1	10/28/10 20:11	SW846 8270D	BES	10J4632
Fluorene	1.34		mg/kg dry	0.0242	0.0810	1	10/28/10 20:11	SW846 8270D	BES	10J4632
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0375	0.0810	1	10/28/10 20:11	SW846 8270D	BES	10J4632
Naphthalene	2.59		mg/kg dry	0.0169	0.0810	1	10/28/10 20:11	SW846 8270D	BES	10J4632
Phenanthrene	3.77		mg/kg dry	0.0121	0.0810	1	10/28/10 20:11	SW846 8270D	BES	10J4632
Pyrene	2.54		mg/kg dry	0.0278	0.0810	1	10/28/10 20:11	SW846 8270D	BES	10J4632
1-Methylnaphthalene	10.2		mg/kg dry	0.0580	0.324	4	10/29/10 12:55	SW846 8270D	BES	10J4632
2-Methylnaphthalene	15.3		mg/kg dry	0.101	0.324	4	10/29/10 12:55	SW846 8270D	BES	10J4632
Surr: Terphenyl-d14 (18-120%)	62 %					1	10/28/10 20:11	SW846 8270D	BES	10J4632
Surr: 2-Fluorobiphenyl (14-120%)	58 %					1	10/28/10 20:11	SW846 8270D	BES	10J4632
Surr: Nitrobenzene-d5 (17-120%)	102 %					1	10/28/10 20:11	SW846 8270D	BES	10J4632

Client	EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456	Work Order:	NTJ2921
		Project Name:	Laurel Bay Housing Project
		Project Number:	[none]
Attn	Tom McElwee	Received:	10/22/10 08:10

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NTJ2921-05 (768 Althea-3 - Soil) Sampled: 10/19/10 16:00										
General Chemistry Parameters										
% Dry Solids	82.0		%	0.500	0.500	1	10/29/10 09:22	SW-846	HLB	10J5505
Volatile Organic Compounds by EPA Method 8260B										
Benzene	0.00194	J	mg/kg dry	0.00115	0.00210	1	10/28/10 09:13	SW846 8260B	MJH/H	10J4214
Ethylbenzene	0.421		mg/kg dry	0.0514	0.105	50	10/28/10 20:53	SW846 8260B	MJH/H	10J5890
Naphthalene	2.59		mg/kg dry	0.0892	0.262	50	10/28/10 20:53	SW846 8260B	MJH/H	10J5890
Toluene	0.00176	J	mg/kg dry	0.000934	0.00210	1	10/28/10 09:13	SW846 8260B	MJH/H	10J4214
Xylenes, total	0.647		mg/kg dry	0.0997	0.262	50	10/28/10 20:53	SW846 8260B	MJH/H	10J5890
Surr: 1,2-Dichloroethane-d4 (67-138%)	101 %					1	10/28/10 09:13	SW846 8260B	MJH/H	10J4214
Surr: 1,2-Dichloroethane-d4 (67-138%)	94 %					50	10/28/10 20:53	SW846 8260B	MJH/H	10J5890
Surr: Dibromoformmethane (75-125%)	103 %					1	10/28/10 09:13	SW846 8260B	MJH/H	10J4214
Surr: Dibromoformmethane (75-125%)	96 %					50	10/28/10 20:53	SW846 8260B	MJH/H	10J5890
Surr: Toluene-d8 (76-129%)	1050 %	ZX				1	10/28/10 09:13	SW846 8260B	MJH/H	10J4214
Surr: Toluene-d8 (76-129%)	103 %					50	10/28/10 20:53	SW846 8260B	MJH/H	10J5890
Surr: 4-Bromoformbenzene (67-147%)	2200 %	ZX				1	10/28/10 09:13	SW846 8260B	MJH/H	10J4214
Surr: 4-Bromoformbenzene (67-147%)	103 %					50	10/28/10 20:53	SW846 8260B	MJH/H	10J5890
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0166	0.0794	1	10/28/10 20:33	SW846 8270D	BES	10J4632
Acenaphthylene	ND		mg/kg dry	0.0237	0.0794	1	10/28/10 20:33	SW846 8270D	BES	10J4632
Anthracene	0.853		mg/kg dry	0.0107	0.0794	1	10/28/10 20:33	SW846 8270D	BES	10J4632
Benzo (a) anthracene	0.449		mg/kg dry	0.0130	0.0794	1	10/28/10 20:33	SW846 8270D	BES	10J4632
Benzo (a) pyrene	0.165		mg/kg dry	0.00948	0.0794	1	10/28/10 20:33	SW846 8270D	BES	10J4632
Benzo (b) fluoranthene	0.256		mg/kg dry	0.0451	0.0794	1	10/28/10 20:33	SW846 8270D	BES	10J4632
Benzo (g,h,i) perylene	0.0435	J	mg/kg dry	0.0107	0.0794	1	10/28/10 20:33	SW846 8270D	BES	10J4632
Benzo (k) fluoranthene	0.110		mg/kg dry	0.0439	0.0794	1	10/28/10 20:33	SW846 8270D	BES	10J4632
Chrysene	0.408		mg/kg dry	0.0368	0.0794	1	10/28/10 20:33	SW846 8270D	BES	10J4632
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0178	0.0794	1	10/28/10 20:33	SW846 8270D	BES	10J4632
Fluoranthene	1.66		mg/kg dry	0.0130	0.0794	1	10/28/10 20:33	SW846 8270D	BES	10J4632
Fluorene	ND		mg/kg dry	0.0237	0.0794	1	10/28/10 20:33	SW846 8270D	BES	10J4632
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0368	0.0794	1	10/28/10 20:33	SW846 8270D	BES	10J4632
Naphthalene	6.45		mg/kg dry	0.0664	0.318	4	10/29/10 13:16	SW846 8270D	BES	10J4632
Phenanthrene	9.10		mg/kg dry	0.0474	0.318	4	10/29/10 13:16	SW846 8270D	BES	10J4632
Pyrene	1.17		mg/kg dry	0.0273	0.0794	1	10/28/10 20:33	SW846 8270D	BES	10J4632
1-Methylnaphthalene	25.4		mg/kg dry	0.285	1.59	20	10/29/10 14:57	SW846 8270D	BES	10J4632
2-Methylnaphthalene	39.1		mg/kg dry	0.498	1.59	20	10/29/10 14:57	SW846 8270D	BES	10J4632
Surr: Terphenyl-d14 (18-120%)	59 %					1	10/28/10 20:33	SW846 8270D	BES	10J4632
Surr: 2-Fluorobiphenyl (14-120%)	48 %					1	10/28/10 20:33	SW846 8270D	BES	10J4632
Surr: Nitrobenzene-d5 (17-120%)	158 %	ZX				1	10/28/10 20:33	SW846 8270D	BES	10J4632

Client EEG - Small Business Group, Inc. (2449)
 10179 Highway 78
 Ladson, SC 29456
 Attn Tom McElwee

Work Order: NTJ2921
 Project Name: Laurel Bay Housing Project
 Project Number: [none]
 Received: 10/22/10 08:10

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NTJ2921-06 (772 Althea - Soil) Sampled: 10/20/10 11:45										
General Chemistry Parameters										
% Dry Solids	75.5		%	0.500	0.500	1	10/29/10 09:22	SW-846	HLB	10J5505
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00141	0.00256	1	11/03/10 16:37	SW846 8260B	MJH/H	10J4481
Ethylbenzene	ND		mg/kg dry	0.00125	0.00256	1	11/03/10 16:37	SW846 8260B	MJH/H	10J4481
Naphthalene	ND	L	mg/kg dry	0.00217	0.00639	1	11/03/10 16:37	SW846 8260B	MJH/H	10J4481
Toluene	ND		mg/kg dry	0.00114	0.00256	1	11/03/10 16:37	SW846 8260B	MJH/H	10J4481
Xylenes, total	ND		mg/kg dry	0.00243	0.00639	1	11/03/10 16:37	SW846 8260B	MJH/H	10J4481
Surr: 1,2-Dichloroethane-d4 (67-138%)	91 %					1	11/03/10 16:37	SW846 8260B	MJH/H	10J4481
Surr: Dibromoformmethane (75-125%)	87 %					1	11/03/10 16:37	SW846 8260B	MJH/H	10J4481
Surr: Toluene-d8 (76-129%)	117 %					1	11/03/10 16:37	SW846 8260B	MJH/H	10J4481
Surr: 4-Bromofluorobenzene (67-147%)	102 %					1	11/03/10 16:37	SW846 8260B	MJH/H	10J4481
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0182	0.0873	1	10/28/10 20:54	SW846 8270D	BES	10J4632
Acenaphthylene	ND		mg/kg dry	0.0261	0.0873	1	10/28/10 20:54	SW846 8270D	BES	10J4632
Anthracene	ND		mg/kg dry	0.0117	0.0873	1	10/28/10 20:54	SW846 8270D	BES	10J4632
Benzo (a) anthracene	ND		mg/kg dry	0.0143	0.0873	1	10/28/10 20:54	SW846 8270D	BES	10J4632
Benzo (a) pyrene	ND		mg/kg dry	0.0104	0.0873	1	10/28/10 20:54	SW846 8270D	BES	10J4632
Benzo (b) fluoranthene	ND		mg/kg dry	0.0495	0.0873	1	10/28/10 20:54	SW846 8270D	BES	10J4632
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0117	0.0873	1	10/28/10 20:54	SW846 8270D	BES	10J4632
Benzo (k) fluoranthene	ND		mg/kg dry	0.0482	0.0873	1	10/28/10 20:54	SW846 8270D	BES	10J4632
Chrysene	ND		mg/kg dry	0.0404	0.0873	1	10/28/10 20:54	SW846 8270D	BES	10J4632
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0195	0.0873	1	10/28/10 20:54	SW846 8270D	BES	10J4632
Fluoranthene	ND		mg/kg dry	0.0143	0.0873	1	10/28/10 20:54	SW846 8270D	BES	10J4632
Fluorene	ND		mg/kg dry	0.0261	0.0873	1	10/28/10 20:54	SW846 8270D	BES	10J4632
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0404	0.0873	1	10/28/10 20:54	SW846 8270D	BES	10J4632
Naphthalene	ND		mg/kg dry	0.0182	0.0873	1	10/28/10 20:54	SW846 8270D	BES	10J4632
Phenanthrene	ND		mg/kg dry	0.0130	0.0873	1	10/28/10 20:54	SW846 8270D	BES	10J4632
Pyrene	ND		mg/kg dry	0.0300	0.0873	1	10/28/10 20:54	SW846 8270D	BES	10J4632
1-Methylnaphthalene	ND		mg/kg dry	0.0156	0.0873	1	10/28/10 20:54	SW846 8270D	BES	10J4632
2-Methylnaphthalene	ND		mg/kg dry	0.0274	0.0873	1	10/28/10 20:54	SW846 8270D	BES	10J4632
Surr: Terphenyl-d14 (18-120%)	60 %					1	10/28/10 20:54	SW846 8270D	BES	10J4632
Surr: 2-Fluorobiphenyl (14-120%)	52 %					1	10/28/10 20:54	SW846 8270D	BES	10J4632
Surr: Nitrobenzene-d5 (17-120%)	45 %					1	10/28/10 20:54	SW846 8270D	BES	10J4632

Client EEG - Small Business Group, Inc. (2449)
 10179 Highway 78
 Ladson, SC 29456
 Attn Tom McElwee

Work Order: NTJ2921
 Project Name: Laurel Bay Housing Project
 Project Number: [none]
 Received: 10/22/10 08:10

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NTJ2921-07 (775 Althea - Soil) Sampled: 10/20/10 15:45										
General Chemistry Parameters										
% Dry Solids	81.3		%	0.500	0.500	1	10/29/10 09:22	SW-846	HLB	10J5505
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00129	0.00235	1	11/01/10 16:37	SW846 8260B	MJH/H	10J4689
Ethylbenzene	4.42	M2	mg/kg dry	0.0549	0.112	50	11/03/10 20:11	SW846 8260B	MJH/H	10J4481
Naphthalene	28.1		mg/kg dry	1.90	5.60	1000	11/03/10 22:49	SW846 8260B	MJH H	10K0998
Toluene	ND		mg/kg dry	0.00104	0.00235	1	11/01/10 16:37	SW846 8260B	MJH/H	10J4689
Xylenes, total	2.85	B, M2	mg/kg dry	0.106	0.280	50	11/03/10 20:11	SW846 8260B	MJH/H	10J4481
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	102 %					1	11/01/10 16:37	SW846 8260B	MJH/H	10J4689
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	93 %					50	11/03/10 20:11	SW846 8260B	MJH/H	10J4481
<i>Surr: 1,2-Dichloroethane-d4 (67-138%)</i>	83 %					1000	11/03/10 22:49	SW846 8260B	MJH H	10K0998
<i>Surr: Dibromoformmethane (75-125%)</i>	105 %					1	11/01/10 16:37	SW846 8260B	MJH/H	10J4689
<i>Surr: Dibromoformmethane (75-125%)</i>	91 %					50	11/03/10 20:11	SW846 8260B	MJH/H	10J4481
<i>Surr: Dibromoformmethane (75-125%)</i>	91 %					1000	11/03/10 22:49	SW846 8260B	MJH H	10K0998
<i>Surr: Toluene-d8 (76-129%)</i>	137 %	ZX				1	11/01/10 16:37	SW846 8260B	MJH/H	10J4689
<i>Surr: Toluene-d8 (76-129%)</i>	115 %					50	11/03/10 20:11	SW846 8260B	MJH/H	10J4481
<i>Surr: Toluene-d8 (76-129%)</i>	103 %					1000	11/03/10 22:49	SW846 8260B	MJH H	10K0998
<i>Surr: 4-Bromoformbenzene (67-147%)</i>	408 %	ZX				1	11/01/10 16:37	SW846 8260B	MJH/H	10J4689
<i>Surr: 4-Bromoformbenzene (67-147%)</i>	119 %					50	11/03/10 20:11	SW846 8260B	MJH/H	10J4481
<i>Surr: 4-Bromoformbenzene (67-147%)</i>	106 %					1000	11/03/10 22:49	SW846 8260B	MJH H	10K0998
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0168	0.0804	1	10/28/10 21:16	SW846 8270D	BES	10J4632
Acenaphthylene	ND		mg/kg dry	0.0240	0.0804	1	10/28/10 21:16	SW846 8270D	BES	10J4632
Anthracene	0.761		mg/kg dry	0.0108	0.0804	1	10/28/10 21:16	SW846 8270D	BES	10J4632
Benzo (a) anthracene	0.279		mg/kg dry	0.0132	0.0804	1	10/28/10 21:16	SW846 8270D	BES	10J4632
Benzo (a) pyrene	0.0928		mg/kg dry	0.00960	0.0804	1	10/28/10 21:16	SW846 8270D	BES	10J4632
Benzo (b) fluoranthene	0.140		mg/kg dry	0.0456	0.0804	1	10/28/10 21:16	SW846 8270D	BES	10J4632
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0108	0.0804	1	10/28/10 21:16	SW846 8270D	BES	10J4632
Benzo (k) fluoranthene	0.0600	J	mg/kg dry	0.0444	0.0804	1	10/28/10 21:16	SW846 8270D	BES	10J4632
Chrysene	0.183		mg/kg dry	0.0372	0.0804	1	10/28/10 21:16	SW846 8270D	BES	10J4632
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0180	0.0804	1	10/28/10 21:16	SW846 8270D	BES	10J4632
Fluoranthene	1.01		mg/kg dry	0.0132	0.0804	1	10/28/10 21:16	SW846 8270D	BES	10J4632
Fluorene	2.78		mg/kg dry	0.0240	0.0804	1	10/28/10 21:16	SW846 8270D	BES	10J4632
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0372	0.0804	1	10/28/10 21:16	SW846 8270D	BES	10J4632
Naphthalene	9.59		mg/kg dry	0.0672	0.321	4	10/29/10 13:38	SW846 8270D	BES	10J4632
Phenanthrene	9.34		mg/kg dry	0.0480	0.321	4	10/29/10 13:38	SW846 8270D	BES	10J4632
Pyrene	1.07		mg/kg dry	0.0276	0.0804	1	10/28/10 21:16	SW846 8270D	BES	10J4632
1-Methylnaphthalene	31.3		mg/kg dry	0.288	1.61	20	10/29/10 15:19	SW846 8270D	BES	10J4632
2-Methylnaphthalene	49.0		mg/kg dry	0.504	1.61	20	10/29/10 15:19	SW846 8270D	BES	10J4632
<i>Surr: Terphenyl-d4 (18-120%)</i>	62 %					1	10/28/10 21:16	SW846 8270D	BES	10J4632

Client	EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456	Work Order:	NTJ2921
Attn	Tom McElwee	Project Name:	Laurel Bay Housing Project
		Project Number:	[none]
		Received:	10/22/10 08:10

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NTJ2921-07 (775 Althea - Soil) - cont. Sampled: 10/20/10 15:45										
Polyaromatic Hydrocarbons by EPA 8270D - cont.										
Sur: 2-Fluorobiphenyl (14-120%)	63 %					1	10/28/10 21:16	SW846 8270D	BES	10J4632
Sur: Nitrobenzene-d5 (17-120%)	86 %					1	10/28/10 21:16	SW846 8270D	BES	10J4632
Sample ID: NTJ2921-08 (776 Laurel Bay Blvd. - Soil) Sampled: 10/21/10 11:15										
General Chemistry Parameters										
% Dry Solids	95.2		%	0.500	0.500	1	10/29/10 09:22	SW-846	HLB	10J5505
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00125	0.00227	1	11/03/10 17:06	SW846 8260B	MJH/H	10J4481
Ethylbenzene	ND		mg/kg dry	0.00111	0.00227	1	11/03/10 17:06	SW846 8260B	MJH/H	10J4481
Naphthalene	ND	L	mg/kg dry	0.00193	0.00568	1	11/03/10 17:06	SW846 8260B	MJH/H	10J4481
Toluene	ND		mg/kg dry	0.00101	0.00227	1	11/03/10 17:06	SW846 8260B	MJH/H	10J4481
Xylenes, total	ND		mg/kg dry	0.00216	0.00568	1	11/03/10 17:06	SW846 8260B	MJH/H	10J4481
Sur: 1,2-Dichloroethane-d4 (67-138%)	87 %					1	11/03/10 17:06	SW846 8260B	MJH/H	10J4481
Sur: Dibromoformmethane (75-125%)	87 %					1	11/03/10 17:06	SW846 8260B	MJH/H	10J4481
Sur: Toluene-d8 (76-129%)	103 %					1	11/03/10 17:06	SW846 8260B	MJH/H	10J4481
Sur: 4-Bromofluorobenzene (67-147%)	112 %					1	11/03/10 17:06	SW846 8260B	MJH/H	10J4481
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0147	0.0703	1	10/28/10 21:38	SW846 8270D	BES	10J4632
Acenaphthylene	ND		mg/kg dry	0.0210	0.0703	1	10/28/10 21:38	SW846 8270D	BES	10J4632
Anthracene	ND		mg/kg dry	0.00944	0.0703	1	10/28/10 21:38	SW846 8270D	BES	10J4632
Benzo (a) anthracene	ND		mg/kg dry	0.0115	0.0703	1	10/28/10 21:38	SW846 8270D	BES	10J4632
Benzo (a) pyrene	ND		mg/kg dry	0.00839	0.0703	1	10/28/10 21:38	SW846 8270D	BES	10J4632
Benzo (b) fluoranthene	ND		mg/kg dry	0.0399	0.0703	1	10/28/10 21:38	SW846 8270D	BES	10J4632
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00944	0.0703	1	10/28/10 21:38	SW846 8270D	BES	10J4632
Benzo (k) fluoranthene	ND		mg/kg dry	0.0388	0.0703	1	10/28/10 21:38	SW846 8270D	BES	10J4632
Chrysene	ND		mg/kg dry	0.0325	0.0703	1	10/28/10 21:38	SW846 8270D	BES	10J4632
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0157	0.0703	1	10/28/10 21:38	SW846 8270D	BES	10J4632
Fluoranthene	ND		mg/kg dry	0.0115	0.0703	1	10/28/10 21:38	SW846 8270D	BES	10J4632
Fluorene	ND		mg/kg dry	0.0210	0.0703	1	10/28/10 21:38	SW846 8270D	BES	10J4632
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0325	0.0703	1	10/28/10 21:38	SW846 8270D	BES	10J4632
Naphthalene	ND		mg/kg dry	0.0147	0.0703	1	10/28/10 21:38	SW846 8270D	BES	10J4632
Phenanthrene	ND		mg/kg dry	0.0105	0.0703	1	10/28/10 21:38	SW846 8270D	BES	10J4632
Pyrene	ND		mg/kg dry	0.0241	0.0703	1	10/28/10 21:38	SW846 8270D	BES	10J4632
1-Methylnaphthalene	0.0402	J	mg/kg dry	0.0126	0.0703	1	10/28/10 21:38	SW846 8270D	BES	10J4632
2-Methylnaphthalene	0.0643	J	mg/kg dry	0.0220	0.0703	1	10/28/10 21:38	SW846 8270D	BES	10J4632
Sur: Terphenyl-d14 (18-120%)	63 %					1	10/28/10 21:38	SW846 8270D	BES	10J4632
Sur: 2-Fluorobiphenyl (14-120%)	50 %					1	10/28/10 21:38	SW846 8270D	BES	10J4632
Sur: Nitrobenzene-d5 (17-120%)	43 %					1	10/28/10 21:38	SW846 8270D	BES	10J4632

Client	EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456	Work Order:	NTJ2921
Attn	Tom McElwee	Project Name:	Laurel Bay Housing Project
		Project Number:	[none]
		Received:	10/22/10 08:10

ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NTJ2921-09 (774 Althea - Soil) Sampled: 10/21/10 16:45										
General Chemistry Parameters										
% Dry Solids	86.2		%	0.500	0.500	1	10/29/10 09:22	SW-846	HLB	10J5505
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00113	0.00205	1	11/01/10 17:35	SW846 8260B	MJH/H	10J4689
Ethylbenzene	0.00487		mg/kg dry	0.00100	0.00205	1	11/01/10 17:35	SW846 8260B	MJH/H	10J4689
Naphthalene	0.0365		mg/kg dry	0.00174	0.00513	1	11/01/10 17:35	SW846 8260B	MJH/H	10J4689
Toluene	ND		mg/kg dry	0.000912	0.00205	1	11/01/10 17:35	SW846 8260B	MJH/H	10J4689
Xylenes, total	0.0156		mg/kg dry	0.00195	0.00513	1	11/01/10 17:35	SW846 8260B	MJH/H	10J4689
Surr: 1,2-Dichloroethane-d4 (67-138%)	102 %					1	11/01/10 17:35	SW846 8260B	MJH/H	10J4689
Surr: Dibromoformmethane (75-125%)	100 %					1	11/01/10 17:35	SW846 8260B	MJH/H	10J4689
Surr: Toluene-d8 (76-129%)	103 %					1	11/01/10 17:35	SW846 8260B	MJH/H	10J4689
Surr: 4-Bromofluorobenzene (67-147%)	114 %					1	11/01/10 17:35	SW846 8260B	MJH/H	10J4689
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0159	0.0759	1	10/28/10 22:00	SW846 8270D	BES	10J4632
Acenaphthylene	ND		mg/kg dry	0.0227	0.0759	1	10/28/10 22:00	SW846 8270D	BES	10J4632
Anthracene	ND		mg/kg dry	0.0102	0.0759	1	10/28/10 22:00	SW846 8270D	BES	10J4632
Benzo (a) anthracene	ND		mg/kg dry	0.0125	0.0759	1	10/28/10 22:00	SW846 8270D	BES	10J4632
Benzo (a) pyrene	ND		mg/kg dry	0.00907	0.0759	1	10/28/10 22:00	SW846 8270D	BES	10J4632
Benzo (b) fluoranthene	ND		mg/kg dry	0.0431	0.0759	1	10/28/10 22:00	SW846 8270D	BES	10J4632
Benzo (g,h,i) perylene	ND		mg/kg dry	0.0102	0.0759	1	10/28/10 22:00	SW846 8270D	BES	10J4632
Benzo (k) fluoranthene	ND		mg/kg dry	0.0419	0.0759	1	10/28/10 22:00	SW846 8270D	BES	10J4632
Chrysene	ND		mg/kg dry	0.0351	0.0759	1	10/28/10 22:00	SW846 8270D	BES	10J4632
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0170	0.0759	1	10/28/10 22:00	SW846 8270D	BES	10J4632
Fluoranthene	ND		mg/kg dry	0.0125	0.0759	1	10/28/10 22:00	SW846 8270D	BES	10J4632
Fluorene	ND		mg/kg dry	0.0227	0.0759	1	10/28/10 22:00	SW846 8270D	BES	10J4632
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0351	0.0759	1	10/28/10 22:00	SW846 8270D	BES	10J4632
Naphthalene	ND		mg/kg dry	0.0159	0.0759	1	10/28/10 22:00	SW846 8270D	BES	10J4632
Phenanthrene	ND		mg/kg dry	0.0113	0.0759	1	10/28/10 22:00	SW846 8270D	BES	10J4632
Pyrene	ND		mg/kg dry	0.0261	0.0759	1	10/28/10 22:00	SW846 8270D	BES	10J4632
1-Methylnaphthalene	ND		mg/kg dry	0.0136	0.0759	1	10/28/10 22:00	SW846 8270D	BES	10J4632
2-Methylnaphthalene	ND		mg/kg dry	0.0238	0.0759	1	10/28/10 22:00	SW846 8270D	BES	10J4632
Surr: Terphenyl-d14 (18-120%)	59 %					1	10/28/10 22:00	SW846 8270D	BES	10J4632
Surr: 2-Fluorobiphenyl (14-120%)	49 %					1	10/28/10 22:00	SW846 8270D	BES	10J4632
Surr: Nitrobenzene-d5 (17-120%)	42 %					1	10/28/10 22:00	SW846 8270D	BES	10J4632

Client EEG - Small Business Group, Inc. (2449)
 10179 Highway 78
 Ladson, SC 29456
 Attn Tom McElwee

Work Order: NTJ2921
 Project Name: Laurel Bay Housing Project
 Project Number: [none]
 Received: 10/22/10 08:10

SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
Polyaromatic Hydrocarbons by EPA 8270D							
SW846 8270D	10J4632	NTJ2921-01	30.94	1.00	10/26/10 11:05	SAS	EPA 3550C
SW846 8270D	10J4632	NTJ2921-01RE1	30.94	1.00	10/26/10 11:05	SAS	EPA 3550C
SW846 8270D	10J4632	NTJ2921-01RE2	30.94	1.00	10/26/10 11:05	SAS	EPA 3550C
SW846 8270D	10J4632	NTJ2921-01RE3	30.94	1.00	10/26/10 11:05	SAS	EPA 3550C
SW846 8270D	10J4632	NTJ2921-02	30.35	1.00	10/26/10 11:05	SAS	EPA 3550C
SW846 8270D	10J4632	NTJ2921-03	30.38	1.00	10/26/10 11:05	SAS	EPA 3550C
SW846 8270D	10J4632	NTJ2921-04	30.35	1.00	10/26/10 11:05	SAS	EPA 3550C
SW846 8270D	10J4632	NTJ2921-04RE1	30.35	1.00	10/26/10 11:05	SAS	EPA 3550C
SW846 8270D	10J4632	NTJ2921-05	30.86	1.00	10/26/10 11:05	SAS	EPA 3550C
SW846 8270D	10J4632	NTJ2921-05RE1	30.86	1.00	10/26/10 11:05	SAS	EPA 3550C
SW846 8270D	10J4632	NTJ2921-05RE2	30.86	1.00	10/26/10 11:05	SAS	EPA 3550C
SW846 8270D	10J4632	NTJ2921-06	30.49	1.00	10/26/10 11:05	SAS	EPA 3550C
SW846 8270D	10J4632	NTJ2921-07	30.77	1.00	10/26/10 11:05	SAS	EPA 3550C
SW846 8270D	10J4632	NTJ2921-07RE1	30.77	1.00	10/26/10 11:05	SAS	EPA 3550C
SW846 8270D	10J4632	NTJ2921-07RE2	30.77	1.00	10/26/10 11:05	SAS	EPA 3550C
SW846 8270D	10J4632	NTJ2921-08	30.05	1.00	10/26/10 11:05	SAS	EPA 3550C
SW846 8270D	10J4632	NTJ2921-09	30.71	1.00	10/26/10 11:05	SAS	EPA 3550C
Volatile Organic Compounds by EPA Method 8260B							
SW846 8260B	10J4214	NTJ2921-01	5.57	5.00	10/18/10 11:30	JRL	EPA 5035
SW846 8260B	10J5890	NTJ2921-01RE1	5.57	5.00	10/18/10 11:30	JRL	EPA 5035
SW846 8260B	10J5890	NTJ2921-01RE2	5.57	5.00	10/18/10 11:30	JRL	EPA 5035
SW846 8260B	10J4214	NTJ2921-02	6.46	5.00	10/18/10 15:00	JRL	EPA 5035
SW846 8260B	10J3703	NTJ2921-02RE1	6.46	5.00	10/18/10 15:00	JRL	EPA 5035
SW846 8260B	10J4214	NTJ2921-03	6.88	5.00	10/19/10 10:30	JRL	EPA 5035
SW846 8260B	10J3703	NTJ2921-03RE1	6.88	5.00	10/19/10 10:30	JRL	EPA 5035
SW846 8260B	10J4214	NTJ2921-04	5.41	5.00	10/19/10 13:45	JRL	EPA 5035
SW846 8260B	10J5890	NTJ2921-04RE1	5.41	5.00	10/19/10 13:45	JRL	EPA 5035
SW846 8260B	10J4214	NTJ2921-05	5.81	5.00	10/19/10 16:00	JRL	EPA 5035
SW846 8260B	10J5890	NTJ2921-05RE1	5.81	5.00	10/19/10 16:00	JRL	EPA 5035
SW846 8260B	10J4689	NTJ2921-06	5.06	5.00	10/20/10 11:45	JRL	EPA 5035
SW846 8260B	10J4481	NTJ2921-06RE1	5.18	5.00	10/20/10 11:45	JRL	EPA 5035
SW846 8260B	10J4689	NTJ2921-07	5.24	5.00	10/20/10 15:45	JRL	EPA 5035
SW846 8260B	10J4481	NTJ2921-07RE1	5.49	5.00	10/20/10 15:45	JRL	EPA 5035
SW846 8260B	10K0998	NTJ2921-07RE2	5.49	5.00	10/20/10 15:45	JRL	EPA 5035
SW846 8260B	10J4689	NTJ2921-08	4.83	5.00	10/21/10 11:15	JRL	EPA 5035
SW846 8260B	10J4481	NTJ2921-08RE1	4.62	5.00	10/21/10 11:15	JRL	EPA 5035
SW846 8260B	10J4689	NTJ2921-09	5.66	5.00	10/21/10 16:45	JRL	EPA 5035

Client EEG - Small Business Group, Inc. (2449)
 10179 Highway 78
 Ladson, SC 29456
 Attn Tom McElwee

Work Order: NTJ2921
 Project Name: Laurel Bay Housing Project
 Project Number: [none]
 Received: 10/22/10 08:10

PROJECT QUALITY CONTROL DATA Blank

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B						
10J4214-BLK1						
Benzene	<0.00110		mg/kg wet	10J4214	10J4214-BLK1	10/28/10 05:20
Ethylbenzene	<0.000980		mg/kg wet	10J4214	10J4214-BLK1	10/28/10 05:20
Naphthalene	<0.00170		mg/kg wet	10J4214	10J4214-BLK1	10/28/10 05:20
Toluene	<0.000890		mg/kg wet	10J4214	10J4214-BLK1	10/28/10 05:20
Xylenes, total	<0.00190		mg/kg wet	10J4214	10J4214-BLK1	10/28/10 05:20
Surrogate: 1,2-Dichloroethane-d4	98%			10J4214	10J4214-BLK1	10/28/10 05:20
Surrogate: Dibromofluoromethane	102%			10J4214	10J4214-BLK1	10/28/10 05:20
Surrogate: Toluene-d8	98%			10J4214	10J4214-BLK1	10/28/10 05:20
Surrogate: 4-Bromo Fluorobenzene	104%			10J4214	10J4214-BLK1	10/28/10 05:20
10J4481-BLK1						
Benzene	<0.00110		mg/kg wet	10J4481	10J4481-BLK1	11/03/10 15:38
Ethylbenzene	<0.000980		mg/kg wet	10J4481	10J4481-BLK1	11/03/10 15:38
Naphthalene	<0.00170		mg/kg wet	10J4481	10J4481-BLK1	11/03/10 15:38
Toluene	<0.000890		mg/kg wet	10J4481	10J4481-BLK1	11/03/10 15:38
Xylenes, total	0.00192	J	mg/kg wet	10J4481	10J4481-BLK1	11/03/10 15:38
Surrogate: 1,2-Dichloroethane-d4	106%			10J4481	10J4481-BLK1	11/03/10 15:38
Surrogate: Dibromo Fluoromethane	101%			10J4481	10J4481-BLK1	11/03/10 15:38
Surrogate: Toluene-d8	109%			10J4481	10J4481-BLK1	11/03/10 15:38
Surrogate: 4-Bromo Fluorobenzene	106%			10J4481	10J4481-BLK1	11/03/10 15:38
10J4689-BLK1						
Benzene	<0.00110		mg/kg wet	10J4689	10J4689-BLK1	11/01/10 13:01
Ethylbenzene	<0.000980		mg/kg wet	10J4689	10J4689-BLK1	11/01/10 13:01
Naphthalene	<0.00170		mg/kg wet	10J4689	10J4689-BLK1	11/01/10 13:01
Toluene	<0.000890		mg/kg wet	10J4689	10J4689-BLK1	11/01/10 13:01
Xylenes, total	<0.00190		mg/kg wet	10J4689	10J4689-BLK1	11/01/10 13:01
Surrogate: 1,2-Dichloroethane-d4	96%			10J4689	10J4689-BLK1	11/01/10 13:01
Surrogate: Dibromo Fluoromethane	102%			10J4689	10J4689-BLK1	11/01/10 13:01
Surrogate: Toluene-d8	99%			10J4689	10J4689-BLK1	11/01/10 13:01
Surrogate: 4-Bromo Fluorobenzene	103%			10J4689	10J4689-BLK1	11/01/10 13:01
10J5890-BLK1						
Benzene	<0.00110		mg/kg wet	10J5890	10J5890-BLK1	10/28/10 15:28
Ethylbenzene	<0.000980		mg/kg wet	10J5890	10J5890-BLK1	10/28/10 15:28
Naphthalene	<0.00170		mg/kg wet	10J5890	10J5890-BLK1	10/28/10 15:28
Toluene	<0.000890		mg/kg wet	10J5890	10J5890-BLK1	10/28/10 15:28
Xylenes, total	<0.00190		mg/kg wet	10J5890	10J5890-BLK1	10/28/10 15:28
Surrogate: 1,2-Dichloroethane-d4	96%			10J5890	10J5890-BLK1	10/28/10 15:28
Surrogate: Dibromo Fluoromethane	95%			10J5890	10J5890-BLK1	10/28/10 15:28
Surrogate: Toluene-d8	102%			10J5890	10J5890-BLK1	10/28/10 15:28
Surrogate: 4-Bromo Fluorobenzene	105%			10J5890	10J5890-BLK1	10/28/10 15:28

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 • 800-765-0980 • Fax 615-728-3404

Client	EEG - Small Business Group, Inc. (2449)	Work Order:	NTJ2921
	10179 Highway 78	Project Name:	Laurel Bay Housing Project
	Ladson, SC 29456	Project Number:	[none]
Attn	Tom McElwee	Received:	10/22/10 08:10

PROJECT QUALITY CONTROL DATA

Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

Volatile Organic Compounds by EPA Method 8260B

10J5890-BLK2

Benzene	<0.0550		mg/kg wet	10J5890	10J5890-BLK2	10/28/10 15:59
Ethylbenzene	<0.0490		mg/kg wet	10J5890	10J5890-BLK2	10/28/10 15:59
Naphthalene	<0.0850		mg/kg wet	10J5890	10J5890-BLK2	10/28/10 15:59
Toluene	<0.0445		mg/kg wet	10J5890	10J5890-BLK2	10/28/10 15:59
Xylenes, total	<0.0950		mg/kg wet	10J5890	10J5890-BLK2	10/28/10 15:59
Surrogate: 1,2-Dichloroethane-d4	99%			10J5890	10J5890-BLK2	10/28/10 15:59
Surrogate: Dibromoformmethane	96%			10J5890	10J5890-BLK2	10/28/10 15:59
Surrogate: Toluene-d8	100%			10J5890	10J5890-BLK2	10/28/10 15:59
Surrogate: 4-Bromofluorobenzene	100%			10J5890	10J5890-BLK2	10/28/10 15:59

10K0998-BLK1

Benzene	<0.00110		mg/kg wet	10K0998	10K0998-BLK1	11/03/10 18:35
Ethylbenzene	<0.000980		mg/kg wet	10K0998	10K0998-BLK1	11/03/10 18:35
Naphthalene	<0.00170		mg/kg wet	10K0998	10K0998-BLK1	11/03/10 18:35
Toluene	<0.000890		mg/kg wet	10K0998	10K0998-BLK1	11/03/10 18:35
Xylenes, total	<0.00190		mg/kg wet	10K0998	10K0998-BLK1	11/03/10 18:35
Surrogate: 1,2-Dichloroethane-d4	92%			10K0998	10K0998-BLK1	11/03/10 18:35
Surrogate: Dibromoformmethane	94%			10K0998	10K0998-BLK1	11/03/10 18:35
Surrogate: Toluene-d8	102%			10K0998	10K0998-BLK1	11/03/10 18:35
Surrogate: 4-Bromofluorobenzene	108%			10K0998	10K0998-BLK1	11/03/10 18:35

10K0998-BLK2

Benzene	<0.0550		mg/kg wet	10K0998	10K0998-BLK2	11/03/10 19:06
Ethylbenzene	<0.0490		mg/kg wet	10K0998	10K0998-BLK2	11/03/10 19:06
Naphthalene	<0.0850		mg/kg wet	10K0998	10K0998-BLK2	11/03/10 19:06
Toluene	<0.0445		mg/kg wet	10K0998	10K0998-BLK2	11/03/10 19:06
Xylenes, total	<0.0950		mg/kg wet	10K0998	10K0998-BLK2	11/03/10 19:06
Surrogate: 1,2-Dichloroethane-d4	86%			10K0998	10K0998-BLK2	11/03/10 19:06
Surrogate: Dibromoformmethane	91%			10K0998	10K0998-BLK2	11/03/10 19:06
Surrogate: Toluene-d8	101%			10K0998	10K0998-BLK2	11/03/10 19:06
Surrogate: 4-Bromofluorobenzene	105%			10K0998	10K0998-BLK2	11/03/10 19:06

Polyaromatic Hydrocarbons by EPA 8270D

10J4632-BLK1

Acenaphthene	<0.0140		mg/kg wet	10J4632	10J4632-BLK1	10/28/10 15:46
Acenaphthylene	<0.0200		mg/kg wet	10J4632	10J4632-BLK1	10/28/10 15:46
Anthracene	<0.00900		mg/kg wet	10J4632	10J4632-BLK1	10/28/10 15:46
Benzo (a) anthracene	<0.0110		mg/kg wet	10J4632	10J4632-BLK1	10/28/10 15:46
Benzo (a) pyrene	<0.00800		mg/kg wet	10J4632	10J4632-BLK1	10/28/10 15:46
Benzo (b) fluoranthene	<0.0380		mg/kg wet	10J4632	10J4632-BLK1	10/28/10 15:46
Benzo (g,h,i) perylene	<0.00900		mg/kg wet	10J4632	10J4632-BLK1	10/28/10 15:46

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NTJ2921
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 10/22/10 08:10

PROJECT QUALITY CONTROL DATA
Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
Polyaromatic Hydrocarbons by EPA 8270D						
10J4632-BLK1						
Benzo (k) fluoranthene	<0.0370		mg/kg wet	10J4632	10J4632-BLK1	10/28/10 15:46
Chrysene	<0.0310		mg/kg wet	10J4632	10J4632-BLK1	10/28/10 15:46
Dibenz (a,h) anthracene	<0.0150		mg/kg wet	10J4632	10J4632-BLK1	10/28/10 15:46
Fluoranthene	<0.0110		mg/kg wet	10J4632	10J4632-BLK1	10/28/10 15:46
Fluorene	<0.0200		mg/kg wet	10J4632	10J4632-BLK1	10/28/10 15:46
Indeno (1,2,3-cd) pyrene	<0.0310		mg/kg wet	10J4632	10J4632-BLK1	10/28/10 15:46
Naphthalene	<0.0140		mg/kg wet	10J4632	10J4632-BLK1	10/28/10 15:46
Phenanthrene	<0.0100		mg/kg wet	10J4632	10J4632-BLK1	10/28/10 15:46
Pyrene	<0.0230		mg/kg wet	10J4632	10J4632-BLK1	10/28/10 15:46
1-Methylnaphthalene	<0.0120		mg/kg wet	10J4632	10J4632-BLK1	10/28/10 15:46
2-Methylnaphthalene	<0.0210		mg/kg wet	10J4632	10J4632-BLK1	10/28/10 15:46
Surrogate: Terphenyl-d14	74%			10J4632	10J4632-BLK1	10/28/10 15:46
Surrogate: 2-Fluorobiphenyl	70%			10J4632	10J4632-BLK1	10/28/10 15:46
Surrogate: Nitrobenzene-d5	63%			10J4632	10J4632-BLK1	10/28/10 15:46



THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 * 800-765-0980 * Fax 615-726-3404

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NTJ2921
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 10/22/10 08:10

PROJECT QUALITY CONTROL DATA

Duplicate

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	% Rec.	Analyzed Date/Time
General Chemistry Parameters										
10J5505-DUP1										
% Dry Solids	83.7	84.0		%	0.3	20	10J5505	NTJ2921-01		10/29/10 09:22

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 * 800-765-0980 * Fax 615-726-3404

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NTJ2921
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 10/22/10 08:10

PROJECT QUALITY CONTROL DATA LCS

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B								
10J4214-BS1								
Benzene	50.0	46.0		ug/kg	92%	78 - 126	10J4214	10/28/10 04:21
Ethylbenzene	50.0	47.7		ug/kg	95%	79 - 130	10J4214	10/28/10 04:21
Naphthalene	50.0	39.6		ug/kg	79%	72 - 150	10J4214	10/28/10 04:21
Toluene	50.0	47.4		ug/kg	95%	76 - 126	10J4214	10/28/10 04:21
Xylenes, total	150	142		ug/kg	94%	80 - 130	10J4214	10/28/10 04:21
Surrogate: 1,2-Dichloroethane-d4	50.0	47.7			95%	67 - 138	10J4214	10/28/10 04:21
Surrogate: Dibromoformmethane	50.0	50.4			101%	75 - 125	10J4214	10/28/10 04:21
Surrogate: Toluene-d8	50.0	50.2			100%	76 - 129	10J4214	10/28/10 04:21
Surrogate: 4-Bromofluorobenzene	50.0	50.6			101%	67 - 147	10J4214	10/28/10 04:21
10J4481-BS1								
Benzene	50.0	53.0		ug/kg	106%	78 - 126	10J4481	11/03/10 12:47
Ethylbenzene	50.0	54.5		ug/kg	109%	79 - 130	10J4481	11/03/10 12:47
Naphthalene	50.0	122	L	ug/kg	244%	72 - 150	10J4481	11/03/10 12:47
Toluene	50.0	54.4		ug/kg	109%	76 - 126	10J4481	11/03/10 12:47
Xylenes, total	150	169	B	ug/kg	112%	80 - 130	10J4481	11/03/10 12:47
Surrogate: 1,2-Dichloroethane-d4	50.0	51.0			102%	67 - 138	10J4481	11/03/10 12:47
Surrogate: Dibromoformmethane	50.0	50.5			101%	75 - 125	10J4481	11/03/10 12:47
Surrogate: Toluene-d8	50.0	51.8			104%	76 - 129	10J4481	11/03/10 12:47
Surrogate: 4-Bromofluorobenzene	50.0	51.8			104%	67 - 147	10J4481	11/03/10 12:47
10J4689-BS1								
Benzene	50.0	48.0		ug/kg	96%	78 - 126	10J4689	11/01/10 10:06
Ethylbenzene	50.0	53.1		ug/kg	106%	79 - 130	10J4689	11/01/10 10:06
Naphthalene	50.0	48.3		ug/kg	97%	72 - 150	10J4689	11/01/10 10:06
Toluene	50.0	50.0		ug/kg	100%	76 - 126	10J4689	11/01/10 10:06
Xylenes, total	150	160		ug/kg	106%	80 - 130	10J4689	11/01/10 10:06
Surrogate: 1,2-Dichloroethane-d4	50.0	48.7			97%	67 - 138	10J4689	11/01/10 10:06
Surrogate: Dibromoformmethane	50.0	53.1			106%	75 - 125	10J4689	11/01/10 10:06
Surrogate: Toluene-d8	50.0	50.4			101%	76 - 129	10J4689	11/01/10 10:06
Surrogate: 4-Bromofluorobenzene	50.0	52.5			105%	67 - 147	10J4689	11/01/10 10:06
10J5890-BS1								
Benzene	50.0	48.9		ug/kg	98%	78 - 126	10J5890	10/28/10 13:58
Ethylbenzene	50.0	50.2		ug/kg	100%	79 - 130	10J5890	10/28/10 13:58
Naphthalene	50.0	47.8		ug/kg	96%	72 - 150	10J5890	10/28/10 13:58
Toluene	50.0	47.8		ug/kg	96%	76 - 126	10J5890	10/28/10 13:58
Xylenes, total	150	146		ug/kg	97%	80 - 130	10J5890	10/28/10 13:58
Surrogate: 1,2-Dichloroethane-d4	50.0	52.4			105%	67 - 138	10J5890	10/28/10 13:58
Surrogate: Dibromoformmethane	50.0	54.7			109%	75 - 125	10J5890	10/28/10 13:58
Surrogate: Toluene-d8	50.0	51.1			102%	76 - 129	10J5890	10/28/10 13:58
Surrogate: 4-Bromofluorobenzene	50.0	54.2			108%	67 - 147	10J5890	10/28/10 13:58

Client EEG - Small Business Group, Inc. (2449)
 10179 Highway 78
 Ladson, SC 29456
 Attn Tom McElwee

Work Order: NTJ2921
 Project Name: Laurel Bay Housing Project
 Project Number: [none]
 Received: 10/22/10 08:10

PROJECT QUALITY CONTROL DATA LCS - Cont.

Analyte	Known Val.	Analyzed Val.	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B								
10K0998-BS1								
Benzene	50.0	47.4		ug/kg	95%	78 - 126	10K0998	11/03/10 17:03
Ethylbenzene	50.0	56.5		ug/kg	113%	79 - 130	10K0998	11/03/10 17:03
Naphthalene	50.0	56.3		ug/kg	113%	72 - 150	10K0998	11/03/10 17:03
Toluene	50.0	51.4		ug/kg	103%	76 - 126	10K0998	11/03/10 17:03
Xylenes, total	150	164		ug/kg	109%	80 - 130	10K0998	11/03/10 17:03
Surrogate: 1,2-Dichloroethane-d4	50.0	45.2			90%	67 - 138	10K0998	11/03/10 17:03
Surrogate: Dibromoformmethane	50.0	47.5			95%	75 - 125	10K0998	11/03/10 17:03
Surrogate: Toluene-d8	50.0	49.5			99%	76 - 129	10K0998	11/03/10 17:03
Surrogate: 4-Bromoformbenzene	50.0	53.6			107%	67 - 147	10K0998	11/03/10 17:03

Polyaromatic Hydrocarbons by EPA 8270D

10J4632-BS1								
Acenaphthene	1.67	1.14		mg/kg wet	68%	49 - 120	10J4632	10/28/10 16:08
Acenaphthylene	1.67	1.15		mg/kg wet	69%	52 - 120	10J4632	10/28/10 16:08
Anthracene	1.67	1.23		mg/kg wet	74%	58 - 120	10J4632	10/28/10 16:08
Benzo (a) anthracene	1.67	1.13		mg/kg wet	68%	57 - 120	10J4632	10/28/10 16:08
Benzo (a) pyrene	1.67	1.25		mg/kg wet	75%	55 - 120	10J4632	10/28/10 16:08
Benzo (b) fluoranthene	1.67	1.21		mg/kg wet	72%	51 - 123	10J4632	10/28/10 16:08
Benzo (g,h,i) perylene	1.67	1.16		mg/kg wet	70%	49 - 121	10J4632	10/28/10 16:08
Benzo (k) fluoranthene	1.67	1.16		mg/kg wet	69%	42 - 129	10J4632	10/28/10 16:08
Chrysene	1.67	1.10		mg/kg wet	66%	55 - 120	10J4632	10/28/10 16:08
Dibenz (a,h) anthracene	1.67	1.17		mg/kg wet	70%	50 - 123	10J4632	10/28/10 16:08
Fluoranthene	1.67	1.14		mg/kg wet	68%	58 - 120	10J4632	10/28/10 16:08
Fluorene	1.67	1.13		mg/kg wet	68%	54 - 120	10J4632	10/28/10 16:08
Indeno (1,2,3-cd) pyrene	1.67	1.20		mg/kg wet	72%	50 - 122	10J4632	10/28/10 16:08
Naphthalene	1.67	0.943		mg/kg wet	57%	28 - 120	10J4632	10/28/10 16:08
Phenanthrene	1.67	1.16		mg/kg wet	70%	56 - 120	10J4632	10/28/10 16:08
Pyrene	1.67	1.19		mg/kg wet	71%	56 - 120	10J4632	10/28/10 16:08
1-Methylnaphthalene	1.67	0.909		mg/kg wet	55%	36 - 120	10J4632	10/28/10 16:08
2-Methylnaphthalene	1.67	0.980		mg/kg wet	59%	36 - 120	10J4632	10/28/10 16:08
Surrogate: Terphenyl-d14	1.67	1.02			61%	18 - 120	10J4632	10/28/10 16:08
Surrogate: 2-Fluorobiphenyl	1.67	0.964			58%	14 - 120	10J4632	10/28/10 16:08
Surrogate: Nitrobenzene-d5	1.67	0.886			53%	17 - 120	10J4632	10/28/10 16:08

Client EEG - Small Business Group, Inc. (2449)
 10179 Highway 78
 Ladson, SC 29456
 Attn Tom McElwee

Work Order: NTJ2921
 Project Name: Laurel Bay Housing Project
 Project Number: [none]
 Received: 10/22/10 08:10

PROJECT QUALITY CONTROL DATA
LCS Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B												
10J4481-BSD1												
Benzene	50.3			ug/kg	50.0	101%	78 - 126	5	50	10J4481		11/03/10 13:52
Ethylbenzene	54.1			ug/kg	50.0	108%	79 - 130	0.8	50	10J4481		11/03/10 13:52
Naphthalene	114	L		ug/kg	50.0	229%	72 - 150	6	50	10J4481		11/03/10 13:52
Toluene	52.9			ug/kg	50.0	106%	76 - 126	3	50	10J4481		11/03/10 13:52
Xylenes, total	170	B		ug/kg	150	113%	80 - 130	0.6	50	10J4481		11/03/10 13:52
Surrogate: 1,2-Dichloroethane-d4	48.2			ug/kg	50.0	96%	67 - 138			10J4481		11/03/10 13:52
Surrogate: Dibromo/fluoromethane	48.6			ug/kg	50.0	97%	75 - 125			10J4481		11/03/10 13:52
Surrogate: Toluene-d8	51.6			ug/kg	50.0	103%	76 - 129			10J4481		11/03/10 13:52
Surrogate: 4-Bromo/fluorobenzene	52.1			ug/kg	50.0	104%	67 - 147			10J4481		11/03/10 13:52
10J4689-BSD1												
Benzene	51.0			ug/kg	50.0	102%	78 - 126	6	50	10J4689		11/01/10 10:35
Ethylbenzene	53.3			ug/kg	50.0	107%	79 - 130	0.4	50	10J4689		11/01/10 10:35
Naphthalene	47.8			ug/kg	50.0	96%	72 - 150	1	50	10J4689		11/01/10 10:35
Toluene	50.2			ug/kg	50.0	100%	76 - 126	0.5	50	10J4689		11/01/10 10:35
Xylenes, total	158			ug/kg	150	105%	80 - 130	1	50	10J4689		11/01/10 10:35
Surrogate: 1,2-Dichloroethane-d4	51.1			ug/kg	50.0	102%	67 - 138			10J4689		11/01/10 10:35
Surrogate: Dibromo/fluoromethane	55.8			ug/kg	50.0	112%	75 - 125			10J4689		11/01/10 10:35
Surrogate: Toluene-d8	50.0			ug/kg	50.0	100%	76 - 129			10J4689		11/01/10 10:35
Surrogate: 4-Bromo/fluorobenzene	51.8			ug/kg	50.0	104%	67 - 147			10J4689		11/01/10 10:35
10K0998-BSD1												
Benzene	47.6			ug/kg	50.0	95%	78 - 126	0.4	50	10K0998		11/03/10 17:34
Ethylbenzene	55.9			ug/kg	50.0	112%	79 - 130	1	50	10K0998		11/03/10 17:34
Naphthalene	55.0			ug/kg	50.0	110%	72 - 150	2	50	10K0998		11/03/10 17:34
Toluene	50.9			ug/kg	50.0	102%	76 - 126	1	50	10K0998		11/03/10 17:34
Xylenes, total	162			ug/kg	150	108%	80 - 130	1	50	10K0998		11/03/10 17:34
Surrogate: 1,2-Dichloroethane-d4	45.5			ug/kg	50.0	91%	67 - 138			10K0998		11/03/10 17:34
Surrogate: Dibromo/fluoromethane	48.2			ug/kg	50.0	96%	75 - 125			10K0998		11/03/10 17:34
Surrogate: Toluene-d8	49.3			ug/kg	50.0	99%	76 - 129			10K0998		11/03/10 17:34
Surrogate: 4-Bromo/fluorobenzene	53.6			ug/kg	50.0	107%	67 - 147			10K0998		11/03/10 17:34

Client EEG - Small Business Group, Inc. (2449)
 10179 Highway 78
 Ladson, SC 29456
 Attn Tom McElwee

Work Order: NTJ2921
 Project Name: Laurel Bay Housing Project
 Project Number: [none]
 Received: 10/22/10 08:10

PROJECT QUALITY CONTROL DATA Matrix Spike

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B										
10J3703-MS1										
Benzene	ND	48.5		mg/kg wet	50.0	97%	42 - 141	10J3703	NTJ2470-07RE	10/29/10 19:48
Ethylbenzene	9.50	64.1		mg/kg wet	50.0	109%	21 - 165	10J3703	NTJ2470-07RE	10/29/10 19:48
Naphthalene	25.3	52.2		mg/kg wet	50.0	54%	10 - 160	10J3703	NTJ2470-07RE	10/29/10 19:48
Toluene	1.67	71.5		mg/kg wet	50.0	140%	45 - 145	10J3703	NTJ2470-07RE	10/29/10 19:48
Xylenes, total	66.8	211		mg/kg wet	150	96%	31 - 159	10J3703	NTJ2470-07RE	10/29/10 19:48
Surrogate: 1,2-Dichloroethane-d4		48.9		ug/kg	50.0	98%	67 - 138	10J3703	NTJ2470-07RE	10/29/10 19:48
Surrogate: Dibromofluoromethane		54.8		ug/kg	50.0	110%	75 - 125	10J3703	NTJ2470-07RE	10/29/10 19:48
Surrogate: Toluene-d8		51.4		ug/kg	50.0	103%	76 - 129	10J3703	NTJ2470-07RE	10/29/10 19:48
Surrogate: 4-Bromofluorobenzene		52.6		ug/kg	50.0	105%	67 - 147	10J3703	NTJ2470-07RE	10/29/10 19:48
10J4214-MS1										
Benzene	0.00229	0.0562		mg/kg dry	0.0615	88%	42 - 141	10J4214	NTJ2676-03	10/29/10 18:49
Ethylbenzene	0.00148	0.0628		mg/kg dry	0.0615	100%	21 - 165	10J4214	NTJ2676-03	10/29/10 18:49
Naphthalene	0.00639	0.0284		mg/kg dry	0.0615	36%	10 - 160	10J4214	NTJ2676-03	10/29/10 18:49
Toluene	0.00319	0.0634		mg/kg dry	0.0615	98%	45 - 145	10J4214	NTJ2676-03	10/29/10 18:49
Xylenes, total	0.00373	0.183		mg/kg dry	0.185	97%	31 - 159	10J4214	NTJ2676-03	10/29/10 18:49
Surrogate: 1,2-Dichloroethane-d4		50.1		ug/kg	50.0	100%	67 - 138	10J4214	NTJ2676-03	10/29/10 18:49
Surrogate: Dibromofluoromethane		55.1		ug/kg	50.0	110%	75 - 125	10J4214	NTJ2676-03	10/29/10 18:49
Surrogate: Toluene-d8		54.4		ug/kg	50.0	109%	76 - 129	10J4214	NTJ2676-03	10/29/10 18:49
Surrogate: 4-Bromofluorobenzene		63.8		ug/kg	50.0	128%	67 - 147	10J4214	NTJ2676-03	10/29/10 18:49
10J4481-MS1										
Benzene	ND	67.8		ug/kg	50.0	136%	42 - 141	10J4481	NTJ2921-07RE	11/03/10 20:40
Ethylbenzene	3950	158	M2	ug/kg	50.0	-7580%	21 - 165	10J4481	NTJ2921-07RE	11/03/10 20:40
Naphthalene	40600	931	M2	ug/kg	50.0	-79300%	10 - 160	10J4481	NTJ2921-07RE	11/03/10 20:40
Toluene	23.5	66.6		ug/kg	50.0	86%	45 - 145	10J4481	NTJ2921-07RE	11/03/10 20:40
Xylenes, total	2540	270	M2, B	ug/kg	150	-1510%	31 - 159	10J4481	NTJ2921-07RE	11/03/10 20:40
Surrogate: 1,2-Dichloroethane-d4		44.2		ug/kg	50.0	88%	67 - 138	10J4481	NTJ2921-07RE	11/03/10 20:40
Surrogate: Dibromofluoromethane		47.0		ug/kg	50.0	94%	75 - 125	10J4481	NTJ2921-07RE	11/03/10 20:40

Client EEG - Small Business Group, Inc. (2449)
 10179 Highway 78
 Ladson, SC 29456
 Attn Tom McElwee

Work Order: NTJ2921
 Project Name: Laurel Bay Housing Project
 Project Number: [none]
 Received: 10/22/10 08:10

PROJECT QUALITY CONTROL DATA

Matrix Spike - Cont.

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B										
10J4481-MS1										
Surrogate: Toluene-d8		57.4		ug/kg	50.0	115%	76 - 129	10J4481	NTJ2921-07RE	11/03/10 20:40
Surrogate: 4-Bromo/fluorobenzene		64.2		ug/kg	50.0	128%	67 - 147	10J4481	NTJ2921-07RE	11/03/10 20:40
10J5890-MS1										
Benzene	ND	49.8		mg/kg wet	51.3	97%	42 - 141	10J5890	NTJ2470-07RE	10/29/10 19:48
Ethylbenzene	7.80	65.8		mg/kg wet	51.3	113%	21 - 165	10J5890	NTJ2470-07RE	10/29/10 19:48
Naphthalene	20.5	53.6		mg/kg wet	51.3	65%	10 - 160	10J5890	NTJ2470-07RE	10/29/10 19:48
Toluene	1.43	73.4		mg/kg wet	51.3	140%	45 - 145	10J5890	NTJ2470-07RE	10/29/10 19:48
Xylenes, total	53.9	217		mg/kg wet	154	106%	31 - 159	10J5890	NTJ2470-07RE	10/29/10 19:48
Surrogate: 1,2-Dichloroethane-d4		48.9		ug/kg	50.0	98%	67 - 138	10J5890	NTJ2470-07RE	10/29/10 19:48
Surrogate: Dibromo/fluoromethane		54.8		ug/kg	50.0	110%	75 - 125	10J5890	NTJ2470-07RE	10/29/10 19:48
Surrogate: Toluene-d8		51.4		ug/kg	50.0	103%	76 - 129	10J5890	NTJ2470-07RE	10/29/10 19:48
Surrogate: 4-Bromo/fluorobenzene		52.6		ug/kg	50.0	105%	67 - 147	10J5890	NTJ2470-07RE	10/29/10 19:48
10K0998-MS1										
Benzene	ND	53.3		mg/kg dry	56.0	95%	42 - 141	10K0998	NTJ2921-07RE	11/04/10 02:55
Ethylbenzene	5.05	66.1		mg/kg dry	56.0	109%	21 - 165	10K0998	NTJ2921-07RE	11/04/10 02:55
Naphthalene	28.1	80.6		mg/kg dry	56.0	94%	10 - 160	10K0998	NTJ2921-07RE	11/04/10 02:55
Toluene	ND	57.8		mg/kg dry	56.0	103%	45 - 145	10K0998	NTJ2921-07RE	11/04/10 02:55
Xylenes, total	4.31	183		mg/kg dry	168	106%	31 - 159	10K0998	NTJ2921-07RE	11/04/10 02:55
Surrogate: 1,2-Dichloroethane-d4		43.2		ug/kg	50.0	86%	67 - 138	10K0998	NTJ2921-07RE	11/04/10 02:55
Surrogate: Dibromo/fluoromethane		47.2		ug/kg	50.0	94%	75 - 125	10K0998	NTJ2921-07RE	11/04/10 02:55
Surrogate: Toluene-d8		50.4		ug/kg	50.0	101%	76 - 129	10K0998	NTJ2921-07RE	11/04/10 02:55
Surrogate: 4-Bromo/fluorobenzene		54.5		ug/kg	50.0	109%	67 - 147	10K0998	NTJ2921-07RE	11/04/10 02:55
Polyaromatic Hydrocarbons by EPA 8270D										
10J4632-MS1										
Acenaphthene	ND	0.824		mg/kg wet	1.66	50%	42 - 120	10J4632	NTJ2810-01	10/28/10 16:30

Client EEG - Small Business Group, Inc. (2449)
 10179 Highway 78
 Ladson, SC 29456
 Attn Tom McElwee

Work Order: NTJ2921
 Project Name: Laurel Bay Housing Project
 Project Number: [none]
 Received: 10/22/10 08:10

PROJECT QUALITY CONTROL DATA Matrix Spike - Cont.

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Polyaromatic Hydrocarbons by EPA 8270D										
10J4632-MS1										
Acenaphthylene	ND	0.883		mg/kg wet	1.66	53%	32 - 120	10J4632	NTJ2810-01	10/28/10 16:30
Anthracene	ND	0.968		mg/kg wet	1.66	58%	10 - 200	10J4632	NTJ2810-01	10/28/10 16:30
Benzo (a) anthracene	ND	0.914		mg/kg wet	1.66	55%	41 - 120	10J4632	NTJ2810-01	10/28/10 16:30
Benzo (a) pyrene	ND	0.965		mg/kg wet	1.66	58%	33 - 121	10J4632	NTJ2810-01	10/28/10 16:30
Benzo (b) fluoranthene	ND	0.958		mg/kg wet	1.66	58%	26 - 137	10J4632	NTJ2810-01	10/28/10 16:30
Benzo (g,h,i) perylene	ND	0.865		mg/kg wet	1.66	52%	21 - 124	10J4632	NTJ2810-01	10/28/10 16:30
Benzo (k) fluoranthene	ND	0.877		mg/kg wet	1.66	53%	14 - 140	10J4632	NTJ2810-01	10/28/10 16:30
Chrysene	ND	0.862		mg/kg wet	1.66	52%	28 - 123	10J4632	NTJ2810-01	10/28/10 16:30
Dibenz (a,h) anthracene	ND	0.886		mg/kg wet	1.66	53%	25 - 127	10J4632	NTJ2810-01	10/28/10 16:30
Fluoranthene	ND	0.915		mg/kg wet	1.66	55%	38 - 120	10J4632	NTJ2810-01	10/28/10 16:30
Fluorene	ND	0.878		mg/kg wet	1.66	53%	41 - 120	10J4632	NTJ2810-01	10/28/10 16:30
Indeno (1,2,3-cd) pyrene	ND	0.889		mg/kg wet	1.66	53%	25 - 123	10J4632	NTJ2810-01	10/28/10 16:30
Naphthalene	ND	0.692		mg/kg wet	1.66	42%	25 - 120	10J4632	NTJ2810-01	10/28/10 16:30
Phenanthrene	ND	0.923		mg/kg wet	1.66	56%	37 - 120	10J4632	NTJ2810-01	10/28/10 16:30
Pyrene	ND	0.939		mg/kg wet	1.66	56%	29 - 125	10J4632	NTJ2810-01	10/28/10 16:30
1-Methylnaphthalene	ND	0.695		mg/kg wet	1.66	42%	19 - 120	10J4632	NTJ2810-01	10/28/10 16:30
2-Methylnaphthalene	ND	0.747		mg/kg wet	1.66	45%	11 - 120	10J4632	NTJ2810-01	10/28/10 16:30
Surrogate: Terphenyl-d14		0.895		mg/kg wet	1.66	54%	18 - 120	10J4632	NTJ2810-01	10/28/10 16:30
Surrogate: 2-Fluorobiphenyl		0.796		mg/kg wet	1.66	48%	14 - 120	10J4632	NTJ2810-01	10/28/10 16:30
Surrogate: Nitrobenzene-d5		0.678		mg/kg wet	1.66	41%	17 - 120	10J4632	NTJ2810-01	10/28/10 16:30

Client EEG - Small Business Group, Inc. (2449)
 10179 Highway 78
 Ladson, SC 29456
 Attn Tom McElwee

Work Order: NTJ2921
 Project Name: Laurel Bay Housing Project
 Project Number: [none]
 Received: 10/22/10 08:10

PROJECT QUALITY CONTROL DATA
Matrix Spike Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	Target % Rec.	Range	RPD Limit	Batch	Sample Duplicated	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B											
10J3703-MSD1											
Benzene	ND	55.8		mg/kg wet	50.0	112%	42 - 141	14	50	10J3703	NTJ2470-07RE 3
Ethylbenzene	9.50	72.5		mg/kg wet	50.0	126%	21 - 165	12	50	10J3703	NTJ2470-07RE 3
Naphthalene	25.3	63.4		mg/kg wet	50.0	76%	10 - 160	19	50	10J3703	NTJ2470-07RE 3
Toluene	1.67	82.8	M1	mg/kg wet	50.0	162%	45 - 145	15	50	10J3703	NTJ2470-07RE 3
Xylenes, total	66.8	246		mg/kg wet	150	120%	31 - 159	15	50	10J3703	NTJ2470-07RE 3
<i>Surrogate: 1,2-Dichloroethane-d4</i>		48.2		ug/kg	50.0	96%	67 - 138			10J3703	NTJ2470-07RE 3
<i>Surrogate: Dibromoformmethane</i>		53.1		ug/kg	50.0	106%	75 - 125			10J3703	NTJ2470-07RE 3
<i>Surrogate: Toluene-d8</i>		49.0		ug/kg	50.0	98%	76 - 129			10J3703	NTJ2470-07RE 3
<i>Surrogate: 4-Bromofluorobenzene</i>		52.0		ug/kg	50.0	104%	67 - 147			10J3703	NTJ2470-07RE 3
10J4214-MSD1											
Benzene	0.00229	0.0274	M8, R2	mg/kg dry	0.0643	39%	42 - 141	69	50	10J4214	NTJ2676-03
Ethylbenzene	0.00148	0.0214	R2	mg/kg dry	0.0643	31%	21 - 165	98	50	10J4214	NTJ2676-03
Naphthalene	0.00639	0.0152	R2	mg/kg dry	0.0643	14%	10 - 160	61	50	10J4214	NTJ2676-03
Toluene	0.00319	0.0245	M8, R2	mg/kg dry	0.0643	33%	45 - 145	89	50	10J4214	NTJ2676-03
Xylenes, total	0.00373	0.0565	M8, R2	mg/kg dry	0.193	27%	31 - 159	106	50	10J4214	NTJ2676-03
<i>Surrogate: 1,2-Dichloroethane-d4</i>		52.2		ug/kg	50.0	104%	67 - 138			10J4214	NTJ2676-03
<i>Surrogate: Dibromoformmethane</i>		55.4		ug/kg	50.0	111%	75 - 125			10J4214	NTJ2676-03
<i>Surrogate: Toluene-d8</i>		51.8		ug/kg	50.0	104%	76 - 129			10J4214	NTJ2676-03
<i>Surrogate: 4-Bromofluorobenzene</i>		59.2		ug/kg	50.0	118%	67 - 147			10J4214	NTJ2676-03
10J4481-MSD1											
Benzene	ND	61.0		ug/kg	50.0	122%	42 - 141	10	50	10J4481	NTJ2921-07RE 1
Ethylbenzene	3950	137	M2	ug/kg	50.0	-7620%	21 - 165	14	50	10J4481	NTJ2921-07RE 1
Naphthalene	40600	797	M2	ug/kg	50.0	-79500%	10 - 160	15	50	10J4481	NTJ2921-07RE 1
Toluene	23.5	.59.6		ug/kg	50.0	72%	45 - 145	11	50	10J4481	NTJ2921-07RE 1
Xylenes, total	2540	238	M2, B	ug/kg	150	-1540%	31 - 159	12	50	10J4481	NTJ2921-07RE 1
<i>Surrogate: 1,2-Dichloroethane-d4</i>		45.0		ug/kg	50.0	90%	67 - 138			10J4481	NTJ2921-07RE 1
<i>Surrogate: Dibromoformmethane</i>		48.9		ug/kg	50.0	98%	75 - 125			10J4481	NTJ2921-07RE 1
<i>Surrogate: Toluene-d8</i>		57.2		ug/kg	50.0	114%	76 - 129			10J4481	NTJ2921-07RE 1
<i>Surrogate: 4-Bromofluorobenzene</i>		65.4		ug/kg	50.0	131%	67 - 147			10J4481	NTJ2921-07RE 1

Client EEG - Small Business Group, Inc. (2449)
 10179 Highway 78
 Ladson, SC 29456
 Attn Tom McElwee

Work Order: NTJ2921
 Project Name: Laurel Bay Housing Project
 Project Number: [none]
 Received: 10/22/10 08:10

PROJECT QUALITY CONTROL DATA

Matrix Spike Dup - Cont.

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	Target % Rec.	Range	RPD Limit	Batch	Sample Duplicated	Analyzed Date/Time
Volatile Organic Compounds by EPA Method 8260B											
10J5890-MSD1											
Benzene	ND	57.3		mg/kg wet	51.3	112%	42 - 141	14	50	10J5890	NTJ2470-07RE 2
Ethylbenzene	7.80	74.4		mg/kg wet	51.3	130%	21 - 165	12	50	10J5890	NTJ2470-07RE 2
Naphthalene	20.5	65.1		mg/kg wet	51.3	87%	10 - 160	19	50	10J5890	NTJ2470-07RE 2
Toluene	1.43	85.0	M7	mg/kg wet	51.3	163%	45 - 145	15	50	10J5890	NTJ2470-07RE 2
Xylenes, total	53.9	253		mg/kg wet	154	129%	31 - 159	15	50	10J5890	NTJ2470-07RE 2
Surrogate: 1,2-Dichloroethane-d4		48.2		ug/kg	50.0	96%	67 - 138			10J5890	NTJ2470-07RE 2
Surrogate: Dibromoformmethane		53.1		ug/kg	50.0	106%	75 - 125			10J5890	NTJ2470-07RE 2
Surrogate: Toluene-d8		49.0		ug/kg	50.0	98%	76 - 129			10J5890	NTJ2470-07RE 2
Surrogate: 4-Bromofluorobenzene		52.0		ug/kg	50.0	104%	67 - 147			10J5890	NTJ2470-07RE 2
10K0998-MSD1											
Benzene	ND	48.3		mg/kg dry	56.0	86%	42 - 141	10	50	10K0998	NTJ2921-07RE 2
Ethylbenzene	5.05	60.5		mg/kg dry	56.0	99%	21 - 165	9	50	10K0998	NTJ2921-07RE 2
Naphthalene	28.1	73.3		mg/kg dry	56.0	81%	10 - 160	9	50	10K0998	NTJ2921-07RE 2
Toluene	ND	52.9		mg/kg dry	56.0	94%	45 - 145	9	50	10K0998	NTJ2921-07RE 2
Xylenes, total	4.31	167		mg/kg dry	168	97%	31 - 159	9	50	10K0998	NTJ2921-07RE 2
Surrogate: 1,2-Dichloroethane-d4		41.9		ug/kg	50.0	84%	67 - 138			10K0998	NTJ2921-07RE 2
Surrogate: Dibromoformmethane		46.5		ug/kg	50.0	93%	75 - 125			10K0998	NTJ2921-07RE 2
Surrogate: Toluene-d8		50.0		ug/kg	50.0	100%	76 - 129			10K0998	NTJ2921-07RE 2
Surrogate: 4-Bromofluorobenzene		53.9		ug/kg	50.0	108%	67 - 147			10K0998	NTJ2921-07RE 2
Polyaromatic Hydrocarbons by EPA 8270D											
10J4632-MSD1											
Acenaphthene	ND	0.851		mg/kg wet	1.64	52%	42 - 120	3	40	10J4632	NTJ2810-01 10/28/10 16:52
Acenaphthylene	ND	0.895		mg/kg wet	1.64	55%	32 - 120	1	30	10J4632	NTJ2810-01 10/28/10 16:52
Anthracene	ND	1.05		mg/kg wet	1.64	64%	10 - 200	8	50	10J4632	NTJ2810-01 10/28/10 16:52
Benzo (a) anthracene	ND	0.993		mg/kg wet	1.64	61%	41 - 120	8	30	10J4632	NTJ2810-01 10/28/10 16:52
Benzo (a) pyrene	ND	1.06		mg/kg wet	1.64	65%	33 - 121	10	33	10J4632	NTJ2810-01 10/28/10 16:52
Benzo (b) fluoranthene	ND	1.03		mg/kg wet	1.64	63%	26 - 137	8	42	10J4632	NTJ2810-01 10/28/10 16:52
Benzo (g,h,i) perylene	ND	0.954		mg/kg wet	1.64	58%	21 - 124	10	32	10J4632	NTJ2810-01 10/28/10 16:52

Client	EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456	Work Order:	NTJ2921
		Project Name:	Laurel Bay Housing Project
Attn	Tom McElwee	Project Number:	[none]
		Received:	10/22/10 08:10

PROJECT QUALITY CONTROL DATA
Matrix Spike Dup - Cont.

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Polyaromatic Hydrocarbons by EPA 8270D												
10J4632-MSD1												
Benzo (k) fluoranthene	ND	0.993		mg/kg wet	1.64	61%	14 - 140	12	39	10J4632	NTJ2810-01	10/28/10 16:52
Chrysene	ND	0.935		mg/kg wet	1.64	57%	28 - 123	8	34	10J4632	NTJ2810-01	10/28/10 16:52
Dibenz (a,h) anthracene	ND	0.999		mg/kg wet	1.64	61%	25 - 127	12	31	10J4632	NTJ2810-01	10/28/10 16:52
Fluoranthene	ND	0.968		mg/kg wet	1.64	59%	38 - 120	6	35	10J4632	NTJ2810-01	10/28/10 16:52
Fluorene	ND	0.940		mg/kg wet	1.64	57%	41 - 120	7	37	10J4632	NTJ2810-01	10/28/10 16:52
Indeno (1,2,3-cd) pyrene	ND	0.999		mg/kg wet	1.64	61%	25 - 123	12	32	10J4632	NTJ2810-01	10/28/10 16:52
Naphthalene	ND	0.615		mg/kg wet	1.64	38%	25 - 120	12	42	10J4632	NTJ2810-01	10/28/10 16:52
Phenanthrene	ND	0.989		mg/kg wet	1.64	60%	37 - 120	7	32	10J4632	NTJ2810-01	10/28/10 16:52
Pyrene	ND	1.03		mg/kg wet	1.64	63%	29 - 125	10	40	10J4632	NTJ2810-01	10/28/10 16:52
1-Methylnaphthalene	ND	0.681		mg/kg wet	1.64	42%	19 - 120	2	45	10J4632	NTJ2810-01	10/28/10 16:52
2-Methylnaphthalene	ND	0.715		mg/kg wet	1.64	44%	11 - 120	4	50	10J4632	NTJ2810-01	10/28/10 16:52
<i>Surrogate: Terphenyl-d14</i>	0.767			mg/kg wet	1.64	47%	18 - 120			10J4632	NTJ2810-01	10/28/10 16:52
<i>Surrogate: 2-Fluorobiphenyl</i>	0.610			mg/kg wet	1.64	37%	14 - 120			10J4632	NTJ2810-01	10/28/10 16:52
<i>Surrogate: Nitrobenzene-d5</i>	0.452			mg/kg wet	1.64	28%	17 - 120			10J4632	NTJ2810-01	10/28/10 16:52

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 • 800-765-0980 • Fax 615-726-3404

Client EEG - Small Business Group, Inc. (2449)
10179 Highway 78
Ladson, SC 29456
Attn Tom McElwee

Work Order: NTJ2921
Project Name: Laurel Bay Housing Project
Project Number: [none]
Received: 10/22/10 08:10

CERTIFICATION SUMMARY

TestAmerica Nashville

Method	Matrix	AIHA	Nelac	South Carolina
SW846 8260B	Soil	N/A	X	X
SW846 8270D	Soil		X	X
SW-846	Soil			

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 * 800-765-0980 * Fax 615-726-3404

Client	EEG - Small Business Group, Inc. (2449) 10179 Highway 78 Ladson, SC 29456	Work Order:	NTJ2921
Attn	Tom McElwee	Project Name:	Laurel Bay Housing Project
		Project Number:	[none]
		Received:	10/22/10 08:10

DATA QUALIFIERS AND DEFINITIONS

- B** Analyte was detected in the associated Method Blank.
- J** Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.
- L** Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above the acceptance limits. Analyte not detected, data not impacted.
- M1** The MS and/or MSD were above the acceptance limits due to sample matrix interference. See Blank Spike (LCS).
- M2** The MS and/or MSD were below the acceptance limits due to sample matrix interference. See Blank Spike (LCS).
- M7** The MS and/or MSD were above the acceptance limits. See Blank Spike (LCS).
- M8** The MS and/or MSD were below the acceptance limits. See Blank Spike (LCS).
- R2** The RPD exceeded the acceptance limit.
- Z3** The sample required a dilution due to the nature of the sample matrix. Because of this dilution, the surrogate spike concentration in the sample was reduced to a level where the recovery calculation does not provide useful information.
- ZX** Due to sample matrix effects, the surrogate recovery was outside the acceptance limits.
- ND** Not detected at the reporting limit (or method detection limit if shown)

METHOD MODIFICATION NOTES

TestAmerica

Nashville Division
2850 Foster Creighton
Nashville, TN 37204

Phone: 615-726-3404
Toll Free: 800-765-0980
Fax: 615-726-3404

NTJ2921
11/05/10 23:55

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?

No
 Yes

Compliance Monitoring?

No
 Yes

Enforcement Action?

No
 Yes

Client Name/Account #: EEG # 2448

Address: 10179 Highway 78

City/State/Zip: Ladson, SC 29458

Project Manager: Tom McElwee email: mctom@eeqinc.net

Fax No. (843) 412-2087

Telephone Number: 843.412.2087

Sampler Name: (Print) *D. H. Sharp*

Sampler Signature: *D. H. Sharp*

Sample ID / Description	Date Sampled	Time Sampled	No. of Containers Shipped	Ground	Compacted	Field Filtered	HNO ₃ (Red Label)	HNO ₃ (Black Label)	H ₂ SO ₄ , Peat (Yellow Label)	H ₂ SO ₄ , Glacial (Yellow Label)	None (Black Label)	Other (Specify) <i>Mud</i>	Soil	Watershed	Draining Water	Groundwater	Other (Specify) <i>Mud</i>	BTEX + Napth - 8260B	PAH - 8270C	TA Quote #: Project ID: Laurel Bay Housing Project	Site State: SC	PO#: 005	RUSH/TAT Pre-Schedule			
767 A/H/24 - 1	10/18/10	11:30	5	X																						
767 A/H/24 - 2	10/18/10	1500	5	X																						
768 A/H/24 - 1	10/19/10	10:30	5	X																						
768 A/H/24 - 2	10/19/10	13:45	5	X																						
768 A/H/24 - 3	10/19/10	14:00	5	X																						
772 A/H/29	10/20/10	11:45	5	X																						
772 A/H/29	10/20/10	1545	5	X																						
776 Laurel Bay Blvd	10/21/10	11:15	5	X																						
774 A/H/23	10/21/10	16:45	5	X																						

Special Instructions:

Not required by Lab

Method of Shipment:			
Received by:	Date	Time	Date
<i>TestAmerica</i>	10/21/10	19:00	10/21/10
Requisitioned by:	Date	Time	Day

Laboratory Comments:

Temperature Upon Receipt

VOCs Free of Headspace?

ATTACHMENT A

UST Certificate of Disposal

CONTRACTOR

Small Business Group, Inc.
10179 Highway 78
Ladson, SC 29456

TEL (843) 879-0403
FAX (843) 879-0401

TANK ID & LOCATION

UST 768Althea-1, 768 Althea Street, Laurel Bay Housing Area, MCAS Beaufort, S.C.

DISPOSAL LOCATION

Coastal Auto Salvage Co., Inc.
130 Laurel Bay Road
Beaufort, S.C. 29906

<u>TYPE OF TANK</u>	<u>SIZE (GAL)</u>
Steel	280

CLEANING/DISPOSAL METHOD

The tank and piping were unearthed, cut open, cleaned with a pressure washer, cut into sections, and recycled.

DISPOSAL CERTIFICATION

I certify that the above tank, piping and equipment has been properly cleaned and disposed of.

T. L. Duee, 12/9/10

(Name)

(Date)

UST Certificate of Disposal

CONTRACTOR

Small Business Group, Inc.
10179 Highway 78
Ladson, SC 29456

TEL (843) 879-0403
FAX (843) 879-0401

TANK ID & LOCATION

UST 768Althea-2, 768 Althea Street, Laurel Bay Housing Area, MCAS Beaufort, S.C.

DISPOSAL LOCATION

Coastal Auto Salvage Co., Inc.
130 Laurel Bay Road
Beaufort, S.C. 29906

TYPE OF TANK

SIZE (GAL)

Steel

280

CLEANING/DISPOSAL METHOD

The tank and piping were unearthed, cut open, cleaned with a pressure washer, cut into sections, and recycled.

DISPOSAL CERTIFICATION

I certify that the above tank, piping and equipment has been properly cleaned and disposed of.

T.L. McQuee
(Name)

12/9/10
(Date)



NON-HAZARDOUS MANIFEST

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No.	Manifest Doc No.	2. Page 1 of 1	
3. Generator's Mailing Address: MCAS, BEAUFORT LAUREL BAY HOUSING BEAUFORT, SC 29907		Generator's Site Address (if different than mailing):		A. Manifest Number WMNA	B. State Generator's ID 00316797
4. Generator's Phone 843-228-6461					
5. Transporter 1 Company Name EEG, INC.		6. US EPA ID Number			
7. Transporter 2 Company Name		8. US EPA ID Number			
9. Designated Facility Name and Site Address HICKORY HILL LANDFILL 2621 LOW COUNTRY ROAD RIDGELAND, SC 29936		10. US EPA ID Number			
11. Description of Waste Materials a. HEATING OIL TANKS FILLED WITH SAND WM Profile # 102655SC		12. Containers No. Type		13. Total Quantity	14. Unit Wt./Vol.
b. WM Profile #					
c. WM Profile #					
d. WM Profile #					
J. Additional Descriptions for Materials Listed Above		K. Disposal Location			
		Cell		Level	
		Grid			
15. Special Handling Instructions and Additional Information UST from: 2) 763 Althea 4) 767 Althea-2 6) 775 Althea 1) 760 Althea 3) 766 Althea 5) 768 Althea-3					
Purchase Order #			EMERGENCY CONTACT / PHONE NO.:		
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.					
Printed Name		Signature "On behalf of"		Month	Day
				12	26
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed Name		Signature		Month	Day
James Balducci		James Balducci		13	07
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed Name		Signature		Month	Day
19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.					
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.					
Printed Name		Signature		Month	Day
Toni C. Clegg		Toni C. Clegg		12	10
White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY			Blue- GENERATOR #2 COPY		Yellow- GENERATOR #1 COPY
Pink- FACILITY USE ONLY			Gold- TRANSPORTER #1 COPY		

Appendix C
Laboratory Analytical Report - Groundwater

Volatile Organic Compounds by GC/MS

Client: AECOM - Resolution Consultants

Laboratory ID: QK18003-016

Description: BEALB768TW02WG20151118

Matrix: Aqueous

Date Sampled: 11/18/2015 1325

Date Received: 11/19/2015

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch			
2	5030B	8260B	1	11/25/2015	1808 ALL		90579			
Parameter		CAS Number	Analytical Method	Result	Q	LOQ	LOD	DL	Units	Run
Benzene		71-43-2	8260B	0.45	U	5.0	0.45	0.21	ug/L	2
Ethylbenzene		100-41-4	8260B	0.51	U	5.0	0.51	0.21	ug/L	2
Naphthalene		91-20-3	8260B	0.66	J	5.0	0.96	0.14	ug/L	2
Toluene		108-88-3	8260B	0.48	U	5.0	0.48	0.24	ug/L	2
Xylenes (total)		1330-20-7	8260B	0.57	U	5.0	0.57	0.32	ug/L	2
Surrogate	Q	Run 2 % Recovery	Acceptance Limits							
Bromofluorobenzene		98	75-120							
1,2-Dichloroethane-d4		102	70-120							
Toluene-d8		96	85-120							
Dibromofluoromethane		101	85-115							

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

H = Out of holding time

Q = Surrogate failure

ND = Not detected at or above the MDL

J = Estimated result < PQL and \geq MDL

P = The RPD between two GC columns exceeds 40%

N = Recovery is out of criteria

L = LCS/LCSD failure

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

S = MS/MSD failure

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Semivolatile Organic Compounds by GC/MS (SIM)

Client: AECOM - Resolution Consultants

Laboratory ID: QK18003-016

Description: BEALB768TW02WG20151118

Matrix: Aqueous

Date Sampled: 11/18/2015 1325

Date Received: 11/19/2015

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch					
1	3520C	8270D (SIM)	1	12/03/2015 1939	RBH	11/24/2015 1615	90443					
Parameter		CAS Number		Analytical Method		Result	Q	LOQ	LOD	DL	Units	Run
Benzo(a)anthracene		56-55-3		8270D (SIM)		0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(b)fluoranthene		205-99-2		8270D (SIM)		0.040	U	0.20	0.040	0.019	ug/L	1
Benzo(k)fluoranthene		207-08-9		8270D (SIM)		0.040	U	0.20	0.040	0.024	ug/L	1
Chrysene		218-01-9		8270D (SIM)		0.040	U	0.20	0.040	0.021	ug/L	1
Dibenzo(a,h)anthracene		53-70-3		8270D (SIM)		0.080	U	0.20	0.080	0.040	ug/L	1
Surrogate		Q	Run 1 % Recovery		Acceptance Limits							
2-Methylnaphthalene-d10		58			15-139							
Fluoranthene-d10		38			23-154							

PQL = Practical quantitation limit

B = Detected in the method blank

E = Quantitation of compound exceeded the calibration range

H = Out of holding time

Q = Surrogate failure

ND = Not detected at or above the MDL

J = Estimated result < PQL and \geq MDL

P = The RPD between two GC columns exceeds 40%

N = Recovery is out of criteria

L = LCS/LCSD failure

Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

S = MS/MSD failure

Shealy Environmental Services, Inc.

106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Appendix D
Regulatory Correspondence



Catherine E. Heigel, Director

Promoting and protecting the health of the public and the environment

July 1, 2015

Commanding Officer

Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: IGWA

Laurel Bay Underground Storage Tank Assessment Reports for:
See attached sheet

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the referenced Underground Storage Tank Assessment Reports for the addresses listed above. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 et seq., as amended).

The Department has reviewed the referenced assessment reports. The submitted analytical results indicate that petroleum constituents are above established Risk-Based Screening Levels and additional investigation is warranted. Specifically, the Department requests that a groundwater sampling proposal be generated to determine if there has been an impact to groundwater at this site.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at kriegkm@dhec.sc.gov or 803-898-0255.

Sincerely,

Kent Krieg
Department of Defense Corrective Action Section
Bureau of Land and Waste Management
South Carolina Department of Health and Environmental Control

Cc: Russell Berry (via email)
Craig Ehde (via email)
Bryan Beck (via email)



Catherine E. Heigel, Director

Promoting and protecting the health of the public and the environment

Attachment to: Krieg to Drawdy
Subject: IGWA
Dated 7/1/2015

Laurel Bay Underground Storage Tank Assessment Reports for: (97 addresses/110 tanks)

118 Banyan	343 Ash Tank 2
126 Banyan	344 Ash Tank 2
127 Banyan	347 Ash Tank 2
130 Banyan Tank 1	378 Aspen Tank 2
141 Laurel Bay	379 Aspen
151 Laurel Bay	382 Aspen Tank 1
224 Cypress	382 Aspen Tank 2
227 Cypress	394 Acorn Tank 2
256 Beech Tank 2	400 Elderberry
257 Beech Tank 1	432 Elderberry
257 Beech Tank 2	436 Elderberry
264 Beech	473 Dogwood Tank 2
265 Beech Tank 2	482 Laurel Bay
265 Beech Tank 3	517 Laurel Bay
275 Birch	586 Aster
277 Birch Tank 1	632 Dahlia
285 Birch	639 Dahlia Tank 2
292 Birch Tank 3	643 Dahlia Tank 1
297 Birch	644 Dahlia Tank 1
301 Ash	644 Dahlia Tank 2
306 Ash	646 Dahlia Tank 1
310 Ash Tank 1	646 Dahlia Tank 2
313 Ash	665 Camellia
315 Ash Tank 2	699 Abelia
316 Ash	744 Blue Bell
319 Ash	745 Blue Bell Tank 1
320 Ash	747 Blue Bell Tank 1
321 Ash	747 Blue Bell Tank 2
329 Ash	747 Blue Bell Tank 3
330 Ash Tank 2	749 Blue Bell Tank 1
331 Ash	749 Blue Bell Tank 2
332 Ash	751 Blue Bell
333 Ash	762 Althea
335 Ash Tank 1	765 Althea Tank 2
335 Ash Tank 2	766 Althea Tank 4
341 Ash	767 Althea Tank 1
342 Ash Tank 1	768 Althea Tank 2
342 Ash Tank 2	768 Althea Tank 3

Laurel Bay Underground Storage Tank Assessment Reports for: (98 addresses/110 tanks) cont.

768 Althea Tank 4	1067 Gardenia
769 Althea Tank 1	1077 Heather
769 Althea Tank 2	1081 Heather
775 Althea	1101 Iris Tank 2
819 Azalea	1104 Iris
840 Azalea	1105 Iris Tank 2
878 Cobia	1124 Iris Tank 2
891 Cobia	1142 Iris Tank 2
913 Barracuda	1146 Iris Tank 2
916 Barracuda	1218 Cardinal
923 Albacore	1240 Dove
1004 Bobwhite	1266 Dove
1022 Foxglove	1292 Eagle
1031 Foxglove	1299 Eagle Tank 1
1034 Foxglove Tank 2	1302 Eagle
1061 Gardenia Tank 3	1336 Albatross
1064 Gardenia	1351 Cardinal



Catherine E. Heigel, Director

Promoting and protecting the health of the public and the environment

Division of Waste Management
Bureau of Land and Waste Management

June 8, 2016

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United State Marine Corps Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: Approval and Concurrence with Draft Final Initial Groundwater Investigation Report-November and December 2015
Laurel Bay Military Housing Area Multiple Properties
Dated April 2015

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received groundwater data in the above referenced Groundwater Investigation Report for the attached addresses on May 2, 2016. The regulatory authority for the investigation and cleanup of releases from these tank systems is the South Carolina Pollution Control Act (S.C. Code Ann. §48-1-10 *et seq.*, as amended).

Per the Department's request, groundwater samples were collected from the attached referenced addresses. The Department reviewed the groundwater data and previous investigations and it agrees with the conclusions and recommendations included in the document. To further assess the impact to groundwater, permanent wells should be installed at the 15 stated addresses. For the remaining 80 addresses, there is no indication of contamination on the property and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corps Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary.

If you have any questions, please contact me at petruslb@dhec.sc.gov or 803-898-0294.

Sincerely,

Laurel Petrus
RCRA Federal Facilities Section

Attachment: Specific Property Recommendations

Cc: Russell Berry, EQC Region 8 (via email)
Shawn Dolan, Resolution Consultants (via email)
Bryan Beck, NAVFAC MIDATLANTIC (via email)
Craig Ehde (via email)

Attachment to: Petrus to Drawdy

Subject: Draft Final Initial Groundwater Investigation Report-November and December 2015

Specific Property Recommendations

Dated June 8, 2016

Draft Final Initial Groundwater Investigation Report for (95 addresses)

No Further Action recommendation (80 addresses)

118 Banyan Drive	644 Dahlia Drive
126 Banyan Drive	646 Dahlia Drive
127 Banyan Drive	665 Camellia Drive
141 Laurel Bay Blvd	699 Abelia Street
151 Laurel Bay Blvd	744 Blue Bell Lane
224 Cypress Street	745 Blue Bell Lane
227 Cypress Street	751 Blue Bell Lane
257 Beech Street	762 Althea Street
264 Beech Street	765 Althea Street
265 Beech Street	766 Althea Street
275 Birch Drive	767 Althea Street
277 Birch Drive	768 Althea Street
297 Birch Drive	769 Althea Street
301 Ash Street	819 Azalea Drive
306 Ash Street	840 Azalea Drive
310 Ash Street	878 Cobia Drive
313 Ash Street	891 Cobia Drive
315 Ash Street	913 Barracuda Drive
316 Ash Street	916 Barracuda Drive
319 Ash Street	923 Wren Lane
320 Ash Street	1004 Bobwhite Drive
321 Ash Street	1022 Foxglove Street
329 Ash Street	1031 Foxglove Street
332 Ash Street	1061 Gardenia Drive
333 Ash Street	1064 Gardenia Drive
341 Ash Street	1067 Gardenia Drive
347 Ash Street	1077 Heather Street
378 Aspen Street	1081 Heather Street
379 Aspen Street	1101 Iris Lane
382 Aspen Street	1105 Iris Lane
394 Acorn Street	1142 Iris Lane
400 Elderberry Drive	1146 Iris Lane
432 Elderberry Drive	1218 Cardinal Lane
436 Elderberry Drive	1240 Dove Lane
482 Laurel Bay Blvd	1266 Dove Lane
517 Laurel Bay Blvd	1292 Eagle Lane
586 Aster Street	1299 Eagle Lane
632 Dahlia Drive	1302 Eagle Lane
639 Dahlia Drive	1336 Albatross Drive
643 Dahlia Drive	1351 Cardinal Lane

Attachment to: Petrus to Drawdy

Subject: Draft Final Initial Groundwater Investigation Report-November and December 2015

Specific Property Recommendations

Dated June 8, 2016, Page 2