

SUMMARY REPORT  
353 AZALEA DRIVE (FORMERLY 826 AZALEA DRIVE)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC

Revision: 0  
Prepared for:

Department of the Navy  
Naval Facilities Engineering Command, Mid-Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT  
353 AZALEA DRIVE (FORMERLY 826 AZALEA DRIVE)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC

Revision: 0  
Prepared for:

Department of the Navy  
Naval Facilities Engineering Command, Mid- Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture  
10560 Arrowhead Drive, Suite 500  
Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016  
CTO WE52  
JUNE 2021

## Table of Contents

1.0	INTRODUCTION.....	1
1.1	BACKGROUND INFORMATION.....	1
1.2	UST REMOVAL AND ASSESSMENT PROCESS.....	2
2.0	SAMPLING ACTIVITIES AND RESULTS.....	3
2.1	UST REMOVAL AND SOIL SAMPLING .....	3
2.2	SOIL ANALYTICAL RESULTS.....	4
3.0	PROPERTY STATUS .....	4
4.0	REFERENCES.....	4

## Table

Table 1	Laboratory Analytical Results - Soil
---------	--------------------------------------

## Appendices

Appendix A	Multi-Media Selection Process for LBMH
Appendix B	UST Assesment Report
Appendix C	Regulatory Correspondence

## List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level

## 1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 353 Azalea Drive (Formerly 826 Azalea Drive). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

### 1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area

is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

## 1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*

*Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

## 2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 353 Azalea Drive (Formerly 826 Azalea Drive). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 826 Azalea Drive* (MCAS Beaufort, 2011). The UST Assessment Report is provided in Appendix B.

### 2.1 UST Removal and Soil Sampling

On November 3, 2010, a single 280 gallon heating oil UST was removed from the front yard adjacent to the porch area at 353 Azalea Drive (Formerly 826 Azalea Drive). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 5'7" bgs and a single soil sample was collected from that depth. The

sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

## 2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 353 Azalea Drive (Formerly 826 Azalea Drive) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment.

## 3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 353 Azalea Drive (Formerly 826 Azalea Drive). This NFA determination was obtained in a letter dated July 7, 2011. SCDHEC's NFA letter is provided in Appendix C.

## 4.0 REFERENCES

Marine Corps Air Station Beaufort, 2011. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 826 Azalea Drive, Laurel Bay Military Housing Area*, February 2011.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.



South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

## Table

**Table 1**  
**Laboratory Analytical Results - Soil**  
**353 Azalea Drive (Formerly 826 Azalea Drive)**  
**Laurel Bay Military Housing Area**  
**Marine Corps Air Station Beaufort**  
**Beaufort, South Carolina**

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Results Sample Collected 11/03/10
<b>Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)</b>		
Benzene	0.003	ND
Ethylbenzene	1.15	ND
Naphthalene	0.036	ND
Toluene	0.627	ND
Xylenes, Total	13.01	ND
<b>Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)</b>		
Benzo(a)anthracene	0.66	ND
Benzo(b)fluoranthene	0.66	ND
Benzo(k)fluoranthene	0.66	ND
Chrysene	0.66	ND
Dibenz(a,h)anthracene	0.66	ND

**Notes:**

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 and 1.1 (SCDHEC, May 2001 and SCDHEC, February 2011) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

**Appendix A**  
**Multi-Media Selection Process for LBMH**



Appendix A - Multi-Media Selection Process for LBMH

**Appendix B**  
**UST Assessment Report**

South Carolina Department of Health and Environmental Control (SCDHEC)  
**Underground Storage Tank (UST) Assessment Report**

<b>Date Received</b>	
<b>State Use Only</b>	

Submit Completed Form To:  
 UST Program  
 SCDHEC  
 2600 Bull Street  
 Columbia, South Carolina 29201  
 Telephone (803) 896-7957

**I. OWNERSHIP OF UST (S)**

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)		
Owner Name (Corporation, Individual, Public Agency, Other)		
P.O. Box 55001		
Mailing Address		
Beaufort,	South Carolina	29904-5001
City	State	Zip Code
843	228-7317	Craig Ehde
Area Code	Telephone Number	Contact Person

**II. SITE IDENTIFICATION AND LOCATION**

Permit I.D. #	
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC	
Facility Name or Company Site Identifier	
826 Azalea Drive, Laurel Bay Military Housing Area	
Street Address or State Road (as applicable)	
Beaufort,	Beaufort
City	County

### III. INSURANCE INFORMATION

#### Insurance Statement

The petroleum release reported to DHEC on \_\_\_\_\_ at Permit ID Number \_\_\_\_\_ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES\_\_\_\_ NO\_\_\_\_ (check one)

If you answered YES to the above question, please complete the following information:

My policy provider is: \_\_\_\_\_  
The policy deductible is: \_\_\_\_\_  
The policy limit is: \_\_\_\_\_

If you have this type of insurance, please include a copy of the policy with this report.

### IV. REQUEST FOR SUPERB FUNDING

I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)

### V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

\_\_\_\_\_  
Name (Type or print.)

\_\_\_\_\_  
Signature

#### To be completed by Notary Public:

Sworn before me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_

\_\_\_\_\_  
(Name)

Notary Public for the state of \_\_\_\_\_.  
*Please affix State seal if you are commissioned outside South Carolina*



## VI. UST INFORMATION

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity..(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material..(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....

826Azalea				
Heating oil				
280 gal				
Late 1950s				
Steel				
Mid 1980s				
5'7"				
No				
No				
Removed				
11/3/10				
Yes				
Yes				

- M. Method of disposal for any USTs removed from the ground (attach disposal manifests)  
UST 826Azalea was removed from the ground, and disposed of at a  
Subtitle "D" landfill. See Attachment "A".
- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)  
UST 826Azalea had been previously filled with sand by others.
- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST  
Corrosion, pitting and holes were found throughout the tank.

## VII. PIPING INFORMATION

A. Construction Material..(ex. Steel, FRP).....

B. Distance from UST to Dispenser.....

C. Number of Dispensers.....

D. Type of System Pressure or Suction.....

E. Was Piping Removed from the Ground? Y/N

F. Visible Corrosion or Pitting Y/N.....

G. Visible Holes Y/N.....

H. Age.....

I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

826Azalea				
Steel & Copper				
N/A				
N/A				
Suction				
Yes				
Yes				
No				
Late 1950s				

Corrosion and pitting were found on the surface of the steel vent pipe. Copper supply and return lines were sound.

## VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

## IX. SITE CONDITIONS

	Yes	No	Unk
<p>A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate depth and location on the site map.</p>		X	
<p>B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate location on site map and describe the odor (strong, mild, etc.)</p>		X	
<p>C. Was water present in the UST excavation, soil borings, or trenches?</p> <p>If yes, how far below land surface (indicate location and depth)?</p>		X	
<p>D. Did contaminated soils remain stockpiled on site after closure?</p> <p>If yes, indicate the stockpile location on the site map.</p> <p>Name of DHEC representative authorizing soil removal:</p>		X	
<p>E. Was a petroleum sheen or free product detected on any excavation or boring waters?</p> <p>If yes, indicate location and thickness.</p>		X	

## X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009001

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
826 Azalea	Excav at fill end	Soil	Sandy	5'7"	11/3/10 1045 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

\* = Depth Below the Surrounding Land Surface

## **XI. SAMPLING METHODOLOGY**

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.

---

---

---

---

---

---

---

---

---

---

## XII. RECEPTORS

	Yes	No
<p>A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?</p> <p>If yes, indicate type of receptor, distance, and direction on site map.</p>		X
<p>B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?</p> <p>If yes, indicate type of well, distance, and direction on site map.</p>		X
<p>C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?</p> <p>If yes, indicate type of structure, distance, and direction on site map.</p>		X
<p>D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination?</p> <p style="text-align: right;">*Sewer and water</p> <p>If yes, indicate the type of utility, distance, and direction on the site map.</p>	*X	
<p>E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?</p> <p>If yes, indicate the area of contaminated soil on the site map.</p>		X


### **XIII. SITE MAP**

**You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.**

(Attach Site Map Here)



## 826 AZALEA DRIVE



### SBG-EEG, Inc.

398 E. 5th North Street, Suite C  
Summerville SC 29483-6954




Ph. (843) 875-1930

Drawn By: L. DiAsio

Dwg Date: DEC 2010

FIGURE 1: LOCATION MAP  
826 AZALEA DRIVE  
LAUREL BAY, BEAUFORT SC





***SBG-EEG***


398 E. 5 NORTH ST., SUITE C  
SUMMERVILLE, SC  
29483-6954

FIGURE 2 SITE MAP  
826 AZALEA DR., LAUREL BAY  
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE DEC 2010

826 AZALEA DRIVE



WATER

SEWER

EXCAVATION

CONCRETE  
PORCH


FILL END

SOIL SAMPLE  
826 AZALEA

GRASS

ASPHALT DRIVEWAY

GRAPHIC SCALE



UST 826AZALEA WAS  
31" BELOW GRADE.

**SBG-EEG**

398 E. 5 NORTH ST., SUITE C  
SUMMERVILLE, SC  
29483-6954

FIGURE 3 UST SAMPLE LOCATIONS  
826 AZALEA DR., LAUREL BAY  
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE DEC 2010



Picture 1: Location of UST 826Althea.



Picture 2: UST 826Azalea excavation.

#### XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

CoC	UST	826Azalea						
Benzene		ND						
Toluene		ND						
Ethylbenzene		ND						
Xylenes		ND						
Naphthalene		ND						
Benzo (a) anthracene		ND						
Benzo (b) fluoranthene		ND						
Benzo (k) fluoranthene		ND						
Chrysene		ND						
Dibenz (a, h) anthracene		ND						
TPH (EPA 3550)								

CoC								
Benzene								
Toluene								
Ethylbenzene								
Xylenes								
Naphthalene								
Benzo (a) anthracene								
Benzo (b) fluoranthene								
Benzo (k) fluoranthene								
Chrysene								
Dibenz (a, h) anthracene								
TPH (EPA 3550)								

### SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

## **XV. ANALYTICAL RESULTS**

**You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.**

(Attach Certified Analytical Results and Chain-of-Custody Here)  
(Please see Form #4)

November 18, 2010 1:17:11PM

Client: EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn: Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Nbr: [none]  
P/O Nbr: 1005  
Date Received: 11/06/10

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
<del>829</del> Azalea ✓	NTK0932-01	11/01/10 10:45
<del>827</del> Azalea ✓	NTK0932-02	11/01/10 15:45
<del>833</del> Azalea ✓	NTK0932-03	11/02/10 10:45
<del>824</del> Azalea ✓	NTK0932-04	11/02/10 15:15
<del>826</del> Azalea ✓	NTK0932-05	11/03/10 10:45
<del>839</del> Azalea ✓	NTK0932-06	11/03/10 15:15
<del>830</del> Azalea ✓	NTK0932-07	11/04/10 10:30
<del>843</del> Azalea ✓	NTK0932-08	11/04/10 15:30

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

South Carolina Certification Number: 84009

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.

This report has been electronically signed.

Report Approved By:



Ken A. Hayes

Senior Project Manager

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTK0932-01 (829 Azalea - Soil) Sampled: 11/01/10 10:45</b>										
General Chemistry Parameters										
% Dry Solids	94.9		%	0.500	0.500	1	11/11/10 08:35	SW-846	HLB	10K2045
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00124	0.00225	1	11/12/10 19:10	SW846 8260B	MJH/H	10K2696
Ethylbenzene	ND		mg/kg dry	0.00110	0.00225	1	11/12/10 19:10	SW846 8260B	MJH/H	10K2696
Naphthalene	0.00254	J	mg/kg dry	0.00191	0.00562	1	11/12/10 19:10	SW846 8260B	MJH/H	10K2696
Toluene	ND		mg/kg dry	0.00100	0.00225	1	11/12/10 19:10	SW846 8260B	MJH/H	10K2696
Xylenes, total	ND		mg/kg dry	0.00213	0.00562	1	11/12/10 19:10	SW846 8260B	MJH/H	10K2696
Surr: 1,2-Dichloroethane-d4 (67-138%)	120 %					1	11/12/10 19:10	SW846 8260B	MJH/H	10K2696
Surr: Dibromofluoromethane (75-125%)	90 %					1	11/12/10 19:10	SW846 8260B	MJH/H	10K2696
Surr: Toluene-d8 (76-129%)	89 %					1	11/12/10 19:10	SW846 8260B	MJH/H	10K2696
Surr: 4-Bromofluorobenzene (67-147%)	102 %					1	11/12/10 19:10	SW846 8260B	MJH/H	10K2696
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0146	0.0699	1	11/11/10 01:26	SW846 8270D	BES	10K1764
Acenaphthylene	ND		mg/kg dry	0.0209	0.0699	1	11/11/10 01:26	SW846 8270D	BES	10K1764
Anthracene	ND		mg/kg dry	0.00939	0.0699	1	11/11/10 01:26	SW846 8270D	BES	10K1764
Benzo (a) anthracene	ND		mg/kg dry	0.0115	0.0699	1	11/11/10 01:26	SW846 8270D	BES	10K1764
Benzo (a) pyrene	ND		mg/kg dry	0.00834	0.0699	1	11/11/10 01:26	SW846 8270D	BES	10K1764
Benzo (b) fluoranthene	ND		mg/kg dry	0.0396	0.0699	1	11/11/10 01:26	SW846 8270D	BES	10K1764
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00939	0.0699	1	11/11/10 01:26	SW846 8270D	BES	10K1764
Benzo (k) fluoranthene	ND		mg/kg dry	0.0386	0.0699	1	11/11/10 01:26	SW846 8270D	BES	10K1764
Chrysene	ND		mg/kg dry	0.0323	0.0699	1	11/11/10 01:26	SW846 8270D	BES	10K1764
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0156	0.0699	1	11/11/10 01:26	SW846 8270D	BES	10K1764
Fluoranthene	ND		mg/kg dry	0.0115	0.0699	1	11/11/10 01:26	SW846 8270D	BES	10K1764
Fluorene	ND		mg/kg dry	0.0209	0.0699	1	11/11/10 01:26	SW846 8270D	BES	10K1764
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0323	0.0699	1	11/11/10 01:26	SW846 8270D	BES	10K1764
Naphthalene	ND		mg/kg dry	0.0146	0.0699	1	11/11/10 01:26	SW846 8270D	BES	10K1764
Phenanthrene	ND		mg/kg dry	0.0104	0.0699	1	11/11/10 01:26	SW846 8270D	BES	10K1764
Pyrene	ND		mg/kg dry	0.0240	0.0699	1	11/11/10 01:26	SW846 8270D	BES	10K1764
1-Methylnaphthalene	ND		mg/kg dry	0.0125	0.0699	1	11/11/10 01:26	SW846 8270D	BES	10K1764
2-Methylnaphthalene	ND		mg/kg dry	0.0219	0.0699	1	11/11/10 01:26	SW846 8270D	BES	10K1764
Surr: Terphenyl-d14 (18-120%)	48 %					1	11/11/10 01:26	SW846 8270D	BES	10K1764
Surr: 2-Fluorobiphenyl (14-120%)	44 %					1	11/11/10 01:26	SW846 8270D	BES	10K1764
Surr: Nitrobenzene-d5 (17-120%)	47 %					1	11/11/10 01:26	SW846 8270D	BES	10K1764



Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTK0932-02 (827 Azalea - Soil) Sampled: 11/01/10 15:45</b>										
<b>General Chemistry Parameters</b>										
% Dry Solids	92.0		%	0.500	0.500	1	11/11/10 08:35	SW-846	HLB	10K2045
<b>Volatile Organic Compounds by EPA Method 8260B</b>										
Benzene	ND		mg/kg dry	0.00131	0.00239	1	11/12/10 19:39	SW846 8260B	MJH/H	10K2696
Ethylbenzene	ND		mg/kg dry	0.00117	0.00239	1	11/12/10 19:39	SW846 8260B	MJH/H	10K2696
Naphthalene	ND		mg/kg dry	0.00203	0.00597	1	11/12/10 19:39	SW846 8260B	MJH/H	10K2696
Toluene	ND		mg/kg dry	0.00106	0.00239	1	11/12/10 19:39	SW846 8260B	MJH/H	10K2696
Xylenes, total	ND		mg/kg dry	0.00227	0.00597	1	11/12/10 19:39	SW846 8260B	MJH/H	10K2696
Surr: 1,2-Dichloroethane-d4 (67-138%)	120 %					1	11/12/10 19:39	SW846 8260B	MJH/H	10K2696
Surr: Dibromofluoromethane (75-125%)	97 %					1	11/12/10 19:39	SW846 8260B	MJH/H	10K2696
Surr: Toluene-d8 (76-129%)	92 %					1	11/12/10 19:39	SW846 8260B	MJH/H	10K2696
Surr: 4-Bromofluorobenzene (67-147%)	99 %					1	11/12/10 19:39	SW846 8260B	MJH/H	10K2696
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>										
Acenaphthene	ND		mg/kg dry	0.0149	0.0712	1	11/11/10 01:48	SW846 8270D	BES	10K1764
Acenaphthylene	ND		mg/kg dry	0.0212	0.0712	1	11/11/10 01:48	SW846 8270D	BES	10K1764
Anthracene	ND		mg/kg dry	0.00956	0.0712	1	11/11/10 01:48	SW846 8270D	BES	10K1764
Benzo (a) anthracene	ND		mg/kg dry	0.0117	0.0712	1	11/11/10 01:48	SW846 8270D	BES	10K1764
Benzo (a) pyrene	ND		mg/kg dry	0.00850	0.0712	1	11/11/10 01:48	SW846 8270D	BES	10K1764
Benzo (b) fluoranthene	ND		mg/kg dry	0.0404	0.0712	1	11/11/10 01:48	SW846 8270D	BES	10K1764
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00956	0.0712	1	11/11/10 01:48	SW846 8270D	BES	10K1764
Benzo (k) fluoranthene	ND		mg/kg dry	0.0393	0.0712	1	11/11/10 01:48	SW846 8270D	BES	10K1764
Chrysene	ND		mg/kg dry	0.0329	0.0712	1	11/11/10 01:48	SW846 8270D	BES	10K1764
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0159	0.0712	1	11/11/10 01:48	SW846 8270D	BES	10K1764
Fluoranthene	ND		mg/kg dry	0.0117	0.0712	1	11/11/10 01:48	SW846 8270D	BES	10K1764
Fluorene	ND		mg/kg dry	0.0212	0.0712	1	11/11/10 01:48	SW846 8270D	BES	10K1764
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0329	0.0712	1	11/11/10 01:48	SW846 8270D	BES	10K1764
Naphthalene	ND		mg/kg dry	0.0149	0.0712	1	11/11/10 01:48	SW846 8270D	BES	10K1764
Phenanthrene	ND		mg/kg dry	0.0106	0.0712	1	11/11/10 01:48	SW846 8270D	BES	10K1764
Pyrene	ND		mg/kg dry	0.0244	0.0712	1	11/11/10 01:48	SW846 8270D	BES	10K1764
1-Methylnaphthalene	ND		mg/kg dry	0.0127	0.0712	1	11/11/10 01:48	SW846 8270D	BES	10K1764
2-Methylnaphthalene	ND		mg/kg dry	0.0223	0.0712	1	11/11/10 01:48	SW846 8270D	BES	10K1764
Surr: Terphenyl-d14 (18-120%)	61 %					1	11/11/10 01:48	SW846 8270D	BES	10K1764
Surr: 2-Fluorobiphenyl (14-120%)	50 %					1	11/11/10 01:48	SW846 8270D	BES	10K1764
Surr: Nitrobenzene-d5 (17-120%)	52 %					1	11/11/10 01:48	SW846 8270D	BES	10K1764

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTK0932-03 (833 Azalea - Soil) Sampled: 11/02/10 10:45</b>										
General Chemistry Parameters										
% Dry Solids	96.4		%	0.500	0.500	1	11/11/10 08:35	SW-846	HLB	10K2045
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00132	0.00240	1	11/12/10 20:08	SW846 8260B	MJH/H	10K2696
Ethylbenzene	ND		mg/kg dry	0.00117	0.00240	1	11/12/10 20:08	SW846 8260B	MJH/H	10K2696
Naphthalene	ND		mg/kg dry	0.00204	0.00599	1	11/12/10 20:08	SW846 8260B	MJH/H	10K2696
Toluene	ND		mg/kg dry	0.00107	0.00240	1	11/12/10 20:08	SW846 8260B	MJH/H	10K2696
Xylenes, total	ND		mg/kg dry	0.00228	0.00599	1	11/12/10 20:08	SW846 8260B	MJH/H	10K2696
Surr: 1,2-Dichloroethane-d4 (67-138%)	119 %					1	11/12/10 20:08	SW846 8260B	MJH/H	10K2696
Surr: Dibromofluoromethane (75-125%)	99 %					1	11/12/10 20:08	SW846 8260B	MJH/H	10K2696
Surr: Toluene-d8 (76-129%)	93 %					1	11/12/10 20:08	SW846 8260B	MJH/H	10K2696
Surr: 4-Bromofluorobenzene (67-147%)	100 %					1	11/12/10 20:08	SW846 8260B	MJH/H	10K2696
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0143	0.0683	1	11/11/10 02:10	SW846 8270D	BES	10K1764
Acenaphthylene	ND		mg/kg dry	0.0204	0.0683	1	11/11/10 02:10	SW846 8270D	BES	10K1764
Anthracene	ND		mg/kg dry	0.00918	0.0683	1	11/11/10 02:10	SW846 8270D	BES	10K1764
Benzo (a) anthracene	0.0370	J	mg/kg dry	0.0112	0.0683	1	11/11/10 02:10	SW846 8270D	BES	10K1764
Benzo (a) pyrene	ND		mg/kg dry	0.00816	0.0683	1	11/11/10 02:10	SW846 8270D	BES	10K1764
Benzo (b) fluoranthene	ND		mg/kg dry	0.0387	0.0683	1	11/11/10 02:10	SW846 8270D	BES	10K1764
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00918	0.0683	1	11/11/10 02:10	SW846 8270D	BES	10K1764
Benzo (k) fluoranthene	ND		mg/kg dry	0.0377	0.0683	1	11/11/10 02:10	SW846 8270D	BES	10K1764
Chrysene	ND		mg/kg dry	0.0316	0.0683	1	11/11/10 02:10	SW846 8270D	BES	10K1764
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0153	0.0683	1	11/11/10 02:10	SW846 8270D	BES	10K1764
Fluoranthene	0.181		mg/kg dry	0.0112	0.0683	1	11/11/10 02:10	SW846 8270D	BES	10K1764
Fluorene	ND		mg/kg dry	0.0204	0.0683	1	11/11/10 02:10	SW846 8270D	BES	10K1764
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0316	0.0683	1	11/11/10 02:10	SW846 8270D	BES	10K1764
Naphthalene	ND		mg/kg dry	0.0143	0.0683	1	11/11/10 02:10	SW846 8270D	BES	10K1764
Phenanthrene	ND		mg/kg dry	0.0102	0.0683	1	11/11/10 02:10	SW846 8270D	BES	10K1764
Pyrene	0.179		mg/kg dry	0.0234	0.0683	1	11/11/10 02:10	SW846 8270D	BES	10K1764
1-Methylnaphthalene	ND		mg/kg dry	0.0122	0.0683	1	11/11/10 02:10	SW846 8270D	BES	10K1764
2-Methylnaphthalene	ND		mg/kg dry	0.0214	0.0683	1	11/11/10 02:10	SW846 8270D	BES	10K1764
Surr: Terphenyl-d14 (18-120%)	53 %					1	11/11/10 02:10	SW846 8270D	BES	10K1764
Surr: 2-Fluorobiphenyl (14-120%)	43 %					1	11/11/10 02:10	SW846 8270D	BES	10K1764
Surr: Nitrobenzene-d5 (17-120%)	45 %					1	11/11/10 02:10	SW846 8270D	BES	10K1764

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTK0932-04 (824 Azalea - Soil) Sampled: 11/02/10 15:15</b>										
General Chemistry Parameters										
% Dry Solids	90.7		%	0.500	0.500	1	11/11/10 08:35	SW-846	HLB	10K2045
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00118	0.00215	1	11/12/10 20:37	SW846 8260B	MJH/H	10K2696
Ethylbenzene	ND		mg/kg dry	0.00105	0.00215	1	11/12/10 20:37	SW846 8260B	MJH/H	10K2696
Naphthalene	ND		mg/kg dry	0.00183	0.00538	1	11/12/10 20:37	SW846 8260B	MJH/H	10K2696
Toluene	ND		mg/kg dry	0.000957	0.00215	1	11/12/10 20:37	SW846 8260B	MJH/H	10K2696
Xylenes, total	ND		mg/kg dry	0.00204	0.00538	1	11/12/10 20:37	SW846 8260B	MJH/H	10K2696
Surr: 1,2-Dichloroethane-d4 (67-138%)	119 %					1	11/12/10 20:37	SW846 8260B	MJH/H	10K2696
Surr: Dibromofluoromethane (75-125%)	98 %					1	11/12/10 20:37	SW846 8260B	MJH/H	10K2696
Surr: Toluene-d8 (76-129%)	94 %					1	11/12/10 20:37	SW846 8260B	MJH/H	10K2696
Surr: 4-Bromofluorobenzene (67-147%)	101 %					1	11/12/10 20:37	SW846 8260B	MJH/H	10K2696
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0150	0.0719	1	11/11/10 02:31	SW846 8270D	BES	10K1764
Acenaphthylene	ND		mg/kg dry	0.0215	0.0719	1	11/11/10 02:31	SW846 8270D	BES	10K1764
Anthracene	ND		mg/kg dry	0.00966	0.0719	1	11/11/10 02:31	SW846 8270D	BES	10K1764
Benzo (a) anthracene	ND		mg/kg dry	0.0118	0.0719	1	11/11/10 02:31	SW846 8270D	BES	10K1764
Benzo (a) pyrene	ND		mg/kg dry	0.00858	0.0719	1	11/11/10 02:31	SW846 8270D	BES	10K1764
Benzo (b) fluoranthene	ND		mg/kg dry	0.0408	0.0719	1	11/11/10 02:31	SW846 8270D	BES	10K1764
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00966	0.0719	1	11/11/10 02:31	SW846 8270D	BES	10K1764
Benzo (k) fluoranthene	ND		mg/kg dry	0.0397	0.0719	1	11/11/10 02:31	SW846 8270D	BES	10K1764
Chrysene	ND		mg/kg dry	0.0333	0.0719	1	11/11/10 02:31	SW846 8270D	BES	10K1764
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0161	0.0719	1	11/11/10 02:31	SW846 8270D	BES	10K1764
Fluoranthene	ND		mg/kg dry	0.0118	0.0719	1	11/11/10 02:31	SW846 8270D	BES	10K1764
Fluorene	ND		mg/kg dry	0.0215	0.0719	1	11/11/10 02:31	SW846 8270D	BES	10K1764
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0333	0.0719	1	11/11/10 02:31	SW846 8270D	BES	10K1764
Naphthalene	ND		mg/kg dry	0.0150	0.0719	1	11/11/10 02:31	SW846 8270D	BES	10K1764
Phenanthrene	ND		mg/kg dry	0.0107	0.0719	1	11/11/10 02:31	SW846 8270D	BES	10K1764
Pyrene	ND		mg/kg dry	0.0247	0.0719	1	11/11/10 02:31	SW846 8270D	BES	10K1764
1-Methylnaphthalene	ND		mg/kg dry	0.0129	0.0719	1	11/11/10 02:31	SW846 8270D	BES	10K1764
2-Methylnaphthalene	ND		mg/kg dry	0.0225	0.0719	1	11/11/10 02:31	SW846 8270D	BES	10K1764
Surr: Terphenyl-d14 (18-120%)	56 %					1	11/11/10 02:31	SW846 8270D	BES	10K1764
Surr: 2-Fluorobiphenyl (14-120%)	43 %					1	11/11/10 02:31	SW846 8270D	BES	10K1764
Surr: Nitrobenzene-d5 (17-120%)	46 %					1	11/11/10 02:31	SW846 8270D	BES	10K1764

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTK0932-05 (826 Azalea - Soil) Sampled: 11/03/10 10:45</b>										
General Chemistry Parameters										
% Dry Solids	94.4		%	0.500	0.500	1	11/11/10 08:35	SW-846	HLB	10K2045
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00122	0.00222	1	11/12/10 21:07	SW846 8260B	MJH/H	10K2696
Ethylbenzene	ND		mg/kg dry	0.00109	0.00222	1	11/12/10 21:07	SW846 8260B	MJH/H	10K2696
Naphthalene	ND		mg/kg dry	0.00189	0.00556	1	11/12/10 21:07	SW846 8260B	MJH/H	10K2696
Toluene	ND		mg/kg dry	0.000990	0.00222	1	11/12/10 21:07	SW846 8260B	MJH/H	10K2696
Xylenes, total	ND		mg/kg dry	0.00211	0.00556	1	11/12/10 21:07	SW846 8260B	MJH/H	10K2696
Surr: 1,2-Dichloroethane-d4 (67-138%)	118 %					1	11/12/10 21:07	SW846 8260B	MJH/H	10K2696
Surr: Dibromofluoromethane (75-125%)	98 %					1	11/12/10 21:07	SW846 8260B	MJH/H	10K2696
Surr: Toluene-d8 (76-129%)	94 %					1	11/12/10 21:07	SW846 8260B	MJH/H	10K2696
Surr: 4-Bromofluorobenzene (67-147%)	100 %					1	11/12/10 21:07	SW846 8260B	MJH/H	10K2696
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0147	0.0705	1	11/11/10 02:53	SW846 8270D	BES	10K1764
Acenaphthylene	ND		mg/kg dry	0.0211	0.0705	1	11/11/10 02:53	SW846 8270D	BES	10K1764
Anthracene	ND		mg/kg dry	0.00948	0.0705	1	11/11/10 02:53	SW846 8270D	BES	10K1764
Benzo (a) anthracene	ND		mg/kg dry	0.0116	0.0705	1	11/11/10 02:53	SW846 8270D	BES	10K1764
Benzo (a) pyrene	ND		mg/kg dry	0.00842	0.0705	1	11/11/10 02:53	SW846 8270D	BES	10K1764
Benzo (b) fluoranthene	ND		mg/kg dry	0.0400	0.0705	1	11/11/10 02:53	SW846 8270D	BES	10K1764
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00948	0.0705	1	11/11/10 02:53	SW846 8270D	BES	10K1764
Benzo (k) fluoranthene	ND		mg/kg dry	0.0390	0.0705	1	11/11/10 02:53	SW846 8270D	BES	10K1764
Chrysene	ND		mg/kg dry	0.0326	0.0705	1	11/11/10 02:53	SW846 8270D	BES	10K1764
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0158	0.0705	1	11/11/10 02:53	SW846 8270D	BES	10K1764
Fluoranthene	ND		mg/kg dry	0.0116	0.0705	1	11/11/10 02:53	SW846 8270D	BES	10K1764
Fluorene	ND		mg/kg dry	0.0211	0.0705	1	11/11/10 02:53	SW846 8270D	BES	10K1764
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0326	0.0705	1	11/11/10 02:53	SW846 8270D	BES	10K1764
Naphthalene	ND		mg/kg dry	0.0147	0.0705	1	11/11/10 02:53	SW846 8270D	BES	10K1764
Phenanthrene	ND		mg/kg dry	0.0105	0.0705	1	11/11/10 02:53	SW846 8270D	BES	10K1764
Pyrene	ND		mg/kg dry	0.0242	0.0705	1	11/11/10 02:53	SW846 8270D	BES	10K1764
1-Methylnaphthalene	ND		mg/kg dry	0.0126	0.0705	1	11/11/10 02:53	SW846 8270D	BES	10K1764
2-Methylnaphthalene	ND		mg/kg dry	0.0221	0.0705	1	11/11/10 02:53	SW846 8270D	BES	10K1764
Surr: Terphenyl-d14 (18-120%)	47 %					1	11/11/10 02:53	SW846 8270D	BES	10K1764
Surr: 2-Fluorobiphenyl (14-120%)	37 %					1	11/11/10 02:53	SW846 8270D	BES	10K1764
Surr: Nitrobenzene-d5 (17-120%)	38 %					1	11/11/10 02:53	SW846 8270D	BES	10K1764

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTK0932-06 (839 Azalea - Soil) Sampled: 11/03/10 15:15</b>										
General Chemistry Parameters										
% Dry Solids	96.4		%	0.500	0.500	1	11/11/10 08:35	SW-846	HLB	10K2045
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00127	0.00231	1	11/12/10 21:36	SW846 8260B	MJH/H	10K2696
Ethylbenzene	ND		mg/kg dry	0.00113	0.00231	1	11/12/10 21:36	SW846 8260B	MJH/H	10K2696
Naphthalene	ND		mg/kg dry	0.00197	0.00579	1	11/12/10 21:36	SW846 8260B	MJH/H	10K2696
Toluene	ND		mg/kg dry	0.00103	0.00231	1	11/12/10 21:36	SW846 8260B	MJH/H	10K2696
Xylenes, total	ND		mg/kg dry	0.00220	0.00579	1	11/12/10 21:36	SW846 8260B	MJH/H	10K2696
Surr: 1,2-Dichloroethane-d4 (67-138%)	118 %					1	11/12/10 21:36	SW846 8260B	MJH/H	10K2696
Surr: Dibromofluoromethane (75-125%)	98 %					1	11/12/10 21:36	SW846 8260B	MJH/H	10K2696
Surr: Toluene-d8 (76-129%)	96 %					1	11/12/10 21:36	SW846 8260B	MJH/H	10K2696
Surr: 4-Bromofluorobenzene (67-147%)	105 %					1	11/12/10 21:36	SW846 8260B	MJH/H	10K2696
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0142	0.0680	1	11/11/10 03:15	SW846 8270D	BES	10K1764
Acenaphthylene	ND		mg/kg dry	0.0203	0.0680	1	11/11/10 03:15	SW846 8270D	BES	10K1764
Anthracene	ND		mg/kg dry	0.00914	0.0680	1	11/11/10 03:15	SW846 8270D	BES	10K1764
Benzo (a) anthracene	ND		mg/kg dry	0.0112	0.0680	1	11/11/10 03:15	SW846 8270D	BES	10K1764
Benzo (a) pyrene	ND		mg/kg dry	0.00812	0.0680	1	11/11/10 03:15	SW846 8270D	BES	10K1764
Benzo (b) fluoranthene	ND		mg/kg dry	0.0386	0.0680	1	11/11/10 03:15	SW846 8270D	BES	10K1764
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00914	0.0680	1	11/11/10 03:15	SW846 8270D	BES	10K1764
Benzo (k) fluoranthene	ND		mg/kg dry	0.0376	0.0680	1	11/11/10 03:15	SW846 8270D	BES	10K1764
Chrysene	ND		mg/kg dry	0.0315	0.0680	1	11/11/10 03:15	SW846 8270D	BES	10K1764
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0152	0.0680	1	11/11/10 03:15	SW846 8270D	BES	10K1764
Fluoranthene	ND		mg/kg dry	0.0112	0.0680	1	11/11/10 03:15	SW846 8270D	BES	10K1764
Fluorene	ND		mg/kg dry	0.0203	0.0680	1	11/11/10 03:15	SW846 8270D	BES	10K1764
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0315	0.0680	1	11/11/10 03:15	SW846 8270D	BES	10K1764
Naphthalene	ND		mg/kg dry	0.0142	0.0680	1	11/11/10 03:15	SW846 8270D	BES	10K1764
Phenanthrene	ND		mg/kg dry	0.0102	0.0680	1	11/11/10 03:15	SW846 8270D	BES	10K1764
Pyrene	ND		mg/kg dry	0.0234	0.0680	1	11/11/10 03:15	SW846 8270D	BES	10K1764
1-Methylnaphthalene	ND		mg/kg dry	0.0122	0.0680	1	11/11/10 03:15	SW846 8270D	BES	10K1764
2-Methylnaphthalene	ND		mg/kg dry	0.0213	0.0680	1	11/11/10 03:15	SW846 8270D	BES	10K1764
Surr: Terphenyl-d14 (18-120%)	54 %					1	11/11/10 03:15	SW846 8270D	BES	10K1764
Surr: 2-Fluorobiphenyl (14-120%)	45 %					1	11/11/10 03:15	SW846 8270D	BES	10K1764
Surr: Nitrobenzene-d5 (17-120%)	47 %					1	11/11/10 03:15	SW846 8270D	BES	10K1764

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTK0932-07 (830 Azalea - Soil) Sampled: 11/04/10 10:30</b>										
General Chemistry Parameters										
% Dry Solids	96.7		%	0.500	0.500	1	11/11/10 08:35	SW-846	HLB	10K2045
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00130	0.00237	1	11/15/10 15:40	SW846 8260B	KKK	10K1364
Ethylbenzene	ND		mg/kg dry	0.00116	0.00237	1	11/15/10 15:40	SW846 8260B	KKK	10K1364
Naphthalene	ND		mg/kg dry	0.00202	0.00593	1	11/15/10 15:40	SW846 8260B	KKK	10K1364
Toluene	ND		mg/kg dry	0.00106	0.00237	1	11/15/10 15:40	SW846 8260B	KKK	10K1364
Xylenes, total	ND		mg/kg dry	0.00225	0.00593	1	11/15/10 15:40	SW846 8260B	KKK	10K1364
Surr: 1,2-Dichloroethane-d4 (67-138%)	91 %					1	11/15/10 15:40	SW846 8260B	KKK	10K1364
Surr: Dibromofluoromethane (75-125%)	110 %					1	11/15/10 15:40	SW846 8260B	KKK	10K1364
Surr: Toluene-d8 (76-129%)	95 %					1	11/15/10 15:40	SW846 8260B	KKK	10K1364
Surr: 4-Bromofluorobenzene (67-147%)	106 %					1	11/15/10 15:40	SW846 8260B	KKK	10K1364
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0143	0.0683	1	11/11/10 03:37	SW846 8270D	BES	10K1764
Acenaphthylene	ND		mg/kg dry	0.0204	0.0683	1	11/11/10 03:37	SW846 8270D	BES	10K1764
Anthracene	ND		mg/kg dry	0.00917	0.0683	1	11/11/10 03:37	SW846 8270D	BES	10K1764
Benzo (a) anthracene	ND		mg/kg dry	0.0112	0.0683	1	11/11/10 03:37	SW846 8270D	BES	10K1764
Benzo (a) pyrene	ND		mg/kg dry	0.00815	0.0683	1	11/11/10 03:37	SW846 8270D	BES	10K1764
Benzo (b) fluoranthene	ND		mg/kg dry	0.0387	0.0683	1	11/11/10 03:37	SW846 8270D	BES	10K1764
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00917	0.0683	1	11/11/10 03:37	SW846 8270D	BES	10K1764
Benzo (k) fluoranthene	ND		mg/kg dry	0.0377	0.0683	1	11/11/10 03:37	SW846 8270D	BES	10K1764
Chrysene	ND		mg/kg dry	0.0316	0.0683	1	11/11/10 03:37	SW846 8270D	BES	10K1764
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0153	0.0683	1	11/11/10 03:37	SW846 8270D	BES	10K1764
Fluoranthene	ND		mg/kg dry	0.0112	0.0683	1	11/11/10 03:37	SW846 8270D	BES	10K1764
Fluorene	ND		mg/kg dry	0.0204	0.0683	1	11/11/10 03:37	SW846 8270D	BES	10K1764
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0316	0.0683	1	11/11/10 03:37	SW846 8270D	BES	10K1764
Naphthalene	ND		mg/kg dry	0.0143	0.0683	1	11/11/10 03:37	SW846 8270D	BES	10K1764
Phenanthrene	ND		mg/kg dry	0.0102	0.0683	1	11/11/10 03:37	SW846 8270D	BES	10K1764
Pyrene	ND		mg/kg dry	0.0234	0.0683	1	11/11/10 03:37	SW846 8270D	BES	10K1764
1-Methylnaphthalene	ND		mg/kg dry	0.0122	0.0683	1	11/11/10 03:37	SW846 8270D	BES	10K1764
2-Methylnaphthalene	ND		mg/kg dry	0.0214	0.0683	1	11/11/10 03:37	SW846 8270D	BES	10K1764
Surr: Terphenyl-d14 (18-120%)	55 %					1	11/11/10 03:37	SW846 8270D	BES	10K1764
Surr: 2-Fluorobiphenyl (14-120%)	49 %					1	11/11/10 03:37	SW846 8270D	BES	10K1764
Surr: Nitrobenzene-d5 (17-120%)	51 %					1	11/11/10 03:37	SW846 8270D	BES	10K1764

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTK0932-08 (843 Azalea - Soil) Sampled: 11/04/10 15:30</b>										
General Chemistry Parameters										
% Dry Solids	93.5		%	0.500	0.500	1	11/11/10 08:35	SW-846	HLB	10K2045
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00135	0.00246	1	11/15/10 16:10	SW846 8260B	KKK	10K1364
Ethylbenzene	ND		mg/kg dry	0.00120	0.00246	1	11/15/10 16:10	SW846 8260B	KKK	10K1364
Naphthalene	ND		mg/kg dry	0.00209	0.00615	1	11/15/10 16:10	SW846 8260B	KKK	10K1364
Toluene	ND		mg/kg dry	0.00109	0.00246	1	11/15/10 16:10	SW846 8260B	KKK	10K1364
Xylenes, total	ND		mg/kg dry	0.00234	0.00615	1	11/15/10 16:10	SW846 8260B	KKK	10K1364
Surr: 1,2-Dichloroethane-d4 (67-138%)	91 %					1	11/15/10 16:10	SW846 8260B	KKK	10K1364
Surr: Dibromofluoromethane (75-125%)	108 %					1	11/15/10 16:10	SW846 8260B	KKK	10K1364
Surr: Toluene-d8 (76-129%)	94 %					1	11/15/10 16:10	SW846 8260B	KKK	10K1364
Surr: 4-Bromofluorobenzene (67-147%)	111 %					1	11/15/10 16:10	SW846 8260B	KKK	10K1364
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0148	0.0710	1	11/11/10 03:59	SW846 8270D	BES	10K1764
Acenaphthylene	ND		mg/kg dry	0.0212	0.0710	1	11/11/10 03:59	SW846 8270D	BES	10K1764
Anthracene	ND		mg/kg dry	0.00954	0.0710	1	11/11/10 03:59	SW846 8270D	BES	10K1764
Benzo (a) anthracene	0.0519	J	mg/kg dry	0.0117	0.0710	1	11/11/10 03:59	SW846 8270D	BES	10K1764
Benzo (a) pyrene	ND		mg/kg dry	0.00848	0.0710	1	11/11/10 03:59	SW846 8270D	BES	10K1764
Benzo (b) fluoranthene	0.0452	J	mg/kg dry	0.0403	0.0710	1	11/11/10 03:59	SW846 8270D	BES	10K1764
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00954	0.0710	1	11/11/10 03:59	SW846 8270D	BES	10K1764
Benzo (k) fluoranthene	ND		mg/kg dry	0.0392	0.0710	1	11/11/10 03:59	SW846 8270D	BES	10K1764
Chrysene	0.0445	J	mg/kg dry	0.0329	0.0710	1	11/11/10 03:59	SW846 8270D	BES	10K1764
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0159	0.0710	1	11/11/10 03:59	SW846 8270D	BES	10K1764
Fluoranthene	0.0791		mg/kg dry	0.0117	0.0710	1	11/11/10 03:59	SW846 8270D	BES	10K1764
Fluorene	ND		mg/kg dry	0.0212	0.0710	1	11/11/10 03:59	SW846 8270D	BES	10K1764
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0329	0.0710	1	11/11/10 03:59	SW846 8270D	BES	10K1764
Naphthalene	ND		mg/kg dry	0.0148	0.0710	1	11/11/10 03:59	SW846 8270D	BES	10K1764
Phenanthrene	ND		mg/kg dry	0.0106	0.0710	1	11/11/10 03:59	SW846 8270D	BES	10K1764
Pyrene	0.0777		mg/kg dry	0.0244	0.0710	1	11/11/10 03:59	SW846 8270D	BES	10K1764
1-Methylnaphthalene	ND		mg/kg dry	0.0127	0.0710	1	11/11/10 03:59	SW846 8270D	BES	10K1764
2-Methylnaphthalene	ND		mg/kg dry	0.0223	0.0710	1	11/11/10 03:59	SW846 8270D	BES	10K1764
Surr: Terphenyl-d14 (18-120%)	53 %					1	11/11/10 03:59	SW846 8270D	BES	10K1764
Surr: 2-Fluorobiphenyl (14-120%)	48 %					1	11/11/10 03:59	SW846 8270D	BES	10K1764
Surr: Nitrobenzene-d5 (17-120%)	48 %					1	11/11/10 03:59	SW846 8270D	BES	10K1764

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>							
SW846 8270D	10K1764	NTK0932-01	30.31	1.00	11/09/10 10:00	MSR	EPA 3550C
SW846 8270D	10K1764	NTK0932-02	30.69	1.00	11/09/10 10:00	MSR	EPA 3550C
SW846 8270D	10K1764	NTK0932-03	30.54	1.00	11/09/10 10:00	MSR	EPA 3550C
SW846 8270D	10K1764	NTK0932-04	30.84	1.00	11/09/10 10:00	MSR	EPA 3550C
SW846 8270D	10K1764	NTK0932-05	30.17	1.00	11/09/10 10:00	MSR	EPA 3550C
SW846 8270D	10K1764	NTK0932-06	30.64	1.00	11/09/10 10:00	MSR	EPA 3550C
SW846 8270D	10K1764	NTK0932-07	30.44	1.00	11/09/10 10:00	MSR	EPA 3550C
SW846 8270D	10K1764	NTK0932-08	30.27	1.00	11/09/10 10:00	MSR	EPA 3550C
<b>Volatile Organic Compounds by EPA Method 8260B</b>							
SW846 8260B	10K2696	NTK0932-01	4.69	5.00	11/01/10 10:45	JRL	EPA 5035
SW846 8260B	10K2696	NTK0932-02	4.55	5.00	11/01/10 15:45	JRL	EPA 5035
SW846 8260B	10K2696	NTK0932-03	4.33	5.00	11/02/10 10:45	JRL	EPA 5035
SW846 8260B	10K2696	NTK0932-04	5.13	5.00	11/02/10 15:15	JRL	EPA 5035
SW846 8260B	10K2696	NTK0932-05	4.76	5.00	11/03/10 10:45	JRL	EPA 5035
SW846 8260B	10K2696	NTK0932-06	4.48	5.00	11/03/10 15:15	JRL	EPA 5035
SW846 8260B	10K2696	NTK0932-07	4.40	5.00	11/04/10 10:30	JRL	EPA 5035
SW846 8260B	10K1364	NTK0932-07RE1	4.36	5.00	11/04/10 10:30	JRL	EPA 5035
SW846 8260B	10K2696	NTK0932-08	4.76	5.00	11/04/10 15:30	JRL	EPA 5035
SW846 8260B	10K1364	NTK0932-08RE1	4.35	5.00	11/04/10 15:30	JRL	EPA 5035



Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## PROJECT QUALITY CONTROL DATA

### Blank

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>						
<b>10K1364-BLK1</b>						
Benzene	<0.00110		mg/kg wet	10K1364	10K1364-BLK1	11/15/10 14:11
Ethylbenzene	<0.000980		mg/kg wet	10K1364	10K1364-BLK1	11/15/10 14:11
Naphthalene	<0.00170		mg/kg wet	10K1364	10K1364-BLK1	11/15/10 14:11
Toluene	<0.000890		mg/kg wet	10K1364	10K1364-BLK1	11/15/10 14:11
Xylenes, total	<0.00190		mg/kg wet	10K1364	10K1364-BLK1	11/15/10 14:11
Surrogate: 1,2-Dichloroethane-d4	92%			10K1364	10K1364-BLK1	11/15/10 14:11
Surrogate: Dibromofluoromethane	108%			10K1364	10K1364-BLK1	11/15/10 14:11
Surrogate: Toluene-d8	92%			10K1364	10K1364-BLK1	11/15/10 14:11
Surrogate: 4-Bromofluorobenzene	111%			10K1364	10K1364-BLK1	11/15/10 14:11
<b>10K1364-BLK2</b>						
Benzene	<0.0550		mg/kg wet	10K1364	10K1364-BLK2	11/15/10 14:41
Ethylbenzene	<0.0490		mg/kg wet	10K1364	10K1364-BLK2	11/15/10 14:41
Naphthalene	<0.0850		mg/kg wet	10K1364	10K1364-BLK2	11/15/10 14:41
Toluene	<0.0445		mg/kg wet	10K1364	10K1364-BLK2	11/15/10 14:41
Xylenes, total	<0.0950		mg/kg wet	10K1364	10K1364-BLK2	11/15/10 14:41
Surrogate: 1,2-Dichloroethane-d4	85%			10K1364	10K1364-BLK2	11/15/10 14:41
Surrogate: Dibromofluoromethane	107%			10K1364	10K1364-BLK2	11/15/10 14:41
Surrogate: Toluene-d8	94%			10K1364	10K1364-BLK2	11/15/10 14:41
Surrogate: 4-Bromofluorobenzene	106%			10K1364	10K1364-BLK2	11/15/10 14:41
<b>10K2696-BLK1</b>						
Benzene	<0.00110		mg/kg wet	10K2696	10K2696-BLK1	11/12/10 13:52
Ethylbenzene	<0.000980		mg/kg wet	10K2696	10K2696-BLK1	11/12/10 13:52
Naphthalene	<0.00170		mg/kg wet	10K2696	10K2696-BLK1	11/12/10 13:52
Toluene	<0.000890		mg/kg wet	10K2696	10K2696-BLK1	11/12/10 13:52
Xylenes, total	<0.00190		mg/kg wet	10K2696	10K2696-BLK1	11/12/10 13:52
Surrogate: 1,2-Dichloroethane-d4	85%			10K2696	10K2696-BLK1	11/12/10 13:52
Surrogate: Dibromofluoromethane	94%			10K2696	10K2696-BLK1	11/12/10 13:52
Surrogate: Toluene-d8	101%			10K2696	10K2696-BLK1	11/12/10 13:52
Surrogate: 4-Bromofluorobenzene	102%			10K2696	10K2696-BLK1	11/12/10 13:52
<b>10K2696-BLK2</b>						
Benzene	<0.0550		mg/kg wet	10K2696	10K2696-BLK2	11/12/10 14:21
Ethylbenzene	<0.0490		mg/kg wet	10K2696	10K2696-BLK2	11/12/10 14:21
Naphthalene	<0.0850		mg/kg wet	10K2696	10K2696-BLK2	11/12/10 14:21
Toluene	<0.0445		mg/kg wet	10K2696	10K2696-BLK2	11/12/10 14:21
Xylenes, total	<0.0950		mg/kg wet	10K2696	10K2696-BLK2	11/12/10 14:21
Surrogate: 1,2-Dichloroethane-d4	79%			10K2696	10K2696-BLK2	11/12/10 14:21
Surrogate: Dibromofluoromethane	90%			10K2696	10K2696-BLK2	11/12/10 14:21
Surrogate: Toluene-d8	105%			10K2696	10K2696-BLK2	11/12/10 14:21
Surrogate: 4-Bromofluorobenzene	102%			10K2696	10K2696-BLK2	11/12/10 14:21

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## PROJECT QUALITY CONTROL DATA Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>						
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>						
<b>10K1764-BLK1</b>						
Acenaphthene	<0.0140		mg/kg wet	10K1764	10K1764-BLK1	11/15/10 14:32
Acenaphthylene	<0.0200		mg/kg wet	10K1764	10K1764-BLK1	11/15/10 14:32
Anthracene	<0.00900		mg/kg wet	10K1764	10K1764-BLK1	11/15/10 14:32
Benzo (a) anthracene	<0.0110		mg/kg wet	10K1764	10K1764-BLK1	11/15/10 14:32
Benzo (a) pyrene	<0.00800		mg/kg wet	10K1764	10K1764-BLK1	11/15/10 14:32
Benzo (b) fluoranthene	<0.0380		mg/kg wet	10K1764	10K1764-BLK1	11/15/10 14:32
Benzo (g,h,i) perylene	<0.00900		mg/kg wet	10K1764	10K1764-BLK1	11/15/10 14:32
Benzo (k) fluoranthene	<0.0370		mg/kg wet	10K1764	10K1764-BLK1	11/15/10 14:32
Chrysene	<0.0310		mg/kg wet	10K1764	10K1764-BLK1	11/15/10 14:32
Dibenz (a,h) anthracene	<0.0150		mg/kg wet	10K1764	10K1764-BLK1	11/15/10 14:32
Fluoranthene	<0.0110		mg/kg wet	10K1764	10K1764-BLK1	11/15/10 14:32
Fluorene	<0.0200		mg/kg wet	10K1764	10K1764-BLK1	11/15/10 14:32
Indeno (1,2,3-cd) pyrene	<0.0310		mg/kg wet	10K1764	10K1764-BLK1	11/15/10 14:32
Naphthalene	<0.0140		mg/kg wet	10K1764	10K1764-BLK1	11/15/10 14:32
Phenanthrene	<0.0100		mg/kg wet	10K1764	10K1764-BLK1	11/15/10 14:32
Pyrene	<0.0230		mg/kg wet	10K1764	10K1764-BLK1	11/15/10 14:32
1-Methylnaphthalene	<0.0120		mg/kg wet	10K1764	10K1764-BLK1	11/15/10 14:32
2-Methylnaphthalene	<0.0210		mg/kg wet	10K1764	10K1764-BLK1	11/15/10 14:32
Surrogate: Terphenyl-d14	66%			10K1764	10K1764-BLK1	11/15/10 14:32
Surrogate: 2-Fluorobiphenyl	54%			10K1764	10K1764-BLK1	11/15/10 14:32
Surrogate: Nitrobenzene-d5	49%			10K1764	10K1764-BLK1	11/15/10 14:32

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## PROJECT QUALITY CONTROL DATA

### Duplicate

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	% Rec.	Analyzed Date/Time
<b>General Chemistry Parameters</b>										
<b>10K2045-DUP1</b>										
% Dry Solids	84.0	83.1		%	1	20	10K2045	NTK0689-01		11/11/10 08:35

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## PROJECT QUALITY CONTROL DATA

### LCS

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>								
<b>10K1364-BS1</b>								
Benzene	50.0	49.2		ug/kg	98%	78 - 126	10K1364	11/15/10 11:08
Ethylbenzene	50.0	51.3		ug/kg	103%	79 - 130	10K1364	11/15/10 11:08
Naphthalene	50.0	47.6		ug/kg	95%	72 - 150	10K1364	11/15/10 11:08
Toluene	50.0	47.2		ug/kg	94%	76 - 126	10K1364	11/15/10 11:08
Xylenes, total	150	156		ug/kg	104%	80 - 130	10K1364	11/15/10 11:08
Surrogate: 1,2-Dichloroethane-d4	50.0	46.0			92%	67 - 138	10K1364	11/15/10 11:08
Surrogate: Dibromofluoromethane	50.0	54.3			109%	75 - 125	10K1364	11/15/10 11:08
Surrogate: Toluene-d8	50.0	47.6			95%	76 - 129	10K1364	11/15/10 11:08
Surrogate: 4-Bromofluorobenzene	50.0	50.0			100%	67 - 147	10K1364	11/15/10 11:08
<b>10K2696-BS1</b>								
Benzene	50.0	44.5		ug/kg	89%	78 - 126	10K2696	11/12/10 11:09
Ethylbenzene	50.0	48.6		ug/kg	97%	79 - 130	10K2696	11/12/10 11:09
Naphthalene	50.0	41.1		ug/kg	82%	72 - 150	10K2696	11/12/10 11:09
Toluene	50.0	48.0		ug/kg	96%	76 - 126	10K2696	11/12/10 11:09
Xylenes, total	150	144		ug/kg	96%	80 - 130	10K2696	11/12/10 11:09
Surrogate: 1,2-Dichloroethane-d4	50.0	40.0			80%	67 - 138	10K2696	11/12/10 11:09
Surrogate: Dibromofluoromethane	50.0	44.9			90%	75 - 125	10K2696	11/12/10 11:09
Surrogate: Toluene-d8	50.0	51.6			103%	76 - 129	10K2696	11/12/10 11:09
Surrogate: 4-Bromofluorobenzene	50.0	51.4			103%	67 - 147	10K2696	11/12/10 11:09
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>								
<b>10K1764-BS1</b>								
Acenaphthene	1.67	1.37		mg/kg wet	82%	49 - 120	10K1764	11/15/10 11:36
Acenaphthylene	1.67	1.40		mg/kg wet	84%	52 - 120	10K1764	11/15/10 11:36
Anthracene	1.67	1.45		mg/kg wet	87%	58 - 120	10K1764	11/15/10 11:36
Benzo (a) anthracene	1.67	1.35		mg/kg wet	81%	57 - 120	10K1764	11/15/10 11:36
Benzo (a) pyrene	1.67	1.45		mg/kg wet	87%	55 - 120	10K1764	11/15/10 11:36
Benzo (b) fluoranthene	1.67	1.40		mg/kg wet	84%	51 - 123	10K1764	11/15/10 11:36
Benzo (g,h,i) perylene	1.67	1.39		mg/kg wet	84%	49 - 121	10K1764	11/15/10 11:36
Benzo (k) fluoranthene	1.67	1.48		mg/kg wet	89%	42 - 129	10K1764	11/15/10 11:36
Chrysene	1.67	1.32		mg/kg wet	79%	55 - 120	10K1764	11/15/10 11:36
Dibenz (a,h) anthracene	1.67	1.40		mg/kg wet	84%	50 - 123	10K1764	11/15/10 11:36
Fluoranthene	1.67	1.42		mg/kg wet	85%	58 - 120	10K1764	11/15/10 11:36
Fluorene	1.67	1.41		mg/kg wet	84%	54 - 120	10K1764	11/15/10 11:36
Indeno (1,2,3-cd) pyrene	1.67	1.40		mg/kg wet	84%	50 - 122	10K1764	11/15/10 11:36
Naphthalene	1.67	1.17		mg/kg wet	70%	28 - 120	10K1764	11/15/10 11:36
Phenanthrene	1.67	1.48		mg/kg wet	89%	56 - 120	10K1764	11/15/10 11:36
Pyrene	1.67	1.39		mg/kg wet	83%	56 - 120	10K1764	11/15/10 11:36
1-Methylnaphthalene	1.67	1.08		mg/kg wet	65%	36 - 120	10K1764	11/15/10 11:36
2-Methylnaphthalene	1.67	1.17		mg/kg wet	70%	36 - 120	10K1764	11/15/10 11:36

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## PROJECT QUALITY CONTROL DATA

### LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>								
<b>10K1764-BS1</b>								
Surrogate: Terphenyl-d14	1.67	1.19			71%	18 - 120	10K1764	11/15/10 11:36
Surrogate: 2-Fluorobiphenyl	1.67	1.23			74%	14 - 120	10K1764	11/15/10 11:36
Surrogate: Nitrobenzene-d5	1.67	1.01			61%	17 - 120	10K1764	11/15/10 11:36

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## PROJECT QUALITY CONTROL DATA

### LCS Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>												
<b>10K1364-BSD1</b>												
Benzene		50.5		ug/kg	50.0	101%	78 - 126	3	50	10K1364		11/15/10 11:38
Ethylbenzene		50.9		ug/kg	50.0	102%	79 - 130	0.9	50	10K1364		11/15/10 11:38
Naphthalene		52.2		ug/kg	50.0	104%	72 - 150	9	50	10K1364		11/15/10 11:38
Toluene		46.6		ug/kg	50.0	93%	76 - 126	1	50	10K1364		11/15/10 11:38
Xylenes, total		157		ug/kg	150	104%	80 - 130	0.4	50	10K1364		11/15/10 11:38
Surrogate: 1,2-Dichloroethane-d4		45.0		ug/kg	50.0	90%	67 - 138			10K1364		11/15/10 11:38
Surrogate: Dibromofluoromethane		54.0		ug/kg	50.0	108%	75 - 125			10K1364		11/15/10 11:38
Surrogate: Toluene-d8		46.2		ug/kg	50.0	92%	76 - 129			10K1364		11/15/10 11:38
Surrogate: 4-Bromofluorobenzene		50.9		ug/kg	50.0	102%	67 - 147			10K1364		11/15/10 11:38
<b>10K2696-BSD1</b>												
Benzene		46.3		ug/kg	50.0	93%	78 - 126	4	50	10K2696		11/12/10 11:40
Ethylbenzene		50.6		ug/kg	50.0	101%	79 - 130	4	50	10K2696		11/12/10 11:40
Naphthalene		42.2		ug/kg	50.0	84%	72 - 150	3	50	10K2696		11/12/10 11:40
Toluene		49.5		ug/kg	50.0	99%	76 - 126	3	50	10K2696		11/12/10 11:40
Xylenes, total		150		ug/kg	150	100%	80 - 130	4	50	10K2696		11/12/10 11:40
Surrogate: 1,2-Dichloroethane-d4		40.8		ug/kg	50.0	82%	67 - 138			10K2696		11/12/10 11:40
Surrogate: Dibromofluoromethane		46.7		ug/kg	50.0	93%	75 - 125			10K2696		11/12/10 11:40
Surrogate: Toluene-d8		51.9		ug/kg	50.0	104%	76 - 129			10K2696		11/12/10 11:40
Surrogate: 4-Bromofluorobenzene		51.1		ug/kg	50.0	102%	67 - 147			10K2696		11/12/10 11:40

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## PROJECT QUALITY CONTROL DATA

### Matrix Spike

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>										
<b>10K1364-MS1</b>										
Benzene	1.69	2.78		mg/kg wet	2.55	42%	42 - 141	10K1364	NTK0386-03RE 3	11/15/10 20:41
Ethylbenzene	0.306	2.83		mg/kg wet	2.55	99%	21 - 165	10K1364	NTK0386-03RE 3	11/15/10 20:41
Naphthalene	0.467	2.95		mg/kg wet	2.55	98%	10 - 160	10K1364	NTK0386-03RE 3	11/15/10 20:41
Toluene	1.82	2.85	M2	mg/kg wet	2.55	40%	45 - 145	10K1364	NTK0386-03RE 3	11/15/10 20:41
Xylenes, total	2.45	9.73		mg/kg wet	7.64	95%	31 - 159	10K1364	NTK0386-03RE 3	11/15/10 20:41
Surrogate: 1,2-Dichloroethane-d4		43.2		ug/kg	50.0	86%	67 - 138	10K1364	NTK0386-03RE 3	11/15/10 20:41
Surrogate: Dibromofluoromethane		50.6		ug/kg	50.0	101%	75 - 125	10K1364	NTK0386-03RE 3	11/15/10 20:41
Surrogate: Toluene-d8		46.2		ug/kg	50.0	92%	76 - 129	10K1364	NTK0386-03RE 3	11/15/10 20:41
Surrogate: 4-Bromofluorobenzene		52.2		ug/kg	50.0	104%	67 - 147	10K1364	NTK0386-03RE 3	11/15/10 20:41
<b>10K2696-MS1</b>										
Benzene	ND	2.26		mg/kg wet	2.04	111%	42 - 141	10K2696	NTK0828-08RE 2	11/12/10 23:04
Ethylbenzene	0.100	2.37		mg/kg wet	2.04	111%	21 - 165	10K2696	NTK0828-08RE 2	11/12/10 23:04
Naphthalene	3.43	6.02		mg/kg wet	2.04	127%	10 - 160	10K2696	NTK0828-08RE 2	11/12/10 23:04
Toluene	ND	2.15		mg/kg wet	2.04	105%	45 - 145	10K2696	NTK0828-08RE 2	11/12/10 23:04
Xylenes, total	0.0858	6.94		mg/kg wet	6.13	112%	31 - 159	10K2696	NTK0828-08RE 2	11/12/10 23:04
Surrogate: 1,2-Dichloroethane-d4		53.5		ug/kg	50.0	107%	67 - 138	10K2696	NTK0828-08RE 2	11/12/10 23:04
Surrogate: Dibromofluoromethane		47.5		ug/kg	50.0	95%	75 - 125	10K2696	NTK0828-08RE 2	11/12/10 23:04
Surrogate: Toluene-d8		49.7		ug/kg	50.0	99%	76 - 129	10K2696	NTK0828-08RE 2	11/12/10 23:04
Surrogate: 4-Bromofluorobenzene		41.0		ug/kg	50.0	82%	67 - 147	10K2696	NTK0828-08RE 2	11/12/10 23:04
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>										
<b>10K1764-MS1</b>										
Acenaphthene	ND	1.38		mg/kg dry	1.83	75%	42 - 120	10K1764	NTK0863-01	11/15/10 11:58
Acenaphthylene	ND	1.39		mg/kg dry	1.83	76%	32 - 120	10K1764	NTK0863-01	11/15/10 11:58
Anthracene	ND	1.50		mg/kg dry	1.83	82%	10 - 200	10K1764	NTK0863-01	11/15/10 11:58
Benzo (a) anthracene	ND	1.38		mg/kg dry	1.83	75%	41 - 120	10K1764	NTK0863-01	11/15/10 11:58
Benzo (a) pyrene	ND	1.53		mg/kg dry	1.83	83%	33 - 121	10K1764	NTK0863-01	11/15/10 11:58
Benzo (b) fluoranthene	ND	1.52		mg/kg dry	1.83	83%	26 - 137	10K1764	NTK0863-01	11/15/10 11:58

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## PROJECT QUALITY CONTROL DATA

### Matrix Spike - Cont.

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>										
<b>10K1764-MS1</b>										
Benzo (g,h,i) perylene	ND	1.46		mg/kg dry	1.83	80%	21 - 124	10K1764	NTK0863-01	11/15/10 11:58
Benzo (k) fluoranthene	ND	1.53		mg/kg dry	1.83	84%	14 - 140	10K1764	NTK0863-01	11/15/10 11:58
Chrysene	ND	1.40		mg/kg dry	1.83	76%	28 - 123	10K1764	NTK0863-01	11/15/10 11:58
Dibenz (a,h) anthracene	ND	1.49		mg/kg dry	1.83	81%	25 - 127	10K1764	NTK0863-01	11/15/10 11:58
Fluoranthene	ND	1.48		mg/kg dry	1.83	81%	38 - 120	10K1764	NTK0863-01	11/15/10 11:58
Fluorene	ND	1.43		mg/kg dry	1.83	78%	41 - 120	10K1764	NTK0863-01	11/15/10 11:58
Indeno (1,2,3-cd) pyrene	ND	1.48		mg/kg dry	1.83	81%	25 - 123	10K1764	NTK0863-01	11/15/10 11:58
Naphthalene	ND	1.17		mg/kg dry	1.83	64%	25 - 120	10K1764	NTK0863-01	11/15/10 11:58
Phenanthrene	ND	1.55		mg/kg dry	1.83	84%	37 - 120	10K1764	NTK0863-01	11/15/10 11:58
Pyrene	ND	1.45		mg/kg dry	1.83	79%	29 - 125	10K1764	NTK0863-01	11/15/10 11:58
1-Methylnaphthalene	ND	1.09		mg/kg dry	1.83	60%	19 - 120	10K1764	NTK0863-01	11/15/10 11:58
2-Methylnaphthalene	ND	1.17		mg/kg dry	1.83	64%	11 - 120	10K1764	NTK0863-01	11/15/10 11:58
Surrogate: Terphenyl-d14		0.00110	Z11	mg/kg dry	1.83	0%	18 - 120	10K1764	NTK0863-01	11/15/10 11:58
Surrogate: 2-Fluorobiphenyl		0.000734	Z11	mg/kg dry	1.83	0%	14 - 120	10K1764	NTK0863-01	11/15/10 11:58
Surrogate: Nitrobenzene-d5		0.0895	Z11	mg/kg dry	1.83	5%	17 - 120	10K1764	NTK0863-01	11/15/10 11:58



Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## PROJECT QUALITY CONTROL DATA

### Matrix Spike Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>												
<b>10K1364-MSD1</b>												
Benzene	1.69	2.60	M2	mg/kg wet	2.55	35%	42 - 141	7	50	10K1364	NTK0386-03R E3	11/15/10 21:11
Ethylbenzene	0.306	2.68		mg/kg wet	2.55	93%	21 - 165	5	50	10K1364	NTK0386-03R E3	11/15/10 21:11
Naphthalene	0.467	2.89		mg/kg wet	2.55	95%	10 - 160	2	50	10K1364	NTK0386-03R E3	11/15/10 21:11
Toluene	1.82	2.63	M2	mg/kg wet	2.55	32%	45 - 145	8	50	10K1364	NTK0386-03R E3	11/15/10 21:11
Xylenes, total	2.45	9.22		mg/kg wet	7.64	89%	31 - 159	5	50	10K1364	NTK0386-03R E3	11/15/10 21:11
Surrogate: 1,2-Dichloroethane-d4		43.9		ug/kg	50.0	88%	67 - 138			10K1364	NTK0386-03R E3	11/15/10 21:11
Surrogate: Dibromofluoromethane		50.0		ug/kg	50.0	100%	75 - 125			10K1364	NTK0386-03R E3	11/15/10 21:11
Surrogate: Toluene-d8		45.9		ug/kg	50.0	92%	76 - 129			10K1364	NTK0386-03R E3	11/15/10 21:11
Surrogate: 4-Bromofluorobenzene		52.9		ug/kg	50.0	106%	67 - 147			10K1364	NTK0386-03R E3	11/15/10 21:11
<b>10K2696-MSD1</b>												
Benzene	ND	2.29		mg/kg wet	2.04	112%	42 - 141	1	50	10K2696	NTK0828-08R E2	11/12/10 23:33
Ethylbenzene	0.100	2.36		mg/kg wet	2.04	111%	21 - 165	0.3	50	10K2696	NTK0828-08R E2	11/12/10 23:33
Naphthalene	3.43	6.06		mg/kg wet	2.04	129%	10 - 160	0.7	50	10K2696	NTK0828-08R E2	11/12/10 23:33
Toluene	ND	2.09		mg/kg wet	2.04	102%	45 - 145	3	50	10K2696	NTK0828-08R E2	11/12/10 23:33
Xylenes, total	0.0858	6.88		mg/kg wet	6.13	111%	31 - 159	0.9	50	10K2696	NTK0828-08R E2	11/12/10 23:33
Surrogate: 1,2-Dichloroethane-d4		54.8		ug/kg	50.0	110%	67 - 138			10K2696	NTK0828-08R E2	11/12/10 23:33
Surrogate: Dibromofluoromethane		49.0		ug/kg	50.0	98%	75 - 125			10K2696	NTK0828-08R E2	11/12/10 23:33
Surrogate: Toluene-d8		48.7		ug/kg	50.0	97%	76 - 129			10K2696	NTK0828-08R E2	11/12/10 23:33
Surrogate: 4-Bromofluorobenzene		40.6		ug/kg	50.0	81%	67 - 147			10K2696	NTK0828-08R E2	11/12/10 23:33
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>												
<b>10K1764-MSD1</b>												
Acenaphthene	ND	1.29		mg/kg dry	1.82	71%	42 - 120	7	40	10K1764	NTK0863-01	11/15/10 12:19
Acenaphthylene	ND	1.29		mg/kg dry	1.82	71%	32 - 120	7	30	10K1764	NTK0863-01	11/15/10 12:19
Anthracene	ND	1.33		mg/kg dry	1.82	73%	10 - 200	12	50	10K1764	NTK0863-01	11/15/10 12:19
Benzo (a) anthracene	ND	1.24		mg/kg dry	1.82	68%	41 - 120	10	30	10K1764	NTK0863-01	11/15/10 12:19
Benzo (a) pyrene	ND	1.31		mg/kg dry	1.82	72%	33 - 121	15	33	10K1764	NTK0863-01	11/15/10 12:19
Benzo (b) fluoranthene	ND	1.28		mg/kg dry	1.82	70%	26 - 137	17	42	10K1764	NTK0863-01	11/15/10 12:19
Benzo (g,h,i) perylene	ND	1.26		mg/kg dry	1.82	69%	21 - 124	15	32	10K1764	NTK0863-01	11/15/10 12:19
Benzo (k) fluoranthene	ND	1.36		mg/kg dry	1.82	75%	14 - 140	12	39	10K1764	NTK0863-01	11/15/10 12:19

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## PROJECT QUALITY CONTROL DATA

### Matrix Spike Dup - Cont.

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>												
<b>10K1764-MSD1</b>												
Chrysene	ND	1.20		mg/kg dry	1.82	66%	28 - 123	15	34	10K1764	NTK0863-01	11/15/10 12:19
Dibenz (a,h) anthracene	ND	1.27		mg/kg dry	1.82	70%	25 - 127	16	31	10K1764	NTK0863-01	11/15/10 12:19
Fluoranthene	ND	1.30		mg/kg dry	1.82	71%	38 - 120	13	35	10K1764	NTK0863-01	11/15/10 12:19
Fluorene	ND	1.30		mg/kg dry	1.82	72%	41 - 120	9	37	10K1764	NTK0863-01	11/15/10 12:19
Indeno (1,2,3-cd) pyrene	ND	1.27		mg/kg dry	1.82	70%	25 - 123	15	32	10K1764	NTK0863-01	11/15/10 12:19
Naphthalene	ND	1.08		mg/kg dry	1.82	59%	25 - 120	8	42	10K1764	NTK0863-01	11/15/10 12:19
Phenanthrene	ND	1.35		mg/kg dry	1.82	74%	37 - 120	13	32	10K1764	NTK0863-01	11/15/10 12:19
Pyrene	ND	1.27		mg/kg dry	1.82	70%	29 - 125	13	40	10K1764	NTK0863-01	11/15/10 12:19
1-Methylnaphthalene	ND	1.02		mg/kg dry	1.82	56%	19 - 120	7	45	10K1764	NTK0863-01	11/15/10 12:19
2-Methylnaphthalene	ND	1.09		mg/kg dry	1.82	60%	11 - 120	7	50	10K1764	NTK0863-01	11/15/10 12:19
Surrogate: Terphenyl-d14		0.000364	Z11	mg/kg dry	1.82	0%	18 - 120			10K1764	NTK0863-01	11/15/10 12:19
Surrogate: 2-Fluorobiphenyl		0.000729	Z11	mg/kg dry	1.82	0%	14 - 120			10K1764	NTK0863-01	11/15/10 12:19
Surrogate: Nitrobenzene-d5		0.0831	Z11	mg/kg dry	1.82	5%	17 - 120			10K1764	NTK0863-01	11/15/10 12:19

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## CERTIFICATION SUMMARY

### TestAmerica Nashville

Method	Matrix	AIHA	Nelac	South Carolina
SW846 8260B	Soil	N/A	X	X
SW846 8270D	Soil		X	X
SW-846	Soil			

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK0932  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/06/10 08:30

## DATA QUALIFIERS AND DEFINITIONS

**J** Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.

**M2** The MS and/or MSD were below the acceptance limits due to sample matrix interference. See Blank Spike (LCS).

**Z11** Surrogate low but all targets within method criteria. No effect on data.

**ND** Not detected at the reporting limit (or method detection limit if shown)

## METHOD MODIFICATION NOTES



ATTACHMENT A



# NON-HAZARDOUS MANIFEST

<b>NON-HAZARDOUS MANIFEST</b>		1. Generator's US EPA ID No.		Manifest Doc No.		2. Page 1 of 1		
3. Generator's Mailing Address: MCAS, BEAUFORT LAUREL BAY HOUSING BEAUFORT, SC 29907				Generator's Site Address (If different than mailing):		A. Manifest Number <b>WMNA</b> 00316799		
4. Generator's Phone 843-228-6461						B. State Generator's ID		
5. Transporter 1 Company Name EEG, INC.				6. US EPA ID Number		C. State Transporter's ID		
						D. Transporter's Phone 843-879-0411		
7. Transporter 2 Company Name				8. US EPA ID Number		E. State Transporter's ID		
						F. Transporter's Phone		
9. Designated Facility Name and Site Address HICKORY HILL LANDFILL 2621 LOW COUNTRY ROAD RIDGELAND, SC 29936				10. US EPA ID Number		G. State Facility ID		
						H. State Facility Phone 843-987-4643		
GENERATOR	11. Description of Waste Materials				12. Containers		13. Total Quantity	
					No. Type		14. Unit Wt./Vol.	
	a. HEATING OIL TANKS FILLED WITH SAND							
	WM Profile # 102655SC							
	b.							
	WM Profile #							
	c.							
	WM Profile #							
	d.							
	WM Profile #							
J. Additional Descriptions for Materials Listed Above				K. Disposal Location				
				Cell Level				
				Grid				
15. Special Handling Instructions and Additional Information 1) 829 A2ALCA 4) 833 A2ALCA 6) 526 A2ALCA 2) 822 A2ALCA 3) 827 A2ALCA 5) 824 A2ALCA								
Purchase Order #				EMERGENCY CONTACT / PHONE NO.:				
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.								
Printed Name				Signature "On behalf of"		Month Day Year		
						12 9 10		
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials							
	Printed Name		Signature		Month Day Year			
James Ballard		James Ballard		12 9 10				
TRANSPORTER	18. Transporter 2 Acknowledgement of Receipt of Materials							
	Printed Name		Signature		Month Day Year			
FACILITY	19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.							
	20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.							
	Printed Name		Signature		Month Day Year			
Tina Green		Tina Green		12 9 10				

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Pink- FACILITY USE ONLY

Gold- TRANSPORTER #1 COPY

## **Appendix C**

### **Regulatory Correspondence**



BOARD:  
Paul C. Aughtry, III  
Chairman  
Edwin H. Cooper, III  
Vice Chairman  
Steven G. Kisner  
Secretary



C. Earl Hunter, Commissioner

*Promoting and protecting the health of the public and the environment*

BOARD:  
Henry C. Scott

M. David Mitchell, MD

Glenn A. McCall

Coleman F. Buckhouse, MD

**Bureau of Land and Waste Management  
Division of Waste Management**

July 7, 2011

Commanding Officer  
Attention: NREAO Mr. William A. Drawdy  
United States Marine Corp Air Station  
Post Office Box 55001  
Beaufort, SC 29904-5001

RE: No Further Action  
Laurel Bay Underground Storage Tank Assessment Report for:

- |                |              |              |              |             |
|----------------|--------------|--------------|--------------|-------------|
| • 824 Azalea   | • 826 Azalea | • 827 Azalea | • 829 Azalea | • 884 Cobia |
| • 830 Azalea   | • 833 Azalea | • 839 Azalea | • 843 Azalea | • 885 Cobia |
| • 937 Albacore | • 754 Althea | • 756 Althea | • 758 Althea | • 887 Cobia |
| • 836 Azalea   | • 838 Azalea | • 845 Azalea | • 847 Azalea | • 881 Cobia |
| • 863 Azalea   | • 867 Cobia  | • 870 Cobia  | • 871 Cobia  | • 881 Cobia |
| • 877 Cobia    | • 876 Cobia  |              |              |             |

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tanks (USTs) Assessment Report on February 17, 2011 for the addresses listed above.

The Department has reviewed the referenced assessment report and agrees there is no indication of soil or groundwater contamination on this property, and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corp Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary. If you have any questions, please contact me at [picketcn@dhec.sc.gov](mailto:picketcn@dhec.sc.gov) or 803-896-4131.

Sincerely,

  
Christi Pickett

Corrective Action Engineering Section  
Bureau of Land and Waste Management  
South Carolina Department of Health and Environmental Control

cc: Laurel Rhoten (via email)  
Craig Ehde (via email)