

SUMMARY REPORT  
46 COBIA DRIVE (FORMERLY 871 COBIA DRIVE)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC

Revision: 0  
Prepared for:

Department of the Navy  
Naval Facilities Engineering Command, Mid-Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

JUNE 2021

SUMMARY REPORT  
46 COBIA DRIVE (FORMERLY 871 COBIA DRIVE)  
LAUREL BAY MILITARY HOUSING AREA  
MARINE CORPS AIR STATION BEAUFORT  
BEAUFORT, SC

Revision: 0  
Prepared for:

Department of the Navy  
Naval Facilities Engineering Command, Mid- Atlantic  
9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue  
Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture  
10560 Arrowhead Drive, Suite 500  
Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016  
CTO WE52  
JUNE 2021

---

## Table of Contents

1.0	INTRODUCTION.....	1
1.1	BACKGROUND INFORMATION.....	1
1.2	UST REMOVAL AND ASSESSMENT PROCESS.....	2
2.0	SAMPLING ACTIVITIES AND RESULTS.....	3
2.1	UST REMOVAL AND SOIL SAMPLING .....	3
2.2	SOIL ANALYTICAL RESULTS.....	4
3.0	PROPERTY STATUS .....	4
4.0	REFERENCES.....	4

## Table

Table 1	Laboratory Analytical Results - Soil
---------	--------------------------------------

## Appendices

Appendix A	Multi-Media Selection Process for LBMH
Appendix B	UST Assessment Report
Appendix C	Regulatory Correspondence

---

## List of Acronyms

bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
CTO	Contract Task Order
COPC	constituents of potential concern
IDIQ	Indefinite Delivery, Indefinite Quantity
IGWA	Initial Groundwater Assessment
JV	Joint Venture
LBMH	Laurel Bay Military Housing
MCAS	Marine Corps Air Station
NAVFAC Mid-Lant	Naval Facilities Engineering Command Mid-Atlantic
NFA	No Further Action
PAH	polynuclear aromatic hydrocarbon
QAPP	Quality Assurance Program Plan
RBSL	risk-based screening level
SCDHEC	South Carolina Department of Health and Environmental Control
Site	LBMH area at MCAS Beaufort, South Carolina
UST	underground storage tank
VISL	vapor intrusion screening level

## 1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 46 Cobia Drive (Formerly 871 Cobia Drive). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

### 1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

## 1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management Division* (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels

used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

## 2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 46 Cobia Drive (Formerly 871 Cobia Drive). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 871 Cobia Drive* (MCAS Beaufort, 2011). The UST Assessment Report is provided in Appendix B.

### 2.1 UST Removal and Soil Sampling

On November 23, 2010, a single 280 gallon heating oil UST was removed from the front yard adjacent to the driveway area at 46 Cobia Drive (Formerly 871 Cobia Drive). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 6'2" bgs and a single soil sample was collected from that depth. The sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in

accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

## 2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 46 Cobia Drive (Formerly 871 Cobia Drive) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment.

## 3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 46 Cobia Drive (Formerly 871 Cobia Drive). This NFA determination was obtained in a letter dated July 7, 2011. SCDHEC's NFA letter is provided in Appendix C.

## 4.0 REFERENCES

Marine Corps Air Station Beaufort, 2011. *South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 871 Cobia Drive, Laurel Bay Military Housing Area*, February 2011.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 2.0*, April 2013.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.0*, May 2015.



South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 3.1*, February 2016.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

## Table

**Table 1**  
**Laboratory Analytical Results - Soil**  
**46 Cobia Drive (Formerly 871 Cobia Drive)**  
**Laurel Bay Military Housing Area**  
**Marine Corps Air Station Beaufort**  
**Beaufort, South Carolina**

Constituent	SCDHEC RBSLs <sup>(1)</sup>	Results Sample Collected 11/23/10
<b>Volatile Organic Compounds Analyzed by EPA Method 8260B (mg/kg)</b>		
Benzene	0.003	ND
Ethylbenzene	1.15	ND
Naphthalene	0.036	ND
Toluene	0.627	ND
Xylenes, Total	13.01	ND
<b>Semivolatile Organic Compounds Analyzed by EPA Method 8270D (mg/kg)</b>		
Benzo(a)anthracene	0.66	ND
Benzo(b)fluoranthene	0.66	ND
Benzo(k)fluoranthene	0.66	ND
Chrysene	0.66	ND
Dibenz(a,h)anthracene	0.66	ND

**Notes:**

<sup>(1)</sup> South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 and 1.1 (SCDHEC, May 2001 and SCDHEC, February 2011) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.

RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

**Appendix A**  
**Multi-Media Selection Process for LBMH**



Appendix A - Multi-Media Selection Process for LBMH

**Appendix B**  
**UST Assessment Report**

South Carolina Department of Health and Environmental Control (SCDHEC)  
**Underground Storage Tank (UST) Assessment Report**

<b>Date Received</b>  	<b>State Use Only</b>  
------------------------------	-------------------------------

Submit Completed Form To:  
 UST Program  
 SCDHEC  
 2600 Bull Street  
 Columbia, South Carolina 29201  
 Telephone (803) 896-7957

**I. OWNERSHIP OF UST (S)**

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde) <b>Owner Name (Corporation, Individual, Public Agency, Other)</b>		
P.O. Box 55001 <b>Mailing Address</b>		
Beaufort, <b>City</b>	South Carolina <b>State</b>	29904-5001 <b>Zip Code</b>
843 <b>Area Code</b>	228-7317 <b>Telephone Number</b>	Craig Ehde <b>Contact Person</b>

**II. SITE IDENTIFICATION AND LOCATION**

Permit I.D. # _____	
Laurel Bay Military Housing Area, Marine Corps Air Station, Beaufort, SC <b>Facility Name or Company Site Identifier</b>	
871 Cobia Lane, Laurel Bay Military Housing Area <b>Street Address or State Road (as applicable)</b>	
Beaufort, <b>City</b>	Beaufort <b>County</b>

### III. INSURANCE INFORMATION

#### Insurance Statement

The petroleum release reported to DHEC on \_\_\_\_\_ at Permit ID Number \_\_\_\_\_ may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. **This section must be completed.**

Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES\_\_\_\_ NO\_\_\_\_ (check one)

If you answered YES to the above question, please complete the following information:

My policy provider is: \_\_\_\_\_  
The policy deductible is: \_\_\_\_\_  
The policy limit is: \_\_\_\_\_

If you have this type of insurance, please include a copy of the policy with this report.

### IV. REQUEST FOR SUPERB FUNDING

I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)

### V. CERTIFICATION (To be signed by the UST owner)

I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

\_\_\_\_\_  
Name (Type or print.)

\_\_\_\_\_  
Signature

#### To be completed by Notary Public:

Sworn before me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_

\_\_\_\_\_  
(Name)

Notary Public for the state of \_\_\_\_\_  
*Please affix State seal if you are commissioned outside South Carolina*



## VI. UST INFORMATION

- A. Product...(ex. Gas, Kerosene).....
- B. Capacity...(ex. 1k, 2k).....
- C. Age.....
- D. Construction Material...(ex. Steel, FRP).....
- E. Month/Year of Last Use.....
- F. Depth (ft.) To Base of Tank.....
- G. Spill Prevention Equipment Y/N.....
- H. Overfill Prevention Equipment Y/N.....
- I. Method of Closure Removed/Filled.....
- J. Date Tanks Removed/Filled.....
- K. Visible Corrosion or Pitting Y/N.....
- L. Visible Holes Y/N.....

871Cobia				
Heating oil				
280 gal				
Late 1950s				
Steel				
Mid 1980s				
6'2"				
No				
No				
Removed				
11/23/10				
Yes				
Yes				

- M. Method of disposal for any USTs removed from the ground (attach disposal manifests)  
UST 871Cobia was removed from the ground, and disposed of at a  
Subtitle "D" landfill. See Attachment "A".
- 
- N. Method of disposal for any liquid petroleum, sludges, or wastewaters removed from the USTs (attach disposal manifests)  
UST 871Cobia had been previously filled with sand by others.
- 
- O. If any corrosion, pitting, or holes were observed, describe the location and extent for each UST  
Corrosion, pitting and holes were found throughout the tank.
-

## VII. PIPING INFORMATION

A. Construction Material..(ex. Steel, FRP).....

B. Distance from UST to Dispenser.....

C. Number of Dispensers.....

D. Type of System Pressure or Suction.....

E. Was Piping Removed from the Ground? Y/N

F. Visible Corrosion or Pitting Y/N.....

G. Visible Holes Y/N.....

H. Age.....

I. If any corrosion, pitting, or holes were observed, describe the location and extent for each piping run.

871Cobia				
Steel & Copper				
N/A				
N/A				
Suction				
Yes				
Yes				
No				
Late 1950s				

Corrosion and pitting were found on the surface of the steel vent pipe. Copper supply and return lines were sound.

## VIII. BRIEF SITE DESCRIPTION AND HISTORY

The USTs at the residences are constructed of single wall steel and formerly contained fuel oil for heating. These USTs were installed in the late 1950s and last used in the mid 1980s.

## IX. SITE CONDITIONS

	Yes	No	Unk
<p>A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate depth and location on the site map.</p>		X	
<p>B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells?</p> <p>If yes, indicate location on site map and describe the odor (strong, mild, etc.)</p>		X	
<p>C. Was water present in the UST excavation, soil borings, or trenches?</p> <p>If yes, how far below land surface (indicate location and depth)?</p>		X	
<p>D. Did contaminated soils remain stockpiled on site after closure?</p> <p>If yes, indicate the stockpile location on the site map.</p> <p>Name of DHEC representative authorizing soil removal:</p>		X	
<p>E. Was a petroleum sheen or free product detected on any excavation or boring waters?</p> <p>If yes, indicate location and thickness.</p>		X	

## X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009001

B.

Sample #	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA #
871Cobia	Excav at fill end	Soil	Sandy	6'2"	11/23/10 1015 hrs	P. Shaw	
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							

\* = Depth Below the Surrounding Land Surface

## XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect and store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280 and SC DHEC Assessment Guidelines. Sample containers were prepared by the testing laboratory. The grab method was utilized to fill the sample containers leaving as little head space as possible and immediately capped. Soil samples were extracted from area below tank. The samples were marked, logged, and immediately placed in a sample cooler packed with ice to maintain an approximate temperature of 4 degrees Centigrade. Tools were thoroughly cleaned and decontaminated with the seven step decon process after each use. The samples remained in custody of SBG-EEG, Inc. until they were transferred to Test America Incorporated for analysis as documented in the Chain of Custody Record.

---

---

---

---

---

---

---

---

---

---

## XII. RECEPTORS

	Yes	No
<p>A. Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?</p> <p style="text-align: right;">*~970' to stormwater drainage canal</p> <p>If yes, indicate type of receptor, distance, and direction on site map.</p>	*X	
<p>B. Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?</p> <p>If yes, indicate type of well, distance, and direction on site map.</p>		X
<p>C. Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?</p> <p>If yes, indicate type of structure, distance, and direction on site map.</p>		X
<p>D. Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination?</p> <p style="text-align: right;">*Sewer and water</p> <p>If yes, indicate the type of utility, distance, and direction on the site map.</p>	*X	
<p>E. Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?</p> <p>If yes, indicate the area of contaminated soil on the site map.</p>		X


### **XIII. SITE MAP**

**You must supply a scaled site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.**

(Attach Site Map Here)



**871 COBIA LANE**



**SBG-EEG, Inc.**

398 E. 5th North Street, Suite C  
Summerville SC 29483-6954

Ph. (843) 875-1930

Drawn By: L. DiAsio

Dwg Date: DEC 2010

**FIGURE 1: LOCATION MAP**  
**871 COBIA LANE**  
**LAUREL BAY, BEAUFORT SC**



STORMWATER DRAINAGE  
CANAL  $\approx$  970'




871 COBIA LANE  
LAUREL BAY MILITARY HOUSING  
MCAS BEAUFORT, SC

UST 871COBIA,  
280 GAL.



GRAPHIC SCALE



***SBG-EEG***

398 E. 5 NORTH ST., SUITE C  
SUMMERVILLE, SC  
29483-6954

FIGURE 2 SITE MAP  
871 COBIA LANE, LAUREL BAY  
MCAS BEAUFORT SC


SCALE: GRAPHIC

DWG DATE DEC 2010




871 COBIA LANE

SOIL SAMPLE  
871 COBIA



STORMWATER DRAINAGE  
CANAL  $\approx$  970'



UST 871COBIA WAS  
38" BELOW GRADE.

**SBG-EEG**

398 E. 5 NORTH ST., SUITE C  
SUMMERVILLE, SC  
29483-6954

FIGURE 3 UST SAMPLE LOCATIONS  
871 COBIA LANE, LAUREL BAY  
MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE DEC 2010



Picture 1: Location of UST 871Cobia.



Picture 2: UST 871Cobia.

#### XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

<b>CoC</b>	<b>UST</b>	<b>871Cobia</b>						
<b>Benzene</b>		ND						
<b>Toluene</b>		ND						
<b>Ethylbenzene</b>		ND						
<b>Xylenes</b>		ND						
<b>Naphthalene</b>		ND						
<b>Benzo (a) anthracene</b>		ND						
<b>Benzo (b) fluoranthene</b>		ND						
<b>Benzo (k) fluoranthene</b>		ND						
<b>Chrysene</b>		ND						
<b>Dibenz (a, h) anthracene</b>		ND						
<b>TPH (EPA 3550)</b>								

<b>CoC</b>								
<b>Benzene</b>								
<b>Toluene</b>								
<b>Ethylbenzene</b>								
<b>Xylenes</b>								
<b>Naphthalene</b>								
<b>Benzo (a) anthracene</b>								
<b>Benzo (b) fluoranthene</b>								
<b>Benzo (k) fluoranthene</b>								
<b>Chrysene</b>								
<b>Dibenz (a, h) anthracene</b>								
<b>TPH (EPA 3550)</b>								

### SUMMARY OF ANALYSIS RESULTS (cont'd)

Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W-1	W-2	W -3	W -4
Free Product Thickness	None				
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
MTBE	40				
Naphthalene	25				
Benzo (a) anthracene	10				
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

## **XV. ANALYTICAL RESULTS**

**You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.**

(Attach Certified Analytical Results and Chain-of-Custody Here)  
(Please see Form #4)

December 14, 2010 10:41:28AM

Client: EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn: Tom McElwee

Work Order: NTK3173  
Project Name: Laurel Bay Housing Project  
Project Nbr: [none]  
P/O Nbr: 1005  
Date Received: 11/26/10

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
867 Cobia	NTK3173-01	11/22/10 11:00
870 Cobia	NTK3173-02	11/22/10 15:15
871 Cobia	NTK3173-03	11/23/10 10:15
877 Cobia	NTK3173-04	11/23/10 15:15
878 Cobia	NTK3173-05	11/24/10 10:45

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

Additional Laboratory Comments:

REVISED REPORT: 12/14/10 KAH - To report correct sample dates per COC. This report replaces the one generated on 12/13/10 @ 13:21.

South Carolina Certification Number: 84009

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.


These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.

This report has been electronically signed.

Report Approved By:



Ken A. Hayes

Senior Project Manager



Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK3173  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/26/10 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTK3173-01 (867 Cobia - Soil) Sampled: 11/22/10 11:00</b>										
General Chemistry Parameters										
% Dry Solids	94.4		%	0.500	0.500	1	11/30/10 09:09	SW-846	HLB	10K5604
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00131	0.00238	1	12/01/10 20:12	SW846 8260B	MJH H	10K5219
Ethylbenzene	ND		mg/kg dry	0.00116	0.00238	1	12/01/10 20:12	SW846 8260B	MJH H	10K5219
Naphthalene	ND		mg/kg dry	0.00202	0.00594	1	12/01/10 20:12	SW846 8260B	MJH H	10K5219
Toluene	ND		mg/kg dry	0.00106	0.00238	1	12/01/10 20:12	SW846 8260B	MJH H	10K5219
Xylenes, total	ND		mg/kg dry	0.00226	0.00594	1	12/01/10 20:12	SW846 8260B	MJH H	10K5219
Surr: 1,2-Dichloroethane-d4 (67-138%)	81 %					1	12/01/10 20:12	SW846 8260B	MJH H	10K5219
Surr: Dibromofluoromethane (75-125%)	90 %					1	12/01/10 20:12	SW846 8260B	MJH H	10K5219
Surr: Toluene-d8 (76-129%)	104 %					1	12/01/10 20:12	SW846 8260B	MJH H	10K5219
Surr: 4-Bromofluorobenzene (67-147%)	102 %					1	12/01/10 20:12	SW846 8260B	MJH H	10K5219
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0148	0.0709	1	12/01/10 21:19	SW846 8270D	KJP	10K5670
Acenaphthylene	ND		mg/kg dry	0.0212	0.0709	1	12/01/10 21:19	SW846 8270D	KJP	10K5670
Anthracene	ND		mg/kg dry	0.00952	0.0709	1	12/01/10 21:19	SW846 8270D	KJP	10K5670
Benzo (a) anthracene	ND		mg/kg dry	0.0116	0.0709	1	12/01/10 21:19	SW846 8270D	KJP	10K5670
Benzo (a) pyrene	ND		mg/kg dry	0.00846	0.0709	1	12/01/10 21:19	SW846 8270D	KJP	10K5670
Benzo (b) fluoranthene	ND		mg/kg dry	0.0402	0.0709	1	12/01/10 21:19	SW846 8270D	KJP	10K5670
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00952	0.0709	1	12/01/10 21:19	SW846 8270D	KJP	10K5670
Benzo (k) fluoranthene	ND		mg/kg dry	0.0391	0.0709	1	12/01/10 21:19	SW846 8270D	KJP	10K5670
Chrysene	ND		mg/kg dry	0.0328	0.0709	1	12/01/10 21:19	SW846 8270D	KJP	10K5670
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0159	0.0709	1	12/01/10 21:19	SW846 8270D	KJP	10K5670
Fluoranthene	ND		mg/kg dry	0.0116	0.0709	1	12/01/10 21:19	SW846 8270D	KJP	10K5670
Fluorene	ND		mg/kg dry	0.0212	0.0709	1	12/01/10 21:19	SW846 8270D	KJP	10K5670
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0328	0.0709	1	12/01/10 21:19	SW846 8270D	KJP	10K5670
Naphthalene	ND		mg/kg dry	0.0148	0.0709	1	12/01/10 21:19	SW846 8270D	KJP	10K5670
Phenanthrene	ND		mg/kg dry	0.0106	0.0709	1	12/01/10 21:19	SW846 8270D	KJP	10K5670
Pyrene	ND		mg/kg dry	0.0243	0.0709	1	12/01/10 21:19	SW846 8270D	KJP	10K5670
1-Methylnaphthalene	ND		mg/kg dry	0.0127	0.0709	1	12/01/10 21:19	SW846 8270D	KJP	10K5670
2-Methylnaphthalene	ND		mg/kg dry	0.0222	0.0709	1	12/01/10 21:19	SW846 8270D	KJP	10K5670
Surr: Terphenyl-d14 (18-120%)	67 %					1	12/01/10 21:19	SW846 8270D	KJP	10K5670
Surr: 2-Fluorobiphenyl (14-120%)	68 %					1	12/01/10 21:19	SW846 8270D	KJP	10K5670
Surr: Nitrobenzene-d5 (17-120%)	66 %					1	12/01/10 21:19	SW846 8270D	KJP	10K5670



Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK3173  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/26/10 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTK3173-02 (870 Cobia - Soil) Sampled: 11/22/10 15:15</b>										
General Chemistry Parameters										
% Dry Solids	94.9		%	0.500	0.500	1	11/30/10 09:09	SW-846	HLB	10K5604
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00121	0.00220	1	12/01/10 20:43	SW846 8260B	MJH H	10K5219
Ethylbenzene	ND		mg/kg dry	0.00108	0.00220	1	12/01/10 20:43	SW846 8260B	MJH H	10K5219
Naphthalene	ND		mg/kg dry	0.00187	0.00550	1	12/01/10 20:43	SW846 8260B	MJH H	10K5219
Toluene	ND		mg/kg dry	0.000979	0.00220	1	12/01/10 20:43	SW846 8260B	MJH H	10K5219
Xylenes, total	ND		mg/kg dry	0.00209	0.00550	1	12/01/10 20:43	SW846 8260B	MJH H	10K5219
Surr: 1,2-Dichloroethane-d4 (67-138%)	81 %					1	12/01/10 20:43	SW846 8260B	MJH H	10K5219
Surr: Dibromofluoromethane (75-125%)	91 %					1	12/01/10 20:43	SW846 8260B	MJH H	10K5219
Surr: Toluene-d8 (76-129%)	104 %					1	12/01/10 20:43	SW846 8260B	MJH H	10K5219
Surr: 4-Bromofluorobenzene (67-147%)	102 %					1	12/01/10 20:43	SW846 8260B	MJH H	10K5219
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0147	0.0702	1	12/01/10 21:39	SW846 8270D	KJP	10K5670
Acenaphthylene	ND		mg/kg dry	0.0210	0.0702	1	12/01/10 21:39	SW846 8270D	KJP	10K5670
Anthracene	ND		mg/kg dry	0.00943	0.0702	1	12/01/10 21:39	SW846 8270D	KJP	10K5670
Benzo (a) anthracene	ND		mg/kg dry	0.0115	0.0702	1	12/01/10 21:39	SW846 8270D	KJP	10K5670
Benzo (a) pyrene	0.140		mg/kg dry	0.00838	0.0702	1	12/01/10 21:39	SW846 8270D	KJP	10K5670
Benzo (b) fluoranthene	0.138		mg/kg dry	0.0398	0.0702	1	12/01/10 21:39	SW846 8270D	KJP	10K5670
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00943	0.0702	1	12/01/10 21:39	SW846 8270D	KJP	10K5670
Benzo (k) fluoranthene	ND		mg/kg dry	0.0388	0.0702	1	12/01/10 21:39	SW846 8270D	KJP	10K5670
Chrysene	0.0789		mg/kg dry	0.0325	0.0702	1	12/01/10 21:39	SW846 8270D	KJP	10K5670
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0157	0.0702	1	12/01/10 21:39	SW846 8270D	KJP	10K5670
Fluoranthene	ND		mg/kg dry	0.0115	0.0702	1	12/01/10 21:39	SW846 8270D	KJP	10K5670
Fluorene	ND		mg/kg dry	0.0210	0.0702	1	12/01/10 21:39	SW846 8270D	KJP	10K5670
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0325	0.0702	1	12/01/10 21:39	SW846 8270D	KJP	10K5670
Naphthalene	ND		mg/kg dry	0.0147	0.0702	1	12/01/10 21:39	SW846 8270D	KJP	10K5670
Phenanthrene	ND		mg/kg dry	0.0105	0.0702	1	12/01/10 21:39	SW846 8270D	KJP	10K5670
Pyrene	ND		mg/kg dry	0.0241	0.0702	1	12/01/10 21:39	SW846 8270D	KJP	10K5670
1-Methylnaphthalene	ND		mg/kg dry	0.0126	0.0702	1	12/01/10 21:39	SW846 8270D	KJP	10K5670
2-Methylnaphthalene	ND		mg/kg dry	0.0220	0.0702	1	12/01/10 21:39	SW846 8270D	KJP	10K5670
Surr: Terphenyl-d14 (18-120%)	75 %					1	12/01/10 21:39	SW846 8270D	KJP	10K5670
Surr: 2-Fluorobiphenyl (14-120%)	67 %					1	12/01/10 21:39	SW846 8270D	KJP	10K5670
Surr: Nitrobenzene-d5 (17-120%)	67 %					1	12/01/10 21:39	SW846 8270D	KJP	10K5670

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK3173  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/26/10 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTK3173-03 (871 Cobia - Soil) Sampled: 11/23/10 10:15</b>										
General Chemistry Parameters										
% Dry Solids	96.6		%	0.500	0.500	1	11/30/10 09:09	SW-846	HLB	10K5604
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00120	0.00218	1	12/01/10 21:14	SW846 8260B	MJH H	10K5219
Ethylbenzene	ND		mg/kg dry	0.00107	0.00218	1	12/01/10 21:14	SW846 8260B	MJH H	10K5219
Naphthalene	ND		mg/kg dry	0.00185	0.00544	1	12/01/10 21:14	SW846 8260B	MJH H	10K5219
Toluene	ND		mg/kg dry	0.000968	0.00218	1	12/01/10 21:14	SW846 8260B	MJH H	10K5219
Xylenes, total	ND		mg/kg dry	0.00207	0.00544	1	12/01/10 21:14	SW846 8260B	MJH H	10K5219
Surr: 1,2-Dichloroethane-d4 (67-138%)	82 %					1	12/01/10 21:14	SW846 8260B	MJH H	10K5219
Surr: Dibromofluoromethane (75-125%)	91 %					1	12/01/10 21:14	SW846 8260B	MJH H	10K5219
Surr: Toluene-d8 (76-129%)	94 %					1	12/01/10 21:14	SW846 8260B	MJH H	10K5219
Surr: 4-Bromofluorobenzene (67-147%)	105 %					1	12/01/10 21:14	SW846 8260B	MJH H	10K5219
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0144	0.0688	1	12/01/10 21:58	SW846 8270D	KJP	10K5670
Acenaphthylene	ND		mg/kg dry	0.0205	0.0688	1	12/01/10 21:58	SW846 8270D	KJP	10K5670
Anthracene	ND		mg/kg dry	0.00925	0.0688	1	12/01/10 21:58	SW846 8270D	KJP	10K5670
Benzo (a) anthracene	ND		mg/kg dry	0.0113	0.0688	1	12/01/10 21:58	SW846 8270D	KJP	10K5670
Benzo (a) pyrene	ND		mg/kg dry	0.00822	0.0688	1	12/01/10 21:58	SW846 8270D	KJP	10K5670
Benzo (b) fluoranthene	ND		mg/kg dry	0.0390	0.0688	1	12/01/10 21:58	SW846 8270D	KJP	10K5670
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00925	0.0688	1	12/01/10 21:58	SW846 8270D	KJP	10K5670
Benzo (k) fluoranthene	ND		mg/kg dry	0.0380	0.0688	1	12/01/10 21:58	SW846 8270D	KJP	10K5670
Chrysene	ND		mg/kg dry	0.0318	0.0688	1	12/01/10 21:58	SW846 8270D	KJP	10K5670
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0154	0.0688	1	12/01/10 21:58	SW846 8270D	KJP	10K5670
Fluoranthene	ND		mg/kg dry	0.0113	0.0688	1	12/01/10 21:58	SW846 8270D	KJP	10K5670
Fluorene	ND		mg/kg dry	0.0205	0.0688	1	12/01/10 21:58	SW846 8270D	KJP	10K5670
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0318	0.0688	1	12/01/10 21:58	SW846 8270D	KJP	10K5670
Naphthalene	ND		mg/kg dry	0.0144	0.0688	1	12/01/10 21:58	SW846 8270D	KJP	10K5670
Phenanthrene	ND		mg/kg dry	0.0103	0.0688	1	12/01/10 21:58	SW846 8270D	KJP	10K5670
Pyrene	ND		mg/kg dry	0.0236	0.0688	1	12/01/10 21:58	SW846 8270D	KJP	10K5670
1-Methylnaphthalene	ND		mg/kg dry	0.0123	0.0688	1	12/01/10 21:58	SW846 8270D	KJP	10K5670
2-Methylnaphthalene	ND		mg/kg dry	0.0216	0.0688	1	12/01/10 21:58	SW846 8270D	KJP	10K5670
Surr: Terphenyl-d14 (18-120%)	56 %					1	12/01/10 21:58	SW846 8270D	KJP	10K5670
Surr: 2-Fluorobiphenyl (14-120%)	51 %					1	12/01/10 21:58	SW846 8270D	KJP	10K5670
Surr: Nitrobenzene-d5 (17-120%)	49 %					1	12/01/10 21:58	SW846 8270D	KJP	10K5670

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK3173  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/26/10 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTK3173-04 (877 Cobia - Soil) Sampled: 11/23/10 15:15</b>										
General Chemistry Parameters										
% Dry Solids	90.0		%	0.500	0.500	1	11/30/10 09:09	SW-846	HLB	10K5604
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00127	0.00231	1	12/03/10 15:46	SW846 8260B	MJH H	10L0802
Ethylbenzene	ND		mg/kg dry	0.00113	0.00231	1	12/03/10 15:46	SW846 8260B	MJH H	10L0802
Naphthalene	ND		mg/kg dry	0.00196	0.00577	1	12/03/10 15:46	SW846 8260B	MJH H	10L0802
Toluene	ND		mg/kg dry	0.00103	0.00231	1	12/03/10 15:46	SW846 8260B	MJH H	10L0802
Xylenes, total	ND		mg/kg dry	0.00219	0.00577	1	12/03/10 15:46	SW846 8260B	MJH H	10L0802
Surr: 1,2-Dichloroethane-d4 (67-138%)	100 %					1	12/03/10 15:46	SW846 8260B	MJH H	10L0802
Surr: Dibromofluoromethane (75-125%)	101 %					1	12/03/10 15:46	SW846 8260B	MJH H	10L0802
Surr: Toluene-d8 (76-129%)	105 %					1	12/03/10 15:46	SW846 8260B	MJH H	10L0802
Surr: 4-Bromofluorobenzene (67-147%)	101 %					1	12/03/10 15:46	SW846 8260B	MJH H	10L0802
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0152	0.0729	1	12/01/10 22:17	SW846 8270D	KJP	10K5670
Acenaphthylene	ND		mg/kg dry	0.0217	0.0729	1	12/01/10 22:17	SW846 8270D	KJP	10K5670
Anthracene	ND		mg/kg dry	0.00979	0.0729	1	12/01/10 22:17	SW846 8270D	KJP	10K5670
Benzo (a) anthracene	ND		mg/kg dry	0.0120	0.0729	1	12/01/10 22:17	SW846 8270D	KJP	10K5670
Benzo (a) pyrene	ND		mg/kg dry	0.00870	0.0729	1	12/01/10 22:17	SW846 8270D	KJP	10K5670
Benzo (b) fluoranthene	ND		mg/kg dry	0.0413	0.0729	1	12/01/10 22:17	SW846 8270D	KJP	10K5670
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00979	0.0729	1	12/01/10 22:17	SW846 8270D	KJP	10K5670
Benzo (k) fluoranthene	ND		mg/kg dry	0.0402	0.0729	1	12/01/10 22:17	SW846 8270D	KJP	10K5670
Chrysene	ND		mg/kg dry	0.0337	0.0729	1	12/01/10 22:17	SW846 8270D	KJP	10K5670
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0163	0.0729	1	12/01/10 22:17	SW846 8270D	KJP	10K5670
Fluoranthene	ND		mg/kg dry	0.0120	0.0729	1	12/01/10 22:17	SW846 8270D	KJP	10K5670
Fluorene	ND		mg/kg dry	0.0217	0.0729	1	12/01/10 22:17	SW846 8270D	KJP	10K5670
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0337	0.0729	1	12/01/10 22:17	SW846 8270D	KJP	10K5670
Naphthalene	ND		mg/kg dry	0.0152	0.0729	1	12/01/10 22:17	SW846 8270D	KJP	10K5670
Phenanthrene	ND		mg/kg dry	0.0109	0.0729	1	12/01/10 22:17	SW846 8270D	KJP	10K5670
Pyrene	ND		mg/kg dry	0.0250	0.0729	1	12/01/10 22:17	SW846 8270D	KJP	10K5670
1-Methylnaphthalene	ND		mg/kg dry	0.0130	0.0729	1	12/01/10 22:17	SW846 8270D	KJP	10K5670
2-Methylnaphthalene	ND		mg/kg dry	0.0228	0.0729	1	12/01/10 22:17	SW846 8270D	KJP	10K5670
Surr: Terphenyl-d14 (18-120%)	67 %					1	12/01/10 22:17	SW846 8270D	KJP	10K5670
Surr: 2-Fluorobiphenyl (14-120%)	67 %					1	12/01/10 22:17	SW846 8270D	KJP	10K5670
Surr: Nitrobenzene-d5 (17-120%)	65 %					1	12/01/10 22:17	SW846 8270D	KJP	10K5670

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK3173  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/26/10 08:00

## ANALYTICAL REPORT

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
<b>Sample ID: NTK3173-05 (878 Cobia - Soil) Sampled: 11/24/10 10:45</b>										
General Chemistry Parameters										
% Dry Solids	94.2		%	0.500	0.500	1	11/30/10 09:09	SW-846	HLB	10K5604
Volatile Organic Compounds by EPA Method 8260B										
Benzene	ND		mg/kg dry	0.00129	0.00235	1	12/03/10 16:16	SW846 8260B	MJH H	10L0802
Ethylbenzene	ND		mg/kg dry	0.00115	0.00235	1	12/03/10 16:16	SW846 8260B	MJH H	10L0802
Naphthalene	ND		mg/kg dry	0.00200	0.00587	1	12/03/10 16:16	SW846 8260B	MJH H	10L0802
Toluene	ND		mg/kg dry	0.00104	0.00235	1	12/03/10 16:16	SW846 8260B	MJH H	10L0802
Xylenes, total	ND		mg/kg dry	0.00223	0.00587	1	12/03/10 16:16	SW846 8260B	MJH H	10L0802
Surr: 1,2-Dichloroethane-d4 (67-138%)	101 %					1	12/03/10 16:16	SW846 8260B	MJH H	10L0802
Surr: Dibromofluoromethane (75-125%)	102 %					1	12/03/10 16:16	SW846 8260B	MJH H	10L0802
Surr: Toluene-d8 (76-129%)	108 %					1	12/03/10 16:16	SW846 8260B	MJH H	10L0802
Surr: 4-Bromofluorobenzene (67-147%)	106 %					1	12/03/10 16:16	SW846 8260B	MJH H	10L0802
Polyaromatic Hydrocarbons by EPA 8270D										
Acenaphthene	ND		mg/kg dry	0.0147	0.0704	1	12/01/10 22:37	SW846 8270D	KJP	10K5670
Acenaphthylene	ND		mg/kg dry	0.0210	0.0704	1	12/01/10 22:37	SW846 8270D	KJP	10K5670
Anthracene	ND		mg/kg dry	0.00946	0.0704	1	12/01/10 22:37	SW846 8270D	KJP	10K5670
Benzo (a) anthracene	0.344		mg/kg dry	0.0116	0.0704	1	12/01/10 22:37	SW846 8270D	KJP	10K5670
Benzo (a) pyrene	0.383		mg/kg dry	0.00841	0.0704	1	12/01/10 22:37	SW846 8270D	KJP	10K5670
Benzo (b) fluoranthene	1.04		mg/kg dry	0.0399	0.0704	1	12/01/10 22:37	SW846 8270D	KJP	10K5670
Benzo (g,h,i) perylene	0.889		mg/kg dry	0.00946	0.0704	1	12/01/10 22:37	SW846 8270D	KJP	10K5670
Benzo (k) fluoranthene	0.497		mg/kg dry	0.0389	0.0704	1	12/01/10 22:37	SW846 8270D	KJP	10K5670
Chrysene	0.556		mg/kg dry	0.0326	0.0704	1	12/01/10 22:37	SW846 8270D	KJP	10K5670
Dibenz (a,h) anthracene	0.271		mg/kg dry	0.0158	0.0704	1	12/01/10 22:37	SW846 8270D	KJP	10K5670
Fluoranthene	0.404		mg/kg dry	0.0116	0.0704	1	12/01/10 22:37	SW846 8270D	KJP	10K5670
Fluorene	ND		mg/kg dry	0.0210	0.0704	1	12/01/10 22:37	SW846 8270D	KJP	10K5670
Indeno (1,2,3-cd) pyrene	0.802		mg/kg dry	0.0326	0.0704	1	12/01/10 22:37	SW846 8270D	KJP	10K5670
Naphthalene	ND		mg/kg dry	0.0147	0.0704	1	12/01/10 22:37	SW846 8270D	KJP	10K5670
Phenanthrene	ND		mg/kg dry	0.0105	0.0704	1	12/01/10 22:37	SW846 8270D	KJP	10K5670
Pyrene	0.539		mg/kg dry	0.0242	0.0704	1	12/01/10 22:37	SW846 8270D	KJP	10K5670
1-Methylnaphthalene	ND		mg/kg dry	0.0126	0.0704	1	12/01/10 22:37	SW846 8270D	KJP	10K5670
2-Methylnaphthalene	ND		mg/kg dry	0.0221	0.0704	1	12/01/10 22:37	SW846 8270D	KJP	10K5670
Surr: Terphenyl-d14 (18-120%)	66 %					1	12/01/10 22:37	SW846 8270D	KJP	10K5670
Surr: 2-Fluorobiphenyl (14-120%)	68 %					1	12/01/10 22:37	SW846 8270D	KJP	10K5670
Surr: Nitrobenzene-d5 (17-120%)	64 %					1	12/01/10 22:37	SW846 8270D	KJP	10K5670

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK3173  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/26/10 08:00

## SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>							
SW846 8270D	10K5670	NTK3173-01	30.05	1.00	12/01/10 14:25	SAS	EPA 3550C
SW846 8270D	10K5670	NTK3173-02	30.18	1.00	12/01/10 14:25	SAS	EPA 3550C
SW846 8270D	10K5670	NTK3173-03	30.24	1.00	12/01/10 14:25	SAS	EPA 3550C
SW846 8270D	10K5670	NTK3173-04	30.65	1.00	12/01/10 14:25	SAS	EPA 3550C
SW846 8270D	10K5670	NTK3173-05	30.29	1.00	12/01/10 14:25	SAS	EPA 3550C
<b>Volatile Organic Compounds by EPA Method 8260B</b>							
SW846 8260B	10K5219	NTK3173-01	4.46	5.00	11/22/10 11:00	CHH	EPA 5035
SW846 8260B	10K5219	NTK3173-02	4.79	5.00	11/22/10 15:15	CHH	EPA 5035
SW846 8260B	10K5219	NTK3173-03	4.76	5.00	11/23/10 10:15	CHH	EPA 5035
SW846 8260B	10L0802	NTK3173-04	4.81	5.00	11/23/10 15:15	CHH	EPA 5035
SW846 8260B	10L0802	NTK3173-05	4.52	5.00	11/23/10 10:45	CHH	EPA 5035

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK3173  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/26/10 08:00

## PROJECT QUALITY CONTROL DATA

### Blank

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
---------	-------------	---	-------	------------	------------	--------------------

#### Volatile Organic Compounds by EPA Method 8260B

##### 10K5219-BLK1

Benzene	<0.00110		mg/kg wet	10K5219	10K5219-BLK1	12/01/10 12:35
Ethylbenzene	<0.000980		mg/kg wet	10K5219	10K5219-BLK1	12/01/10 12:35
Naphthalene	<0.00170		mg/kg wet	10K5219	10K5219-BLK1	12/01/10 12:35
Toluene	<0.000890		mg/kg wet	10K5219	10K5219-BLK1	12/01/10 12:35
Xylenes, total	<0.00190		mg/kg wet	10K5219	10K5219-BLK1	12/01/10 12:35
Surrogate: 1,2-Dichloroethane-d4	81%			10K5219	10K5219-BLK1	12/01/10 12:35
Surrogate: Dibromofluoromethane	91%			10K5219	10K5219-BLK1	12/01/10 12:35
Surrogate: Toluene-d8	102%			10K5219	10K5219-BLK1	12/01/10 12:35
Surrogate: 4-Bromofluorobenzene	101%			10K5219	10K5219-BLK1	12/01/10 12:35

##### 10L0802-BLK1

Benzene	<0.00110		mg/kg wet	10L0802	10L0802-BLK1	12/03/10 13:47
Ethylbenzene	<0.000980		mg/kg wet	10L0802	10L0802-BLK1	12/03/10 13:47
Naphthalene	<0.00170		mg/kg wet	10L0802	10L0802-BLK1	12/03/10 13:47
Toluene	<0.000890		mg/kg wet	10L0802	10L0802-BLK1	12/03/10 13:47
Xylenes, total	<0.00190		mg/kg wet	10L0802	10L0802-BLK1	12/03/10 13:47
Surrogate: 1,2-Dichloroethane-d4	99%			10L0802	10L0802-BLK1	12/03/10 13:47
Surrogate: Dibromofluoromethane	101%			10L0802	10L0802-BLK1	12/03/10 13:47
Surrogate: Toluene-d8	102%			10L0802	10L0802-BLK1	12/03/10 13:47
Surrogate: 4-Bromofluorobenzene	98%			10L0802	10L0802-BLK1	12/03/10 13:47

##### 10L0802-BLK2

Benzene	<0.0550		mg/kg wet	10L0802	10L0802-BLK2	12/03/10 14:17
Ethylbenzene	<0.0490		mg/kg wet	10L0802	10L0802-BLK2	12/03/10 14:17
Naphthalene	<0.0850		mg/kg wet	10L0802	10L0802-BLK2	12/03/10 14:17
Toluene	<0.0445		mg/kg wet	10L0802	10L0802-BLK2	12/03/10 14:17
Xylenes, total	<0.0950		mg/kg wet	10L0802	10L0802-BLK2	12/03/10 14:17
Surrogate: 1,2-Dichloroethane-d4	95%			10L0802	10L0802-BLK2	12/03/10 14:17
Surrogate: Dibromofluoromethane	97%			10L0802	10L0802-BLK2	12/03/10 14:17
Surrogate: Toluene-d8	103%			10L0802	10L0802-BLK2	12/03/10 14:17
Surrogate: 4-Bromofluorobenzene	96%			10L0802	10L0802-BLK2	12/03/10 14:17

#### Polyaromatic Hydrocarbons by EPA 8270D

##### 10K5670-BLK1

Acenaphthene	<0.0140		mg/kg wet	10K5670	10K5670-BLK1	12/01/10 20:01
Acenaphthylene	<0.0200		mg/kg wet	10K5670	10K5670-BLK1	12/01/10 20:01
Anthracene	<0.00900		mg/kg wet	10K5670	10K5670-BLK1	12/01/10 20:01
Benzo (a) anthracene	<0.0110		mg/kg wet	10K5670	10K5670-BLK1	12/01/10 20:01
Benzo (a) pyrene	<0.00800		mg/kg wet	10K5670	10K5670-BLK1	12/01/10 20:01
Benzo (b) fluoranthene	<0.0380		mg/kg wet	10K5670	10K5670-BLK1	12/01/10 20:01
Benzo (g,h,i) perylene	<0.00900		mg/kg wet	10K5670	10K5670-BLK1	12/01/10 20:01
Benzo (k) fluoranthene	<0.0370		mg/kg wet	10K5670	10K5670-BLK1	12/01/10 20:01

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK3173  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/26/10 08:00

**PROJECT QUALITY CONTROL DATA**  
**Blank - Cont.**

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>						
<b>10K5670-BLK1</b>						
Chrysene	<0.0310		mg/kg wet	10K5670	10K5670-BLK1	12/01/10 20:01
Dibenz (a,h) anthracene	<0.0150		mg/kg wet	10K5670	10K5670-BLK1	12/01/10 20:01
Fluoranthene	<0.0110		mg/kg wet	10K5670	10K5670-BLK1	12/01/10 20:01
Fluorene	<0.0200		mg/kg wet	10K5670	10K5670-BLK1	12/01/10 20:01
Indeno (1,2,3-cd) pyrene	<0.0310		mg/kg wet	10K5670	10K5670-BLK1	12/01/10 20:01
Naphthalene	<0.0140		mg/kg wet	10K5670	10K5670-BLK1	12/01/10 20:01
Phenanthrene	<0.0100		mg/kg wet	10K5670	10K5670-BLK1	12/01/10 20:01
Pyrene	<0.0230		mg/kg wet	10K5670	10K5670-BLK1	12/01/10 20:01
1-Methylnaphthalene	<0.0120		mg/kg wet	10K5670	10K5670-BLK1	12/01/10 20:01
2-Methylnaphthalene	<0.0210		mg/kg wet	10K5670	10K5670-BLK1	12/01/10 20:01
Surrogate: Terphenyl-d14	78%			10K5670	10K5670-BLK1	12/01/10 20:01
Surrogate: 2-Fluorobiphenyl	83%			10K5670	10K5670-BLK1	12/01/10 20:01
Surrogate: Nitrobenzene-d5	82%			10K5670	10K5670-BLK1	12/01/10 20:01

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK3173  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/26/10 08:00

## PROJECT QUALITY CONTROL DATA

### Duplicate

Analyte	Orig. Val.	Duplicate	Q	Units	RPD	Limit	Batch	Sample Duplicated	% Rec.	Analyzed Date/Time
<b>General Chemistry Parameters</b>										
<b>10K5604-DUP1</b>										
% Dry Solids	88.2	89.9		%	2	20	10K5604	NTK3151-01		11/30/10 09:09



Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK3173  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/26/10 08:00

## PROJECT QUALITY CONTROL DATA

### LCS

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>								
<b>10K5219-BS1</b>								
Benzene	50.0	51.4		ug/kg	103%	78 - 126	10K5219	12/01/10 11:03
Ethylbenzene	50.0	58.0		ug/kg	116%	79 - 130	10K5219	12/01/10 11:03
Naphthalene	50.0	55.5		ug/kg	111%	72 - 150	10K5219	12/01/10 11:03
Toluene	50.0	53.5		ug/kg	107%	76 - 126	10K5219	12/01/10 11:03
Xylenes, total	150	167		ug/kg	112%	80 - 130	10K5219	12/01/10 11:03
Surrogate: 1,2-Dichloroethane-d4	50.0	41.1			82%	67 - 138	10K5219	12/01/10 11:03
Surrogate: Dibromofluoromethane	50.0	45.9			92%	75 - 125	10K5219	12/01/10 11:03
Surrogate: Toluene-d8	50.0	47.9			96%	76 - 129	10K5219	12/01/10 11:03
Surrogate: 4-Bromofluorobenzene	50.0	49.8			100%	67 - 147	10K5219	12/01/10 11:03
<b>10L0802-BS1</b>								
Benzene	50.0	52.3		ug/kg	105%	78 - 126	10L0802	12/03/10 11:05
Ethylbenzene	50.0	53.5		ug/kg	107%	79 - 130	10L0802	12/03/10 11:05
Naphthalene	50.0	54.0		ug/kg	108%	72 - 150	10L0802	12/03/10 11:05
Toluene	50.0	55.1		ug/kg	110%	76 - 126	10L0802	12/03/10 11:05
Xylenes, total	150	163		ug/kg	109%	80 - 130	10L0802	12/03/10 11:05
Surrogate: 1,2-Dichloroethane-d4	50.0	48.8			98%	67 - 138	10L0802	12/03/10 11:05
Surrogate: Dibromofluoromethane	50.0	51.8			104%	75 - 125	10L0802	12/03/10 11:05
Surrogate: Toluene-d8	50.0	50.4			101%	76 - 129	10L0802	12/03/10 11:05
Surrogate: 4-Bromofluorobenzene	50.0	50.4			101%	67 - 147	10L0802	12/03/10 11:05
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>								
<b>10K5670-BS1</b>								
Acenaphthene	1.67	1.22		mg/kg wet	73%	49 - 120	10K5670	12/01/10 20:21
Acenaphthylene	1.67	1.28		mg/kg wet	77%	52 - 120	10K5670	12/01/10 20:21
Anthracene	1.67	1.39		mg/kg wet	84%	58 - 120	10K5670	12/01/10 20:21
Benzo (a) anthracene	1.67	1.39		mg/kg wet	83%	57 - 120	10K5670	12/01/10 20:21
Benzo (a) pyrene	1.67	1.38		mg/kg wet	83%	55 - 120	10K5670	12/01/10 20:21
Benzo (b) fluoranthene	1.67	1.44		mg/kg wet	86%	51 - 123	10K5670	12/01/10 20:21
Benzo (g,h,i) perylene	1.67	1.19		mg/kg wet	72%	49 - 121	10K5670	12/01/10 20:21
Benzo (k) fluoranthene	1.67	1.30		mg/kg wet	78%	42 - 129	10K5670	12/01/10 20:21
Chrysene	1.67	1.32		mg/kg wet	79%	55 - 120	10K5670	12/01/10 20:21
Dibenz (a,h) anthracene	1.67	1.30		mg/kg wet	78%	50 - 123	10K5670	12/01/10 20:21
Fluoranthene	1.67	1.40		mg/kg wet	84%	58 - 120	10K5670	12/01/10 20:21
Fluorene	1.67	1.32		mg/kg wet	79%	54 - 120	10K5670	12/01/10 20:21
Indeno (1,2,3-cd) pyrene	1.67	1.30		mg/kg wet	78%	50 - 122	10K5670	12/01/10 20:21
Naphthalene	1.67	1.14		mg/kg wet	68%	28 - 120	10K5670	12/01/10 20:21
Phenanthrene	1.67	1.36		mg/kg wet	81%	56 - 120	10K5670	12/01/10 20:21
Pyrene	1.67	1.20		mg/kg wet	72%	56 - 120	10K5670	12/01/10 20:21
1-Methylnaphthalene	1.67	1.02		mg/kg wet	61%	36 - 120	10K5670	12/01/10 20:21
2-Methylnaphthalene	1.67	1.07		mg/kg wet	64%	36 - 120	10K5670	12/01/10 20:21

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK3173  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/26/10 08:00

## PROJECT QUALITY CONTROL DATA

### LCS - Cont.

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>								
<b>10K5670-BS1</b>								
Surrogate: Terphenyl-d14	1.67	1.09			66%	18 - 120	10K5670	12/01/10 20:21
Surrogate: 2-Fluorobiphenyl	1.67	1.09			65%	14 - 120	10K5670	12/01/10 20:21
Surrogate: Nitrobenzene-d5	1.67	1.02			61%	17 - 120	10K5670	12/01/10 20:21

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK3173  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/26/10 08:00

## PROJECT QUALITY CONTROL DATA

### LCS Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>												
<b>10K5219-BSD1</b>												
Benzene		51.0		ug/kg	50.0	102%	78 - 126	1	50	10K5219		12/01/10 11:34
Ethylbenzene		56.5		ug/kg	50.0	113%	79 - 130	3	50	10K5219		12/01/10 11:34
Naphthalene		55.2		ug/kg	50.0	110%	72 - 150	0.5	50	10K5219		12/01/10 11:34
Toluene		53.3		ug/kg	50.0	107%	76 - 126	0.5	50	10K5219		12/01/10 11:34
Xylenes, total		163		ug/kg	150	109%	80 - 130	3	50	10K5219		12/01/10 11:34
Surrogate: 1,2-Dichloroethane-d4		40.3		ug/kg	50.0	81%	67 - 138			10K5219		12/01/10 11:34
Surrogate: Dibromofluoromethane		45.5		ug/kg	50.0	91%	75 - 125			10K5219		12/01/10 11:34
Surrogate: Toluene-d8		48.3		ug/kg	50.0	97%	76 - 129			10K5219		12/01/10 11:34
Surrogate: 4-Bromofluorobenzene		50.4		ug/kg	50.0	101%	67 - 147			10K5219		12/01/10 11:34
<b>10L0802-BSD1</b>												
Benzene		52.9		ug/kg	50.0	106%	78 - 126	1	50	10L0802		12/03/10 11:36
Ethylbenzene		53.7		ug/kg	50.0	107%	79 - 130	0.5	50	10L0802		12/03/10 11:36
Naphthalene		54.0		ug/kg	50.0	108%	72 - 150	0.09	50	10L0802		12/03/10 11:36
Toluene		56.1		ug/kg	50.0	112%	76 - 126	2	50	10L0802		12/03/10 11:36
Xylenes, total		164		ug/kg	150	109%	80 - 130	0.3	50	10L0802		12/03/10 11:36
Surrogate: 1,2-Dichloroethane-d4		48.7		ug/kg	50.0	97%	67 - 138			10L0802		12/03/10 11:36
Surrogate: Dibromofluoromethane		50.8		ug/kg	50.0	102%	75 - 125			10L0802		12/03/10 11:36
Surrogate: Toluene-d8		50.7		ug/kg	50.0	101%	76 - 129			10L0802		12/03/10 11:36
Surrogate: 4-Bromofluorobenzene		51.0		ug/kg	50.0	102%	67 - 147			10L0802		12/03/10 11:36

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK3173  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/26/10 08:00

## PROJECT QUALITY CONTROL DATA Matrix Spike

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>										
<b>10K5219-MS1</b>										
Benzene	ND	0.0606		mg/kg dry	0.0609	100%	42 - 141	10K5219	NTK3149-31	12/01/10 21:44
Ethylbenzene	ND	0.0690		mg/kg dry	0.0609	113%	21 - 165	10K5219	NTK3149-31	12/01/10 21:44
Naphthalene	ND	0.0547		mg/kg dry	0.0609	90%	10 - 160	10K5219	NTK3149-31	12/01/10 21:44
Toluene	ND	0.0662		mg/kg dry	0.0609	109%	45 - 145	10K5219	NTK3149-31	12/01/10 21:44
Xylenes, total	ND	0.195		mg/kg dry	0.183	107%	31 - 159	10K5219	NTK3149-31	12/01/10 21:44
Surrogate: 1,2-Dichloroethane-d4		37.2		ug/kg	50.0	74%	67 - 138	10K5219	NTK3149-31	12/01/10 21:44
Surrogate: Dibromofluoromethane		44.8		ug/kg	50.0	90%	75 - 125	10K5219	NTK3149-31	12/01/10 21:44
Surrogate: Toluene-d8		49.6		ug/kg	50.0	99%	76 - 129	10K5219	NTK3149-31	12/01/10 21:44
Surrogate: 4-Bromofluorobenzene		51.5		ug/kg	50.0	103%	67 - 147	10K5219	NTK3149-31	12/01/10 21:44
<b>10L0802-MS1</b>										
Benzene	ND	0.0508		mg/kg dry	0.0513	99%	42 - 141	10L0802	NTL0373-09	12/03/10 21:55
Ethylbenzene	ND	0.0502		mg/kg dry	0.0513	98%	21 - 165	10L0802	NTL0373-09	12/03/10 21:55
Naphthalene	ND	0.0472		mg/kg dry	0.0513	92%	10 - 160	10L0802	NTL0373-09	12/03/10 21:55
Toluene	0.00160	0.0539		mg/kg dry	0.0513	102%	45 - 145	10L0802	NTL0373-09	12/03/10 21:55
Xylenes, total	0.00451	0.156		mg/kg dry	0.154	99%	31 - 159	10L0802	NTL0373-09	12/03/10 21:55
Surrogate: 1,2-Dichloroethane-d4		49.8		ug/kg	50.0	100%	67 - 138	10L0802	NTL0373-09	12/03/10 21:55
Surrogate: Dibromofluoromethane		52.1		ug/kg	50.0	104%	75 - 125	10L0802	NTL0373-09	12/03/10 21:55
Surrogate: Toluene-d8		50.6		ug/kg	50.0	101%	76 - 129	10L0802	NTL0373-09	12/03/10 21:55
Surrogate: 4-Bromofluorobenzene		49.8		ug/kg	50.0	100%	67 - 147	10L0802	NTL0373-09	12/03/10 21:55
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>										
<b>10K5670-MS1</b>										
Acenaphthene	ND	1.09		mg/kg dry	1.76	62%	42 - 120	10K5670	NTK3173-01	12/01/10 20:41
Acenaphthylene	ND	1.18		mg/kg dry	1.76	67%	32 - 120	10K5670	NTK3173-01	12/01/10 20:41
Anthracene	ND	1.25		mg/kg dry	1.76	71%	10 - 200	10K5670	NTK3173-01	12/01/10 20:41
Benzo (a) anthracene	ND	1.17		mg/kg dry	1.76	67%	41 - 120	10K5670	NTK3173-01	12/01/10 20:41
Benzo (a) pyrene	ND	1.19		mg/kg dry	1.76	68%	33 - 121	10K5670	NTK3173-01	12/01/10 20:41
Benzo (b) fluoranthene	ND	1.31		mg/kg dry	1.76	75%	26 - 137	10K5670	NTK3173-01	12/01/10 20:41
Benzo (g,h,i) perylene	ND	1.05		mg/kg dry	1.76	60%	21 - 124	10K5670	NTK3173-01	12/01/10 20:41
Benzo (k) fluoranthene	ND	1.07		mg/kg dry	1.76	61%	14 - 140	10K5670	NTK3173-01	12/01/10 20:41
Chrysene	ND	1.14		mg/kg dry	1.76	65%	28 - 123	10K5670	NTK3173-01	12/01/10 20:41
Dibenz (a,h) anthracene	ND	1.16		mg/kg dry	1.76	66%	25 - 127	10K5670	NTK3173-01	12/01/10 20:41
Fluoranthene	ND	1.28		mg/kg dry	1.76	72%	38 - 120	10K5670	NTK3173-01	12/01/10 20:41
Fluorene	ND	1.18		mg/kg dry	1.76	67%	41 - 120	10K5670	NTK3173-01	12/01/10 20:41
Indeno (1,2,3-cd) pyrene	ND	1.12		mg/kg dry	1.76	64%	25 - 123	10K5670	NTK3173-01	12/01/10 20:41
Naphthalene	ND	1.02		mg/kg dry	1.76	58%	25 - 120	10K5670	NTK3173-01	12/01/10 20:41
Phenanthrene	ND	1.22		mg/kg dry	1.76	69%	37 - 120	10K5670	NTK3173-01	12/01/10 20:41

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK3173  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/26/10 08:00

**PROJECT QUALITY CONTROL DATA**  
**Matrix Spike - Cont.**

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>										
<b>10K5670-MS1</b>										
Pyrene	ND	1.06		mg/kg dry	1.76	60%	29 - 125	10K5670	NTK3173-01	12/01/10 20:41
1-Methylnaphthalene	ND	0.905		mg/kg dry	1.76	51%	19 - 120	10K5670	NTK3173-01	12/01/10 20:41
2-Methylnaphthalene	ND	0.996		mg/kg dry	1.76	57%	11 - 120	10K5670	NTK3173-01	12/01/10 20:41
Surrogate: Terphenyl-d14		0.970		mg/kg dry	1.76	55%	18 - 120	10K5670	NTK3173-01	12/01/10 20:41
Surrogate: 2-Fluorobiphenyl		1.03		mg/kg dry	1.76	59%	14 - 120	10K5670	NTK3173-01	12/01/10 20:41
Surrogate: Nitrobenzene-d5		0.949		mg/kg dry	1.76	54%	17 - 120	10K5670	NTK3173-01	12/01/10 20:41

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK3173  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/26/10 08:00

## PROJECT QUALITY CONTROL DATA

### Matrix Spike Dup

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Volatile Organic Compounds by EPA Method 8260B</b>												
<b>10K5219-MSD1</b>												
Benzene	ND	0.0575		mg/kg dry	0.0597	96%	42 - 141	5	50	10K5219	NTK3149-31	12/01/10 22:15
Ethylbenzene	ND	0.0659		mg/kg dry	0.0597	110%	21 - 165	5	50	10K5219	NTK3149-31	12/01/10 22:15
Naphthalene	ND	0.0504		mg/kg dry	0.0597	84%	10 - 160	8	50	10K5219	NTK3149-31	12/01/10 22:15
Toluene	ND	0.0633		mg/kg dry	0.0597	106%	45 - 145	4	50	10K5219	NTK3149-31	12/01/10 22:15
Xylenes, total	ND	0.186		mg/kg dry	0.179	104%	31 - 159	5	50	10K5219	NTK3149-31	12/01/10 22:15
Surrogate: 1,2-Dichloroethane-d4		36.7		ug/kg	50.0	73%	67 - 138			10K5219	NTK3149-31	12/01/10 22:15
Surrogate: Dibromofluoromethane		44.2		ug/kg	50.0	88%	75 - 125			10K5219	NTK3149-31	12/01/10 22:15
Surrogate: Toluene-d8		50.2		ug/kg	50.0	100%	76 - 129			10K5219	NTK3149-31	12/01/10 22:15
Surrogate: 4-Bromofluorobenzene		51.1		ug/kg	50.0	102%	67 - 147			10K5219	NTK3149-31	12/01/10 22:15
<b>10L0802-MSD1</b>												
Benzene	ND	0.0441		mg/kg dry	0.0534	83%	42 - 141	14	50	10L0802	NTL0373-09	12/03/10 22:25
Ethylbenzene	ND	0.0412		mg/kg dry	0.0534	77%	21 - 165	20	50	10L0802	NTL0373-09	12/03/10 22:25
Naphthalene	ND	0.0520		mg/kg dry	0.0534	97%	10 - 160	10	50	10L0802	NTL0373-09	12/03/10 22:25
Toluene	0.00160	0.0444		mg/kg dry	0.0534	80%	45 - 145	19	50	10L0802	NTL0373-09	12/03/10 22:25
Xylenes, total	0.00451	0.131		mg/kg dry	0.160	79%	31 - 159	18	50	10L0802	NTL0373-09	12/03/10 22:25
Surrogate: 1,2-Dichloroethane-d4		54.9		ug/kg	50.0	110%	67 - 138			10L0802	NTL0373-09	12/03/10 22:25
Surrogate: Dibromofluoromethane		50.5		ug/kg	50.0	101%	75 - 125			10L0802	NTL0373-09	12/03/10 22:25
Surrogate: Toluene-d8		49.4		ug/kg	50.0	99%	76 - 129			10L0802	NTL0373-09	12/03/10 22:25
Surrogate: 4-Bromofluorobenzene		48.9		ug/kg	50.0	98%	67 - 147			10L0802	NTL0373-09	12/03/10 22:25
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>												
<b>10K5670-MSD1</b>												
Acenaphthene	ND	1.19		mg/kg dry	1.75	68%	42 - 120	9	40	10K5670	NTK3173-01	12/01/10 21:00
Acenaphthylene	ND	1.26		mg/kg dry	1.75	72%	32 - 120	6	30	10K5670	NTK3173-01	12/01/10 21:00
Anthracene	ND	1.39		mg/kg dry	1.75	79%	10 - 200	10	50	10K5670	NTK3173-01	12/01/10 21:00
Benzo (a) anthracene	ND	1.30		mg/kg dry	1.75	74%	41 - 120	11	30	10K5670	NTK3173-01	12/01/10 21:00
Benzo (a) pyrene	ND	1.32		mg/kg dry	1.75	75%	33 - 121	10	33	10K5670	NTK3173-01	12/01/10 21:00
Benzo (b) fluoranthene	ND	1.35		mg/kg dry	1.75	77%	26 - 137	3	42	10K5670	NTK3173-01	12/01/10 21:00
Benzo (g,h,i) perylene	ND	1.21		mg/kg dry	1.75	69%	21 - 124	14	32	10K5670	NTK3173-01	12/01/10 21:00
Benzo (k) fluoranthene	ND	1.32		mg/kg dry	1.75	76%	14 - 140	21	39	10K5670	NTK3173-01	12/01/10 21:00
Chrysene	ND	1.25		mg/kg dry	1.75	71%	28 - 123	9	34	10K5670	NTK3173-01	12/01/10 21:00
Dibenz (a,h) anthracene	ND	1.29		mg/kg dry	1.75	74%	25 - 127	10	31	10K5670	NTK3173-01	12/01/10 21:00
Fluoranthene	ND	1.36		mg/kg dry	1.75	78%	38 - 120	7	35	10K5670	NTK3173-01	12/01/10 21:00
Fluorene	ND	1.30		mg/kg dry	1.75	74%	41 - 120	9	37	10K5670	NTK3173-01	12/01/10 21:00
Indeno (1,2,3-cd) pyrene	ND	1.27		mg/kg dry	1.75	73%	25 - 123	13	32	10K5670	NTK3173-01	12/01/10 21:00
Naphthalene	ND	1.16		mg/kg dry	1.75	66%	25 - 120	13	42	10K5670	NTK3173-01	12/01/10 21:00
Phenanthrene	ND	1.33		mg/kg dry	1.75	76%	37 - 120	8	32	10K5670	NTK3173-01	12/01/10 21:00
Pyrene	ND	1.16		mg/kg dry	1.75	66%	29 - 125	9	40	10K5670	NTK3173-01	12/01/10 21:00
1-Methylnaphthalene	ND	1.01		mg/kg dry	1.75	57%	19 - 120	11	45	10K5670	NTK3173-01	12/01/10 21:00
2-Methylnaphthalene	ND	1.10		mg/kg dry	1.75	63%	11 - 120	10	50	10K5670	NTK3173-01	12/01/10 21:00

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK3173  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/26/10 08:00

## PROJECT QUALITY CONTROL DATA

### Matrix Spike Dup - Cont.

Analyte	Orig. Val.	Duplicate	Q	Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
<b>Polyaromatic Hydrocarbons by EPA 8270D</b>												
<b>10K5670-MSD1</b>												
Surrogate: Terphenyl-d14		1.06		mg/kg dry	1.75	60%	18 - 120			10K5670	NTK3173-01	12/01/10 21:00
Surrogate: 2-Fluorobiphenyl		1.12		mg/kg dry	1.75	64%	14 - 120			10K5670	NTK3173-01	12/01/10 21:00
Surrogate: Nitrobenzene-d5		1.06		mg/kg dry	1.75	61%	17 - 120			10K5670	NTK3173-01	12/01/10 21:00

Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK3173  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/26/10 08:00

## CERTIFICATION SUMMARY

### TestAmerica Nashville

Method	Matrix	AIHA	Nelac	South Carolina
SW846 8260B	Soil	N/A	X	X
SW846 8270D	Soil		X	X
SW-846	Soil			



Client EEG - Small Business Group, Inc. (2449)  
10179 Highway 78  
Ladson, SC 29456  
Attn Tom McElwee

Work Order: NTK3173  
Project Name: Laurel Bay Housing Project  
Project Number: [none]  
Received: 11/26/10 08:00

## DATA QUALIFIERS AND DEFINITIONS

**ND** Not detected at the reporting limit (or method detection limit if shown)

## METHOD MODIFICATION NOTES

1102 J. G. O'DONNELL, J. A. HODGSON, J. E. HARTLEY

**Phone: 615-726-0177**  
**Toll Free: 800-765-0980**  
**Fax: 615-726-3404**

Enforcement Action?	Yes	No
---------------------	-----	----

**Sampler Signature:** 

Project #:

[illegible]

ATTACHMENT A



# NON-HAZARDOUS MANIFEST

<b>NON-HAZARDOUS MANIFEST</b>		1. Generator's US EPA ID No.		Manifest Doc No.		2. Page 1 of 1			
3. Generator's Mailing Address: MCAS, BEAUFORT LAUREL BAY HOUSING BEAUFORT, SC 29907			Generator's Site Address (If different than mailing):			A. Manifest Number <b>WMNA</b> 00316801			
4. Generator's Phone 843-228-6461						B. State Generator's ID			
5. Transporter 1 Company Name EEG, INC.			6. US EPA ID Number			C. State Transporter's ID			
						D. Transporter's Phone 843-879-0411			
7. Transporter 2 Company Name			8. US EPA ID Number			E. State Transporter's ID			
						F. Transporter's Phone			
9. Designated Facility Name and Site Address HICKORY HILL LANDFILL 2621 LOW COUNTRY ROAD RIDGELAND, SC 29936			10. US EPA ID Number			G. State Facility ID			
						H. State Facility Phone 843-987-4643			
GENERATOR	11. Description of Waste Materials			12. Containers		13. Total Quantity	14. Unit Wt./Vol.	15. Misc. Comments	
	a. HEATING OIL TANKS FILLED WITH SAND			No.	Type				
	WM Profile # 102655SC								
	b.								
	WM Profile #								
c.									
WM Profile #									
d.									
WM Profile #									
J. Additional Descriptions for Materials Listed Above			K. Disposal Location						
			Cell		Level				
			Grid						
15. Special Handling Instructions and Additional Information 1) 847 Azalea 2) 840 Azalea 3) 863 Azalea 4) 867 Cobin 5) 870 Cobin 6) 871 Cobin 7) 920 Barracuda									
Purchase Order #			EMERGENCY CONTACT / PHONE NO.:						
16. GENERATOR'S CERTIFICATE: I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and accurately described, classified and packaged and are in proper condition for transportation according to applicable regulations.									
Printed Name			Signature "On behalf of"				Month	Day	Year
							12	12	10
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials								
	Printed Name			Signature				Month	Day
James Baldwin			James Baldwin				12	9	10
18. Transporter 2 Acknowledgement of Receipt of Materials									
Printed Name			Signature				Month	Day	Year
FACILITY	19. Certificate of Final Treatment/Disposal I certify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all applicable laws, regulations, permits and licenses on the dates listed above.								
	20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest.								
Printed Name			Signature				Month	Day	Year
Tami Coffey			Tami Coffey				12	9	10

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY

Pink- FACILITY USE ONLY

Blue- GENERATOR #2 COPY

Gold- TRANSPORTER #1 COPY

Yellow- GENERATOR #1 COPY

## **Appendix C**

### **Regulatory Correspondence**

BOARD:  
Paul C. Aughtry, III  
Chairman  
Edwin H. Cooper, III  
Vice Chairman  
Steven G. Kisner  
Secretary



C. Earl Hunter, Commissioner

*Promoting and protecting the health of the public and the environment*

Bureau of Land and Waste Management  
Division of Waste Management

BOARD:  
Henry C. Scott  
M. David Mitchell, MD  
Glenn A. McCall  
Coleman F. Buckhouse, MD

July 7, 2011

Commanding Officer  
Attention: NREAO Mr. William A. Drawdy  
United States Marine Corp Air Station  
Post Office Box 55001  
Beaufort, SC 29904-5001

RE: No Further Action  
Laurel Bay Underground Storage Tank Assessment Report for:

- |                |              |              |              |             |
|----------------|--------------|--------------|--------------|-------------|
| • 824 Azalea   | • 826 Azalea | • 827 Azalea | • 829 Azalea | • 884 Cobia |
| • 830 Azalea   | • 833 Azalea | • 839 Azalea | • 843 Azalea | • 885 Cobia |
| • 937 Albacore | • 754 Althea | • 756 Althea | • 758 Althea | • 887 Cobia |
| • 836 Azalea   | • 838 Azalea | • 845 Azalea | • 847 Azalea | • 881 Cobia |
| • 863 Azalea   | • 867 Cobia  | • 870 Cobia  | • 871 Cobia  | • 881 Cobia |
| • 877 Cobia    | • 876 Cobia  |              |              |             |

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tanks (USTs) Assessment Report on February 17, 2011 for the addresses listed above.

The Department has reviewed the referenced assessment report and agrees there is no indication of soil or groundwater contamination on this property, and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corp Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary. If you have any questions, please contact me at [picketcn@dhec.sc.gov](mailto:picketcn@dhec.sc.gov) or 803-896-4131.

Sincerely,

Christi Pickett  
Corrective Action Engineering Section  
Bureau of Land and Waste Management  
South Carolina Department of Health and Environmental Control

cc: Laurel Rhoten (via email)  
Craig Ehde (via email)