SUMMARY REPORT

141 COBIA DRIVE (FORMERLY 882 COBIA DRIVE)

LAUREL BAY MILITARY HOUSING AREA

MARINE CORPS AIR STATION BEAUFORT

BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid-Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095 SUMMARY REPORT

141 COBIA DRIVE (FORMERLY 882 COBIA DRIVE)

LAUREL BAY MILITARY HOUSING AREA

MARINE CORPS AIR STATION BEAUFORT

BEAUFORT, SC

Revision: 0 Prepared for:

Department of the Navy Naval Facilities Engineering Command, Mid- Atlantic 9324 Virginia Avenue Norfolk, Virginia 23511-3095

and



Naval Facilities Engineering Command Atlantic

9324 Virginia Avenue Norfolk, Virginia 23511-3095

Prepared by:



CDM - AECOM Multimedia Joint Venture 10560 Arrowhead Drive, Suite 500 Fairfax, Virginia 22030

Contract Number: N62470-14-D-9016

CTO WE52

JUNE 2021



CDM - AECOM Multimedia Joint Venture Summary Report 141 Cobia Drive (Formerly 882 Cobia Drive) Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort June 2021

Table of Contents

1.0		TION1
1.1 1.2		ND INFORMATION
2.0	SAMPLING	ACTIVITIES AND RESULTS3
2.1 2.2		VAL AND SOIL SAMPLING
3.0	PROPERTY	STATUS4
4.0	REFERENC	ES4
Table	1	Table Laboratory Analytical Results - Soil
Table	1	Edboratory Analytical Results - Soil
		Appendices
Appen	dix A	Multi-Media Selection Process for LBMH
Appen		UST Assesment Report
Appen	dix C	Regulatory Correspondence



Summary Report 141 Cobia Drive (Formerly 882 Cobia Drive) Laurel Bay Military Housing Area, Marine Corps Air Station Beaufort June 2021

List of Acronyms

bgs below ground surface

BTEX benzene, toluene, ethylbenzene, and xylenes

CTO Contract Task Order

COPC constituents of potential concern

IDIQ Indefinite Delivery, Indefinite Quantity

IGWA Initial Groundwater Assessment

JV Joint Venture

LBMH Laurel Bay Military Housing MCAS Marine Corps Air Station

NAVFAC Mid-Lant Naval Facilities Engineering Command Mid-Atlantic

NFA No Further Action

PAH polynuclear aromatic hydrocarbon

QAPP Quality Assurance Program Plan

RBSL risk-based screening level

SCDHEC South Carolina Department of Health and Environmental Control

Site LBMH area at MCAS Beaufort, South Carolina

UST underground storage tank

VISL vapor intrusion screening level



1.0 INTRODUCTION

The CDM - AECOM Multimedia Joint Venture (JV) was contracted by the Naval Facilities Engineering Command, Mid-Atlantic (NAVFAC Mid-Lant) to provide reporting services for the heating oil underground storage tanks (USTs) located in Laurel Bay Military Housing (LBMH) area at the Marine Corps Air Station (MCAS) Beaufort, South Carolina (Site). This work has been awarded under Contract Task Order (CTO) WE52 of the Indefinite Delivery, Indefinite Quantity (IDIQ) Multimedia Environmental Compliance Contract (Contract No. N62470-14-D-9016).

As of January 2014, the LBMH addresses were re-numbered to comply with the E-911 emergency response addressing system; however, in order to remain consistent with historical sampling and reporting for LBMH area, the residences will continue to be referenced with their original address numbers in sample nomenclature and reporting documents.

This report summarizes the results the environmental investigation activities associated with the storage of home heating oil and the potential release of petroleum constituents at the referenced property. Based on the results of the investigation, a No Further Action (NFA) determination has been made by the South Carolina Department of Health and Environmental Control (SCDHEC) for 141 Cobia Drive (Formerly 882 Cobia Drive). This NFA determination indicates that there are no unacceptable risks to human health or the environment for the petroleum constituents associated with the home heating oil USTs. The following information is included in this report:

- Background information;
- Sampling activities and results; and
- A determination of the property status.

1.1 Background Information

The LBMH area is located approximately 3.5 miles west of MCAS Beaufort. The area is approximately 970 acres in size and serves as an enlisted and officer family housing area. The area is configured with single family and duplex residential structures, and includes recreation, open space, and community facilities. The community includes approximately 1,300 housing units, including legacy Capehart style homes and newer duplex style homes. The housing area





is bordered on the west by salt marshes and the Broad River, and to the north, east and south by uplands. Forested areas lie along the northern and northeastern borders.

Capehart style homes within the LBMH area were formerly heated using heating oil stored in USTs at each residence. There were 1,100 Capehart style housing units in the LBMH area. The newer duplex homes within the LBMH area never utilized heating oil tanks. Heating oil has not been used at Laurel Bay since the mid-1980s. As was the accepted practice at the time, USTs were drained, filled with dirt, capped, and left in place when they were removed from service. Residential USTs are not regulated in the State of South Carolina (i.e., there are no federal or state laws governing installation, management, or removal).

In 2007, MCAS Beaufort began a voluntary program to remove the unregulated, residential USTs and conduct sampling activities to determine if, and to what extent, petroleum constituents may have impacted the surrounding environment. MCAS Beaufort coordinated with SCDHEC to develop removal procedures that were consistent with procedural requirements for regulated USTs. All tank removal activities and follow-on actions are conducted in coordination with SCDHEC. To date, all known USTs have been removed from all residential properties within the LBMH area.

1.2 UST Removal and Assessment Process

During the UST removal process, a soil sample was collected from beneath the UST excavations (approximately 4 to 6 feet [ft] below ground surface [bgs]) and analyzed for a predetermined list of constituents of potential concern (COPCs) associated with the petroleum compounds found in home heating oil. These COPCs, derived from the *Quality Assurance Program Plan (QAPP) for the Underground Storage Tank Management Division, Revision 3.1* (SCDHEC, 2016) and the *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service,* (SCDHEC, 2018), are as follows:

- benzene, toluene, ethylbenzene, and xylenes (BTEX),
- naphthalene, and
- five select polynuclear aromatic hydrocarbon (PAHs): benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene and dibenz(a,h)anthracene.

Soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form. In accordance with SCDHEC's *QAPP for the UST Management*





Division (SCDHEC, 2016), the soil screening levels consists of SCDHEC risk-based screening levels (RBSLs). It should be noted that the RBSLs for select PAHs were revised in Revision 2.0 of the QAPP (SCDHEC, 2013) and were revised again in Revision 3.0 (SCDHEC, 2015). The screening levels used for evaluation at each site were those levels that were in effect at the time of reporting and review by SCDHEC.

The results of the soil sampling at each former UST location were used to determine if a potential for groundwater contamination exists (i.e., soil results greater than RBSLs) and subsequently to select properties for follow-up initial groundwater assessment (IGWA) sampling. The results of the IGWA sampling (if necessary) are used to determine the presence or absence of the aforementioned COPCs in groundwater and identify whether former UST locations will require additional delineation of COPCs in groundwater. In order to delineate the extent of impact to groundwater, permanent wells are installed and a sampling program is established for those former UST locations where IGWA sampling has indicated the presence of COPCs in excess of the SCDHEC RBSLs for groundwater. Groundwater analytical results are also compared to the site specific groundwater vapor intrusion screening levels (VISLs) to evaluate the potential for vapor intrusion and the necessity for an investigation associated with this media. A multi-media investigation selection process tree, applicable to the LBMH UST investigations, is presented as Appendix A.

2.0 SAMPLING ACTIVITIES AND RESULTS

The following section presents the sampling activities and associated results for 141 Cobia Drive (Formerly 882 Cobia Drive). Details regarding the soil investigation at this site are provided in the *SCDHEC UST Assessment Report – 882 Cobia Drive* (MCAS Beaufort, 2011). The UST Assessment Report is provided in Appendix B.

2.1 UST Removal and Soil Sampling

On November 30, 2010, a single 280 gallon heating oil UST was removed from the front yard adjacent to the porch area at 141 Cobia Drive (Formerly 882 Cobia Drive). The former UST location is indicated on Figures 2 and 3 of the UST Assessment Report (Appendix B). The UST was removed and properly disposed of (i.e., shipped offsite for recycling or transported to a landfill). There was no visual evidence (i.e., staining or sheen) of petroleum impact at the time of the UST removal. According to the UST Assessment Report (Appendix B), the depth to the base of the UST was 6'1" bgs and a single soil sample was collected from that depth. The





sample was collected from the fill port side of the former UST to represent a worst case scenario.

Following UST removal, a soil sample was collected from the base of the excavation and shipped to an offsite laboratory for analysis of the petroleum COPCs. Sampling was performed in accordance with applicable South Carolina regulation R.61-92, Part 280 (SCDHEC, 2017) and assessment guidelines.

2.2 Soil Analytical Results

A summary of the laboratory analytical results and SCDHEC RBSLs is presented in Table 1. A copy of the laboratory analytical data report is included in the UST Assessment Report presented in Appendix B. The laboratory analytical data report includes the soil results for the additional PAHs that were analyzed, but do not have associated RBSLs.

The soil sample results were submitted by MCAS Beaufort to SCDHEC utilizing SCDHEC's UST Assessment Report form (Appendix B). The results of the soil sampling at the former UST location were used by MCAS Beaufort, in consultation with SCDHEC, to determine a path forward (i.e., additional sampling or NFA) for the property. The soil results collected from 141 Cobia Drive (Formerly 882 Cobia Drive) were less than the SCDHEC RBSLs, which indicated the subsurface was not impacted by COPCs associated with the former UST at concentrations that presented a potential risk to human health and the environment.

3.0 PROPERTY STATUS

Based on the analytical results for soil, SCDHEC made the determination that NFA was required for 141 Cobia Drive (Formerly 882 Cobia Drive). This NFA determination was obtained in a letter dated July 7, 2011. SCDHEC's NFA letter is provided in Appendix C.

4.0 REFERENCES

Marine Corps Air Station Beaufort, 2011. South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank Assessment Report – 882 Cobia Drive, Laurel Bay Military Housing Area, February 2011.

South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2013. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 2.0*, April 2013.





- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2015. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.0*, May 2015.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2016. *Quality Assurance Program Plan for the Underground Storage Tank Management* Division, *Revision 3.1*, February 2016.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2017. *R.61-92, Part 280, Underground Storage Tank Control Regulations*, March 2017.
- South Carolina Department of Health and Environmental Control Bureau of Land and Waste Management, 2018. *Underground Storage Tank Assessment Instructions for Permanent Closure and Change-In-Service*, March 2018.

Table



Table 1 Laboratory Analytical Results - Soil 141 Cobia Drive (Formerly 882 Cobia Drive) Laurel Bay Military Housing Area Marine Corps Air Station Beaufort Beaufort, South Carolina

Constituent	SCDHEC RBSLs (1)	Results Sample Collected 11/30/1	
Volatile Organic Compounds Analyzed	by EPA Method 8260B (mg/kg)		
Benzene	0.003	ND	
Ethylbenzene	1.15	ND	
Naphthalene	0.036	ND	
Toluene	0.627	ND	
Xylenes, Total	13.01	ND	
Semivolatile Organic Compounds Analy	zed by EPA Method 8270D (mg/kg)		
Benzo(a)anthracene	0.66	ND	
Benzo(b)fluoranthene	0.66	ND	
Benzo(k)fluoranthene	0.66	ND	
Chrysene	0.66	ND	
Dibenz(a.h)anthracene	0.66	ND	

Notes:

Bold font indicates the analyte was detected.

Bold font and shading indicates the concentration exceeds the SCDHEC RBSL.

EPA - United States Environmental Protection Agency

mg/kg - milligram per kilogram

ND - not detected at the reporting limit (or method detection limit if shown on the laboratory report). The laboratory report is provided in Appendix B.


RBSL - Risk-Based Screening Level

SCDHEC - South Carolina Department Of Health and Environmental Control

⁽¹⁾ South Carolina Risk-Based Screening Levels from the Quality Assurance Program Plan for the Underground Storage Tank Management Division, Revision 1.0 and 1.1 (SCDHEC, May 2001 and SCDHEC, February 2011) and the Underground Storage Tank Assessment Guidelines (SCDHEC, February 2006).

Appendix A Multi-Media Selection Process for LBMH





Appendix A - Multi-Media Selection Process for LBMH

Appendix B UST Assessment Report



South Carolina Department of Health and Environmental Control (SCDHEC) Underground Storage Tank (UST) Assessment Report



Submit Completed Form To: UST Program SCDHEC 2600 Bull Street Columbia, South Carolina 29201 Telephone (803) 896-7957

I. OWNERSHIP OF UST (S)

MCAS Beaufort, Commanding Officer Attn: NREAO (Craig Ehde)

Owner Name (Corporation, Individual, Public Agency, Other)

P.O. Box 55001

Mailing Address

Beaufort, South Carolina 29904-5001

City State Zip Code

843 228-7317 Craig Ehde

Area Code Telephone Number Contact Person

II. SITE IDENTIFICATION AND LOCATION

	_			
Permit I.D. # Laurel Bay Militar	y Houging Area	Marino Corne	Air Station	Positort CC
Facility Name or Company S		Marine Corps	AII Station,	Beautort, SC
882 Cobia Lane, La Street Address or State Road	urel Bay Milita (as applicable)	ry Housing Ar	ea	
Beaufort,	Beaufort			
City	County			

Attachment 2

III. INSURANCE INFORMATION

Insurance Statement
The petroleum release reported to DHEC on at Permit ID Number may qualify to receive state monies to pay for appropriate site rehabilitation activities. Before participation is allowed in the State Clean-up fund, written confirmation of the existence or non-existence of an environmental insurance policy is required. This section must be completed.
Is there now, or has there ever been an insurance policy or other financial mechanism that covers this UST release? YES NO (check one)
If you answered YES to the above question, please complete the following information:
My policy provider is: The policy deductible is: The policy limit is:
If you have this type of insurance, please include a copy of the policy with this report.
IV. REQUEST FOR SUPERB FUNDING
I DO / DO NOT wish to participate in the SUPERB Program. (Circle one.)
V. CERTIFICATION (To be signed by the UST owner)
I certify that I have personally examined and am familiar with the information submitted in this and all attached documents; and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.
Name (Type or print.)
Signature
To be completed by Notary Public:
Sworn before me this day of, 20
(Name)
Notary Public for the state of Please affix State seal if you are commissioned outside South Carolina

UST INFORMATION				T	T
	882Cobia				L
(ex. Gas, Kerosene)	Heating oil				ļ
y(ex. 1k, 2k)	280 gal				_
	Late 1950s				_
ction Material(ex. Steel, FRP)	Steel				
Year of Last Use	Mid 1980s				Ļ
t.) To Base of Tank	6'1"				ig
evention Equipment Y/N	No				
Prevention Equipment Y/N	No				Ļ
of Closure Removed/Filled	Removed				Ļ
nks Removed/Filled	11/30/10				L
Corrosion or Pitting Y/N	Yes				L
Holes Y/N	Yes				
882Cobia was removed from the	ground, and	-			
				e USTs (a	_ at
	(ex. Gas, Kerosene)				

VII. PIPING INFORMATION

	Steel	
Construction Material(ex. Steel, FRP)	& Copper	
Distance from UST to Dispenser	N/A	
Number of Dispensers	N/A	
Type of System Pressure or Suction	Suction	
Was Piping Removed from the Ground? Y/N	Yes	
Visible Corrosion or Pitting Y/N	Yes	
Visible Holes Y/N	No	
Aga	Late 1950s	
	<u> </u>	
	, describe the location and extent for each	
If any corrosion, pitting, or holes were observed	, describe the location and extent for each	
If any corrosion, pitting, or holes were observed Corrosion and pitting were fou	, describe the location and extent for each	
If any corrosion, pitting, or holes were observed Corrosion and pitting were fou	, describe the location and extent for each	
If any corrosion, pitting, or holes were observed Corrosion and pitting were four pipe. Copper supply and return VIII. BRIEF SITE DESC	describe the location and extent for each and on the surface of the steel lines were sound.	el ve
If any corrosion, pitting, or holes were observed Corrosion and pitting were four pipe. Copper supply and return VIII. BRIEF SITE DESCENTIBLES AT THE USTS at the residences are	nd on the surface of the steel lines were sound. RIPTION AND HISTORY constructed of single wall s	el ve
viii. BRIEF SITE DESC	RIPTION AND HISTORY constructed of single wall s for heating. These USTs wer	el ve
Corrosion and pitting were four pipe. Copper supply and return VIII. BRIEF SITE DESCENTE USTS at the residences are and formerly contained fuel oil	RIPTION AND HISTORY constructed of single wall s for heating. These USTs wer	el ve
Corrosion and pitting were four pipe. Copper supply and return the USTs at the residences are and formerly contained fuel oil	RIPTION AND HISTORY constructed of single wall s for heating. These USTs wer	el ve
Corrosion and pitting were four pipe. Copper supply and return the USTs at the residences are and formerly contained fuel oil	RIPTION AND HISTORY constructed of single wall s for heating. These USTs wer	el ve
Corrosion and pitting were four pipe. Copper supply and return the USTs at the residences are and formerly contained fuel oil	RIPTION AND HISTORY constructed of single wall s for heating. These USTs wer	el ve

IX. SITE CONDITIONS

	Yes	No	Unk
A. Were any petroleum-stained or contaminated soils found in the UST excavation, soil borings, trenches, or monitoring wells? If yes, indicate depth and location on the site map.		Х	
 B. Were any petroleum odors detected in the excavation, soil borings, trenches, or monitoring wells? If yes, indicate location on site map and describe the odor (strong, mild, etc.) 		Х	
C. Was water present in the UST excavation, soil borings, or trenches? If yes, how far below land surface (indicate location and depth)?		х	
D. Did contaminated soils remain stockpiled on site after closure? If yes, indicate the stockpile location on the site map. Name of DHEC representative authorizing soil removal:		х	
E. Was a petroleum sheen or free product detected on any excavation or boring waters? If yes, indicate location and thickness.		х	

X. SAMPLE INFORMATION

A. SCDHEC Lab Certification Number 84009001

B.

	Location	Sample Type (Soil/Water)	Soil Type (Sand/Clay)	Depth*	Date/Time of Collection	Collected by	OVA#
882Cobia	Excav at fill end	Soil	Sandy	6'1"	11/30/10 1030 hrs	P. Shaw	
-			•				
8							
9							
10			-				
11			-				
12							
13							
14							
15							
16							
17							
18							
19							
20							

^{* =} Depth Below the Surrounding Land Surface

XI. SAMPLING METHODOLOGY

Provide a detailed description of the methods used to collect <u>and</u> store the samples. Also include the preservative used for each sample. Please use the space provided below.

Sampling was performed in accordance with SC DHEC R.61-92 Part 280
and SC DHEC Assessment Guidelines. Sample containers were prepared by the
testing laboratory. The grab method was utilized to fill the sample
containers leaving as little head space as possible and immediately
capped. Soil samples were extracted from area below tank. The
samples were marked, logged, and immediately placed in a sample cooler
packed with ice to maintain an approximate temperature of 4 degrees
Centigrade. Tools were thoroughly cleaned and decontaminated with
the seven step decon process after each use. The samples remained in
custody of SBG-EEG, Inc. until they were transferred to Test America
Incorporated for analysis as documented in the Chain of Custody Record.


XII. RECEPTORS

		Yes	No
A.	Are there any lakes, ponds, streams, or wetlands located within 1000 feet of the UST system?		Х
	If yes, indicate type of receptor, distance, and direction on site map.		
B.	Are there any public, private, or irrigation water supply wells within 1000 feet of the UST system?		Х
	If yes, indicate type of well, distance, and direction on site map.		
C.	Are there any underground structures (e.g., basements) Located within 100 feet of the UST system?		Х
	If yes, indicate type of structure, distance, and direction on site map.		
D.	Are there any underground utilities (e.g., telephone, electricity, gas, water, sewer, storm drain) located within 100 feet of the UST system that could potentially come in contact with the contamination? *Sewer and water	*X	
	If yes, indicate the type of utility, distance, and direction on the site map.		:
E.	Has contaminated soil been identified at a depth less than 3 feet below land surface in an area that is not capped by asphalt or concrete?		Х
	If yes, indicate the area of contaminated soil on the site map.		į.


XIII. SITE MAP


You must supply a <u>scaled</u> site map. It should include all buildings, road names, utilities, tank and dispenser island locations, labeled sample locations, extent of excavation, and any other pertinent information.

(Attach Site Map Here)










SBG-EEG

398 E. 5 NORTH ST., SUITE C SUMMERVILLE, SC 29483-6954 FIGURE 2 SITE MAP 882 COBIA LANE, LAUREL BAY MCAS BEAUFORT SC

SCALE: GRAPHIC

DWG DATE DEC 2010





Picture 1: Location of UST 882Cobia.



Picture 2: UST 882Cobia excavation.

XIV. SUMMARY OF ANALYSIS RESULTS

Enter the soil analytical data for each soil boring for all COC in the table below and on the following page.

Effect the soft affairtheaf data		8		 	
CoC UST	882Cobia				
Benzene	ND				
Toluene	ND				
Ethylbenzene	ND				
Xylenes	ND				
Naphthalene	ND		-		
Benzo (a) anthracene	ND				
Benzo (b) fluoranthene	ND				
Benzo (k) fluoranthene	ND				
Chrysene	ND				
Dibenz (a, h) anthracene	ND				
TPH (EPA 3550)				:	
	<u> </u>				
СоС				 	
Benzene					
Toluene					-
Ethylbenzene					
Xylenes					
Naphthalene					
Benzo (a) anthracene					
Benzo (b) fluoranthene					
Benzo (k) fluoranthene					
Chrysene					
Dibenz (a, h) anthracene					
TPH (EPA 3550)					

SUMMARY OF ANALYSIS RESULTS (cont'd)
Enter the ground water analytical data for each sample for all CoC in the table below. If free product is present, indicate the measured thickness to the nearest 0.01 feet.

CoC	RBSL (µg/l)	W -1	W-2	W -3	W -4
Free Product Thickness	None			:	
Benzene	5				
Toluene	1,000				
Ethylbenzene	700				
Xylenes	10,000				
Total BTEX	N/A				
мтве	40				
Naphthalene	25				
Benzo (a) anthracene	10	<u>-</u>			
Benzo (b) flouranthene	10				
Benzo (k) flouranthene	10				
Chrysene	10				
Dibenz (a, h) anthracene	10				
EDB	.05				
1,2-DCA	5				
Lead	Site specific				

XV. ANALYTICAL RESULTS

You must submit the laboratory report and chain-of-custody form for the samples. These samples must be analyzed by a South Carolina certified laboratory.

(Attach Certified Analytical Results and Chain-of-Custody Here) (Please see Form #4)





December 13, 2010

3:37:03PM

Client:

EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Attn:

Tom McElwee

Work Order:

NTL0689

Project Name:

Laurel Bay Housing Project

Project Nbr:

[none]

P/O Nbr: 1005 Date Received: 12/04/10

SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
876 Cobia	NTL0689-01	11/29/10 14:15
882 Cobia	NTL0689-02	11/30/10 10:30
884 Cobia	NTL0689-03	11/30/10 14:45
892 Cobia	NTL0689-04	12/01/10 12:30
887 Cobia	NTL0689-05	12/01/10 16:15
885 Cobia	NTL0689-06	12/02/10 11:45
881 Cobia	NTL0689-07	12/02/10 16:00

An executed copy of the chain of custody, the project quality control data, and the sample receipt form are also included as an addendum to this report. If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-765-0980. Any opinions, if expressed, are outside the scope of the Laboratory's accreditation.

This material is intended only for the use of the individual(s) or entity to whom it is addressed, and may contain information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering this material to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this material is strictly prohibited. If you have received this material in error, please notify us immediately at 615-726-0177.

South Carolina Certification Number: 84009

The Chain(s) of Custody, 2 pages, are included and are an integral part of this report.

These results relate only to the items tested. This report shall not be reproduced except in full and with permission of the laboratory.

All solids results are reported in wet weight unless specifically stated.

Estimated uncertainty is available upon request.


Roxanne L. Connor

This report has been electronically signed.

Report Approved By:

Roxanne Connor

Program Manager - Conventional Accounts





Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NTL0689

Project Name:


Laurel Bay Housing Project

Project Number:

[none]

Received: 12/04/10 08:45

			ANALI	TICAL KEI	OKI					
Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NTL0689-01 (876 Co General Chemistry Parameters	bia - Soil) San	ipled:]	11/29/10 14	:15						
•	92.4		%		0.500		10/00/10 00 50	CW 046	HLB	10L1490
% Dry Solids) 2.4		70	0.500	0.500	ì	12/08/10 09:58	SW-846	TILD	101170
Volatile Organic Compounds by EPA	Method 8260B									
Benzene	ND		mg/kg dry	0.00129	0.00235	l	12/08/10 17:44	SW846 8260B	KKK	10L1758
Ethylbenzene	ND		mg/kg dry	0.00115	0.00235	ì	12/08/10 17:44	SW846 8260B	KKK	10L1758
Naphthalene	ND		mg/kg dry	0.00199	0.00587	1	12/08/10 17:44	SW846 8260B	KKK	10L1758
Toluene	ND		mg/kg dry	0.00104	0.00235	1	12/08/10 17:44	SW846 8260B	KKK	10L1758
Xylenes, total	ND		mg/kg dry	0.00223	0.00587	1	12/08/10 17:44	SW846 8260B	KKK	10L1758
Surr: 1,2-Dichloroethane-d4 (67-138%)	88 %					1	12/08/10 17:44	SW846 8260B	KKK	10L1758
Surr: Dibromofluoromethane (75-125%)	97 %					1	12/08/10 17:44	SW846 8260B	KKK	10L1758
Surr: Toluene-d8 (76-129%)	96 %					1	12/08/10 17:44	SW846 8260B	KKK	10L1758
Surr: 4-Bromofluorobenzene (67-147%)	109 %					1	12/08/10 17:44	SW846 8260B	KKK	10L1758
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	ND		mg/kg dry	0.0150	0.0720	1	12/08/10 13:58	SW846 8270D	KJP	10L1328
Acenaphthylene	ND		mg/kg dry	0.0215	0.0720	1	12/08/10 13:58	SW846 8270D	KJP	10L1328
Anthracene	ND		mg/kg dry	0.00967	0.0720	1	12/08/10 13:58	SW846 8270D	KJP	10L1328
Benzo (a) anthracene	ND		mg/kg dry	0.0118	0.0720	1	12/08/10 13:58	SW846 8270D	KJP	10L1328
Benzo (a) pyrene	ND		mg/kg dry	0.00860	0.0720	1	12/08/10 13:58	SW846 8270D	KJP	10L1328
Benzo (b) fluoranthene	ND		mg/kg dry	0.0408	0.0720	1	12/08/10 13:58	SW846 8270D	KJP	10L1328
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00967	0.0720	1	12/08/10 13:58	SW846 8270D	KJP	10L1328
Benzo (k) fluoranthene	ND		mg/kg dry	0.0398	0.0720	1	12/08/10 13:58	SW846 8270D	KJP	10L1328
Chrysene	ND		mg/kg dry	0.0333	0.0720	1	12/08/10 13:58	SW846 8270D	KJP	10L1328
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0161	0.0720	1	12/08/10 13:58	SW846 8270D	KJP	10L1328
Fluoranthene	ND		mg/kg dry	0.0118	0.0720	1	12/08/10 13:58	SW846 8270D	KJP	10L1328
Fluorene	ND		mg/kg dry	0.0215	0.0720	1	12/08/10 13:58	SW846 8270D	KJP	10L1328
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0333	0.0720	1	12/08/10 13:58	SW846 8270D	KJP	10L1328
Naphthalene	ND		mg/kg dry	0.0150	0.0720	1	12/08/10 13:58	SW846 8270D	KJP	10L1328
Phenanthrene	ND		mg/kg dry	0.0107	0.0720	1	12/08/10 13:58	SW846 8270D	KJP	10L1328
Pyrene	ND		mg/kg dry	0.0247	0.0720	1	12/08/10 13:58	SW846 8270D	KJP	10L1328
1-Methylnaphthalene	ND		mg/kg dry	0.0129	0.0720	1	12/08/10 13:58	SW846 8270D	KJP	10L1328
2-Methylnaphthalene	ND		mg/kg dry	0.0226	0.0720	1	12/08/10 13:58	SW846 8270D	KJP	10L1328
Surr: Terphenyl-d14 (18-120%)	69 %			0.0220	5.5720	1	12/08/10 13:58	SW846 8270D	KJP	10L1328
Surr: 2-Fluorobiphenyl (14-120%)	59 %					1	12/08/10 13:58	SW846 8270D	KJP	10L1328
Surr: Nitrobenzene-d5 (17-120%)	72 %					1	12/08/10 13:58	SW846 8270D	KJP	10L1328
, v						1	12/00/10 12:20	3		





Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NTL0689

Project Name:


Received:

Laurel Bay Housing Project

Project Number: [none]

12/04/10 08:45

						Dilution	Analysis	_		
Analyte	Result	Flag	Units	MDL	MRL	Factor	Date/Time	Method	Analyst	Batch
Sample ID: NTL0689-02 (882 Co	bia - Soil) San	npled: 1	1/30/10 10							
General Chemistry Parameters										
% Dry Solids	95.0		%	0.500	0.500	ì	12/08/10 09:58	SW-846	HLB	10L1490
Volatile Organic Compounds by EPA	Method 8260B	}								
Benzene	ND		mg/kg dry	0.00122	0.00222	l	12/08/10 18:13	SW846 8260B	KKK	10L1758
Ethylbenzene	ND		mg/kg dry	0.00109	0.00222	1	12/08/10 18:13	SW846 8260B	KKK	10L1758
Naphthalene	ND		mg/kg dry	0.00189	0.00555	1	12/08/10 18:13	SW846 8260B	KKK	10L1758
Toluene	ND		mg/kg dry	0.000988	0.00222	1	12/08/10 18:13	SW846 8260B	KKK	10L1758
Xylenes, total	ND		mg/kg dry	0.00211	0.00555	1	12/08/10 18:13	SW846 8260B	KKK	10L1758
Surr: 1,2-Dichloroethane-d4 (67-138%)	89 %					1	12/08/10 18:13	SW846 8260B	KKK	10L1758
Surr: Dibromofluoromethane (75-125%)	97 %					1	12/08/10 18:13	SW846 8260B	KKK	10L1758
Surr: Toluene-d8 (76-129%)	96 %					1	12/08/10 18:13	SW846 8260B	KKK	10L1758
Surr: 4-Bromofluorobenzene (67-147%)	109 %					1	12/08/10 18:13	SW846 8260B	KKK	10L1758
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	ND		mg/kg dry	0.0144	0.0689	1	12/08/10 14:17	SW846 8270D	KJP	10L1328
Acenaphthylene	ND		mg/kg dry	0.0206	0.0689	1	12/08/10 14:17	SW846 8270D	KJP	10L1328
Anthracene	ND		mg/kg dry	0.00926	0.0689	1	12/08/10 14:17	SW846 8270D	KJP	10L1328
Benzo (a) anthracene	ND		mg/kg dry	0.0113	0.0689	1	12/08/10 14:17	SW846 8270D	KJP	10L1328
Benzo (a) pyrene	ND		mg/kg dry	0.00823	0.0689	1	12/08/10 14:17	SW846 8270D	KJP	10L1328
Benzo (b) fluoranthene	ND		mg/kg dry	0.0391	0.0689	1	12/08/10 14:17	SW846 8270D	KJP	10L1328
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00926	0.0689	1	12/08/10 14:17	SW846 8270D	KJP	10L1328
Benzo (k) fluoranthene	ND		mg/kg dry	0.0381	0.0689	1	12/08/10 14:17	SW846 8270D	KJP	10L1328
Chrysene	ND		mg/kg dry	0.0319	0.0689	1	12/08/10 14:17	SW846 8270D	KJP	10L1328
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0154	0.0689	1	12/08/10 14:17	SW846 8270D	KJP	10L1328
Fluoranthene	ND		mg/kg dry	0.0113	0.0689	1	12/08/10 14:17	SW846 8270D	KJP	10L1328
Fluorene	ND		mg/kg dry	0.0206	0.0689	1	12/08/10 14:17	SW846 8270D	KJP	10L1328
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0319	0.0689	1	12/08/10 14:17	SW846 8270D	KJP	10L1328
Naphthalene	ND		mg/kg dry	0.0144	0.0689	1	12/08/10 14:17	SW846 8270D	KJP	10L1328
Phenanthrene	ND		mg/kg dry	0.0103	0.0689	1	12/08/10 14:17	SW846 8270D	KJP	10L1328
Pyrene	ND		mg/kg dry	0.0237	0.0689	1	12/08/10 14:17	SW846 8270D	KJP	10L1328
1-Methylnaphthalene	ND		mg/kg dry	0.0123	0.0689	1	12/08/10 14:17	SW846 8270D	KJP	10L1328
2-Methylnaphthalene	ND		mg/kg dry	0.0216	0.0689	1	12/08/10 14:17	SW846 8270D	KJP	10L1328
Surr: Terphenyl-d14 (18-120%)	72 %					1	12/08/10 14:17	SW846 8270D	KJP	10L1328
Surr: 2-Fluorobiphenyl (14-120%)	40 %					1	12/08/10 14:17	SW846 8270D	KJP	10L1328
Surr: Nitrobenzene-d5 (17-120%)	39 %					1	12/08/10 14:17	SW846 8270D	<i>KJP</i>	10L1328





THE LEADER IN ENVIRONMENTAL TESTING

EEG - Small Business Group, Inc. (2449)

10179 Highway 78

Tom McElwee

Client

Attn

Ladson, SC 29456

Work Order:

NTL0689

Project Name:


Laurel Bay Housing Project

Project Number:

[none]

12/04/10 08:45 Received:

			AMADI	TICAL KEI	OK1					
Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NTL0689-03 (884 Co	bia - Soil) Sar	npled: 1	1/30/10 14	:45						
General Chemistry Parameters										
% Dry Solids	93.8		%	0.500	0.500	1	12/08/10 09:58	SW-846	HLB	10L1490
Volatile Organic Compounds by EPA	A Method 8260E	3								
Benzene	ND		mg/kg dry	0.00124	0.00225	1	12/08/10 18:43	SW846 8260B	KKK	10L1758
Ethylbenzene	ND		mg/kg dry	0.00110	0.00225	1	12/08/10 18:43	SW846 8260B	KKK	10L1758
Naphthalene	ND		mg/kg dry	0.00191	0.00562	1	12/08/10 18:43	SW846 8260B	KKK	10L1758
Toluene	ND		mg/kg dry	0.00100	0.00225	1	12/08/10 18:43	SW846 8260B	KKK	10L1758
Xylenes, total	ND		mg/kg dry	0.00214	0.00562	1	12/08/10 18:43	SW846 8260B	KKK	10L1758
Surr: 1,2-Dichloroethane-d4 (67-138%)	91 %					1	12/08/10 18:43	SW846 8260B	KKK	10L1758
Surr: Dibromofluoromethane (75-125%)	97 %					1	12/08/10 18:43	SW846 8260B	KKK	10L1758
Surr: Toluene-d8 (76-129%)	96 %					1	12/08/10 18:43	SW846 8260B	KKK	10L1758
Surr: 4-Bromofluorobenzene (67-147%)	109 %					1	12/08/10 18:43	SW846 8260B	KKK	10L1758
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	ND		mg/kg dry	0.0145	0.0695	1	12/08/10 14:37	SW846 8270D	KJP	10L1328
Acenaphthylene	ND		mg/kg dry	0.0207	0.0695	1	12/08/10 14:37	SW846 8270D	KJP	10L1328
Anthracene	ND		mg/kg dry	0.00933	0.0695	1	12/08/10 14:37	SW846 8270D	KJP	10L1328
Benzo (a) anthracene	ND		mg/kg dry	0.0114	0.0695	1	12/08/10 14:37	SW846 8270D	KJP	10L1328
Benzo (a) pyrene	ND		mg/kg dry	0.00830	0.0695	l	12/08/10 14:37	SW846 8270D	KJP	10L1328
Benzo (b) fluoranthene	ND		mg/kg dry	0.0394	0.0695	1	12/08/10 14:37	SW846 8270D	KJP	10L1328
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00933	0.0695	1	12/08/10 14:37	SW846 8270D	KJP	10L1328
Benzo (k) fluoranthene	ND		mg/kg dry	0.0384	0.0695	1	12/08/10 14:37	SW846 8270D	KJP	10L1328
Chrysene	ND		mg/kg dry	0.0321	0.0695	1	12/08/10 14:37	SW846 8270D	KJP	10L1328
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0156	0.0695	1	12/08/10 14:37	SW846 8270D	KJP	10L1328
Fluoranthene	ND		mg/kg dry	0.0114	0.0695	1	12/08/10 14:37	SW846 8270D	KJP	10L1328
Fluorene	ND		mg/kg dry	0.0207	0.0695	1	12/08/10 14:37	SW846 8270D	KJP	10L1328
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0321	0.0695	1	12/08/10 14:37	SW846 8270D	KJP	10L1328
Naphthalene	ND		mg/kg dry	0.0145	0.0695	1	12/08/10 14:37	SW846 8270D	KJP	10L1328
Phenanthrene	ND		mg/kg dry	0.0104	0.0695	1	12/08/10 14:37	SW846 8270D	KJP	10L1328
Pyrene	ND		mg/kg dry	0.0239	0.0695	1	12/08/10 14:37	SW846 8270D	KJP	10L1328
1-Methylnaphthalene	ND		mg/kg dry	0.0124	0.0695	i	12/08/10 14:37	SW846 8270D	KJP	10L1328
2-Methylnaphthalene	ND		mg/kg dry	0.0218	0.0695	1	12/08/10 14:37	SW846 8270D	KJP	10L1328
Surr: Terphenyl-d14 (18-120%)	74 %					1	12/08/10 14:37	SW846 8270D	KJP	10L1328
Surr: 2-Fluorobiphenyl (14-120%)	62 %					1	12/08/10 14:37	SW846 8270D	KJP	10L1328
Surr: Nitrobenzene-d5 (17-120%)	73 %					1	12/08/10 14:37	SW846 8270D	KJP	10L1328





Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NTL0689

Project Name: Laurel Bay Housing Project


Project Number:

[none]

Received: 12/04/10 08:45

ANAI	YTICAL	REPORT

			ANALY	TICAL REP	ORT					
Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Sample ID: NTL0689-04 (892 Co	bia - Soil) San	npled:	12/01/10 12	:30						
General Chemistry Parameters										
% Dry Solids	91.1		%	0.500	0.500	1	12/08/10 09:58	SW-846	HLB	10L1490
Volatile Organic Compounds by EPA	A Method 8260B									
Benzene	ND		mg/kg dry	0.00126	0.00229	1	12/08/10 19:13	SW846 8260B	KKK	10L1758
Ethylbenzene	ND		mg/kg dry	0.00112	0.00229	1	12/08/10 19:13	SW846 8260B	KKK	10L1758
Naphthalene	ND		mg/kg dry	0.00195	0.00573	1	12/08/10 19:13	SW846 8260B	KKK	10L1758
Toluene	ND		mg/kg dry	0.00102	0.00229	1	12/08/10 19:13	SW846 8260B	KKK	10L1758
Xylenes, total	ND		mg/kg dry	0.00218	0.00573	1	12/08/10 19:13	SW846 8260B	KKK	10L1758
Surr: 1,2-Dichloroethane-d4 (67-138%)	78 %					1	12/08/10 19:13	SW846 8260B	KKK	10L1758
Surr: Dibromofluoromethane (75-125%)	94 %					1	12/08/10 19:13	SW846 8260B	KKK	10L1758
Surr: Toluene-d8 (76-129%)	100 %					1	12/08/10 19:13	SW846 8260B	KKK	10L1758
Surr: 4-Bromofluorobenzene (67-147%)	122 %					1	12/08/10 19:13	SW846 8260B	KKK	10L1758
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	ND		mg/kg dry	0.0151	0.0723	ı	12/08/10 14:57	SW846 8270D	KJP	10L1328
Acenaphthylene	ND		mg/kg dry	0.0216	0.0723	1	12/08/10 14:57	SW846 8270D	KJP	10L1328
Anthracene	ND		mg/kg dry	0.00972	0.0723	i	12/08/10 14:57	SW846 8270D	KJP	10L1328
Benzo (a) anthracene	0.0928		mg/kg dry	0.0119	0.0723	l	12/08/10 14:57	SW846 8270D	KJP	10L1328
Benzo (a) pyrene	0.0975		mg/kg dry	0.00864	0.0723	1	12/08/10 14:57	SW846 8270D	KJP	10L1328
Benzo (b) fluoranthene	0.185		mg/kg dry	0.0410	0.0723	1	12/08/10 14:57	SW846 8270D	KJP	10L1328
Benzo (g,h,i) perylene	0.259		mg/kg dry	0.00972	0.0723	1	12/08/10 14:57	SW846 8270D	KJP	10L1328
Benzo (k) fluoranthene	0.110		mg/kg dry	0.0399	0.0723	1	12/08/10 14:57	SW846 8270D	KJP	10L1328
Chrysene	0.113		mg/kg dry	0.0335	0.0723	1	12/08/10 14:57	SW846 8270D	KJP	10L1328
Dibenz (a,h) anthracene	0.0443	J	mg/kg dry	0.0162	0.0723	1	12/08/10 14:57	SW846 8270D	KJP	10L1328
Fluoranthene	0.135		mg/kg dry	0.0119	0.0723	1	12/08/10 14:57	SW846 8270D	KJP	10L1328
Fluorene	ND		mg/kg dry	0.0216	0.0723	1	12/08/10 14:57	SW846 8270D	KJP	10L1328
Indeno (1,2,3-cd) pyrene	0.106		mg/kg dry	0.0335	0.0723	ı	12/08/10 14:57	SW846 8270D	KJP	10L1328
Naphthalene	ND		mg/kg dry	0.0151	0.0723	1	12/08/10 14:57	SW846 8270D	KJP	10L1328
Phenanthrene	ND		mg/kg dry	0.0108	0.0723	1	12/08/10 14:57	SW846 8270D	KJP	10L1328
Pyrene	0.122		mg/kg dry	0.0248	0.0723	1	12/08/10 14:57	SW846 8270D	KJP	10L1328
1-Methylnaphthalene	ND		mg/kg dry	0.0130	0.0723	1	12/08/10 14:57	SW846 8270D	KJP	10L1328
2-Methylnaphthalene	ND		mg/kg dry	0.0227	0.0723	ı	12/08/10 14:57	SW846 8270D	KJP	I0L1328
Surr: Terphenyl-d14 (18-120%)	67 %					1	12/08/10 14:57	SW846 8270D	KJP	10L1328
Surr: 2-Fluorobiphenyl (14-120%)	51 %					1	12/08/10 14:57	SW846 8270D	KJP	10L1328
Surr: Nitrobenzene-d5 (17-120%)	61 %					1	12/08/10 14:57	SW846 8270D	KJP	10L1328





Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NTL0689

Project Name:

Laurel Bay Housing Project


Project Number:

[none]

Received:

12/04/10 08:45

Analyte	Result	Flag	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
•			2/01/10 16	.15					·	
Sample ID: NTL0689-05 (887 Co General Chemistry Parameters	odia - Soii) Sai	прієа: і	.2/01/10 16	:15						
% Dry Solids	94.9		%	0.500	0.500	1	12/08/10 09:58	SW-846	HLB	10L1490
Volatile Organic Compounds by EPA	A Method 8260E	3								
Benzene	ND		mg/kg dry	0.00126	0.00229	1	12/08/10 19:43	SW846 8260B	KKK	10L1758
Ethylbenzene	ND		mg/kg dry	0.00112	0.00229	1	12/08/10 19:43	SW846 8260B	KKK	10L1758
Naphthalene	ND		mg/kg dry	0.00195	0.00573	1	12/08/10 19:43	SW846 8260B	KKK	10L1758
Toluene	ND		mg/kg dry	0.00102	0.00229	1	12/08/10 19:43	SW846 8260B	KKK	10L1758
Xylenes, total	ND		mg/kg dry	0.00218	0.00573	1	12/08/10 19:43	SW846 8260B	KKK	10L1758
Surr: 1,2-Dichloroethane-d4 (67-138%)	88 %					1	12/08/10 19:43	SW846 8260B	KKK	10L1758
Surr: Dibromofluoromethane (75-125%)	97 %					1	12/08/10 19:43	SW846 8260B	KKK	10L1758
Surr: Toluene-d8 (76-129%)	96 %					1	12/08/10 19:43	SW846 8260B	KKK	10L1758
Surr: 4-Bromofluorobenzene (67-147%)	107 %					1	12/08/10 19:43	SW846 8260B	KKK	10L1758
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	ND		mg/kg dry	0.0145	0.0696	1	12/08/10 15:17	SW846 8270D	KJP	10L1328
Acenaphthylene	ND		mg/kg dry	0.0208	0.0696	1	12/08/10 15:17	SW846 8270D	KJP	10L1328
Anthracene	ND		mg/kg dry	0.00935	0.0696	1	12/08/10 15:17	SW846 8270D	KJP	10L1328
Benzo (a) anthracene	ND		mg/kg dry	0.0114	0.0696	l	12/08/10 15:17	SW846 8270D	KJP	10L1328
Benzo (a) pyrene	ND		mg/kg dry	0.00831	0.0696	1	12/08/10 15:17	SW846 8270D	KJP	10L1328
Benzo (b) fluoranthene	ND		mg/kg dry	0.0395	0.0696	1	12/08/10 15:17	SW846 8270D	KJP	10L1328
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00935	0.0696	1	12/08/10 15:17	SW846 8270D	KJP	10L1328
Benzo (k) fluoranthene	ND		mg/kg dry	0.0385	0.0696	1	12/08/10 15:17	SW846 8270D	KJP	10L1328
Chrysene	ND		mg/kg dry	0.0322	0.0696	ł	12/08/10 15:17	SW846 8270D	KJP	10L1328
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0156	0.0696	1	12/08/10 15:17	SW846 8270D	KJP	10L1328
Fluoranthene	ND		mg/kg dry	0.0114	0.0696	1	12/08/10 15:17	SW846 8270D	KJP	10L1328
Fluorene	ND		mg/kg dry	0.0208	0.0696	1	12/08/10 15:17	SW846 8270D	KJP	10L1328
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0322	0.0696	1	12/08/10 15:17	SW846 8270D	KJP	10L1328
Naphthalene	ND		mg/kg dry	0.0145	0.0696	1	12/08/10 15:17	SW846 8270D	KJP	10L1328
Phenanthrene	ND		mg/kg dry	0.0104	0.0696	1	12/08/10 15:17	SW846 8270D	КЈР	10L1328
Pyrene	ND		mg/kg dry	0.0239	0.0696	1	12/08/10 15:17	SW846 8270D	KJP	10L1328
1-Methylnaphthalene	ND		mg/kg dry	0.0125	0.0696	1	12/08/10 15:17	SW846 8270D	KJP	10L1328
2-Methylnaphthalene	ND		mg/kg dry	0.0218	0.0696	1	12/08/10 15:17	SW846 8270D	KJP	10L1328
Surr: Terphenyl-d14 (18-120%)	63 %					1	12/08/10 15:17	SW846 8270D	KJP	10L1328
Surr: 2-Fluorobiphenyl (14-120%)	53 %					1	12/08/10 15:17	SW846 8270D	KJP	10L1328
Surr: Nitrobenzene-d5 (17-120%)	63 %					1	12/08/10 15:17	SW846 8270D	KJP	10L1328





10179 Highway 78 Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NTL0689

Project Name:

Laurel Bay Housing Project

Project Number:


[none]

Received:

12/04/10 08:45

ANALYTICAL REPORT

		_	ANALY	HCAL REPO	OKI					
A E	D 14	T21	Units	MDL	MRL	Dilution Factor	Analysis Date/Time	Method	Analyst	Batch
Analyte	Result	Flag	·····		1,114	- I actor		Method	Anaiyst	Daten
Sample ID: NTL0689-06 (885 Co	bia - Soil) Sar	npled: 1	2/02/10 11	:45						
General Chemistry Parameters										
% Dry Solids	94.9		%	0.500	0.500	1	12/08/10 09:58	SW-846	HLB	10L1490
Volatile Organic Compounds by EPA	A Method 8260E	3								
Benzene	ND		mg/kg dry	0.00126	0.00229	1	12/08/10 20:12	SW846 8260B	KKK	10L1758
Ethylbenzene	ND		mg/kg dry	0.00112	0.00229	1	12/08/10 20:12	SW846 8260B	KKK	10L1758
Naphthalene	ND		mg/kg dry	0.00195	0.00573	1	12/08/10 20:12	SW846 8260B	KKK	10L1758
Toluene	ND		mg/kg dry	0.00102	0.00229	1	12/08/10 20:12	SW846 8260B	KKK	10L1758
Xylenes, total	ND		mg/kg dry	0.00218	0.00573	ì	12/08/10 20:12	SW846 8260B	KKK	10L1758
Surr: 1,2-Dichloroethane-d4 (67-138%)	90 %					1	12/08/10 20:12	SW846 8260B	KKK	10L1758
Surr: Dibromofluoromethane (75-125%)	100 %					1	12/08/10 20:12	SW846 8260B	KKK	10L1758
Surr: Toluene-d8 (76-129%)	95 %					1	12/08/10 20:12	SW846 8260B	KKK	10L1758
Surr: 4-Bromofluorobenzene (67-147%)	110 %					1	12/08/10 20:12	SW846 8260B	KKK	10L1758
Polyaromatic Hydrocarbons by EPA	8270D									
Acenaphthene	ND		mg/kg dry	0.0145	0.0696	1	12/08/10 15:37	SW846 8270D	KJP	10L1328
Acenaphthylene	ND		mg/kg dry	0.0208	0.0696	1	12/08/10 15:37	SW846 8270D	KJP	10L1328
Anthracene	ND		mg/kg dry	0.00935	0.0696	1	12/08/10 15:37	SW846 8270D	KJP	10L1328
Benzo (a) anthracene	ND		mg/kg dry	0.0114	0.0696	1	12/08/10 15:37	SW846 8270D	KJP	10L1328
Benzo (a) pyrene	ND		mg/kg dry	0.00831	0.0696	1	12/08/10 15:37	SW846 8270D	KJP	10L1328
Benzo (b) fluoranthene	ND		mg/kg dry	0.0395	0.0696	1	12/08/10 15:37	SW846 8270D	KJP	10L1328
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00935	0.0696	1	12/08/10 15:37	SW846 8270D	KJP	10L1328
Benzo (k) fluoranthene	ND		mg/kg dry	0.0384	0.0696	1	12/08/10 15:37	SW846 8270D	KJP	10L1328
Chrysene	ND		mg/kg dry	0.0322	0.0696	1	12/08/10 15:37	SW846 8270D	KJP	10L1328
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0156	0.0696	1	12/08/10 15:37	SW846 8270D	KJP	10L1328
Fluoranthene	ND		mg/kg dry	0.0114	0.0696	1	12/08/10 15:37	SW846 8270D	KJP	10L1328
Fluorene	ND		mg/kg dry	0.0208	0.0696	1	12/08/10 15:37	SW846 8270D	KJP	10L1328
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0322	0.0696	1	12/08/10 15:37	SW846 8270D	KJP	10L1328
Naphthalene	ND		mg/kg dry	0.0145	0.0696	1	12/08/10 15:37	SW846 8270D	KJP	10L1328
Phenanthrene	ND		mg/kg dry	0.0104	0.0696	1	12/08/10 15:37	SW846 8270D	KJP	10L1328
Pyrene	ND		mg/kg dry	0.0239	0.0696	1	12/08/10 15:37	SW846 8270D	KJP	10L1328
1-Methylnaphthalene	ND		mg/kg dry	0.0125	0.0696	1	12/08/10 15:37	SW846 8270D	KJP	10L1328
2-Methylnaphthalene	ND		mg/kg dry	0.0218	0.0696	1	12/08/10 15:37	SW846 8270D	KJP	10L1328
Surr: Terphenyl-d14 (18-120%)	78 %					1	12/08/10 15:37	SW846 8270D	KJP	10L1328
Surr: 2-Fluorobiphenyl (14-120%)	67 %					1	12/08/10 15:37	SW846 8270D	KJP	10L1328
Surr: Nitrobenzene-d5 (17-120%)	78 %					I	12/08/10 15:37	SW846 8270D	KJP	10L1328





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NTL0689

Project Name:

Laurel Bay Housing Project


Project Number:

[none]

Received: 12

12/04/10 08:45

						Dilution	Analysis			
Analyte	Result	Flag	Units	MDL	MRL	Factor	Date/Time	Method	Analyst	Batch
Sample ID: NTL0689-07 (881 Co	bia - Soil) San	npled: 1	2/02/10 16	:00						
General Chemistry Parameters										
% Dry Solids	95.9		%	0.500	0.500	1	12/08/10 09:58	SW-846	HLB	10L1490
Volatile Organic Compounds by EPA	Method 8260B									
Benzene	ND		mg/kg dry	0.00133	0.00241	1	12/08/10 20:42	SW846 8260B	KKK	10L1758
Ethylbenzene	ND		mg/kg dry	0.00118	0.00241	1	12/08/10 20:42	SW846 8260B	KKK	10L1758
Naphthalene	ND		mg/kg dry	0.00205	0.00603	1	12/08/10 20:42	SW846 8260B	KKK	10L1758
Toluene	ND		mg/kg dry	0.00107	0.00241	1	12/08/10 20:42	SW846 8260B	KKK	10L1758
Xylenes, total	ND		mg/kg dry	0.00229	0.00603	1	12/08/10 20:42	SW846 8260B	KKK	10L1758
Surr: 1,2-Dichloroethane-d4 (67-138%)	90 %					1	12/08/10 20:42	SW846 8260B	KKK	10L175
Surr: Dibromofluoromethane (75-125%)	98 %					1	12/08/10 20:42	SW846 8260B	KKK	10L175
Surr: Toluene-d8 (76-129%)	95 %					1	12/08/10 20:42	SW846 8260B	KKK	10L175
Surr: 4-Bromofluorobenzene (67-147%)	111 %					1	12/08/10 20:42	SW846 8260B	KKK	10L175
Polyaromatic Hydrocarbons by EPA 8	8270D									
Acenaphthene	ND		mg/kg dry	0.0145	0.0693	1	12/08/10 15:57	SW846 8270D	KJP	10L1328
Acenaphthylene	ND		mg/kg dry	0.0207	0.0693	1	12/08/10 15:57	SW846 8270D	KJP	10L1328
Anthracene	ND		mg/kg dry	0.00931	0.0693	1	12/08/10 15:57	SW846 8270D	KJP	10L1328
Benzo (a) anthracene	ND		mg/kg dry	0.0114	0.0693	1	12/08/10 15:57	SW846 8270D	KJP	10L1328
Benzo (a) pyrene	ND		mg/kg dry	0.00828	0.0693	1	12/08/10 15:57	SW846 8270D	KJP	10L1328
Benzo (b) fluoranthene	ND		mg/kg dry	0.0393	0.0693	1	12/08/10 15:57	SW846 8270D	KJP	10L1328
Benzo (g,h,i) perylene	ND		mg/kg dry	0.00931	0.0693	1	12/08/10 15:57	SW846 8270D	KJP	10L1328
Benzo (k) fluoranthene	ND		mg/kg dry	0.0383	0.0693	1	12/08/10 15:57	SW846 8270D	KJP	10L1328
Chrysene	ND		mg/kg dry	0.0321	0.0693	1	12/08/10 15:57	SW846 8270D	KJP	10L1328
Dibenz (a,h) anthracene	ND		mg/kg dry	0.0155	0.0693	1	12/08/10 15:57	SW846 8270D	KJP	10L1328
Fluoranthene	ND		mg/kg dry	0.0114	0.0693	1	12/08/10 15:57	SW846 8270D	KJP	10L1328
Fluorene	ND		mg/kg dry	0.0207	0.0693	1	12/08/10 15:57	SW846 8270D	KJP	10L1328
Indeno (1,2,3-cd) pyrene	ND		mg/kg dry	0.0321	0.0693	1	12/08/10 15:57	SW846 8270D	KJP	10L1328
Naphthalene	ND		mg/kg dry	0.0145	0.0693	1	12/08/10 15:57	SW846 8270D	KJP	10L1328
Phenanthrene	ND		mg/kg dry	0.0103	0.0693	1	12/08/10 15:57	SW846 8270D	KJP	10L1328
Pyrene	ND		mg/kg dry	0.0238	0.0693	1	12/08/10 15:57	SW846 8270D	KJP	10L1328
1-Methylnaphthalene	ND		mg/kg dry	0.0124	0.0693	1	12/08/10 15:57	SW846 8270D	KJP	10L1328
2-Methylnaphthalene	ND		mg/kg dry	0.0217	0.0693	1	12/08/10 15:57	SW846 8270D	KJP	10L1328
Surr: Terphenyl-d14 (18-120%)	79 %					1	12/08/10 15:57	SW846 8270D	KJP	10L132
Surr: 2-Fluorobiphenyl (14-120%)	66 %					1	12/08/10 15:57	SW846 8270D	KJP	10L132
Surr: Nitrobenzene-d5 (17-120%)	78 %					1	12/08/10 15:57	SW846 8270D	KJP	10L1328





10179 Highway 78

Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NTL0689 Laurel Bay Housing Project Project Name:


Project Number:

[none]

12/04/10 08:45 Received:

SAMPLE EXTRACTION DATA

			Wt/Vol				Extraction
Parameter	Batch	Lab Number	Extracted	Extracted Vol	Date	Analyst	Method
Polyaromatic Hydrocarbons by EPA	8270D						
SW846 8270D	10L1328	NTL0689-01	30.20	1.00	12/07/10 11:05	SAS	EPA 3550C
SW846 8270D	10L1328	NTL0689-02	30.70	1.00	12/07/10 11:05	SAS	EPA 3550C
SW846 8270D	10L1328	NTL0689-03	30.83	1.00	12/07/10 11:05	SAS	EPA 3550C
SW846 8270D	10L1328	NTL0689-04	30.50	1.00	12/07/10 11:05	SAS	EPA 3550C
SW846 8270D	10L1328	NTL0689-05	30.41	1.00	12/07/10 11:05	SAS	EPA 3550C
SW846 8270D	10L1328	NTL0689-06	30.42	1.00	12/07/10 11:05	SAS	EPA 3550C
SW846 8270D	10L1328	NTL0689-07	30.22	1.00	12/07/10 11:05	SAS	EPA 3550C
Volatile Organic Compounds by EP	A Method 8260B						
SW846 8260B	10L1758	NTL0689-01	4.61	5.00	11/29/10 14:15	СНН	EPA 5035
SW846 8260B	10L1758	NTL0689-02	4.74	5.00	11/30/10 10:30	СНН	EPA 5035
SW846 8260B	10L1758	NTL0689-03	4.74	5.00	11/30/10 14:45	ACB	EPA 5035
SW846 8260B	10L1758	NTL0689-04	4.79	5.00	12/01/10 12:30	СНН	EPA 5035
SW846 8260B	10L1758	NTL0689-05	4.60	5.00	12/01/10 16:15	СНН	EPA 5035
SW846 8260B	10L1758	NTL0689-06	4.60	5.00	12/02/10 11:45	СНН	EPA 5035
SW846 8260B	10L1758	NTL0689-07	4.32	5.00	12/02/10 16:00	СНН	EPA 5035





10179 Highway 78

Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NTL0689

Project Name:

Laurel Bay Housing Project

Project Number:

[none]

Received:

12/04/10 08:45

PROJECT QUALITY CONTROL DATA Blank

Analyte	Blank Value	Q Units	Q.C. Batch	Lab Number	Analyzed Date/Time
Volatile Organic Compounds by	EPA Method 8260B				
10L1758-BLK1					
Benzene	< 0.00110	mg/kg wet	10L1758	10L1758-BLK1	12/08/10 12:28
Ethylbenzene	< 0.000980	mg/kg wet	10L1758	10L1758-BLK1	12/08/10 12:28
Naphthalene	< 0.00170	mg/kg wet	10L1758	10L1758-BLK1	12/08/10 12:28
Toluene	< 0.000890	mg/kg wet	10L1758	10L1758-BLK1	12/08/10 12:28
Xylenes, total	< 0.00190	mg/kg wet	10L1758	10L1758-BLK1	12/08/10 12:28
Surrogate: 1,2-Dichloroethane-d4	89%		10L1758	10L1758-BLK1	12/08/10 12:28
Surrogate: Dibromofluoromethane	99%		10L1758	10L1758-BLK1	12/08/10 12:28
Surrogate: Toluene-d8	95%		10L1758	10L1758-BLK1	12/08/10 12:28
Surrogate: 4-Bromofluorobenzene	106%		10L1758	10L1758-BLK1	12/08/10 12:28
10L1758-BLK2					
Benzene	< 0.0550	mg/kg wet	10L1758	10L1758-BLK2	12/08/10 12:58
Ethylbenzene	< 0.0490	mg/kg wet	10L1758	10L1758-BLK2	12/08/10 12:58
Naphthalene	< 0.0850	mg/kg wct	10L1758	10L1758-BLK2	12/08/10 12:58
Toluene	< 0.0445	mg/kg wct	10L1758	10L1758-BLK2	12/08/10 12:58
Xylenes, total	< 0.0950	mg/kg wet	10L1758	10L1758-BLK2	12/08/10 12:58
Surrogate: 1,2-Dichloroethane-d4	82%		10L1758	10L1758-BLK2	12/08/10 12:58
Surrogate: Dibromosluoromethane	98%		10L1758	10L1758-BLK2	12/08/10 12:58
Surrogate: Toluene-d8	98%		10L1758	10L1758-BLK2	12/08/10 12:58
Surrogate: 4-Bromofluorobenzene	104%		10L1758	10L1758-BLK2	12/08/10 12:58
Polyaromatic Hydrocarbons by I	EPA 8270D				
10L1328-BLK1					
Acenaphthene	< 0.0140	mg/kg wet	10L1328	10L1328-BLK1	12/08/10 12:18
Acenaphthylene	< 0.0200	mg/kg wet	10L1328	10L1328-BLK1	12/08/10 12:18
Anthracene	< 0.00900	mg/kg wet	10L1328	10L1328-BLK1	12/08/10 12:18
Benzo (a) anthracene	< 0.0110	mg/kg wet	10L1328	10L1328-BLK1	12/08/10 12:18
Benzo (a) pyrene	< 0.00800	mg/kg wet	10L1328	10L1328-BLK1	12/08/10 12:18
Benzo (b) fluoranthene	< 0.0380	mg/kg wet	10L1328	10L1328-BLK1	12/08/10 12:18
Benzo (g,h,i) perylene	<0.00900	mg/kg wet	I0L1328	10L1328-BLK1	12/08/10 12:18
Benzo (k) fluoranthene	< 0.0370	mg/kg wet	10L1328	10L1328-BLK1	12/08/10 12:18
Chrysene	< 0.0310	mg/kg wet	10L1328	10L1328-BLK1	12/08/10 12:18
Dibenz (a,h) anthracene	< 0.0150	mg/kg wet	10L1328	10L1328-BLK1	12/08/10 12:18
Fluoranthene	< 0.0110	mg/kg wet	10L1328	10L1328-BLK1	12/08/10 12:18
Fluorene	< 0.0200	mg/kg wet	10L1328	10L1328-BLK1	12/08/10 12:18
Indeno (1,2,3-cd) pyrenc	< 0.0310	mg/kg wct	10L1328	10L1328-BLK1	12/08/10 12:18
Naphthalene	< 0.0140	mg/kg wet	10L1328	10L1328-BLK1	12/08/10 12:18
Phenanthrene	< 0.0100	mg/kg wet	10L1328	10L1328-BLK1	12/08/10 12:18
Pyrene	< 0.0230	mg/kg wet	10L1328	10L1328-BLK1	12/08/10 12:18
I-Methylnaphthalene	< 0.0120	mg/kg wet	10L1328	10L1328-BLK1	12/08/10 12:18
2-Methylnaphthalene	< 0.0210	mg/kg wet	10L1328	10L1328-BLK1	12/08/10 12:18
• •		• •			



THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 * 800-765-0980 * Fax 615-726-3404

Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78

Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NTL0689

Project Name:

Laurel Bay Housing Project

Project Number:

[none] 12/04/10 08:45

Received: 12

PROJECT QUALITY CONTROL DATA Blank - Cont.

Analyte	Blank Value	Q	Units	Q.C. Batch	Lab Number	Analyzed Date/Time
Polyaromatic Hydrocarbons by EPA	8270D					
10L1328-BLK1						-
Surrogate: Terphenyl-d14	74%			10L1328	10L1328-BLK1	12/08/10 12:18
Surrogate: 2-Fluorobiphenyl	62%			10L1328	10L1328-BLK1	12/08/10 12:18
Surrogate: Nitrobenzene-d5	73%			10L1328	10L1328-BLK1	12/08/10 12:18



2960 Foster Creighton Road Nashville, TN 37204 * 800-765-0980 * Fax 615-726-3404

EEG - Small Business Group, Inc. (2449) Client

10179 Highway 78

Ladson, SC 29456 Tom McElwee

Attn

NTL0689

Project Name:

Laurel Bay Housing Project

Project Number:

Work Order:

[none]


Received:

12/04/10 08:45

PROJECT QUALITY CONTROL DATA

Duplicate

Analyte	Orig. Val.	Duplicate	Q Un		Limit	Batch	Sample Duplicated	Analyzed % Rec. Date/Time
General Chemistry Parameters								
10L1490-DUP1								
% Dry Solids	89.7	85.4	%	5	20	10L1490	NTL0444-09	12/08/10 09:58





10179 Highway 78

Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NTL0689

Project Name:

Laurel Bay Housing Project

Project Number:

[none]

Received: 12/04/10 08:45

PROJECT QUALITY CONTROL DATA

T	4	_	C
L	٠,	u	Q

Analyte	Known Val.	Analyzed Val	Q	Units	% Rec.	Target Range	Batch	Analyzed Date/Time
Volatile Organic Compounds by E	PA Method 8260B						f f e e	
10L1758-BS1								
Benzene	50.0	51.6		ug/kg	103%	78 - 126	10L1758	12/08/10 10:21
Ethylbenzene	50.0	53.7		ug/kg	107%	79 - 130	10L1758	12/08/10 10:21
Naphthalene	50.0	51.1		ug/kg	102%	72 - 150	10L1758	12/08/10 10:21
Toluene	50.0	49.1		ug/kg	98%	76 - 126	10L1758	12/08/10 10:21
Xylenes, total	150	164		ug/kg	109%	80 - 130	10L1758	12/08/10 10:21
Surrogate: 1,2-Dichloroethane-d4	50.0	43.9			88%	67 - 138	10L1758	12/08/10 10:21
Surrogate: Dibromofluoromethane	50.0	47.8			96%	75 - 125	10L1758	12/08/10 10:21
Surrogate: Toluene-d8	50,0	47.6			95%	76 - 129	10L1758	12/08/10 10:21
Surrogate: 4-Bromofluorobenzene	50.0	52.2			104%	67 - 147	10L1758	12/08/10 10:21
Polyaromatic Hydrocarbons by EP	A 8270D							
10L1328-BS1								
Acenaphthene	1.67	1.08		mg/kg wet	65%	49 - 120	10L1328	12/08/10 12:38
Acenaphthylene	1.67	1.19		mg/kg wet	71%	52 - 120	10L1328	12/08/10 12:38
Anthracene	1.67	1.38		mg/kg wet	83%	58 - 120	10L1328	12/08/10 12:38
Benzo (a) anthracene	1.67	1.39		mg/kg wet	83%	57 - 120	10L1328	12/08/10 12:38
Benzo (a) pyrene	1.67	1.48		mg/kg wet	89%	55 - 120	10L1328	12/08/10 12:38
Benzo (b) fluoranthene	1.67	1.50		mg/kg wet	90%	51 - 123	10L1328	12/08/10 12:38
Benzo (g,h,i) perylene	1.67	1.25		mg/kg wet	75%	49 - 121	10L1328	12/08/10 12:38
Benzo (k) fluoranthene	1.67	1.21		mg/kg wet	72%	42 - 129	10L1328	12/08/10 12:38
Chrysene	1.67	1.33		mg/kg wet	80%	55 - 120	10L1328	12/08/10 12:38
Dibenz (a,h) anthracene	1.67	1.25		mg/kg wet	75%	50 - 123	10L1328	12/08/10 12:38
Fluoranthene	1.67	1.39		mg/kg wet	83%	58 - 120	10L1328	12/08/10 12:38
Fluorene	1.67	1.22		mg/kg wet	73%	54 - 120	10L1328	12/08/10 12:38
Indeno (1,2,3-cd) pyrene	1.67	1.29		mg/kg wet	77%	50 - 122	10L1328	12/08/10 12:38
Naphthalene	1.67	1.00		mg/kg wet	60%	28 - 120	10L1328	12/08/10 12:38
Phenanthrene	1.67	1.37		mg/kg wet	82%	56 - 120	10L1328	12/08/10 12:38
Pyrene	1.67	1.39		mg/kg wet	83%	56 - 120	10L1328	12/08/10 12:38
I-Methylnaphthalene	1.67	0.937		mg/kg wet	56%	36 - 120	10L1328	12/08/10 12:38
2-Methylnaphthalene	1.67	1.03		mg/kg wet	62%	36 - 120	10L1328	12/08/10 12:38
Surrogate: Terphenyl-d14	1.67	1.17			70%	18 - 120	10L1328	12/08/10 12:38
Surrogate: 2-Fluorobiphenyl	1.67	0.914			55%	14 - 120	10L1328	12/08/10 12:38
Surrogate: Nitrobenzene-d5	1.67	1.06			63%	17 - 120	10L1328	12/08/10 12:38



THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 * 800-765-0980 * Fax 615-726-3404

EEG - Small Business Group, Inc. (2449) Client

> 10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NTL0689

Project Name:

Laurel Bay Housing Project

Project Number: [none]

12/04/10 08:45 Received:

PROJECT QUALITY CONTROL DATA **LCS Dup**

Analyte	Orig. Val. Duplicate	Q Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Volatile Organic Compounds by E	PA Method 8260B									
10L1758-BSD1										
Benzene	52.5	ug/kg	50.0	105%	78 - 126	2	50	10L1758		12/08/10 10:50
Ethylbenzene	53.7	ug/kg	50.0	107%	79 - 130	0.02	50	10L1758		12/08/10 10:50
Naphthalene	54.3	ug/kg	50.0	109%	72 - 150	6	50	10L1758		12/08/10 10:50
Toluene	49.2	ug/kg	50.0	98%	76 - 126	0.06	50	10L1758		12/08/10 10:50
Xylenes, total	163	ug/kg	150	109%	80 - 130	0.6	50	10L1758		12/08/10 10:50
Surrogate: 1,2-Dichloroethane-d4	44.2	ug/kg	50.0	88%	67 - 138			10L1758		12/08/10 10:50
Surrogate: Dibromosluoromethane	48.2	ug/kg	50.0	96%	75 - 125			10L1758		12/08/10 10:50
Surrogate: Toluene-d8	47.4	ug/kg	50.0	95%	76 - 129			10L1758		12/08/10 10:50
Surrogate: 4-Bromofluorobenzene	51.7	ug/kg	50.0	103%	67 - 147			10L1758		12/08/10 10:50





10179 Highway 78 Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NTL0689

Project Name:

Laurel Bay Housing Project

Project Number:

[none]

Received: 12/04/10 08:45

PROJECT QUALITY CONTROL DATA Matrix Spike

Analyte	Orig. Val.	MS Val	Q	Units	Spike Conc	% Rec.	Target Range	Batch	Sample Spiked	Analyzed Date/Time
Volatile Organic Compounds by l	EPA Method 826	0B								
10L1758-MS1	DI /I MICHIGA 020	.								
Benzene	ND	1.98		mg/kg wet	2.34	85%	42 - 141	10L1758	NTL0688-12RE 2	12/08/10 21:12
Ethylbenzene	ND	2.14		mg/kg wet	2.34	92%	21 - 165	10L1758	NTL0688-12RE 2	12/08/10 21:12
Naphthalene	ND	1.88		mg/kg wet	2.34	80%	10 - 160	10L1758	NTL0688-12RE 2	12/08/10 21:12
Toluene	ND	1.94		mg/kg wet	2.34	83%	45 - 145	10L1758	NTL0688-12RE 2	12/08/10 21:12
Xylenes, total	ND	6.62		mg/kg wet	7.01	94%	31 - 159	10L1758	NTL0688-12RE 2	12/08/10 21:12
Surrogate: 1,2-Dichloroethane-d4		41.6		ug/kg	50.0	83%	67 - 138	10L1758	NTL0688-12RE 2	12/08/10 21:12
Surrogate: Dibromofluoromethane		47.9		ug/kg	50.0	96%	75 - 125	10L1758	NTL0688-12RE 2	12/08/10 21:12
Surrogate: Toluene-d8		47.6		ug/kg	50.0	95%	76 - 129	10L1758	NTL0688-12RE 2	12/08/10 21:12
Surrogate: 4-Bromofluorobenzene		52.1		ug/kg	50.0	104%	67 - 147	10L1758	NTL0688-12RE 2	12/08/10 21:12
Polyaromatic Hydrocarbons by E	PA 8270D									
10L1328-MS1										
Acenaphthene	ND	1.16		mg/kg dry	1.77	65%	42 - 120	10L1328	NTL0689-01	12/08/10 13:18
Acenaphthylene	ND	1.26		mg/kg dry	1.77	71%	32 - 120	10L1328	NTL0689-01	12/08/10 13:18
Anthracene	ND	1.40		mg/kg dry	1.77	79%	10 - 200	10L1328	NTL0689-01	12/08/10 13:18
Benzo (a) anthracene	ND	1.45		mg/kg dry	1.77	82%	41 - 120	10L1328	NTL0689-01	12/08/10 13:18
Benzo (a) pyrene	ND	1.52		mg/kg dry	1.77	86%	33 - 121	10L1328	NTL0689-01	12/08/10 13:18
Benzo (b) fluoranthene	ND	1.55		mg/kg dry	1.77	87%	26 - 137	10L1328	NTL0689-01	12/08/10 13:18
Benzo (g,h,i) perylene	ND	1.33		mg/kg dry	1.77	75%	21 - 124	10L1328	NTL0689-01	12/08/10 13:18
Benzo (k) fluoranthene	ND	1.27		mg/kg dry	1.77	72%	14 - 140	10L1328	NTL0689-01	12/08/10 13:18
Chrysene	ND	1.37		mg/kg dry	1.77	77%	28 - 123	10L1328	NTL0689-01	12/08/10 13:18
Dibenz (a,h) anthracene	ND	1.30		mg/kg dry	1.77	73%	25 - 127	10L1328	NTL0689-01	12/08/10 13:18
Fluoranthene	ND	1.38		mg/kg dry	1.77	78%	38 - 120	10L1328	NTL0689-01	12/08/10 13:18
Fluorene	ND	1.27		mg/kg dry	1.77	72%	41 - 120	10L1328	NTL0689-01	12/08/10 13:18
Indeno (1,2,3-cd) pyrene	ND	1.32		mg/kg dry	1.77	75%	25 - 123	10L1328	NTL0689-01	12/08/10 13:18
Naphthalene	ND	1.20		mg/kg dry	1.77	68%	25 - 120	10L1328	NTL0689-01	12/08/10 13:18
Phenanthrene	ND	1.40		mg/kg dry	1.77	79%	37 - 120	10L1328	NTL0689-01	12/08/10 13:18
Pyrene	ND	1.42		mg/kg dry	1.77	80%	29 - 125	10L1328	NTL0689-01	12/08/10 13:18
1-Methylnaphthalene	ND	1.08		mg/kg dry	1.77	61%	19 - 120	10L1328	NTL0689-01	12/08/10 13:18
2-Methylnaphthalene	ND	1.20		mg/kg dry	1.77	68%	11 - 120	10L1328	NTL0689-01	12/08/10 13:18
Surrogate: Terphenyl-d14		1.23		mg/kg dry	1.77	69%	18 - 120	10L1328	NTL0689-01	12/08/10 13:18
Surrogate: 2-Fluorobiphenyl		1.03		mg/kg dry	1.77	58%	14 - 120	10L1328	NTL0689-01	12/08/10 13:18
Surrogate: Nitrobenzene-d5		1.28		mg/kg dry	1.77	72%	17 - 120	10L1328	NTL0689-01	12/08/10 13:18



2960 Foster Creighton Road Nashville, TN 37204 * 800-765-0980 * Fax 615-726-3404

Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78

Ladson, SC 29456

Tom McElwee

Attn

Work Order:

NTL0689

Project Name:

Laurel Bay Housing Project

Project Number:

[none]

Received:

12/04/10 08:45

PROJECT QUALITY CONTROL DATA

Matrix Spike - Cont.

Units

Analyte Orig. Val. MS Val Q


Spike Conc % Rec.

Target Range

Batch

Sample Spiked Analyzed Date/Time

Polyaromatic Hydrocarbons by EPA 8270D





10179 Highway 78

Ladson, SC 29456 Tom McElwee

Attn

Work Order:

NTL0689

Project Name: Laurel Bay Housing Project

Project Number:

[none]

Received: 12/04/10 08:45

PROJECT QUALITY CONTROL DATA Matrix Spike Dup

Analyte	Orig. Val.	Duplicate	Q Units	Spike Conc	% Rec.	Target Range	RPD	Limit	Batch	Sample Duplicated	Analyzed Date/Time
Volatile Organic Compounds by	EPA Method 8	3260B									
10L1758-MSD1											
Benzene	ND	2.03	mg/kg wet	2.34	87%	42 - 141	2	50	10L1758	NTL0688-12RE 2	12/08/10 21:41
Ethylbenzene	ND	2.16	mg/kg wet	2.34	92%	21 - 165	0.8	50	10L1758	NTL0688-12RE	12/08/10 21:41
Naphthalene	ND	2.10	mg/kg wet	2.34	90%	10 - 160	11	50	10L1758	2 NTL0688-12RE	12/08/10 21:41
Toluene	ND	1.96	mg/kg wet	2.34	84%	45 - 145	1	50	10L1758	2 NTL0688-12RE	12/08/10 21:41
Xylenes, total	ND	6.73	mg/kg wet	7.01	96%	31 - 159	2	50	10L1758	NTL0688-12RE	12/08/10 21:41
Surrogate: 1,2-Dichloroethane-d4		42.3	ug/kg	50.0	85%	67 - 138			10L1758	2 NTL0688-12RE	12/08/10 21:41
Surrogate: Dibromofluoromethane		48.4	ug/kg	50.0	97%	75 - 125			10L1758	2 NTL0688-12RE	12/08/10 21:41
Surrogate: Toluene-d8		47.4	ug/kg	50.0	95%	76 - 129			10L1758	2 NTL0688-12RE	12/08/10 21:41
Surrogate: 4-Bromofluorobenzene		50.9	ug/kg	50.0	102%	67 - 147			10L1758	2 NTL0688-12RE 2	12/08/10 21:41
Polyaromatic Hydrocarbons by I 10L1328-MSD1	EPA 8270D										
Acenaphthene	ND	1.17	mg/kg dry	1.80	65%	42 - 120	1	40	10L1328	NTL0689-01	12/08/10 13:38
Acenaphthylene	ND	1.27	mg/kg dry	1.80	70%	32 - 120	0.3	30	10L1328	NTL0689-01	12/08/10 13:38
Anthracene	ND	1.35	mg/kg dry	1.80	75%	10 - 200	4	50	10L1328	NTL0689-01	12/08/10 13:38
Benzo (a) anthracene	ND	1.39	mg/kg dry	1.80	77%	41 - 120	4	30	10L1328	NTL0689-01	12/08/10 13:38
Benzo (a) pyrene	ND	1.40	mg/kg dry	1.80	78%	33 - 121	8	33	10L1328	NTL0689-01	12/08/10 13:38
Benzo (b) fluoranthene	ND	1.30	mg/kg dry	1.80	72%	26 - 137	17	42	10L1328	NTL0689-01	12/08/10 13:38
Benzo (g,h,i) perylene	ND	1.25	mg/kg dry	1.80	70%	21 - 124	6	32	10L1328	NTL0689-01	12/08/10 13:38
Benzo (k) fluoranthene	ND	1.35	mg/kg dry	1.80	75%	14 - 140	6	39	10L1328	NTL0689-01	12/08/10 13:38
Chrysene	ND	1.33	mg/kg dry	1.80	74%	28 - 123	3	34	10L1328	NTL0689-01	12/08/10 13:38
Dibenz (a,h) anthracene	ND	1.24	mg/kg dry	1.80	69%	25 - 127	5	31	10L1328	NTL0689-01	12/08/10 13:38
Fluoranthene	ND	1.34	mg/kg dry	1.80	74%	38 - 120	3	35	10L1328	NTL0689-01	12/08/10 13:38
Fluorene	ND	1.25	mg/kg dry	1.80	70%	41 - 120	2	37	10L1328	NTL0689-01	12/08/10 13:38
Indeno (1,2,3-cd) pyrene	ND	1.26	mg/kg dry	1.80	70%	25 - 123	5	32	10L1328	NTL0689-01	12/08/10 13:38
Naphthalene	ND	1.22	mg/kg dry	1.80	68%	25 - 120	2	42	10L1328	NTL0689-01	12/08/10 13:38
Phenanthrene	ND	1.36	mg/kg dry	1.80	76%	37 - 120	3	32	10L1328	NTL0689-01	12/08/10 13:38
Pyrene	ND	1.40	mg/kg dry	1.80	78%	29 - 125	2	40	10L1328	NTL0689-01	12/08/10 13:38
1-Methylnaphthalene	ND	1.10	mg/kg dry	1.80	61%	19 - 120	2	45	10L1328	NTL0689-01	12/08/10 13:38
2-Methylnaphthalene	ND	1.18	mg/kg dry	1.80	66%	11 - 120	1	50	10L1328	NTL0689-01	12/08/10 13:38
Surrogate: Terphenyl-d14		1.20	mg/kg dry	1.80	67%	18 - 120			10L1328	NTL0689-01	12/08/10 13:38
Surrogate: 2-Fluorobiphenyl		1.05	mg/kg dry	1.80	58%	14 - 120			10L1328	NTL0689-01	12/08/10 13:38
Surrogate: Nitrobenzene-d5		1.34	mg/kg dry	1.80	74%	17 - 120			10L1328	NTL0689-01	12/08/10 13:38



2960 Foster Creighton Road Nashville, TN 37204 * 800-765-0980 * Fax 615-726-3404

Client EEG - Small Business Group, Inc. (2449)

10179 Highway 78

Ladson, SC 29456

Attn Tom McElwee

Work Order:

NTL0689

Project Name:

Laurel Bay Housing Project

Project Number:

[none]

Received: 12/04/10 08:45

CERTIFICATION SUMMARY

TestAmerica Nashville

Method	Matrix	AIHA	Nelac	South Carolina			
SW846 8260B	Soil	N/A	X	X			
SW846 8270D	Soil		X	X			
SW-846	Soil						



THE LEADER IN ENVIRONMENTAL TESTING

2960 Foster Creighton Road Nashville, TN 37204 * 800-765-0980 * Fax 615-726-3404

EEG - Small Business Group, Inc. (2449) Client

10179 Highway 78

Ladson, SC 29456

Attn

Tom McElwee

Work Order:

NTL0689

Project Name: Laurel Bay Housing Project

Project Number:

[none]

Received:

12/04/10 08:45

DATA QUALIFIERS AND DEFINITIONS

J Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL).

Concentrations within this range are estimated.

ND Not detected at the reporting limit (or method detection limit if shown)

METHOD MODIFICATION NOTES

1-251-4111-211		Nashville Div 2960 Foster Nashville, Ti	Creighto	n			Toll F	ree: 8	300-7	726-01 765-09 726-34	80						п	o assist ethods, egulatory	is this	work oses?	being (conduc	cted for	•	.,				
Client Name/Account #:	EEG # 2449																				•		nitoring		Yes_	 No_	_		
Address:	10179 Highway	78																		E	nforce	ment /	Action?		Yes_	 No_			
City/State/Zip:	Ladson, SC 294	56											•			Site St					-					 			
Project Manager:			@eeginc.r	net			10	-1	_	20		71.11	~_				_									 			
Telophone Number:	843.412.2097				Fa	x No.:	84	.3]	_8	29	- 6	70	_				_									 			
Sampler Name: (Print)	PR	H S	MAN										_			-	_	aurel Ba	y Hou	sing P	roject					 			
Sampler Signature:	201	100	<u>, </u>													Projec	:#:									 		ــــدنـ	
					[Pres	ervati	ve ,	1		М	atrix		\perp	9				Ana	lyze F	or:				 =			
Sample 1D / Description 876 C. cb. A 882 C. cb. A 887 C. cb. A 887 C. cb. A 887 C. cb. A 885 C. cb. A		1415 1415 1415 1415 1415 1415 0160 0145		Composite	Field Filtered	loe HNO. (Red Labe)	MANNE WAR	NaCht (Ularge Laire) H,SO, Plestic (Yellow Label)		ンンンンンン と None (Bleck Laber)	Groundwater	Wastewalor	Sludge	S X X X X X X X		X X X X	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX			NT 12/2	L0 (689	59 21 23 4 5 6			RUSH TAT (Pre-Scheduk	Standard TAT	Fax Results	Send QC with report
	+		$\neg \uparrow \neg$	十	\top	\Box	\top				П				\Box											\perp	\perp	\exists	
Special Instructions: Relinquished by Relinquished by	12/3/	rate /	Time	4	ceived l	oy:	and of s	X	ent:	ì		L	Date	FEI	DEX	Time			emper	ature i	Upon F	Receipt space?	; 4	3		Y	N	ı	

.

ATTACHMENT A



NON-HAZARDOUS MANIFEST

	1.	Generator's US EPA	A ID No. M	anifest Doc	No.	2. Page 1	of								
	NON-HAZARDOUS MANIFEST					1									
	3. Generator's Mailing Address:	Gen	lifferent than m	ailing):	A. Manife	st Number									
	MCAS, BEAUFORT	Jen	erator a site Address (int	interent than in	antiigj.		MNA	00316903							
	LAUREL BAY HOUSING							Generator's	00316802						
	BEAUFORT, SC 29907						D. State	Generator 3	10						
	4. Generator's Phone 843-228-	6461													
	5. Transporter 1 Company Name		6. US EPA II	D Number	**										
	EEG, INC.					C. State T	ransporter's	ID							
	EEG, INC.					D. Transp	orter's Phone	843-8	379-041	1					
	7. Transporter 2 Company Name		8. US EPA II	D Number											
							ransporter's l								
	9. Designated Facility Name and Site Add	droce	10. US EPA	ID Number	<u> </u>	F. Transpo	orter's Phone	· ····							
	HICKORY HILL LANDFILL	uress	IO. OSEFA	ID NUMBER		G. State F	acility ID								
	2621 LOW COUNTRY ROAD							843-0	987-464						
	RIDGELAND, SC 29936		H. State Facility P												
G	11. Description of Waste Materials				ntainers	13. Total	14. Unit	I. N	lisc. Commer	nts					
E	a. HEATING OIL TANKS FILLED WI	TH CAND		No.	Туре	Quantity	Wt./Vol.	+							
N	a. HEATING OIL TAINS FILLED WI	IIII JAND			}										
E	WM Profile #	102655SC			-	 									
R A	b.		· · · · · · · · · · · · · · · · · · ·	-				 							
Т			-												
0	WM Profile #				 			-							
R	C.			 	 	 		<u> </u>							
	. .														
	WM Profile #														
	d.														
					1										
	WM Profile #														
	J. Additional Descriptions for Materials	Listed Above		K. Dispos	al Location										
				- 0											
				Cell Grid		· · · · · · · · · · · · · · · · · · ·		Level	L						
	15. Special Handling Instructions and Add	ditional Information		t	T. T. (1 ' ,0	10	300	12 Cubin						
1	6(51 'S FROM'	고) 3	78 CobiA	_			(b) (5		5- <i>011</i> •						
	1)877 Cobin	3) B	76 COLIA	5),	854	Cobin									
	Purchase Order #		EMERGENCY CO			<u>.</u>									
	16. GENERATOR'S CERTIFICATE:														
	I hereby certify that the above-described materials are not hazardous wastes as defined by CFR Part 261 or any applicable state law, have been fully and														
-	accurately described, classified and packa	ged and are in prop			rding to ap	plicable regu	ations.								
1	Printed Name	N. Committee of the com	Signature "On beha	If of"	Consular State			Month	Day	Year					
,	17. Transporter 1 Acknowledgement of R			Jan Jan			4			لكلي					
Ŕ	Printed Name	eceipt of Waterlass						Month	Day	Year					
N	James Buldwin	.)	Signature	Signature											
P	18. Transporter 2 Acknowledgement of R	leceipt of Materials	The state of the s		The state of the s			1/5		- (
R	Printed Name		Signature				-	Month	Day	Year					
E R															
\dashv	19. Certificate of Final Treatment/Dispos	al .						_1	<u> </u>	L					
١,	· ·	ertify, on behalf of the above listed treatment facility, that to the best of my knowledge, the above-described waste was managed in compliance with all													
ĉ	applicable laws, regulations, permits and			cabe, the au		W	as manageu	compilant							
.	20. Facility Owner or Operator: Certificat			overed by th	is manifest	i.									
֡֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	Printed Name		Signature					Month	Day	Year					
	$f \sim f$. /						1 25	1						

White- TREATMENT, STORAGE, DISPOSAL FACILITY COPY
Pink- FACILITY USE ONLY

Blue- GENERATOR #2 COPY

Yellow- GENERATOR #1 COPY

Appendix C Regulatory Correspondence



BOARD: Paul C. Aughtry, III Chairman Edwin H. Cooper, III Vice Chairman

Steven G. Kisner Secretary



BOARD: Henry C. Scott

M. David Mitchell, MD

Glenn A. McCall

Coleman F. Buckhouse, MD

C. Earl Hunter, Commissioner

Promoting and protecting the health of the public and the environment

Bureau of Land and Waste Management Division of Waste Management

July 7, 2011

Commanding Officer
Attention: NREAO Mr. William A. Drawdy
United States Marine Corp Air Station
Post Office Box 55001
Beaufort, SC 29904-5001

RE: No Further Action

Laurel Bay Underground Storage Tank Assessment Report for:

•	824 Azalea	•	826 Azalea	•	827 Azalea	•	829 Azalea	•	884 Cobia
•	830 Azalea	•	833 Azalea	•	839 Azalea	•	843 Azalea	•	885 Cobia
•	937 Albacore	•	754 Althea	•	756 Althea	•	758 Althea	•	887 Cobia
•	836 Azalea	•	838 Azalea	•	845 Azalea	•	847 Azalea	•	881 Cobia
•	863 Azalea	•	867 Cobia	•	870 Cobia	•	871 Cobia	•	881 Cobia
•	877 Cobia	•	876 Cobia						

Dear Mr. Drawdy,

The South Carolina Department of Health and Environmental Control (the Department) received the above referenced Underground Storage Tanks (USTs) Assessment Report on February 17, 2011 for the addresses listed above.

The Department has reviewed the referenced assessment report and agrees there is no indication of soil or groundwater contamination on this property, and therefore no further investigation is required at this time.

Please note that the Department's decision is based on information provided by the Marine Corp Air Station (MCAS) to date. Any information found to be contradictory to this decision may require additional action. Furthermore, the Department retains the right to request further investigation if deemed necessary. If you have any questions, please contact me at picketcn@dhec.sc.gov or 803-896-4131.

Sincerely,

Christi Pickett

Corrective Action Engineering Section Bureau of Land and Waste Management

South Carolina Department of Health and Environmental Control

cc: Laurel Rhoten (via email)

Craig Ehde (via email)